22500171596

Annual summary contained
in the final quarterly report

WELLCOME INSTITUTE
LIBRARY

Coll.	WellMOmec
Coll.	SCV
No.	WA

1922. No. 1.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 7TH JANUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH JANUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the first week of the year numbered 8,969, and corresponded to an annual rate of 24·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 6,921 and corresponded to an annual rate of 19·1* per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,340 in the year 1921. Infant mortality was 88* per 1,000 births.

In London (Administrative County including the City of London) there were 2,148 births, corresponding to a rate of 25·0 per 1,000, and 2,170 deaths of civilians, corresponding to a rate of 25·3, as against 14·7, 16·1, and 18·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 18·6 per 1,000. The infant mortality was 85 per 1,000 births as against 66, 77, and 108 in the three weeks preceding.

The increased mortality last week was due largely to increased prevalence of influenza, the deaths from this cause in the aggregate of the great towns being nearly twice as many as in the previous week, while in London the number of deaths from this cause rose in the same period from 151 to 354.

---

* In the three weeks ended December 17th, December 24th, and December 31st, the death rate in the 96 Great Towns was 14·4, 14·6, and 15·9 per 1,000, and the rates of infant mortality 81, 87, and 107 per 1,000 births.

---

x (45)16894(16850) 1700 1/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 7th January 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,340*	8,969	6,921	793	8	69	35	130	72	61	819
London	4,476,238*	2,148	2,170	182	3	25	13	53	31	10	354
Towns in Outer Ring:											
Croydon C.B.	190,877	83	61	5	–	–	–	–	1	–	8
Wimbledon	61,451	12	12	1	–	–	–	–	–	–	1
Ealing	67,753	15	15	1	–	–	–	–	–	–	1
Acton	61,314	29	25	–	–	–	–	–	–	–	2
Willesden	165,669	67	53	5	–	–	1	2	4	–	7
Hendon	56,014	23	14	1	–	–	1	–	–	–	3
Hornsey	87,691	29	20	4	–	–	–	–	–	–	3
Wood Green	50,716	15	21	1	–	–	–	–	–	–	1
Tottenham	146,695	68	50	5	–	–	1	–	1	1	3
Edmonton	66,809	44	20	2	–	–	–	1	1	–	3
Enfield	60,743	21	9	1	–	–	–	–	–	–	–
West Ham C.B.	300,905	188	222	30	–	6	–	12	1	1	44
East Ham C.B.	143,304	61	57	10	–	–	–	1	1	1	7
Leyton	128,432	38	39	2	–	–	–	2	–	–	8
Walthamstow	127,441	74	35	4	–	–	1	2	–	1	2
Ilford	85,191	32	36	–	–	–	–	–	–	–	12
Gillingham	47,887*	24	17	–	–	–	–	–	–	–	2
Canterbury C.B.	23,331*	7	3	1	–	–	–	–	–	–	–
Hastings C.B.	66,496	15	23	–	–	–	–	–	–	–	2
Eastbourne C.B.	62,030	15	10	–	–	–	–	–	–	–	2
Brighton C.B.	142,427	52	41	2	–	–	–	–	1	–	5
Portsmouth C.B.	234,218*	150	69	10	–	–	2	1	–	–	3
Bournemouth C.B.	91,770	28	20	1	–	–	–	–	–	–	2
Southampton C.B.	160,997	72	61	8	–	–	–	–	–	–	8
Reading C.B.	92,274	47	22	4	–	–	–	–	–	–	1
Oxford C.B.	57,052	21	15	1	–	–	–	1	–	–	2
Northampton C.B.	90,923	40	23	2	–	–	–	–	–	–	1
Luton	57,077	23	24	2	–	–	–	–	–	–	5
Cambridge	59,262	15	12	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	106,021	31	19	–	–	–	1	–	–	–	1
Ipswich C.B.	79,383	41	41	2	–	–	–	–	–	1	7
Great Yarmouth C.B.	60,710	18	17	1	–	–	–	–	–	–	–
Norwich C.B.	120,653	61	29	2	–	–	–	–	–	–	1
Swindon	54,920	27	12	1	–	–	–	–	–	–	1
Exeter C.B.	59,608	28	13	1	–	–	–	–	–	–	–
Plymouth C.B.	198,132*	97	53	4	–	2	1	–	–	–	3
Bath C.B.	68,648	29	16	1	–	–	–	–	–	–	2
Bristol C.B.	377,061	153	93	9	–	–	–	1	5	1	5
Gloucester C.B.	51,330	25	19	–	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	240,440	146	164	24	–	–	2	4	–	6	40
Burton-upon-Trent C.B.	48,927	26	16	1	–	–	–	–	–	–	2
Wolverhampton C.B.	102,373	42	50	7	–	–	–	2	–	–	6
Walsall C.B.	96,964	56	27	3	–	–	–	1	–	–	1
West Bromwich C.B.	73,761	43	17	3	–	–	–	–	–	1	–
Worcester C.B.	48,848	16	8	2	–	–	–	–	–	–	–
Dudley C.B.	55,908	40	17	4	–	–	–	–	–	–	–
Birmingham C.B.	919,438	472	233	36	–	1	1	7	2	4	8
Smethwick C.B.	75,757	41	17	1	–	–	–	–	–	–	–
Coventry C.B.	128,205	53	28	2	–	–	–	–	–	–	–
Leicester C.B.	234,190	92	83	6	–	–	–	–	1	1	8
Lincoln C.B.	66,020	31	21	1	–	–	–	–	–	1	2
Grimsby C.B.	82,329	54	37	7	1	–	–	1	–	–	2
Nottingham C.B.	262,658	136	79	13	–	–	–	–	1	–	6
Derby C.B.	129,836	65	47	7	–	–	–	–	–	–	5
Chesterfield	61,236	30	12	1	–	–	–	–	–	–	–
Stockport C.B.	123,315	43	36	4	–	–	1	1	2	1	5
Chester C.B.	40,794	9	9	–	–	–	–	–	1	–	–
Birkenhead C.B.	145,592	61	40	8	–	3	–	1	–	1	4
Wallasey C.B.	90,721	30	20	2	–	–	–	1	–	–	1
Liverpool C.B.	803,118	421	248	51	–	27	–	2	1	5	2
Bootle C.B.	76,508	33	12	3	–	1	–	–	–	–	–
St. Helens C.B.	102,675	76	28	7	–	1	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	9	20	2	–	–	–	–	–	–	1
Wigan C.B.	89,447	36	28	3	–	–	–	–	1	–	2
Warrington C.B.	76,811	35	24	5	–	–	–	–	–	–	2
Bolton C.B.	178,678	73	86	14	–	–	–	1	–	2	19
Bury C.B.	56,426	16	47	6	–	–	–	3	–	–	8
Manchester C.B.	730,551	313	236	30	1	–	4	1	2	2	27
Salford C.B.	234,150	113	106	23	–	–	2	2	–	2	13
Oldham C.B.	145,001	69	40	8	–	–	–	–	1	–	3
Rochdale C.B.	90,807	32	27	2	–	–	–	–	–	–	–
Burnley C.B.	103,175	42	68	8	1	–	–	1	1	–	16
Blackburn C.B.	126,630	40	30	4	–	–	–	–	–	1	1
Preston C.B.	117,426	62	41	4	–	–	–	–	1	1	3
Blackpool C.B.	99,640	17	20	–	–	–	–	–	–	–	1
Barrow-in-Furness C.B.	74,254	33	25	4	–	–	–	–	–	1	1
Huddersfield C.B.	110,120	46	54	8	–	–	–	2	–	–	3
Halifax C.B.	99,129	37	28	2	–	–	–	–	1	–	2
Bradford C.B.	285,979	116	118	13	–	–	1	1	–	–	16
Leeds C.B.	458,320	233	180	26	–	–	–	10	2	–	21
Dewsbury C.B.	54,165	15	18	1	–	–	–	–	–	–	2
Wakefield C.B.‡	53,053	32	21	3	–	–	–	–	–	–	1
Barnsley C.B.‡	67,918	55	16	2	–	–	–	2	–	–	–
Sheffield C.B.‡	511,748	253	154	12	–	2	–	1	1	2	12
Rotherham C.B.	68,045	46	17	4	–	–	–	–	–	–	2
Doncaster	54,052	34	15	3	1	–	–	–	–	1	1
York C.B.	82,606*	45	39	3	–	–	–	–	–	–	9
Hull C.B.	287,013	140	100	13	–	–	–	–	–	2	2
Middlesbrough C.B.	131,103	72	79	14	–	–	–	3	–	–	10
Darlington C.B.	65,866	32	26	6	–	–	1	–	–	–	2
Stockton-on-Tees	64,150	34	54	7	–	–	–	2	–	1	11
West Hartlepool C.B.	68,689	39	18	2	1	–	–	1	–	–	2
Sunderland C.B.	159,100	92	43	7	–	1	–	–	–	2	5
South Shields C.B.‡	118,631	72	32	6	–	–	–	–	2	–	–
Gateshead C.B.	124,514	52	46	6	–	–	1	3	–	–	3
Newcastle-on-Tyne C.B.	274,955	144	78	12	–	–	–	–	1	–	5
Tynemouth C.B.	63,786	33	8	1	–	–	–	–	–	1	–
Carlisle C.B.	52,600	33	14	1	–	–	–	1	–	–	1
Newport (Mon.) C.B.	92,369	50	27	2	–	–	–	–	–	2	2
Cardiff C.B.	200,262	120	52	6	–	–	–	–	2	1	2
Rhondda	162,729	121	47	14	–	–	–	–	–	4	2
Merthyr Tydfil C.B.	80,161	38	21	2	–	–	–	–	–	–	–
Aberdare	55,010	43	14	1	–	–	–	–	–	–	–
Swansea C.B.	157,561	70	14	4	–	–	1	–	3	–	–
Greater London	7,467,598*	3,382	3,212	288	3	32	20	74	48	15	515
Outer Ring	2,991,360*	1,234	1,042	106	–	7	7	21	17	5	161
16 Great Towns in Outer Ring	1,801,005	799	689	72	–	6	4	20	9	4	105
Remainder of Outer Ring	1,190,355*	435	353	34	–	1	3	1	8	1	56
Edinburgh†	420,486	165	121	16	–	–	1	–	2	1	2
Glasgow†	1,037,845	588	450	96	–	37	1	8	2	10	25
Dublin (Registration Area)†	427,000	196	225	34	–	8	–	1	–	3	28
Belfast†	425,000	254	131	19	2	1	1	–	–	5	4

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,238	1922. Jan. 7	2,148	2,170	25·3	3	–	25	13	53	31	10	354
Calcutta	896,067	1921. Dec. 3	–	641§	37·2	–	2	–	–	–	–	–	29
Bombay	979,445	„ 3	461‖	768§	40·8	2	–	–	–	–	–	45	14
		„ 10	376‖	844	44·9	4	–	1	–	–	–	61	4
Madras	522,951	Nov. 26	413	357	35·5	1	6	2	?	–	–	29	–
Paris	2,847,229	10 days Nov. 10	1,283	1,158	14·8	8	–	–	–	2	6	49	–
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Dec. 24	119	79	12·3	–	–	1	–	1	–	4	4
Amsterdam	683,400	„ 24	256	167	12·8	1	–	–	–	3	–	–	2
Copenhagen	562,000	„ 24	243	125	11·6	–	–	–	1	–	–	2	–
Stockholm	419,788	„ 17	120	92	11·4	–	–	–	–	–	–	–	1
Gothenburg	205,547	„ 17	–	33	8·4	1	–	–	–	–	–	1	–
		„ 24	–	46	11·6	1	–	1	–	–	–	–	–
Christiania	260,920	„ 24	89	63	12·6	1	–	–	–	–	–	–	–
Berlin	1,945,000	„ 17	445	696	18·6	–	?	–	–	2	4	8	6
Breslau	547,000	„ 17	248	181	17·2	1	?	1	–	–	1	2	14
Cologne	669,000	„ 17	269	187	14·5	1	?	–	–	–	*3	4	5
Dresden	600,000	„ 17	205	171	14·8	–	?	–	1	–	1	1	4
Frankfort-on-Main	471,000	„ 17	134	93	10·3	–	?	–	–	1	1	1	3
Hamburg	1,031,000	„ 17	318	352	17 7	–	?	–	1	6	4	4	18
Leipzig	630,000	„ 17	194	167	13·8	–	?	–	–	2	1	4	5
Munich	670,000	„ 17	–	–	–	–	–	–	–	–	–	–	–
Vienna	1,842,005	„ 10	490	536	15·1	1	–	–	2	3	1	10	–
		„ 17	559	518	14·6	1	–	–	2	3	–	13	3
Prague and Suburbs	676,454	„ 3	224	197	15·2	1	–	1	2	–	3	4	–
		„ 10	242	184	14·3	–	–	–	–	–	1	6	–
Budapest	933,000	Oct. 15	383	340	18·9	17	?	1	16	5	4	33	–
Cairo	765,200	„ 28	707	297	20·2	1	–	–	–	?	3	35	?
Alexandria	449,300	„ 28	394	189§	21·9	–	–	–	–	?	1	22	?
New York	5,751,859	Dec. 3	2,551	1,153	10·5	1	–	–	2	5	9	13	7
Chicago	2,780,655	„ 10	–	553	10·4	1	–	1	6	–	15	17	3
Montevideo	358,355	Oct. 15	233	134	19·6	1	–	–	–	–	–	–	1
		„ 22	173	110	19·5	–	–	–	–	–	–	–	–
		„ 29	64	128	19·5	1	–	–	–	–	–	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *plague* in Bombay and 1 in Alexandria, and from *Asiatic cholera* 12 deaths in Calcutta.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 7th January, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2170	182	148	98	61	82	124	161	241	304	428	341
Enteric fever	3	–	–	–	1	1	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	25	3	13	7	1	–	1	–	–	–	–	–
Scarlet fever	13	–	1	6	5	–	1	–	–	–	–	–
Whooping cough	53	8	28	16	1	–	–	–	–	–	–	–
Diphtheria	31	2	4	12	12	1	–	–	–	–	–	–
Influenza	354	11	12	7	10	12	36	45	53	65	66	37
Erysipelas	5	–	1	–	–	1	–	–	1	1	1	–
Acute Poliomyelitis, Polioencephalitis.	2	–	–	1	–	1	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	135	–	–	–	5	22	23	32	32	19	2	–
Tuberculous meningitis	5	–	1	1	2	–	–	–	1	–	–	–
Abdominal tuberculosis	4	–	–	1	2	–	1	–	–	–	–	–
Other tubercle	5	–	1	–	1	2	–	–	1	–	–	–
Venereal diseases	3	2	–	–	–	–	–	–	1	–	–	–
Cancer	99	–	–	–	–	–	–	5	17	29	29	19
Rheumatic fever	4	–	–	–	1	2	–	–	1	–	–	–
Diabetes	10	–	–	–	–	1	1	1	2	1	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	9	3	–	4	1	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	69	–	–	–	–	–	–	1	5	16	30	17
Epilepsy	5	–	–	–	1	–	–	1	2	1	–	–
"Convulsions" (not puerperal)	7	5	1	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	31	1	1	–	2	2	3	5	5	3	7	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	11	–	1	–	1	–	3	4	2	–	–	–
Other diseases of heart	253	–	–	–	2	12	16	12	27	44	76	64
Other dis. of circulatory system	44	–	–	–	–	–	–	1	6	6	12	19
Bronchitis	282	6	7	3	–	–	3	5	26	45	102	85
Broncho-pneumonia	182	33	58	29	1	–	1	10	7	11	23	9
Lobar pneumonia	63	2	–	–	–	7	11	7	12	7	13	4
Pneumonia (type not distinguished)	73	7	9	2	3	4	6	10	5	8	15	4
Other diseases of respiratory system	30	3	–	2	–	2	3	4	4	5	3	4
Diarrhœa and enteritis	14	6	4	1	–	–	–	–	1	–	–	2
Appendicitis and typhlitis	8	1	–	–	2	2	–	–	1	2	–	–
Hernia, Intestinal obstruction	14	1	–	–	1	–	2	1	2	2	1	4
Cirrhosis of liver	11	–	–	–	–	–	–	–	3	7	–	1
Other diseases of digestive system	24	1	1	–	1	–	3	2	4	6	5	1
Acute nephritis	5	–	–	2	1	1	–	–	1	–	–	–
Chronic Bright's disease	38	–	–	–	–	1	3	2	8	8	5	11
Other diseases of genito-urinary system.	12	–	–	–	1	–	–	1	2	2	4	2
Puerperal fever, &c.	5	–	–	–	–	1	3	1	–	–	–	–
Other causes incident to childbirth	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	12	12	–	–	–	–	–	–	–	–	–	–
Premature birth	38	38	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	16	16	–	–	–	–	–	–	–	–	–	–
Old age	58	–	–	–	–	–	–	–	–	2	11	45
Suicide	8	–	–	–	–	–	–	2	1	3	2	–
Burns and scalds	1	–	–	–	–	–	–	–	–	–	1	–
Drowning	2	–	–	–	–	1	1	–	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	–	–	–	–	1	1	–	1	1
Other deaths by violence	25	1	–	1	1	3	1	1	1	5	7	4
Other specified causes	60	17	5	2	2	3	2	4	6	5	10	4
Ill-defined causes	2	1	–	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th January 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
†CITY OF LONDON	–	3	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	16	11	–	43	–
†BERMONDSEY ...	–	24	35	–	9	–
†BETHNAL GREEN	–	12	11	–	13	C. 1
†CAMBERWELL ...	–	40	12	1	37	C. 1 M. 1
†CHELSEA ...	–	2	1	–	11	–
†DEPTFORD ...	–	18	7	–	4	C. 1
†FINSBURY ...	–	8	9	–	8	–
†FULHAM ...	–	15	6	–	23	–
†GREENWICH ...	–	15	25	–	9	M. 2
†HACKNEY ...	–	22	14	–	4	M. 1
†HAMMERSMITH	–	27	7	–	13	D. 1
†HAMPSTEAD ...	–	15	8	–	9	–
†HOLBORN ...	–	3	1	–	6	–
†ISLINGTON ...	–	36	31	–	11	M. 3
†KENSINGTON ...	–	19	10	–	17	G. 1 M. 1
†LAMBETH ...	–	46	23	1	32	C. 4
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	17	8	1	25	–
†PADDINGTON ...	–	11	8	–	21	D. 1
†POPLAR... ...	–	20	15	–	26	C. 1 M. 1
†ST. MARYLEBONE	–	4	11	–	10	–
†ST. PANCRAS ...	–	55	22	–	40	C. 1 E. 1 D. 1 M. 1
†SHOREDITCH ...	–	9	9	1	23	M. 1
†SOUTHWARK ...	–	22	11	–	30	–
†STEPNEY ...	–	18	27	–	39	D. 1
†STOKE NEWINGTON	–	4	3	–	–	–
†WANDSWORTH	–	44	27	–	44	E 1
†WESTMINSTER, CITY OF	–	15	5	–	1	–
†WOOLWICH ...	–	13	10	–	27	C. 1 E. 1
TOTAL OF PART I.	–	553	367	4	535	C. 10 D. 4 E. 3 G. 1 M. 11

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	8	5	–	7	M. 2
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	1	–	3	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	–	2	–	4	M. 2
Rural Districts :—						
AMPTHILL ...	–	3	2	–	–	–
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE	–	1	–	–	–	–
EATON SOCON	*	*	*	*	*	*
LUTON	*	*	*	*	*	*
BERKS	–	23	7	–	3	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	–	–	–	–
†NEWBURY ...	–	3	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
†READING, C.B.	–	8	3	–	2	M. 1
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	–	–	–	1	–
EASTHAMPSTEAD	–	1	1	–	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD	–	2	1	–	–	–
WOKINGHAM ...	–	–	2	–	–	–
BUCKINGHAM ...	–	15	7	–	10	G. 1
Boroughs and Urban Districts :—						
BEACONSFIELD...	–	1	–	–	1	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	2	–	–	5	–
CHESHAM ...	–	2	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
MARLOW... ...	–		1	–	–	–
†SLOUGH ...	–	–	3	–	–	–
†WOLVERTON ...	–	4	–	–	1	–
Rural Districts :—						
AMERSHAM ...	–	2	1	–	–	G. 1
AYLESBURY ...	–	1	–	–	1	–
BUCKINGHAM ...	–	–	–	–	1	–
BUCKINGHAM— *cont.*						
Rural Districts.— *cont.*						
NEWPORT PAGNELL	–	–	2	–	1	–
WINSLOW ...	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE...	–	19	4	1	4	C. 1
Borough						
†CAMBRIDGE ...	–	7	3	–	3	–
Rural Districts :—						
CHESTERTON ...	–	–	–	1	1	–
LINTON ...	–	8	–	–	–	C. 1
MELBOURN ...	–	2	–	–	–	–
NEWMARKET ...	–	2	1	–	–	–
CHESTER	1	64	30	–	23	C. 1 L. 1 M. 5
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	7	6	–	6	–
BOLLINGTON ...	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	4	4	–	–	M. 1
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	5	1	–	–	–
†DUKINFIELD ...	–	1	–	–	3	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	3	1	–	–	–
KNUTSFORD ...	–	2	–	–	1	–
†LOWER BEBINGTON	–	–	–	–	1	–
†MACCLESFIELD	–	1	1	–	–	L. 1
MIDDLEWICH ...	–	–	1	–	–	–
†NORTHWICH ...	1	–	–	–	–	–
†RUNCORN ...	–	1	2	–	–	–
†SALE	–	3	–	–	–	M. 1
†STALYBRIDGE ...	–	2	–	–	3	M. 1
†STOCKPORT C.B.	–	7	6	–	–	C. 1 M. 1
†WALLASEY C.B.	–	14	–	–	2	–
†WINSFORD ...	–	4	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	2	–	–	–
CONGLETON ...	–	–	–	–	1	–
MACCLESFIELD	–	–	1	–	–	–
MALPAS ...	–	1	2	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	2	–	–	–
TARVIN	–	1	–	–	1	–
WIRRAL ...	–	1	–	–	1	–
CORNWALL ...	–	15	8	–	1	–
Boroughs and Urban Districts:—						
BODMIN ...	–	1	–	–	–	–
PADSTOW ...	–	–	1	–	–	–
ST. IVES ...	–	1	5	–	–	–
SALTASH ...	–	1	–	–	–	–
†TRURO	–	–	1	–	–	–
WADEBRIDGE .	–	6	–	–	–	–
Rural Districts:—						
BODMIN ...	–	1	–	–	–	–
CAMELFORD ...	–	–	1	–	–	–
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	3	–	–	–	–
SAINT COLUMB MAJOR	–	1	–	–	–	–
CUMBERLAND ...	–	13	9	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
†CARLISLE C.B. ...	–	3	1	–	–	–
EGREMONT ...	–	4	–	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
†MARYPORT ...	–	–	1	–	–	–
PENRITH ...	–	1	1	–	–	–
WIGTON ...	–	4	–	–	–	–
Rural Districts:—						
COCKERMOUTH	–	–	2	–	–	–
LONGTOWN ...	–	–	3	–	–	–
WIGTON ...	–	1	–	–	–	–
DERBY	–	36	19	1	42	M. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
ALVASTON AND BOULTON	–	3	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON ...	–	–	1	–	–	–
†CHESTERFIELD	–	3	1	–	3	–
†DERBY C.B. ...	–	9	1	1	18	M. 1
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP ...	–	1	–	–	6	–
†HEANOR ...	–	6	2	–	2	–
†LONG EATON ...	–	1	–	–	1	–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	–	–	–	–	2	M. 1
†SWADLINCOTE DISTRICT	–	3	2	–	6	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BLACKWELL ...	–	3	–	–	–	–
CHESTERFIELD	–	2	6	–	1	–
CLOWNE... ...	–	–	2	–	–	–
HAYFIELD ...	–	–	–	–	1	–
REPTON ...	–	2	–	–	1	–
SHARDLOW ...	–	–	–	–	1	M. 1
DEVON	–	12	15	–	7	–
Boroughs and Urban Districts:—						
BAMPTON ...	–	–	1	–	–	–
†BARNSTAPLE ...	–	–	1	–	–	–
BRIXHAM ...	*	*	*	*	*	*
DARTMOUTH ...	–	1	2	–	–	–
†EXETER C.B. ...	–	2	1	–	–	–
IVYBRIDGE ...	*	*	*	*	*	*
†NEWTON ABBOT	–	–	1	–	–	–
†PAIGNTON ...	–	3	1	–	–	–
†PLYMOUTH C.B.	–	3	4	–	5	–
TAVISTOCK ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	–	1	–	–	–
Rural Districts:—						
BIDEFORD ...	–	–	1	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TORRINGTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	–	11	5	–	–	C. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
BRIDPORT ...	–	2	–	–	–	–
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
POOLE	–	–	1	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
SHERBORNE ...	–	–	–	–	–	C. 1
STURMINSTER ...	–	4	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	2	–	–	–
DURHAM... ...	–	79	23	3	58	M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	M. 1
†BLAYDON ...	–	3	2	–	–	–
†BRANDON AND BYSHOTTLES	–	3	–	–	–	–
†CHESTER-LE-STREET	–	1	1	–	3	–
†CONSETT ...	–	3	1	–	2	–
†DARLINGTON C.B.	–	–	3	–	3	–
†FELLING ...	–	2	–	–	2	–
†GATESHEAD C.B.	–	18	–	–	3	M. 2
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	2	–	–	7	–
†HETTON ...	–	–	–	–	–	M. 1
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	1	–	–	10	–
†RYTON	–	3	–	–	–	–
†SHILDON ...	–	3	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	2	–	6	M. 1
STANHOPE ...	–	–	1	–	–	–
†STANLEY ...	–	3	1	–	2	–
†STOCKTON-ON-TEES	–	–	1	–	4	–
†SUNDERLAND C.B.	–	7	–	–	9	M. 1
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST HARTLEPOOL C.B.	–	4	–	1	2	M. 2
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	–	3	1	–	–
CHESTER-LE-STREET	–	9	1	1	–	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM ...	–	1	–	–	1	–
EASINGTON ...	–	1	2	–	1	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON-LE-SPRING	–	–	–	–	1	–
LANCHESTER ...	–	3	4	–	–	–
SEDGEFIELD ...	–	2	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	2	1	–	–	–
ISLE OF ELY ...	–	7	–	–	–	C. 1
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
MARCH	–	1	–	–	–	–
†WISBECH ...	–	–	–	–	–	C. 1
Rural Districts:—						
ELY	–	3	–	–	–	–
WISBECH ...	–	2	–	–	–	–
ESSEX	–	132	55	1	74	G. 1, M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	5	3	–	3	–
BRIGHTLINGSEA	–	–	1	–	1	–
†CHELMSFORD ...	–	–	1	–	1	–
CHINGFORD ...	–	–	1	–	1	–
†CLACTON ...	–	1	–	–	2	–
†COLCHESTER ...	–	–	1	1	4	–
†EAST HAM C.B.	–	27	3	–	6	–
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	–	2	–	1	–
†ILFORD	–	6	6	–	12	–
†LEYTON... ...	–	25	3	–	7	G. 1
†ROMFORD ...	–	–	2	–	–	–
SHOEBURYNESS-ON-SEA	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHEND-ON-SEA C.B.	–	5	1	–	9	M. 1
TILBURY ...	–	2	–	–	–	–
†WALTHAMSTOW	–	17	11	–	–	–
†WANSTEAD ...	–	3	3	–	–	–
†WEST HAM C.B.	–	19	10	–	13	–
WIVENHOE ...	–	–	1	–	–	–
†WOODFORD ...	–	3	1	–	6	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
BILLERICAY ...	–	–	2	–	–	–
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW ...	–	1	1	–	3	–
EPPING	–	1	–	–	–	–
ORSETT	–	4	–	–	–	–
ROCHFORD ...	–	1	–	–	1	–
ROMFORD ...	–	2	–	–	1	–
STANSTED ...	–	2	–	–	–	–
TENDRING ...	–	4	2	–	–	–
GLOUCESTER ...	–	39	49	1	20	C. 1, M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	36	40	1	13	C. 1
†CHELTENHAM ...	–	1	2	–	1	–
†GLOUCESTER C.B.	–	–	2	–	2	–
†KINGSWOOD ...	–	–	3	–	–	–
TEWKESBURY ...	–	–	–	–	2	M. 1
Rural Districts:—						
CAMPDEN ...	–	2	–	–	–	–
CHIPPING SODBURY	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	–	1	–	–	–
HEREFORD ...	–	7	6	1	3	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	–	–
KINGTON ...	–	–	2	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	1	2	–
HEREFORD ...	–	6	2	–	–	–
KINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	20	12	–	5	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	1	–	–	–
†BARNET... ...	–	1	–	–	–	–
†CHESHUNT ...	–	–	–	–	1	–
CHORLEYWOOD...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	–	2	–	–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	–
†HERTFORD ...	–	–	1	–	–	–
HODDESDON ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
ROYSTON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	2	–	–	–	–
TRING	–	1	–	–	–	–
†WATFORD ...	–	8	3	–	3	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
BARNET... ...	–	1	2	–	–	–
ST. ALBANS ...	–	2	–	–	–	–
WATFORD ...	–	1	–	–	1	–
HUNTINGDON ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	*	*	*	*	*	*
Rural Districts:—						
ST. NEOTS, No. 1	*	*	*	*	*	*
KENT	–	85	57	2	24	M. 2
Boroughs and Urban Districts:—						
†ASHFROD ...	–	2	–	–	1	–
†BECKENHAM ...	–	6	1	–	1	–
†BEXLEY ...	–	8	–	–	–	–
†BROADSTAIRS and ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	–	1	–	5	–
†CANTERBURY C.B.	–	2	1	–	2	–
†CHATHAM ...	–	3	–	–	–	–
CHISLEHURST ...	–	1	–	2	–	–
†DARTFORD ...	–	14	3	–	–	–
†DOVER	–	1	2	–	2	–
†ERITH	–	1	1	–	–	M. 1
†FOLKSTONE ...	–	2	1	–	1	–
†GILLINGHAM ...	–	4	2	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	–	1	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
HYTHE	–	4	–	–	–	–
†MAIDSTONE ...	–	3	2	–	1	–
†MARGATE ...	–	6	5	–	–	–
MILTON REGIS...	–	–	3	–	–	–
†NORTHFLEET ...	–	–	–	–	1	–
†PENGE	–	–	–	–	1	–
†RAMSGATE ...	–	8	16	–	–	M. 1
†ROCHESTER ...	–	–	4	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	3	–
SANDGATE ...	–	–	1	–	–	–
†SHEERNESS ...	–	2	–	–	–	–
SIDCUP	–	–	1	–	–	–
SOUTHBOROUGH	*	*	*	*	*	*
WALMER ...	–	3	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	1	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	6	3	–	3	–
EASTRY ...	–	2	–	–	–	–
ISLE OF THANET	–	1	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING ...	–	1	–	–	–	–
MILTON	–	–	2	–	–	–
SHEPPEY ...	–	–	1	–	–	–
STROOD	–	–	1	–	–	–
WEST ASHFORD	–	–	–	–	1	–
LANCASTER ...	4	498	108	7	298	C. 14, D. 1, G. 2, K. 1, M. 32
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–
†ACCRINGTON ...	–	4	–	–	1	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	3	–	–	2	–
†BACUP	–	–	–	–	2	–
†BARROW-IN-FURNESS C.B.	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLACKBURN C.B.	–	6	1	–	3	M. 1
†BLACKPOOL C.B.	–	5	1	–	1	–
BLACKROD ...	–	1	–	–	2	–
†BOLTON C.B. ...	–	15	3	–	8	M. 1
†BOOTLE C.B. ...	–	14	2	–	1	–
BRIERFIELD ...	–	–	–	–	4	–
†BURNLEY C.B.	–	5	5	–	12	–
†BURY C.B. ...	–	6	1	–	2	C. 1
†CHADDERTON ...	–	5	1	–	1	–
†CHORLEY ...	–	–	1	–	1	–
CLAYTON-LE-MOORS	–	–	–	–	–	G. 1
†CLITHEROE ...	–	1	–	–	1	–
†CROMPTON ...	–	3	–	–	1	–
CROSTON ...	–	1	–	–	–	–
†DALTON-IN-FURNESS	–	1	–	–	–	–
†DARWEN ...	–	–	–	–	2	M. 1
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	2	–
†ECCLES ...	–	4	–	–	–	C. 1 M. 1
†FAILSWORTH ...	–	4	–	–	–	–
†FARNWORTH ...	–	1	1	–	2	–
†FLEETWOOD ...	–	2	–	–	3	M. 1
FULWOOD ...	–	–	1	–	–	–
†GREAT CROSBY	–	–	1	–	1	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	2	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY ...	–	3	–	–	1	–
†HORWICH ...	–	2	6	–	8	–
HURST ...	–	–	–	–	1	–
HUYTON-WITH-ROBY	*	*	*	*	*	*
†INCE-IN-MAKERFIELD	–	1	1	–	2	–
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	3	–	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	3	–
†LEIGH	–	3	1	–	2	D. 1
†LITHERLAND ...	–	2	–	–	–	–
LITTLE HULTON	–	2	–	–	–	–
LITTLE LEVER	–	–	–	–	2	–
†LIVERPOOL C.B.	–	66	23	1	33	C. 4 M. 13.

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LONGRIDGE ...	–	–	2	–	–	–
†LYTHAM ...	–	1	–	–	–	–
†MANCHESTER C.B.	4	148	22	2	96	C. 8 G. 1 K. 1 M. 10
†MIDDLETON ...	–	2	–	–	–	–
MILNROW ...	–	–	1	–	2	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY ...	–	1	–	–	–	–
†NELSON ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	2	–	–	1	–
NORDEN ...	–	2	–	–	–	–
†OLDHAM C.B.	–	18	1	–	5	–
ORMSKIRK ...	–	2	–	1	–	–
ORRELL ...	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM ...	–	1	–	–	1	–
†PRESTON C.B.	–	11	2	–	2	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	–	–	3	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL	–	–	–	–	1	–
RISHTON ...	–	1	1	–	2	–
†ROCHDALE C.B.	–	10	6	–	–	M. 1
†ROYTON ...	–	1	1	–	1	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	7	–	–	2	–
†SALFORD C.B.	–	42	10	–	15	M. 1
†SOUTHPORT C.B	–	–	–	–	5	–
†STRETFORD ...	–	8	1	–	4	–
†SWINTON AND PENDLEBURY	–	3	–	–	3	–
THORNTON ...	–	2	–	–	–	–
TOTTINGTON ...	–	2	–	–	2	–
TRAWDEN ...	–	–	–	–	1	–
†TURTON ...	–	8	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	5	–	–	4	–
URMSTON ...	–	3	1	–	–	–
†WARRINGTON C.B.	–	8	–	–	14	M. 1
†WATERLOO-WITH-SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	–	3	–	–	–	M. 1
WHITWORTH ...	–	1	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIDNES ...	–	2	1	–	12	–
†WIGAN C.B. ...	–	7	–	2	5	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	3	–	–	–	–
BURNLEY ...	–	–	1	–	–	–
BURY	–	–	1	–	–	–
CHORLEY ...	–	2	–	–	–	–
CLITHEROE ...	–	–	–	–	3	–
LEIGH ...	–	4	1	1	1	–
LIMEHURST ...	–	–	–	–	3	–
PRESTON ...	–	8	1	–	–	–
WEST LANCASHIRE	–	–	2	–	–	–
WHISTON ...	–	–	2	–	–	–
LEICESTER ...	–	21	16	–	21	M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	–	–	2	–
†COALVILLE ...	–	1	2	–	–	–
†LEICESTER C.B.	–	9	6	–	6	–
†LOUGHBOROUGH	–	4	–	–	–	–
MELTON MOWBRAY	–	1	–	–	8	M. 1
SHEPSHED ...	–	–	–	–	2	–
THURMASTON ...	–	–	–	–	1	–
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	1	–	–	–
BARROW-UPON-SOAR	–	–	1	–	1	–
BLABY	–	1	–	–	1	–
HINCKLEY ...	–	3	–	–	–	–
LUTTERWORTH	–	–	1	–	–	–
MARKET BOSWORTH	–	–	2	–	–	–
MARKET HARBOROUGH	–	2	1	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	1	–	–	–
HOLBEACH ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	5	–	3	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	1	–
SLEAFORD ...	–	–	–	–	2	M. 1
STAMFORD ...	–	1	1	–	–	–
Rural Districts:—						
BOURNE ...	–	–	2	–	–	–
BRANSTON ...	–	1	–	–	–	–
CLAYPOLE ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	5	18	3	2	C. 1, G. 1, M. 2
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH	–	1	1	–	1	–
†GRIMSBY C.B. ...	–	–	3	2	–	C. 1
HORNCASTLE ...	–	–	–	–	–	M. 1
†LINCOLN C.B. ...	–	1	3	1	–	–
LOUTH	–	–	–	–	–	M. 1
†SCUNTHORPE & FRODINGHAM	–	–	2	–	1	–
Rural Districts:—						
CAISTOR ...	–	1	–	–	–	–
GAINSBOROUGH	–	2	1	–	–	–
GLANFORD BRIGG	–	–	3	–	–	–
ISLE OF AXHOLME	–	–	1	–	–	–
SPILSBY... ...	–	–	2	–	–	G. 1
MIDDLESEX ...	–	144	100	1	70	C. 1, D. 1, E. 1, M. 3
Boroughs and Urban Districts:—						
†ACTON	–	8	2	–	2	–
†BRENTFORD ...	–	4	1	–	–	–
†CHISWICK ...	–	4	–	–	–	–
†EALING ...	–	12	12	–	2	–
†EDMONTON ...	–	8	8	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ENFIELD ...	–	9	1	–	1	E. 1
†FINCHLEY ...	–	4	1	–	2	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	–	2	–	3	–
†HANWELL ...	–	3	6	–	1	D. 1
†HARROW-ON-THE-HILL	–	–	1	–	–	M. 1
HAYES	–	1	–	–	–	–
†HENDON ...	–	4	12	–	3	C. 1
†HESTON AND ISLEWORTH	–	3	3	–	–	–
†HORNSEY ...	–	14	1	–	4	–
KINGSBURY ...	–	1	–	–	–	–
RUISLIP-NORTHWOOD	–	–	2	–	–	–
†SOUTHALL-NORWOOD	–	–	–	–	–	M. 1
†SOUTHGATE ...	–	3	4	–	–	–
STAINES ...	–	2	–	–	–	–
†TEDDINGTON ...	–	4	–	–	–	–
†TOTTENHAM ...	–	28	17	–	23	M. 1
†TWICKENHAM ...	–	1	–	–	2	–
†UXBRIDGE ...	–	–	–	–	2	–
†WEALDSTONE ...	–	3	1	–	1	–
†WEMBLEY ...	–	1	3	–	5	–
†WILLESDEN ...	–	20	16	1	9	–
†WOOD GREEN ...	–	3	–	–	4	–
Rural Districts:—						
HENDON ...	–	2	6	–	–	–
STAINES ...	–	1	1	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK ...	–	19	15	–	6	C. 1
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	1	–	–	–
EAST DEREHAM	–	1	3	–	–	–
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†KING'S LYNN ...	–	–	–	–	3	–
†NORWICH C.B.	–	2	6	–	2	C. 1
SHERINGHAM ...	–	3	–	–	–	–
SWAFFHAM ...	–	2	–	–	–	–
Rural Districts:—						
DOCKING ...	–	2	–	–	–	–
FOREHOE ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts :—						
HENSTEAD ...	–	3	–	–	–	–
MARSHLAND ...	–	–	3	–	–	–
ST. FAITH'S ...	–	–	1	–	–	–
WAYLAND ...	–	3	–	–	1	–
NORTHAMPTON	–	16	8	–	12	–
Boroughs and Urban Districts :—						
DESBOROUGH ...	–	1	–	–	–	–
FINEDON ...	–	–	–	–	1	–
†KETTERING ...	–	1	–	–	1	–
†NORTHAMPTON C.B.	–	8	4	–	6	–
ROTHWELL ...	–	–	–	–	1	–
†RUSHDEN ...	–	–	–	–	2	–
Rural Districts :—						
BRIXWORTH ...	–	3	1	–	–	–
DAVENTRY ...	–	–	–	–	1	–
KETTERING ...	–	–	1	–	–	–
MIDDLETON CHENEY	*	*	*	*	*	*
NORTHAMPTON	–	2	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
TOWCESTER ...	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	47	17	–	40	M. 7
Boroughs and Urban Districts :—						
†ASHINGTON ...	–	1	1	–	1	M. 1
†BEDLINGTONSHIRE	–	3	–	–	–	–
†BERWICK-UPON-TWEED	–	1	1	–	–	–
†BLYTH	–	1	2	–	2	–
†EARSDON ...	–	1	1	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM ...	*	*	*	*	*	*
†LONGBENTON ...	–	–	–	–	2	–
†NEWBURN ...	–	1	1	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	29	8	–	33	M. 3
PRUDHOE ...	–	–	–	–	1	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts :—						
†TYNEMOUTH C.B.	–	1	–	–	–	–
†WALLSEND ...	–	6	3	–	–	M. 2
WEETSLADE ...	–	–	–	–	1	–
Rural Districts :—						
BELLINGHAM ...	–	1	–	–	–	–
GLENDALE ...	–	–	–	–	–	M. 1
HALTWHISTLE ...	*	*	*	*	*	*
NOTTINGHAM ...	–	17	11	1	14	L. 1, M. 7
Boroughs and Urban Districts :—						
†ARNOLD ...	–	1	–	–	–	–
†BEESTON ...	–	–	1	–	–	–
†CARLTON ...	–	–	3	–	1	–
†EAST RETFORD	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	3	–	–	1	–
†MANSFIELD ...	–	4	2	–	1	M. 2
†NEWARK ...	–	1	1	–	–	–
†NOTTINGHAM C.B.	–	6	3	1	7	L. 1 M. 5
Rural Districts :—						
EAST RETFORD	–	–	1	–	2	–
STAPLEFORD ...	–	2	–	–	–	–
OXFORD	–	8	1	–	–	–
Boroughs and Urban Districts :—						
†BANBURY ...	–	2	–	–	–	–
†OXFORD C.B. ...	–	2	1	–	–	–
Rural Districts :—						
BANBURY ...	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY ...	–	2	–	–	–	–
PETERBOROUGH (Soke of–).	–	2	–	–	–	–
Borough :—						
†PETERBOROUGH	–	2	–	–	–	–
SALOP	–	7	12	–	–	G. 1, M. 1
Boroughs and Urban Districts :—						
LUDLOW ...	–	2	3	–	–	–
†OAKENGATES ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts:—						
OSWESTRY ...	–	–	–	–	–	M. 1
†SHREWSBURY ...	–	2	2	–	–	G. 1
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	1	–	–	–
BRIDGNORTH ...	–	1	1	–	–	–
CLUN	–	–	1	–	–	–
ELLESMERE ...	–	–	1	–	–	–
OSWESTRY ...	–	–	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET ...	–	24	17	–	5	M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	4	7	–	–	–
HIGHBRIDGE ...	–	–	1	–	–	–
ILMINSTER ...	–	2	–	–	–	–
MIDSOMER NORTON	–	1	1	–	–	–
RADSTOCK ...	–	–	2	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
STREET	–	1	1	–	–	–
†TAUNTON ...	–	–	–	–	–	M. 1
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	2	–	–	–	–
†WESTON-SUPER-MARE	–	–	1	–	–	–
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
BRIDGWATER ...	–	4	–	–	–	–
CLUTTON ...	–	3	1	–	–	–
LONG ASHTON ...	–	3	–	–	2	–
WELLS	–	–	1	–	–	–
WILLITON ...	–	–	–	–	1	–
WINCANTON ...	–	2	–	–	–	–
SOUTHAMPTON	–	118	36	2	8	M. 4
Boroughs and Urban Districts:—						
ALTON	–	–	1	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	3	–	–	–	–
CHRISTCHURCH...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†GOSPORT and ALVERSTOKE	–	4	–	–	–	M. 1
HAVANT ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	80	11	1	2	M. 2
ROMSEY ...	–	–	1	–	–	–
†SOUTHAMPTON C.B.	–	7	14	–	3	M. 1
WARBLINGTON...	–	2	–	–	–	–
†WINCHESTER ...	–	6	–	–	1	–
Rural Districts:—						
ANDOVER ...	–	1	–	–	–	–
BASINGSTOKE ...	–	2	1	–	–	–
CATHERINGTON...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	1	1	–	1	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY ...	–	–	–	1	1	–
NEW FOREST ...	–	–	2	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
RINGWOOD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	5	–	–	–
STAFFORD ...	–	73	36	1	148	C. 2, E. 1 M. 11
Boroughs and Urban Districts:—						
†AUDLEY ...	–	2	2	–	–	–
BIDDULPH ...	–	–	–	–	3	–
†BILSTON ...	–	–	–	–	7	–
†BRIERLEY HILL	–	–	2	–	–	–
†BROWNHILLS ...	–	3	1	–	3	–
†BURTON-UPON-TRENT C.B.	–	–	2	–	3	M. 1
†CANNOCK ...	–	1	2	–	–	–
†COSELEY ...	–	2	2	–	5	M. 1
†DARLASTON ...	–	4	–	–	–	–
†HEATH TOWN ...	–	–	–	–	1	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
†ROWLEY REGIS	–	1	2	–	2	–
RUGELEY ...	–	2	–	–	1	–
†SEDGLEY ...	–	1	2	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHORT HEATH ...	–	–	1	–	–	–
†SMALLTHORNE ...	–	1	–	–	2	–
†SMETHWICK C.B.	–	3	2	–	4	C. 1
†STAFFORD ...	–	–	–	–	1	–
†STOKE-ON-TRENT C.B.	–	13	5	–	74	C. 1 M. 6
STONE	–	–	–	–	2	–
TAMWORTH ...	–	1	–	–	–	E. 1
TETTENHALL ...	–	1	–	–	5	–
†TIPTON	–	3	–	1	–	–
†WALSALL C.B....	–	–	–	–	3	M. 3
†WEST BROMWICH C.B.	–	7	2	–	1	–
†WILLENHALL ...	–	1	–	–	3	–
†WOLSTANTON UNITED	–	2	–	–	–	–
†WOLVERHAMPTON C.B.	–	15	–	–	12	–
Rural Districts:—						
BLORE HEATH...	–	–	1	–	–	–
CANNOCK ...	–	–	1	–	–	–
CHEADLE ...	–	1	4	–	1	–
KINGSWINFORD	–	2	–	–	–	–
LEEK	–	–	1	–	1	–
LICHFIELD ...	–	2	1	–	3	–
SEISDON ...	–	1	1	–	5	–
STOKE-UPON-TRENT	–	–	1	–	3	–
STONE	–	–	–	–	1	–
TAMWORTH (part)	–	2	–	–	–	–
WALSALL ...	–	1	–	–	–	–
SUFFOLK, EAST	–	10	8	–	12	M. 1
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	2	–	–	–
†IPSWICH C.B. ...	–	1	2	–	12	M. 1
†LOWESTOFT ...	–	5	4	–	–	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below.)
SUFFOLK, WEST	–	4	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
SUDBURY ...	–	–	–	–	–	M. 1
Rural Districts:—						
COSFORD ...	–	1	–	–	–	–
MELFORD ...	–	3	–	–	–	–
SURREY	–	79	37	1	18	C. 2, G. 1, L. 2, M. 3.
Boroughs and Urban Districts:—						
†BARNES ...	–	3	2	–	1	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	1	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	–	–	1	–
†COULSDON AND PURLEY	–	2	3	–	–	L. 1
†CROYDON C.B....	–	23	12	–	5	C. 1, M. 2.
DORKING ...	–	3	–	–	–	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	–	1	–	L. 1
†ESHER AND THE DITTONS	–	4	–	–	–	–
†FARNHAM ...	–	–	–	–	1	–
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	–	1	–	–	–
†GUILDFORD ...	–	4	4	–	–	–
HAM	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	8	1	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	3	1	–	–	–
†MITCHAM ...	–	5	3	–	2	–
†REIGATE ...	–	–	4	–	–	–
†RICHMOND ...	–	–	1	–	–	–
†SUTTON	–	–	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	2	–	–	3	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	9	1	–	–	G. 1
†WOKING ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts :—						
EPSOM	–	–	–	–	4	C. 1
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	4	–	–	–	–
HAMBLEDON ...	*	*	*	*	*	*
REIGATE ...	–	–	2	–	–	–
SUSSEX, EAST ...	–	30	6	1	11	G. 1, M. 1.
Boroughs and Urban Districts :—						
†BEXHILL ...	–	1	–	–	–	–
†BRIGHTON C.B.	–	7	3	–	4	–
†EASTBOURNE C.B	–	4	1	1	2	–
†HASTINGS C.B....	–	2	–	–	–	G. 1, M. 1.
†HOVE	–	4	–	–	2	–
†LEWES	–	1	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
Rural Districts :—						
CUCKFIELD ...	–	2	–	–	1	–
EAST GRINSTEAD	–	6	–	–	–	–
HAILSHAM ...	–	1	–	–	–	–
STEYNING EAST	–	1	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	–	1	–	2	–
SUSSEX, WEST ...	–	7	1	–	–	–
Boroughs and Urban Districts :—						
†BOGNOR ...	–	2	–	–	–	–
†CHICHESTER ...	–	1	–	–	–	–
†HORSHAM ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
Rural Districts :—						
MIDHURST ...	–	2	–	–	–	–
STEYNING WEST	–	–	1	–	–	–
WARWICK ...	–	103	36	–	55	C. 4, G. 1, M. 18
Boroughs and Urban Districts :—						
†BIRMINGHAM C.B.	–	83	26	–	28	C. 4, M. 15
BULKINGTON ...	–	–	–	–	1	–
†COVENTRY C.B.	–	3	3	–	–	M. 3
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	7	–	–	3	G. 1
†ROYAL LEAMINGTON SPA ..	–	–	1	–	1	–
†RUGBY	–	–	–	–	2	–
†SUTTON COLDFIELD	–	2	–	–	–	–
WARWICK—*cont.*						
Rural Districts :—						
ATHERSTONE ...	–	–	1	–	13	–
FOLESHILL ...	–	2	–	–	1	–
MERIDEN ...	–	1	3	–	–	–
NUNEATON ...	–	–	1	–	–	–
RUGBY ...	–	–	–	–	4	–
TAMWORTH (part)	–	5	1	–	–	–
WESTMORLAND	–	1	–	–	1	–
Boroughs and Urban Districts :—						
SHAP	–	1	–	–	–	–
Rural Districts :—						
SOUTH WESTMORLAND	–	–	–	–	1	–
ISLE OF WIGHT	–	8	4	–	–	–
Boroughs and Urban Districts :—						
COWES	–	4	–	–	–	–
†NEWPORT ...	–	2	–	–	–	–
VENTNOR ...	–	–	1	–	–	–
Rural District :—						
ISLE OF WIGHT	–	2	3	–	–	–
WILTS	–	29	7	–	2	–
Boroughs and Urban Districts :—						
†SALISBURY ...	–	1	3	–	–	–
†SWINDON ...	–	5	–	–	1	–
WARMINSTER ...	–	3	–	–	–	–
Rural Districts :—						
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES ...	–	7	–	–	–	–
HIGHWORTH ...	–	2	–	–	–	–
MARLBOROUGH	–	5	–	–	–	–
PEWSEY ...	–	–	2	–	–	–
RAMSBURY ...	–	1	–	–	–	–
SALISBURY ...	–	–	–	–	1	–
WARMINSTER	–	2	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON ...	–	–	1		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	17	10	–	2	–
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	1	–	–	–	–
†KIDDERMINSTER	–	3	1	–	–	–
†LYE AND WOLLESCOTE	–	2	1	–	–	–
†OLDBURY ...	–	1	1	–	1	–
†STOURBRIDGE	–	1	–	–	–	–
STOURPORT ...	–	–	3	–	–	–
†WORCESTER C.B.	–	2	4	–	1	–
Rural Districts:—						
HALESOWEN ...	–	2	–	–	–	–
MARTLEY ...	–	1	–	–	–	–
TENBURY ...	–	3	–	–	–	–
UPTON-UPON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	22	17	–	11	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON	–	–	1	–	–	–
FILEY	–	2	–	–	–	–
HEDON ...	*	*	*	*	*	*
HESSLE ...	–	1	–	–	2	–
†KINGSTON-UPON HULL C.B.	–	6	15	–	3	M. 2
WITHERNSEA ...	–	–	–	–	1	–
†YORK C.B. ...	–	10	–	–	4	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	1	–
HOWDEN ...	–	1	–	–	–	–
POCKLINGTON...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	12	3	–	25	M. 1
Boroughs and Urban Districts:—						
†ESTON ...	–	1	–	–	–	–
HINDERWELL ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	–	4	2	–	21	M. 1
†REDCAR ...	–	–	–	–	1	–
RICHMOND ...	–	–	–	–	1	–
†SCARBOROUGH	–	1	1	–	–	–
†SKELTON AND BROTTON	–	–	–	–	2	–
YORKS (North Riding)—*cont.*						
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
RICHMOND ...	–	2	–	–	–	–
THIRSK ...	–	2	–	–	–	–
YORKS ... ... (West Riding).	8	176	90	4	117	C. 5, E. 1, L. 1, M. 8
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	–	–
†BARNOLDSWICK	–	–	–	–	4	–
†BARNSLEY C.B.	–	3	2	–	2	E. 1
†BATLEY ...	–	3	–	–	1	–
†BINGLEY ...	–	–	3	–	1	–
†BOLTON-UPON-DEARNE	–	3	–	–	–	–
†BRADFORD C.B.	–	30	9	–	23	C. 2
†BRIGHOUSE ...	–	4	–	1	1	–
†CASTLEFORD ...	–	2	1	–	–	–
CLAYTON ...	–	1	–	–	–	–
CLAYTON WEST	–	1	–	–	–	–
†CONISBROUGH...	–	1	–	–	1	–
DARFIELD ...	–	–	–	–	1	–
†DARTON ...	–	2	–	–	1	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DEWSBURY C.B.	–	1	–	–	3	–
†DONCASTER ...	–	–	1	–	4	–
†ELLAND ...	–	3	–	–	–	–
FARSLEY ...	–	–	1	–	–	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE ...	–	2	1	–	8	–
GREETLAND ...	–	–	1	–	2	–
†HALIFAX C.B. ...	–	1	3	–	–	–
†HARROGATE ...	–	1	–	–	1	–
HAWORTH ...	–	–	1	–	–	–
HEBDEN BRIDGE	–	2	–	–	3	–
†HEMSWORTH ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	4	–	1	–
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	3	4	–	5	M. 2
ILKLEY	–	1	3	–	3	–
†KEIGHLEY ...	–	1	–	–	–	–
KIRKBURTON ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Kirkheaton ...	–	–	–	–	1	–
†Leeds C.B. ...	–	34	18	–	10	M. 3
Luddenden Foot	–	–	1	–	–	–
†Mexborough ...	–	1	–	–	–	–
†Mirfield ...	–	–	–	–	2	–
†Morley ...	–	–	5	–	1	–
New Mill ...	–	–	1	–	1	–
†Normanton ...	–	–	1	–	1	M. 1
†Ossett	*	*	*	*	*	*
Otley	–	–	3	–	–	–
†Pontefract ...	–	1	–	–	–	–
Rawdon ...	–	–	–	–	1	–
†Rawmarsh ...	–	–	–	–	–	M. 2
†Rotherham C.B.	–	4	1	–	1	–
Royston ...	–	1	–	–	–	–
†Saddleworth	7	–	1	–	–	–
Selby ...	–	–	–	1	–	–
†Sheffield C.B.	–	27	11	–	22	–
Slaithwaite ...	1	–	–	–	–	–
South Crosland	–	1	1	–	–	–
†Spenborough ...	–	3	2	–	1	–
Springhead ...	–	2	–	–	–	–
Stainland with Old Lindley	–	1	1	–	–	–
†Swinton ...	–	2	–	–	1	–
Thurnscoe ...	–	2	–	–	–	–
†Todmorden ...	–	1	–	–	2	–
†Wakefield C.B.	–	2	–	–	–	C. 1
†Wombwell ...	–	1	1	–	1	–
Rural Districts:—						
Barnsley ...	–	–	1	–	–	–
Bishopthorpe	–	1	–	–	–	–
Doncaster ...	–	–	1	–	1	–
Goole	–	–	1	–	1	–
Great Ouseburn	–	1	–	–	–	–
Halifax ...	–	1	1	–	–	–
Hemsworth ...	–	7	–	–	1	C. 1
Hunslet ...	–	1	–	–	–	–
Keighley ...	–	–	–	–	1	–
Kiveton Park	–	–	2	–	–	–
Pateley Bridge	–	–	–	1	–	–
Pontefract ...	–	3	–	–	–	–
YORKS (West Riding)—*cont.*						
Rural Districts:—						
Ripon ...	–	–	1	–	–	–
Rotherham ...	–	–	1	–	–	C. 1
Tadcaster ...	–	4	–	–	–	–
Wakefield ...	–	6	–	–	–	–
Wetherby ...	–	–	–	–	1	–
Wharfedale (South)	–	–	–	–	–	L. 1
Wortley ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Llangefni ...	–	–	1	–	–	–
Rural Districts:—						
Valley... ...	*	*	*	*	*	*
BRECKNOCK ...	–	1	3	1	6	–
Boroughs and Urban Districts:—						
Brecknock ...	–	1	–	–	–	–
Brynmawr ...	–	–	–	–	3	–
Llanwrtyd ...	*	*	*	*	*	*
Rural Districts:—						
Brecknock Merthyr Cynog	*	*	*	*	*	*
Crickhowell ...	–	–	–	1	2	–
Ystradgynlais	–	–	3	–	1	–
CARDIGAN ...	–	–	4	–	–	–
Rural Districts:—						
Aberayron ...	–	–	1	–	–	–
Cardigan ...	–	–	3	–	–	–
CARMARTHEN ...	–	1	16	–	2	–
Boroughs and Urban Districts:—						
Burry Port ...	–	–	2	–	–	–
Cwmamman ...	–	–	–	–	1	–
†Llanelly ...	–	–	4	–	–	–
Rural Districts:—						
Carmarthen ...	–	–	1	–	–	–
Llandilo Fawr	–	–	7	–	1	–
Llanelly ...	–	1	2	–	–	–
CARNARVON ...	–	7	6	–	–	–
Boroughs and Urban Districts:—						
†Bangor ...	–	3	–	–	–	–
Carnarvon ...	–	–	2	–	–	–
Pwllheli ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON —*cont.*						
Rural Districts :—						
CONWAY ...	–	–	1	–	–	–
GWYRFAI ...	–	1	3	–	–	–
LLEYN	–	2	–	–	–	–
DENBIGH	–	17	14	–	3	M. 1
Boroughs and Urban Districts :—						
†COLWYN BAY and COLWYN	–	1	–	–	1	–
DENBIGH ...	–	2	–	–	–	–
†WREXHAM ...	–	3	2	–	2	–
Rural Districts :—						
LLANSILIN ...	–	1	2	–	–	–
WREXHAM ...	–	10	10	–	–	M. 1
FLINT	–	6	4	–	2	–
Boroughs and Urban Districts :—						
†RHYL	–	–	1	–	–	–
Rural Districts :						
HAWARDEN ...	–	3	1	–	2	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	3	1	–	–	–
GLAMORGAN ...	–	139	51	1	18	C. 2, M. 3
Boroughs and Urban Districts :—						
†ABERDARE ...	–	16	1	–	4	–
†BARRY	–	–	2	–	1	–
BRITON FERRY	–	–	1	–	–	–
†CAERPHILLY ...	–	–	2	–	–	–
†CARDIFF C.B. ...	–	12	11	–	2	M. 1
†GELLIGAER ...	–	11	3	–	2	–
†MAESTEG ...	–	9	–	–	–	–
†MERTHYR TYDFIL C.B.	–	4	1	–	–	–
†MOUNTAIN ASH	–	18	1	–	–	–
†NEATH	–	1	1	–	–	–
†OGMORE and GARW	–	8	1	–	1	–
†PENARTH ...	–	10	–	–	–	–
†PONTYPRIDD ...	–	9	–	1	–	–
†PORT TALBOT ...	–	1	4	–	–	–
GLAMORGAN —*cont.*						
Boroughs and Urban Districts— *cont.*						
†RHONDDA ...	–	19	2	–	7	C. 1 M. 1
†SWANSEA C.B. ...	–	14	11	–	1	M. 1
Rural Districts :—						
GOWER	–	–	2	–	–	–
LLANDAFF and DINAS POWIS	–	–	1	–	–	–
LLANTRISANT and LLANTWIT FARDRE	–	4	–	–	–	–
NEATH	–	–	5	–	–	–
PENYBONT ...	–	2	2	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA ...	–	–	–	–	–	C. 1
MERIONETH ...	–	–	1	–	–	–
Rural Districts :—						
DEUDRAETH ...	–	–	1	–	–	–
MONMOUTH ...	–	56	12	1	17	M. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	–	–	1	1	–	–
†ABERSYCHAN ...	–	3	–	–	–	–
†ABERTILLERY ...	–	–	1	–	1	–
BEDWAS AND MACHEN	–	1	–	–	–	–
†BEDWELLTY ...	–	5	–	–	–	–
CHEPSTOW ...	–	3	–	–	–	–
†EBBW VALE ...	–	8	–	–	–	–
†MYNYDDISLWYN	–	2	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	15	M. 1
†NEWPORT C.B....	–	26	7	–	1	–
†PANTEG... ...	–	2	–	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
†RHYMNEY ...	–	1	1	–	–	–
†RISCA	–	1	1	–	–	–
†TREDEGAR ...	–	2	–	–	–	–
Rural Districts :—						
MAGOR	–	1	–	–	–	–
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	–	–
Boroughs and Urban Districts :—						
LLANFYLLIN ...	–	–	1	–	–	–
LLANIDLOES ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; There were no cases of Cholera, Typhus Fever, or Plague notified during the week.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE—	–	7	–	–	–	–
Boroughs and Urban Districts :—						
MILFORD HAVEN	–	2	–	–	–	–
Rural Districts :—						
HAVERFORDWEST	–	4	–	–	–	–
ST. DOGMELLS ...	–	1	–	–	–	–
RADNOR	–	3	–	–	–	–
Rural Districts :—						
RHAYADER ...	–	3	–	–	–	–
Total of Part II.	13	2323	1045	34	1011	C. 37, D. 2, E. 3, G. 9, K. 1, L. 5, M. 132.

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COLCHESTER ...	*	*	*	*	*	*
LIVERPOOL ...	–	–	–	1	–	–
PLYMOUTH ...	–	–	–	–	–	L. 1
WEYMOUTH ...	–	–	–	–	1	–
PORT OF LONDON	–	–	–	1	–	–
Total of Part III.	–	–	–	2	1	L. 1

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	553	367	4	535	C. 10, D. 4, E. 3, G. 1, M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	13	2323	1045	34	1011	C. 37, D. 2, E. 3, G. 9, K. 1, L 5, M. 132
Total of Part III.—Port Sanitary Districts ...	–	–	–	2	1	L. 1
Total (*i.e.*, of returns received) England and Wales	13	2876	1412	40	1547	C. 47, D. 6, E. 6, G. 10 K. 1, L. 6, M. 143

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Thirteen cases of Small-pox were notified, which appear on pages 9, 14 and 21.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.
LONDON:—													
DEATHS—all ages	979	996	955	940	1,150	1,435	1 324	1,601	1,383	1,279	1,395	1,606	2,170
„ 0 to 1 year	177	170	142	144	123	128	106	138	135	125	142	169	182
GREAT TOWNS, aggregate :—													
BIRTHS	*8,051*	*8,203*	*7,904*	*7,450*	*7,981*	*7,900*	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969 / *8,786*
DEATHS—all ages	*3,714*	*3,852*	*3,902*	*4,039*	*4,289*	*5,202*	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,921 / *6,798*
„ *0 to 1 year*	*672*	*722*	*680*	*686*	*608*	*663*	*566*	*648*	*623*	*641*	*661*	*699*	793 / *781*
ENTERIC FEVER—Cases	*29*	*35*	*38*	*43*	*44*	*31*	*38*	*23*	*28*	*22*	*29*	*14*	19 / *19*
„ Deaths	*8*	*4*	*7*	*9*	*6*	*4*	*6*	*11*	*6*	*5*	*6*	*4*	8 / *7*
SMALL POX—Cases	*3*	*8*	*3*	*2*	*7*	*1*	*12*	*4*	*2*	*6*	*12*	*2*	4 / *4*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,666*	*2,907*	*2,785*	*2,850*	*2,675*	*2,838*	*2,708*	*2,639*	*2,389*	*2,432*	*2,178*	*1,891*	1816 / *1798*
„ Deaths	*11*	*16*	*11*	*18*	*22*	*14*	*28*	*20*	*25*	*33*	*17*	*26*	35 / *34*
DIPHTHERIA—Cases	*900*	*1,024*	*1,111*	*1,024*	*1,036*	*984*	*1,041*	*958*	*936*	*1,100*	*991*	*903*	858 / *831*
„ Deaths	*55*	*57*	*62*	*61*	*66*	*76*	*72*	*71*	*58*	*70*	*79*	*92*	72 / *71*
MEASLES—Deaths	*14*	*15*	*26*	*31*	*18*	*36*	*36*	*30*	*31*	*50*	*47*	*68*	69 / *69*
INFLUENZA—Deaths	*49*	*46*	*30*	*32*	*44*	*59*	*80*	*128*	*149*	*212*	*237*	*418*	819 / *807*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 7th January 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	57	32	45·4	36·6	5
BRIGHTON	57	32	45·6	38·0	9
PORTSMOUTH	57	31	46·6	38·4	5
NORWICH (EATON).	56	30	43·7	35·0	46
PLYMOUTH	55	31	48·7	39·9	11
BRISTOL (CLIFTON).	54	31	46·0	36·7	7
BIRMINGHAM	55	29	43·0	34·1	20
NOTTINGHAM	55	33	44·1	37·7	12
BIRKENHEAD (BIDSTON).	55	34	47·0	38·4	21
MANCHESTER	55	30	44·3	35·9	17
BURNLEY	52	29	42·6	35·1	29
HUDDERSFIELD		Not	received		

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	53	30	43·0	35·4	23
SHEFFIELD	54	32	43·6	35·7	22
YORK (MUSEUM).	55	32	43·9	35·6	7
HULL (PEARSON PARK).	56	32	44·0	34·3	10
TYNEMOUTH	55	33	43·1	37·4	9
CARDIFF	54	31	46·1	36·9	12
EDINBURGH	53·0	30·0	44·3	34·6	9
GLASGOW	52·9	31·7	44·1	36·8	21
DUBLIN (PHŒNIX PARK).	54·4	31·9	47·4	38·1	9
FITZWILLIAM SQUARE.†	55·3	34·1	47·3	39·5	6
BELFAST	55·0	31·8	47·6	37·3	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th January 1922.

[Under the Superintendence of the Astronomer Royal.]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°				lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	1		29·917	54·5	38·9	15·6	49·0	+10·4	43·6	5·4	6·7	4·7	82	55·6	30·6	46·9	W.S.W.	W.	7·9	0·0	0·9	691	+366	0·00
MONDAY -	2	Apogee	29·672	57·0	43·6	13·4	51·4	+13·0	42·7	8·7	13·4	5·9	72	65·0	36·7	46·6	W.	W.& N.W.	8·3	0·0	1·1	689	+367	0·03
TUESDAY -	3		29·688	43·6	33·9	9·7	38·3	− 0·0	31·7	6·6	13·1	5·9	77	52·6	28·8	46·7	N.W. & W.N.W.	W.N.W.: N.W. & N.N.W.	4·6	0·0	0·7	553	+233	0·00
WEDNESDAY	4	In Equator	29·734	35·8	32·1	3·7	34·0	− 4·3	26·2	7·8	13·3	0·6	72	51·5	26·1	46·4	N.N.W. & N	N.N.W.	9·0	0·0	1·0	581	+261	0·00
THURSDAY -	5		29·788	37·0	31·9	5·1	34·6	− 3·6	25·3	9·3	10·5	2·4	69	51·5	25·3	46·2	N.N.W. & N.	N.N.W.	4·6	0·0	0·6	448	+126	0·00
FRIDAY -	6	First Quarter	29·687	39·6	34·1	5·5	36·9	− 1·2	31·8	5·1	6·7	1·5	82	50·4	28·6	46·1	N.N.W. & N.	N. & calm	1·6	0·0	0·1	203	−120	0·00
SATURDAY -	7		29·682	44·9	33·2	11·7	39·5	+ 1·5	37·9	1·6	3·4	0·0	94	43·7	31·9	45·7	S.	S., S.S.W. & W.S.W.	2·6	0·0	0·2	270	− 51	0·10
MEANS -			29·738	44·6	35·4	9·2	40·5	+ 2·3	34·2	6·4	9·6	3·0	78	52·9	29·7	46·4	WNW.		...	...	...	Sum 3,435	Sum + 1,182	Sum 0·13
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	1	w.P. generally	0·0	7·9	Variably cloudy till 6h., then overcast generally. Brisk wind from 3h. Damping about 20h.
MONDAY -	2	w.P. till 16h. s.P. afterwards	0·1	7·9	Overcast with slight exceptions. Occasional rain in afternoon. Brisk wind throughout.
TUESDAY -	3	s.P. till 9h. m.P. and s.P. afterwards	0·1	7·9	Overcast till noon and very cloudy till 15h., becoming cloudless by 15h. 30m., with cloudy period 17h. to 19h. 30m. Slight rain 3h. and 19h. Brisk wind except between 1h. and 8h.
WEDNESDAY	4	s.P. throughout	4·0	7·9	Nearly cloudless till 16h., variably cloudy afterwards with cloudless interval about 19h. Slight hoar frost in morning. Brisk wind throughout.
THURSDAY -	5	s.P. throughout	0·7	7·9	Nearly cloudless till noon with slight hoar-frost; cloudy to nearly overcast by 13h., but cloud usually thin; hazy and misty in afternoon and evening; lunar halo about 20h. 30m. Brisk wind till 7h.
FRIDAY -	6	m.P. and s.P. throughout	0·5	8·0	Nearly overcast generally, with fine interval about 2h. and variably cloudy between 11h. 30m. and 17h. Mist and haze till afternoon. Slight fog at night.
SATURDAY -	7	w.P. generally	0·0	8·0	Overcast till 22h., few small breaks afterwards. Frequent rain, sleet and snow till 6h. and occasional damping till 19h. Misty in evening.
			Sum 5·4	Sum 55·2	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·24 in. at the beginning of the week to 29·62 in. by noon on 2nd, increased to 29·78 in. by 1h. on 3rd, decreased to 29·64 in. by 20h. on the same day; increased generally to 29·81 in. by 10h. on 5th, decreased to 29·66 in. by 14th, on 6th increased to 29·75 in. by 2h. on 7th, and decreased generally to 29·66 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 2.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 14TH JANUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF:
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH JANUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the second week of the year numbered 8,853, and corresponded to an annual rate of 24·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 8,085 and corresponded to an annual rate of 22·4 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,340 in the year 1921. In the preceding week the rate had been 19·1 per 1,000. Infant mortality was 97 per 1,000 births against 88 in the preceding week.*

In London (Administrative County including the City of London) there were 2,096 births, corresponding to a rate of 24·4 per 1,000, and 2,726 deaths of civilians, corresponding to a rate of 31·8, as against 16·1, 18·4, and 25·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 22·9 per 1,000. The infant mortality was 107 per 1,000 births as against 77, 108, and 85 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 1,163 in the total deaths last week, of which 443 were due to influenza. In London the number of deaths from all causes rose from 2,170 to 2,726, an increase of 556; there was an increase of 197 in the deaths from influenza, of 112 from bronchitis, and of 139 from pneumonia.

---

* In the two weeks ended December 24th and December 31st, the death rate in the 96 Great Towns was 14·6 and 15·9 per 1,000, and the rate of infant mortality 87 and 107 per 1,000 births.

---

m (45)16793—2 2500 1,22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 14th January 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,340*	8,853	8,085	860	7	61	38	145	93	57	1262
London	4,476,238*	2,096	2,726	224	–	26	19	63	46	11	551
Towns in Outer Ring.											
Croydon C.B.	190,877	75	83	2	–	–	–	–	2	–	15
Wimbledon	61,451	18	14	–	–	–	–	–	1	–	1
Ealing	67,753	31	28	3	–	–	–	–	–	–	3
Acton	61,314	15	25	2	–	–	–	1	1	–	5
Willesden	165,669	66	61	7	–	–	1	–	3	–	10
Hendon	56,014	17	15	3	–	–	–	–	1	–	3
Hornsey	87,691	25	34	4	–	–	1	–	–	1	8
Wood Green	50,716	12	22	–	–	–	–	–	–	–	3
Tottenham	146,695	64	77	6	–	1	–	1	4	–	18
Edmonton	66,809	36	29	1	–	–	–	–	1	–	5
Enfield	60,743	23	20	1	–	–	–	–	–	–	4
West Ham C.B.	300,905	182	200	34	–	6	1	6	3	2	47
East Ham C.B.	143,304	54	61	4	–	–	–	2	–	–	9
Leyton	128,432	39	57	5	–	–	–	3	–	–	15
Walthamstow	127,441	53	48	3	–	–	–	1	–	–	8
Ilford	85,191	29	28	–	–	–	–	–	1	–	6
Gillingham	47,887*	25	22	1	–	–	–	–	–	–	3
Canterbury C.B.	23,331*	9	7	1	–	–	–	–	–	–	2
Hastings C.B.	66,496	21	19	–	–	–	–	–	–	–	5
Eastbourne C.B.	62,030	18	10	1	–	–	–	–	–	1	2
Brighton C.B.	142,427	50	63	1	–	–	–	1	–	–	13
Portsmouth C.B.	234,218*	110	85	7	–	–	–	4	2	1	6
Bournemouth C.B.	91,770	24	22	1	–	–	–	–	–	1	3
Southampton C.B.	160,997	68	59	5	–	–	–	1	1	–	11
Reading C.B.	92,274	40	27	4	–	–	–	–	–	–	2
Oxford C.B.	57,052	19	8	–	–	–	–	–	–	–	1
Northampton C.B.	90,923	34	24	–	–	–	–	–	–	–	4
Luton	57,077	19	41	4	–	–	–	1	–	–	6
Cambridge	59,262	21	12	–	–	–	–	–	–	–	1
Southend-on-Sea C.B.	106,021	27	34	1	–	–	–	–	–	–	5
Ipswich C.B.	79,383	26	45	5	–	–	–	–	–	–	7
Great Yarmouth C.B.	60,710	27	21	1	–	–	–	–	–	–	–
Norwich C.B.	120,653	51	27	2	–	–	–	–	1	–	4
Swindon	54,920	20	14	3	–	–	–	–	–	–	3
Exeter C.B.	59,608	16	18	1	–	–	–	–	–	–	1
Plymouth C.B.	198,132*	62	65	4	–	–	–	–	1	–	3
Bath C.B.	68,648	20	25	–	–	–	–	1	–	–	3
Bristol C.B.	377,061	151	165	9	–	4	1	–	1	–	19
Gloucester C.B.	51,330	25	5	–	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	240,440	133	140	27	1	–	2	6	–	4	31
Burton-upon-Trent C.B.	48,927	25	24	3	–	–	–	–	–	–	5
Wolverhampton C.B.	102,373	54	62	11	1	–	–	4	–	1	8
Walsall C.B.	96,964	62	42	4	1	–	–	–	–	–	5
West Bromwich C.B.	73,761	37	20	1	–	–	–	–	1	–	1
Worcester C.B.	48,848	16	12	2	–	–	–	–	–	–	1
Dudley C.B.	55,908	37	20	4	–	–	–	–	–	–	2
Birmingham C.B.	919,438	464	297	45	–	–	2	7	5	1	24
Smethwick C.B.	75,757	43	12	1	–	–	–	–	–	–	–
Coventry C.B.	128,205	50	26	2	–	–	–	–	–	–	1
Leicester C.B.	234,190	88	96	7	1	–	–	–	–	1	14
Lincoln C.B.	66,020	26	20	2	–	–	–	–	–	–	2
Grimsby C.B.	82,329	46	41	4	–	–	–	1	–	–	4
Nottingham C.B.	262,658	121	70	9	–	–	–	1	–	1	4
Derby C.B.	129,836	60	35	8	–	–	–	–	1	–	3
Chesterfield	61,236	37	17	3	–	–	–	–	–	–	2
Stockport C.B.	123,315	50	52	3	–	–	–	1	–	–	8
Chester C.B.	40,794	19	7	–	–	–	–	–	–	–	–
Birkenhead C.B.	145,592	83	65	10	–	3	–	2	–	–	8
Wallasey C.B.	90,721	30	17	1	–	–	–	–	1	–	3
Liverpool C.B.	803,118	492	251	50	–	14	2	4	3	7	11
Bootle C.B.	76,508	44	30	8	–	2	2	3	1	–	–
St. Helens C.B.	102,675	87	26	5	–	–	–	–	–	2	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	22	22	–	–	–	–	–	1	–	–
Wigan C.B.	89,447	38	32	3	–	–	1	–	–	–	5
Warrington C.B.	76,811	41	25	–	–	–	1	–	–	–	6
Bolton C.B.	178,678	92	94	10	–	–	–	1	–	–	18
Bury C.B.	56,426	22	34	1	–	–	–	–	–	–	13
Manchester C.B.	730,551	369	280	39	–	–	2	–	1	4	33
Salford C.B.	234,150	131	111	15	–	–	–	2	1	–	20
Oldham C.B.	145,001	67	57	9	–	–	–	–	–	–	4
Rochdale C.B.	90,807	33	31	1	–	2	–	–	1	–	4
Burnley C.B.	103,175	44	54	5	–	–	–	–	1	1	6
Blackburn C.B.	126,630	41	43	3	–	–	–	1	–	–	7
Preston C.B.	117,426	53	36	–	1	–	–	–	–	–	10
Blackpool C.B.	99,640	22	23	3	–	–	–	–	–	–	2
Barrow-in-Furness C.B.	74,254	35	26	6	–	–	–	–	–	–	3
Huddersfield C.B.	110,120	46	42	3	–	–	–	–	–	–	4
Halifax C.B.	99,129	33	43	6	–	–	–	1	1	–	–
Bradford C.B.	285,979	106	139	9	–	2	–	1	–	1	18
Leeds C.B.	458,320	224	163	17	1	–	1	5	–	–	17
Dewsbury C.B.	54,165	28	28	4	–	–	–	–	–	–	–
Wakefield C.B.‡	53,053	22	19	3	–	–	–	–	–	–	–
Barnsley C.B.‡	67,918	27	15	1	–	–	–	2	–	–	2
Sheffield C.B.‡	511,748	218	148	21	–	1	–	–	–	2	12
Rotherham C.B.	68,045	41	6	–	–	–	–	–	–	–	–
Doncaster	54,052	24	12	2	–	–	–	–	–	–	–
York C.B.	82,606*	23	35	7	1	–	–	3	–	1	6
Hull C.B.	287,013	132	125	18	–	–	–	–	1	3	20
Middlesbrough C.B.	131,103	100	89	21	–	–	–	2	1	1	11
Darlington C.B.	65,866	36	22	3	–	–	–	1	–	–	4
Stockton-on-Tees	64,150	42	60	10	–	–	–	–	–	–	20
West Hartlepool C.B.	68,689	36	17	1	–	–	1	–	–	–	1
Sunderland C.B.	159,100	114	67	16	–	–	–	1	–	3	6
South Shields C.B.‡	118,631	76	31	7	–	–	–	1	–	–	4
Gateshead C.B.	124,514	90	81	18	–	–	–	6	–	2	13
Newcastle-on-Tyne C.B.	274,955	159	132	16	–	–	–	3	2	2	23
Tynemouth C.B.	63,786	25	11	2	–	–	–	–	–	–	1
Carlisle C.B.	52,600	34	13	–	–	–	–	–	–	–	–
Newport (Mon.) C.B.	92,369	34	28	4	–	–	–	–	2	–	2
Cardiff C.B.	200,262	104	56	4	–	–	–	1	–	1	5
Rhondda	162,729	110	37	4	–	–	1	–	–	2	5
Merthyr Tydfil C.B.	80,161	31	23	1	–	–	–	–	–	–	2
Aberdare	55,010	24	7	1	–	–	–	–	–	–	1
Swansea C.B.	157,561	82	40	6	–	–	–	–	–	–	–
Greater London	7,467,598*	3,256	3,929	320	–	35	22	80	68	14	781
Outer Ring	2,991,360*	1,160	1,203	96	–	9	3	17	22	3	230
16 Great Towns in Outer Ring	1,801,005	739	802	75	–	7	3	14	17	3	160
Remainder of Outer Ring	1,190,355*	421	401	21	–	2	–	3	5	–	70
Edinburgh†	420,500	175	154	22	–	1	–	5	3	2	14
Glasgow†	1,037,800	643	694	139	–	61	1	6	2	10	80
Dublin (Registration Area)†	427,000	213	209	26	–	2	1	1	1	3	28
Belfast†	425,000	218	144	22	–	–	–	–	–	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,238	1922. Jan. 14	2,096	2,726	31·8	–	–	26	19	63	46	11	551
Calcutta	896,067	1921. Dec. 10	–	589§	34·1	?	4	–	–	–	–	–	12
		„ 17	–	608§	35·2	?	6	–	–	–	–	–	10
Bombay	979,445	„ 10	–	–	–	–	–	–	–	–	–	–	–
Madras	522,951	„ 3	434	380	37·8	2	4	2	?	2	–	28	1
		„ 10	420	397	39·5	1	9	4	?	–	1	22	2
Paris	2,847,229	10 days Nov. 20	1,389	1,272	16·3	4	–	–	1	–	2	43	–
		10 days Nov. 30	1,298	1,311	16·8	4	–	–	2	1	6	26	3
		10 days Dec. 10	1,344	1,496	19·2	7	–	–	–	–	5	34	3
		10 days Dec. 20	1,292	1,294	16·6	7	–	–	2	2	7	26	5
Antwerp	340,852	Dec. 31	127	80	12·4	–	–	–	–	2	1	7	2
Amsterdam	683,400	„ 31	267	173	13·2	–	–	2	–	6	1	3	3
Copenhagen	562,000	„ 31	241	109	10·0	–	–	–	–	–	–	2	–
Stockholm	419,788	„ 24	112	107	13·3	–	–	–	–	–	–	–	1
		„ 31	127	103	12·8	–	–	–	–	–	1	–	1
Gothenburg	205,547	„ 24	–	–	–	–	–	–	–	–	–	–	–
Christiania	260,920	„ 31	106	53	10·6	–	–	3	–	–	–	–	–
Berlin	1,945,000	„ 24	507	437	11·7	–	?	–	–	4	5	8	9
		„ 31	514	740	19·8	1	?	1	–	2	8	8	74
Breslau	547,000	„ 24	232	276	26·2	–	?	3	1	1	2	3	32
		„ 31	283	295	28·0	–	?	4	1	2	6	8	53
Cologne	669,000	„ 24	309	210	16·3	–	?	–	–	2	1	7	19
		„ 31	308	269	20·9	1	?	–	1	2	2	3	51
Dresden	600,000	„ 24	203	174	15·1	–	?	2	–	1	–	3	4
		„ 31	212	201	17·4	–	?	–	–	–	1	3	19
Frankfort-on-Main	471,000	„ 24	139	118	13·0	–	?	–	–	1	1	1	14
		„ 31	139	159	17·5	1	?	–	–	3	2	3	36
Hamburg	1,031,000	„ 24	342	443	22·3	1	?	–	1	–	2	2	64
		„ 31	412	448	22·6	–	?	–	–	–	1	6	71
Leipzig	630,000	„ 24	227	153	12·6	–	?	1	–	–	3	8	3
		„ 31	246	176	14·5	–	?	–	1	–	3	4	17
Munich	670,000	„ 17	223	237	18·4	–	?	1	–	–	3	7	22
		„ 24	230	253	19·6	–	?	–	1	–	–	4	28
		„ 31	208	248	19·2	1	?	–	–	1	1	6	40
Vienna	1,842,005	„ 17	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	„ 17	257	197	15·2	1	–	4	–	1	–	8	2
		„ 24	226	205	15·8	–	–	1	2	–	2	11	2
Budapest	933,000	Oct. 15	–	–	–	–	–	–	–	–	–	–	–
Cairo	765,200	Nov. 11	738	298	20·3	–	–	–	–	?	1	28	?
		„ 18	799	283	19·2	6	–	–	–	?	9	19	?
Alexandria	449,300	„ 11	377	170§	19·7	1	–	–	–	?	1	5	?
		„ 18	432	180	20·8	2	–	–	–	?	–	8	?
New York	5,751,859	Dec. 3	–	–	–	–	–	–	–	–	–	–	–
Chicago	2,780,655	„ 17	–	596	11·2	–	2	3	2	–	15	12	4
Montevideo	358,355	Oct. 29	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *plague* in Alexandria, and from *Asiatic cholera* 7 and 6 deaths in Calcutta.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 14th January, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2726	224	208	154	71	95	147	164	287	365	515	496
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	26	6	12	8	–	–	–	–	–	–	–	–
Scarlet fever	19	–	2	2	6	3	5	1	–	–	–	–
Whooping cough	63	15	28	18	2	–	–	–	–	–	–	–
Diphtheria	46	1	8	19	18	–	–	–	–	–	–	–
Influenza	551	17	32	18	10	26	54	45	86	79	116	68
Erysipelas	2	1	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	1	–	1	–	–	–
Meningococcal meningitis	2	1	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	140	–	–	–	2	27	31	27	26	20	6	1
Tuberculous meningitis	5	1	–	–	2	–	1	1	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
Other tubercle	13	–	–	–	2	5	2	–	1	2	–	1
Venereal diseases	7	3	–	1	–	1	–	–	1	1	–	–
Cancer	129	1	–	–	–	–	6	7	28	41	31	15
Rheumatic fever	3	–	–	–	2	–	–	–	1	–	–	–
Diabetes	14	–	–	–	–	2	1	2	1	1	5	2
Alcoholism	2	–	–	–	–	–	–	2	–	–	–	–
Simple meningitis	7	2	1	1	2	1	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	82	–	–	–	–	1	–	2	6	18	21	34
Epilepsy	2	–	–	1	–	–	–	–	–	–	1	–
"Convulsions" (not puerperal)	7	7	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	39	–	1	1	3	1	1	9	8	5	5	5
Pericarditis	3	–	–	1	1	–	–	–	1	–	–	–
Acute endocarditis	14	–	2	–	2	3	5	1	1	–	–	–
Other diseases of heart	248	–	–	–	5	7	8	12	24	43	77	72
Other dis. of circulatory system	62	1	–	–	–	–	–	1	5	6	22	27
Bronchitis	394	14	9	3	–	3	4	5	26	64	127	139
Broncho-pneumonia	313	61	86	59	6	1	4	8	11	22	35	20
Lobar pneumonia	61	2	3	5	1	4	5	9	9	12	5	6
Pneumonia (type not distinguished)	83	8	17	11	2	1	5	4	12	8	7	8
Other diseases of respiratory system	23	1	–	2	–	–	–	4	2	3	6	5
Diarrhœa and enteritis	14	8	3	–	–	–	–	1	–	–	–	2
Appendicitis and typhlitis	4	–	–	1	1	1	–	–	–	–	1	–
Hernia, Intestinal obstruction	14	2	1	–	–	–	1	–	4	4	2	–
Cirrhosis of liver	4	–	–	–	–	–	–	1	1	1	1	–
Other diseases of digestive system	17	–	–	–	1	1	1	3	6	2	1	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	46	–	–	–	–	1	3	7	6	7	15	7
Other diseases of genito-urinary system.	16	–	–	–	–	–	–	1	2	6	3	4
Puerperal fever, &c.	4	–	–	–	–	–	2	2	–	–	–	–
Other causes incident to childbirth	6	–	–	–	–	–	3	3	–	–	–	–
Congenital malformations	5	5	–	–	–	–	–	–	–	–	–	–
Premature birth	42	42	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	75	–	–	–	–	–	–	–	–	1	11	63
Suicide	16	–	–	–	–	–	1	2	4	5	2	2
Burns and scalds	7	–	–	2	2	–	–	–	2	1	–	–
Drowning	3	–	–	–	–	–	–	1	2	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	–	–	–	–	–	–	1	3	–
Other deaths by violence	29	2	1	–	–	4	–	–	4	6	2	10
Other specified causes	43	12	–	1	–	2	2	3	5	5	10	3
Ill-defined causes	3	–	2	–	–	–	–	–	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th January 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
†CITY OF LONDON	–	2	1	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	22	11	–	32	C. 1
†BERMONDSEY ...	–	10	26	–	22	D. 1 M. 1
†BETHNAL GREEN	–	8	16	–	15	M. 1
†CAMBERWELL ...	–	28	10	–	36	–
†CHELSEA ...	–	2	4	–	15	–
†DEPTFORD ...	–	17	14	1	26	–
†FINSBURY ...	–	4	5	–	5	–
†FULHAM ...	–	15	10	–	21	C. 1
†GREENWICH ...	–	22	18	–	15	–
†HACKNEY ...	–	23	21	–	4	M. 1
†HAMMERSMITH	–	25	8	–	15	M. 1
†HAMPSTEAD ...	–	12	10	–	8	L. 1
†HOLBORN ...	–	3	–	–	2	–
†ISLINGTON ...	–	48	25	–	15	M. 3
†KENSINGTON ...	–	18	8	–	32	M. 1
†LAMBETH ...	–	25	13	–	17	G. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	23	13	–	11	G. 1
†PADDINGTON ...	–	5	9	–	27	M. 1
†POPLAR... ...	–	15	5	–	51	–
†ST. MARYLEBONE	–	8	7	–	13	–
†ST. PANCRAS ...	–	56	12	–	47	D. 1
†SHOREDITCH ...	–	7	9	–	35	–
†SOUTHWARK ...	–	20	11	–	45	M. 4
†STEPNEY ...	–	14	21	–	63	C. 1
†STOKE NEWINGTON	–	10	4	–	2	–
†WANDSWORTH	–	42	25	–	46	C. 2 D. 1 E. 1 G. 1 M. 1
†WESTMINSTER, CITY OF	–	9	3	–	4	–
†WOOLWICH ...	–	19	6	2	22	M. 1
TOTAL OF PART I.	–	512	325	3	647	C. 5 D. 3 E. 1 G. 3 L. 1 M. 16

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	–	5	–	16	C. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	1	–
†BEDFORD ...	–	–	1	–	6	–
LEIGHTON BUZZARD	–	–	–	–	–	C. 1
†LUTON	–	–	–	–	4	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	3	–
BEDFORD ...	–	–	2	–	1	–
EATON SOCON	*	*	*	*	*	*
LUTON	–	–	–	–	1	–
BERKS	–	12	11	–	3	E. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	1	–	–	–	–
†MAIDENHEAD ...	–	–	1	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†READING, C.B.	–	4	5	–	3	–
WANTAGE ...	–	–	–	–	–	E. 1
Rural Districts :—						
COOKHAM ...	–	1	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	2	–	–	–	–
WALLINGFORD	–	2	5	–	–	–
BUCKINGHAM ...	–	16	11	1	9	–
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	5	–	–	4	–
CHESHAM ...	–	1	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
NEWPORT PAGNELL	–	–	1	–	–	–
†SLOUGH ...	–	1	6	–	1	–
†WOLVERTON ...	–	2	–	–	1	–
Rural Districts :—						
AMERSHAM ...	–	1	–	–	1	–
BUCKINGHAM ...	–	2	–	–	–	–
ETON	–	1	–	1	1	–
NEWPORT PAGNELL	–	1	4	–	–	–
WYCOMBE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE...	–	12	7	–	6	–
Borough						
†CAMBRIDGE ...	–	6	6	–	4	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	3	–	–	1	–
CHESTERTON ...	–	–	–	–	1	–
LINTON ...	–	1	–	–	–	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	1	1	–	–	–
CHESTER	–	56	29	1	42	M. 1
Boroughs and Urban Districts :—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	3	1	–	–	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	2	1	–	8	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
BROMBOROUGH	–	–	–	1	–	–
†CHEADLE AND GATLEY	–	–	–	–	3	–
†CHESTER C.B. ...	–	2	1	–	1	–
†CONGLETON ...	–	–	1	–	3	–
†CREWE	–	4	3	–	2	–
†DUKINFIELD ...	–	–	1	–	3	–
†ELLESMERE PORT AND WHITBY	–	2	–	–	–	–
HALE	–	5	1	–	1	–
HOOLE	–	1	–	–	–	–
†HYDE	–	1	–	–	1	–
KNUTSFORD ...	–	3	1	–	–	–
†LOWER BEBINGTON	–	2	–	–	1	–
†MACCLESFIELD	–	1	1	–	3	–
MARPLE... ...	–	–	–	–	1	–
†NORTHWICH ...	–	–	–	–	1	–
†RUNCORN ...	–	2	–	–	1	–
†SALE	–	2	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	1	M. 1
†STOCKPORT C.B.	–	10	3	–	3	–
†WALLASEY C.B.	–	5	2	–	1	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	–	2	–	–	–
YARDSLEY-CUM-WHALEY	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	3	2	–	–	–
CONGLETON ...	–	3	–	–	1	–
MACCLESFIELD	–	1	1	–	–	–
MALPAS ...	–	1	1	–	–	–
NANTWICH ...	–	–	2	–	2	–
NORTHWICH ...	–	–	–	–	3	–
RUNCORN ...	–	–	1	–	–	–
TARVIN	–	–	1	–	–	–
WIRRAL ...	–	1	1	–	–	–
CORNWALL ...	–	11	12	–	–	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	6	–	–	–
†PENZANCE ...	–	–	1	–	–	–
ST. IVES ...	–	5	2	–	–	–
STATTON AND BUDE	*	*	*	*	*	*
†TRURO	–	–	1	–	–	–
WADEBRIDGE .	–	1	–	–	–	–
Rural Districts:—						
LISKEARD ...	–	1	1	–	–	–
REDRUTH ...	–	1	1	–	–	–
SAINT AUSTELL	*	*	*	*	*	*
SAINT GERMANS	–	3	–	–	–	–
WEST PENWITH	*	*	*	*	*	*
CUMBERLAND ...	–	5	11	1	2	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	2	–	–	–
†CARLISLE C.B. ...	–	2	1	–	2	–
EGREMONT ...	–	–	–	1	–	–
HOLME CULTRAM	–	1	–	–	–	–
†MARYPORT ...	–	–	1	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
†WORKINGTON ...	–	1	2	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL ...	–	1	–	–	–	–
BRAMPTON ...	–	–	1	–	–	–
CARLISLE ...	–	–	1	–	–	–
COCKERMOUTH	–	–	1	–	–	–
LONGTOWN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	1	25	22	1	34	G. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	3	–
†BOLSOVER ...	–	3	–	–	–	–
BONSALL ...	–	–	–	–	–	G. 1
†CHESTERFIELD	–	3	2	1	1	–
†DERBY C.B. ...	–	10	6	–	12	M. 1
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP ...	–	–	–	–	2	–
HEAGE	–	–	1	–	–	–
†HEANOR ...	–	4	–	–	3	–
†ILKESTON ...	1	–	–	–	–	–
†LONG EATON ...	–	1	–	–	–	–
†RIPLEY	–	3	1	–	2	–
SOUTH DARLEY	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	–	3	–	4	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	2	–
CHAPEL-EN-LE-FRITH	–	–	–	–	2	–
CHESTERFIELD	–	–	2	–	1	–
CLOWNE... ...	–	–	1	–	–	–
CODNOR PARK, &c. (parishes)	–	–	–	–	1	–
GLOSSOP DALE	–	–	–	–	1	–
REPTON ...	–	–	3	–	–	–
SHARDLOW ...	–	1	2	–	–	–
DEVON	–	26	24	3	14	M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	3	–	–	–
BIDEFORD ...	–	1	1	–	–	–
BRIXHAM ...	–	–	–	–	2	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXETER C.B. ...	–	2	–	–	–	–
†EXMOUTH ...	–	1	–	–	–	–
†NEWTON ABBOT	–	–	3	–	–	–
NORTHAM ...	–	–	1	–	–	–
†PAIGNTON ...	–	1	–	–	2	–
†PLYMOUTH C.B.	–	11	9	–	7	–
SOUTH MOLTON	–	–	–	–	3	–
†TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	–	2	–	–	–
†TORQUAY ...	–	2	3	–	–	–
Rural Districts:—						
CULMSTOCK ...	–	1	–	–	–	–
NEWTON ABBOT	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
OKEHAMPTON ...	–	–	1	–	–	–
ST. THOMAS ...	–	5	–	3	–	–
TAVISTOCK ...	–	1	–	–	–	–
TOTNES ...	–	1	–	–	–	–
DORSET	–	13	2	1	–	–
Boroughs and Urban Districts :—						
BLANDFORD FORUM	–	1	–	–	–	–
LYME REGIS ...	–	2	–	–	–	–
†POOLE	–	–	1	–	–	–
†PORTLAND ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
Rural Districts :—						
BLANDFORD ...	–	2	–	–	–	–
BRIDPORT ...	–	3	–	–	–	–
DORCHESTER ...	–	–	–	1	–	–
POOLE	–	1	1	–	–	–
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	–	1	–	–	–	–
DURHAM... ...	–	86	19	–	127	C. 3 M. 5
Boroughs and Urban Districts :—						
†ANNFIELD PLAIN	–	1	2	–	–	–
BARNARD CASTLE	–	–	–	–	1	–
†BLAYDON ...	–	1	1	–	2	–
†BRANDON AND BYSHOTTLES	–	2	–	–	1	–
†CHESTER-LE-STREET	–	2	1	–	2	C. 1
†CROOK	–	1	–	–	–	–
†DARLINGTON C.B.	–	2	–	–	10	C. 1
†DURHAM ...	–	2	1	–	–	–
†FELLING ...	–	3	–	–	15	–
†GATESHEAD C.B.	–	19	1	–	10	M. 1
†HARTLEPOOL ...	–	–	–	–	2	–
†HEBBURN ...	–	–	–	–	2	–
†HETTON ...	–	–	–	–	4	–
†HOUGHTON-LE-SPRING	–	–	–	–	4	–
†JARROW ...	–	1	2	–	13	–
†RYTON	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON ...	–	–	1	–	–	–
†SOUTH SHIELDS C.B.	–	14	1	–	14	M. 3
†SOUTHWICK-ON-WEIR	–	2	–	–	1	–
†STANLEY ...	–	1	1	–	3	–
†STOCKTON-ON-TEES	–	–	–	–	16	C. 1
†SUNDERLAND C.B.	–	6	2	–	13	M. 1
†WEST HARTLEPOOL C.B.	–	4	2	–	2	–
†WHICKHAM ...	–	1	–	–	4	–
Rural Districts :—						
AUCKLAND ...	–	6	1	–	–	–
CHESTER-LE-STREET	–	9	–	–	2	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	1	1	–	–	–
HARTLEPOOL ...	–	1	1	–	–	–
HOUGHTON-LE-SPRING	–	1	–	–	–	–
LANCHESTER ...	–	3	1	–	–	–
SEDGEFIELD ...	–	1	–	–	1	–
SUNDERLAND ...	–	2	–	–	2	–
ISLE OF ELY ...	–	7	–	1	1	–
Boroughs and Urban Districts :—						
ELY	–	–	–	1	–	–
MARCH	–	1	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH ...	–	1	–	–	–	–
Rural Districts :—						
ELY	–	2	–	–	–	–
NORTH WITCHFORD	–	1	–	–	–	–
WHITTLESEY ...	–	1	–	–	–	–
WISBECH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	131	48	2	102	C. 3 D. 2 E. 1 G. 1 M. 4
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	1	–	10	M. 1
†CHELMSFORD ...	–	2	2	–	1	M. 1
†CLACTON ...	–	2	–	–	–	–
†COLCHESTER ...	–	4	–	–	10	–
†EAST HAM C.B.	–	21	5	–	13	–
EPPING	*	*	*	*	*	*
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	9	2	–	10	C. 1 M. 1
†LEYTON... ...	–	30	7	–	6	C. 1
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	1	2	–	1	–
SHOEBURYNESS-ON-SEA	–	–	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	4	–	–	9	D. 1 G. 1 M. 1
†WALTHAMSTOW	–	22	5	–	11	–
†WANSTEAD ...	–	3	–	–	–	–
†WEST HAM C.B.	–	16	15	–	20	C. 1, E. 1
†WOODFORD ...	–	1	3	–	5	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	1	D. 1
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	–	1	–	–	–
DUNMOW ...	*	*	*	*	*	*
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	1	–
MALDON ...	–	–	–	1	–	–
ORSETT	–	4	–	–	–	–
ROCHFORD ...	–	1	–	1	2	–
ROMFORD ...	–	4	3	–	–	–
GLOUCESTER ...	–	40	53	–	21	C. 1 E. 1 L. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	27	41	–	18	C. 1 E. 1
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELTENHAM ...	–	2	1	–	–	–
†GLOUCESTER C.B.	–	1	4	–	1	–
†KINGSWOOD ...	–	–	1	–	–	–
STROUD ...	–	1	1	–	–	–
Rural Districts:—						
CAMPDEN ...	–	1	–	–	–	–
CHMLTENHAM ...	–	–	1	–	–	–
DURSLEY ...	–	2	–	–	1	–
NORTHLEACH ...	*	*	*	*	*	*
STOW-ON-THE WOLD (PART)	–	1	–	–	–	–
STROUD ...	–	3	1	–	–	L. 1
TEWKESBURY (PART)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	2	–	–	–
WEST DEAN ...	–	–	1	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	7	6	–	3	E. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	6	–	–	E. 1
LEDBURY ...	–	–	–	–	1	–
Rural Districts:—						
BROMYARD ..	–	–	–	–	2	–
HEREFORD ...	–	6	–	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
HERTFORD ...	–	17	6	–	3	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	2	–	–	–
BISHOP STORTFORD	–	1	–	–	–	–
CHORLEYWOOD...	–	1	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN ...	–	–	–	–	1	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	2	–
ROYSTON ...	–	2	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
WARE	–	2	–	–	–	–
†WATFORD ...	–	4	–	–	–	–
Rural Districts:—						
BARNET... ...	–	–	3	–	–	–
HADHAM ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts—*cont.*						
HERTFORD ...	–	1	–	–	–	–
HITCHIN ...	–	–	1	–	–	–
HUNTINGDON ...	–	2	–	–	–	–
Boroughs and Urban Districts :—						
ST. NEOTS ...	*	*	*	*	*	*
Rural Districts :—						
NORMAN CROSS	–	1	–	–	–	–
ST. NEOTS, No. 1	*	*	*	*	*	*
ST. NEOTS, No. 3	–	1	–	–	–	–
KENT	–	102	49	–	43	D. 1
Boroughs and Urban Districts :—						
†ASHFORD ...	–	3	–	–	1	–
†BECKENHAM ...	–	3	–	–	1	D. 1
†BEXLEY ...	–	10	–	–	–	–
†BROADSTAIRS and ST. PETER'S	–	2	–	–	–	–
†BROMLEY ...	–	5	1	–	12	–
†CANTERBURY C.B.	–	1	–	–	–	–
†CHATHAM ...	–	4	3	–	–	–
CHISLEHURST ...	–	1	1	–	1	–
†CRAYFORD ...	–	4	–	–	–	–
†DARTFORD ...	–	8	3	–	–	–
†DEAL	*	*	*	*	*	*
†DOVER	–	–	3	–	3	–
†ERITH	–	6	6	–	3	–
†FAVERSHAM ...	–	–	1	–	1	–
†FOLKSTONE ...	–	2	–	–	1	–
†GILLINGHAM ...	–	7	3	–	–	–
†GRAVESEND ...	–	–	3	–	–	–
HYTHE	–	2	–	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	2	1	–	1	–
†PENGE	–	4	–	–	1	–
†RAMSGATE ...	–	6	5	–	1	–
†ROCHESTER ...	–	3	6	–	2	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	1	–
SANDWICH ...	–	–	–	–	1	–
SOUTHBOROUGH	–	3	1	–	–	–
†TONBRIDGE ...	–	–	1	–	–	–
WALMER ...	*	*	*	*	*	*
WHITSTABLE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts :—						
BROMLEY ...	–	7	–	–	–	–
DARTFORD ...	–	4	3	–	9	–
DOVER	–	1	–	–	–	–
EAST ASHFORD	–	1	2	–	–	–
HOLLINGBOURNE	–	1	1	–	–	–
ISLE OF THANET	–	8	2	–	3	–
MALLING ...	–	–	1	–	–	–
MILTON	–	–	1	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	1	468	132	11	378	C. 11, E. 1, L. 1, M. 24
Boroughs and Urban Districts :—						
†ACCRINGTON ...	–	1	1	–	5	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	3	–	–	1	–
†ASHTON-UNDER-LYNE	–	4	1	–	4	–
†ATHERTON ...	–	1	–	–	1	–
†BACUP	–	–	–	–	4	–
†BARROW-IN-FURNESS C.B.	–	12	1	–	4	–
†BLACKBURN C.B.	–	5	–	–	5	M. 1
†BLACKPOOL C.B.	–	6	1	1	1	M. 2
†BOLTON C.B. ...	–	12	1	2	20	C. 1
†BOOTLE C.B. ...	–	15	9	–	–	C. 1 M. 1.
BRIERFIELD ...	–	–	–	–	3	–
†BURNLEY C.B.	–	4	7	–	8	–
†BURY C.B. ...	–	11	1	–	6	–
†CHADDERTON ...	–	4	1	–	6	–
†CHORLEY ...	–	–	–	–	6	–
CHURCH... ...	–	–	1	–	2	–
†CLITHEROE ...	–	1	–	–	–	–
†CROMPTON ...	–	5	1	–	–	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	3	–	–	3	–
†ECCLES ...	–	3	1	–	–	–
†FAILSWORTH ...	–	3	1	–	3	–
†FARNWORTH ...	–	4	–	–	–	–
†FLEETWOOD ...	–	2	–	–	1	–
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY	–	3	2	–	1	–
†HASLINGDEN ...	–	1	–	–	5	–
†HAYDOCK ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEYWOOD ...	–	2	1	–	3	–
†HINDLEY ...	–	2	1	–	3	–
†HORWICH ...	–	3	–	–	7	–
†INCE-IN-MAKERFIELD	–	2	–	–	–	–
IRLAM	–	1	–	–	4	–
KEARSLEY ...	–	1	1	–	–	–
†LANCASTER ...	–	3	2	–	1	–
LEES	–	–	–	–	1	–
†LEIGH	–	1	1	–	3	M. 1
†LITHERLAND ...	–	3	1	–	–	–
†LIVERPOOL C.B.	–	69	24	3	40	C. 1 M. 10.
LONGRIDGE ...	–	–	–	–	1	–
†MANCHESTER C.B.	–	109	30	1	106	C. 4 L. 1 M. 5
†MIDDLETON ...	–	12	–	–	2	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON ...	–	–	–	–	3	–
†NEWTON-IN-MAKERFIELD	–	5	–	–	5	–
†OLDHAM C.B.	–	24	1	–	4	M. 1
ORRELL ...	–	1	–	–	1	–
†OSWALDTWISTLE	–	7	–	–	3	–
†PADIHAM ...	–	1	1	–	–	–
PRESCOT ...	–	1	1	–	–	–
†PRESTON C.B. ...	–	7	6	–	4	M. 1
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	2	–	4	C. 2
†RAMSBOTTOM ...	–	1	2	–	4	–
†RAWTENSTALL ...	–	1	1	–	1	–
RISHTON ...	*	*	*	*	*	*
†ROCHDALE C.B.	–	6	3	–	7	–
†ROYTON ...	–	2	–	–	–	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	1	1	3	–	2	–
†SALFORD C.B. ...	–	41	10	2	22	M. 1
†SOUTHPORT C.B	–	–	1	–	1	–
STANDISH-WITH-LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	5	1	–	10	–
†SWINTON AND PENDLEBURY	–	4	–	–	2	–
THORNTON ...	–	1	–	–	–	–
TOTTINGTON ...	–	–	–	–	5	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TURTON ...	–	6	1	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	1	4	E. 1
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	3	1	–	–	–
†WARRINGTON C.B.	–	10	–	–	10	C. 1
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–
†WESTHOUGHTON	*	*	*	*	*	*
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES ...	–	–	3	–	9	–
†WIGAN C.B. ...	–	5	–	–	1	–
WITHNELL ...	*	*	*	*	*	*
†WORSLEY ...	–	1	–	–	2	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	3	–	–	1	–
BLACKBURN ...	–	1	–	–	–	–
BURNLEY ...	–	–	1	–	–	–
BURY	–	2	–	–	–	C. 1
CHORLEY ...	–	1	–	–	1	M. 1
CLITHEROE ...	–	3	–	–	2	–
GARSTANG ...	–	–	1	–	–	–
LEIGH ...	–	4	–	–	–	–
LIMEHURST ...	–	–	–	–	2	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON ...	–	–	–	1	–	–
LEICESTER ...	–	26	11	–	13	M. 1
Boroughs and Urban Districts:—						
†HINCKLEY ...	–	1	–	–	–	–
†LEICESTER C.B.	–	17	3	–	7	M. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	2	–
OADBY	–	1	–	–	–	–
THURMASTON ...	–	–	1	–	1	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	1	1	–	–	–
BARROW-UPON-SOAR	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	3	1	–	1	–
LUTTERWORTH	–	–	1	–	–	–
MARKET BOSWORTH	–	–	2	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	6	1	–	1	M. 1
Boroughs and Urban Districts :—						
†BOSTON ...	–	2	–	–	–	–
HOLBEACH ...	*	*	*	*	*	*
†SPALDING ...	–	–	1	–	–	M. 1
Rural Districts :—						
SPALDING ...	–	4	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	2	–	6	M. 1
Boroughs and Urban Districts :—						
†GRANTHAM ...	–	1	–	–	1	–
SLEAFORD ...	–	–	–	–	3	–
STAMFORD ...	*	*	*	*	*	*
Rural Districts :—						
BOURNE ...	–	–	1	–	–	–
BRANSTON ...	–	–	–	–	1	–
CLAYPOLE ...	–	–	1	–	–	–
GRANTHAM ...	–	–	–	–	–	M. 1
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	13	13	3	6	M. 1
Boroughs and Urban Districts :—						
†CLEETHORPES ...	–	5	1	3	–	–
CROWLE... ...	–	–	2	–	–	–
†GRIMSBY C.B. ...	–	3	1	–	3	M. 1
†LINCOLN C.B. ...	–	2	7	–	–	–
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE & FRODINGHAM	–	1	–	–	1	–
Rural Districts :—						
GLANFORD BRIGG	–	–	1	–	–	–
GRIMSBY ...	–	–	–	–	2	–
SIBSEY	–	1	–	–	–	–
SPILSBY... ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX ...	–	183	85	1	90	G. 1, L. 1, M. 2.
Boroughs and Urban Districts :—						
†ACTON	–	13	5	–	–	–
†BRENTFORD ...	–	3	–	–	–	–
†CHISWICK ...	–	2	4	–	2	G. 1
†EALING ...	–	16	8	–	2	–
†EDMONTON ...	–	12	8	–	–	–
†ENFIELD ...	–	12	1	–	7	–
†FINCHLEY ...	–	3	4	1	6	–
GREENFORD ...	*	*	*	*	*	*
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	8	3	–	1	–
†HARROW-ON-THE-HILL	–	2	4	–	1	–
†HENDON ...	–	2	9	–	5	–
†HESTON AND ISLEWORTH	–	6	2	–	1	–
†HORNSEY ...	–	17	4	–	10	–
RUISLIP-NORTHWOOD	–	2	–	–	–	–
†SOUTHALL-NORWOOD	–	5	–	–	1	L. 1
†SOUTHGATE ...	–	8	–	–	6	–
†TEDDINGTON ...	–	2	–	–	1	–
†TOTTENHAM ...	–	31	11	–	27	–
†TWICKENHAM ...	–	1	1	–	3	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	2	–	–	–
†WILLESDEN ...	–	16	15	–	16	M. 2
†WOOD GREEN ...	–	13	2	–	1	–
Rural Districts :—						
HENDON ...	–	3	–	–	–	–
STAINES ...	–	2	1	–	–	–
UXBRIDGE ...	–	1	1	–	–	–
NORFOLK ...	–	11	15	–	5	–
Boroughs and Urban Districts :—						
DISS	*	*	*	*	*	*
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–
NORTH WALSHAM	*	*	*	*	*	*
†NORWICH C.B.	–	5	7	–	3	–
SHERINGHAM ...	–	–	–	–	1	–
SWAFFHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
BLOFIELD ...	–	–	3	–	–	–
DEPWADE ...	–	1	2	–	–	–
DOWNHAM ...	–	1	–	–	–	–
FREEBRIDGE LYNN	*	*	*	*	*	*
MARSHLAND ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–	–	2	–	–	–
NORTHAMPTON	–	13	7	–	19	D. 1 M. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	2	–	–	–	–
FINEDON ...	–	–	–	–	1	–
†KETTERING ...	–	2	–	–	–	–
†NORTHAMPTON C.B.	–	4	5	–	9	D. 1 M. 1
RAUNDS... ...	–	–	–	–	2	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
POTTERSPURY ...	–	1	–	–	2	–
TOWCESTER ...	–	–	2	–	3	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND.	–	65	13	–	89	C. 1 M. 4
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	1	–	–	–	–
†BLYTH	–	1	–	–	1	–
†EARSDON ...	–	1	–	–	–	–
†GOSFORTH ...	–	10	–	–	–	–
†LONGBENTON ...	–	–	–	–	4	–
†NEWBURN ...	–	1	1	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	29	7	–	66	M. 3
PRUDHOE ...	–	1	–	–	–	–
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†TYNEMOUTH C.B.	–	8	–	–	1	M. 1
†WALLSEND ...	–	5	2	–	3	C. 1
†WHITLEY AND MONKSEATON	–	2	–	–	6	–
Rural Districts:—						
BELFORD ...	–	–	–	–	3	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	–	1	–	1	–
HEXHAM ...	–	3	–	–	–	–
MORPETH ...	–	1	1	–	–	–
NOTTINGHAM ...	2	16	10	–	8	L. 2, M. 3
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	1	–	–	–
†BEESTON ...	–	–	–	–	1	–
†CARLTON ...	–	–	3	–	–	–
†EAST RETFORD	–	2	–	–	1	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	–	1	–	1	–
†MANSFIELD ...	–	4	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK ...	–	1	1	–	–	–
†NOTTINGHAM C.B.	2	6	1	–	3	L. 2 M. 2
†WORKSOP ...	*	*	*	*	*	*
Rural Districts:—						
BASFORD ...	–	–	1	–	1	–
BINGHAM ...	–	1	–	–	–	M. 1
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	9	2	–	3	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
†OXFORD C.B. ...	–	2	–	–	–	–
THAME	–	1	–	–	–	–
Rural Districts:—						
BANBURY ...	–	2	–	–	–	–
HEADINGTON ...	–	2	2	–	2	–
WITNEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
PETERBOROUGH (Soke of).	–	5	1	–	3	M. 1
Borough:—						
†PETERBOROUGH	–	3	–	–	2	M. 1
Rural Districts:—						
BARNACK ...	–	1	–	–	1	–
PETERBOROUGH	–	1	1	–	–	–
RUTLAND... ...	–	1	1	–	–	–
Urban District:—						
OAKHAM... ...	–	1	1	–	–	–
SALOP	–	8	12	–	3	M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
LUDLOW ...	–	2	8	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WEM	–	–	–	–	–	M. 1
†WENLOCK ...	–	–	2	–	–	–
WHITCHURCH ...	–	–	2	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	–	–
BRIDGNORTH ...	–	2	–	–	–	–
DRAYTON ...	–	–	–	–	1	–
LUDLOW ...	–	1	–	–	–	–
SOMERSET ...	–	24	15	2	17	L. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	4	4	–	8	–
CHARD	*	*	*	*	*	*
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	1	2	–	–	–
MINEHEAD ...	–	–	1	–	–	–
SHEPTON MALLET	–	2	–	–	1	–
†TAUNTON ...	–	–	–	–	1	–
WATCHET ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
†YEOVIL	–	–	3	–	–	–
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	–	1	3	–
CLUTTON ...	–	1	1	–	–	–
DULVERTON ...	–	1	–	–	–	–
KEYNSHAM ...	–	–	2	–	–	–
LONG ASHTON ...	–	10	–	–	2	–
TAUNTON ...	–	2	–	–	1	L. 2
WELLS	–	–	1	1	–	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	1	–	–	–
SOUTHAMPTON	–	92	40	6	15	C. 1 M. 6
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	2	–	–	–
†BASINGSTOKE ...	–	3	–	–	–	–
†BOURNEMOUTH C.B.	–	3	1	–	–	–
CHRISTCHURCH...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	3	1	4	–	–
†FARNBOROUGH...	–	1	–	–	–	–
†GOSPORT and ALVERSTOKE	–	4	–	–	1	–
HAVANT ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	51	13	–	1	C. 1 M. 4
†SOUTHAMPTON C.B.	–	10	12	2	7	M. 1
WARBLINGTON...	–	1	–	–	1	–
†WINCHESTER ...	–	6	5	–	2	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
CATHERINGTON...	*	*	*	*	*	*
FAREHAM ...	–	1	1	–	–	–
FORDINGBRIDGE	–	1	–	–	–	–
HARTLEY WINTNEY	–	–	2	–	–	–
HURSLEY ...	–	–	–	–	1	–
NEW FOREST ...	–	2	–	–	–	–
PETERSFIELD ...	*	*	*	*	*	*
SOUTH STONEHAM	–	1	3	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	88	21	3	123	C. 2, L. 2 M. 6
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY ...	–	–	–	–	4	–
BIDDULPH ...	–	–	–	–	3	–
†BILSTON ...	–	–	–	–	2	M. 1
†BRIERLEY HILL	*	*	*	*	*	*
†BURTON-UPON-TRENT C.B.	–	4	–	–	5	–
†CANNOCK ...	–	1	–	–	–	–
†COSELEY ...	–	1	1	–	1	–
†HEATH TOWN ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	*	*	*	*	*	*
†NEWCASTLE-UNDER-LYME	–	–	–	–	1	–
QUARRY BANK	–	1	1	–	–	–
†ROWLEY REGIS	–	2	1	–	2	–
†SEDGLEY ...	–	2	–	–	1	–
†SMALLTHORNE ...	–	2	–	–	14	–
†SMETHWICK C.B.	–	6	1	–	2	C. 1 M. 1
†STOKE-ON-TRENT C.B.	–	19	8	–	64	C. 1 M. 4
STONE	–	1	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	5	–	–	–	–
†WALSALL C.B....	–	–	–	1	4	–
†WEDNESBURY ...	–	3	–	–	4	–
†WEST BROMWICH C.B.	–	14	4	–	1	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	3	–	–	–	–
†WOLVERHAMPTON C.B.	–	8	–	2	10	–
Rural Districts:—						
CANNOCK ...	–	1	–	–	–	–
CHEADLE ...	–	9	2	–	1	L. 2
KINGSWINFORD	–	2	–	–	–	–
LICHFIELD ...	–	1	1	–	–	–
SEISDON ...	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
STOKE-UPON-TRENT	–	–	–	–	2	–
STONE	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SUFFOLK, EAST	–	7	16	–	23	–
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	3	–	–	–
†IPSWICH C.B. ...	–	–	8	–	20	–
LEISTON-CUM-SIZEWELL ...	–	–	–	–	2	–
†LOWESTOFT ...	–	4		–	–	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	2	1	–	–	–
HOXNE	*	*	*	*	*	*
SAMFORD ...	–	–	1	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	3	–	–	2	E. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HADLEIGH ...	–	1	–	–	–	–
SUDBURY ...	–	–	–	–	–	E. 1
Rural Districts:—						
COSFORD ...	–	–	–	–	1	–
MILDENHALL ...	–	1	–	–	1	–
SURREY	–	57	47	5	30	C. 1, D. 1, L. 4, M. 2.
Boroughs and Urban Districts:—						
†BARNES ...	–	1	2	–	1	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CATERHAM ...	–	–	–	–	3	–
†CHERTSEY ...	–	1	1	–	–	C. 1
†COULSDON AND PURLEY	–	1	2	2	2	L. 1
†CROYDON C.B....	–	19	15	–	7	D. 1, M. 1.
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	1	1	–	1	–
†EPSOM	–	1	–	–	1	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	1	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON-UPON-THAMES	–	4	2	–	1	–
†MERTON AND MORDEN	–	–	3	1	–	–
†MITCHAM ...	–	6	5	–	5	–
†REIGATE ...	–	4	9	–	–	–
†RICHMOND ...	–	1	1	–	–	–
†SUTTON	–	1	–	–	1	M. 1
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON-UPON-THAMES	–	1	1	1	–	–
†WIMBLEDON ...	–	1	4	–	1	–
†WOKING ...	–	1	–	–	1	–
Rural Districts:—						
EPSOM	–	1	–	–	3	–
FARNHAM ...	*	*	*	*	*	*
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	5	–	–	–	–
REIGATE ...	–	1	1	–	–	L. 3.
SUSSEX, EAST ...	–	26	9	–	13	L. 1.
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
†BRIGHTON C.B.	–	7	3	–	8	–
CUCKFIELD ...	–	2	–	–	–	–
†EASTBOURNE C.B	–	5	6	–	4	–
EAST GRINSTEAD	–	1	–	–	–	–
†HASTINGS C.B....	–	3	–	–	1	–
†HOVE	–	2	–	–	–	–
†LEWES	–	1	–	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1.
STEYNING EAST	–	2	–	–	–	–
SUSSEX, WEST ...	–	6	6	–	2	M. 1.
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	3	–	1	M. 1.
†HORSHAM ...	–	2	–	–	–	–
†WORTHING ...	–	2	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	1	–	1	–
MIDHURST ...	–	1	1	–	–	–
WESTBOURNE ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	–	125	36	1	74	C. 2, M. 8.
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	92	30	1	41	C. 2, M. 7.
†COVENTRY C.B.	–	6	1	–	6	M. 1.
†NUNEATON ...	–	11	–	–	9	–
†RUGBY	–	–	–	–	6	–
†SUTTON COLDFIELD	–	4	–	–	1	–
Rural Districts:—						
ALCESTER ..	–	–	3	–	–	–
ATHERSTONE ...	–	–	1	–	9	–
FOLESHILL ...	–	7	–	–	2	–
RUGBY ...	–	1	–	–	–	–
SOUTHAM ...	–	–	1	–	–	–
TAMWORTH (part)	–	3	–	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND	–	–	–	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
ISLE OF WIGHT	–	7	1	–	–	–
Boroughs and Urban Districts:—						
COWES	–	2	–	–	–	–
EAST COWES ...	–	1	–	–	–	–
†NEWPORT ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	2	1	–	–	–
WILTS	–	25	6	–	6	–
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
CHIPPENHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	–	2	–	1	–
†SWINDON ...	–	16	–	–	2	–
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	3	–	–	–	–
MALMESBURY ...	–	1	–	–	–	–
PEWSEY ...	–	1	2	–	–	–
SALISBURY ...	–	1	–	–	–	–
TISBURY ...	–	–	–	–	1	–
WARMINSTER	*	*	*	*	*	*
WORCESTER ...	–	27	7	–	5	C. 1 M. 1
Boroughs and Urban Districts :—						
†DUDLEY C.B. ...	–	–	–	–	1	–
†KIDDERMINSTER	–	12	–	–	2	–
†LYE AND WOLLESCOTE	–	2	1	–	–	–
†MALVERN ...	–	1	–	–	–	–
†OLDBURY ...	–	3	1	–	–	C. 1 M. 1
†STOURBRIDGE	–	2	1	–	–	–
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	4	3	–	–	–
Rural Districts :—						
BROMSGROVE ...	–	–	1	–	–	–
HALESOWEN ...	–	2	–	–	1	–
TENBURY ...	–	1	–	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	17	24	–	10	C. 2 M. 4
Boroughs and Urban Districts :—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON	–	1	2	–	–	–
FILEY	–	1	–	–	1	–
HESSLE ...	–	–	–	–	1	–
†KINGSTON-UPON HULL C.B.	–	2	17	–	5	C. 2 M. 4
†YORK C.B. ...	–	11	2	–	1	–
Rural Districts :—						
BEVERLEY ...	–	–	1	–	–	–
BRIDLINGTON ...	–	1	–	–	–	–
YORKS (East Riding)—*cont.*						
Rural Districts—*cont.*						
HOWDEN ...	–	1	–	–	–	–
NORTON... ...	*	*	*	*	*	*
RICCALL ...	–	–	2	–	–	–
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	–	10	8	2	53	M. 1
Boroughs and Urban Districts :—						
†ESTON ...	–	–	1	–	–	–
GUISBOROUGH ...	–	1	–	–	2	–
MALTON... ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	–	3	1	–	31	M. 1
RICHMOND ...	–	–	–	–	1	–
†SCARBOROUGH	–	–	1	1	–	–
†SKELTON AND BROTTON	–	1	–	–	3	–
†THORNABY-ON-TEES	–	–	–	–	16	–
†WHITBY... ...	–	2	–	–	–	–
Rural Districts :—						
EASINGWOLD ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
MALTON... ...	*	*	*	*	*	*
RICHMOND ...	–	–	2	–	–	–
STOKESLEY ...	–	–	2	–	–	–
THIRSK	–	1	1	1	–	–
YORKS ... ... (West Riding).	9	178	78	12	70	C. 3, E. 1 L. 1, M. 11
Boroughs and Urban Districts :—						
ALTOFTS ...	–	–	–	–	1	–
†BARNOLDSWICK	–	–	–	–	3	–
†BARNSLEY C.B.	–	2	–	–	3	M. 1
†BATLEY ...	–	1	–	–	–	–
†BINGLEY ...	–	2	–	–	–	–
†BOLTON-UPON-DEARNE	–	2	1	2	–	–
†BRADFORD C.B.	–	31	6	–	13	M. 3
†BRIGHOUSE ...	–	4	–	–	1	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON ...	–	1	–	–	–	–
CLAYTON WEST	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Conisbrough ...	–	2	–	–	–	–
Cudworth ...	–	–	–	–	1	–
†Darton ...	–	1	–	–	1	–
†Dewsbury C.B.	–	2	–	–	1	–
†Doncaster ...	–	–	–	1	–	–
†Elland ...	–	5	–	–	1	–
†Featherstone	–	1	1	–	–	–
Golcar	–	–	1	–	–	–
†Goole	–	3	2	3	–	M. 1
Greasborough	–	–	–	–	–	C. 1
Greetland ...	–	1	–	–	–	–
†Halifax C.B. ...	–	4	4	–	–	–
†Harrogate ...	–	1	–	–	5	–
Hebden Bridge	–	1	–	–	1	–
†Heckmondwike	–	1	–	–	–	–
†Hemsworth ...	–	4	–	–	1	–
Hipperholme ...	–	–	–	–	1	–
†Holmfirth ...	–	2	1	–	–	–
†Hoyland Nether	–	–	–	–	–	M. 1
†Huddersfield C.B.	1	2	5	–	5	–
Ilkley	–	–	2	1	3	–
†Keighley ...	–	–	–	1	–	–
Knottingley ...	–	1	–	–	–	–
†Leeds C.B. ...	–	37	12	–	2	C. 1
Meltham	–	–	1	–	–	–
†Morley ...	–	1	3	–	1	–
New Mill ...	–	1	–	–	–	–
†Ossett	–	–	2	1	–	–
Otley	–	–	1	–	–	M. 1
†Pudsey... ...	–	1	–	–	1	–
Queensbury ...	–	–	1	–	–	–
†Rawmarsh ...	–	1	–	–	–	–
†Rotherham C.B.	1	–	2	–	1	–
†Rothwell ...	–	1	–	–	–	–
Royston ...	–	1	–	–	–	–
†Saddleworth	6	1	–	–	–	–
Selby ...	–	–	1	–	–	–
†Sheffield C.B.	–	21	17	2	11	M. 4
Shelley... ...	–	–	–	1	–	–
Shepley ...	–	–	–	–	2	–
†Shipley ...	–	1	–	–	–	–
Skelmanthorpe	–	–	–	–	–	C. 1
Slaithwaite ...	1	–	–	–	–	–
South Crosland	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Spenborough ...	–	2	3	–	1	–
Springhead ...	–	1	–	–	–	–
†Stanley ...	–	1	2	–	–	–
†Swinton ...	–	–	–	–	1	–
†Todmorden ...	–	2	–	–	–	–
†Wakefield C.B.	–	2	3	–	1	–
†Wath-upon-Dearne	–	1	–	–	–	–
†Wombwell ...	–	1	–	–	–	–
†Worsborough...	–	2	–	–	–	–
Rural Districts:—						
Bowland ...	–	–	–	–	1	–
Doncaster ...	–	–	–	–	1	–
Goole	–	1	1	–	–	–
Great Ouseburn	–	6	–	–	–	–
Halifax ...	–	–	–	–	1	–
Hemsworth ...	–	4	1	–	2	–
Hunslet ...	–	1	–	–	–	–
Kiveton Park	–	1	–	–	–	–
Penistone ...	–	1	–	–	–	–
Pontefract ...	–	3	1	–	–	–
Rotherham ...	–	2	–	–	–	–
Tadcaster ...	–	3	–	–	–	–
Wakefield ...	–	1	–	–	–	E. 1
Wharfedale (South)	–	–	–	–	–	L. 1
Wortley ...	–	–	2	–	3	–
WALES.						
ANGLESEY ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
Llangefni ...	–	–	2	–	–	–
Rural Districts:—						
Twrcelyn ...	–	1	–	–	–	–
Valley... ...	*	*	*	*	*	*
BRECKNOCK ...	–	5	7	–	7	–
Boroughs and Urban Districts:—						
Brecknock ...	–	1	–	–	–	–
Brynmawr ...	–	2	1	–	5	–
Hay...	–	2	–	–	–	–
Llanwrtyd ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
BRECKNOCK LLANGORSE	–	–	1	–	–	–
LLANWRTHWL (PARISH)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	5	–	2	–
CARDIGAN ...	–	–	4	1	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	3	1	–	–
CARMARTHEN ...	–	7	8	1	4	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	2	–	–	–
CWMAMMAN ...	–	–	–	–	2	–
†LLANELLY ...	–	1	4	–	2	–
Rural Districts:—						
CARMARTHEN ...	–	3	1	–	–	–
LLANELLY ...	–	2	1	1	–	–
LLANYBYTHER ...	–	1	–	–	–	–
CARNARVON ...	–	5	20	–	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	1	5	–	–	–
LLANDUDNO ...	–	2	1	–	–	–
PENMAENMAWR	–	–	1	–	–	–
PORTMADOC ...	–	–	1	–	–	–
Rural Districts:—						
CONWAY ...	–	1	2	–	–	–
GWYRFAI ...	–	1	8	–	–	–
OGWEN	–	–	2	–	–	–
DENBIGH	–	11	9	–	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY and COLWYN	–	–	1	–	1	–
†WREXHAM ...	–	7	2	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANSILIN ...	*	*	*	*	*	*
WREXHAM ...	–	4	6	–	1	–
FLINT	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	126	56	1	21	C. 3, L. 2, M. 6
Boroughs and Urban Districts:—						
†ABERDARE ...	–	14	4	–	3	–
†BARRY	–	–	1	–	–	–
BRITON FERRY	–	–	1	–	–	–
†CAERPHILLY ...	–	2	–	–	–	–
†CARDIFF C.B. ...	–	7	14	–	5	C. 2, M. 3
†GELLIGAER ...	–	5	3	–	2	–
†MAESTEG ...	–	6	–	–	1	–
†MERTHYRTYDFIL C.B.	–	4	2	–	–	–
†MOUNTAIN ASH	–	23	2	–	–	–
†NEATH	–	1	–	–	2	–
†OGMORE and GARW	–	5	–	–	–	L. 1
†PENARTH ...	–	5	1	–	–	–
†PONTYPRIDD ...	–	16	–	–	2	M. 1
†PORTHCAWL ...	*	*	*	*	*	*
†PORT TALBOT ...	–	1	3	–	–	–
†RHONDDA ...	–	20	3	–	3	M. 2
†SWANSEA C.B. ...	–	11	10	–	–	C. 1
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANDAFF and DINAS POWIS	–	1	4	–	–	L. 1
LLANTRISANT and LLANTWIT FARDRE	–	2	–	1	–	–
PENYBONT ...	–	1	2	–	–	–
PONTARDAWE ...	–	2	5	–	3	–
SWANSEA ...	–	–	1	–	–	–
MERIONETH ...	–	1	1	–	2	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
DOLGELLY ...	–	–	1	–	–	–
FESTINIOG ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡note below).
MERIONETH—*cont.*						
Rural Districts:—						
Deudraeth ...	–	1	–	–	–	–
MONMOUTH ...	–	58	28	1	16	C. 1 M. 1
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	–	1	–	–
Abergavenny...	–	–	–	–	–	M. 1
†Abersychan ...	–	–	1	–	–	–
†Abertillery ...	–	4	5	–	–	–
Bedwas and Machen	–	–	1	–	–	–
†Bedwellty ...	–	8	4	–	–	–
†Ebbw Vale ...	–	5	–	–	1	–
†Mynyddislwyn	–	7	3	–	–	–
†Nantyglo and Blaina	–	–	3	–	7	–
†Newport C.B....	–	24	7	–	6	C. 1
†Panteg... ...	–	1	–	–	–	–
†Rhymney ...	–	4	–	–	–	–
†Risca	–	2	–	–	–	–
†Tredegar ...	–	3	4	–	2	–
MONTGOMERY ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
Llanfyllin ...	–	–	1	–	–	–
Rural Districts:—						
Llanfyllin ...	–	1	2	–	–	–
Newtown and Llanidloes	–	–	1	–	–	–
PEMBROKE—	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Milford Haven	–	1	–	–	–	–
Rural Districts:—						
Narberth ...	–	1	–	–	–	–
RADNOR	–	–	–	–	1	–
Urban District:—						
Knighton ...	–	–	–	–	1	–
Rural District:—						
Rhayader ...	*	*	*	*	*	*
Total of Part II.	13	2304	1075	61	1549	C. 36, D. 5, E. 7, G. 3, L. 17, M. 99.

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Plymouth ...	–	–	–	–	1	–
Total of Part III.	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	512	325	3	647	C. 5, D. 3, E. 1, G. 3, L. 1, M. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	13	2304	1075	61	1549	C. 36, D. 5, E. 7, G. 3, L. 17, M. 99
Total of Part III.—Port Sanitary Districts ...	–	–	–	–	1	
Total (*i.e.*, of returns received) England and Wales	13	2816	1400	64	2197	C. 41, D. 8, E. 8, G. 6, L. 18, M. 115

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Thirteen cases of Small-pox were notified, which appear on pages 36, 40, 42 and 47.

ERRATA.—Week ended 7th January 1922.

Total of Part II.—Boroughs and other Urban Districts and Rural Districts outside London—Pneumonia *should read* 1211.

Total (*i.e.*, of returns received) England and Wales—Pneumonia *should read* 1747.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.
LONDON:—													
DEATHS—all ages -	996	955	940	1,150	1,435	1.324	1,601	1,383	1,279	1,395	1,606	2,170	2,726
„ 0 to 1 year -	170	142	144	123	128	106	138	135	125	142	169	182	224
GREAT TOWNS, aggregate (including London) :—													
BIRTHS - - -	*8,203*	*7,904*	*7,450*	*7,981*	*7,900*	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969 *8,786*	8,853 *8,675*
DEATHS—all ages -	*3,852*	*3,902*	*4,039*	*4,289*	*5,202*	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922 *6,800*	8,085 *7,928*
„ *0 to 1 year* -	*722*	*680*	*686*	*608*	*663*	*566*	*648*	*623*	*641*	*661*	*699*	793 *781*	860 *842*
ENTERIC FEVER—Cases	*35*	*38*	*43*	*44*	*31*	*38*	*23*	*28*	*22*	*29*	*13*	19 *19*	22 *20*
„ Deaths	*4*	*7*	*9*	*6*	*4*	*6*	*11*	*6*	*5*	*6*	*4*	8 *7*	7 *7*
SMALL POX—Cases -	*8*	*3*	*2*	*7*	*1*	*12*	*4*	*2*	*6*	*12*	*2*	4 *4*	5 *5*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,907*	*2,785*	*2,850*	*2,675*	*2,838*	*2,708*	*2,639*	*2,389*	*2,432*	*2,178*	*1,890*	1816 *1798*	1,747 *1,718*
„ Deaths	*16*	*11*	*18*	*22*	*14*	*28*	*20*	*25*	*33*	*17*	*26*	35 *34*	38 *38*
DIPHTHERIA—Cases -	*1,024*	*1,109*	*1,023*	*1,036*	*984*	*1,041*	*957*	*936*	*1,100*	*991*	*903*	858 *831*	853 *836*
„ Deaths	*57*	*62*	*61*	*66*	*76*	*72*	*71*	*58*	*70*	*79*	*92*	72 *71*	93 *92*
MEASLES—Deaths -	*15*	*26*	*31*	*18*	*36*	*36*	*30*	*31*	*50*	*47*	*68*	69 *69*	61 *61*
INFLUENZA—Deaths -	*46*	*30*	*32*	*44*	*59*	*80*	*128*	*149*	*212*	*237*	*418*	819 *807*	1,262 *1,240*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns ncluded for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th January 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	56	28	46·7	37·0	4
BRIGHTON -	52	29	46·1	38·6	11
PORTSMOUTH -	54	27	47·3	38·1	10
NORWICH (EATON).	55	29	45·0	35·1	16
PLYMOUTH -	55	30	49·6	37·6	15
BRISTOL (CLIFTON).	53	27	47·6	36·4	13
BIRMINGHAM -	54	29	44·4	35·6	7
NOTTINGHAM -	57	24	44·3	34·1	13
BIRKENHEAD (BIDSTON).	55	26	45·0	37·1	18
MANCHESTER	57	27	44·4	35·7	19
BURNLEY -	55	24	43·3	35·3	13
HUDDERSFIELD	Not received.				
BRADFORD -	55	26	44·0	35·7	7
SHEFFIELD -	55	29	44·0	36·0	12
YORK (MUSEUM).	56	28	44·6	35·1	5
HULL (PEARSON PARK).	56	28	45·7	34·9	4
TYNEMOUTH	56	30	43·6	36·7	3
CARDIFF -	54	26	47·0	36·3	17
EDINBURGH -	52·0	30·0	41·7	34·1	15
GLASGOW -	50·4	29·3	41·9	36·0	33
DUBLIN (PHŒNIX PARK).	56·2	22·3	46·6	34·0	16
FITZWILLIAM SQUARE.†	57·2	29·9	46·1	37·4	11
BELFAST -	57·0	29·5	49·7	37·3	28

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 14th January 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	8		29·562	54·9	38·5	16·4	48·6	+10·7	42·7	5·9	10·0	1·1	80	71·8	33·2	45·8	S.W. & S.S.W.	W. & S.W.	4·7	0·0	0·3	376	+ 58	0·06
MONDAY -	9		29·810	55·7	46·2	9·5	52·9	+15·0	47·7	5·2	6·4	2·5	83	59·0	42·6	45·8	S.W	W.S.W.	10·2	0·0	0·7	564	+252	0·03
TUESDAY -	10		30·110	54·4	39·8	14·6	46·6	+ 8·7	39·8	6·8	10·8	3·1	77	61·9	31·9	45·6	W.S.W. W. & W.N.W.	W.N.W. & W.S.W.	4·3	0·0	0·3	394	+ 87	0·07
WEDNESDAY	11	Greatest Declination N.	30·070	46·7	35·4	11·3	40·8	+ 2·9	33·5	7·3	10·0	4·6	75	68·0	30·3	45·6	W.S.W. & W.	W.S.W. & N.N.W.	9·5	0·0	0·4	436	+131	0·01
THURSDAY -	12		30·098	42·3	33·2	9·1	38·4	+ 0·5	32·1	6·3	8·8	1·7	78	58·7	26·6	45·9	N.N.W. & N.	N.	4·3	0·0	0·5	369	+ 63	0·00
FRIDAY -	13	Full	29·981	35·5	27·9	7·6	31·7	− 6·3	27·9	3·8	7·1	0·0	85	44·6	21·2	45·4	Calm	W.S.W. & calm.	0·5	0·0	0·0	143	−167	0·03
SATURDAY -	14	Perigee	29·857	40·6	31·9	8·7	35·8	− 2·2	30·3	5·5	7·3	3·7	80	62·0	24·5	45·3	Calm & S.S.W.	Calm & E.	0·5	0·0	0·0	143	−172	0·00
MEANS -			29·927	47·2	36·1	11·0	42·1	+ 4·2	36·3	5·8	8·6	2·4	80	60·9	30·0	45·6	WSW.		...	...	...	Sum 2,425	Sum +252	Sum 0·20
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	8	w.P. generally	0·3	8·0	Overcast till 9h. and with few exceptions till 17h. Nearly cloudless till 18h. 30m., then sky overcast with high fog. Rain 5h. to 7h. and occasional showers or damping. Brisk wind about noon.
MONDAY -	9	w.P. generally	0·0	8·1	Overcast with few exceptions. Fine interval about 19h. Occasional rain before 9h. Brisk wind from 5h.
TUESDAY -	10	w.P. generally s.P. between noon and 15h.	2·1	8·1	Overcast generally till noon, clearing to cloudless by 14h. Rain between 1h. 30m. and 9h., with slight mist. Brisk wind till 3h. Hazy in afternoon. Dew at night.
WEDNESDAY	11	w.P. throughout	4·1	8·1	Nearly cloudless till 7h. Nearly overcast till 10h., clouding up from 13h. Cloudy generally 14h. to 22h., then nearly cloudless. Hoar frost in morning. Hail at 18h. 30m.
THURSDAY -	12	w.P. generally	3·9	8·1	Nearly cloudless generally with few cloudy periods, but sky nearly covered with thin cloud from 6h. 30m. to 20h. 30m. Brisk wind about noon. Lunar halo at 19h. Slight mist and hoar frost at night.
FRIDAY -	13	w.P. generally	0·0	8·2	Cloudless generally till 6h., then becoming overcast with high fog. Little cloud from 12h. 30m. to 18h. 30m., then overcast. Solar halo in afternoon. Hoar frost throughout. Snow about 22h.
SATURDAY -	14	w.P. generally, v.P. between 11h. and 15h.	1·8	8·2	Overcast till 7h. 30m., variably cloudy till 17h., then overcast. Hoar frost in morning.
			Sum 12·2	Sum 56·8	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·66 in. at the beginning of the week to 29·47 in. by 11h. on 8th; increased generally to 30·25 in. by 2h. on 11th; decreased to 29·95 in. by 18h. on the same day; increased to 30·13 in. by 11h. on 12th; decreased to 29·79 in. by 6h. on 14th, and increased generally to 29·89 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 3.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 21ST JANUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21ST JANUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the third week of the year numbered 8,096, and corresponded to an annual rate of 22·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 8,637 and corresponded to an annual rate of 23·9 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding two weeks the rates had been 19·1 and 22·4. Infant mortality was 125 per 1,000 births against 88 and 97 in the preceding two weeks.*

In London (Administrative County including the City of London) there were 1,963 births, corresponding to a rate of 22·8 per 1,000, and 2,481 deaths of civilians, corresponding to a rate of 28·9, as against 18·4, 25·3, and 31·8 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 26·1 per 1,000. The infant mortality was 134 as against 108, 85, and 107 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 552 in the total deaths last week, the deaths from influenza showing a rise of 171. In London the number of deaths from all causes fell from 2,726 to 2,481; there was a decrease of 108 in the deaths from influenza, of 63 from bronchitis, and of 48 from pneumonia.

---

* In the week ended December 31st, the death rate in the 96 Great Towns was 15·9 per 1,000, and the rate of infant mortality 107 per 1,000 births.

---

m (45)16793—3 2500 1/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 21st January 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,096	8,637	1016	9	82	36	183	100	65	1433
London	4,476,586*	1,963	2,481	264	2	44	17	72	41	16	443
Towns in Outer Ring.											
Croydon C.B.	190,877	56	97	9	–	1	–	1	1	–	31
Wimbledon	61,451	15	16	–	–	–	–	–	–	–	2
Ealing	67,753	26	21	2	–	–	–	–	1	–	6
Acton	61,314	19	16	–	–	–	–	–	–	–	2
Willesden	165,669	61	45	1	–	–	–	–	2	–	8
Hendon	56,014	19	9	1	–	–	–	–	–	–	–
Hornsey	87,691	20	39	2	–	–	–	–	–	–	11
Wood Green	50,716	16	13	3	–	–	–	–	–	1	2
Tottenham	146,695	62	75	5	–	–	–	–	3	–	19
Edmonton	66,809	32	23	4	–	–	–	–	–	1	3
Enfield	60,743	16	23	2	–	–	–	–	–	–	3
West Ham C.B.	300,905	173	208	23	1	–	1	14	2	1	37
East Ham C.B.	143,304	61	66	7	–	1	–	1	1	1	11
Leyton	128,432	47	54	6	–	–	–	4	–	1	13
Walthamstow	127,441	42	62	5	–	–	1	–	–	1	13
Ilford	85,191	28	26	1	–	–	–	–	–	–	2
Gillingham	47,887*	26	19	1	–	–	–	–	1	–	1
Canterbury C.B.	23,331*	13	5	–	–	–	–	–	–	–	1
Hastings C.B.	66,496	11	27	3	–	–	–	–	–	1	9
Eastbourne C.B.	62,030	11	16	–	–	–	–	–	1	–	3
Brighton C.B.	142,427	49	89	6	–	–	–	–	1	1	29
Portsmouth C.B.	234,218*	98	108	7	–	–	1	2	1	1	11
Bournemouth C.B.	91,770	23	31	1	–	–	–	–	–	–	6
Southampton C.B.	160,997	50	62	6	–	–	–	1	2	–	6
Reading C.B.	92,274	35	32	3	–	–	–	–	1	–	7
Oxford C.B.	57,052	15	24	4	–	–	–	–	–	–	5
Northampton C.B.	90,923	19	44	5	–	–	–	–	–	–	5
Luton	57,077	9	40	2	–	–	–	1	–	–	15
Cambridge	59,262	13	25	3	–	–	–	–	–	–	4
Southend-on-Sea C.B.	106,021	35	42	4	–	–	–	–	–	–	9
Ipswich C.B.	79,383	38	41	3	–	–	–	2	–	–	10
Great Yarmouth C.B.	60,710	18	23	1	–	–	–	–	1	–	6
Norwich C.B.	120,653	44	55	6	–	–	–	1	2	1	9
Swindon	54,920	26	15	1	–	–	–	–	–	–	2
Exeter C.B.	59,608	17	17	1	–	–	–	1	–	–	2
Plymouth C.B.	198,132*	94	75	10	–	–	–	1	–	–	6
Bath C.B.	68,648	38	22	1	–	–	–	–	–	–	5
Bristol C.B.	377,061	150	208	21	–	2	–	–	3	1	37
Gloucester C.B.	51,330	22	18	1	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	240,440	124	120	18	–	–	1	4	–	3	16
Burton-upon-Trent C.B.	48,927	28	27	3	–	–	–	–	–	–	5
Wolverhampton C.B.	102,373	40	69	12	–	–	–	3	–	1	5
Walsall C.B.	96,964	44	48	12	–	–	–	–	–	1	15
West Bromwich C.B.	73,761	31	37	8	–	–	–	2	1	–	2
Worcester C.B.	48,848	25	10	1	–	–	–	–	–	–	–
Dudley C.B.	55,908	23	24	4	–	–	–	1	–	–	–
Birmingham C.B.	919,438	382	330	36	–	1	2	11	4	1	42
Smethwick C.B.	75,757	34	19	2	–	–	–	1	1	–	5
Coventry C.B.	128,205	44	31	2	–	–	–	1	–	–	2
Leicester C.B.	234,190	96	106	14	–	–	–	2	2	1	20
Lincoln C.B.	66,020	23	24	4	–	–	–	–	1	1	5
Grimsby C.B.	82,329	42	36	8	1	–	–	–	–	1	5
Nottingham C.B.	262,658	106	75	6	–	–	–	1	1	1	2
Derby C.B.	129,836	64	37	5	–	–	–	–	–	–	2
Chesterfield	61,236	35	19	3	–	–	–	–	1	–	3
Stockport C.B.	123,315	41	46	3	–	–	–	6	–	2	6
Chester C.B.	40,794	16	18	–	–	–	–	–	–	–	1
Birkenhead C.B.	145,592	83	58	8	–	1	–	3	1	–	–
Wallasey C.B.	90,721	33	27	5	–	–	–	–	–	–	3
Liverpool C.B.	803,118	467	313	62	–	25	3	3	5	4	14
Bootle C.B.	76,508	47	31	3	–	4	–	3	1	–	1
St. Helens C.B.	102,675	68	37	8	–	–	–	–	–	–	4

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	22	27	2	–	–	–	1	–	–	1
Wigan C.B.	89,447	42	34	7	–	–	–	–	1	–	3
Warrington C.B.	76,811	36	25	3	–	–	–	–	–	–	3
Bolton C.B.	178,678	63	75	8	1	–	–	1	–	1	16
Bury C.B.	56,426	19	30	2	–	–	1	–	1	–	9
Manchester C.B.	730,551	312	364	45	1	–	2	–	2	4	52
Salford C.B.	234,150	116	110	15	1	–	–	2	2	1	24
Oldham C.B.	145,001	59	38	5	–	–	–	–	–	–	6
Rochdale C.B.	90,807	41	52	3	–	1	–	–	–	–	6
Burnley C.B.	103,175	50	57	10	–	–	–	1	1	–	9
Blackburn C.B.	126,630	47	61	11	–	–	–	–	–	1	10
Preston C.B.	117,426	51	61	6	–	–	–	–	–	–	8
Blackpool C.B.	99,640	21	26	1	–	–	–	–	1	–	2
Barrow-in-Furness C.B.	74,254	31	22	2	–	–	–	3	–	–	3
Huddersfield C.B.	110,120	53	34	2	2	–	–	–	1	–	3
Halifax C.B.	99,129	30	38	4	–	–	–	1	–	–	2
Bradford C.B.	285,979	94	103	7	–	–	2	–	1	–	15
Leeds C.B.	458,320	168	163	19	–	–	1	3	2	2	10
Dewsbury C.B.	54,165	21	19	3	–	–	–	–	–	–	5
Wakefield C.B.‡	53,053	13	13	2	–	–	–	–	–	–	–
Barnsley C.B.‡	67,918	28	15	3	–	–	–	2	–	1	1
Sheffield C.B.‡	511,748	215	126	17	–	2	1	–	2	2	9
Rotherham C.B.	68,045	42	20	7	–	–	–	–	–	–	1
Doncaster	54,052	27	15	2	–	–	–	–	–	1	2
York C.B.	82,606*	28	36	3	–	–	–	–	–	–	8
Hull C.B.	287,013	122	207	33	–	–	–	6	–	3	45
Middlesbrough C.B.	131,103	88	81	15	–	–	–	3	–	–	8
Darlington C.B.	65,866	35	34	3	–	–	–	1	–	–	6
Stockton-on-Tees	64,150	35	33	7	–	–	–	–	–	1	13
West Hartlepool C.B.	68,689	34	33	5	–	–	–	2	2	–	4
Sunderland C.B.	159,100	81	120	15	–	–	–	5	–	–	40
South Shields C.B.‡	118,631	49	40	5	–	–	–	–	–	–	10
Gateshead C.B.	124,514	52	135	19	–	–	–	3	–	2	42
Newcastle-on-Tyne C.B.	274,955	154	284	49	–	–	–	5	–	1	82
Tynemouth C.B.	63,786	47	27	2	–	–	–	–	–	–	1
Carlisle C.B.	52,600	18	20	3	–	–	–	–	1	–	4
Newport (Mon.) C.B.	92,369	43	21	–	–	–	–	1	–	–	2
Cardiff C.B.	200,262	74	72	6	–	–	–	–	–	1	7
Rhondda	162,729	96	39	5	–	–	2	–	–	1	2
Merthyr Tydfil C.B.	80,161	33	20	2	–	–	–	–	–	–	3
Aberdare	55,010	27	18	4	–	–	1	–	–	–	2
Swansea C.B.	157,561	73	35	2	–	–	–	1	1	–	1
Greater London	7,467,946*	3,086	3,702	364	3	47	20	96	57	23	693
Outer Ring	2,991,360*	1,123	1,221	100	1	3	3	24	16	7	250
16 Great Towns in Outer Ring	1,801,005	693	793	71	1	2	2	20	10	6	163
Remainder of Outer Ring	1,190,355*	430	428	29	–	1	1	4	6	1	87
Edinburgh†	420,500	169	283	35	–	1	–	4	2	–	72
Glasgow†	1,037,800	583	1,106	223	1	86	4	7	8	7	202
Dublin (Registration Area)†	427,000	231	201	16	–	9	–	–	–	2	13
Belfast†	425,000	222	127	24	–	2	–	–	–	4	7

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire and Foreign Countries.** } { **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,586	Jan. 21	1963	2481	28·9	2	–	44	17	72	41	16	443
Calcutta	896,067	Dec. 17	–	–	–	–	–	–	–	–	–	–	–
Bombay	979,445	„ 17	437‖	789§	41·9	1	–	–	–	–	–	60	6
		„ 24	402‖	755§	40·1	1	–	–	–	1	–	52	2
		„ 31	398‖	751§	39·9	–	1	–	–	–	–	48	2
Madras	522,951	„ 17	373	357§	35·5	2	8	–	?	1	–	24	–
Paris	2,847,229	11 days Dec. 31	1569	1335	15·6	3	–	–	2	1	7	23	4
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 7	110	110	17·1	1	–	1	–	4	–	5	13
Amsterdam	683,400	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Copenhagen	562,000	Jan. 7	215	160	14·7	–	–	–	–	–	–	1	1
		„ 14	241	140	12·9	–	–	1	–	–	–	2	4
Stockholm	419,788	„ 7	114	80	9·9	–	–	–	–	–	–	–	1
Gothenburg	205,547	Dec. 31	–	28	7·1	–	–	1	–	–	–	–	–
	228,052	Jan. 7	–	43	9·8	1	–	1	–	1	–	1	–
Christiania	260,920	„ 7	91	65	12·9	–	–	1	1	–	1	1	2
		„ 14	108	83	16·5	–	–	3	–	3	1	–	3
Berlin	1,945,000	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Breslau	547,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Cologne	669,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Dresden	600,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Frankfort-on-Main	471,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Hamburg	1,031,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Leipzig	630,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Munich	670,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Vienna	1,842,005	„ 17	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	„ 24	–	–	–	–	–	–	–	–	–	–	–
Budapest	933,000	Oct. 15	–	–	–	–	–	–	–	–	–	–	–
Cairo	765,200	Nov. 18	–	–	–	–	–	–	–	–	–	–	–
Alexandria	449,300	„ 18	–	–	–	–	–	–	–	–	–	–	–
New York	5,751,859	Dec. 10	2417	1201	10·9	2	–	4	3	1	17	16	3
		„ 17	2388	1246	11·3	2	–	4	2	8	13	18	5
		„ 24	2196	1332	12·1	1	–	6	6	5	20	23	5
Chicago	2,780,655	„ 24	–	653	12·2	2	1	1	2	1	16	25	4
		„ 31	–	575	10·8	–	–	–	4	–	13	18	4
Montevideo	358,355	Oct. 29	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 2, 1, and 2 deaths from *plague* in Bombay, and from *Asiatic cholera* 1 death in Madras.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 21st January, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2481	264	192	133	60	63	137	145	239	352	432	464
Enteric fever	2	–	–	–	–	–	2	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	44	6	20	13	5	–	–	–	–	–	–	–
Scarlet fever	17	1	3	7	4	2	–	–	–	–	–	–
Whooping cough	72	28	20	22	2	–	–	–	–	–	–	–
Diphtheria	41	4	8	15	13	–	1	–	–	–	–	–
Influenza	443	12	15	13	6	8	46	42	72	82	94	53
Erysipelas	3	–	–	–	–	–	–	1	–	–	2	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	147	–	–	–	2	16	44	34	23	18	9	1
Tuberculous meningitis	5	3	1	–	–	–	1	–	–	–	–	–
Abdominal tuberculosis	2	–	–	–	–	–	–	–	1	–	1	–
Other tubercle	5	1	–	1	–	1	2	–	–	–	–	–
Venereal diseases	5	3	–	1	–	–	–	–	1	–	–	–
Cancer	111	1	–	–	–	1	4	6	26	30	25	18
Rheumatic fever	8	1	–	–	2	3	–	1	1	–	–	–
Diabetes	8	–	–	–	–	1	2	1	1	–	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	73	–	–	–	–	–	–	–	8	17	18	30
Epilepsy	6	–	–	–	1	2	1	–	–	2	–	–
"Convulsions" (not puerperal)	6	5	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	34	–	–	1	–	5	3	2	7	5	5	6
Pericarditis	2	–	–	–	–	–	–	1	–	–	1	–
Acute endocarditis	10	–	1	–	2	2	–	4	–	1	–	–
Other diseases of heart	240	–	–	1	5	6	5	5	25	49	67	77
Other dis. of circulatory system	50	–	–	–	–	–	–	2	4	11	13	20
Bronchitis	331	18	5	2	–	–	2	5	32	51	98	118
Broncho-pneumonia	269	55	87	44	3	1	4	8	5	13	23	26
Lobar pneumonia	62	3	6	4	–	2	6	7	5	15	9	5
Pneumonia (type not distinguished)	78	12	21	5	1	2	1	6	3	13	9	5
Other diseases of respiratory system	23	–	–	1	–	–	1	–	1	8	7	5
Diarrhœa and enteritis	19	15	1	–	–	–	–	1	–	1	1	–
Appendicitis and typhlitis	4	–	–	–	3	1	–	–	–	–	–	–
Hernia, Intestinal obstruction	10	1	–	–	–	2	1	1	1	3	1	–
Cirrhosis of liver	6	–	–	–	–	–	–	1	2	3	–	–
Other diseases of digestive system	35	3	–	1	1	1	3	4	5	8	4	5
Acute nephritis	3	–	–	–	1	–	1	–	–	1	–	–
Chronic Bright's disease	31	–	–	–	–	–	1	3	7	8	6	6
Other diseases of genito-urinary system.	13	–	1	–	–	–	–	–	1	2	3	6
Puerperal fever, &c.	4	–	–	–	–	1	1	2	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	1	–	1	–	–	–
Congenital malformations	11	10	–	–	1	–	–	–	–	–	–	–
Premature birth	50	50	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	18	18	–	–	–	–	–	–	–	–	–	–
Old age	89	–	–	–	–	–	–	–	–	1	18	70
Suicide	11	–	–	–	–	2	2	2	1	1	2	1
Burns and scalds	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	–	–	6	2	–	–	–	2	–	1
Other deaths by violence	14	3	–	–	–	–	–	2	2	2	3	2
Other specified causes	47	7	1	2	2	2	2	3	4	5	11	8
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st January 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	2	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	26	10	–	36	G. 1
†BERMONDSEY ...	–	14	30	–	19	M. 1
†BETHNAL GREEN	–	7	5	–	2	–
†CAMBERWELL ...	–	52	19	–	23	E. 1
†CHELSEA ...	–	6	3	–	4	–
†DEPTFORD ...	–	14	13	–	13	–
†FINSBURY ...	–	4	11	–	4	–
†FULHAM ...	–	15	10	–	12	–
†GREENWICH ...	–	13	16	–	11	M. 1
†HACKNEY ...	–	25	9	–	4	–
†HAMMERSMITH	–	17	13	–	11	M. 1
†HAMPSTEAD ...	–	14	14	–	4	–
†HOLBORN ...	–	4	4	–	9	–
†ISLINGTON ...	–	42	31	–	10	M. 3
†KENSINGTON ...	–	19	9	–	9	C. 1 M. 1
†LAMBETH ...	–	33	18	–	20	C. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	27	13	–	27	M. 1
†PADDINGTON ...	–	9	8	–	9	–
†POPLAR... ...	–	8	15	–	67	–
†ST. MARYLEBONE	–	8	4	–	3	–
†ST. PANCRAS ...	–	45	16	1	46	M. 3
†SHOREDITCH ...	–	11	13	–	17	–
†SOUTHWARK ...	–	14	16	–	21	–
†STEPNEY ...	–	15	17	–	70	C. 1
†STOKE NEWINGTON	–	4	1	–	11	–
†WANDSWORTH	–	45	18	–	41	G. 1 M. 2
†WESTMINSTER, CITY OF	–	7	2	–	4	–
†WOOLWICH ...	–	21	9	–	20	M. 2
TOTAL OF PART I.	–	520	349	1	528	C. 4 E. 1 G. 2 M. 15

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	5	8	–	17	C. 1
Boroughs and Urban Districts :—						
BIGGLESWADE ...	–	–	1	–	1	–
DUNSTABLE ...	–	–	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	–	2	–	5	–
Rural Districts :—						
AMPTHILL ...	–	–	–	–	4	–
BEDFORD ...	–	3	–	–	5	–
BIGGLESWADE ...	–	1	1	–	1	C. 1
EATON SOCON	*	*	*	*	*	*
LUTON	–	1	2	–	–	–
BERKS	–	24	18	–	3	C. 1 E. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	6	–	–	–	–
†NEWBURY ...	–	–	4	–	–	–
†READING, C.B.	–	8	7	–	3	–
WALLINGFORD ...	–	4	–	–	–	–
WANTAGE ...	–	–	–	–	–	E. 1
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
BRADFIELD ...	–	–	–	–	–	C. 1
EASTHAMPSTEAD	–	2	1	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD	–	1	3	–	–	–
WANTAGE ...	–	–	1	–	–	–
WOKINGHAM ...	–	–	2	–	–	–
BUCKINGHAM ...	–	11	5	1	9	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	3	–
†CHEPPING WYCOMBE	–	1	–	–	5	–
NEWPORT PAGNELL	–	1	–	–	–	–
†SLOUGH ...	–	–	2	–	–	–
†WOLVERTON ...	–	–	–	–	1	–
BUCKINGHAM—*cont.*						
Rural Districts :—						
NEWPORT PAGNELL	–	2	3	–	–	–
WING	–	1	–	1	–	–
WINSLOW ...	–	4	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE...	–	10	5	–	4	–
Borough						
†CAMBRIDGE ...	–	4	5	–	3	–
Rural Districts :—						
CHESTERTON ...	–	1	–	–	–	–
LINTON ...	–	2	–	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	3	–	–	–	–
CHESTER	–	57	25	4	55	L. 3 M. 1
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	–	1	–	–	–
†ALTRINCHAM ...	–	3	–	–	–	–
ASHTON-UPON-MERSEY	–	–	–	–	2	–
†BIRKENHEAD C.B.	–	5	6	–	14	M. 1
BROMBOROUGH	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CHESTER C.B. ...	–	–	1	–	10	–
†CONGLETON ...	–	–	–	–	2	–
†CREWE	–	–	1	–	–	–
†DUKINFIELD ...	–	–	–	4	1	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	–	3	–	–	–	–
HANDFORTH ...	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	3	–	–	–	–
KNUTSFORD ...	–	–	1	–	–	–
†LOWER BEBINGTON	–	–	–	–	1	–
†MACCLESFIELD	–	–	–	–	5	L. 3
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	1	–	–	–
†SALE	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
SANDBACH ...	*	*	*	*	*	*
†STALYBRIDGE ...	–	–	–	–	2	–
†STOCKPORT C.B.	–	6	3	–	–	–
†WALLASEY C.B.	–	15	1	–	7	–
WILMSLOW ...	–	–	1	–	2	–
†WINSFORD ...	–	1	2	–	1	–
YEARDSLEY-CUM-WHALEY	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	2	–
CHESTER ...	–	1	–	–	–	–
CONGLETON ...	–	1	–	–	–	–
DISLEY	–	–	–	–	1	–
MACCLESFIELD	–	5	–	–	–	–
MALPAS ...	–	1	1	–	–	–
NANTWICH ...	–	2	1	–	–	–
NORTHWICH ...	–	–	3	–	–	–
RUNCORN ...	–	–	–	–	1	–
TARVIN	–	1	1	–	1	–
WIRRAL ...	–	5	–	–	–	–
CORNWALL ...	–	11	10	–	4	C. 1 E. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	C. 1
ST. IVES ...	–	1	6	–	–	–
†TRURO	–	–	1	–	–	–
Rural Districts—						
BODMIN... ...	–	4	–	–	–	–
CAMELFORD ...	–	–	1	–	–	–
HELSTON ...	–	–	1	–	1	–
SAINT AUSTELL	–	6	–	–	–	E. 1
STRATTON ...	–	–	1	–	–	–
TRURO	–	–	–	–	2	–
CUMBERLAND ...	–	6	5	–	4	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	2	–
†CARLISLE C.B. ...	–	–	2	–	2	M. 1
PENRITH ...	–	2	–	–	–	–
WIGTON ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
LONGTOWN ...	–	2	–	–	–	–
DERBY	4	40	23	4	21	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	1	–
†BOLSOVER ...	–	1	3	–	1	–
†BUXTON ...	–	–	–	1	–	–
†CHESTERFIELD	–	5	3	–	1	–
†DERBY C.B. ...	–	11	6	–	5	M. 2
†GLOSSOP ...	–	1	–	–	2	–
†HEANOR ...	–	3	1	–	3	–
†ILKESTON ...	4	–	–	–	1	–
†LONG EATON ...	–	–	–	–	1	–
NEW MILLS ...	–	1	1	–	–	–
†SWADLINCOTE DISTRICT	–	2	3	–	1	–
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	–
BELPER... ...	–	2	–	1	1	–
BLACKWELL ...	–	1	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	–	–	1	–
CHESTERFIELD	–	6	2	2	1	–
CLOWNE... ...	–	1	1	–	–	–
HARTSHORNE AND SEALS	–	3	–	–	–	–
SHARDLOW ...	–	1	1	–	1	–
SUDBURY ...	*	*	*	*	*	*
DEVON	–	24	27	1	14	M. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	1	–	–	–
AXMINSTER ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	–	3	–	–	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM ...	–	–	–	–	2	–
†EXETER C.B. ...	–	1	4	–	3	M. 1
†EXMOUTH ...	–	1	–	–	–	–
IVYBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON ABBOT	–	1	3	–	–	–
NORTHAM ...	–	–	1	–	–	–
†PAIGNTON ...	–	1	–	–	–	–
†PLYMOUTH C.B.	–	6	7	1	4	M. 1
SEATON ...	*	*	*	*	*	*
†TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	1	1	–	–	–
†TORQUAY ...	–	1	3	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
CULMSTOCK ...	–	4	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
NEWTON ABBOT	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	–	–	2	–
ST. THOMAS ...	–	4	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
TOTNES ...	–	–	2	–	–	–
DORSET	–	6	1	–	9	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	2	–
†POOLE	–	1	–	–	2	–
†PORTLAND ...	–	–	–	–	3	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
POOLE	–	–	1	–	–	–
SHAFTESBURY ...	–	3	–	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM... ...	–	57	15	1	388	C. 3 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
BARNARD CASTLE	–	–	–	–	2	–
BENFIELDSIDE...	–	–	–	–	6	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON ...	–	–	–	–	7	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER-LE-STREET	–	–	–	–	5	–
†CROOK	–	1	–	–	2	–
†DARLINGTON C.B.	–	2	–	–	22	–
†DURHAM ...	–	1	1	–	–	–
†FELLING ...	–	3	–	–	18	C. 1
†GATESHEAD C.B.	–	11	1	–	81	M. 1
†HEBBURN ...	–	–	–	–	4	–
†HETTON ...	–	–	–	–	8	–
†HOUGHTON-LE-SPRING	–	–	–	–	3	–
†JARROW ...	–	1	–	–	5	–
†RYTON	–	–	–	–	5	–
†SEAHAM HARBOUR	–	–	1	–	–	C. 1
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	8	1	–	25	M. 1
†SOUTHWICK-ON-WEIR	–	1	–	–	3	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY ...	–	1	–	–	20	–
†STOCKTON-ON-TEES	–	1	–	–	7	M. 1
†SUNDERLAND C.B.	–	1	1	–	83	M. 2
†TANFIELD ...	–	–	–	–	4	–
†WEST HARTLEPOOL C.B.	–	3	–	–	3	–
†WHICKHAM ...	–	1	–	–	6	–
WILLINGTON ...	–	–	–	–	6	–
Rural Districts:—						
AUCKLAND ...	–	1	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	8	2	1	22	–
DURHAM ...	–	1	1	–	–	–
EASINGTON ...	–	–	–	–	5	–
HOUGHTON-LE-SPRING	–	1	–	–	9	M. 2
LANCHESTER ...	–	4	1	–	10	–
SEDGEFIELD ...	–	–	1	–	6	–
SOUTH SHIELDS	–	1	–	–	–	–
STOCKTON ...	–	2	1	–	2	–
SUNDERLAND ...	–	1	–	–	9	C. 1.
WEARDALE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	6	1	–	2	–
Boroughs and Urban Districts :—						
MARCH	–	2	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH ...	–	2	–	–	–	–
Rural Districts :—						
NORTH WITCHFORD	–	1	–	–	–	–
THORNEY ...	–	–	1	–	–	–
WHITTLESEY ...	–	1	–	–	1	–
ESSEX	–	124	46	1	107	C. 2 G. 1 M. 1
Boroughs and Urban Districts :—						
†BARKING TOWN	–	–	1	–	12	M. 1
BRAINTREE ...	–	–	–	–	1	–
BRENTWOOD ...	–	–	1	–	–	–
BRIGHTLINGSEA	–	1	–	–	–	–
BURNHAM-ON-CROUCH	–	–	–	–	1	–
†CHELMSFORD ...	–	1	–	–	1	–
CHINGFORD ...	–	1	–	–	1	–
†CLACTON ...	–	–	–	–	1	–
†COLCHESTER ...	–	–	1	–	2	–
†EAST HAM C.B.	–	26	5	1	5	–
†GRAYS THURROCK	–	1	3	–	3	–
†HARWICH ...	–	–	1	–	1	–
†ILFORD	–	14	2	–	6	–
†LEYTON... ...	–	22	–	–	6	G. 1
MALDON ...	–	–	–	–	1	–
†ROMFORD ...	–	1	1	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	–	–	20	–
TILBURY	–	2	1	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	15	8	–	6	C. 1
†WANSTEAD ...	–	3	2	–	1	–
†WEST HAM C.B.	–	22	12	–	22	–
WIVENHOE ...	–	–	1	–	–	–
†WOODFORD ...	–	–	2	–	11	–
Rural Districts :—						
BILLERICAY ...	–	–	–	–	3	–
MALDON ...	–	–	–	–	1	–
ORSETT	–	2	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROMFORD ...	–	–	3	–	–	–
SAFFRON WALDEN	–	–	–	–	–	C. 1
STANSTED ...	–	5	–	–	–	–
TENDRING ...	–	3	2	–	–	–
GLOUCESTER ...	–	43	53	1	53	C. 1 D. 1 E. 1 G. 1 M. 1
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	34	42	1	46	C. 1 D. 1 E. 1 G. 1 M. 1
CHARLTON KINGS	–	1	2	–	–	–
†CHELTENHAM ...	–	2	1	–	4	–
CIRENCESTER ...	–	2	–	–	–	–
†GLOUCESTER C.B.	–	1	2	–	1	–
†KINGSWOOD ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	2	–	–	–
Rural Districts :—						
CIRENCESTER ...	–	1	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
PEBWORTH ...	*	*	*	*	*	*
STROUD ...	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	1	–	–	–
WEST DEAN ...	–	–	1	–	1	–
HEREFORD ...	–	–	4	1	14	–
Boroughs and Urban Districts :—						
†HEREFORD ...	–	–	2	–	4	–
ROSS	–	–	–	–	1	–
Rural Districts :—						
BREDWARDINE...	*	*	*	*	*	*
BROMYARD ..	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts—*cont.*						
DORE	–	–	–	–	1	–
HEREFORD ...	–	–	1	1	3	–
LEDBURY ...	–	–	1	–	–	–
LEOMINSTER ...	–	–	–	–	2	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	13	7	–	19	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	1	–	1	–
†BARNET ...	–	4	1	–	–	–
BUSHEY ...	–	–	1	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HERTFORD ...	–	–	2	–	–	–
†HITCHIN ...	–	1	–	–	2	–
†LETCHWORTH ...	–	–	–	–	2	–
RICKMANSWORTH	–	–	–	–	1	–
†ST. ALBANS ...	–	–	–	–	2	–
†WATFORD ...	–	1	1	–	4	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HATFIELD ...	–	3	–	–	–	–
HITCHIN ...	–	–	–	–	1	–
ST. ALBANS ...	–	–	1	–	–	–
WATFORD ...	–	–	–	–	6	–
HUNTINGDON ...	–	1	2	–	3	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	1	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	–	–	–	–	1	–
RAMSEY ...	–	–	1	–	–	–
ST. NEOTS ...	*	*	*	*	*	*
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
ST. NEOTS, No. 1	*	*	*	*	*	*
ST. NEOTS, No. 2	*	*	*	*	*	*
ST. NEOTS, No. 3	–	1	–	–	–	–
KENT	–	49	59	–	48	C. 1 E. 1 M. 3
Boroughs and Urban Districts:—						
†ASHFORD ...	–	7	–	–	–	–
†BECKENHAM ...	–	2	–	–	5	–
†BEXLEY ...	–	3	1	–	–	–
†BROMLEY ...	–	3	–	–	12	–
†CANTERBURY C.B.	–	3	1	–	–	–
†CHATHAM ...	–	4	4	–	–	–
CHERITON ...	–	1	–	–	–	–
†CRAYFORD ...	–	–	2	–	1	–
†DARTFORD ...	–	4	2	–	1	–
†DEAL	*	*	*	*	*	*
†DOVER	–	–	2	–	2	–
†ERITH	–	–	1	–	2	–
†FAVERSHAM ...	–	–	–	–	2	M. 1
†FOLKSTONE ...	–	–	–	–	3	–
†GILLINGHAM ...	–	1	7	–	–	E. 1
†GRAVESEND ...	–	2	1	–	–	–
HYTHE	–	–	1	–	–	–
†MAIDSTONE ...	–	–	3	–	1	M. 1
MILTON REGIS	–	1	2	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	3	2	–	6	–
†RAMSGATE ...	–	1	6	–	2	–
†ROCHESTER ...	–	–	4	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
†SHEERNESS ...	–	1	1	–	–	–
SITTINGBOURNE	–	–	1	–	–	M. 1
†TONBRIDGE ...	–	1	2	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	–	–	–	1	C. 1
Rural Districts:—						
BROMLEY ...	–	–	3	–	1	–
DARTFORD ...	–	6	2	–	–	–
DOVER	–	1	–	–	–	–
EAST ASHFORD	–	–	1	–	–	–
ELHAM	–	–	–	–	2	–
FAVERSHAM ...	*	*	*	*	*	*
ISLE OF THANET	–	3	5	–	–	–
MILTON	–	–	1	–	–	–
STROOD ...	–	–	3	–	–	–
TONBRIDGE ...	–	2	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	417	140	2	403	C. 9 D. 1 L. 1 M. 26
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	2	–
†ASHTON-IN-MAKERFIELD	–	–	1	–	–	–
†ASHTON-UNDER-LYNE	–	8	1	–	–	–
ASPULL ...	–	–	1	–	1	–
†ATHERTON ...	–	–	–	–	6	–
AUDENSHAW ...	–	–	1	–	–	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	10	C. 1
†BLACKPOOL C.B.	–	6	1	–	1	–
BLACKROD ...	–	–	1	–	2	–
†BOLTON C.B. ...	–	8	1	–	18	–
†BOOTLE C.B. ...	–	12	8	–	–	–
†BURNLEY C.B.	–	–	1	–	2	–
†BURY C.B. ...	–	4	–	–	6	M. 1
†CHADDERTON ...	–	4	1	–	–	–
†CHORLEY ...	–	–	–	–	3	–
CLAYTON-LE-MOORS	–	1	–	–	1	–
†CLITHEROE ...	–	3	–	–	–	–
†COLNE	–	1	–	–	3	–
†CROMPTON ...	–	2	–	–	–	–
CROSTON ...	–	1	–	–	–	–
†DALTON-IN-FURNESS	–	2	–	–	–	–
†DARWEN ...	–	–	–	–	2	–
†DENTON ...	–	3	–	–	–	–
†DROYLSDEN ...	–	7	–	–	1	–
†ECCLES ...	–	2	1	–	–	M. 1
†FAILSWORTH ...	–	2	1	–	4	–
†FARNWORTH ...	–	3	–	–	–	–
FORMBY ...	–	–	2	–	–	–
†GREAT CROSBY	–	1	–	–	–	–
GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	1	–	2	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	–	–	–	3	–
†HINDLEY ...	–	–	–	–	5	–
†HORWICH ...	–	1	1	–	5	–
HURST	–	–	2	–	–	–
†INCE-IN-MAKERFIELD	–	2	1	–	1	M. 1
IRLAM	–	3	–	–	–	M. 2
†LANCASTER ...	–	–	3	–	7	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEES	–	2	–	–	–	–
†LEIGH	–	1	–	–	3	–
†LITHERLAND ...	–	2	2	–	–	M. 1
†LITTLEBOROUGH	–	–	–	–	1	–
LITTLE HULTON	–	2	1	–	–	–
†LIVERPOOL C.B.	–	53	34	–	56	D. 1 M. 6
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	107	28	–	114	C. 5 M. 10
†MIDDLETON ...	–	10	–	–	3	–
MILNROW ...	–	1	–	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY ...	–	–	–	–	–	M. 1
†NELSON ...	–	–	1	–	1	–
†NEWTON-IN-MAKERFIELD	–	4	–	–	3	C. 1 M. 1
NORDEN ...	–	–	–	–	1	–
†OLDHAM C.B.	–	24	2	–	4	M. 1
ORMSKIRK ...	–	–	–	–	2	–
†OSWALDTWISTLE	–	3	–	–	1	–
†PADIHAM ...	–	–	–	–	2	M. 1
†PRESTON C.B. ...	–	9	3	–	1	–
†PRESTWICH ...	–	–	1	–	2	–
†RADCLIFFE ...	–	–	–	–	2	–
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	3	1	–	–	–
†RAWTENSTALL ...	–	1	1	–	–	–
RISHTON ...	–	–	–	–	1	–
†ROCHDALE C.B.	–	7	8	–	1	–
†ROYTON ...	–	3	–	–	2	–
†ST. HELENS C.B.	–	4	3	–	12	–
†SALFORD C.B. ...	–	16	6	–	31	C. 2
SKELMERSDALE	–	–	–	–	1	–
†SOUTHPORT C.B	–	5	1	1	2	L. 1
STANDISH-WITH-LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	10	1	–	2	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
TOTTINGTON ...	–	–	–	–	6	–
†TURTON ...	–	7	–	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	1	–
URMSTON ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON-LE-DALE	–	1	–	–	3	–
WARDLE ...	–	10	–	–	–	–
†WARRINGTON C.B.	–	6	1	–	12	–
†WATERLOO-WITH-SEAFORTH	–	1	1	–	–	–
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES ...	–	1	1	1	17	–
†WIGAN C.B. ...	–	10	6	–	12	–
†WORSLEY ...	–	–	1	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	4	1	–	–	–
BURY	–	2	–	–	1	–
CLITHEROE ...	–	5	–	–	3	–
GARSTANG ...	–	–	4	–	–	–
LEIGH ...	–	2	–	–	5	–
LIMEHURST ...	–	2	–	–	–	–
PRESTON ...	–	4	–	–	1	–
ULVERSTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON ...	–	–	1	–	–	–
WIGAN	–	–	1	–	–	–
LEICESTER ...	–	27	16	–	33	M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
ASHBY WOULDS	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
†LEICESTER C.B.	–	12	6	–	13	–
†LOUGHBOROUGH	–	5	2	–	–	–
MELTON MOWBRAY	–	1	–	–	9	M. 1
SHEPSHED ...	–	–	–	–	1	–
THURMASTON ...	–	–	2	–	5	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	2	1	–	–	–
BARROW-UPON-SOAR	–	–	1	–	–	–
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BLABY	–	–	2	–	1	–
HALLATON ...	–	1	–	–	–	–
LUTTERWORTH	–	1	–	–	–	–
MARKET BOSWORTH	–	–	2	–	–	–
MARKET HARBOROUGH	–	4	–	–	–	–
MELTON MOWBRAY	–	–	–	–	3	–
LINCOLN (parts of Holland).	–	4	5	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
SUTTON BRIDGE	–	–	1	–	–	–
Rural Districts:—						
BOSTON ...	–	3	–	–	–	–
EAST ELLOE ...	–	–	4	–	–	–
SPALDING (part)	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	–	6	7	–	8	–
Boroughs and Urban Districts:—						
BROUGHTON ...	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	2	–
†GAINSBOROUGH	–	–	1	–	1	–
†GRIMSBY C.B. ...	–	–	–	–	1	–
HORNCASTLE ...	–	–	–	–	2	–
†LINCOLN C.B. ...	–	–	6	–	–	–
WOODHALL SPA	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR... ...	–	2	–	–	–	–
GAINSBOROUGH	*	*	*	*	*	*
GRIMSBY ...	–	2	–	–	–	–
SPILSBY... ...	–	1	–	–	1	–
MIDDLESEX ...	–	157	90	–	115	C. 3 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	13	9	–	–	C. 1
†BRENTFORD ...	–	1	3	–	10	–
†CHISWICK ...	–	5	1	–	1	C. 1
†EALING ...	–	17	7	–	3	–
†EDMONTON ...	–	7	7	–	6	–
†ENFIELD ...	–	4	2	–	9	–
†FINCHLEY ...	–	4	–	–	–	–
†FRIERN BARNET	–	1	2	–	–	–
†HAMPTON ...	–	–	1	–	2	–
HAMPTON WICK	–	–	–	–	1	–
†HANWELL ...	–	6	9	–	4	M. 1
†HARROW-ON-THE-HILL	–	1	1	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	2	8	–	1	–
†HESTON AND ISLEWORTH	–	2	3	–	1	–
†HORNSEY ...	–	14	2	–	10	C. 1
†SOUTHALL-NORWOOD	–	3	1	–	3	M. 1
†SOUTHGATE ...	–	5	3	–	3	–
STAINES... ...	–	2	–	–	–	–
SUNBURY-ON-THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	2	–
†TOTTENHAM ...	–	21	10	–	34	M. 1
†TWICKENHAM ...	–	–	1	–	5	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	2	4	–	–	–
†WEMBLEY ...	–	1	2	–	2	–
†WILLESDEN ...	–	22	12	–	12	–
†WOOD GREEN ...	–	16	1	–	2	M. 1
Rural Districts:—						
HENDON ...	–	2	–	–	2	–
STAINES ...	–	1	1	–	–	–
UXBRIDGE ...	–	1	–	–	2	–
NORFOLK ...	–	19	18	–	12	L. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	3	2	–	1	–
†KING'S LYNN ...	–	–	1	–	–	–
†NORWICH C.B.	–	3	7	–	8	–
WELLS	–	–	1	–	–	–
Rural Districts:—						
AYLSHAM ...	–	2	–	–	–	–
BLOFIELD ...	–	–	3	–	–	–
DEPWADE ...	–	–	1	–	–	–
DOWNHAM ...	–	4	–	–	–	–
ERPINGHAM ...	–	3	–	–	–	–
FREEBRIDGE LYNN	*	*	*	*	*	*
LODDON AND CLAVERING ...	–	2	1	–	1	–
MARSHLAND ...	–	–	1	–	–	–
ST. FAITH'S ...	–	–	–	–	–	L. 1
SMALLBURGH ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	–	2	–
WAYLAND ...	–	2	–	–	–	–
NORTHAMPTON	–	6	9	–	30	M. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
FINEDON ...	–	–	–	–	1	–
†KETTERING ...	–	1	2	–	–	–
†NORTHAMPTON C.B.	–	3	6	–	20	–
†WELLINGBOROUGH	–	–	–	–	4	M. 1
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
HARDINGSTONE	–	–	–	–	2	–
MIDDLETON CHENEY ...	–	1	–	–	–	–
NORTHAMPTON...	–	–	–	–	2	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND.	–	52	15	–	266	M. 2
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	1	–	–	–
AMBLE	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHINGTON ...	–	–	–	–	2	–
†BEDLINGTONSHIRE	–	–	–	–	3	–
†BERWICK-UPON-TWEED	–	1	–	–	4	–
†BLYTH	–	4	–	–	5	–
CRAMLINGTON ...	–	4	–	–	1	–
†EARSDON ...	–	–	1	–	1	–
†GOSFORTH ...	–	1	–	–	1	–
HEXHAM ...	–	1	–	–	2	–
†LONGBENTON ...	–	–	–	–	8	–
NEWBIGGIN-BY-THE-SEA ...	–	–	–	–	4	–
†NEWBURN ...	–	–	1	–	4	–
†NEWCASTLE-UPON-TYNE C.B.	–	26	3	–	205	M. 1
PRUDHOE ...	–	–	–	–	2	–
SEATON DELAVAL	–	3	–	–	1	–
SEGHILL... ...	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	2	3	–	6	M. 1
†WALLSEND ...	–	3	4	–	7	–
†WHITLEY AND MONKSEATON	–	2	1	–	6	–
Rural Districts:—						
ALNWICK ...	–	–	1	–	–	–
CASTLE WARD ...	–	–	–	–	1	–
GLENDALE ...	–	–	–	–	1	–
HEXHAM ...	–	1	–	–	1	–
MORPETH ...	–	2	–	–	–	–
NOTTINGHAM ...	–	19	10	1	5	D. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†BEESTON ...	*	*	*	*	*	*
†EAST RETFORD	–	–	1	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	1	–	–	–	D. 1
†MANSFIELD ...	–	5	–	–	–	–
†NOTTINGHAM C.B.	–	9	8	1	3	G. 1 M. 2
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON-IN-ASHFIELD	*	*	*	*	*	*
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP ...	–	1	–	–	–	–
Rural Districts:—						
EAST RETFORD	–	1	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
STAPLEFORD ...	–	–	–	–	–	M. 1
OXFORD	–	12	3	–	2	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	–	–
†OXFORD C.B. ...	–	5	1	–	–	–
WOODSTOCK ...	–	–	1	–	–	–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
CULHAM ...	–	5	–	–	–	–
HEADINGTON ...	–	–	–	–	2	–
PETERBOROUGH (Soke of).	–	1	1	–	3	–
Borough:—						
†PETERBOROUGH	–	1	–	–	3	–
Rural Districts:—						
PETERBOROUGH	–	–	1	–	–	–
RUTLAND... ...	–	2	–	–	–	–
Rural Districts—						
KETTON	–	1	–	–	–	–
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	9	6	–	8	C. 2 M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	2	3	–	–	–
†OAKENGATES ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHREWSBURY ...	–	2	–	–	5	–
WELLINGTON ...	–	–	–	–	1	–
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	2	–	–	M. 1
DRAYTON ...	–	–	–	–	–	C. 1
LUDLOW ...	–	3	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	–	–	–	–	C. 1
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	17	14	–	16	M. 3
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	5	–	2	–
†BRIDGWATER ...	–	1	–	–	–	–
CLEVEDON ...	–	1	–	–	1	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	3	–	–	–	–
RADSTOCK ...	–	–	2	–	–	–
†TAUNTON ...	–	–	1	–	–	–
WATCHET ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
†WESTON-SUPER-MARE	–	–	–	–	2	M. 2
†YEOVIL	–	–	2	–	1	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	2	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON ...	–	4	–	–	2	–
KEYNSHAM ...	–	–	1	–	1	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	2	–
WILLITON ...	–	–	–	–	1	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	1	1	–	1	–
SOUTHAMPTON	–	99	38	1	22	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	4	M. 1
ALTON	–	–	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	8	4	–	5	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FARNBOROUGH...	–	2	–	–	–	–
†GOSPORT and ALVERSTOKE	–	4	3	–	1	–
HAVANT ...	*	*	*	*	*	*
†PORTSMOUTH C.B.	–	65	9	–	9	–
†SOUTHAMPTON C.B.	–	9	8	1	–	M. 1
†WINCHESTER ...	–	6	2	–	1	–
Rural Districts:—						
ANDOVER ...	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FORDINGBRIDGE	–	–	3	–	1	–
HARTLEY WINTNEY	–	1	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	3	–	–	–
WINCHESTER ...	–	–	1	–	–	–
STAFFORD ...	–	56	28	2	157	C. 1 M. 5
Boroughs and Urban Districts:—						
†AUDLEY ...	–	–	1	–	–	–
BIDDULPH ...	–	1	–	–	1	–
†BILSTON ...	–	1	–	–	7	–
†BROWNHILLS ...	–	–	–	–	2	–
†BURTON-UPON-TRENT C.B.	–	–	1	–	15	–
†CANNOCK ...	–	1	1	–	1	–
†COSELEY ...	–	–	–	–	3	–
†DARLASTON ...	–	1	1	–	2	–
KIDSGROVE ...	–	–	–	–	4	–
†ROWLEY REGIS	–	2	–	–	3	–
†SEDGLEY ...	–	–	–	–	1	–
SHORT HEATH...	–	–	–	–	1	–
†SMALLTHORNE ...	–	1	2	1	2	–
†SMETHWICK C.B.	–	5	2	–	3	M. 1
STAFFORD ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Stoke-on-Trent C.B.	–	6	6	–	40	M. 2
Tamworth ...	–	1	–	–	–	–
Tettenhall ...	–	1	–	–	–	–
†Tipton	–	1	–	–	1	–
†Walsall C.B....	–	–	1	–	17	–
†Wednesbury ...	–	2	–	–	8	–
Wednesfield ...	–	–	–	–	2	–
†West Bromwich C.B.	–	15	4	–	12	M. 1
†Willenhall ...	–	2	–	–	2	–
†Wolstanton United	–	3	2	–	2	–
†Wolverhampton C.B.	–	5	2	1	13	C. 1
Rural Districts:—						
Cannock ...	–	1	2	–	3	M. 1
Cheadle ...	–	1	1	–	2	–
Lichfield ...	–	2	–	–	1	–
Stafford ...	–	–	–	–	1	–
Stoke-upon-Trent	–	1	–	–	1	–
Stone	–	2	–	–	1	–
Walsall ...	–	–	2	–	4	–
SUFFOLK, EAST	–	14	15	1	22	–
Boroughs and Urban Districts:—						
Bungay ...	–	–	11	–	1	–
Eye	–	–	1	–	4	–
†Ipswich C.B. ...	–	–	3	–	13	–
Leiston-cum-Sizewell ...	–	–	–	–	1	–
†Lowestoft ...	–	8	–	1	–	–
Stowmarket ...	–	3	–	–	–	–
Rural Districts:—						
Bosmere and Claydon	–	1	–	–	–	–
East Stow ...	–	–	–	–	1	–
Samford ...	–	2	–	–	2	–
SUFFOLK, WEST	–	3	2	–	3	–
Boroughs and Urban Districts:—						
Glemsford ...	–	–	–	–	1	–
Hadleigh ...	–	–	–	–	1	–
Newmarket ...	–	–	1	–	1	–
SUFFOLK WEST—*cont.*						
Rural Districts:—						
Clare	–	1	–	–	–	–
Cosford ...	–	–	1	–	–	–
Melford ...	–	2	–	–	–	–
SURREY	–	86	50	–	60	M. 1
Boroughs and Urban Districts:—						
†Barnes ...	–	3	2	–	–	–
†Beddington and Wallington	–	4	–	–	–	–
†Carshalton ...	–	–	1	–	1	–
†Caterham ...	–	–	1	–	4	–
†Chertsey ...	–	2	1	–	2	–
†Coulsdon and Purley	–	–	3	–	2	–
†Croydon C.B....	–	34	16	–	21	–
Dorking ...	–	–	–	–	2	–
East and West Molesey	–	1	–	–	1	–
†Egham	–	1	–	–	5	–
†Epsom	–	1	–	–	3	–
†Esher and the Dittons	–	2	–	–	–	–
†Farnham ...	–	3	–	–	–	–
†Frimley ...	–	1	–	–	–	–
†Guildford ...	–	–	–	–	1	–
Ham	*	*	*	*	*	*
†Kingston-upon-Thames	–	7	6	–	–	M. 1
Leatherhead...	–	1	–	–	–	–
†Merton and Morden	–	1	1	–	–	–
†Mitcham ...	–	6	6	–	3	–
†Reigate ...	–	1	4	–	2	–
†Richmond ...	–	1	–	–	–	–
†Surbiton ...	–	2	–	–	1	–
†Sutton	–	2	–	–	1	–
†Walton-upon-Thames	–	3	1	–	–	–
†Wimbledon ...	–	3	5	–	–	–
†Woking ...	–	–	1	–	–	–
Rural Districts:—						
Chertsey ...	–	3	–	–	1	–
Epsom	–	1	–	–	6	–
Farnham ...	–	1	–	–	–	–
Godstone ...	–	–	–	–	3	–
Guildford ...	–	1	–	–	–	–
Reigate ...	–	1	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	13	5	–	43	M. 1
Boroughs and Urban Districts :—						
†BRIGHTON C.B.	–	6	2	–	25	–
†EASTBOURNE C.B	–	–	3	–	2	–
†HASTINGS C.B....	–	2	–	–	6	M. 1
†HOVE	–	–	–	–	9	–
†LEWES	–	1	–	–	–	–
SEAFORD ...	–	1	–	–	–	–
Rural Districts :—						
EAST GRINSTEAD	–	1	–	–	–	–
RYE	–	1	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	8	2	–	3	–
Boroughs and Urban Districts :—						
†BOGNOR ...	–	–	–	–	1	–
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	2	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	1	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts :—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	2	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	106	42	–	147	C. 3 D. 3 M. 3.
Boroughs and Urban Districts :—						
†BIRMINGHAM C.B.	–	72	37	–	119	C. 2 D. 3 M. 1.
†COVENTRY C.B.	–	9	2	–	2	–
†NUNEATON ...	–	10	–	–	9	C. 1
ROYAL LEAMINGTON SPA –	–	1	1	–	–	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	4	–	–	2	–
WARWICK—*cont.*						
Rural Districts :—						
ALCESTER ..	–	–	–	–	1	–
ATHERSTONE ...	–	–	–	–	6	–
COVENTRY ...	–	–	–	–	–	M. 1
FOLESHILL ...	–	4	–	–	4	–
MERIDEN ...	–	1	–	–	–	–
RUGBY ...	–	–	–	–	1	–
SOUTHAM ...	–	–	1	–	–	–
TAMWORTH – (part)	–	5	1	–	2	M. 1
WESTMORLAND	–	4	–	–	1	–
Rural Districts :—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	4	–	–	–	–
ISLE OF WIGHT	–	10	2	–	4	M. 1
Boroughs and Urban Districts :—						
COWES	–	5	–	–	–	–
EAST COWES ...	–	–	1	–	–	–
†NEWPORT ...	–	1	–	–	1	–
RYDE	–	–	–	–	1	–
ST. HELEN'S ...	–	–	–	–	1	–
SANDOWN ...	–	–	–	–	–	M. 1
SHANKLIN ...	–	1	–	–	–	–
Rural District :—						
ISLE OF WIGHT	–	3	1	–	1	–
WILTS	–	14	1	–	2	M. 2
Boroughs and Urban Districts :—						
DEVISES ...	–	1	–	–	–	–
†SALISBURY ...	–	1	–	–	–	M. 1
†SWINDON ...	–	7	–	–	1	M. 1
WARMINSTER ...	*	*	*	*	*	*
Rural Districts :—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	1	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
DEVIZES ...	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
WARMINSTER	*	*	*	*	*	*
WORCESTER ...	–	30	2	–	12	C. 1
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	3	–	–	–	C. 1
EVESHAM ...	–	–	1	–	–	–
†KIDDERMINSTER	–	7	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	–	–	–	1	–
†OLDBURY ...	–	2	–	–	4	–
†REDDITCH ...	–	2	–	–	–	–
†STOURBRIDGE	–	2	–	–	2	–
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	1	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	2	–
DROITWICH ...	–	4	–	–	–	–
HALESOWEN ...	–	2	–	–	2	–
KIDDERMINSTER	–	4	–	–	–	–
MARTLEY ...	–	1	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	22	25	1	26	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON	–	–	4	–	–	–
HEDON	–	–	1	–	–	–
HESSLE ...	–	1	2	–	–	–
HORNSEA ...	–	–	–	–	1	–
†KINGSTON-UPON HULL C.B.	–	5	18	–	25	M. 1
†YORK C.B. ...	–	13	–	1	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	14	4	–	19	–
Boroughs and Urban Districts:—						
†ESTON ...	–	2	–	–	–	–
†MIDDLESBROUGH C.B.	–	3	–	–	8	–
RICHMOND ...	*	*	*	*	*	*
†SCARBOROUGH	–	6	–	–	2	–
†SKELTON AND BROTTON	–	–	–	–	2	–
†THORNABY-ON-TEES	–	1	–	–	2	–
†WHITBY... ...	–	–	1	–	1	–
Rural Districts:—						
CROFT	*	*	*	*	*	*
EASINGWOLD ...	–	–	1	–	1	–
LEYBURN ...	–	–	–	–	2	–
MIDDLESBROUGH	*	*	*	*	*	*
RICHMOND ...	*	*	*	*	*	*
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	1	1	–	–	–
WATH	–	–	–	–	1	–
WHITBY ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	11	150	86	6	95	C. 4 G. 1 M. 11
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	1	–
†BARNSLEY C.B.	–	2	1	–	4	–
†BATLEY ...	–	2	–	–	–	–
†BENTLEY-WITH-ARKSEY ...	–	–	1	–	–	–
†BINGLEY ...	–	1	2	–	4	–
BIRSTAL ...	–	–	–	–	1	M. 1
†BRADFORD C.B.	–	22	7	–	12	C. 1 M. 1
†BRIGHOUSE ...	–	3	–	–	–	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	–	1	–	1	M. 1
CLAYTON ...	–	–	1	–	–	–
CLAYTON WEST	–	–	1	–	–	–
†CONISBROUGH ...	–	1	–	–	–	M. 1
†DARTON ...	–	–	1	–	–	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DEWSBURY C.B.	–	1	2	–	–	–
DODWORTH ...	*	*	*	*	*	*
†DONCASTER ...	–	–	3	2	–	–
†ELLAND ...	–	–	1	–	–	M. 1
EMLEY	–	–	4	–	–	–
FLOCTON ...	–	1	1	–	–	–
†GOLCAR	3	–	–	–	–	–
†GOOLE	–	2	2	–	2	–
GREETLAND ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	8	2	–	–	–
†HARROGATE ...	–	–	1	–	–	–
HAWORTH ...	–	1	1	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HECKMONDWIKE	–	1	–	–	1	–
†HEMSWORTH ...	–	1	1	–	1	–
†HOLMFIRTH ...	–	3	–	–	–	–
HORSFORTH ...	–	–	3	–	–	–
†HOYLAND NETHER	–	–	1	–	5	–
†HUDDERSFIELD C.B.	–	4	5	–	2	M. 1
ILKLEY	–	–	4	–	–	–
†KEIGHLEY ...	–	–	–	–	5	–
†LEEDS C.B. ...	–	40	13	–	15	–
LINTHWAITE ...	–	–	1	–	–	–
MARSDEN	–	–	–	–	1	–
†MEXBOROUGH ...	–	–	1	–	–	–
†MORLEY ...	–	2	2	–	–	–
MYTHOLMROYD	–	2	–	–	–	–
†NORMANTON ...	–	–	1	–	1	–
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	–	–	1	–	–
OTLEY	–	–	1	–	–	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	–	–	–	2	–
QUEENSBURY ...	–	–	2	–	–	–
†RAWMARSH ...	–	1	1	–	2	–
†ROTHERHAM C.B.	–	3	1	–	3	–
†ROTHWELL ...	–	1	2	–	–	–
ROYSTON ...	–	1	–	–	–	–
†SADDLEWORTH	8	1	–	–	–	–
SELBY	–	–	–	–	3	–
†SHEFFIELD C.B.	–	16	9	1	10	C. 3 G. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHIPLEY ...	–	1	–	–	1	–
†SKIPTON ...	–	1	–	–	3	–
†SPENBOROUGH ...	–	1	–	–	1	–
SPRINGHEAD ...	–	2	–	–	–	–
†STANLEY ...	–	–	1	–	–	–
STOCKSBRIDGE...	–	–	–		1	–
†TODMORDEN ...	–	–	–	–	3	–
†WAKEFIELD C.B.	–	8	–	–	1	–
WHITWOOD ...	–	1	1	–	–	–
†WOMBWELL ...	–	–	–	–	–	M. 1
†WORSBOROUGH...	–	–	–	–	–	M. 1
Rural Districts:—						
GREAT OUSEBURN	–	2	–	–	–	–
HEMSWORTH ...	–	5	1	–	–	–
PONTEFRACT ...	–	–	1	–	–	–
RIPON	–	*	*	*	*	*
ROTHERHAM ...	–	–	–	2	2	–
SELBY	–	–	1	–	–	–
SKIPTON ...	–	–	–	–	1	–
TADCASTER ...	–	3	–	–	–	–
WAKEFIELD ...	–	2	–	–	–	M. 1
WETHERBY ...	–	–	–	–	5	–
WORTLEY ...	–	–	1	–	–	–
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
Rural Districts:—						
VALLEY... ...	*	*	*	*	*	*
BRECKNOCK ...	–	1	3	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
HAY...	*	*	*	*	*	*
LLANWRTYD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
BUILTH	–	–	–	–	1	–
CEICKHOWELL ...	–	–	1	–	–	–
HAY	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	2	–	2	–
CARDIGAN ...	–	–	6	–	5	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	3	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	2	–
ABERYSTWYTH (SOUTH)	–	–	2	–	–	–
CARDIGAN ...	–	–	4	–	–	–
CARMARTHEN ...	–	5	9	–	3	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	1	–	–	–	–
†LLANELLY ...	–	–	3	–	2	–
Rural Districts:—						
CARMARTHEN ...	–	1	1	–	–	–
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	3	5	–	–	–
CARNARVON ...	–	5	19	–	–	–
Boroughs and Urban Districts:—						
BANGOR... ...	–	4	–	–	–	–
CARNARVON ...	–	–	1	–	–	–
CONWAY ...	–	–	3	–	–	–
LLANDUDNO ...	–	–	2	–	–	–
PENMAENMAWR	–	–	1	–	–	–
PORTMADOC ...	–	–	1	–	–	–
Rural Districts:—						
CONWAY ...	–	1	1	–	–	–
GWYRFAI ...	–	–	16	–	–	–
DENBIGH ...	–	8	2	–	5	M. 1
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN... ...	–	–	1	–	1	–
†WREXHAM ...	–	2	–	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	2	–
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
WREXHAM ...	–	5	1	–	2	M. 1
FLINT	–	3	7	–	1	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	4	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	1	–
HOLYWELL (MOLD DIV.)	–	–	1	–	–	–
OVERTON ...	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	–	107	61	–	26	C. 2 L. 2 M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	17	8	–	2	–
†BARRY	–	–	2	–	–	–
BRITON FERRY	–	–	1	–	1	–
†CARDIFF C.B. ...	–	18	9	–	5	M. 1
†GELLIGAER ...	–	7	8	–	1	–
†GLYNCORWG ...	*	*	*	*	*	*
†MERTHYR TYDFIL C.B.	–	6	3	–	–	C. 1
†MOUNTAIN ASH	–	9	1	–	2	–
†NEATH	–	–	1	–	1	–
†OGMORE and GARW	–	4	1	–	–	L. 2 M. 1
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	12	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Porthcawl ...	–	1	–	–	–	–
†Port Talbot ...	–	–	6	–	–	–
†Rhondda ...	–	18	1	–	5	–
†Swansea C.B. ...	–	8	12	–	2	C. 1
Rural Districts:—						
Cowbridge ...	–	–	–	–	1	–
Gower	–	–	2	–	3	–
Llandaff and Dinas Powis	–	1	2	–	2	–
Llantrisant and Llantwit Fardre	–	1	1	–	–	–
Neath	–	–	1	–	1	–
Pontardawe ...	–	3	–	–	–	–
Swansea ...	–	–	1	–	–	–
MERIONETH ...	–	3	–	–	2	C. 1
Urban Districts:—						
Festiniog ...	–	3	–	–	2	–
Rural Districts:—						
Dolgelley ...	–	–	–	–	–	C. 1
MONMOUTH ...	–	42	12	–	26	M. 1
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	1	–	–	–
Abergavenny...	–	1	–	–	–	–
†Abersychan ...	–	1	2	–	–	–
†Abertillery ...	–	–	3	–	6	–
Bedwas and Machen	–	–	1	–	2	–
†Bedwellty ...	–	6	–	–	–	–
†Blaenavon ...	–	–	1	–	1	–
†Ebbw Vale ...	–	3	–	–	1	–
†Mynyddislwyn	–	–	2	–	–	–
†Nantyglo and Blaina	–	1	–	–	6	M. 1
†Newport C.B....	–	23	1	–	7	–
†Panteg... ...	–	1	–	–	–	–
†Rhymney ...	–	2	–	–	–	–
†Tredegar ...	–	2	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
Magor... ...	–	1	–	–	–	–
Monmouth ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	3	–	2	-
Boroughs and Urban Districts:—						
Newtown and Llanllwchaiarn	–	–	–	–	2	–
Rural District:—						
Llanfyllin ...	–	–	3	–	–	–
PEMBROKE—	–	1	4	1	1	E. 1
Boroughs and Urban Districts:—						
Haverfordwest	–	–	–	1	–	–
Milford Haven	–	–	2	–	1	E. 1
†Pembroke ...	–	–	1	–	–	–
Rural Districts:—						
Haverfordwest	–	1	–	–	–	–
Narberth ...	*	*	*	*	*	*
Pembroke ...	–	–	1	–	–	–
St. Dogmells...	*	*	*	*	*	*
RADNOR	–	–	–	–	–	–
Urban Districts:—						
Llandrindod Wells	*	*	*	*	*	*
Rural Districts:—						
Painscastle ...	*	*	*	*	*	*
Total of Part II.	15	2042	1077	29	2365	C. 36 D. 6 E. 5 G. 4 L. 7 M. 90

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	*	*	*	*	*	*
LIVERPOOL ...	–	–	–	1	–	–
SWANSEA ...	4	–	–	–	–	–
WISBECH ...	–	–	1	–	–	–
PORT OF LONDON	–	–	–	–	3	–
Total of Part III.	4	–	1	1	3	–

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	520	349	1	528	C. 4 E. 1 G. 2 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	15	2042	1075	29	2365	C. 36 D. 6 E. 5 G. 4 L. 7 M. 90
Total of Part III.—Port Sanitary Districts ...	4	–	1	1	3	
Total (*i.e.*, of returns received) England and Wales	19	2562	1427	31	2896	C. 40 D. 6 E. 6 G. 6 L. 7 M. 105

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Nineteen cases of Small-pox were notified, which appear on pages 64, 76, and 79.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.
LONDON:—													
Deaths—all ages	955	940	1,150	1,435	1.324	1,601	1,383	1,279	1,395	1,606	2,170	2,726	2,481
" 0 to 1 year	142	144	123	128	106	138	135	125	142	169	182	224	264
GREAT TOWNS, aggregate (including London):—													
Births	*7,904*	*7,450*	*7,981*	*7,900*	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969 / *8,786*	8,853 / *8,675*	8,096 / *7,908*
Deaths—all ages	*3,902*	*4,039*	*4,289*	*5,202*	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922 / *6,800*	8,085 / *7,928*	8,637 / *8,481*
" *0* to *1* year	*680*	*686*	*608*	*663*	*566*	*648*	*623*	*641*	*661*	*699*	793 / *781*	860 / *842*	1,016 / *1,001*
Enteric Fever—Cases	*38*	*43*	*44*	*31*	*38*	*23*	*28*	*22*	*27*	*13*	19 / *19*	22 / *20*	11 / *9*
" Deaths	*7*	*9*	*6*	*4*	*6*	*11*	*6*	*5*	*6*	*4*	8 / *7*	7 / *7*	9 / *9*
Small Pox—Cases	*3*	*2*	*7*	*1*	*12*	*4*	*2*	*6*	*12*	*2*	4 / *4*	5 / *5*	— / —
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	*2,785*	*2,850*	*2,675*	*2,839*	*2,709*	*2,639*	*2,389*	*2,430*	*2,166*	*1,895*	1816 / *1798*	1,767 / *1,738*	1,669 / *1,642*
" Deaths	*11*	*18*	*22*	*14*	*28*	*20*	*25*	*33*	*17*	*26*	35 / *34*	38 / *38*	36 / *36*
Diphtheria—Cases	*1,109*	*1,023*	*1,036*	*984*	*1,041*	*956*	*936*	*1,096*	*985*	*906*	858 / *831*	863 / *846*	887 / *866*
" Deaths	*62*	*61*	*66*	*76*	*72*	*71*	*58*	*70*	*79*	*92*	72 / *71*	93 / *92*	100 / *99*
Measles—Deaths	*26*	*31*	*18*	*36*	*36*	*30*	*31*	*50*	*47*	*68*	69 / *69*	61 / *61*	82 / *82*
Influenza—Deaths	*30*	*32*	*44*	*59*	*80*	*128*	*149*	*212*	*237*	*418*	819 / *807*	1,262 / *1,240*	1,433 / *1,404*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 21st January 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	48	25	43·3	31·6	36
Brighton	48	27	44·9	35·4	45
Portsmouth	50	28	45·9	36·0	52
Norwich (Eaton).	43	17	37·7	26·6	49
Plymouth	53	29	48·7	36·7	50
Bristol (Clifton).	51	29	43·9	33·0	22
Birmingham	46	27	39·4	31·1	26
Nottingham	46	21	38·3	29·3	17
Birkenhead (Bidston).	46	31	41·4	33·0	28
Manchester	47	26	40·1	31·7	23
Burnley	43	17	37·9	26·0	41
Huddersfield	Not received.				
Bradford	42	18	37·1	26·0	39
Sheffield	43	26	38·3	30·3	23
York (Museum).	43	15	36·3	26·4	16
Hull (Pearson Park).	44	21	38·0	29·6	27
Tynemouth	41	22	37·0	30·3	21
Cardiff	50	29	44·9	33·3	38
Edinburgh	43·0	24·0	38·1	28·7	5
Glasgow	45·0	25·1	37·7	31·5	29
Dublin (Phœnix Park).	52·3	22·8	43·7	28·9	13
Fitzwilliam Square.†	51·8	29·1	42·5	32·6	14
Belfast	46·0	25·2	42·8	32·3	39

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 21st January 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	15	..	29·376	36·7	27·4	9·3	32·1	− 6·0	27·8	4·3	6·7	1·2	84	42·9	18·0	45·0	E., calm & SSE.	SSE. & S.	4·0	0·0	0·3	293	− 26	0·20
MONDAY	16	..	29·012	41·9	33·5	8·4	37·2	− 1·1	31·4	5·8	8·5	1·3	79	69·4	29·4	44·8	W.	W.	4·3	0·0	0·5	536	+218	0·11
TUESDAY	17	In Equator.	29·384	37·1	29·0	8·1	33·9	− 4·6	28·3	5·6	9·6	0·0	80	45·0	22·7	44·8	W. & NW.	WNW. & W.	1·5	0·0	0·2	338	+ 23	0·01
WEDNESDAY	18		29·560	43·1	25·2	17·9	35·8	− 2·8	32·3	3·5	7·2	0·0	87	50·0	17·1	44·3	SW. & S.	S.	3·7	0·0	0·2	317	+ 7	0·18
THURSDAY	19	..	29·373	46·9	39·7	7·2	43·8	+ 5·1	42·1	1·7	3·8	0·0	93	53·0	37·0	44·1	S. & SSW.	SSW., S. & SSE.	5·4	0·0	0·4	365	+ 66	0·75
FRIDAY	20	Last Quarter.	29·561	46·9	36·8	10·1	40·6	+ 1·8	37·9	2·7	8·9	0·7	90	80·0	29·6	43·9	S. & calm	SSE. & S.	0·8	0·0	0·0	162	−140	0·04
SATURDAY	21	..	29·593	47·6	40·1	7·5	43·9	+ 5·1	41·5	2·4	4·2	0·0	91	48·1	36·1	44·0	S. & SSE.	SSE. & S.	4·0	0·0	0·3	330	+ 28	0·12
MEANS		..	29·408	42·9	33·1	9·8	38·2	− 0·4	34·5	3·7	7·0	0·5	86	55·5	27·1	44·4	SSW.		...	...	...	Sum 2,341	Sum +170	Sum 1·41
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	15	w.P. generally	0·0	8·3	Fine interval between 2h. and 5h., otherwise overcast generally. Hoar frost in morning. Frequent snow 12h. 30m. to 21h. 30m. Rain or damping from 23h., with brisk wind.
MONDAY -	16	w.P. generally	3·8	8·3	Nearly overcast till 10h., cloudy with fine intervals afterwards. Rain generally till 6h. Brisk wind till 6h. Hoar frost at night.
TUESDAY -	17	w.P. generally	0·0	8·3	Nearly overcast till 11h. 30m., then becoming nearly cloudless, but misty or hazy throughout from 6h. Snow between 3h. and 6h. 30m. Hoar frost at night.
WEDNESDAY	18	w.P. throughout	0·7	8·4	Nearly cloudless with hoar frost till 8h., becoming overcast generally by 10h. Frequent rain from 15h. 30m. Solar halo at noon.
THURSDAY -	19	w.P. throughout	0·0	8·4	Overcast throughout with rain generally. Brisk wind in forenoon.
FRIDAY -	20	w.P. generally, a little w.N. about noon.	5·0	8·5	Overcast generally till 8h., and misty till 10h. 30m. Nearly cloudless generally till 20h., then variably cloudy. Rain from 2h. to 3h.
SATURDAY -	21	w.P. throughout	0·0	8·5	Overcast with few exceptions. Frequent damping till 22h., clearing shortly before midnight.
			Sum 9·5	Sum 58·7	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 in. at the beginning of the week to 28·82 in. by 23h. on 15th; increased to 29·64 in. by 5h. on 18th; decreased to 29·35 in. by 11h. on 19th; increased to 29·64 in. by 23h. on 20th; decreased to 29·54 in. by 14h. on 21st, and increased to 29·74 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 4.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 28TH JANUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH JANUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourth week of the year numbered 8,131, and corresponded to an annual rate of 22·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 8,353 and corresponded to an annual rate of 23·1 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 19·1, 22·4 and 23·9. Infant mortality was 126 per 1,000 births against 88, 97 and 125 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,856 births, corresponding to a rate of 21·6 per 1,000, and 2,022 deaths of civilians, corresponding to a rate of 23·6, as against 25·3, 31·8, and 28·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 27·4 per 1,000. The infant mortality was 118 as against 85, 107, and 134 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 285 in the total deaths last week, the deaths from influenza showing a rise of 17. In London the number of deaths from all causes fell from 2,481 to 2,022; there was a decrease of 123 in the deaths from influenza, of 29 from bronchitis, and of 115 from pneumonia.

---

m (45)16793—4 2500 2/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 28th January 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,131	8,353	1024	2	60	21	198	75	61	1450
London	4,476,586*	1,856	2,022	219	–	31	9	61	21	8	320
Towns in Outer Ring:											
Croydon C.B.	190,877	52	87	4	–	–	–	1	–	–	25
Wimbledon	61,451	12	27	4	–	–	–	–	–	–	2
Ealing	67,753	35	21	4	–	–	–	1	2	–	2
Acton	61,314	24	9	1	–	–	–	–	–	–	1
Willesden	165,669	68	47	5	–	–	1	–	4	1	7
Hendon	56,014	10	12	2	–	–	–	–	–	–	1
Hornsey	87,691	15	32	–	–	–	–	–	2	–	6
Wood Green	50,716	17	20	–	–	–	–	–	–	–	5
Tottenham	146,695	53	53	7	–	–	–	–	1	–	12
Edmonton	66,809	28	24	2	–	–	–	1	–	–	3
Enfield	60,743	26	14	1	–	–	–	–	1	1	3
West Ham C.B.	300,905	155	145	19	–	3	–	9	–	2	24
East Ham C.B.	143,304	67	60	7	–	1	–	1	–	–	14
Leyton	128,432	42	45	7	–	–	–	1	3	–	8
Walthamstow	127,441	51	50	5	–	–	–	1	–	–	7
Ilford	85,191	32	24	–	–	1	–	1	1	–	1
Gillingham	47,887*	22	14	1	–	–	–	–	–	–	1
Canterbury C.B.	23,331*	10	12	–	–	–	–	1	7	–	3
Hastings C.B.	66,496	24	25	1	–	–	–	–	–	–	5
Eastbourne C.B.	62,030	17	15	2	–	–	–	–	–	–	4
Brighton C.B.	142,427	45	82	5	–	–	–	–	–	–	34
Portsmouth C.B.	234,218*	119	125	16	–	–	2	3	1	2	22
Bournemouth C.B.	91,770	35	33	3	–	–	–	–	–	–	2
Southampton C.B.	160,997	67	59	5	–	–	–	1	1	1	9
Reading C.B.	92,274	36	63	7	–	–	–	1	2	–	20
Oxford C.B.	57,052	19	22	–	–	–	–	1	–	–	4
Northampton C.B.	90,923	47	49	1	–	–	–	–	–	–	9
Luton	57,077	21	21	1	–	–	–	–	–	–	5
Cambridge	59,262	21	30	2	–	–	–	–	–	1	9
Southend-on-Sea C.B.	106,021	28	27	–	–	–	–	–	–	–	4
Ipswich C.B.	79,383	40	43	3	–	–	–	1	2	–	7
Great Yarmouth C.B.	60,710	17	23	4	–	–	–	3	–	–	4
Norwich C.B.	120,653	46	72	4	–	–	–	2	1	–	15
Swindon	54,920	20	23	–	–	–	–	–	–	–	1
Exeter C.B.	59,608	23	26	–	–	–	–	–	–	–	5
Plymouth C.B.	198,132*	82	94	11	–	–	–	1	–	1	22
Bath C.B.	68,648	21	34	4	–	–	–	–	–	–	9
Bristol C.B.	377,061	153	217	20	–	6	–	4	2	2	53
Gloucester C.B.	51,330	23	17	2	–	–	–	–	1	–	3
Stoke-on-Trent, C.B.	240,440	130	87	14	–	–	–	–	–	2	5
Burton-upon-Trent C.B.	48,927	15	28	2	–	–	–	1	–	–	4
Wolverhampton C.B.	102,373	49	47	10	1	–	–	–	–	–	6
Walsall C.B.	96,964	50	42	5	–	–	–	2	–	–	12
West Bromwich C.B.	73,761	40	60	11	–	–	–	–	2	1	12
Worcester C.B.	48,848	17	19	–	–	–	–	–	–	–	1
Dudley C.B.	55,908	28	24	2	–	–	–	–	–	–	2
Birmingham C.B.	919,438	378	370	51	–	2	1	16	5	2	57
Smethwick C.B.	75,757	27	41	11	–	–	–	3	1	–	9
Coventry C.B.	128,205	58	45	–	–	–	–	–	–	–	4
Leicester C.B.	234,190	93	106	10	–	–	–	1	–	–	17
Lincoln C.B.	66,020	32	18	2	–	–	–	–	–	–	3
Grimsby C.B.	82,329	38	30	3	–	–	–	–	–	1	2
Nottingham C.B.	262,658	119	64	14	–	–	–	–	–	1	3
Derby C.B.	129,836	61	39	4	–	–	1	–	1	1	2
Chesterfield	61,236	40	16	2	–	–	–	–	–	–	3
Stockport C.B.	123,315	54	63	5	–	–	–	2	1	–	7
Chester C.B.	40,794	16	30	4	–	–	–	–	1	–	9
Birkenhead C.B.	145,592	71	57	12	–	1	–	1	–	–	7
Wallasey C.B.	90,721	34	26	4	–	–	1	–	–	–	7
Liverpool C.B.	803,118	427	364	71	1	9	–	3	5	5	25
Bootle C.B.	76,508	42	32	4	–	1	–	–	2	1	2
St. Helens C.B.	102,675	45	41	10	–	1	–	–	1	–	4

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	23	21	1	–	–	–	1	–	–	1
Wigan C.B.	89,447	42	42	9	–	–	–	–	–	–	3
Warrington C.B.	76,811	37	27	5	–	–	–	–	–	–	9
Bolton C.B.	178,678	85	65	11	–	–	–	1	1	1	11
Bury C.B.	56,426	22	27	1	–	–	–	–	–	–	3
Manchester C.B.	730,551	367	274	29	–	–	2	5	3	2	36
Salford C.B.	234,150	108	97	11	–	1	–	1	1	3	21
Oldham C.B.	145,001	47	51	7	–	–	–	1	–	3	6
Rochdale C.B.	90,807	29	73	10	–	1	–	2	1	–	21
Burnley C.B.	103,175	40	29	6	–	–	–	–	–	2	6
Blackburn C.B.	126,630	42	59	7	–	–	–	1	–	–	11
Preston C.B.	117,426	51	47	5	–	–	–	–	–	1	11
Blackpool C.B.	99,640	9	34	–	–	–	–	–	–	–	5
Barrow-in-Furness C.B.	74,254	28	30	6	–	–	–	1	–	–	2
Huddersfield C.B.	110,120	39	31	3	–	–	–	1	–	–	–
Halifax C.B.	99,129	33	30	5	–	–	–	5	–	–	3
Bradford C.B.	285,979	96	94	10	–	–	–	–	–	–	11
Leeds C.B.	458,320	180	168	23	–	–	–	15	1	1	9
Dewsbury C.B.	54,165	16	17	2	–	–	–	–	–	–	3
Wakefield C.B.‡	53,053	26	17	4	–	–	–	–	–	–	–
Barnsley C.B.‡	67,918	35	22	6	–	–	1	2	–	–	–
Sheffield C.B.‡	511,748	193	144	19	–	1	1	1	–	3	5
Rotherham C.B.	68,045	38	20	1	–	–	–	–	–	–	1
Doncaster	54,052	27	17	2	–	–	–	–	–	–	–
York C.B.	82,606*	33	29	2	–	–	–	–	–	–	7
Hull C.B.	287,013	162	223	35	–	–	1	4	3	–	60
Middlesbrough C.B.	131,103	75	70	18	–	–	–	4	–	2	10
Darlington C.B.	65,866	27	37	8	–	–	–	2	–	–	8
Stockton-on-Tees	64,150	43	40	4	–	–	–	1	–	1	7
West Hartlepool C.B.	68,689	29	33	4	–	–	–	3	–	–	6
Sunderland C.B.	159,100	104	179	28	–	1	–	–	–	1	78
South Shields C.B.‡	118,631	67	78	13	–	–	–	–	–	–	19
Gateshead C.B.	124,514	85	134	15	–	–	–	8	1	1	52
Newcastle-on-Tyne C.B.	274,955	146	254	41	–	–	–	5	–	2	74
Tynemouth C.B.	63,786	31	30	3	–	–	–	1	–	–	4
Carlisle C.B.	52,600	28	35	6	–	–	–	1	–	3	10
Newport (Mon.) C.B.	92,369	43	41	1	–	–	1	–	–	–	9
Cardiff C.B.	200,262	87	98	13	–	–	–	5	–	1	13
Rhondda	162,729	97	65	9	–	–	–	1	–	1	7
Merthyr Tydfil C.B.	80,161	38	31	1	–	–	–	–	–	–	5
Aberdare	55,010	20	22	1	–	–	–	–	–	–	4
Swansea C.B.	157,561	60	51	9	–	–	–	2	–	–	5
Greater London	7,467,946*	2,983	3,096	312	–	38	12	80	42	14	533
Outer Ring	2,991,360*	1,127	1,074	93	–	7	3	19	21	6	213
16 Great Towns in Outer Ring	1,801,005	687	670	68	–	5	1	16	14	4	121
Remainder of Outer Ring	1,190,355*	440	404	25	–	2	2	3	7	2	92
Edinburgh†	420,500	198	371	36	–	2	3	4	1	–	116
Glasgow†	1,037,800	674	910	157	–	69	1	7	7	2	183
Dublin (Registration Area)†	427,000	133	201	22	1	7	–	–	1	1	14
Belfast†	425,000	198	152	17	1	1	–	–	1	1	7

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,586	1922. Jan. 28	1856	2022	23·6	–	–	31	9	61	21	8	320
Calcutta	896,067	Dec. 24	–	634§	36·8	?	3	–	–	–	–	–	4
		„ 31	–	588§	34·1	?	9	–	–	–	–	–	12
Bombay	979,445	„ 31	–	–	–	–	–	–	–	–	–	–	–
Madras	522,951	„ 17	–	–	–	–	–	–	–	–	–	–	–
Paris	2,847,229	„ 31	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 14	113	129	20·1	–	–	1	1	3	1	6	17
Amsterdam	683,400	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Copenhagen	562,000	Jan. 21	217	132	12·8	–	–	–	–	–	–	1	6
Stockholm	419,788	„ 14	115	101	12·5	–	–	–	1	–	1	–	9
Gothenburg	228,052	„ 7	–	–	–	–	–	–	–	–	–	–	–
Christiania	260,920	„ 21	101	100	20·0	–	–	1	–	1	1	1	21
Berlin	1,945,000	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Breslau	547,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Cologne	669,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Dresden	600,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Frankfort-on-Main	471,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Hamburg	1,031,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Leipzig	630,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Munich	670,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
Vienna	1,842,005	Dec. 24	421	556	15·7	2	–	–	1	1	1	15	1
		„ 31	551	591	16·7	3	–	1	1	4	4	27	3
		Jan. 7	599	496	14·0	3	–	–	2	3	2	8	1
		„ 14	462	543	15·3	–	–	–	1	1	3	11	4
Prague and Suburbs	676,454	Dec. 24	–	–	–	–	–	–	–	–	–	–	–
Budapest	933,000	Oct. 15	–	–	–	–	–	–	–	–	–	–	–
Cairo	765,200	Nov. 25	780	317	21·5	2	–	1	–	?	5	20	?
		Dec. 2	815	346	23·5	7	–	–	–	?	1	22	?
Alexandria	449,300	Nov. 25	412	171	19·8	–	–	–	1	?	–	12	?
		Dec. 2	420	192	22·2	2	–	–	–	?	–	10	?
New York	5,751,859	„ 31	2314	1364	12·4	2	–	5	3	3	25	20	6
		Jan. 7	2655	1486	13·3	3	–	12	7	2	14	25	16
Chicago	2,780,655	„ 7	-	633	11·6	1	–	1	5	1	16	18	3
Montevideo	356,655	Nov. 5	191	110	19·5	–	–	–	–	–	–	–	–
		„ 12	195	130	19·5	1	–	–	1	1	1	2	–
		„ 19	222	102	19·4	1	–	–	1	–	–	3	–
		„ 26	140	115	19·3	–	–	–	–	–	–	4	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 8 and 9 deaths from *Asiatic cholera* in Calcutta.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 28th January, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2022	219	147	105	44	63	100	116	186	267	416	359
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	31	6	9	14	2	–	–	–	–	–	–	–
Scarlet fever	9	–	–	5	3	1	–	–	–	–	–	–
Whooping cough	61	17	23	20	1	–	–	–	–	–	–	–
Diphtheria	21	1	7	7	6	–	–	–	–	–	–	–
Influenza	320	14	15	11	4	11	22	23	35	56	74	55
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	132	–	2	–	1	25	21	30	32	12	6	3
Tuberculous meningitis	8	2	3	1	2	–	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	–	–	1	1	–	–	–	–	–
Other tubercle	6	2	–	–	3	1	–	–	–	–	–	–
Venereal diseases	4	4	–	–	–	–	–	–	–	–	–	–
Cancer	104	–	–	–	–	–	5	8	17	31	30	13
Rheumatic fever	7	–	–	–	3	–	1	–	–	2	1	–
Diabetes	12	–	–	–	–	1	1	1	–	4	4	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	1	1	1	2	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	64	–	–	–	–	–	2	–	8	11	24	19
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	8	6	1	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	38	–	2	1	3	1	3	4	9	6	3	6
Pericarditis	2	–	–	–	–	1	1	–	–	–	–	–
Acute endocarditis	4	–	–	–	1	1	1	–	–	1	–	–
Other diseases of heart	178	–	–	–	2	3	4	9	18	41	61	40
Other dis. of circulatory system	51	–	–	–	–	–	–	–	2	6	19	24
Bronchitis	302	14	8	–	1	1	4	6	20	38	108	102
Broncho-pneumonia	193	49	63	33	2	1	–	–	7	9	18	11
Lobar pneumonia	49	3	4	2	–	3	7	6	9	8	6	1
Pneumonia (type not distinguished)	52	9	2	5	1	4	3	4	5	3	8	8
Other diseases of respiratory system	28	–	1	–	1	2	2	1	2	5	10	4
Diarrhœa and enteritis	9	8	–	–	–	–	–	–	–	–	–	1
Appendicitis and typhlitis	2	–	–	–	–	–	–	1	1	–	–	–
Hernia, Intestinal obstruction	4	–	–	1	–	–	–	1	–	1	–	1
Cirrhosis of liver	6	–	–	–	–	–	–	–	3	1	1	1
Other diseases of digestive system	19	3	–	–	–	–	2	3	4	1	3	3
Acute nephritis	6	–	1	1	–	–	–	2	–	2	–	–
Chronic Bright's disease	37	–	–	–	–	–	2	5	5	9	10	6
Other diseases of genito-urinary system.	9	–	–	–	–	1	1	–	1	1	3	2
Puerperal fever, &c.	3	–	–	–	–	–	2	1	–	–	–	–
Other causes incident to childbirth	5	–	–	–	–	1	–	4	–	–	–	–
Congenital malformations	10	10	–	–	–	–	–	–	–	–	–	–
Premature birth	40	40	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	15	15	–	–	–	–	–	–	–	–	–	–
Old age	61	–	–	–	–	–	–	–	–	1	13	47
Suicide	11	–	–	–	–	–	4	3	1	3	–	–
Burns and scalds	5	1	1	1	–	1	1	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	1	2	2	1	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	2	1	–	–	1	–	1	1
Other deaths by violence	21	1	–	–	–	1	3	–	1	3	6	6
Other specified causes	48	9	3	1	4	1	7	3	2	8	6	4
Ill-defined causes	1	–	–	–	–	–	–	–	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th January 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	–	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	32	15	–	35	C. 1 D. 1
†BERMONDSEY ...	–	9	22	–	11	M. 1
†BETHNAL GREEN	–	3	10	–	9	M. 1
†CAMBERWELL ...	–	38	19	1	21	G. 1
†CHELSEA ...	–	1	1	1	8	D. 1
†DEPTFORD ...	–	17	16	–	9	–
†FINSBURY ...	–	1	11	–	1	–
†FULHAM ...	–	13	11	–	11	–
†GREENWICH ...	–	19	18	–	6	–
†HACKNEY ...	–	15	12	1	2	C. 1
†HAMMERSMITH	–	26	8	–	8	–
†HAMPSTEAD ...	–	6	6	–	10	–
†HOLBORN ...	–	8	–	–	5	M. 1
†ISLINGTON ...	–	50	29	–	10	C. 1 M. 2
†KENSINGTON ...	–	9	9	–	8	G. 1 M. 1
†LAMBETH ...	–	40	16	1	7	E. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	17	18	–	11	–
†PADDINGTON ...	–	8	14	–	9	–
†POPLAR... ...	–	9	8	–	28	M. 1
†ST. MARYLEBONE	–	6	3	–	3	E. 1 M. 1
†ST. PANCRAS ...	–	35	12	–	38	C. 1 M. 2
†SHOREDITCH ...	–	4	6	–	14	M. 1
†SOUTHWARK ...	–	11	13	–	15	–
†STEPNEY ...	–	11	28	–	35	C. 2 M. 1
†STOKE NEWINGTON	–	3	2	–	2	–
†WANDSWORTH	–	45	23	–	40	M. 3
†WESTMINSTER, CITY OF	–	8	5	–	3	D. 1 M. 1
†WOOLWICH ...	–	20	5	–	16	–
TOTAL OF PART I.	–	465	340	4	376	C. 6 D. 3 E. 2 G. 2 M. 17

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	5	7	–	8	M. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	–	–	–	5	–
KEMPSTON ...	–	1	–	–	1	–
†LUTON	–	1	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	1	3	–	1	M. 1
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	1	–	–	1	–
EATON SOCON	*	*	*	*	*	*
LUTON	–	–	1	–	–	–
BERKS	–	21	6	–	8	E. 1 L. 2
Boroughs and Urban Districts :—						
ABINGDON ...	–	5	–	–	–	–
†NEWBURY ...	–	–	1	–	1	–
†NEW WINDSOR	–	1	–	–	–	–
†READING, C.B.	–	4	2	–	6	L. 2
WANTAGE ...	–	–	–	–	–	E. 1
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	–	1	–	1	–
FARINGDON (part) –	–	2	1	–	–	–
HUNGERFORD –	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD	–	3	–	–	–	–
WINDSOR ...	–	3	–	–	–	–
BUCKINGHAM ...	–	12	12	–	9	C. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	1	–	–	–
BEACONSFIELD	–	2	–	–	–	–
BLETCHLEY ...	–	–	–	–	–	C. 1
†CHEPPING WYCOMBE	–	1	–	–	4	–
CHESHAM ...	–	2	–	–	–	–
†SLOUGH ...	–	–	6	–	–	–
†WOLVERTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	2	1	–	–	–
NEWPORT PAGNELL	–	1	3	–	–	–
WINSLOW ...	–	2	–	–	–	–
WYCOMBE ...	–	1	–	–	4	–
CAMBRIDGE...	–	3	1	–	7	–
Borough						
†CAMBRIDGE ...	–	3	–	–	6	–
Rural Districts :—						
CHESTERTON ...	–	–	–	–	1	–
MELBOURN ...	–	–	1	–	–	–
CHESTER	–	82	22	1	65	C. 3 M. 1
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	3	–	–	–
ASHTON-UPON-MERSEY	–	3	–	–	–	–
†BIRKENHEAD C.B.	–	9	–	–	16	C. 1
BREDBURY AND ROMILEY	–	2	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CHESTER C.B. ...	–	4	2	–	9	–
†CONGLETON ...	–	1	–	–	3	–
†CREWE	–	5	1	–	2	–
†DUKINFIELD ...	–	1	–	–	1	–
HALE	–	1	–	–	–	M. 1
HOLLINGWORTH	–	6	–	–	–	–
HOOLE	–	–	–	–	5	–
†HOYLAKE AND WEST KIRBY	–	1	1	1	–	–
†HYDE	–	4	–	–	–	–
KNUTSFORD ...	–	1	–	–	–	–
†LOWER BEBINGTON	–	5	2	–	1	–
†MACCLESFIELD	–	–	–	–	3	–
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUNCORN ...	–	2	1	–	9	–
SANDBACH ...	*	*	*	*	*	*
†STOCKPORT C.B.	–	7	3	–	2	–
†WALLASEY C.B.	–	13	1	–	5	C. 1
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	1	C. 1
CHESTER ...	–	3	–	–	–	–
CONGLETON ...	–	2	–	–	1	–
MACCLESFIELD	–	3	1	–	–	–
MALPAS ...	–	1	–	–	–	–
NANTWICH ...	–	1	1	–	–	–
NORTHWICH ...	–	–	1	–	1	–
RUNCORN ...	–	–	1	–	1	–
TARVIN	–	2	1	–	–	–
CORNWALL ...	–	3	6	–	10	C. 1
Boroughs and Urban Districts:—						
BODMIN... ...	–	–	1	–	–	–
†CAMBORNE ...	–	–	1	–	1	–
PADSTOW ...	–	–	–	–	–	C. 1
PHILLACK ...	–	–	–	–	4	–
ST. AUSTELL ...	*	*	*	*	*	*
SALTASH ...	–	–	–	–	3	–
TORPOINT ...	–	–	–	–	2	–
†TRURO	–	–	2	–	–	–
Rural Districts—						
HELSTON ...	–	–	1	–	–	–
REDRUTH ...	–	1	1	–	–	–
SAINT AUSTELL	–	2	–	–	–	–
CUMBERLAND ...	–	9	4	–	15	–
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	3	–	–	9	–
HOLME CULTRAM	*	*	*	*	*	*
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	–	1	–	1	–
PENRITH ...	–	4	–	–	4	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WHITEHAVEN ...	–	–	–	–	1	–
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
COCKERMOUTH...	–	–	1	–	–	–
LONGTOWN ...	–	1	–	–	–	–
DERBY	2	35	16	1	14	C. 1 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ALVESTON AND BOULTON ...	*	*	*	*	*	*
†BOLSOVER ...	–	1	–	–	1	–
†CHESTERFIELD	–	3	–	–	–	–
†DERBY C.B. ...	–	10	5	–	4	M. 1
DRONFIELD ...	–	–	2	–	1	–
†HEANOR ...	–	1	1	–	–	–
†ILKESTON ...	2	–	–	–	1	–
†LONG EATON ...	–	1	–	–	–	C. 1
†RIPLEY... ...	–	3	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	1	–	2	–
Rural Districts:—						
BAKEWELL ...	–	3	1	–	2	–
BELPER... ...	–	1	–	–	–	–
BLACKWELL ...	–	4	–	–	–	–
CHESTERFIELD	–	3	3	–	3	M. 1
CLOWNE... ...	–	–	2	1	–	–
HARTSHORNE AND SEALS	–	4	–	–	–	–
REPTON... —	–	–	1	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	20	27	–	25	M. 3
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	M. 1
BIDEFORD ...	–	–	2	–	–	–
BRIXHAM ...	–	–	1	–	7	–
DARTMOUTH ...	–	–	1	–	–	–
†EXETER C.B. ...	–	1	1	–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON ABBOT	–	–	–	–	1	–
NORTHAM ...	–	–	2	–	–	–
†PLYMOUTH C.B.	–	11	2	–	7	M. 2
SOUTH MOLTON	*	*	*	*	*	*
TAVISTOCK ...	–	3	–	–	–	–
†TEIGNMOUTH ...	–	–	1	–	2	–
TIVERTON ...	–	–	4	–	–	–
†TORQUAY ...	–	1	2	–	1	–
TOTNES... ...	–	–	2	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
CREDITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TORRINGTON ...	–	–	4	–	–	–
TOTNES ...	–	–	4	–	–	–
DORSET	–	2	2	–	4	–
Boroughs and Urban Districts:—						
†PORTLAND ...	–	–	–	–	3	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
WIMBORNE ...	–	–	1	–	–	–
Rural Districts:—						
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM... ...	–	55	18	1	503	C. 2 G. 1 M. 5
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	2	–
BENFIELDSIDE...	–	–	4	–	5	–
†BLAYDON ...	–	1	1	–	11	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRANDON AND BYSHOTTLES	–	3	–	–	7	–
†CHESTER-LE-STREET	–	1	1	–	9	–
†CROOK	–	–	–	–	8	–
†DARLINGTON C.B.	–	4	–	–	17	–
†DURHAM ...	–	1	–	–	–	M. 1
†FELLING ...	–	1	1	–	18	–
†GATESHEAD C.B.	–	8	3	–	69	C. 1
HARTLEPOOL ...	–	–	–	–	8	–
†HEBBURN ...	–	1	1	–	4	C. 1
†HETTON ...	–	–	–	–	7	–
†HOUGHTON-LE-SPRING	–	–	–	–	10	–
†JARROW ...	–	–	–	–	4	–
†RYTON	–	–	–	–	10	–
†SOUTH SHIELDS C.B.	–	6	2	–	18	M. 1
†SOUTHWICK-ON-WEIR	–	–	–	–	8	–
†SPENNYMOOR ...	–	–	1	–	–	–
†STANLEY ...	–	1	–	–	15	–
†STOCKTON-ON-TEES	–	2	–	–	3	–
†SUNDERLAND C.B.	–	6	–	–	160	–
†TANFIELD ...	–	–	–	–	5	–
†WEST HARTLEPOOL C.B.	–	–	–	1	5	–
†WHICKHAM ...	–	1	–	–	7	M. 1
WILLINGTON ...	–	–	–	–	3	–
Rural Districts:—						
AUCKLAND ...	–	–	–	–	4	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	6	2	–	22	G. 1
DARLINGTON ...	–	2	–	–	–	–
DURHAM ...	–	–	–	–	2	–
EASINGTON ...	–	2	–	–	22	M. 1
HOUGHTON-LE-SPRING	–	1	–	–	19	M. 1
LANCHESTER ...	–	1	1	–	4	–
SEDGEFIELD ...	–	4	–	–	2	–
SOUTH SHIELDS	–	2	1	–	3	–
SUNDERLAND ...	–	–	–	–	12	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	1	–	2	–
Boroughs and Urban Districts :—						
ELY	–	–	–	–	1	–
†WISBECH ...	–	–	1	–	–	–
Rural Districts :—						
ELY	–	–	–	–	1	–
WISBECH ...	–	1	–	–	–	–
ESSEX	–	120	45	–	120	C. 1 G. 1 L. 5 M. 2
Boroughs and Urban Districts :—						
†BARKING TOWN	–	3	–	–	6	–
BURNHAM-ON-CROUCH	–	–	2	–	–	–
†CHELMSFORD ...	–	1	1	–	–	–
CHINGFORD ...	–	–	1	–	2	–
†CLACTON ...	–	1	–	–	1	–
†COLCHESTER ...	–	3	1	–	18	–
†EAST HAM C.B.	–	12	4	–	8	–
†GRAYS THURROCK	–	1	–	–	2	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	10	2	–	8	L. 5
†LEYTON... ...	–	16	8	–	16	C. 1
†ROMFORD ...	–	2	1	–	1	–
†SOUTHEND-ON-SEA C.B.	–	4	1	–	14	M. 2
TILBURY	–	1	–	–	1	–
†WALTHAMSTOW	–	19	4	–	18	–
†WANSTEAD ...	–	1	–	–	6	–
†WEST HAM C.B.	–	27	13	–	8	–
†WOODFORD ...	–	1	1	–	2	–
Rural Districts :—						
BILLERICAY ...	–	1	2	–	–	–
BRAINTREE ...	–	2	1	–	–	–
CHELMSFORD ...	–	–	–	–	–	G. 1
DUNMOW ...	–	1	–	–	–	–
EPPING	–	7	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	–	1	–	3	–
ROMFORD ...	–	–	–	–	3	–
SAFFRON WALDEN	–	1	–	–	–	–
STANSTED ...	–	4	–	–	–	–
TENDRING ...	–	1	1	–	1	–
GLOUCESTER ...	–	48	39	–	52	M. 2
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	36	23	–	38	M. 2
CHARLTON KINGS	–	1	–	–	–	–
†CHELTENHAM ...	–	2	1	–	1	–
COLEFORD ...	–	–	1	–	–	–
†GLOUCESTER C.B.	–	–	5	–	–	–
†KINGSWOOD ...	–	–	2	–	–	–
STROUD ...	–	–	3	–	–	–
Rural Districts :—						
CAMPDEN ...	–	–	–	–	1	–
DURSLEY ...	–	2	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
LYDNEY ...	–	1	–	–	–	–
STROUD ...	–	–	1	–	4	–
THORNBURY ...	–	1	–	–	5	–
WARMLEY ...	–	1	1	–	1	–
WEST DEAN ...	–	3	2	–	1	–
HEREFORD ...	–	5	2	–	5	–
Boroughs and Urban Districts :—						
†HEREFORD ...	–	–	2	–	–	–
Rural Districts :—						
BROMYARD ...	–	3	–	–	1	–
HEREFORD ...	–	2	–	–	–	–
LEDBURY ...	–	–	–	–	3	–
LEOMINSTER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	21	17	–	23	D. 1 E. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	4	–	1	–
†BARNET ...	–	2	–	–	–	–
BISHOP STORTFORD	–	1	–	–	–	–
BUSHEY ...	–	–	–	–	–	E. 1
†CHESHUNT ...	–	–	–	–	1	–
†EAST BARNET VALLEY	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HARPENDEN ...	–	2	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN ...	–	–	–	–	1	–
†LETCHWORTH ...	–	3	–	–	–	–
ROYSTON ...	–	1	–	–	2	–
†ST. ALBANS ...	–	2	–	–	–	–
STEVENAGE ...	–	–	–	–	1	–
†WATFORD ...	–	1	4	–	6	–
Rural Districts:—						
HADHAM ...	–	–	–	–	1	–
HATFIELD ...	–	1	–	–	–	–
HITCHIN ...	–	–	1	–	–	–
ST. ALBANS ...	–	2	5	–	1	–
WATFORD ...	–	4	2	–	9	D. 1
HUNTINGDON ...	–	5	–	–	3	G. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	3	–	–	–	–
HUNTINGDON ...	–	1	–	–	–	–
OLD FLETTON ...	–	1	–	–	2	–
ST. NEOTS ...	*	*	*	*	*	*
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	–	G. 1
ST. IVES ...	–	–	–	–	1	–
ST. NEOTS, No. 1	*	*	*	*	*	*
KENT	–	81	48	1	71	C. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	1	–	–	–	–
†BECKENHAM ...	–	3	1	–	1	–
†BEXLEY ...	–	7	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	5	4	–	1	C. 1
†CANTERBURY C.B.	–	–	3	–	–	–
†CHATHAM ...	–	4	1	–	1	–
†CRAYFORD ...	–	1	1	–	2	–
†DARTFORD ...	–	4	2	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	–	–	6	–
†ERITH	–	4	1	–	9	–
†FOLKSTONE ...	–	1	–	–	5	–
†GILLINGHAM ...	–	4	1	–	1	–
†GRAVESEND ...	–	–	1	–	–	–
†HERNE BAY ...	–	4	–	–	–	–
HYTHE	–	–	1	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	3	–	–	1	–
MILTON REGIS	–	2	1	–	–	–
†PENGE	–	3	1	–	1	–
†RAMSGATE ...	–	3	8	–	2	–
†ROCHESTER ...	–	1	7	–	5	–
†ROYAL TUNBRIDGE WELLS	–	7	–	–	11	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	3	–	–	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	–	–	–	1	–
†TONBRIDGE ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	–	3	–
WROTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	2	–	–	–	–
BROMLEY ...	–	3	–	–	–	–
DARTFORD ...	–	7	2	1	5	–
EAST ASHFORD	–	1	2	–	–	–
ELHAM	–	–	–	–	2	–
FAVERSHAM ...	–	–	2	–	1	–
ISLE OF THANET	–	1	3	–	–	–
MALLING ...	–	1	–	–	–	–
MILTON	–	–	2	–	–	–
SEVENOAKS ...	–	2	1	–	–	–
SHEPPEY ...	–	–	–	–	1	–
TONBRIDGE ...	–	–	–	–	7	–
WEST ASHFORD	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	416	136	10	397	C. 9 D. 1 G. 1 M. 25
Boroughs and Urban Districts:—						
Abram	–	2	1	–	–	–
†ACCRINGTON ...	–	2	3	–	1	M. 1
†ASHTON-IN-MAKERFIELD	–	3	–	–	6	–
†ASHTON-UNDER-LYNE	–	–	–	2	2	–
†ATHERTON ...	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	8	3	–	–	–
†BLACKBURN C.B.	–	3	1	–	13	–
†BLACKPOOL C.B.	–	2	–	–	5	–
†BOLTON C.B. ...	–	11	3	–	6	M. 1
†BOOTLE C.B. ...	–	6	4	–	–	–
BRIERFIELD ...	–	–	–	–	4	–
†BURNLEY C.B.	–	3	8	–	2	G. 1
†BURY C.B. ...	–	1	–	–	5	–
†CHADDERTON ...	–	6	1	–	3	–
†CHORLEY ...	–	–	–	–	4	–
CLAYTON-LE-MOORS	–	1	–	–	–	–
†COLNE	–	–	–	–	6	–
†CROMPTON ...	–	2	–	–	3	–
CROSTON ...	–	–	1	–	–	–
†DALTON-IN-FURNESS	–	–	–	–	4	–
†DENTON ...	–	1	1	–	1	–
†DROYLSDEN ...	–	3	–	–	–	–
†ECCLES ...	–	4	–	–	5	–
†FAILSWORTH ...	–	4	–	–	4	–
†FARNWORTH ...	–	–	–	–	2	–
†FLEETWOOD ...	–	–	1	–	8	–
FULWOOD ...	–	–	–	–	2	–
GOLBORNE ...	–	1	–	–	–	–
†GREAT CROSBY	–	1	–	–	1	–
†HASLINGDEN ...	–	1	–	–	1	–
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	–	1	1	1	M. 1
†HINDLEY ...	–	5	–	–	4	–
†HORWICH ...	–	5	4	–	3	–
HUYTON-WITH ROBY... ...	–	–	–	–	–	D. 1
IRLAM	–	3	–	–	2	M. 1
KIRKHAM ...	–	1	–	1	–	–
†LANCASTER ...	–	6	1	–	5	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	4	–	–	12	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.* Boroughs and Urban Districts—*cont.*						
†LITHERLAND ...	–	–	2	–	–	–
†LITTLEBOROUGH	–	–	–	–	1	–
LITTLE HULTON	–	2	–	–	–	–
LITTLE LEVER...	*	*	*	*	*	*
†LIVERPOOL C.B.	–	75	27	1	61	C. 1 M. 10
†MANCHESTER C.B.	–	103	30	4	96	C. 5 M. 11
†MIDDLETON ...	–	5	1	–	3	–
MILNROW ...	–	1	–	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY ...	–	–	–	–	1	–
†NELSON ...	–	–	–	–	1	–
†NEWTON-IN-MAKERFIELD	–	6	–	–	1	–
†OLDHAM C.B.	–	24	1	–	8	–
ORMSKIRK ...	–	1	–	–	–	–
ORRELL... ...	–	–	–	–	2	–
†OSWALDTWISTLE	–	4	1	–	4	–
PREESALL ...	–	–	1	–	–	–
†PRESTON C.B. ...	–	3	–	–	2	–
†RADCLIFFE ...	–	3	1	–	–	–
†RAMSBOTTOM ...	–	3	1	–	4	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON ...	–	1	1	–	1	–
†ROCHDALE C.B.	–	10	10	–	5	–
†ROYTON ...	–	3	1	–	2	–
†ST. HELENS C.B.	–	1	4	–	9	–
†SALFORD C.B. ...	–	24	6	–	17	C. 2
†SOUTHPORT C.B	–	–	–	–	3	–
†STRETFORD ...	–	8	3	–	5	–
†SWINTON AND PENDLEBURY	–	–	1	–	3	–
TOTTINGTON ...	–	–	1	–	4	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	2	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON ...	–	1	–	–	1	–
†WALTON-LE-DALE	–	3	2	–	–	–
†WARRINGTON C.B.	–	6	–	–	14	–
†WATERLOO-WITH-SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	2	1	–	–	–
WHITEFIELD ...	–	4	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIDNES ...	–	2	1	–	9	–
†WIGAN C.B. ...	–	6	1	1	9	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	2	–
BURNLEY ...	–	–	2	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	8	–	–	2	–
FYLDE	–	1	2	–	–	C. 1
LEIGH ...	–	1	–	–	1	–
LIMEHURST ...	–	2	–	–	–	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON ...	–	2	–	–	1	–
ULVERSTON ...	–	–	–	–	2	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON ...	–	–	2	–	–	–
LEICESTER ...	–	10	14	–	18	C. 1 M. 4
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	1	–	2	–
†LEICESTER C.B.	–	6	3	–	3	M. 4
†LOUGHBOROUGH	–	1	1	–	–	–
MELTON MOWBRAY	–	–	1	–	3	–
OADBY	–	–	–	–	1	–
WIGSTON MAGNA	–	–	3	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	–	–	–	C. 1
BARROW-UPON-SOAR	–	–	2	–	–	–
BILLESDON ...	–	1	–	–	–	–
BLABY	–	1	–	–	–	–
HINCKLEY ...	–	–	–	–	3	–
LUTTERWORTH	–	–	1	–	–	–
LEICESTER—*cont.*						
Rural Districts—*cont.*						
MARKET BOSWORTH	–	–	1	–	3	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	3	–
LINCOLN (parts of Holland).	–	3	2	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
EAST ELLOE ...	–	–	2	–	–	–
SPALDING (part)	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	3	G. 1
Rural Districts:—						
BOURNE ...	–	1	–	–	1	–
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	–	2	–	–	–	–
SLEAFORD ...	–	–	–	–	1	G. 1
SPALDING (part)	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	6	8	–	12	G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	3	–	2	–
†GAINSBOROUGH	–	1	–	–	2	–
†GRIMSBY C.B. ...	–	4	1	–	1	G. 1
†LINCOLN C.B. ...	–	–	2	–	1	–
LOUTH	–	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	2	–
WINTERTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GLANFORD BRIGG	–	–	1	–	2	–
SIBSEY	–	1	–	–	–	–
MIDDLESEX ...	–	160	97	–	121	L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	11	7	–	1	–
†BRENTFORD ...	–	4	2	–	3	–
†CHISWICK ...	–	8	5	–	1	–
†EALING ...	–	22	11	–	7	–
†EDMONTON ...	–	10	5	–	–	–
†ENFIELD ...	–	5	–	–	9	–
†FINCHLEY ...	–	2	–	–	5	–
†FRIERN BARNET	–	4	2	–	–	–
GREENFORD ...	–	–	4	–	–	–
HAMPTON WICK	–	–	–	–	1	–
†HANWELL ...	–	11	4	–	2	–
†HARROW-ON-THE-HILL	–	–	1	–	–	–
†HENDON ...	–	1	6	–	1	–
†HESTON AND ISLEWORTH	–	3	2	–	17	–
†HORNSEY ...	–	16	5	–	8	–
†SOUTHALL-NORWOOD	–	2	3	–	13	L. 1
†SOUTHGATE ...	–	4	–	–	–	–
STAINES... ...	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	1	–
†TOTTENHAM ...	–	21	9	–	18	M. 1
†TWICKENHAM ...	–	2	1	–	1	–
†UXBRIDGE ...	–	2	–	–	1	–
†WEALDSTONE ...	–	1	4	–	–	–
†WEMBLEY ...	–	–	1	–	6	–
†WILLESDEN ...	–	14	22	–	17	–
†WOOD GREEN ...	–	7	3	–	4	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
STAINES ...	–	3	–	–	5	–
UXBRIDGE ...	–	4	–	–	–	–
NORFOLK ...	–	10	15	–	16	C. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	1	1	–	3	–
†KING'S LYNN ...	–	1	–	–	1	–
†NORWICH C.B.	–	3	10	–	9	–
WALSOKEN ...	–	1	–	–	–	–
Rural Districts:—						
BLOFIELD ...	–	–	1	–	–	–
DEPWADE ...	–	–	1	–	–	–
DOCKING ...	–	1	–	–	–	–
ERPINGHAM ...	–	3	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	1	–	–	C. 1
WAYLAND ...	–	–	–	–	2	–
NORTHAMPTON	–	11	7	–	51	G. 2
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	–	–	1	–
FINEDON ...	–	–	–	–	2	–
HIGHAM FERRERS	–	–	–	–	1	–
†KETTERING ...	–	–	1	–	1	–
†NORTHAMPTON C.B.	–	3	5	–	40	G. 1
OUNDLE ...	–	2	–	–	–	–
RAUNDS ...	–	–	–	–	–	G. 1
ROTHWELL ...	–	–	–	–	1	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLING-BOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
BRIXWORTH ...	–	–	–	–	2	–
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE	–	–	–	–	2	–
KETTERING ...	–	1	1	–	–	–
THRAPSTON (part)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	25	10	–	290	M. 3
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	1	–	–	–
AMBLE	–	–	–	–	1	–
†ASHINGTON ...	–	–	–	–	3	–
†BEDLINGTONSHIRE	–	1	–	–	5	–
†BERWICK-UPON-TWEED	–	–	1	–	–	–
†BLYTH	–	3	–	–	27	–
CRAMLINGTON ...	–	–	–	–	3	–
†EARSDON ...	–	–	–	–	1	–
†GOSFORTH ...	–	–	–	–	4	–
HEXHAM ...	–	–	–	–	3	–
†LONGBENTON ...	–	–	–	–	13	–
NEWBIGGIN-BY-THE-SEA ...	*	*	*	*	*	*
†NEWBURN ...	–	–	–	–	4	–
†NEWCASTLE-UPON-TYNE C.B.	–	15	6	–	164	M. 3
PRUDHOE ...	–	–	–	–	4	–
ROTHBURY ...	–	1	–	–	–	–
SEATON DELAVAL	–	1	–	–	2	–
SEGHILL... ...	–	–	–	–	2	–
†TYNEMOUTH C.B.	–	1	1	–	19	–
†WALLSEND ...	–	2	1	–	19	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	4	–
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	–	–	–	3	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	–	–	7	–
NOTTINGHAM ...	1	27	11	2	12	D. 1 M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	1	–	–	–
†BEESTON ...	–	1	–	–	1	–
†CARLTON ...	–	–	1	–	–	–
†EAST RETFORD	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	–	–	–	1	D. 1
†MANSFIELD ...	–	7	3	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD WOODHOUSE...	–	–	1	–	3	–
†NOTTINGHAM C.B.	1	13	3	2	2	M. 1
†SUTTON-IN-ASHFIELD	–	1	–	–	2	–
WARSOP ...	–	3	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
Rural Districts:—						
BINGHAM ...	–	–	–	–	1	–
EAST RETFORD	–	1	2	–	–	–
MISTERTON ...	–	–	–	–	1	–
OXFORD	–	7	2	–	6	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	2	1	–	–	–
WHEATLEY ...	–	–	–	–	2	–
Rural Districts:—						
BICESTER ...	–	–	–	–	1	–
CHIPPING NORTON ...	–	–	–	–	1	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY... ...	–	3	1	–	2	–
PETERBOROUGH (Soke of).	–	3	–	–	–	–
Borough:—						
†PETERBOROUGH	–	3	–	–	–	–
RUTLAND... ...	–	1	–	–	1	–
Rural Districts—						
OAKHAM ...	–	1	–	–	–	–
UPPINGHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	19	6	–	13	–
Boroughs and Urban Districts:—						
Bridgnorth ...	–	–	2	–	1	–
Ludlow ...	–	3	1	–	–	–
Market Drayton ...	–	–	–	–	1	–
†Oakengates ...	–	–	–	–	1	–
Oswestry ...	–	4	–	–	–	–
†Shrewsbury ...	–	5	–	–	5	–
†Wenlock ...	–	–	2	–	–	–
Rural Districts:—						
Atcham ...	–	4	1	–	1	–
Bridgnorth ...	–	–	–	–	1	–
Church Stretton ...	–	1	–	–	–	–
Cleobury Mortimer ...	–	–	–	–	1	–
Clun	–	–	–	–	1	–
Drayton ...	–	–	–	–	1	–
Oswestry ...	–	2	–	–	–	–
SOMERSET ...	–	19	6	–	20	C. 1
Boroughs and Urban Districts:—						
†Bath C.B. ...	–	–	2	–	2	–
Clevedon ...	–	–	–	–	2	–
†Frome	–	1	–	–	–	–
Ilminster ...	–	–	–	–	1	–
Midsomer Norton	–	1	–	–	–	–
Minehead ...	–	–	–	–	–	C. 1
Shepton Mallet ...	–	1	–	–	1	–
†Taunton ...	–	1	–	–	1	–
Wellington ...	–	2	–	–	–	–
†Weston-super-Mare	–	2	–	–	1	–
Rural Districts:—						
Axbridge ...	–	–	–	–	5	–
Bath	–	5	–	–	–	–
Bridgwater ...	–	1	–	–	–	–
Chard	–	–	1	–	–	–
Clutton ...	–	–	–	–	4	–
Keynsham ...	–	1	3	–	2	–
Langport ...	–	–	–	–	1	–
Long Ashton ...	–	2	–	–	–	–
SOMERSET—*cont.*						
Rural Districts—*cont.*						
Shepton Mallet	–	1	–	–	–	–
Taunton ...	–	1	–	–	–	–
SOUTHAMPTON	–	80	22	2	32	M. 3
Boroughs and Urban Districts:—						
Alton	–	–	3	–	–	–
Andover ...	–	–	–	–	1	–
†Bournemouth C.B.	–	2	–	1	6	–
Christchurch...	–	–	–	–	4	–
†Eastleigh and Bishopstoke	–	1	–	–	1	–
†Fareham ...	–	–	–	–	1	–
†Farnborough...	–	2	–	–	–	–
†Gosport and Alverstoke	–	4	2	–	4	–
Petersfield ...	–	1	–	–	–	–
†Portsmouth C.B.	–	50	6	1	6	–
†Southampton C.B.	–	8	10	–	–	M. 3
Warblington...	–	–	–	–	3	–
†Winchester ...	–	6	–	–	–	–
Rural Districts:—						
Andover ...	–	1	–	–	1	–
Droxford ...	–	–	–	–	1	–
Hartley Wintney	–	2	–	–	–	–
Havant ...	–	1	1	–	–	–
Hursley ...	–	–	–	–	2	–
Petersfield ...	–	–	–	–	1	–
Ringwood ...	–	1	–	–	1	–
Whitchurch ...	–	1	–	–	–	–
STAFFORD ...	–	58	24	–	137	C. 2 M. 12
Boroughs and Urban Districts:—						
Amblecote ...	–	–	–	–	1	–
Biddulph ...	–	–	–	–	1	–
†Bilston ...	–	–	–	–	6	M. 1
†Brownhills ...	–	–	–	–	3	–
†Burton-upon-Trent C.B.	–	2	1	–	5	–
†Cannock ...	–	1	3	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†COSELEY ...	–	–	–	–	4	–
†DARLASTON ...	–	1	–	–	2	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	–	–	–	1	–
†ROWLEY REGIS	–	–	1	–	12	–
†SEDGLEY ...	–	2	–	–	5	–
†SMALLTHORNE ...	–	2	1	–	1	C. 1
†SMETHWICK C.B.	–	2	3	–	15	M. 1
†STAFFORD ...	–	–	–	–	3	–
†STOKE-ON-TRENT C.B.	–	8	3	–	27	C. 1 M. 5
†TIPTON	–	–	1	–	3	–
UTTOXETER ...	*	*	*	*	*	*
†WALSALL C.B....	–	1	2	–	8	M. 2
†WEDNESBURY ...	–	1	–	–	9	–
WEDNESFIELD ...	–	–	–	–	2	–
†WEST BROMWICH C.B.	–	16	1	–	15	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	2	–	–	–	–
†WOLVERHAMPTON C.B.	–	14	2	–	5	M. 2
Rural Districts:—						
BLORE HEATH...	–	–	1	–	–	–
CANNOCK ...	–	1	3	–	–	–
CHEADLE ...	–	–	–	–	1	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	4	–	–	1	–
SEISDON ...	–	1	–	–	–	–
STOKE-UPON-TRENT	–	–	–	–	2	–
STONE	–	–	1	–	1	–
UTTOXETER ...	*	*	*	*	*	*
WALSALL ...	–	–	1	–	1	–
SUFFOLK, EAST	–	17	23	1	26	–
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	8	–	–	–
EYE	–	1	–	–	4	–
†IPSWICH C.B. ...	–	3	6	–	14	–
†LOWESTOFT ...	–	4	3	1	–	–
SOUTHWOLD ...	–	–	–	–	2	–
STOWMARKET ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	–	3	–
BOSMERE AND CLAYDON	–	2	–	–	–	–
EAST STOW ...	–	–	–	–	1	–
HARTISMERE ...	–	3	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	3	–	–	–
PLOMESGATE ...	–	–	2	–	–	–
SAMFORD ...	–	1	1	–	1	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	1	–	–	–	–
HAVERHILL ...	–	1	–	–	–	–
NEWMARKET ...	–	–	2	–	1	–
Rural Districts:—						
THINGOE ...	*	*	*	*	*	*
SURREY	–	59	50	–	62	C. 1 L. 2 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	9	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	2	2	–	–	–
†CARSHALTON ...	–	2	–	–	–	–
†CATERHAM ...	–	–	–	–	6	–
†CHERTSEY ...	–	5	4	–	–	–
†COULSDON AND PURLEY	–	1	2	–	3	L. 1
†CROYDON C.B....	–	9	7	–	19	–
DORKING ...	–	1	–	–	1	–
†EGHAM	–	–	4	–	2	–
†EPSOM	–	–	–	–	3	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†GUILDFORD ...	–	1	1	–	1	–
†KINGSTON-UPON-THAMES	–	4	4	–	3	–
†MERTON AND MORDEN	–	–	6	–	–	–
†MITCHAM ...	–	1	1	–	–	–
†REIGATE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RICHMOND ...	–	1	1	–	2	–
†SURBITON ...	–	4	–	–	1	–
†SUTTON	–	6	–	–	2	C. 1
†THE MALDENS AND COOMBE	–	1	5	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	4	8	–	4	–
†WOKING ...	–	–	–	–	5	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING ...	–	–	–	–	1	–
EPSOM	–	–	1	–	4	–
FARNHAM ...	–	1	1	–	–	–
GODSTONE ...	–	3	–	–	–	–
GUILDFORD ...	–	1	–	–	–	M. 1
REIGATE ...	–	1	1	–	3	L. 1
SUSSEX, EAST ...	–	28	4	–	46	D. 1 G. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	6	3	–	30	–
†EASTBOURNE C.B	–	4	–	–	1	–
†HASTINGS C.B....	–	3	–	–	10	–
†HOVE	–	8	–	–	5	–
†LEWES	–	3	–	–	–	–
PORTSLADE-BY-SEA	–	–	–	–	–	D. 1
Rural Districts:—						
CUCKFIELD ...	–	2	–	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
HAILSHAM ...	–	–	–	–	–	G. 1
NEWHAVEN ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	17	1	–	4	M. 1
Boroughs and Urban Districts:—						
†BOGNOR ...	–	1	–	–	–	–
†CHICHESTER ...	–	–	1	–	2	–
†HORSHAM ...	–	6	–	–	–	–
SOUTHWICK ...	–	–	–	–	–	M. 1
†WORTHING ...	–	7	–	–	–	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
MIDHURST ...	–	3	–	–	–	–
PETWORTH ...	–	–	–	–	2	–
WARWICK ...	–	101	44	–	200	C. 2 M. 12
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	75	37	–	167	C. 1 M. 9
†COVENTRY C.B.	–	4	1	–	5	M. 1
†NUNEATON ...	–	15	1	–	5	–
ROYAL LEAMINGTON SPA –	–	1	–	–	8	–
†RUGBY	–	1	–	–	4	–
†SUTTON COLDFIELD	–	1	–	–	–	–
WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	–	–
COVENTRY ...	–	1	2	–	1	–
FOLESHILL ...	–	–	–	–	4	C. 1 M. 1
MERIDEN ...	–	–	–	–	5	–
RUGBY ...	–	1	–	–	1	–
SOLIHULL ...	–	–	–	–	–	M. 1
TAMWORTH (part)	–	2	1	–	–	–
WESTMORLAND	–	–	–	–	5	–
Boroughs and Urban Districts:—						
KENDAL ...	–	–	–	–	2	
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
WEST WARD...	–	–	–	–	1	–
ISLE OF WIGHT	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	1	–	–	–	–
RYDE	*	*	*	*	*	*
VENTNOR ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT—*cont.*						
Rural District:—						
ISLE OF WIGHT	–	4	1	–	–	–
WILTS	–	16	6	–	14	L. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	3	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	1	–	–	2	–
†SWINDON ...	–	5	–	–	2	–
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	1	–
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	3	–
DEVIZES ...	–	3	–	–	–	L. 2
HIGHWORTH ...	–	2	1	–	–	–
MALMESBURY ...	–	–	–	–	2	–
PEWSEY ...	–	–	–	–	3	–
WARMINSTER ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	–	–	–	1	–
WILTON ...	–	1	–	–	–	–
WORCESTER ...	–	16	3	–	8	M. 1
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	2	–	–	–	–
†KIDDERMINSTER	–	4	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY ...	–	–	1	–	2	M. 1
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE	–	2	1	–	–	–
†WORCESTER C.B.	–	1	1	–	3	–
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
HALESOWEN ...	–	1	–	–	1	–
PERSHORE ...	–	1	–	–	–	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	18	13	–	42	M. 1
Boroughs and Urban Districts:—						
FILEY	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
HESSLE ...	–	–	1	–	–	–
†KINGSTON-UPON HULL C.B.	–	2	11	–	33	M. 1
†YORK C.B. ...	–	8	1	–	5	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	2	–
BRIDLINGTON ...	–	2	–	–	–	–
HOWDEN ...	–	4	–	–	–	–
PATRINGTON ...	–	–	–	–	1	–
SHERBURN ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	9	6	–	17	M. 3
Boroughs and Urban Districts:—						
†ESTON ...	–	–	3	–	–	–
GUISBOROUGH ...	–	–	–	–	5	–
†MIDDLESBROUGH C.B.	–	3	1	–	4	M. 2
†REDCAR ...	–	–	1	–	–	–
†SCARBOROUGH	–	4	–	–	–	–
†THORNABY-ON-TEES	–	1	–	–	–	M. 1
†WHITBY... ...	–	–	–	–	3	–
Rural Districts:—						
BEDALE ...	–	–	–	–	1	–
EASINGWOLD ...	–	–	–	–	1	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
FLAXTON ...	–	–	1	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
KIRKBY MOORSIDE	–	1	–	–	–	–
PICKERING ...	*	*	*	*	*	*
SCARBOROUGH ...	*	*	*	*	*	*
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding).	4	151	77	4	100	C. 3 E. 2 L. 2 M. 14
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	–	–
ALTOFTS... ...	–	–	1	–	–	–
†BARNSLEY C.B.	–	1	–	–	–	–
BIRSTAL ...	–	1	–	–	–	–
†BOLTON-UPON-DEARNE	–	1	–	1	1	C. 1
†BRADFORD C.B.	–	21	5	–	9	C. 2 M. 2
†BRIGHOUSE ...	–	5	–	–	1	–
BURLEY-IN-WHARFEDALE	–	1	–	–	1	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON WEST	–	–	2	–	–	–
†CONISBROUGH ...	–	–	2	–	1	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	–	–	–	1	–
†DARTON ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	1	1	–	1	–
DODWORTH ...	*	*	*	*	*	*
†DONCASTER ...	–	–	–	–	5	–
EARBY	–	–	–	–	2	–
†ELLAND ...	–	3	–	–	1	–
EMLEY	–	–	1	–	–	–
†GOLCAR	–	1	1	–	–	–
†GOOLE	–	2	1	–	2	–
GREETLAND ...	–	–	1	–	1	–
†HALIFAX C.B. ...	–	9	1	–	5	–
†HARROGATE ...	–	2	–	–	–	–
HAWORTH ...	–	1	2	–	–	–
†HEMSWORTH ...	–	4	–	–	–	–
†HOLMFIRTH ...	–	–	1	–	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	1	6	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HUDDERSFIELD C.B.	–	5	1	–	–	–
ILKLEY	–	1	1	–	–	–
†KEIGHLEY ...	–	–	–	–	2	–
KIRKHEATON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	–	–	1	–	–
†LEEDS C.B. ...	–	36	13	–	18	M. 5
LINTHWAITE ...	1	–	1	–	–	–
†MEXBOROUGH ...	–	–	1	–	–	–
MIRFIELD ...	–	–	1	–	–	–
†MORLEY ...	–	–	7	–	–	E. 1
MYTHOLMROYD	*	*	*	*	*	*
NEW MILL ...	–	–	–	–	1	–
†OSSETT	–	2	2	–	–	–
OXENHOPE ...	–	–	1	–	–	–
†PUDSEY... ...	–	–	–	–	1	–
QUEENSBURY ...	–	1	1	–	–	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	5	–	–	4	–
†ROTHWELL ...	–	2	2	–	–	–
†SADDLEWORTH	3	2	–	–	–	–
†SHEFFIELD C.B.	–	29	15	1	23	M. 3
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
SPRINGHEAD ...	–	1	–	–	–	–
†SWINTON ...	–	1	1	–	1	–
†WAKEFIELD C.B.	–	3	–	–	1	L. 2 M. 2
†WOMBWELL ...	–	–	–	–	3	M. 1
†WORSBOROUGH...	–	–	–	–	–	M. 1
Rural Districts:—						
DONCASTER ...	–	–	3	–	1	E. 1
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	1	1	–	3	–
KIVETON PARK	–	–	2	–	–	–
ROTHERHAM ...	–	–	–	–	1	–
TADCASTER ...	–	2	–	–	–	–
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	–	1	–	1	–
WHARFEDALE (NORTH)	–	–	1	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	5	–	–	–
Boroughs and Urban Districts :—						
LLANGEFNI ...	–	–	5	–	–	–
Rural Districts :—						
VALLEY... ...	–	1	–	–	–	–
BRECKNOCK ...	–	1	–	1	6	–
Boroughs and Urban Districts :—						
BRYNMAWR ...	–	–	–	–	2	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts :—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
CRICKHOWELL ...	–	–	–	1	–	–
LLANWRTHWL (PARISH)	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	–	–	4	–
CARDIGAN ...	–	–	–	–	2	–
Rural Districts :—						
ABERYSTWYTH (NORTH)	–	–	–	–	1	–
TREGARON ...	–	–	–	–	1	–
CARMARTHEN ...	–	5	5	–	14	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	–	1	–	1	–
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–	–	–	–	1	–
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	–	–	1	–	4	–
Rural Districts :—						
CARMARTHEN ...	–	2	1	–	1	–
LLANDILO FAWR	–	1	1	–	2	–
LLANELLY ...	–	2	1	–	2	–
WHITLAND ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	6	14	–	1	–
Boroughs and Urban Districts :—						
BANGOR... ...	–	3	2	–	1	–
CONWAY ...	–	–	4	–	–	–
LLANDUDNO ...	–	2	1	–	–	–
PENMAENMAWR	–	–	3	–	–	–
Rural Districts :—						
GEIRIONYDD ...	–	1	–	–	–	–
GWYRFAI ...	–	–	4	–	–	–
DENBIGH ...	–	7	4	–	6	C. 1
Boroughs and Urban Districts :—						
†WREXHAM ...	–	1	1	–	–	–
Rural Districts :—						
LLANGOLLEN ...	–	3	–	–	1	–
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	3	2	–	5	C. 1
FLINT	–	2	3	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	–	–
ST. ASAPH (FLINT)	–	1	1	–	–	–
GLAMORGAN ...	–	76	47	1	59	L. 2 M. 2
Boroughs and Urban Districts :—						
†ABERDARE ...	–	8	–	1	8	–
†BARRY	–	1	1	–	–	–
BRITON FERRY	–	–	2	–	2	–
†CARDIFF C.B. ...	–	5	8	–	9	–
COWBRIDGE ...	–	–	–	–	1	–
†GELLIGAER ...	–	5	1	–	–	–
MAESTEG ...	–	3	–	–	–	–
†MERTHYR TYDFIL C.B.	–	1	2	–	2	–
†MOUNTAIN ASH	–	12	1	–	2	–
†NEATH	–	–	3	–	4	–
†OGMORE and GARW	–	3	–	–	–	L. 2
†PENARTH ...	–	4	–	–	–	–
†PONTYPRIDD ...	–	5	3	–	3	M. 1

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTHCAWL ...	–	–	1	–	1	–
†PORT TALBOT ...	–	5	4	–	–	–
†RHONDDA ...	–	14	6	–	7	–
†SWANSEA C.B. ...	–	7	3	–	2	M. 1
Rural Districts:—						
LLANDAFF and DINAS POWIS	–	1	2	–	–	–
LLANTRISANT and LLANTWIT FARDRE	–	1	1	–	4	–
NEATH	–	1	1	–	10	–
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	–	6	–	1	–
SWANSEA ...	–	–	1	–	3	–
MERIONETH ...	–	–	–	–	–	–
MONMOUTH ...	–	38	13	–	32	M. 2
Boroughs and Urban Districts:—						
†ABERCARN ...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	2	–	1	M. 1
BEDWAS AND MACHEN	–	1	1	–	–	–
†BEDWELLTY ...	–	5	1	–	2	–
CHEPSTOW ...	–	–	–	–	1	–
†EBBW VALE ...	–	2	–	–	1	–
LLANTARNAM ...	–	1	–	–	1	–
†NANTYGLO AND BLAINA	–	–	–	–	11	–
†NEWPORT C.B....	–	15	1	–	12	M. 1
†PANTEG... ...	–	1	–	–	–	–
†RHYMNEY ...	–	4	–	–	–	–
†RISCA	–	4	5	–	–	–
†TREDEGAR ...	–	–	3	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MAGOR... ...	–	–	–	–	1	–
SAINT MELLONS	–	–	–	–	1	–
MONTGOMERY ...	–	–	1	–	–	–
Borough:—						
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE—	–	8	2	–	2	–
Boroughs and Urban Districts:—						
HAVERFORD-WEST	–	1	–	–	–	–
MILFORD HAVEN	–	4	1	–	1	–
†PEMBROKE ...	–	1	–	–	1	–
TENBY	–	1	–	–	–	–
Rural Districts:—						
PEMBROKE ...	–	1	–	–	–	–
ST. DOGMELLS...	–	–	1	–	–	–
RADNOR	–	–	–	–	1	–
Urban District:—						
LLANDRINDOD WELLS	–	–	–	–	1	–
Total of Part II.	7	1970	957	25	2722	C. 31 D. 4 E. 4 G. 9 L. 16 M. 102

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff ...	–	–	–	–	2	–
Hartlepool ...	*	*	*	*	*	*
Liverpool ...	–	–	–	–	1	–
Padstow ...	*	*	*	*	*	*
Port of London	–	–	1	1	–	–
Total of Part III.	–	–	1	1	3	–

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	465	340	4	376	C. 6 D. 3 E. 2 G. 2 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	7	1970	957	25	2722	C. 31 D. 4 E. 4 G. 9 L. 16 M. 102
Total of Part III.—Port Sanitary Districts ...	–	–	1	1	3	–
Total (*i.e.*, of returns received) England and Wales	7	2435	1298	30	3101	C. 37 D. 7 E. 6 G. 11 L. 16 M. 119

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Seven cases of Small-pox were notified, which appear on pages 92, 99, and 104.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.
LONDON:—													
DEATHS—all ages -	940	1,150	1,435	1,324	1,601	1,383	1,279	1,395	1,606	2,170	2,726	2,481	2,022
„ 0 to 1 year -	144	123	128	106	138	135	125	142	169	182	224	264	219
GREAT TOWNS, aggregate (including London) :—													
BIRTHS - - -	*7,450*	*7,981*	*7,900*	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969 *8,786*	8,853 *8,675*	8,096 *7,908*	8,131 *7,958*
DEATHS—all ages -	*4,039*	*4,289*	*5,202*	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922 *6,800*	8,085 *7,928*	8,638 *8,482*	8,353 *8,173*
„ *0 to 1 year* -	*686*	*608*	*663*	*566*	*648*	*623*	*641*	*661*	*699*	793 *781*	860 *842*	1,016 *1,001*	1,024 *1,011*
ENTERIC FEVER—Cases	*43*	*44*	*31*	*38*	*23*	*28*	*22*	*27*	*13*	19 *19*	22 *20*	11 *9*	17 *17*
„ Deaths	*9*	*6*	*4*	*6*	*11*	*6*	*5*	*6*	*4*	8 *7*	7 *7*	9 *9*	2 *2*
SMALL POX—Cases -	*2*	*7*	*1*	*12*	*4*	*2*	*6*	*12*	*2*	4 *4*	5 *5*	— —	1 *1*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,850*	*2,675*	*2,839*	*2,709*	*2,639*	*2,389*	*2,430*	*2,166*	*1,895*	1816 *1798*	1,767 *1,738*	1,672 *1,645*	1,521 *1,502*
„ Deaths	*18*	*22*	*14*	*28*	*20*	*25*	*33*	*17*	*26*	35 *34*	38 *38*	36 *36*	21 *21*
DIPHTHERIA—Cases -	*1,023*	*1,036*	*984*	*1,041*	*956*	*936*	*1,098*	*985*	*906*	858 *831*	863 *846*	889 *868*	787 *770*
„ Deaths	*61*	*66*	*76*	*72*	*71*	*58*	*70*	*79*	*92*	72 *71*	93 *92*	100 *99*	75 *74*
MEASLES—Deaths -	*31*	*18*	*36*	*36*	*30*	*31*	*50*	*47*	*68*	69 *69*	61 *61*	82 *82*	60 *60*
INFLUENZA—Deaths -	*32*	*44*	*59*	*80*	*128*	*149*	*212*	*237*	*418*	819 *807*	1,262 *1,240*	1,433 *1,404*	1,450 *1,419*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 28th January 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	52	24	44·0	32·9	14
BRIGHTON -	51	26	46·6	38·4	23
PORTSMOUTH -	51	26	47·7	37·6	35
NORWICH (EATON).	48	24	40·1	30·9	18
PLYMOUTH -	56	30	49·9	38·7	29
BRISTOL (CLIFTON).	49	24	45·3	27·9	22
BIRMINGHAM -	50	22	42·7	31·7	26
NOTTINGHAM -	49	24	37·4	30·7	39
BIRKENHEAD (BIDSTON).	48	25	41·3	33·3	15
MANCHESTER	50	26	42·6	33·0	8
BURNLEY -	47	23	38·6	30·4	13
HUDDERSFIELD	Not received.				

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	42	22	37·1	29·1	40
SHEFFIELD -	48	24	39·6	30·4	50
YORK (MUSEUM).	42	26	39·0	31·7	37
HULL (PEARSON PARK).	44	26	40·3	31·6	29
TYNEMOUTH	46	29	40·4	34·3	19
CARDIFF -	49	23	44·0	33·0	25
EDINBURGH -	46·0	26·0	38·7	31·7	4
GLASGOW -	44·6	28·5	40·2	33·4	16
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	51·0	31·0	47·7	38·3	19
BELFAST -	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 28th January 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	22	..	29·966	45·7	33·2	12·5	37·3	− 1·5	36·6	0·7	2·7	0·0	97	44·6	29·1	43·9	SW. & calm	Calm & E.	0·6	0·0	0·0	121	−185	0·01
MONDAY	23	..	29·989	39·7	33·6	6·1	35·9	− 3·0	32·1	3·8	8·0	0·0	86	42·0	32·1	43·9	Calm & E.	E.	3·5	0·0	0·3	316	+ 5	0·01
TUESDAY	24	..	29·746	33·6	24·4	9·2	26·8	−12·1	18·8	8·0	11·6	4·6	70	32·7	25·7	43·5	E.	ENE. & E.	5·0	0·0	0·6	487	+170	0·00
WEDNESDAY	25	..	29·384	47·9	29·1	18·8	38·8	− 0·3	38·3	0·5	4·6	0·0	98	47·4	28·9	43·8	E. & ESE.	ESE. & SE.	5·0	0·0	0·3	329	+ 6	0·13
THURSDAY	26	Greatest Declination S.	29·630	48·8	38·6	10·2	43·7	+ 4·4	43·0	0·7	2·3	0·0	97	58·2	38·4	43·4	Calm & SSE.	E.	1·4	0·0	0·1	194	−135	0·09
FRIDAY	27	New	29·367	43·0	38·5	4·5	41·1	+ 1·6	40·4	0·7	3·6	0·0	97	46·4	38·3	43·3	E. & ESE.	ESE.	2·4	0·0	0·2	287	− 48	0·25
SATURDAY	28	..	29·286	52·1	41·5	10·6	46·4	+ 6·8	42·6	3·8	8·1	1·3	86	88·2	35·5	43·4	SE. & S.	S. & SE.	1·5	0·0	0·1	260	− 79	0·05
MEANS		..	29·624	44·4	34·1	10·3	38·6	− 0·6	36·0	2·6	5·8	0·8	90	51·4	32·6	43·6	ESE		...	...	...	Sum 1,994	Sum −266	Sum 0·54
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	22	w.P. throughout	2·9	8·6	Nearly cloudless till 2h. Overcast till 4h., then misty with hoar frost, becoming foggy by 8h. Apparently overcast at times. Heavy dew at night.
MONDAY -	23	w.P. throughout	0·0	8·6	Overcast except for slight breaks about 22h. Mist and heavy dew in morning.
TUESDAY -	24	w.P. throughout	0·0	8·7	Overcast throughout. Brisk wind generally. Hoar frost in morning. Granular snow between 9h. and 16h.
WEDNESDAY	25	w.P. throughout	0·0	8·7	Overcast throughout. Snow, sleet, rain or damping generally between 4h. and 9h. Rain from 14h. 30m. to 18h. and damping at times afterwards.
THURSDAY -	26	w.P. throughout	0·0	8·8	Overcast with few exceptions. Misty in evening. Damping or slight rain before 4h. and after 15h. Rain generally after 22h.
FRIDAY -	27	w.P. throughout	0·0	8·8	Overcast throughout. Frequent damping or misty rain till 15h. Rain from 19h. 30m.
SATURDAY -	28	w.P. throughout	4·4	8·9	Overcast till 5h. Nearly cloudless by 6h., clouding up from 13h. Overcast by 17h. Rain 2h. 30m. to 3h. 30m. Slight rain or damping from 20h. 45m.
			Sum 7·3	Sum 61·1	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·74 in. at the beginning of the week to 30·03 in. by 10h. on 23rd; decreased to 29·34 in. by 15h. on 25th; increased to 29·68 in. by 21h. on 26th; decreased to 29·16 in. by 1h. on 28th; increased to 29·33 in. by 18h. and was 29·30 in. at midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 5.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 4TH FEBRUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH FEBRUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifth week of the year numbered 8,822, and corresponded to an annual rate of 24·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,786 and corresponded to an annual rate of 21·5 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 22·4, 23·9 and 23·1. Infant mortality was 110 per 1,000 births against 97, 125 and 126 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,024 births, corresponding to a rate of 23·5 per 1,000, and 1,662 deaths of civilians, corresponding to a rate of 19·4, as against 31·8, 28·9, and 23·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 25·9 per 1,000. The infant mortality was 95 as against 107, 134, and 118 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 567 in the total deaths last week, the deaths from influenza showing a fall of 307. In London the number of deaths from all causes fell from 2,022 to 1,662; there was a decrease of 129 in the deaths from influenza, of 131 from bronchitis, and of 71 from pneumonia.

---

m (45)17017—1 Wt 30—P 19 2500 2/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 4th February 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,822	7,786	972	2	61	27	184	80	61	1144
London	4,476,586*	2,024	1,662	192	–	32	13	44	35	9	191
Towns in Outer Ring.											
Croydon C.B.	190,877	71	66	1	–	–	–	1	–	–	8
Wimbledon	61,451	15	22	2	–	–	–	1	1	–	2
Ealing	67,753	25	26	3	–	–	–	–	3	–	5
Acton	61,314	27	17	2	–	–	–	–	1	–	1
Willesden	165,669	65	35	6	–	–	1	–	–	–	3
Hendon	56,014	22	9	1	–	–	–	–	–	–	1
Hornsey	87,691	27	26	2	–	–	–	–	–	–	2
Wood Green	50,716	21	18	2	–	–	–	–	–	–	3
Tottenham	146,695	57	42	1	–	–	–	–	–	–	4
Edmonton	66,809	35	19	2	–	–	–	1	2	–	4
Enfield	60,743	23	11	1	–	–	–	–	–	–	4
West Ham C.B.	300,905	169	113	18	–	1	–	12	1	–	15
East Ham C.B.	143,304	59	49	3	–	–	–	2	–	–	9
Leyton	128,432	40	45	5	–	–	2	3	1	1	2
Walthamstow	127,441	52	41	6	–	–	–	–	1	–	8
Ilford	85,191	22	22	4	–	–	–	–	1	–	2
Gillingham	47,887*	24	8	1	–	–	–	–	–	–	–
Canterbury C.B.	23,331*	11	9	1	–	–	–	–	–	–	1
Hastings C.B.	66,496	25	27	1	–	–	–	–	–	–	8
Eastbourne C.B.	62,030	14	22	–	–	–	–	–	–	–	3
Brighton C.B.	142,427	38	73	4	–	–	–	–	1	1	17
Portsmouth C.B.	234,218*	116	94	8	–	–	–	3	1	–	18
Bournemouth C.B.	91,770	22	44	2	1	–	–	–	–	1	3
Southampton C.B.	160,997	57	50	4	–	–	–	1	1	–	7
Reading C.B.	92,274	26	37	3	–	–	–	1	1	–	9
Oxford C.B.	57,052	20	22	–	–	–	–	–	–	–	2
Northampton C.B.	90,923	34	49	4	–	–	–	–	–	–	8
Luton	57,077	30	19	3	–	–	–	–	–	–	4
Cambridge	59,262	21	34	2	–	–	–	–	–	–	8
Southend-on-Sea C.B.	106,021	26	26	2	–	–	–	1	–	–	4
Ipswich C.B.	79,383	39	19	2	–	–	–	1	–	–	2
Great Yarmouth C.B.	60,710	23	35	6	–	–	–	2	–	–	6
Norwich C.B.	120,653	62	87	10	–	–	–	2	–	–	20
Swindon	54,920	26	32	1	–	–	–	1	–	–	7
Exeter C.B.	59,608	23	32	4	–	–	–	1	–	1	5
Plymouth C.B.	198,132*	90	110	18	–	–	–	3	1	5	16
Bath C.B.	68,648	20	32	3	–	–	–	1	–	–	8
Bristol C.B.	377,061	156	193	20	–	5	–	4	5	–	47
Gloucester C.B.	51,330	36	30	4	–	–	–	1	–	–	7
Stoke-on-Trent, C.B.	240,440	166	87	15	–	–	–	3	–	3	6
Burton-upon-Trent C.B.	48,927	28	26	–	–	–	–	–	–	–	3
Wolverhampton C.B.	102,373	60	47	9	–	–	–	1	–	–	4
Walsall C.B.	96,964	69	66	8	–	–	–	–	–	–	10
West Bromwich C.B.	73,761	55	50	4	–	–	1	2	–	–	4
Worcester C.B.	48,848	27	12	–	–	–	–	–	–	–	2
Dudley C.B.	55,908	34	23	5	–	–	–	2	–	–	2
Birmingham C.B.	919,438	428	334	54	1	–	2	19	2	5	46
Smethwick C.B.	75,757	31	32	5	–	–	–	3	–	–	13
Coventry C.B.	128,205	56	57	7	–	–	–	1	–	–	14
Leicester C.B.	234,190	107	80	2	–	–	–	1	1	–	7
Lincoln C.B.	66,020	29	22	5	–	–	–	–	–	–	1
Grimsby C.B.	82,329	40	32	6	–	–	–	2	–	1	1
Nottingham C.B.	262,658	122	71	11	–	–	–	–	–	–	1
Derby C.B.	129,836	54	32	4	–	–	–	–	1	–	1
Chesterfield	61,236	48	12	–	–	–	–	–	–	–	1
Stockport C.B.	123,315	44	47	5	–	–	–	–	–	1	7
Chester C.B.	40,794	17	29	2	–	–	–	–	–	–	8
Birkenhead C.B.	145,592	74	68	10	–	5	1	3	1	2	4
Wallasey C.B.	90,721	27	34	3	–	–	–	–	–	–	12
Liverpool C.B.	803,118	456	397	68	–	12	2	8	5	4	38
Bootle C.B.	76,508	33	45	6	–	3	1	3	–	2	4
St. Helens C.B.	102,675	53	51	6	–	–	–	–	–	–	3

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	18	22	1	–	–	–	2	–	–	4
Wigan C.B.	89,447	43	40	8	–	2	–	1	–	–	9
Warrington C.B.	76,811	42	26	4	–	–	–	–	–	–	4
Bolton C.B.	178,678	71	57	7	–	–	–	–	–	1	8
Bury C.B.	56,426	18	27	4	–	–	–	–	–	–	5
Manchester C.B.	730,551	322	289	34	–	–	–	4	3	6	35
Salford C.B.	234,150	113	93	13	–	–	1	5	1	3	8
Oldham C.B.	145,001	73	57	9	–	–	–	–	–	–	3
Rochdale C.B.	90,807	41	47	6	–	–	–	4	–	1	11
Burnley C.B.	103,175	39	51	7	–	–	–	1	1	1	5
Blackburn C.B.	126,630	55	74	10	–	–	–	–	1	–	13
Preston C.B.	117,426	42	40	2	–	–	–	–	–	–	11
Blackpool C.B.	99,640	16	32	2	–	–	–	–	–	–	3
Barrow-in-Furness C.B.	74,254	37	29	4	–	–	–	1	–	–	5
Huddersfield C.B.	110,120	44	26	2	–	–	–	–	–	–	3
Halifax C.B.	99,129	38	38	2	–	–	–	1	–	–	2
Bradford C.B.	285,979	126	98	13	–	–	–	1	–	–	6
Leeds C.B.	458,320	217	143	16	–	–	–	5	1	4	11
Dewsbury C.B.	54,165	25	15	2	–	–	–	–	–	1	–
Wakefield C.B.‡	53,053	26	16	3	–	–	–	–	–	1	2
Barnsley C.B.‡	67,918	41	13	3	–	–	–	–	–	1	–
Sheffield C.B.‡	511,748	272	148	9	–	–	1	2	–	1	4
Rotherham C.B.	68,045	44	12	3	–	–	–	–	–	–	–
Doncaster	54,052	23	16	2	–	–	–	–	–	–	–
York C.B.	82,606*	40	45	9	–	–	–	–	–	–	14
Hull C.B.	287,013	141	177	26	–	–	–	3	1	1	34
Middlesbrough C.B.	131,103	85	45	6	–	–	–	1	–	–	6
Darlington C.B.	65,866	34	48	7	–	–	–	1	–	–	7
Stockton-on-Tees	64,150	43	27	5	–	–	–	–	–	–	3
West Hartlepool C.B.	68,689	42	51	13	–	–	–	2	–	1	11
Sunderland C.B.	159,100	135	135	21	–	–	–	1	–	1	45
South Shields C.B.‡	118,631	84	67	11	–	–	–	–	1	–	10
Gateshead C.B.	124,514	63	111	24	–	–	–	1	–	–	38
Newcastle-on-Tyne C.B.	274,955	143	194	30	–	1	–	2	–	–	42
Tynemouth C.B.	63,786	29	28	5	–	–	–	–	1	1	5
Carlisle C.B.	52,600	24	48	6	–	–	–	3	–	–	9
Newport (Mon.) C.B.	92,369	57	64	7	–	–	1	2	–	–	22
Cardiff C.B.	200,262	110	118	15	–	–	–	4	2	–	26
Rhondda	162,729	93	73	13	–	–	1	–	–	1	17
Merthyr Tydfil C.B.	80,161	45	56	5	–	–	–	–	1	–	9
Aberdare	55,010	32	33	2	–	–	–	–	–	–	12
Swansea C.B.	157,561	85	96	12	–	–	–	3	1	–	16
Greater London	7,467,946*	3,165	2,578	270	–	34	16	67	52	12	324
Outer Ring	2,991,360*	1,141	916	78	–	2	3	23	17	3	133
16 Great Towns in Outer Ring	1,801,005	730	561	59	–	1	3	20	11	1	73
Remainder of Outer Ring	1,190,355*	411	355	19	–	1	–	3	6	2	60
Edinburgh†	420,500	236	325	32	–	–	1	6	–	2	99
Glasgow†	1,037,800	593	812	135	–	76	3	6	8	8	130
Dublin (Registration Area)†	427,000	242	175	23	–	5	–	1	–	–	16
Belfast†	425,000	204	178	24	1	3	–	–	1	3	22

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire and Foreign Countries.** } { **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,476,586	Feb. 4	2024	1662	19·4	–	–	32	13	44	35	9	191
Calcutta	896,067	Jan. 7	–	517§	30·0	?	5	–	–	–	–	–	10
Bombay	979,445	„ 7	363‖	836§	44·4	3	–	–	–	1	–	67	6
		„ 14	383‖	751§	39·9	1	–	–	–	–	–	65	4
Madras	522,951	Dec. 24	348	428	42·6	1	17	4	?	1	–	29	–
		„ 31	290	396	39·4	4	13	2	?	1	–	40	1
Paris	2,847,229	„ 31	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 21	132	135	21·0	–	–	–	–	1	–	5	20
Amsterdam	683,400	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Copenhagen	562,000	Jan. 28	235	147	13·5	–	–	–	–	–	2	–	22
Stockholm	419,788	„ 21	104	145	18·0	1	–	–	–	–	–	–	26
Gothenburg	228,052	„ 7	–	–	–	–	–	–	–	–	–	–	–
Christiania	260,920	„ 28	122	135	26·9	–	–	1	–	3	1	–	25
Berlin	1,955,000	Jan. 7	478	775	20·6	–	?	2	1	2	4	6	159
Breslau	550,000	„ 7	231	298	28·2	–	?	1	–	2	5	6	41
Cologne	672,000	„ 7	317	286	22·1	2	?	–	1	2	1	9	53
Dresden	601,000	„ 7	187	221	19·1	–	?	–	–	1	3	3	38
Frankfort-on-Main	473,000	„ 7	161	170	18·7	1	?	–	–	1	2	1	54
Hamburg	1,039,000	„ 7	362	339	17·0	–	?	–	1	–	1	3	66
Leipzig	632,000	„ 7	243	194	16·0	1	?	–	–	–	1	6	23
Munich	675,000	„ 7	171	245	18·9	–	?	–	–	1	2	4	33
Vienna	1,842,005	„ 14	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	Dec. 31	247	176	13·7	1	–	–	3	–	1	6	–
		Jan. 7	262	189	14·6	–	–	2	–	–	–	6	1
		„ 14	232	201	15·5	3	–	2	1	–	–	8	3
		„ 21	259	212	16·3	1	–	2	2	–	2	5	5
Budapest	933,000	Oct. 22	340	325	18·1	18	?	2	21	5	2	24	–
Cairo	765,200	Dec. 9	766	344	23·4	5	–	1	–	?	–	15	?
Alexandria	449,300	„ 9	401	171	19·8	2	–	–	–	?	–	12	?
New York	5,751,859	Jan. 7	–	–	–	–	–	–	–	–	–	–	–
Chicago	2,780,655	„ 14	–	652	12·0	–	1	–	2	2	13	23	2
Montevideo	356,655	Nov. 26	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 and 4 deaths from plague in Bombay, and from *Asiatic cholera* 5 deaths in Calcutta.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th February, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1662	192	140	82	62	49	50	113	168	208	305	293
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	32	7	16	8	1	–	–	–	–	–	–	–
Scarlet fever	13	–	2	3	7	–	–	1	–	–	–	–
Whooping cough	44	8	22	14	–	–	–	–	–	–	–	–
Diphtheria	35	2	9	12	11	1	–	–	–	–	–	–
Influenza	191	11	19	5	2	7	9	24	27	29	33	25
Erysipelas	2	–	–	–	–	–	–	–	–	–	2	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	2	–	–	–	1	1	–	–	–	–	–	–
Tuberculosis of respiratory system	104	–	–	–	4	18	18	20	31	10	3	–
Tuberculous meningitis	9	3	1	3	2	–	–	–	–	–	–	–
Abdominal tuberculosis	3	1	–	–	–	–	–	–	1	1	–	–
Other tubercle	4	–	–	–	2	1	1	–	–	–	–	–
Venereal diseases	3	1	–	–	–	–	–	1	–	–	1	–
Cancer	113	–	–	–	–	1	1	10	18	33	40	10
Rheumatic fever	2	–	–	–	1	–	–	–	–	1	–	–
Diabetes	9	–	–	–	–	–	1	–	2	1	3	2
Alcoholism	1	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	2	1	–	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	58	–	–	–	–	1	–	–	7	15	22	13
Epilepsy	8	–	–	–	–	3	1	2	1	1	–	–
"Convulsions" (not puerperal)	6	4	1	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	36	–	–	–	4	–	2	9	8	3	6	4
Pericarditis	2	–	–	–	1	–	1	–	–	–	–	–
Acute endocarditis	8	–	–	1	2	1	2	1	–	1	–	–
Other diseases of heart	178	–	–	–	4	5	5	9	23	35	52	45
Other dis. of circulatory system	46	–	–	–	–	–	1	–	3	7	8	27
Bronchitis	171	13	4	1	–	–	1	2	7	20	61	62
Broncho-pneumonia	162	43	53	22	4	–	–	2	6	6	16	10
Lobar pneumonia	36	2	3	7	1	1	–	4	5	7	3	3
Pneumonia (type not distinguished)	25	5	2	2	1	1	–	1	–	5	3	5
Other diseases of respiratory system	17	1	–	–	1	–	–	1	3	3	6	2
Diarrhœa and enteritis	12	8	1	–	–	–	–	1	–	–	1	1
Appendicitis and typhlitis	10	–	–	–	1	–	–	2	4	2	1	–
Hernia, Intestinal obstruction	11	4	–	–	–	1	1	–	1	2	1	1
Cirrhosis of liver	3	–	–	–	–	–	–	1	1	1	–	–
Other diseases of digestive system	19	–	–	–	3	–	1	1	2	4	5	3
Acute nephritis	4	–	–	2	1	–	–	–	1	–	–	–
Chronic Bright's disease	29	–	–	–	1	1	1	1	5	5	8	7
Other diseases of genito-urinary system.	15	–	–	–	1	–	–	3	2	2	1	6
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	7	7	–	–	–	–	–	–	–	–	–	–
Premature birth	46	46	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age	65	–	–	–	–	–	–	–	–	1	11	53
Suicide	13	–	–	–	–	1	1	4	1	4	1	1
Burns and scalds	8	–	2	–	1	1	–	–	1	–	–	3
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	3	–	–	2	1	2	1	–
Other deaths by violence	12	–	–	–	–	–	–	1	3	–	4	4
Other specified causes	63	13	5	1	1	4	2	9	4	6	12	6
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the weekended 4th February 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	2	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	26	15	–	14	M. 1
†BERMONDSEY ...	–	11	15	–	5	–
†BETHNAL GREEN	–	7	5	–	3	M. 2
†CAMBERWELL ...	–	39	27	–	15	M 1
†CHELSEA ...	–	14	2	–	6	–
†DEPTFORD ...	–	20	12	–	8	–
†FINSBURY ...	–	5	7	–	–	–
†FULHAM ...	–	23	6	–	5	C. 1
†GREENWICH ...	–	25	17	–	8	D. 1
†HACKNEY ...	–	13	9	–	2	–
†HAMMERSMITH	–	16	14	–	6	–
†HAMPSTEAD ...	–	5	7	–	9	D. 1
†HOLBORN ...	–	7	6	–	5	M. 1
†ISLINGTON ...	–	41	24	–	3	M. 1
†KENSINGTON ...	–	9	11	–	9	M. 1
†LAMBETH ...	–	30	11	–	10	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	19	24	–	8	L. 1
†PADDINGTON ...	–	7	13	–	10	–
†POPLAR... ...	–	15	13	–	33	–
†ST. MARYLEBONE	–	5	7	–	2	–
†ST. PANCRAS ...	–	31	10	2	9	C. 1
†SHOREDITCH ...	–	14	4	–	8	–
†SOUTHWARK ...	–	15	10	–	10	M. 2
†STEPNEY ...	–	10	18	–	26	D. 1
†STOKE NEWINGTON	–	8	5	–	–	–
†WANDSWORTH	–	34	23	–	34	D. 1 M. 1
†WESTMINSTER, CITY OF	–	14	11	–	1	M. 2
†WOOLWICH ...	–	13	15	–	18	M. 1
TOTAL OF PART I.	–	477	343	2	267	C. 2 D. 4 L. 1 M. 13

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	5	7	–	6	M. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	1	2	–	1	–
KEMPSTON ...	–	–	–	–	1	–
†LUTON	–	–	1	–	–	M. 1
Rural Districts :—						
AMPTHILL ...	–	–	2	–	4	–
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
LUTON	–	–	2	–	–	–
BERKS	–	16	12	–	5	L. 5
Boroughs and Urban Districts :—						
ABINGDON ...	–	2	–	–	–	–
†READING, C.B.	–	7	3	–	5	L. 5
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	–	2	–	–	–
HUNGERFORD ...	–	2	–	–	–	–
NEWBURY ...	–	1	2	–	–	–
WALLINGFORD	–	2	3	–	–	–
WOKINGHAM ...	–	–	2	–	–	–
BUCKINGHAM ...	–	23	11	–	6	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	3	–	–	–
†CHEPPING WYCOMBE	–	6	1	–	1	–
CHESHAM ...	–	2	–	–	–	–
NEWPORT PAGNALL	–	–	–	–	1	–
†SLOUGH ...	–	3	1	–	2	M. 1
†WOLVERTON ...	–	4	–	–	1	–
Rural Districts :—						
AMERSHAM ...	–	2	–	–	–	–
AYLESBURY ...	–	–	–	–	1	–
ETON	–	3	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
NEWPORT PAGNELL	–	2	6	–	–	–
WINSLOW ...	–	1	–	–	–	–
CAMBRIDGE...	–	12	–	–	13	–
Borough						
†CAMBRIDGE ...	–	2	–	–	9	–
Rural Districts :—						
CHESTERTON ...	–	4	–	–	2	–
MELBOURN ...	–	–	–	–	2	–
NEWMARKET ...	–	6	–	–	–	–
CHESTER	–	65	29	–	64	C. 3 G. 1 M. 3
Boroughs and Urban Districts :—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	4	–	–	–	–
ASHTON-UPON-MERSEY	–	3	1	–	–	–
†BIRKENHEAD C.B.	–	4	1	–	19	C. 1 M. 1
BOWDON ...	–	1	–	–	–	–
BUGLAWTON ...	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	4	–
†CHESTER C.B. ...	–	2	–	–	8	M. 1
†CONGLETON ...	–	–	2	–	–	G. 1
†CREWE	–	7	4	–	–	–
†DUKINFIELD ...	–	2	1	–	–	M. 1
†ELLESMERE PORT AND WHITBY	–	–	–	–	2	–
HANDFORTH ...	*	*	*	*	*	*
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
HOLLINGWORTH	–	2	–	–	–	–
HOOLE	–	1	–	–	2	–
†HYDE	–	6	–	–	–	–
KNUTSFORD ...	–	2	1	–	–	–
†LOWER BEBINGTON	–	–	–	–	–	C. 1
†MACCLESFIELD...	–	–	–	–	1	–
†RUNCORN ...	–	3	1	–	12	–

* Returns not received. † Population over 10,000.

; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
; Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STALYBRIDGE ...	–	–	1	–	–	–
†STOCKPORT C.B.	–	10	6	–	1	–
†WALLASEY C.B.	–	12	1	–	11	–
†WINSFORD ...	–	1	–	–	–	C. 1
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CHESTER ...	–	1	–	–	–	–
CONGLETON ...	–	1	–	–	–	–
MALPAS ...	–	–	3	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	2	2	–	1	–
RUNCORN ...	–	–	1	–	1	–
TARVIN	–	1	1	–	1	–
CORNWALL ...	–	3	8	1	13	M. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	–	–	–	–	1	–
†CAMBORNE ...	–	–	1	–	4	–
LAUNCESTON ...	–	–	–	–	1	–
PENRYN ...	–	–	–	–	2	–
†PENZANCE ...	–	–	2	–	–	–
PHILLACK ...	–	–	1	–	–	–
ST. AUSTELL ...	*	*	*	*	*	*
ST. IVES ...	–	–	1	–	–	–
TORPOINT ...	–	–	–	–	1	–
WADEBRIDGE	–	2	–	–	–	M. 1
Rural Districts—						
CALSTOCK ...	*	*	*	*	*	*
CAMELFORD ...	–	–	1	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
REDRUTH ...	–	1	2	–	3	–
SAINT COLOMB MAJOR	*	*	*	*	*	*
SAINT GERMANS	–	–	–	1	–	–
CUMBERLAND ...	–	16	8	1	26	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	2	–	–	–
ASPATRIA ...	*	*	*	*	*	*
†CARLISLE C.B. ...	–	2	–	–	16	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
CLEATOR MOOR	–	–	–	–	2	–
KESWICK ...	*	*	*	*	*	*
†MARYPORT ...	–	1	–	–	–	–
MILLOM	–	–	2	–	1	–
PENRITH ...	–	2	–	1	3	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
†BRAMTON ...	–	1	–	–	3	–
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	2	–	–	–
LONGTOWN ...	–	8	1	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–
WIGTON ...	*	*	*	*	*	*
DERBY	12	43	12	1	24	C. 2 L. 1 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	L. 1
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD	–	5	1	1	–	–
CLAY CROSS ...	–	2	1	–	–	–
†DERBY C.B. ...	–	10	5	–	9	C. 1 M. 1
†GLOSSOP ...	–	–	–	–	3	M. 1
†HEANOR ...	–	2	1	–	1	–
†ILKESTON ...	12	1	–	–	–	–
†LONG EATON ...	–	1	–	–	–	–
†RIPLEY... ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	4	–	–	–	–
BELPER... ...	–	1	–	–	1	–
BLACKWELL ...	–	2	–	–	1	–
CHAPEL-EN-LE-FRITH	–	1	–	–	2	–
CHESTERFIELD	–	3	–	–	1	–
CLOWNE... ...	–	1	–	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	–	–
HAYFIELD ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
REPTON... ...	–	1	1	–	–	–
SHARDLOW ...	–	1	–	–	4	C. 1
SUDBURY ...	–	2	–	–	–	–
DEVON	–	16	16	4	49	M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	1	–	–	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM ...	–	–	–	–	11	–
BUDLEIGH SALTERTON...	–	1	–	–	–	–
†EXETER C.B. ...	–	3	2	–	18	–
HONITON ...	–	–	3	–	1	–
†NEWTON ABBOT	–	1	–	–	–	–
NORTHAM ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	5	2	4	11	M. 1
SOUTH MOLTON	*	*	*	*	*	*
†TEIGNMOUTH ...	–	–	1	–	1	–
TIVERTON ...	–	–	1	–	–	–
†TORQUAY ...	–	1	2	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
BROADWOODWIDGER	–	–	–	–	1	–
CREDITON ...	–	3	–	–	–	–
CULMSTOCK ...	–	1	–	–	–	–
HONITON ...	–	–	2	–	–	–
NEWTON ABBOT	–	–	–	–	2	–
PLYMPTON ST. MARY	–	–	–	–	2	–
DORSET	–	10	3	–	20	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM ...	–	–	–	–	1	–
BRIDPORT ...	–	–	–	–	1	–
DORCHESTER ...	–	3	–	–	1	–
*POOLE	–	3	3	–	6	–
†PORTLAND ...	–	–	–	–	2	–
SWANAGE ...	–	–	–	–	4	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
BRIDPORT ...	*	*	*	*	*	*
CERNE... ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	–	1	–
POOLE... ...	–	1	–	–	1	–
SHAFTESBURY ...	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM... ...	–	49	14	2	296	M. 16
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	3	–
BENFIELDSIDE...	–	–	1	–	1	–
†BISHOP AUCKLAND ...	–	2	–	–	–	–
†BLAYDON ...	–	1	–	–	4	–
†BRANDON AND BYSHOTTLES	–	2	–	–	1	–
†CHESTER-LE-STREET	–	–	–	–	1	–
†CROOK	–	–	–	–	2	–
†DARLINGTON C.B.	–	4	2	1	19	–
†DURHAM ...	–	–	–	–	3	–
†FELLING ...	–	2	–	–	11	–
†GATESHEAD C.B.	–	4	–	–	28	M. 2
†HARTLEPOOL ...	–	–	–	–	4	–
†HEBBURN ...	–	1	2	–	6	–
†HETTON ...	–	–	–	–	2	–
†HOUGHTON-LE-SPRING	–	–	–	–	3	–
†JARROW ...	–	–	–	–	5	–
†RYTON	–	1	–	–	6	–
†SEAHAM HARBOUR ...	–	–	–	–	–	M. 3
†SOUTH SHIELDS C.B.	–	9	1	–	40	–
†SOUTHWICK-ON-WEAR	–	–	–	–	5	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY ...	–	2	–	–	8	M. 1
†STOCKTON-ON-TEES	–	1	1	–	5	–
†SUNDERLAND C.B.	–	3	–	–	55	M. 5
†TANFIELD ...	–	–	–	–	2	–
†WEST HARTLEPOOL C.B.	–	2	1	–	14	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WHICKHAM ...	–	1	–	–	2	M. 1
WILLINGTON ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	–	–	–	2	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	7	–	–	15	M. 3
DURHAM ...	–	–	–	–	1	–
EASINGTON ...	–	–	4	–	14	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON-LE-SPRING	–	–	–	–	9	–
LANCHESTER ...	–	–	–	–	7	–
SEDGEFIELD ...	–	1	1	–	1	–
SOUTH SHIELDS	–	1	1	–	1	–
SUNDERLAND ...	–	1	–	1	14	–
ISLE OF ELY ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
MARCH	–	1	–	–	–	–
†WISBECH ...	–	1	1	–	–	–
ESSEX	–	122	57	–	56	C. 2 D. 1 E. 1 L. 3 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	2	–	7	M. 1
BRAINTREE ...	–	–	–	–	1	–
BRIGHTLINGSEA	–	–	1	–	–	–
†CHELMSFORD ...	–	1	1	–	1	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON ...	–	–	–	–	1	–
†COLCHESTER ...	–	7	7	–	1	C. 1 L. 1
†EAST HAM C.B.	–	12	5	–	4	–
†GRAYS THURROCK	–	1	1	–	1	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	12	5	–	5	D. 1 L. 2
†LEYTON... ...	–	18	3	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROMFORD ...	–	–	4	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	3	–	11	–
TILBURY	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	21	6	–	4	–
†WANSTEAD ...	–	3	1	–	–	–
†WEST HAM C.B.	–	33	14	–	7	E. 1 M. 1
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW ...	–	–	–	–	1	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON... ...	–	1	–	–	1	–
ONGAR	*	*	*	*	*	*
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	1	1	–	4	C. 1
ROMFORD ...	–	1	–	–	–	–
TENDRING ...	–	–	–	–	2	–
GLOUCESTER ...	–	23	55	1	73	C. 3 M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	17	42	–	56	C. 2 M. 1
CHARLTON KINGS	–	1	–	–	–	C. 1
†CHELTENHAM ...	–	1	–	1	2	–
CIRENCESTER ...	–	–	–	–	1	–
†GLOUCESTER C.B.	–	2	4	–	2	–
†KINGSWOOD ...	–	–	3	–	–	–
STROUD ...	–	–	1	–	–	–
TEWKESBURY...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
CHIPPING SODBURY	–	–	2	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	3	–
GLOUCESTER ...	–	–	1	–	–	–
LYDNEY ...	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	3	–
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	1	–	–	1	–
WHEATENHURST	–	–	–	–	1	–
HEREFORD ...	–	1	2	–	4	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	2	–
Rural Districts:—						
HEREFORD ...	–	1	1	–	1	–
LEDBURY ...	–	–	–	–	1	–
HERTFORD ...	–	20	12	3	27	–
Boroughs and Urban Districts:—						
†BARNET ...	–	2	–	–	–	–
BISHOP STORTFORD	–	–	–	–	3	–
†EAST BARNET VALLEY	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	3	–	–	–	–
HARPENDEN ...	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	2	2	2	–	–
†HITCHIN ...	–	1	1	–	–	–
HODDESDON ...	–	2	1	1	–	–
†LETCHWORTH ...	–	–	1	–	–	–
†ST. ALBANS ...	–	1	1	–	2	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	2	1	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
BARNET ...	–	–	1	–	–	–
BUNTINGFORD ...	–	–	–	–	1	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN ...	–	–	–	–	1	–
ST. ALBANS ...	–	1	2	–	7	–
WARE	–	1	–	–	1	–
WATFORD ...	–	1	1	–	4	–
WELWYN ...	–	–	–	–	1	–
HUNTINGDON ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS	*	*	*	*	*	*
ST. IVES ...	–	–	–	–	1	–
ST. NEOTS, No. 4	–	1	–	–	–	–
KENT	–	70	52	–	43	C. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	3	1	–	1	–
†BECKENHAM ...	–	–	–	–	2	–
†BEXLEY ...	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	3	–	–	–	–
†BROMLEY ...	–	6	1	–	3	–
†CHATHAM ...	–	–	3	–	–	–
CHISLEHURST ...	–	1	–	–	1	–
†CRAYFORD ...	–	1	4	–	1	–
†DARTFORD ...	–	8	3	–	–	–
†DEAL	–	3	–	–	–	–
†DOVER	–	–	1	–	1	M. 1
†ERITH	–	6	1	–	2	–
†FAVERSHAM ...	–	2	–	–	–	–
†FOLKSTONE ...	–	–	–	–	3	C. 1
†GILLINGHAM ...	–	5	–	–	–	–
†GRAVESEND ...	–	1	1	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	2	1	–	–	–
†MARGATE ...	–	5	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
MILTON REGIS	–	1	–	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	2	–	–	4	–
†RAMSGATE ...	–	3	9	–	3	–
†ROCHESTER ...	–	2	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	1	–
†SHEERNESS ...	–	–	2	–	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	1	1	–	1	–
WALMER ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	3	–	–	5	–
DOVER	–	–	1	–	–	–
EAST ASHFORD	–	1	2	–	4	–
ELHAM	–	–	–	–	1	–
HOLLINGBOURNE	–	2	–	–	–	–
ISLE OF THANET	–	–	6	–	1	M. 1
MAIDSTONE ...	–	1	3	–	1	–
MALLING ...	–	1	–	–	–	–
MILTON	–	–	5	–	–	–
ROMNEY MARSH	–	–	–	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
WEST ASHFORD	–	–	1	–	3	–
LANCASTER ...	–	429	109	7	370	C. 10 D. 1 E. 1 G. 2 L. 2 M. 28
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	3	1	–	–	M. 1
†ASHTON-IN-MAKERFIELD	–	3	1	–	1	–
†ASHTON-UNDER-LYNE	–	2	1	1	1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	4	–
AUDENSHAW ...	–	2	–	–	–	–
†BACUP	–	1	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLACKBURN C.B.	–	5	1	–	11	–
†BLACKPOOL C.B.	–	3	1	–	–	M. 1
BLACKROD ...	–	–	–	–	2	–
†BOLTON C.B. ...	–	10	–	–	3	–
†BOOTLE C.B. ...	–	9	5	–	2	C. 1 M. 2
BRIERFIELD ...	–	–	–	–	1	–
†BURNLEY C.B.	–	3	6	1	–	G. 1 M 1
†BURY C.B. ...	–	6	2	–	4	–
†CHADDERTON ...	–	2	–	–	–	–
†CHORLEY ...	–	–	1	–	7	–
†CLITHEROE ...	–	1	–	–	–	–
†CROMPTON ...	–	3	2	–	5	–
†DALTON-IN-FURNESS	–	1	–	–	1	–
†DENTON ...	–	2	–	–	1	C. 1
†DROYLSDEN ...	–	2	–	–	1	–
†ECCLES ...	–	4	1	–	1	–
†FAILSWORTH ...	–	1	–	–	2	M. 1
†FARNWORTH ...	–	2	1	–	–	–
†FLEETWOOD ...	–	1	–	–	4	M. 1
FORMBY ...	–	–	2	–	–	–
FULWOOD ...	–	–	–	–	1	–
†GREAT CROSBY	–	–	–	–	1	–
†GREAT HARWOOD	–	–	1	–	–	–
†HASLINGDEN ...	–	–	1	–	2	–
†HEYWOOD ...	–	2	–	–	4	–
†HINDLEY ...	–	1	–	–	1	–
†HORWICH ...	–	–	2	–	–	–
INCE-IN-MAKERFIELD	–	–	1	–	–	–
IRLAM	–	3	–	–	3	–
†LANCASTER ...	–	5	1	1	5	C. 1
LATHOM AND BURSCOUGH	–	–	–	–	3	–
LEES	–	1	1	–	–	–
†LEIGH	–	1	–	–	2	–
†LITTLEBOROUGH	–	1	1	–	–	–
LITTLE HULTON	–	3	–	–	–	–
†LIVERPOOL C.B.	–	61	24	1	73	C. 2 L. 1 M. 16
LONGRIDGE ...	–	1	–	–	–	–
†MANCHESTER C.B.	–	102	14	1	91	C. 2 G. 1 M. 4

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIDDLETON ...	–	9	–	–	6	–
MILNROW ...	–	–	–	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY ...	–	2	–	–	–	–
†NELSON ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	5	1	–	1	–
†OLDHAM C.B.	–	15	2	–	2	–
ORMSKIRK ...	–	–	–	–	1	–
ORRELL... ...	–	1	–	–	1	–
†OSWALDTWISTLE	–	5	–	–	1	–
†PRESTON C.B. ...	–	4	2	–	2	–
PRESTWICH ...	–	2	1	–	1	–
†RADCLIFFE ...	–	1	1	–	2	C. 1
†RAMSBOTTOM ...	–	1	1	–	–	–
†RAWTENSTALL ...	–	1	–	–	–	–
†ROCHDALE C.B.	–	12	5	–	3	–
†ROYTON ...	–	–	1	–	3	–
ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	1	2	–	21	–
†SALFORD C.B. ...	–	41	1	1	6	C. 1
†SOUTHPORT C.B	–	6	–	–	4	M. 1
†STRETFORD ...	–	12	–	–	1	D. 1
†SWINTON AND PENDLEBURY	–	1	2	–	6	–
TOTTINGTON ...	–	–	2	–	1	–
†TURTON... ...	–	–	–	–	4	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	2	–	–	1	–
WARDLE ...	–	9	–	–	–	–
†WARRINGTON C.B.	–	5	1	1	10	–
†WATERLOO-WITH-SEAFORTH	–	3	4	–	4	E. 1
†WESTHOUGHTON	–	–	1	–	2	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES ...	–	1	2	–	18	–
†WIGAN C.B. ...	–	5	6	–	10	–
†WORSLEY ...	–	1	1	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	2	1	–	3	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
BLACKBURN ...	*	*	*	*	*	*
CHORLEY ...	–	1	–	–	1	–
CLITHEROE ...	–	9	–	–	2	–
LEIGH	–	2	–	–	1	–
LIMEHURST ...	–	2	–	–	–	–
PRESTON ...	–	3	–	–	–	–
SEFTON	–	–	–	–	1	–
ULVERSTON ...	–	2	–	–	1	–
WARRINGTON ...	–	–	–	–	3	–
WEST LANCASHIRE	–	1	–	–	1	C. 1
WHISTON ...	–	–	1	–	4	L. 1
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	18	12	1	21	C. 1 M. 4
Boroughs and Urban Districts:—						
†HINCKLEY ...	–	–	–	–	1	–
†LEICESTER C.B.	–	13	4	1	7	C. 1 M. 2
†LOUGHBOROUGH	–	4	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	1	–	5	M. 1
WIGSTON MAGNA	–	–	3	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	2	–	–	–
BARROW-UPON-SOAR	–	–	1	–	1	–
BLABY	–	–	1	–	–	–
CASTLE DONINGTON	–	–	–	–	2	–
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	–	–	2	–
MELTON MOWBRAY	–	–	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	5	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
Rural Districts:—						
EAST ELLOE ...	–	–	5	–	–	–
SPALDING ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	2	–
Boroughs and Urban Districts:						
†GRANTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE ...	–	1	–	–	1	–
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	5	3	–	3	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
†GRIMSBY C.B. ...	–	3	2	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	2	–
SKEGNESS ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR ...	*	*	*	*	*	*
GLANFORD BRIGG	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	167	98	5	53	C. 1 D. 1 L. 2 M. 3
Boroughs and Urban Districts:—						
†ACTON ...	–	12	2	–	1	–
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	7	4	–	2	–
†EALING ...	–	7	8	4	–	–
†EDMONTON ...	–	11	4	–	2	–
†ENFIELD ...	–	6	–	–	2	–
FELTHAM ...	–	5	–	–	–	–
†FINCHLEY ...	–	3	2	–	5	–
†FRIERN BARNET	–	3	–	–	–	L. 1
†HAMPTON ...	–	1	–	–	4	–
HAMPTON WICK	–	–	1	–	–	–
†HANWELL ...	–	8	1	–	–	–
†HARROW-ON-THE-HILL	–	–	2	–	–	–
†HENDON ...	–	3	6	–	1	–
†HESTON AND ISLEWORTH	–	5	–	–	9	C. 1 M. 1
†HORNSEY ...	–	14	4	–	1	–
RUISLIP-NORTHWOOD	–	1	–	–	–	–
†SOUTHALL-NORWOOD	–	4	2	–	2	–
†SOUTHGATE ...	–	5	–	–	1	–
†TEDDINGTON ...	–	2	1	–	1	–
†TOTTENHAM ...	–	31	12	–	17	–
†TWICKENHAM ...	–	–	–	–	–	M. 1
†UXBRIDGE ...	–	1	2	–	–	–
†WEALDSTONE ...	–	3	1	–	–	–
†WEMBLEY ...	–	1	1	–	–	–
†WILLESDEN ...	–	24	30	1	5	D. 1 L. 1 M. 1
†WOOD GREEN ...	–	3	4	–	–	–
Rural Districts:—						
HENDON ...	–	1	7	–	–	–
STAINES ...	–	4	2	–	–	–
UXBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ...	–	11	17	–	19	C. 1 D. 1 K. 1 M. 1
Boroughs and Urban Districts:—						
CROMER... ...	–	1	–	–	–	–
†GREAT YARMOUTH C.B.	–	2	1	–	–	–
†NORWICH C.B.	–	3	12	–	14	C. 1 M. 1
SWAFFHAM ...	–	1	–	–	–	–
THETFORD ...	*	*	*	*	*	*
WELLS	–	–	–	–	2	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	K. 1
ERPINGHAM ...	–	3	–	–	–	D. 1
LODDON AND CLAVERING ...	–	–	3	–	1	–
ST. FAITH'S ...	–	–	–	–	1	–
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	5	7	–	27	D. 1 M. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	2	2	–	17	M. 1
RAUNDS ...	–	–	–	–	–	D. 1
ROTHWELL ...	–	1	–	–	1	–
†RUSHDEN ...	–	–	–	–	2	–
†WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	–	3	–	–	–
HARDINGSTONE	–	–	–	–	1	–
KETTERING ...	*	*	*	*	*	*
NORTHAMPTON...	–	–	–	–	1	–
POTTERSPURY ...	–	–	–	–	4	–
THRAPSTON (part)	–	1	1	–	–	–
WELLINGBOROUGH	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	28	11	1	152	C. 2 G. 1 M. 6
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	–	–	–	6	C. 1
†BEDLINGTONSHIRE	–	–	2	–	22	–
†BLYTH	–	1	1	–	23	–
†GOSFORTH ...	–	1	–	–	1	–
HEXHAM ...	–	–	–	–	6	–
†LONGBENTON ...	–	–	–	–	2	–
NEWBIGGIN-BY-THE-SEA ...	–	–	–	–	3	–
†NEWBURN ...	–	–	1	–	4	–
†NEWCASTLE-UPON-TYNE C.B.	–	12	3	1	46	C. 1 G. 1 M. 5
SEATON DELAVAL	–	2	–	–	2	–
†TYNEMOUTH C.B.	–	3	1	–	11	M. 1
†WALLSEND ...	–	2	2	–	6	–
WEETSLADE ...	–	–	–	–	6	–
†WHITLEY AND MONKSEATON	–	1	–	–	4	–
Rural Districts:—						
ALNWICK ...	–	–	1	–	–	–
BELLINGHAM ...	–	–	–	–	3	–
CASTLE WARD ...	–	–	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	1	–	–	5	–
MORPETH ...	–	4	–	–	–	–
ROTHBURY ...	–	–	–	–	1	–
NOTTINGHAM ...	3	23	13	2	11	M. 4
Boroughs and Urban Districts:—						
†BEESTON ...	–	–	1	–	1	M. 2
†CARLTON ...	–	–	3	–	–	–
†EAST RETFORD	–	–	–	–	1	–
HUCKNALL ...	–	–	1	–	2	–
†KIRKBY-IN-ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	4	1	–	1	–
†MANSFIELD WOODHOUSE...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	3	11	2	2	2	M. 2
†SUTTON-IN-ASHFIELD	–	1	1	–	–	–
†WORKSOP ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD ...	–	3	–	–	2	–
EAST RETFORD	–	–	1	–	–	–
NEWARK ...	–	–	1	–	–	–
STAPLEFORD ...	–	–	1	–	–	–
OXFORD	–	10	1	–	6	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	–	M. 1
HENLEY-UPON-THAMES ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	3	–	–	–	–
Rural Districts:—						
CULHAM... ...	–	1	–	–	–	–
HEADINGTON ...	–	4	1	–	2	–
HENLEY... ...	–	1	–	–	4	–
PETERBOROUGH (Soke of).	–	–	–	–	3	–
Borough:—						
†PETERBOROUGH	–	–	–	–	2	–
Rural Districts:—						
PETERBOROUGH	–	–	–	–	1	–
SALOP	–	8	3	–	22	C. 1 M. 3
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	1	–
LUDLOW ...	–	1	–	–	–	–
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OAKENGATES ...	–	3	2	–	–	–
†SHREWSBURY ...	–	–	–	–	5	M. 1
WELLINGTON ...	–	–	–	–	–	M. 1
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	15	–
BURFORD ...	–	–	–	–	–	C. 1
OSWESTRY ...	–	1	–	–	–	–
TEME	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WHITCHURCH ...	–	–	–	–	–	M. 1
SOMERSET ...	–	12	11	–	33	L. 1 M. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	4	–	2	M. 1
CLEVEDON ...	–	–	–	–	1	–
ILMINSTER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	1	–	4	–
MINEHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	3	–
†TAUNTON ...	–	–	–	–	–	M. 1
WELLINGTON ...	–	1	–	–	1	–
†WESTON-SUPER-MARE	–	–	3	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	5	–
CHARD	–	2	–	–	–	–
CLUTTON ...	–	2	1	–	5	–
KEYNSHAM ...	–	–	1	–	2	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	2	–	–	–	–
TAUNTON ...	–	1	–	–	7	L. 1
WELLINGTON ...	–	–	–	–	1	–
WILLATON ...	–	–	1	–	–	–
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON	–	101	34	2	30	M. 1
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	1	–	–	–	–
ALTON	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—*cont.*						
ANDOVER ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	1	–	–	7	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	4	–	–	–	–
†GOSPORT and ALVERSTOKE	–	9	4	–	3	–
†PORTSMOUTH C.B.	–	68	12	1	4	M. 1
†SOUTHAMPTON C.B.	–	4	11	1	7	–
WARBLINGTON...	–	–	–	–	1	–
†WINCHESTER ...	–	5	1	–	2	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	1	–
HURSLEY ...	–	3	–	–	2	–
KINGSCLERE ...	–	–	–	–	1	–
SOUTH STONEHAM ...	–	–	2	–	–	–
WINCHESTER ...	–	1	–	–	1	–
STAFFORD ...	–	55	31	2	117	C. 2 D. 1 G. 1 M. 12
Boroughs and Urban Districts:—						
†AUDLEY ...	–	–	1	–	–	–
†BILSTON ...	–	–	–	–	1	–
†BROWNHILLS ...	–	–	–	–	5	–
†BURTON-UPON-TRENT C.B.	–	1	2	–	4	–
†CANNOCK ...	–	1	1	–	–	–
†COSELEY ...	–	1	–	–	1	–
†DARLASTON ...	–	2	–	–	–	–
†HEATH TOWN ...	–	–	1	–	–	–
†LEEK	–	1	–	–	–	G. 1
†NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
QUARRY BANK	–	–	–	–	2	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROWLEY REGIS	–	2	2	–	15	–
†SEDGLEY ...	–	–	1	–	–	–
SHORT HEATH...	–	–	–	–	1	–
†SMALLTHORNE ...	–	2	–	1	–	–
†SMETHWICK C.B.	–	3	2	–	18	M. 1
†STAFFORD ...	–	1	–	–	–	–
†STOKE-ON-TRENT C.B.	–	14	3	–	33	D. 1 M. 9
TAMWORTH ...	–	1	3	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	1	1	1	1	–
†WALSALL C.B....	–	–	2	–	2	M. 1
†WEDNESBURY ...	–	1	–	–	4	–
WEDNESFIELD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	14	6	–	12	–
†WILLENHALL ...	–	–	–	–	3	–
†WOLSTANTON UNITED	–	1	1	–	–	–
†WOLVERHAMPTON C.B.	–	6	3	–	4	M. 1
Rural Districts:—						
CANNOCK ...	–	–	1	–	1	–
CHEADLE ...	–	–	–	–	1	C. 2
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	2	–	–	4	–
SEISDON ...	–	–	–	–	2	–
STONE	–	–	–	–	1	–
SUFFOLK, EAST	–	12	16	–	21	–
Boroughs and Urban Districts:—						
BECCLES ...	–	2	–	–	2	–
BUNGAY ...	–	–	9	–	–	–
EYE	–	–	–	–	1	–
†FELIXSTOWE ...	–	1	–	–	–	–
†IPSWICH C.B. ...	–	–	6	–	11	–
LEISTON-CUM-SIZEWELL	–	–	–	–	2	–
†LOWESTOFT ...	–	2	–	–	–	–
SOUTHWOLD ...	–	–	–	–	2	–
WOODBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
BOSMERE AND CLAYDON	–	–	–	–	1	–
EAST STOW ...	–	3	–	–	–	–
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	2	1	–	–	–
WOODBRIDGE ...	–	1	–	–	1	–
SUFFOLK, WEST	–	3	1	–	5	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	–	–	–	3	–
HAVERHILL ...	–	1	–	–	–	–
NEWMARKET ...	–	1	1	–	1	–
Rural Districts:—						
CLARE	–	–	–	–	1	–
MELFORD ...	–	1	–	–	–	–
SURREY	–	63	42	1	29	C. 2 D. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	6	2	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CATERHAM ...	–	2	–	–	2	–
†CHERTSEY ...	–	4	1	–	–	–
†COULSDON AND PURLEY	–	2	1	–	1	–
†CROYDON C.B. ...	–	17	13	–	10	D. 1 M. 1
†EGHAM	–	2	1	–	–	–
†EPSOM	–	1	–	–	3	L. 2
†ESHER AND THE DITTONS	–	–	–	–	2	–
†FARNHAM ...	–	1	–	–	2	–
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	–	–	1	–	–
HAM	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON-UPON-THAMES	–	5	4	–	–	M. 1
†MERTON AND MORDEN	–	–	3	–	–	–
†MITCHAM ...	–	5	4	–	1	–
†REIGATE ...	–	–	1	–	–	–
†RICHMOND ...	–	–	–	–	2	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	1	–	–	1	–
†THE MALDENS AND COOMBE	–	2	–	–	–	C. 1
†WIMBLEDON ...	–	3	10	–	–	C. 1
†WOKING ...	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
EPSOM	–	2	–	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	1	–
GUILDFORD ...	–	2	–	–	1	–
HAMBLEDON ...	–	3	–	–	1	–
REIGATE ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	20	5	1	25	C. 2 L. 3 M. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	7	4	–	18	M. 1
†EASTBOURNE C.B	–	2	–	–	2	–
EAST GRINSTEAD	–	–	–	–	1	–
†HASTINGS C.B....	–	1	–	1	1	C. 1
†HOVE	–	–	–	–	1	–
†LEWES	–	4	–	–	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	2	1	–	1	–
CUCKFIELD ...	–	1	–	–	1	–
EAST GRINSTEAD	–	–	–	–	–	C. 1
HAILSHAM ...	–	–	–	–	–	L. 3
UCKFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	13	1	–	6	–
Boroughs and Urban Districts :—						
†BOGNOR ...	–	2	–	–	–	–
†CHICHESTER ...	–	1	–	–	1	–
†HORSHAM ...	–	4	–	–	2	–
†WORTHING ...	–	4	1	–	–	–
Rural Districts :—						
HORSHAM ...	–	–	–	–	1	–
WESTBOURNE ...	–	1	–	–	2	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	115	42	2	178	C. 3 G. 1 M. 10
Boroughs and Urban Districts :—						
†BIRMINGHAM C.B.	–	74	36	–	142	C. 3 G. 1 M. 8
†COVENTRY C.B.	–	2	1	2	15	–
†NUNEATON ...	–	20	1	–	3	–
ROYAL LEAMINGTON SPA –	–	2	1	–	5	–
†RUGBY	–	1	–	–	3	–
†SUTTON COLDFIELD	–	7	–	–	–	–
Rural Districts :—						
ATHERSTONE ...	–	2	1	–	–	–
BRAILES ...	–	–	–	–	1	–
FOLESHILL ...	–	2	1	–	5	M. 1
RUGBY ...	–	1	–	–	–	–
SOLIHULL ...	–	2	–	–	–	–
SOUTHAM ...	–	–	–	–	1	M. 1
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	1	–	–	3	–
WESTMORLAND	–	2	–	–	9	C. 1
Boroughs and Urban Districts :—						
APPLEBY ...	–	–	–	–	1	–
†KENDAL ...	–	–	–	–	3	C. 1
Rural Districts :—						
EAST WESTMORLAND	–	–	–	–	5	–
SOUTH WESTMORLAND	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	8	1	–	3	–
Boroughs and Urban Districts :—						
COWES	–	2	1	–	–	–
†NEWPORT ...	–	1	–	–	1	–
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	2	–	–	1	–
Rural District :—						
ISLE OF WIGHT	–	2	–	–	1	–
WILTS	–	15	6	1	31	M. 1
Boroughs and Urban Districts :—						
BRADFORD-ON-AVON	–	–	1	–	1	–
CALNE	–	–	1	–	–	–
DEVIZES ...	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	2	–
MARLBOROUGH...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	3	–	2	–
†SWINDON ...	–	6	–	–	16	M. 1
Rural Districts :—						
AMESBURY ...	–	–	–	–	1	–
BRADFORD-ON-AVON	–	–	–	–	1	–
DEVIZES ...	–	2	–	–	–	–
HIGHWORTH ...	–	1	–	–	2	–
MALMESBURY ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY ...	–	1	1	1	2	–
RAMSBURY ...	–	–	–	–	1	–
SALISBURY ...	–	–	–	–	2	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON ...	–	–	–	–	1	–
WORCESTER ...	–	20	4	–	26	M. 2
Boroughs and Urban Districts :—						
†KIDDERMINSTER	–	8	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY ...	–	2	2	–	12	M. 1
†REDDITCH ...	–	1	–	–	1	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOURBRIDGE	–	3	–	–	–	–
†WORCESTER C.B.	–	–	1	–	8	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	2	–
DROITWICH ...	–	2	–	–	–	–
KIDDERMINSTER	–	2	–	–	–	–
MARTLEY ...	–	–	1	–	–	–
TENBURY ...	–	–	–	–	–	M. 1
UPTON-UPON-SEVERN	–	–	–	–	2	–
YORKS ... ... (East Riding).	–	16	24	–	52	E. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
COTTINGHAM ...	–	–	–	–	1	–
FILEY	–	1	–	–	–	–
HESSLE ...	–	1	–	–	–	–
†KINGSTON-UPON HULL C.B.	–	5	16	–	43	E. 1
WITHERNSEA ...	–	–	–	–	1	–
†YORK C.B. ...	–	9	4	–	4	–
Rural Districts:—						
DRIFFIELD ...	–	–	3	–	–	–
SCULCOATES ...	–	–	1	–	–	–
SKIRLAUGH ...	–	–	–	–	2	–
YORKS ... ... (North Riding).	–	7	5	–	20	–
Boroughs and Urban Districts:—						
†ESTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†MIDDLESBROUGH C.B.	–	–	2	–	10	–
†REDCAR ...	–	1	–	–	1	–
†SCARBOROUGH	–	1	–	–	3	–
†WHITBY... ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
EASINGWOLD ...	–	–	1	–	2	–
HELMSLEY ...	*	*	*	*	*	*
KIRKBY MOORSIDE	–	–	1	–	–	–
RICHMOND ...	–	2	–	–	–	–
SCARBOROUGH ...	–	2	–	–	–	–
WHITBY ...	–	–	–	–	1	–
YORKS ... ... (West Riding).	3	163	85	6	108	C. 5 D. 1 M. 15
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	3	–	2	M. 1
ALTOFTS... ...	–	1	2	–	–	–
ARDSLEY, EAST AND WEST	–	2	2	–	1	–
BAILDON ...	–	1	–	–	–	–
†BARNOLDSWICK	–	–	–	–	2	–
†BARNSLEY C.B.	–	6	1	–	2	M. 1
BATLEY... ...	–	–	–	–	–	M. 1
†BINGLEY ...	–	1	–	–	1	–
BIRSTAL ...	–	3	–	–	1	–
BOLTON-UPON-DEARNE	–	1	2	3	–	–
†BRADFORD C.B.	–	29	6	–	10	C. 1
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	–	–	1	1	–
CLAYTON WEST	–	1	1	–	–	–
†CONISBROUGH ...	–	–	1	–	–	M. 2
CUDWORTH ...	–	–	–	–	–	M. 1
†DARTON ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	4	–	–	1	–
†DONCASTER ...	–	–	4	–	–	–
EARBY	–	–	1	–	–	–
†ELLAND ...	–	1	–	–	–	–
†FEATHERSTONE	–	1	–	–	–	–
†GOOLE	–	2	–	–	3	–
†HALIFAX C.B. ...	–	2	1	–	–	M. 2
†HARROGATE ...	–	1	1	–	6	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	–	1	–	–	–
†HEMSWORTH ...	*	*	*	*	*	*
HIPPERHOLME ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAND NETHER	–	1	–	–	4	–
†HUDDERSFIELD C.B.	–	1	4	–	8	C. 1
ILKLEY	–	1	2	–	5	–
†KEIGHLEY ...	–	–	2	–	1	M. 1
KIRKBURTON ...	–	–	–	–	1	–
†LEEDS C.B. ...	–	37	11	1	18	D. 1 M. 1
LEPTON... ...	–	1	1	–	–	–
LUDDENDEN FOOT	*	*	*	*	*	*
MELTHAM ...	–	–	1	–	–	–
MIDGELEY ...	*	*	*	*	*	*
†MORLEY ...	–	1	1	–	3	–
MYTHOLMROYD	–	3	–	–	–	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	–	–	1	–	1	–
†OSSETT	–	3	–	–	–	–
†PONEEFRACT ...	–	–	1	–	–	M. 1
†PUDSEY... ...	–	–	–	–	1	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	–	1	–	–	–
†ROTHERHAM C.B.	–	2	2	–	1	–
†ROTHWELL ...	–	2	7	–	–	–
ROYSTON ...	–	1	–	–	–	–
†SADDLEWORTH	3	–	–	–	–	–
†SHEFFIELD C.B.	–	14	13	1	12	C. 3 M. 1
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...	–	2	–	–	3	–
SPRINGHEAD ...	–	3	–	–	1	–
STAINLAND WITH OLD LINDLEY	–	–	1	–	1	–
†STANLEY ...	–	–	–	–	1	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	–	–	–	1	–
†WAKEFIELD C.B.	–	2	–	–	2	M. 1
†WOMBWELL ...	–	–	–	–	–	M. 2
†WORSBOROUGH...	–	1	–	–	–	–
YEADON ...	–	2	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	1	–
GOOLE	–	1	–	–	1	–
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
GREAT OUSEBURN	–	2	–	–	–	–
HEMSWORTH ...	–	6	3	–	3	–
KIVETON PARK	–	–	3	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
ROTHERHAM ...	–	2	–	–	–	–
SKIPTON ...	–	–	1	–	1	–
TADCASTER ...	–	5	1	–	–	–
TODMORDEN ...	–	–	–	–	2	–
WAKEFIELD ...	–	2	1	–	–	–
WETHERBY ...	–	2	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	–	–	–	1	–
WALES.						
ANGLESEY ...	–	1	4	–	2	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	–	–	2	–
LLANGEFNI ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY ...	–	–	1	–	–	–
DWYRAN ...	–	1	2	–	–	–
VALLEY... ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	3	–	12	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	8	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
VAYNOR AND PENDERYN ...	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	3	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
CARDIGAN ...	–	–	–	–	3	–
Boroughs and Urban Districts:						
†ABERYSTWYTH	–	–	–	–	3	–
CARMARTHEN ...	–	6	15	1	4	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	2	–
BURRY PORT ...	–	–	2	–	–	–
CWMAMMAN ...	–	–	–	–	1	–
†LLANELLY ...	–	–	2	–	–	C. 1 G. 1
Rural Districts:—						
CARMARTHEN ...	–	–	6	–	–	–
LLANDILO FAWR	–	4	2	–	1	M. 1
LLANELLY ...	–	1	3	1	–	–
LANBYTHER ...	–	1	–	–	–	–
CARNARVON ...	–	5	11	–	–	–
Boroughs and Urban Districts:—						
BANGOR... ...	–	1	1	–	–	–
CARNARVON ...	–	–	1	–	–	–
CONWAY ...	–	–	1	–	–	–
LLANDUDNO ...	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	–	5	–	–	–
GEIRIONYDD ...	–	2	–	–	–	–
GWYRFAI ...	–	–	3	–	–	–
LLEYN	–	1	–	–	–	–
DENBIGH ...	–	4	15	–	13	C. 1 M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	2	–	–	–
RUTHIN	–	–	–	–	1	–
†WREXHAM ...	–	1	3	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
CHIRK	–	–	–	–	1	–
RUTHIN ...	–	–	1	–	1	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	3	9	–	8	C. 1
FLINT	–	6	1	–	4	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	1	1	–	–	–
PRESTATYN ...	–	–	–	–	1	–
†RHYL	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	3	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	90	30	–	98	C. 1 M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	18	2	–	16	M. 1
†BARRY	–	2	–	–	2	–
†CAERPHILLY ...	–	1	2	–	–	–
†CARDIFF C.B. ...	–	5	6	–	26	M. 1
COWBRIDGE ...	*	*	*	*	*	*
†GELLIGAER ...	–	3	1	–	–	–
GLYNCORWG ...	*	*	*	*	*	*
MAESTEG ...	–	6	–	–	–	–
†MERTHYR TYDFIL C.B.	–	5	2	–	2	–
†MOUNTAIN ASH	–	8	1	–	4	–
†NEATH	–	–	2	–	9	–
†OGMORE and GARW	–	3	–	–	–	–
†PENARTH ...	–	5	1	–	–	–
†PONTYPRIDD ...	–	2	1	–	2	–
PORTHCAWL ...	–	1	–	–	4	–
†PORT TALBOT ...	–	1	2	–	–	–
†RHONDDA ...	–	20	2	–	13	C. 1
†SWANSEA C.B. ...	–	5	7	–	5	–
Rural Districts:—						
GOWER	–	–	–	–	1	–
LLANDAFF and DINAS POWIS	–	2	–	–	–	–

* Returns not received. * Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
LLANTRISANT and LLANTWIT FARDRE	–	1	–	–	4	–
NEATH	–	1	–	–	7	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA ...	–	–	–	–	3	–
MERIONETH ...	–	–	2	–	1	–
Urban District:—						
FESTINIOG ...	–	–	–	–	1	–
MALLWYD ...	–	–	1	–	–	–
Rural Districts:—						
DOLGELLY ...	–	–	1	–	–	–
MONMOUTH ...	–	42	15	–	51	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	1	–
†ABERSYCHAN ...	–	2	–	–	–	–
†ABERTILLERY ...	–	–	1	–	8	–
BEDWAS AND MACHEN	–	2	–	–	–	–
†BEDWELLTY ...	–	2	–	–	–	–
†BLAENAVON ...	–	–	2	–	–	–
CHEPSTOW ...	–	–	–	–	1	–
†EBBW VALE ...	–	4	1	–	–	–
LLANFRECHA UPPER	–	1	–	–	1	–
LLANTARNAM ...	–	1	–	–	–	–
†MYNDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	16	–
†NEWPORT C.B....	–	9	2	–	17	–
†PANTEG... ...	–	1	–	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
RISCA	–	10	2	–	–	–
†TREDEGAR ...	–	5	–	–	3	–
†USK	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY...	–	1	–	–	–	–
CHEPSTOW ...	–	–	6	–	1	–
MONTGOMERY ...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
WELSHPOOL ...	–	1	–	–	1	–
Rural Districts:—						
FORDEN ...	–	2	–	–	–	–
LLANFYLLIN ...	–	–	2	–	–	–
PEMBROKE—	–	5	1	–	1	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORD-WEST	–	1	–	–	–	–
MILFORD HAVEN	–	3	–	–	1	–
†PEMBROKE ...	–	1	1	–	–	–
RADNOR	–	1	1	–	1	–
Urban Districts:—						
LLANDRINDOD WELLS	–	1	–	–	–	–
PRESTEIGNE ...	–	–	–	–	1	–
Rural District:—						
RHAYADER ...	–	–	1	–	–	–
Total of Part II.	18	1993	987	45	2300	C. 45 D. 8 E. 3 G. 7 K. 1 L. 19 M. 131

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARNSTAPLE ...	*	*	*	*	*	*
CARDIFF ...	–	–	–	–	–	L. 1
PADSTOW ...	*	*	*	*	*	*
PLYMOUTH ...	–	–	–	1	1	–
SHOREHAM-BY-SEA	*	*	*	*	*	*
SWANSEA ...	–	–	1	–	–	–
PORT OF LONDON	–	–	1	–	–	–
Total of Part III.	–	–	2	1	1	L. 1

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	477	343	2	267	C. 2 D. 4 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	18	1993	987	45	2300	C. 45 D. 8 E. 3 G. 7 K. 1 L. 19 M. 131
Total of Part III.—Port Sanitary Districts ...	–	–	2	1	1	L. 1
Total (*i.e.*, of returns received) England and Wales	18	2470	1332	48	2568	C. 47 D. 12 E. 3 G. 7 K. 1 L. 21 M. 144

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eighteen cases of Small-pox were notified, which appear on pages 120, 128, and 133.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.
LONDON:—													
Deaths—all ages	1,150	1,435	1.324	1,601	1,383	1,279	1,395	1,606	2,170	2,726	2,481	2,022	1662
„ 0 to 1 year	123	128	106	138	135	125	142	169	182	224	264	219	192
GREAT TOWNS, aggregate (including London):—													
Births	*7,981*	*7,900*	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969	8,853	8,096	8,131	8,822
									8,786	*8,675*	*7,908*	*7,958*	*8,595*
Deaths—all ages	*4,289*	*5,202*	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922	8,085	8,638	8,353	7,786
									6,800	*7,928*	*8,482*	*8,178*	*7,636*
„ *0 to 1* year	*608*	*663*	*566*	*648*	*623*	*641*	*661*	*699*	793	860	1,016	1,024	972
									781	*842*	*1,001*	*1,011*	*961*
Enteric Fever—Cases	*44*	*31*	*38*	*23*	*28*	*22*	*27*	*13*	19	22	11	17	29
									19	*20*	*9*	*17*	*28*
„ Deaths	*6*	*4*	*6*	*11*	*6*	*5*	*6*	*4*	8	7	9	2	2
									7	*7*	*9*	*2*	*2*
Small Pox—Cases	*7*	*1*	*12*	*4*	*2*	*6*	*12*	*2*	4	5	—	1	3
									4	*5*	—	*1*	*3*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	*2,675*	*2,839*	*2,709*	*2,639*	*2,389*	*2,430*	*2,166*	*1,895*	1816	1,767	1,672	1,521	1,541
									1798	*1,738*	*1,645*	*1,502*	*1,527*
„ Deaths	*22*	*14*	*28*	*20*	*25*	*33*	*17*	*26*	35	38	36	21	27
									34	*38*	*36*	*21*	*27*
Diphtheria—Cases	*1,036*	*984*	*1,041*	*956*	*936*	*1,098*	*985*	*906*	858	863	889	787	822
									831	*846*	*868*	*770*	*803*
„ Deaths	*66*	*76*	*72*	*71*	*58*	*70*	*79*	*92*	72	93	100	75	80
									71	*92*	*99*	*74*	*80*
Measles—Deaths	*18*	*36*	*36*	*30*	*31*	*50*	*47*	*68*	69	61	82	60	61
									69	*61*	*82*	*60*	*61*
Influenza—Deaths	*44*	*59*	*80*	*128*	*149*	*212*	*237*	*418*	819	1,262	1,433	1,451	1,144
									807	*1,240*	*1,404*	*1,420*	*1,121*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 4th February 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	52	35	48·0	38·4	19
Brighton	50	36	48·9	41·9	26
Portsmouth	53	35	50·1	40·9	33
Norwich (Eaton).	50	28	44·0	36·4	42
Plymouth	54	40	52·0	43·7	44
Bristol (Clifton).	54	39	48·0	41·0	43
Birmingham	50	27	46·0	36·6	26
Nottingham	51	31	44·6	36·9	20
Birkenhead (Bidston).	49	34	44·0	38·4	46
Manchester	50	29	46·9	36·9	47
Burnley	48	30	42·7	35·7	50
Huddersfield	Not received.				
Bradford	47	29	43·0	36·0	38
Sheffield	48	27	44·4	36·0	30
York (Museum).	48	30	43·7	35·7	29
Hull (Pearson Park).	47	30	43·9	36·0	31
Tynemouth	45	33	42·0	38·1	32
Cardiff	54	34	49·3	39·3	34
Edinburgh	47·0	30·0	41·9	35·3	14
Glasgow	47·4	34·3	42·3	37·1	30
Dublin (Phœnix Park).	53·5	30·0	50·0	37·3	22
Fitzwilliam Square.†	53·0	37·0	49·2	40·7	17
Belfast	57·5	34·0	51·7	38·2	43

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th February 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	29	..	29·226	50·1	40·8	9·3	45·0	+ 5·3	42·2	2·8	7·4	0·0	90	81·1	33·6	43·6	S.	S., E. & N.	1·0	0·0	0·0	192	−151	0·05
MONDAY	30	Apogee	29·247	49·6	39·2	10·4	44·7	+ 5·0	41·4	3·3	7·0	0·0	88	79·8	32·4	43·9	Calm	SSW.	0·6	0·0	0·0	147	−199	0·00
TUESDAY	31	..	29·255	50·1	38·9	11·2	44·2	+ 4·5	42·9	1·3	6·0	0·0	95	75·6	31·6	43·7	S. & SSE.	SSW.	0·9	0·0	0·0	211	−134	0·05
FEBRUARY. WEDNESDAY	1	In Equator.	29·651	47·1	36·0	11·1	41·3	+ 1·7	35·7	5·6	10·5	0·0	80	70·3	29·3	43·7	WSW. & W.	W. & SW.	2·5	0·0	0·1	279	− 61	0·01
THURSDAY	2	..	29·238	52·4	35·4	17·0	45·3	+ 5·8	44·4	0·9	3·7	0·0	97	57·2	29·6	43·9	S. & SSW.	SSW. & SW.	3·6	0·0	0·3	333	− 0	0·37
FRIDAY	3	..	29·490	51·9	46·8	5·1	48·9	+ 9·4	43·3	5·6	9·2	3·6	81	72·0	41·3	43·9	SW. & WSW.	W. & WSW.	5·8	0·0	0·6	532	+207	0·03
SATURDAY	4	..	29·988	46·8	30·9	15·9	33·8	− 5·7	33·0	0·8	4·9	0·5	97	45·5	30·1	43·8	W. & E.	E.	2·1	0·0	0·3	364	+ 46	0·26
MEANS		..	29·442	49·7	38·3	11·4	43·3	+ 3·7	40·4	2·9	7·0	0·6	90	68·8	32·6	43·8	SSW.		...	...	...	Sum 2,058	Sum −292	Sum 0·77
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	29	w.P. generally	0·9	8·9	Overcast generally till 8h. 30m. Very cloudy generally till 14h., then overcast. Frequent rain till 5h. 30m. and about noon.
MONDAY -	30	w.P. generally	1·8	9·0	Nearly overcast generally. Cloudy about noon and after 21h. Misty in morning. Damping 14h. Slight rain 19h. 30m. Dew at night.
TUESDAY -	31	w.P. generally	0·5	9·0	Cloudy till 2h. 30m. Nearly cloudless till 5h. Overcast with few exceptions 5h. 30m. to 20h., then nearly cloudless. Mist and dew in morning. Solar halo about noon. Rain or damping at times between 14h. and 20h.
FEBRUARY. WEDNESDAY	1	w.P. generally	3·6	9·1	Cloudless till 5h. Sky veiled from 6h. to 10h. with mist and slight rain. Partially cloudy 10h. to 17h., then cloudless generally. Hoar frost at night.
THURSDAY -	2	w.P. generally	0·1	9·1	Nearly cloudless till 1h. becoming overcast generally by 2h. Cloudy interval about 16h. Frequent rain from 4h. 30m. Heavy rain with thunder and lighning about 17h. Brisk wind from 23h.
FRIDAY -	3	w.P. throughout	0·4	9·2	Nearly overcast throughout with few cloudy intervals. Brisk wind generally till 20h. Occasional slight rain till 12h. 30h. Rain from 22h. 45m.
SATURDAY -	4	w.P. throughout	0·0	9·3	Overcast throughout. Frequent rain till 8h. 30m., then sleet, becoming snow after 9h. Frequent snow till 21h.
			Sum 7·3	Sum 63·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·30 in. at the beginning of the week to 29·11 in. by 21h. on January 29; increased generally to 29·72 in. by 21h. on February 1; decreased to 29·01 in. by 8h. on February 3, and increased to 29·72 in. by midnight on February 4th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

1922 No. 6

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 11TH FEBRUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN

1922.

Price 1*s. Net.*

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH FEBRUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the sixth week of the year numbered 8,908, and corresponded to an annual rate of 24·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 6,784 and corresponded to an annual rate of 18·8 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 23·9, 23·1 and 21·5. Infant mortality was 97 per 1,000 births against 125, 126 and 110 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,102 births, corresponding to a rate of 24·4 per 1,000, and 1,418 deaths of civilians, corresponding to a rate of 16·5, as against 28·9, 23·6, and 19·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 22·1 per 1,000. The infant mortality was 88 as against 134, 118, and 95 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 1,002 in the total deaths last week, the deaths from influenza showing a fall of 385. In London the number of deaths from all causes fell from 1,662 to 1,418; there was a decrease of 82 in the deaths from influenza, of 10 from bronchitis, and of 74 from pneumonia.

---

m (45)17017—2 Wt 30—P 10 2500 2/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 11th February 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,908	6,784	862	5	44	22	194	75	52	759
London	4,476,586*	2,102	1,418	186	–	26	5	70	31	14	109
Towns in Outer Ring.											
Croydon C.B.	190,877	89	54	4	–	–	1	–	–	–	7
Wimbledon	61,451	18	12	1	–	–	–	–	1	–	–
Ealing	67,753	27	15	–	–	–	–	–	2	–	1
Acton	61,314	22	11	1	–	–	–	–	–	–	2
Willesden	165,669	68	34	5	–	–	–	–	3	–	2
Hendon	56,014	11	11	–	–	–	–	–	–	–	–
Hornsey	87,691	19	29	–	–	–	–	–	–	–	1
Wood Green	50,716	12	16	1	–	–	–	–	–	–	2
Tottenham	146,695	55	39	4	–	–	–	2	–	–	6
Edmonton	66,809	42	12	3	–	–	1	–	–	–	–
Enfield	60,743	25	23	3	–	–	–	–	–	–	5
West Ham C.B.	300,905	185	119	14	–	1	–	13	1	–	11
East Ham C.B.	143,304	70	46	6	–	–	–	–	–	–	1
Leyton	128,432	63	47	13	–	–	–	2	–	1	4
Walthamstow	127,441	48	59	7	1	–	–	2	–	–	1
Ilford	85,191	30	18	2	–	–	–	–	–	–	4
Gillingham	47,887*	22	5	1	–	–	–	–	–	–	–
Canterbury C.B.	23,331*	5	15	1	–	1	–	1	–	–	4
Hastings C.B.	66,496	13	18	–	–	–	–	–	–	–	3
Eastbourne C.B.	62,030	17	22	1	–	–	–	2	–	–	6
Brighton C.B.	142,427	51	44	2	–	–	–	–	–	–	7
Portsmouth C.B.	234,218*	122	79	2	–	–	1	–	1	1	8
Bournemouth C.B.	91,770	16	29	2	–	–	–	–	–	2	4
Southampton C.B.	160,997	76	46	5	1	–	–	1	1	1	4
Reading C.B.	92,274	48	41	4	–	–	–	1	–	–	8
Oxford C.B.	57,052	17	25	4	–	–	–	–	–	–	3
Northampton C.B.	90,923	39	31	3	–	–	–	–	–	–	2
Luton	57,077	18	11	1	–	–	–	–	1	–	–
Cambridge	59,262	12	25	–	–	–	–	–	–	–	6
Southend-on-Sea C.B.	106,021	29	13	1	–	–	–	–	–	–	1
Ipswich C.B.	79,383	33	18	1	–	–	–	–	–	–	4
Great Yarmouth C.B.	60,710	24	28	2	–	–	–	1	–	–	4
Norwich C.B.	120,653	56	63	4	–	–	–	–	–	1	8
Swindon	54,920	27	34	4	–	–	–	–	–	–	4
Exeter C.B.	59,608	24	36	2	–	–	–	3	–	–	7
Plymouth C.B.	198,132*	92	77	3	1	–	–	–	1	–	11
Bath C.B.	68,648	23	28	2	–	–	–	–	–	–	5
Bristol C.B.	377,061	174	142	17	–	2	–	2	5	1	26
Gloucester C.B.	51,330	24	20	1	–	–	–	–	–	–	2
Stoke-on-Trent, C.B.	240,440	127	70	13	–	–	2	6	–	1	5
Burton-upon-Trent C.B.	48,927	32	15	–	–	–	–	–	–	–	–
Wolverhampton C.B.	102,373	49	45	3	–	–	–	2	–	1	3
Walsall C.B.	96,964	60	40	5	–	–	–	–	–	–	1
West Bromwich C.B.	73,761	39	41	8	–	–	–	–	3	–	6
Worcester C.B.	48,848	17	24	1	–	–	–	–	–	–	3
Dudley C.B.	55,908	42	27	7	–	–	–	2	–	1	–
Birmingham C.B.	919,438	460	338	49	–	–	1	21	–	3	52
Smethwick C.B.	75,757	44	30	6	–	–	–	1	–	–	6
Coventry C.B.	128,205	52	58	6	–	–	–	2	–	–	5
Leicester C.B.	234,190	103	68	13	–	–	–	2	–	1	1
Lincoln C.B.	66,020	21	16	3	–	–	–	–	–	–	2
Grimsby C.B.	82,329	44	30	4	–	–	–	1	–	–	–
Nottingham C.B.	262,658	128	59	10	1	–	–	–	–	–	1
Derby C.B.	129,836	52	27	2	–	–	–	–	–	–	–
Chesterfield	61,236	31	9	–	–	–	–	–	–	–	–
Stockport C.B.	123,315	56	46	4	–	–	–	–	–	1	7
Chester C.B.	40,794	17	22	3	–	–	–	–	–	–	1
Birkenhead C.B.	145,592	74	53	11	–	1	–	2	–	1	3
Wallasey C.B.	90,721	28	35	3	–	–	–	–	1	1	7
Liverpool C.B.	803,118	450	465	78	–	10	3	12	2	7	43
Bootle C.B.	76,508	40	42	8	–	3	1	4	2	–	3
St. Helens C.B.	102,675	58	56	16	–	–	–	1	1	1	4

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	26	21	–	–	–	–	2	–	–	2
Wigan C.B.	89,447	53	44	1	–	–	–	–	2	–	5
Warrington C.B.	76,811	34	23	3	–	–	–	–	2	–	4
Bolton C.B.	178,678	89	53	4	–	–	–	–	1	–	5
Bury C.B.	56,426	22	12	2	–	–	–	–	–	–	1
Manchester C.B.	730,551	348	245	24	–	–	2	2	3	2	34
Salford C.B.	234,150	124	75	6	–	–	–	1	–	–	9
Oldham C.B.	145,001	57	50	9	–	–	1	1	–	–	6
Rochdale C.B.	90,807	27	37	5	–	–	–	2	1	–	7
Burnley C.B.	103,175	49	32	3	–	–	–	–	–	–	2
Blackburn C.B.	126,630	52	46	5	–	–	1	1	–	–	6
Preston C.B.	117,426	53	54	5	–	–	–	–	–	–	7
Blackpool C.B.	99,640	32	23	–	–	–	–	–	–	–	4
Barrow-in-Furness C.B.	74,254	30	27	9	–	–	–	–	–	–	2
Huddersfield C.B.	110,120	45	24	3	–	–	–	–	–	–	2
Halifax C.B.	99,129	37	50	13	–	–	–	3	–	–	1
Bradford C.B.	285,979	116	83	7	–	–	1	1	–	–	4
Leeds C.B.	458,320	166	138	20	–	–	–	3	–	1	5
Dewsbury C.B.	54,165	18	10	2	–	–	–	–	–	1	1
Wakefield C.B.‡	53,053	23	13	2	–	–	–	–	–	–	1
Barnsley C.B.‡	67,918	35	24	5	–	–	–	1	–	–	–
Sheffield C.B.‡	511,748	187	148	16	–	–	–	1	2	–	5
Rotherham C.B.	68,045	32	11	2	–	–	–	–	–	–	1
Doncaster	54,052	36	13	1	–	–	–	–	1	–	–
York C.B.	82,606*	37	25	1	–	–	–	–	–	1	3
Hull C.B.	287,013	167	117	14	–	–	–	1	3	–	17
Middlesbrough C.B.	131,103	110	51	12	–	–	–	2	–	3	3
Darlington C.B.	65,866	39	20	6	–	–	–	3	1	–	1
Stockton-on-Tees	64,150	44	16	2	–	–	–	2	–	–	–
West Hartlepool C.B.	68,689	40	43	9	–	–	–	2	–	–	10
Sunderland C.B.	159,100	101	86	14	1	–	–	1	–	1	21
South Shields C.B.‡	118,631	87	57	4	–	–	–	–	–	–	10
Gateshead C.B.	124,514	72	61	10	–	–	1	2	–	–	11
Newcastle-on-Tyne C.B.	274,955	174	110	9	–	–	–	1	–	1	20
Tynemouth C.B.	63,786	45	15	–	–	–	–	–	–	–	2
Carlisle C.B.	52,600	27	45	7	–	–	–	–	–	2	14
Newport (Mon.) C.B.	92,369	55	43	4	–	–	–	1	1	–	12
Cardiff C.B.	200,262	123	119	16	–	–	–	3	–	1	27
Rhondda	162,729	98	89	11	–	–	–	–	–	–	19
Merthyr Tydfil C.B.	80,161	44	62	11	–	–	–	–	1	–	8
Aberdare	55,010	22	43	10	–	–	1	–	–	–	12
Swansea C.B.	157,561	60	97	9	–	–	–	2	1	–	19
Greater London	7,467,946*	3,341	2,323	285	1	31	8	97	41	17	202
Outer Ring	2,991,360*	1,239	905	99	1	5	3	27	10	3	93
16 Great Towns in Outer Ring	1,801,005	784	545	64	1	1	2	19	7	1	47
Remainder of Outer Ring	1,190,355*	455	360	35	–	4	1	8	3	2	46
Edinburgh†	420,500	173	200	17	–	–	1	6	2	–	48
Glasgow†	1,037,800	566	504	118	–	62	2	2	4	7	48
Dublin (Registration Area)†	427,000	234	164	24	–	7	–	5	–	3	11
Belfast†	425,000	191	216	28	–	–	–	–	2	3	28

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,586	1922. Feb. 11	2102	1418	16·5	–	–	26	5	70	31	14	109
Calcutta	896,067	Jan. 14	–	504§	29·2	?	7	–	–	–	–	–	12
Bombay	979,445	„ 14	–	–	–	–	–	–	–	–	–	–	–
Madras	522,951	„ 7	379	405§	40·3	1	18	2	?	–	–	38	3
Paris	2,847,229	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 28	123	141	22·0	–	–	2	–	2	–	2	18
Amsterdam	683,400	Dec. 31	–	–	–	–	–	–	–	–	–	–	–
Copenhagen	562,000	Feb. 4	244	196	18·1	–	–	–	1	1	–	1	31
Stockholm	419,788	Jan. 28	124	167	20·7	1	–	–	–	–	–	–	28
Gothenburg	228,052	„ 14	–	56	12·8	–	–	1	–	1	–	1	1
		„ 21	–	50	11·4	5	–	–	–	–	–	1	–
Christiania	260,920	Feb. 4	99	69	13·8	–	–	–	–	–	–	1	12
Berlin	1,955,000	Jan. 14	502	826	22·0	–	?	2	5	–	5	7	151
Breslau	550,000	„ 14	227	240	22·7	–	?	1	–	–	3	4	22
Cologne	672,000	„ 14	277	224	17·3	–	?	–	–	–	3	6	36
Dresden	601,000	„ 14	203	204	17·7	–	?	–	1	–	–	1	45
Frankfort-on-Main	473,000	„ 14	172	149	16·4	–	?	–	–	5	1	–	39
Hamburg	1,039,000	„ 14	425	385	19·3	–	?	–	2	–	4	–	38
Leipzig	632,000	„ 14	220	213	17·5	–	?	–	1	1	1	2	31
Munich	675,000	„ 14	234	188	14·5	–	?	2	–	–	–	1	19
Vienna	1,842,005	„ 14	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	„ 21	–	–	–	–	–	–	–	–	–	–	–
Budapest	933,000	Oct. 29	328	349	19·4	8	?	1	22	3	1	19	–
Cairo	765,200	Dec. 9	–	–	–	–	–	–	–	–	–	–	–
Alexandria	449,300	„ 9	–	–	–	–	–	–	–	–	–	–	–
New York	5,839,738	Jan. 21	2551	1581	14·2	–	–	16	7	5	27	24	15
Chicago	2,838,288	Jan. 21	–	661	12·2	1	–	–	6	2	19	20	3
		„ 28	–	596	11·0	3	1	1	3	3	21	19	4
Montevideo	356,655	Nov. 26	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 12 deaths from *Asiatic cholera* in Calcutta and 2 in Madras.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th February, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1418	186	113	73	37	51	41	88	151	178	257	243
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	26	3	13	8	2	–	–	–	–	–	–	–
Scarlet fever	5	1	–	3	1	–	–	–	–	–	–	–
Whooping cough	70	16	32	21	1	–	–	–	–	–	–	–
Diphtheria	31	3	5	11	12	–	–	–	–	–	–	–
Influenza	109	10	3	6	1	4	7	5	15	18	24	16
Erysipelas	4	1	–	–	–	1	–	–	–	–	2	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	106	–	–	1	–	28	15	20	24	14	4	–
Tuberculous meningitis	12	4	4	1	2	–	1	–	–	–	–	–
Abdominal tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other tubercle	9	–	–	–	1	4	–	–	2	2	–	–
Venereal diseases	5	4	–	–	–	1	–	–	–	–	–	–
Cancer	105	–	–	–	1	–	1	11	26	25	27	14
Rheumatic fever	3	–	–	–	2	–	–	–	–	1	–	–
Diabetes	8	–	–	–	–	–	–	1	2	–	4	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	58	–	–	–	–	–	1	3	7	12	24	11
Epilepsy	8	–	–	–	–	1	–	–	1	1	4	1
"Convulsions" (not puerperal)	5	3	1	–	–	1	–	–	–	–	–	–
Other diseases of nervous system	26	1	–	–	1	–	–	3	6	8	3	4
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	–	1	1	1	1	–	–
Other diseases of heart	159	–	–	1	1	2	1	7	18	34	51	44
Other dis. of circulatory system	39	–	–	–	–	–	–	1	4	5	17	12
Bronchitis	161	8	3	2	–	–	2	11	13	25	43	54
Broncho-pneumonia	109	30	35	13	3	3	1	5	2	7	5	5
Lobar pneumonia	19	1	3	–	1	–	3	4	2	–	3	2
Pneumonia (type not distinguished)	21	4	7	2	–	–	–	1	–	1	5	1
Other diseases of respiratory system	21	1	1	1	–	–	1	–	3	2	6	6
Diarrhœa and enteritis	15	14	–	–	–	–	–	–	–	–	–	1
Appendicitis and typhlitis	6	–	–	1	2	1	–	–	1	–	1	–
Hernia, Intestinal obstruction	8	–	–	–	–	–	–	3	–	3	2	–
Cirrhosis of liver	5	–	–	–	–	–	–	–	2	1	2	–
Other diseases of digestive system	19	1	1	1	1	–	–	3	5	2	3	2
Acute nephritis	4	1	–	–	1	–	–	–	1	1	–	–
Chronic Bright's disease	17	–	–	–	–	–	1	–	2	5	5	4
Other diseases of genito-urinary system.	12	–	–	–	–	–	–	1	2	1	2	6
Puerperal fever, &c.	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	1	1	–	–	–	–
Congenital malformations	9	8	1	–	–	–	–	–	–	–	–	–
Premature birth	38	38	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	14	14	–	–	–	–	–	–	–	–	–	–
Old age	62	–	–	–	–	–	–	–	–	1	9	52
Suicide	6	–	–	–	–	–	1	–	2	2	1	–
Burns and scalds	4	–	1	1	–	–	–	–	–	–	1	1
Drowning	3	–	–	–	–	1	–	1	1	–	–	–
Suffocation in bed	5	5	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	–	–	2	1	–	1	1	2	3	–
Other deaths by violence	9	–	–	–	–	1	–	1	1	3	1	2
Other specified causes	38	12	–	–	2	1	4	2	7	1	5	4
Ill-defined causes	2	1	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th February 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	17	13	–	14	M. 1
†BERMONDSEY ...	–	14	18	–	7	–
†BETHNAL GREEN	–	5	14	–	2	G. 1
†CAMBERWELL ...	–	35	15	–	15	–
†CHELSEA ...	–	5	1	–	1	–
†DEPTFORD ...	–	10	8	–	2	M. 1
†FINSBURY ...	–	6	3	–	4	–
†FULHAM ...	–	19	22	–	16	–
†GREENWICH ...	–	18	16	–	6	–
†HACKNEY ...	–	16	14	–	1	–
†HAMMERSMITH	–	12	7	–	7	M. 1
†HAMPSTEAD ...	–	4	7	–	2	–
†HOLBORN ...	–	–	–	–	5	–
†ISLINGTON ...	–	40	14	1	3	M. 3
†KENSINGTON ...	–	14	13	–	7	–
†LAMBETH ...	–	20	12	–	6	C. 2 L. 1 M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	16	9	–	4	–
†PADDINGTON ...	–	13	18	–	4	–
†POPLAR... ...	–	11	7	1	18	M. 1
†ST. MARYLEBONE	–	6	4	–	2	G. 1
†ST. PANCRAS ...	–	46	20	–	14	C. 1 L. 2 M. 2
†SHOREDITCH ...	–	13	12	–	5	M. 2
†SOUTHWARK ...	–	18	13	–	11	C. 1 M. 1
†STEPNEY ...	–	12	20	–	12	–
†STOKE NEWINGTON	–	4	7	–	–	–
†WANDSWORTH	–	50	23	–	18	D. 1
†WESTMINSTER, CITY OF	–	10	2	–	1	M. 1
†WOOLWICH ...	–	19	10	–	10	–
TOTAL OF PART I.	–	453	323	2	197	C. 4 D. 1 G. 2 L. 3 M. 15

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	5	8	–	4	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	–	–	–	3	–
BIGGLESWADE ...	–	–	1	–	–	–
LEIGHTON BUZZARD ...	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	2	–	–	–
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	3	–	–	1	–
LUTON	–	–	3	–	–	–
BERKS	–	19	3	–	6	L. 1
Boroughs and Urban Districts :—						
NEWBURY ...	–	–	–	–	3	–
†READING C.B.	–	15	1	–	2	L. 1
Rural Districts :—						
ABINGDON ...	–	–	–	–	1	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	–	1	–	–	–
NEWBURY ...	–	2	–	–	–	–
WALLINGFORD	–	1	1	–	–	–
BUCKINGHAM ...	–	20	9	–	7	–
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	5	–	–	1	–
CHESHAM ...	–	1	–	–	2	–
LINSLADE ...	–	1	–	–	–	–
†SLOUGH ...	–	1	2	–	–	–
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	2	–	–	–	–
AYLESBURY ...	–	–	–	–	1	–
ETON	–	–	–	–	2	–
LONG CRENDON	–	1	–	–	–	–
NEWPORT PAGNELL	–	–	6	–	1	–
WYCOMBE ...	–	7	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE...	–	10	3	–	8	–
Borough						
†CAMBRIDGE ...	–	9	2	–	5	–
Rural Districts :—						
CAXTON AND ARRINGTON ...	–	–	–	–	2	–
CHESTERTON ...	–	1	–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	55	33	–	71	L. 2
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	–	1	–	–	–
†BIRKENHEAD C.B.	–	6	5	–	22	–
BOLLINGTON ...	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	2	–
†CHESTER C.B. ...	–	1	4	–	9	–
†CREWE	–	8	2	–	1	–
†DUKINFIELD ...	–	2	2	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	3	–
HALE	–	–	–	–	1	–
HOLLINGWORTH	–	2	–	–	–	–
†HYDE	–	3	2	–	2	–
KNUTSFORD ...	–	1	–	–	–	–
†LOWER BEBINGTON	–	1	–	–	–	–
†MACCLESFIELD...	–	2	–	–	2	L. 2
†NORTHWICH ...	–	1	1	–	–	–
†RUNCORN ...	–	2	–	–	6	–
†SALE	–	–	1	–	–	–
SANDBACH ...	–	1	1	–	–	–
†STOCKPORT C.B.	–	3	3	–	2	–
†WALLASEY C.B.	–	9	2	–	12	–
Rural Districts :—						
BUCKLOW ...	–	3	2	–	1	–
CONGLETON ...	–	1	1	–	–	–
DISLEY ...	–	1	–	–	–	–
MACCLESFIELD...	–	2	–	–	–	–
MALPAS ...	–	–	1	–	–	–
NANTWICH ...	–	–	1	–	1	–
NORTHWICH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
RUNCORN ...	–	4	1	–	4	–
TARVIN	–	1	–	–	–	–
WIRRAL ...	–	1	2	–	–	–
CORNWALL ...	–	3	7	–	9	G. 1
Boroughs and Urban Districts:—						
BODMIN... ...	–	–	1	–	–	–
†CAMBORNE ...	*	*	*	*	*	*
LISKEARD ...	–	2	–	–	1	–
PADSTOW ...	–	–	–	–	1	–
PENRYN ...	–	–	–	–	2	–
REDRUTH ...	*	*	*	*	*	*
ST. IVES ...	–	1	4	–	–	–
SALTASH ...	–	–	–	–	4	–
Rural Districts—						
HELSTON ...	–	–	–	–	–	G. 1
LAUNCESTON ...	–	–	–	–	1	–
REDRUTH ...	–	–	2	–	–	–
WEST PENWITH	*	*	*	*	*	*
CUMBERLAND ...	–	4	5	–	12	M. 3
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	–	2	–	7	–
EGREMONT ...	–	–	1	–	–	–
†MARYPORT ...	–	–	–	–	1	–
PENRITH ...	–	1	–	–	2	–
†WHITEHAVEN ...	–	–	1	–	–	M. 2
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	–	–	–	2	M. 1
LONGTOWN ...	–	–	1	–	–	–
DERBY	11	40	17	1	15	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	–	–
ASHBOURNE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	–	–	–	–	2	–
†CHESTERFIELD	–	3	1	–	–	–
†DERBY C.B. ...	–	13	4	1	5	M. 2
HEAGE	–	–	1	–	–	–
†HEANOR ...	–	1	1	–	3	–
†ILKESTON ...	11	3	–	–	–	–
†LONG EATON ...	–	4	–	–	2	–
MATLOCK BATH AND SCARTHIN NICK	–	1	1	–	–	–
NEW MILLS ...	–	–	2	–	–	–
†RIPLEY... ...	–	1	1	–	–	–
†SWADLINCOTE DISTRICT	–	3	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	2	–	–	1	–
BELPER... ...	–	–	1	–	1	–
CHESTERFIELD	–	3	2	–	1	–
HARTSHORNE AND SEALS	–	2	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON... ...	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	17	15	2	26	D. 1 L. 1 M. 4
Boroughs and Urban Districts:—						
BIDEFORD ...	–	–	2	–	1	M. 1
BRIXHAM ...	–	–	–	–	8	–
BUCKFASTLEIGH	*	*	*	*	*	*
BUDLEIGH SALTERTON...	–	1	–	–	–	–
CREDITON ...	–	1	–	–	–	–
DARTMOUTH ...	–	1	–	–	–	–
†EXETER C.B. ...	–	1	1	–	7	M. 1
†EXMOUTH ...	–	1	–	–	–	–
†ILFRACOMBE ...	–	1	–	–	–	–
†NEWTON ABBOT	–	–	1	–	–	–
†PAIGNTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	7	1	1	3	D. 1 M. 2
TIVERTON ...	–	–	3	–	–	–
†TORQUAY ...	–	2	2	–	–	–
TOTNES... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BROADWOODWIDGER	–	–	–	–	2	–
CULMSTOCK ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	1	1	3	L. 1
ST. THOMAS ...	–	–	1	–	1	–
TORRINGTON ...	–	–	1	–	–	–
DORSET	–	2	–	–	15	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	–
*POOLE	–	–	–	–	5	–
†PORTLAND ...	–	–	–	–	5	–
WIMBORNE ...	*	*	*	*	*	*
Rural Districts:—						
SHERBORNE ...	–	–	–	–	1	–
STURMINSTER ...	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	–	–	–	3	–
DURHAM... ...	–	32	25	–	100	M. 5
Boroughs and Urban Districts:—						
†BLAYDON ...	–	–	–	–	2	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER-LE-STREET	–	–	–	–	1	–
†DARLINGTON C.B.	–	1	7	–	5	–
†DURHAM ...	–	–	–	–	1	–
†FELLING ...	–	2	–	–	–	–
†GATESHEAD C.B.	–	4	2	–	10	–
†HARTLEPOOL ...	–	–	–	–	4	M. 1
†HEBBURN ...	–	1	–	–	3	M. 1
†JARROW ...	–	–	–	–	2	–
†RYTON	–	1	–	–	2	–
†SEAHAM HARBOUR ...	–	–	2	–	1	–
†SHILDON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†SOUTH SHIELDS C.B.	–	2	–	–	14	–
†SOUTHWICK-ON-WEAR	–	1	–	–	–	–
†STANLEY ...	–	–	1	–	2	–
†STOCKTON-ON-TEES	–	–	2	–	–	–
†SUNDERLAND C.B.	–	2	1	–	14	–
†TANFIELD ...	–	–	–	–	1	–
†WEST HARTLEPOOL C.B.	–	2	–	–	15	M. 3
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	1	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	8	3	–	1	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	1	3	–	11	–
HOUGHTON-LE-SPRING	–	1	–	–	3	–
LANCHESTER ...	–	–	1	–	1	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS	–	–	1	–	1	–
SUNDERLAND ...	–	1	1	–	3	–
WEARDALE ...	–	–	–	–	1	–
ISLE OF ELY ...	–	8	2	–	3	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH ...	–	4	2	–	1	–
Rural Districts—						
NORTH WITCHFORD	–	3	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
WISBECH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	93	50	1	41	C. 2 L. 1 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	3	–	5	M. 1
BUCKHURST HILL	–	–	–	–	1	–
BURNHAM-ON-CROUCH	–	–	1	–	–	–
†CHELMSFORD ...	–	1	2	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†CLACTON ...	–	1	–	–	1	–
†COLCHESTER ...	–	1	2	–	–	M. 1
†EAST HAM C.B.	–	12	7	–	–	–
†GRAYS THURROCK	–	1	1	–	–	–
†HARWICH ...	–	–	1	–	6	–
†ILFORD	–	4	6	–	1	L. 1
†LEYTON... ...	–	12	–	–	3	–
†ROMFORD ...	–	–	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	9	2	–	8	C. 1
TILBURY	–	1	–	–	–	–
†WALTHAMSTOW	–	13	1	1	6	–
†WANSTEAD ...	–	3	–	–	–	–
†WEST HAM C.B.	–	21	16	–	1	M. 1
WIVENHOE ...	–	–	1	–	–	–
Rural Districts:—						
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	2	1	–	–	–
DUNMOW ...	–	1	–	–	3	–
EPPING	–	–	1	–	1	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON... ...	–	3	–	–	–	–
ONGAR	–	–	1	–	–	–
ORSETT	–	1	2	–	–	C. 1
ROCHFORD ...	–	4	–	–	2	–
ROMFORD ...	–	1	–	–	–	–
TENDRING ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	41	47	–	56	E. 1 G. 1 M. 7
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	26	32	–	41	E. 1 G. 1 M. 5
†CHELTENHAM ...	–	1	4	–	1	–
CIRENCESTER ...	–	–	1	–	5	–
COLEFORD ...	–	1	–	–	–	–
†GLOUCESTER C.B.	–	–	1	–	1	M. 2
†KINGSWOOD ...	–	–	2	–	–	–
TEWKESBURY...	–	2	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	3	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY ...	–	5	–	–	2	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
NEWENT ...	–	–	2	–	–	–
STOW-ON-THE-WOLD (part)	–	–	1	–	–	–
TETBURY (part)	–	4	2	–	–	–
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	–	1	–	1	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
LEDBURY ...	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	1	2	–	–	–
LEDBURY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	26	12	1	16	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	1	2	–	–	–
BISHOP STORTFORD	–	–	–	–	3	–
HARPENDEN ...	–	1	–	–	–	–
†HERTFORD ...	–	–	–	1	–	–
†HITCHIN ...	–	6	–	–	–	–
†LETCHWORTH ...	–	1	1	–	4	–
†ST. ALBANS ...	–	–	–	–	6	–
SAWBRIDGEWORTH	–	1	–	–	–	–
WARE	–	3	–	–	–	–
†WATFORD ...	–	5	–	–	1	–
Rural Districts:—						
BARNET ...	–	–	2	–	–	–
HATFIELD ...	–	1	2	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
ST. ALBANS ...	–	3	5	–	1	–
WATFORD ...	–	2	–	–	1	–
HUNTINGDON ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	–	–	1	–
OLD FLETTON ...	–	–	–	–	1	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
ST. NEOTS, No. 4	*	*	*	*	*	*
KENT	–	86	53	–	35	G. 1 M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY ...	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	3	–	1	–
†BROMLEY ...	–	9	2	–	3	M. 1
†CHATHAM ...	–	5	2	–	1	G. 1
CHERITON ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	1	–	–	–
†DARTFORD ...	–	5	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DOVER	–	1	4	–	1	–
†ERITH	–	2	3	–	–	–
†FAVERSHAM ...	–	1	–	–	1	–
†FOLKSTONE ...	–	4	3	–	2	–
†GILLINGHAM ...	–	12	2	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
HYTHE	–	–	–	–	1	–
†MARGATE ...	–	3	–	–	3	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	6	–	–	1	–
†RAMSGATE ...	–	–	2	–	–	–
†ROCHESTER ...	–	4	5	–	1	–
†ROYAL TUNBRIDGE WELLS	–	5	2	–	8	–
†SHEERNESS ...	–	1	1	–	–	–
SIDCUP	–	–	2	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	5	–
Rural Districts:—						
BROMLEY ...	–	4	1	–	–	–
DARTFORD ...	–	8	4	–	4	–
ISLE OF THANET	–	2	8	–	–	–
MAIDSTONE ...	–	–	3	–	–	–
MALLING ...	–	1	–	–	–	M. 1
MILTON	–	–	2	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
STROOD... ...	–	5	–	–	–	–
TONBRIDGE ...	–	–	–	–	2	–
WEST ASHFORD	–	–	1	–	–	–
LANCASTER ...	3	374	125	3	351	C. 8 D. 1 E. 1 L. 6 M. 41
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	–	1	–	2	–
†ASHTON-IN-MAKERFIELD	–	1	–	–	2	–
†ASHTON-UNDER-LYNE	–	1	–	–	–	C. 1
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
BARROWFORD ...	*	*	*	*	*	*
†BARROW-IN-FURNESS C.B.	–	–	1	–	–	–
†BLACKBURN C.B.	–	1	–	–	14	–
†BLACKPOOL C.B.	–	3	–	–	2	M. 2
BLACKROD ...	–	–	–	–	2	–
†BOLTON C.B. ...	–	11	3	–	7	–
†BOOTLE C.B. ...	–	6	4	–	1	C. 1 M. 2
†BURNLEY C.B.	–	4	3	–	1	M. 1
†BURY C.B. ...	–	4	–	–	6	–
†CHADDERTON ...	–	8	1	–	–	–
†CHORLEY ...	–	–	–	–	4	–
CHURCH ...	–	–	–	–	1	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	2	5	1	–	2	–
CROSTON ...	–	1	–	–	–	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	3	–	–	–	–
†DROYLSDEN ...	–	5	1	–	–	–
†ECCLES ...	–	3	2	–	–	–
†FAILSWORTH ...	–	2	1	–	2	M. 1
†FARNWORTH ...	–	6	–	–	2	–
†FLEETWOOD ...	–	–	–	–	3	–
FORMBY ...	*	*	*	*	*	*
†GREAT CROSBY	–	1	–	–	3	D. 1
†HASLINGDEN ...	–	1	–	–	1	–
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ...	–	–	1	–	–	–
†HEYWOOD ...	–	1	1	–	–	–
†HINDLEY ...	–	5	1	–	2	–
†HORWICH ...	–	–	6	–	1	–
INCE-IN-MAKERFIELD	–	2	1	–	1	–
IRLAM	–	2	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	1	2	–	–	–
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	3	1	–	–	M. 3
LITTLE HULTON	–	1	–	–	–	–
†LIVERPOOL C.B.	–	46	29	2	134	E. 1 M. 14

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANCHESTER C.B.	–	87	26	1	59	C. 2 M. 11
†MIDDLETON ...	–	12	–	–	2	–
MILNROW ...	–	4	1	–	–	–
†MORECAMBE ...	–	–	2	–	–	–
†NELSON ...	–	–	–	–	–	M. 1
†NEWTON-IN-MAKERFIELD	–	4	1	–	2	L. 1
NORDEN ...	–	–	–	–	1	–
†OLDHAM C.B.	1	20	3	–	4	C. 2
ORMSKIRK ...	–	–	–	–	3	–
ORRELL... ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	8	–	–	–	–
†PADIHAM ...	–	–	1	–	–	–
†PRESTON C.B. ...	–	5	3	–	–	–
†PRESTWICH ...	–	1	1	–	–	–
†RADCLIFFE ...	–	1	1	–	2	–
†RAMSBOTTOM ...	–	1	–	–	4	–
†RAWTENSTALL ...	–	–	1	–	–	–
RISHTON ...	–	–	–	–	3	–
†ROCHDALE C.B.	–	12	1	–	2	–
†ROYTON ...	–	3	–	–	1	M. 1
†ST. ANNES-ON-THE-SEA	–	1	–	–	1	–
†ST. HELENS C.B.	–	1	1	–	12	M. 2
†SALFORD C.B. ...	–	30	5	–	17	M. 2
SKELMERSDALE	–	–	–	–	1	–
†SOUTHPORT C.B	–	1	–	–	10	–
STANDISH-WITH-LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	8	3	–	3	M. 1
†SWINTON AND PENDLEBURY	–	4	1	–	1	–
THORNTON ...	–	–	–	–	1	–
TRAWDEN ...	–	1	–	–	–	–
†TURTON... ...	–	–	–	–	–	C. 1
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
URMSTON ...	–	–	1	–	–	–
WARDLE ...	–	2	1	–	–	–
†WARRINGTON C.B.	–	9	1	–	7	–
†WATERLOO-WITH-SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	–	–	2	–	1	–
WHITEFIELD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIDNES ...	–	1	1	–	11	C. 1
†WIGAN C.B. ...	–	4	1	–	1	–
WITHNELL ...	*	*	*	*	*	*
†WORSLEY ...	–	1	–	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	3	–	–	–	–
CHORLEY ...	–	1	1	–	–	–
CLITHEROE ...	–	1	–	–	–	L. 4
FYLDE	–	–	–	–	1	–
LEIGH	–	3	–	–	–	–
LIMEHURST ...	–	3	–	–	–	–
PRESTON ...	–	–	–	–	1	–
WARRINGTON ...	–	–	1	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON ...	–	1	1	–	1	L. 1
LEICESTER ...	–	8	14	2	10	M. 4
Boroughs and Urban Districts:—						
†LEICESTER C.B.	–	4	4	2	4	M. 4
†LOUGHBOROUGH	–	1	1	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	1	–	–	–
BARROW-UPON-SOAR	–	1	–	–	–	–
BILLESDON ...	–	–	3	–	–	–
BLABY	–	1	1	–	1	–
CASTLE DONINGTON	–	–	–	–	2	–
HINCKLEY ...	–	1	–	–	1	–
LUTTERWORTH ...	*	*	*	*	*	*
MARKET BOSWORTH	–	–	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	4	–	–	–
Boroughs and Urban Districts:—						
BOSTON	–	1	–	–	–	–
HOLBEACH ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON... ...	*	*	*	*	*	*
EAST ELLOE ...	–	–	4	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Boroughs and Urban Districts:						
BOURNE ...	*	*	*	*	*	*
†GRANTHAM ...	–	–	1	–	–	–
STAMFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	3	11	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	–	1	–	–	C. 1
†GRIMSBY C.B. ...	–	–	2	–	–	M. 1
†LINCOLN C.B. ...	–	–	3	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	–	–
WINTERTON ...	–	–	1	–	–	–
Rural Districts:—						
GLANFORD BRIGG	–	–	2	–	–	–
SIBSEY	–	2	–	–	–	–
MIDDLESEX ...	–	149	90	–	59	M. 1
Boroughs and Urban Districts:—						
†ACTON	–	7	8	–	2	–
†BRENTFORD ...	–	4	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	5	1	–	–	–
†EALING ...	–	16	15	–	6	–
†EDMONTON ...	–	8	3	–	6	–
†ENFIELD ...	–	5	3	–	3	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	1	1	–	1	–
†FRIERN BARNET	*	*	*	*	*	*
†HAMPTON ...	–	–	–	–	2	–
HAMPTON WICK	–	–	–	–	1	–
†HANWELL ...	–	9	1	–	3	–
†HARROW-ON-THE-HILL	–	1	6	–	–	–
†HENDON ...	–	1	2	–	–	–
†HESTON AND ISLEWORTH	–	2	3	–	7	–
†HORNSEY ...	–	10	4	–	1	–
†SOUTHALL-NORWOOD	–	4	–	–	4	–
†SOUTHGATE ...	–	5	1	–	–	–
STAINES... ...	–	2	–	–	–	–
SUNBURY-ON-THAMES	–	1	1	–	–	–
†TOTTENHAM ...	–	20	10	–	10	–
†TWICKENHAM ...	–	2	–	–	–	–
†WEALDSTONE ...	–	2	1	–	1	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	28	24	–	7	M. 1
†WOOD GREEN ...	–	8	1	–	1	–
YIEWSLEY ...	–	3	–	–	–	–
Rural Districts:—						
STAINES ...	–	2	5	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK ...	–	20	16	1	21	C. 1
Boroughs and Urban Districts:—						
EAST DEREHAM	–	–	1	–	–	–
†GREAT YARMOUTH C.B.	–	2	4	1	–	–
†KING'S LYNN...	–	1	–	–	–	–
NEW HUNSTANTON	–	–	–	–	1	–
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTH WALSHAM	–	–	–	–	–	C. 1
†NORWICH C.B.	–	2	8	–	10	–
SHERINGHAM ...	–	–	–	–	1	–
SWAFFHAM ...	–	2	–	–	–	–
Rural Districts:—						
AYLSHAM ...	–	–	1	–	–	–
BLOFIELD ...	–	–	1	–	–	–
DEPWADE ...	–	–	–	–	1	–
DOCKING ...	–	3	–	–	–	–
DOWNHAM ...	–	–	–	–	1	–
ERPINGHAM ...	–	–	–	–	2	–
FREBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING ...	–	–	–	–	1	–
ST. FAITH'S ...	–	–	–	–	2	–
SMALLBURGH ...	–	3	–	–	–	–
SWAFFHAM ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	–	2	–
WAYLAND ...	–	6	–	–	–	–
NORTHAMPTON	–	8	2	1	13	D. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	2	–	–	–	–
†NORTHAMPTON C.B.	–	2	1	–	7	D. 1
ROTHWELL ...	–	–	–	–	1	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
BRIXWORTH ...	–	–	–	–	1	–
CRICK	–	–	–	–	2	–
DAVENTRY ...	–	2	–	–	1	–
NORTHAMPTON...	–	–	–	1	–	–
THRAPSTON (part)	–	–	1	–	–	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	33	7	–	81	M. 3
Boroughs and Urban Districts :—						
AMBLE	–	–	–	–	4	–
†ASHINGTON ...	–	–	–	–	1	–
†BEDLINGTONSHIRE	–	1	–	–	9	–
†BERWICK-UPON-TWEED	–	1	–	–	2	–
†BLYTH	–	1	–	–	14	–
†GOSFORTH ...	–	–	–	–	1	–
HEXHAM ...	–	–	–	–	1	–
†LONGBENTON ...	–	1	–	–	1	–
†NEWBURN ...	–	4	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	20	5	–	26	M. 2
PRUDHOE ...	–	1	–	–	5	–
SEATON DELAVAL	–	3	–	–	–	–
†TYNEMOUTH C.B.	–	–	–	–	4	–
†WALLSEND ...	–	1	–	–	3	–
†WHITLEY AND MONKSEATON	–	–	–	–	4	–
Rural Districts :—						
ALNWICK ...	–	–	1	–	–	–
CASTLE WARD ...	–	–	1	–	1	–
GLENDALE ...	–	–	–	–	–	M. 1
HEXHAM ...	–	–	–	–	1	–
MORPETH ...	–	–	–	–	3	–
NOTTINGHAM ...	–	31	12	1	20	C. 1 M. 2
Boroughs and Urban Districts :—						
†BEESTON ...	–	1	–	–	–	–
†CARLTON ...	–	2	–	–	4	–
†EASTWOOD ...	–	1	1	–	–	–
HUTHWAITE ...	–	2	–	–	–	–
†KIRKBY-IN-ASHFIELD	–	–	1	–	1	–
†MANSFIELD ...	–	5	2	–	2	M. 1
†MANSFIELD WOODHOUSE...	–	1	–	–	3	–
†NOTTINGHAM C.B.	–	14	6	1	7	C. 1 M. 1
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON-IN-ASHFIELD	–	2	–	–	2	–
†WESTBRIDGFORD	–	–	1	–	–	–
Rural Districts :—						
BASFORD ...	–	2	1	–	1	–
NEWARK ...	–	1	–	–	–	–
OXFORD	–	4	–	–	4	G. 2
Boroughs and Urban Districts :—						
CHIPPING NORTON	–	–	–	–	–	G. 2
†OXFORD C.B. ...	–	1	–	–	–	–
Rural Districts :—						
BICESTER	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
HENLEY... ...	–	2	–	–	–	–
WITNEY... ...	–	–	–	–	3	–
PETERBOROUGH (Soke of).	–	–	–	–	1	–
Borough :—						
†PETERBOROUGH	–	–	–	–	1	–
SALOP	–	8	3	–	26	–
Boroughs and Urban Districts :—						
LUDLOW ...	–	2	–	–	1	–
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ...	–	1	–	–	5	–
Rural Districts :—						
ATCHAM ...	–	3	1	–	17	–
BRIDGNORTH ...	–	–	–	–	1	–
CHURCH STRETTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SALOP—*cont.*						
Rural Districts—*cont.*						
DRAYTON ...	–	–	–	–	1	–
LUDLOW ...	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
SOMERSET ...	–	16	17	1	27	E. 1 M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	4	–	3	M. 1
†BRIDGWATER ...	–	–	–	–	2	–
BURNHAM-ON-SEA	–	–	–	–	1	–
CLEVEDON ...	–	–	–	–	1	–
MIDSOMER NORTON	–	3	1	–	–	–
RADSTOCK ...	–	–	1	–	1	–
†TAUNTON ...	–	1	2	–	2	–
†WESTON-SUPER-MARE	–	2	4	–	2	–
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	4	–
CHARD	–	3	–	–	–	–
CLUTTON ...	–	2	–	–	3	–
KEYNSHAM ...	–	–	2	–	–	E. 1
LONG ASHTON ...	–	1	2	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	–	–	–	8	–
WELLINGTON ...	–	2	–	–	–	–
WELLS	–	–	–	1	–	–
SOUTHAMPTON	–	78	34	1	20	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	2	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	1	2	–	–	–
†GOSPORT and ALVERSTOKE	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—*cont.*						
PETERSFIELD ...	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	46	8	–	4	M. 1
ROMSEY ...	–	–	1	–	–	–
†SOUTHAMPTON C.B.	–	9	19	1	6	M. 1
WARBLINGTON...	–	2	–	–	–	–
†WINCHESTER ...	–	–	1	–	2	–
Rural Districts:—						
ALTON	–	3	2	–	–	–
FAREHAM ...	–	1	–	–	–	–
FORDINGBRIDGE	–	–	–	–	1	–
HAVANT ...	–	–	–	–	1	–
HURSLEY ...	–	2	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	3	–	–	–	–
RINGWOOD ...	*	*	*	*	*	*
WHITCHURCH ...	–	–	1	–	2	–
STAFFORD ...	–	72	30	–	101	C. 2 L. 1 M. 8
Boroughs and Urban Districts:—						
†BILSTON ...	–	–	–	–	6	–
†BRIERLEY HILL	–	–	–	–	1	–
†BROWNHILLS ...	–	–	–	–	1	–
†BURTON-UPON-TRENT C.B.	–	3	1	–	–	–
†CANNOCK ...	–	1	1	–	–	–
†COSELEY ...	–	–	–	–	3	–
†DARLASTON ...	–	2	–	–	1	–
KIDSGROVE ...	–	–	2	–	–	–
†LEEK	–	1	1	–	1	–
†NEWCASTLE-UNDER-LYME	–	1	–	–	–	–
QUARRY BANK	–	3	1	–	5	–
†ROWLEY REGIS	–	–	3	–	11	–
†RUGELEY ...	–	1	–	–	–	–
†SMALLTHORNE ...	–	–	1	–	–	–
†SMETHWICK C.B.	–	3	1	–	14	–
†STAFFORD ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOKE-ON-TRENT C.B.	–	12	4	–	20	M. 4
TAMWORTH ...	–	2	–	–	–	–
†TIPTON	–	1	–	–	3	–
UTTOXETER ...	–	–	–	–	1	C. 1
†WALSALL C.B....	–	2	4	–	9	M. 1
†WEDNESBURY ...	–	–	–	–	3	–
WEDNESFIELD ...	–	–	–	–	1	M. 1
†WEST BROMWICH C.B.	–	22	2	–	13	–
†WILLENHALL ...	–	2	–	–	–	–
†WOLSTANTON UNITED	–	2	3	–	–	–
†WOLVERHAMPTON C.B.	–	7	1	–	4	M. 1
Rural Districts:—						
CANNOCK ...	–	–	1	–	–	–
CHEADLE ...	–	–	–	–	–	C. 1 L. 1 M. 1
KINGSWINFORD	–	1	–	–	–	–
LICHFIELD ...	–	2	–	–	3	–
SEISDON	–	1	–	–	1	–
STAFFORD ...	–	–	1	–	–	–
TUTBURY ...	–	1	2	–	–	–
SUFFOLK, EAST	–	10	11	–	8	D. 1
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	1	–	–	–
†IPSWICH C.B. ...	–	1	4	–	5	–
LEISTON-CUM-SIZEWELL	–	–	1	–	–	–
†LOWESTOFT ...	–	2	3	–	–	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
EAST STOW ...	–	4	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
SUFFOLK, EAST—*cont.*						
PLOMESGATE ...	–	–	–	–	3	–
SAMFORD ...	–	–	1	–	–	–
WANGFORD ...	–	–	1	–	–	–
WOODBRIDGE ...	–	–	–	–	–	D. 1
SUFFOLK, WEST	–	2	1	–	7	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	2	1	–	6	–
Rural Districts:—						
MILDENHALL ...	–	–	–	–	1	–
SURREY	–	69	39	–	23	D. 2 G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	1	2	–	–	–
†BEDDINGTON AND WALLINGTON	–	3	–	–	–	–
†CARSHALTON ...	–	1	3	–	–	–
†CATERHAM ...	–	1	–	–	3	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	3	2	–	–	–
†CROYDON C.B....	–	20	5	–	3	–
DORKING ...	–	2	–	–	–	–
†EGHAM	–	1	5	–	3	–
†FRIMLEY ...	–	1	–	–	1	–
†KINGSTON-UPON-THAMES	–	5	3	–	–	–
†MERTON AND MORDEN	–	–	4	–	–	D. 1
†MITCHAM ...	–	11	5	–	1	–
†REIGATE ...	–	1	1	–	–	–
†RICHMOND ...	–	2	–	–	2	–
†SURBITON ...	–	3	1	–	–	–
†SUTTON	–	2	–	–	4	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON-UPON-THAMES	–	–	1	–	–	–
†WIMBLEDON ...	–	7	3	–	2	D. 1
†WOKING ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	–	1	–	1	–
EPSOM	–	2	–	–	1	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	–	–	–	1	G. 1 M. 1
REIGATE ...	–	–	1	–	–	–
SUSSEX, EAST ...	–	35	5	1	14	D. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	11	2	–	4	D. 1 M. 1
CUCKFIELD ...	–	–	–	1	–	–
†EASTBOURNE C.B	–	1	1	–	–	–
EAST GRINSTEAD	–	–	–	–	2	–
†HASTINGS C.B....	–	3	–	–	1	M. 1
HAYWARDS'S HEATH	–	1	–	–	–	–
†HOVE	–	–	–	–	3	M. 1
†LEWES	–	1	–	–	–	G. 1
PORTSLADE-BY-SEA	–	1	–	–	–	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	3	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	5	–	–	1	–
CUCKFIELD ...	–	2	–	–	–	–
HAILSHAM ...	–	1	–	–	2	–
HASTINGS ...	–	–	–	–	1	–
RYE	–	1	2	–	–	–
UCKFIELD ...	–	4	–	–	–	–
SUSSEX, WEST ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
ARUNDEL ...	–	1	–	–	–	–
†BOGNOR ...	–	3	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†WORTHING ...	–	2	1	–	–	–
WARWICK ...	–	96	40	–	123	C. 2 M. 15
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	70	32	–	82	C. 2 M. 14
BULKINGTON ...	–	–	–	–	1	–
†COVENTRY C.B.	–	1	1	–	2	–
KENILWORTH ...	–	–	–	–	4	–
†NUNEATON ...	–	4	–	–	3	–
†ROYAL LEAMINGTON SPA	–	6	3	–	4	M. 1
†RUGBY	–	1	1	–	3	–
†SUTTON COLDFIELD	–	2	–	–	–	–
†WARWICK ...	–	–	–	–	4	–
Rural Districts:—						
ATHERSTONE ...	–	1	–	–	–	–
BRAILES ...	–	–	–	–	1	–
FOLESHILL ...	–	4	–	–	4	–
MERIDEN ...	–	–	–	–	1	–
RUGBY ...	–	–	1	–	7	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM ...	–	–	1	–	5	–
TAMWORTH (part)	–	6	1	–	–	–
WARWICK ...	–	–	–	–	2	–
WESTMORLAND	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	–	–	2	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	1	–
ISLE OF WIGHT	–	4	–	–	4	–
Boroughs and Urban Districts:—						
COWES	–	–	–	–	1	–
EAST COWES ...	–	–	–	–	1	–
†RYDE	–	–	–	–	2	–
ST. HELEN'S ...	–	2	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	14	7	–	24	L. 1 M. 2
Boroughs and Urban Districts:—						
Bradford-on-Avon	–	–	–	–	1	–
Calne	–	–	4	–	–	–
Devizes ...	–	–	–	–	2	–
Marlborough...	–	1	–	–	–	–
†Salisbury ...	–	–	2	–	2	–
†Swindon ...	–	3	–	–	11	M. 2
Rural Districts:—						
Amesbury ...	–	1	–	–	2	–
Bradford-on-Avon	–	–	–	–	1	–
Chippenham ...	–	1	–	–	–	–
Devizes ...	–	1	–	–	–	L. 1
Highworth ...	–	4	–	–	2	–
Pewsey ...	–	–	–	–	1	–
Salisbury ...	–	1	–	–	1	–
Tisbury ...	–	–	1	–	–	–
Warminster ...	–	1	–	–	–	–
Westbury and Whorwellsdown	–	1	–	–	1	–
WORCESTER ...	–	24	7	–	20	C. 1
Boroughs and Urban Districts:—						
†Dudley, C.B. ...	–	1	–	–	–	–
Evesham ...	–	–	–	–	2	–
†Kidderminster	–	4	–	–	2	–
†Oldbury ...	–	–	–	–	5	–
†Redditch ...	–	6	–	–	–	–
†Stourbridge	–	2	–	–	1	–
Stourport ...	–	3	1	–	–	–
†Worcester C.B.	–	4	3	–	4	–
Rural Districts:—						
Halesowen ...	–	1	–	–	2	C. 1
Kidderminster	–	2	1	–	–	–
Martley ...	–	1	2	–	1	–
Upton-upon-Severn	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	16	21	–	40	C. 1 G. 2 M. 4
Boroughs and Urban Districts:—						
†Beverley ...	–	1	–	–	4	–
Cottingham ...	–	–	1	–	2	–
†Kingston-upon Hull C.B.	–	2	17	–	30	C. 1 G. 2 M. 4
Withernsea ...	–	–	1	–	–	–
†York C.B. ...	–	8	1	–	–	–
Rural Districts:—						
Beverley ...	–	–	–	–	2	–
Howden ...	–	1	1	–	–	–
Pocklington ...	–	3	–	–	–	–
Sherburn ...	–	1	–	–	–	–
Skirlaugh ...	–	–	–	–	2	–
YORKS ... ... (North Riding).	–	20	9	–	13	M. 3
Boroughs and Urban Districts:—						
†Eston ...	–	7	–	–	–	–
Guisborough ...	–	–	–	–	2	–
Kirklington-cum-Upsland	–	5	–	–	–	–
†Middlesbrough C.B.	–	2	1	–	2	M. 1
†Redcar ...	–	–	–	–	1	–
Saltburn-by-the-Sea	–	–	–	–	1	–
†Scarborough	–	3	2	–	–	M. 2
†Skelton and Brotton	–	–	1	–	3	–
†Thornaby-on-Tees	–	1	–	–	–	–
†Whitby... ...	–	–	4	–	–	–
Rural Districts:—						
Helmsley ...	–	–	–	–	2	–
Leyburn ...	–	–	–	–	2	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
THIRSK	–	1	–	–	–	–
WHITBY ...	–	1	1	–	–	–
YORKS ... ... (West Riding).	4	187	85	5	95	C. 4 E. 2 L. 2 M. 11
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	1	–	–	–
ALTOFTS... ...	–	–	1	–	2	–
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	4	2	–	1	C. 1 M. 2
†BATLEY... ...	–	2	–	1	–	–
†BENTLEY-WITH-ARKSEY	–	–	1	–	–	–
†BINGLEY ...	–	1	–	–	1	–
†BOLTON-UPON-DEARNE	–	2	1	1	–	–
†BRADFORD C.B.	–	30	10	–	7	C. 3 M. 1
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON WEST	–	–	2	–	–	–
†CONISBROUGH ...	–	–	–	–	–	M. 1
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	1	–	–	–	–
†DARTON ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	1	3	1	1	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	1	–	2	–
†ELLAND ...	–	6	–	–	–	–
FARSLEY ...	–	1	–	–	–	–
GILDERSOME ...	–	1	–	–	–	–
†GOLCAR ...	–	–	4	–	–	–
†GOOLE	–	2	2	–	2	–
GREETLAND ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	2	1	–	4	–
†HARROGATE ...	–	1	1	–	3	–
†HEMSWORTH ...	–	1	1	–	–	–
HIPPERHOLME ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOLMFIRTH ...	–	2	1	–	–	–
HORBURY ...	–	5	–	–	–	–
†HOYLAND NETHER	–	1	–	1	4	M. 1
†HUDDERSFIELD C.B.	–	2	1	–	7	M. 1
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	1	–	–	1	M. 1
KNOTTINGLEY ...	*	*	*	*	*	*
†LEEDS C.B. ...	–	41	14	–	16	M. 3
LINTHWAITE ...	1	–	–	–	–	–
†MORLEY ...	–	1	–	–	1	–
MYTHOLMROYD	–	1	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	1	2	1	3	–
†OSSETT	–	1	1	–	–	–
PENISTONE ...	–	1	–	–	–	–
†PUDSEY... ...	–	–	1	–	–	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	1	1	–	1	–
†ROTHERHAM C.B.	–	5	1	–	3	–
†ROTHWELL ...	–	1	3	–	–	–
†SADDLEWORTH	3	–	–	–	–	–
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	–	26	9	–	17	M. 1
SHELLEY ...	–	–	3	–	–	–
†SPENBOROUGH ...	–	5	–	–	–	E. 2
SPRINGHEAD ...	–	2	–	–	2	–
†STANLEY ...	–	1	1	–	–	–
†WAKEFIELD C.B.	–	–	3	–	1	L. 2
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	1	1	–	–	–
†WOMBWELL ...	–	1	–	–	–	–
†WORSBOROUGH...	–	1	–	–	–	–
Rural Districts:—						
BISHOPTHORPE...	–	–	1	–	–	–
DONCASTER ...	–	1	–	–	–	–
HEMSWORTH ...	–	6	1	–	2	–
HUNSLET ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
KIVETON PARK	–	–	4	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	*	*	*	*	*	*
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	3	1	–	–	–
SETTLE	–	1	–	–	–	–
SKIPTON ...	–	–	–	–	1	–
TADCASTER ...	–	6	1	–	–	–
THORNE... ...	–	1	–	–	–	–
TODMORDEN ...	–	–	–	–	2	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	–	–	–	5	–
WHARFEDALE (SOUTH)	–	–	1	–	–	–
WORTLEY ...	–	–	–	–	1	–
WALES.						
ANGLESEY ...	–	–	2	–	3	–
Boroughs and Urban Districts:—						
AMLWCH ...	–	–	–	–	1	–
†HOLYHEAD ...	–	–	–	–	1	–
LLANGEFNI ...	–	–	–	–	1	–
Rural Districts:—						
AETHWY ...	–	–	2	–	–	–
BRECKNOCK ...	–	2	2	–	14	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
HAY	–	1	–	–	1	–
VAYNOR AND PENDERYN ...	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	2	–	12	–
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	1	–
CARMARTHEN ...	–	4	7	–	4	–
Boroughs and Urban Districts:—						
†LLANELLY ...	–	–	1	–	2	–
Rural Districts:—						
LLANDILO FAWR	–	3	4	–	1	–
LLANELLY ...	–	1	2	–	1	–
CARNARVON ...	–	4	5	–	–	–
Boroughs and Urban Districts:—						
CONWAY ...	–	1	2	–	–	–
LLANDUDNO ...	–	2	–	–	–	–
PENMAENMAWR	–	–	1	–	–	–
Rural Districts:—						
GWYRFAI ...	–	1	2	–	–	–
DENBIGH ...	–	3	6	–	4	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
†WREXHAM ...	–	2	3	–	–	–
Rural Districts:—						
CHIRK	–	–	–	–	–	M. 1
LLANGOLLEN ...	–	1	–	–	–	–
RUTHIN ...	–	–	–	–	2	–
WREXHAM ...	–	–	3	–	1	–

* Returns not received. † Population over 10,000.
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	10	3	–	1	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	–	1	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	1	–
ST. ASAPH (FLINT)	–	9	–	–	–	–
GLAMORGAN ...	–	71	41	4	130	C. 2 E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	8	3	1	17	–
†BARRY	–	–	3	–	4	–
†CAERPHILLY ...	–	1	–	–	–	–
†CARDIFF C.B. ...	–	6	7	2	9	C. 1 G. 1 M. 1
†GELLIGAER ...	–	10	2	–	1	–
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG ...	–	1	–	–	–	E. 1
†MERTHYR TYDFIL C.B.	–	3	4	–	21	–
†MOUNTAIN ASH	–	11	–	–	17	–
†NEATH	–	–	–	–	3	–
†PENARTH ...	–	2	1	–	–	–
†PONTYPRIDD ...	–	2	–	1	8	–
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	–	6	–	–	2	–
†RHONDDA ...	–	15	3	–	26	–
†SWANSEA C.B. ...	–	3	10	–	10	–
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	1	–
GOWER	*	*	*	*	*	*
LLANDAFF and DINAS POWIS	–	1	2	–	–	–
LLANTRISANT and LLANTWIT FARDRE	–	1	–	–	3	–
GLAMORGAN— *cont.*						
Rural Districts— *cont.*						
NEATH	–	–	2	–	6	C. 1
PONTARDAWE ...	–	–	4	–	–	–
SWANSEA ...	–	–	–	–	2	–
MERIONETH ...	–	–	1	–	2	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
DOLGELLEY ...	–	–	–	–	1	–
FESTINIOG ...	–	–	–	–	1	–
TOWYN	–	–	1	–	–	–
MONMOUTH ...	–	29	8	–	55	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	2	2	–	–	–
ABERGAVENNY...	*	*	*	*	*	*
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	1	1	–	7	–
†BEDWELLTY ...	–	3	–	–	–	–
†EBBW VALE ...	–	1	–	–	2	–
LLANTARNAM ...	–	–	–	–	–	M. 1
†MYNDDISLWYN	–	5	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	4	–
†NEWPORT C.B....	–	12	3	–	31	–
†TREDEGAR ...	–	1	–	–	11	–
Rural Districts:—						
ABERGAVENNY...	–	1	–	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
MAGOR	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	2	–	1	
Rural Districts:—						
FORDEN ...	–	–	–	–	1	–
LLANFYLLIN ...	–	–	1	–	–	–
NEWTON AND LLANIDLOES	–	–	1	–	–	–

* Returns not received. * Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE ...	–	8	4	–	1	–
Boroughs and Urban Districts :—						
Haverford-west	–	1	–	–	–	–
Milford Haven	–	1	1	–	–	–
†Pembroke ...	–	–	–	–	1	–
Tenby	–	–	1	–	–	–
Rural Districts :—						
Haverford-west	–	4	–	–	–	–
PEMBROKE—*cont.*						
Rural Districts :—*cont.*						
Pembroke ...	–	2	–	–	–	–
St. Dogmells ...	–	–	2	–	–	–
RADNOR	–	–	–	–	1	–
Rural District :—						
Knighton ...	–	–	–	–	1	–
Total of Part II.	18	1884	965	25	1754	C. 25 D. 7 E. 6 G. 10 L. 1 M. 131

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Cardiff ...	–	–	–	–	1	L. 2
Colchester ...	*	*	*	*	*	*
Liverpool ...	–	–	–	–	2	–
Plymouth ...	–	–	–	–	1	–
Port of London	–	–	1	–	–	L. 1
Total of Part III.	–	–	1	–	4	L. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	453	323	2	197	C. 4 D. 1 G. 2 L. 3 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	18	1884	965	25	1754	C. 25 D. 7 E. 6 G. 10 L. 15 M. 131
Total of Part III.—Port Sanitary Districts ...	–	–	1	–	4	L. 3
Total (*i.e.*, of returns received) England and Wales	18	2337	1289	27	1955	C. 29 D. 8 E. 6 G. 12 L. 21 M. 146

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There are no cases of Cholera, Typhus Fever, or Plague notified during the week Eighteen cases of Small-pox were notified, which appear on pages 150, 154, and 162.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.
London:—													
Deaths—all ages	1,435	1.324	1,601	1,383	1,279	1,395	1,606	2,170	2,726	2,481	2,022	1662	1,418
„ 0 to 1 year	128	106	138	135	125	142	169	182	224	264	219	192	186
Great Towns, aggregate (including London):—													
Births	*7,900*	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969 *8,786*	8,853 *8,675*	8,096 *7,908*	8,131 *7,958*	8,822 *8,595*	8,908 *8,729*
Deaths—all ages	*5,202*	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922 *6,800*	8,085 *7,928*	8,638 *8,482*	8,353 *8,178*	7,786 *7,636*	6,784 *6,648*
„ *0 to 1 year*	*663*	*566*	*648*	*623*	*641*	*661*	*699*	793 *781*	860 *842*	1,016 *1,001*	1,024 *1,011*	972 *961*	862 *854*
Enteric Fever—Cases	*31*	*38*	*23*	*28*	*22*	*27*	*13*	19 *19*	22 *20*	11 *9*	17 *17*	29 *28*	17 *17*
„ Deaths	*4*	*6*	*11*	*6*	*5*	*6*	*4*	8 *7*	7 *7*	9 *9*	2 *2*	2 *2*	5 *5*
Small Pox—Cases	*1*	*12*	*4*	*2*	*6*	*12*	*2*	4 *4*	5 *5*	— —	1 *1*	3 *3*	1 *1*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	*2,839*	*2,709*	*2,639*	*2,389*	*2,430*	*2,166*	*1,895*	1816 *1798*	1,767 *1,738*	1,672 *1,645*	1,521 *1,502*	1,541 *1,527*	1,429 *1,409*
„ Deaths	*14*	*28*	*20*	*25*	*33*	*17*	*26*	35 *34*	38 *38*	36 *36*	21 *21*	27 *27*	22 *22*
Diphtheria—Cases	*984*	*1,041*	*956*	*936*	*1,098*	*985*	*906*	858 *831*	863 *846*	889 *868*	787 *770*	822 *803*	807 *794*
„ Deaths	*76*	*72*	*71*	*58*	*70*	*79*	*92*	72 *71*	93 *92*	100 *99*	75 *74*	80 *80*	75 *73*
Measles—Deaths	*36*	*36*	*30*	*31*	*50*	*47*	*68*	69 *69*	61 *61*	82 *82*	60 *60*	61 *61*	44 *43*
Influenza—Deaths	*59*	*80*	*128*	*149*	*212*	*237*	*418*	819 *807*	1,262 *1,240*	1,433 *1,404*	1,451 *1,420*	1,144 *1,121*	759 *749*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns cluded for the first time in 1922.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 11th February 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	44	26	39·9	28·3	0
Brighton	48	27	41·1	31·7	0
Portsmouth	47	28	42·3	32·7	0
Norwich (Eaton).	44	24	38·6	28·4	0
Plymouth	51	30	45·6	35·4	0
Bristol (Clifton).	46	26	39·9	28·4	0
Birmingham	45	22	38·0	26·9	0
Nottingham	45	18	38·9	25·7	0
Birkenhead (Bidston).	41	23	37·0	28·7	0
Manchester	49	25	40·9	30·3	0
Burnley	47	20	38·6	27·0	0
Huddersfield	Not received.				
Bradford	39	19	35·9	25·4	0
Sheffield	41	21	36·4	26·4	0
York (Museum).	39	20	35·7	27·7	0
Hull (Pearson Park).	43	17	37·3	27·7	1
Tynemouth	43	25	37·0	30·0	0
Cardiff	45	25	40·4	29·6	0
Edinburgh	46·0	28·0	40·4	33·1	2
Glasgow	43·9	32·1	41·1	34·4	7
Dublin (Phœnix Park).	Not received.				
Fitzwilliam Square.†	48·1	30·2	46·3	36·8	4
Belfast	53·5	34·0	52·6	37·5	6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th February 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	5	First Quarter.	29·988	32·3	27·3	5·0	29·7	− 9·9	19·4	10·3	16·9	3·4	64	48·6	21·5	43·8	E. & ENE.	NE.	1·8	0·0	0·2	339	+ 24	0·00
MONDAY	6	..	30·194	36·0	27·2	8·8	31·1	− 8·5	24·1	7·0	10·6	3·3	75	73·9	21·5	44·0	NE. & calm.	SSW. & calm.	0·5	0·0	0·0	115	−203	0·00
TUESDAY	7	..	30·134	40·0	26·0	14·0	32·4	− 7·1	24·7	7·7	11·7	3·3	72	79·2	18·7	43·6	S. & SSW.	SSW., S. & SSE.	1·5	0·0	0·1	188	−135	0·00
WEDNESDAY	8	Greatest Declination N.	30·100	41·8	26·2	15·6	35·1	− 4·2	23·2	11·9	16·1	8·4	61	87·0	16·7	43·3	Calm & S.	S. & SE.	1·2	0·0	0·0	163	−166	0·00
THURSDAY	9	..	30·120	42·3	27·9	14·4	35·8	− 3·3	26·0	9·8	14·6	5·7	67	80·4	17·5	43·0	ESE. & E.	E.	2·0	0·0	0·2	260	− 72	0·00
FRIDAY	10	..	30·271	43·9	31·6	12·3	36·8	− 2·1	28·5	8·3	15·5	3·4	72	76·2	23·8	42·9	E.	E.	1·1	0·0	0·1	219	−114	0·00
SATURDAY	11	..	30·204	43·1	29·6	13·5	35·6	− 3·2	28·0	7·6	14·6	4·0	74	80·9	19·7	42·9	E.	E.	1·5	0·0	0·1	200	−132	0·00
MEANS		..	30·144	39·9	28·0	11·9	33·8	− 5·5	24·8	8·9	14·3	4·5	69	75·2	19·9	43·4	E		...	...	...	Sum 1,484	Sum −798	Sum 0·00
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	5	w.P. till noon, v.P. afterwards.	0·2	9·3	Overcast with slight exceptions till 17h. Nearly cloudless 17h. 30m. to 23h., then clouding up. Slight snow about 14h.
Monday -	6	s.P. generally	3·2	9·4	Overcast and misty till 10h. Variably cloudy till 15h., then overcast with thin cloud generally. Hoar frost and lunar halo in evening.
Tuesday -	7	w.P. generally till noon, s.P. 14h. to 21h., v.P. afterwards, little w.N. at noon.	1·9	9·4	Sky becoming veiled by 2h. Overcast or nearly overcast from 4h. to 12h. 30m. Thin cloud prevalent 14h. to 19h., then little cloud generally. Hoar frost morning and evening.
Wednesday	8	v.P. till noon. s.P. afterwards.	5·8	9·5	Thin cloud prevalent till 2h. Nearly cloudless till 8h. Variably cloudy afterwards. Nearly overcast at times, but cloud usually thin. Hoar frost morning and evening. Lunar halo during evening.
Thursday -	9	s.P. generally	8·5	9·5	Nearly cloudless generally. Few thin clouds at night. Hoar frost morning and evening.
Friday -	10	s.P. generally	6·4	9·6	Thin cloud variably prevalent. Nearly cloudless between 1h. and 9h., and between 13h. 30m. and 19h. 30m. Nearly overcast 21h. to 23h. Hoar frost in morning. Lunar halo before 2h.
Saturday -	11	w.P. till noon, s.P. generally afterwards.	7·8	9·7	Cloudless or nearly cloudless throughout. Mist and haze in morning. Hoar frost morning and evening.
			Sum 33·8	Sum 66·4	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·72 in. at the beginning of the week to 30·23 in. by 11h. on 6th; decreased to 30·08 in. by 5h. on 8th; increased to 30·31 in. by 23h. on 10th, and decreased to 30·04 in. by midnight on 11th.

Printed under the authority of His Majesty's Stationery Office
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

1922. No. 7.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 18TH FEBRUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH FEBRUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventh week of the year numbered 8,240, and corresponded to an annual rate of 22·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 7,192 and corresponded to an annual rate of 19·9 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 23·1, 21·5 and 18·8. Infant mortality was 113 per 1,000 births against 126, 110 and 97 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,923 births, corresponding to a rate of 22·4 per 1,000, and 1,636 deaths of civilians, corresponding to a rate of 19·1, as against 23·6, 19·4, and 16·5 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 19·7 per 1,000. The infant mortality was 94 as against 118, 95, and 88 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 408 in the total deaths last week, the deaths from influenza showing, however, a fall of 89. In London the number of deaths from all causes rose from 1,418 to 1,636; there was an increase of 38 in the deaths from bronchitis, and of 30 from pneumonia, but a decrease of 17 from influenza.

---

m (45)17017—3 Wt 50—P 19 2500 2/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 18th February 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,240	7,192	933	2	61	28	169	59	71	670
London	4,476,586*	1,923	1,636	181	–	39	12	52	28	16	92
Towns in Outer Ring:											
Croydon C.B.	190,877	67	68	7	–	–	1	1	1	–	6
Wimbledon	61,451	21	19	2	–	–	–	1	–	–	2
Ealing	67,753	21	14	–	–	–	1	–	1	–	1
Acton	61,314	22	14	2	–	–	–	1	–	–	–
Willesden	165,669	73	31	5	–	–	1	–	–	–	2
Hendon	56,014	18	15	–	–	–	–	–	–	–	1
Hornsey	87,691	26	30	3	–	–	–	–	–	–	2
Wood Green	50,716	11	18	1	–	–	1	–	1	–	2
Tottenham	146,695	47	49	2	–	–	–	–	3	–	3
Edmonton	66,809	36	20	1	–	–	–	–	–	–	–
Enfield	60,743	23	16	4	–	–	–	–	–	–	3
West Ham C.B.	300,905	157	118	21	–	4	1	7	–	1	6
East Ham C.B.	143,304	61	45	9	–	1	–	1	1	2	–
Leyton	128,432	48	41	6	–	–	–	2	–	–	4
Walthamstow	127,441	39	34	4	–	–	1	4	–	1	3
Ilford	85,191	28	25	6	–	–	–	–	–	–	1
Gillingham	47,887*	21	8	–	–	–	–	–	–	–	1
Canterbury C.B.	23,331*	9	15	2	–	–	–	1	–	–	–
Hastings C.B.	66,496	16	13	–	–	–	–	–	–	–	2
Eastbourne C.B.	62,030	18	15	–	–	–	–	–	–	–	3
Brighton C.B.	142,427	48	55	5	–	–	–	–	1	–	7
Portsmouth C.B.	234,218*	97	60	5	–	–	–	2	1	–	4
Bournemouth C.B.	91,770	20	31	1	–	–	–	–	–	–	3
Southampton C.B.	160,997	68	61	7	–	–	–	–	1	–	3
Reading C.B.	92,274	30	38	2	–	–	–	–	–	–	7
Oxford C.B.	57,052	20	22	1	1	–	–	–	–	–	1
Northampton C.B.	90,923	38	20	1	–	–	–	–	–	–	2
Luton	57,077	23	12	3	–	–	–	–	–	1	1
Cambridge	59,262	18	29	–	–	–	–	–	–	–	5
Southend-on-Sea C.B.	106,021	26	32	–	–	–	–	–	–	–	1
Ipswich C.B.	79,383	31	30	2	–	–	–	–	–	–	2
Great Yarmouth C.B.	60,710	20	20	1	–	–	–	1	1	–	5
Norwich C.B.	120,653	37	37	3	–	–	–	1	–	1	3
Swindon	54,920	20	24	3	–	–	–	1	–	–	2
Exeter C.B.	59,608	20	30	2	–	–	1	1	–	1	5
Plymouth C.B.	198,132*	94	89	4	–	–	–	2	1	–	5
Bath C.B.	68,648	25	32	2	–	–	–	–	–	–	4
Bristol C.B.	377,061	162	152	16	–	1	–	2	3	2	18
Gloucester C.B.	51,330	20	29	4	–	–	–	–	1	–	3
Stoke-on-Trent, C.B.	240,440	125	86	26	–	–	1	6	–	5	5
Burton-upon-Trent C.B.	48,927	18	15	4	–	–	–	–	–	–	1
Wolverhampton C.B.	102,373	43	31	5	–	–	–	1	–	1	1
Walsall C.B.	96,964	45	38	6	–	–	–	–	1	–	4
West Bromwich C.B.	73,761	45	41	4	–	–	–	1	–	–	7
Worcester C.B.	48,848	36	34	2	–	–	–	1	–	–	5
Dudley C.B.	55,908	33	28	8	–	–	–	1	–	2	1
Birmingham C.B.	919,438	412	347	52	–	–	1	17	–	5	46
Smethwick C.B.	75,757	35	31	5	–	–	1	1	1	–	6
Coventry C.B.	128,205	57	42	8	–	–	–	–	–	–	5
Leicester C.B.	234,190	86	78	10	–	–	–	–	1	1	2
Lincoln C.B.	66,020	29	16	3	–	–	–	1	–	–	–
Grimsby C.B.	82,329	27	27	–	–	–	–	–	–	–	1
Nottingham C.B.	262,658	119	77	6	–	–	–	1	–	1	2
Derby C.B.	129,836	50	49	6	–	–	–	–	–	–	–
Chesterfield	61,236	26	11	3	–	–	–	2	–	–	1
Stockport C.B.	123,315	33	45	7	–	–	–	2	–	–	2
Chester C.B.	40,794	20	17	2	–	–	–	–	–	–	3
Birkenhead C.B.	145,592	73	66	20	–	2	–	1	1	3	5
Wallasey C.B.	90,721	31	35	1	–	–	–	–	–	–	7
Liverpool C.B.	803,118	440	527	100	–	10	1	9	1	8	54
Bootle C.B.	76,508	41	49	10	–	1	–	5	–	1	5
St. Helens C.B.	102,675	59	39	7	–	–	–	–	–	–	5

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	25	41	3	–	–	–	2	–	1	8
Wigan C.B.	89,447	48	40	9	–	2	–	–	–	–	4
Warrington C.B.	76,811	39	20	–	–	–	–	–	–	–	3
Bolton C.B.	178,678	61	51	7	–	–	–	–	–	1	2
Bury C.B.	56,426	16	20	–	–	–	–	–	–	–	2
Manchester C.B.	730,551	326	259	28	–	–	1	4	–	–	21
Salford C.B.	234,150	104	79	11	–	–	–	4	–	1	6
Oldham C.B.	145,001	53	84	15	–	–	–	–	–	1	13
Rochdale C.B.	90,807	33	44	3	–	–	–	–	–	–	3
Burnley C.B.	103,175	39	35	4	–	–	–	1	–	–	2
Blackburn C.B.	126,630	45	56	4	–	–	–	–	–	–	6
Preston C.B.	117,426	50	45	7	–	–	–	–	–	–	5
Blackpool C.B.	99,640	23	42	1	–	–	–	–	–	–	14
Barrow-in-Furness C.B.	74,254	42	25	3	–	–	–	2	–	–	1
Huddersfield C.B.	110,120	37	33	6	–	–	–	1	–	–	–
Halifax C.B.	99,129	27	48	7	–	–	–	2	–	–	4
Bradford C.B.	285,979	109	94	12	–	–	1	–	1	1	8
Leeds C.B.	458,320	187	165	28	–	–	1	7	–	4	6
Dewsbury C.B.	54,165	28	17	2	–	–	–	–	1	–	1
Wakefield C.B.‡	53,053	20	17	1	–	–	–	1	–	–	–
Barnsley C.B.‡	67,918	34	24	3	–	–	–	2	–	1	4
Sheffield C.B.‡	511,748	224	110	11	–	1	–	–	–	2	5
Rotherham C.B.	68,045	36	20	3	–	–	–	–	–	–	–
Doncaster	54,052	24	9	1	–	–	–	–	–	–	1
York C.B.	82,606*	37	27	5	–	–	–	–	–	–	4
Hull C.B.	287,013	141	98	15	–	–	–	2	1	2	12
Middlesbrough C.B.	131,103	70	46	12	–	–	–	2	–	–	4
Darlington C.B.	65,866	24	23	3	–	–	–	–	–	–	5
Stockton-on-Tees	64,150	35	24	5	–	–	–	3	–	1	2
West Hartlepool C.B.	68,689	41	28	5	–	–	1	1	1	1	2
Sunderland C.B.	159,100	101	76	6	–	–	–	–	–	–	7
South Shields C.B.‡	118,631	65	47	3	–	–	–	–	2	–	5
Gateshead C.B.	124,514	72	41	6	–	–	–	–	–	–	5
Newcastle-on-Tyne C.B.	274,955	175	107	16	–	–	–	–	–	–	5
Tynemouth C.B.	63,786	36	21	4	–	–	–	–	–	–	1
Carlisle C.B.	52,600	29	24	2	–	–	–	–	–	–	3
Newport (Mon.) C.B.	92,369	47	44	8	–	–	–	–	–	–	7
Cardiff C.B.	200,262	127	105	15	1	–	–	3	–	1	19
Rhondda	162,729	90	114	20	–	–	1	2	1	1	28
Merthyr Tydfil C.B.	80,161	43	71	11	–	–	–	–	2	–	18
Aberdare	55,010	26	30	4	–	–	–	–	–	–	8
Swansea C.B.	157,561	66	112	11	–	–	–	1	1	1	33
Greater London	7,467,946*	3,027	2,525	292	–	45	19	73	42	22	161
Outer Ring	2,991,360*	1,104	889	111	–	6	7	21	14	6	69
16 Great Towns in Outer Ring	1,801,005	698	557	73	–	5	6	17	7	4	36
Remainder of Outer Ring	1,190,355*	406	332	38	–	1	1	4	7	2	33
Edinburgh†	420,500	172	170	19	–	–	1	3	–	–	24
Glasgow†	1,037,800	597	461	103	–	58	2	2	3	6	28
Dublin (Registration Area)†	427,000	233	172	25	–	6	–	–	–	3	7
Belfast†	425,000	187	235	25	–	–	–	1	–	4	50

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,586	1922. Feb. 18	1923	1636	19·1	–	–	39	12	52	28	16	92
Calcutta	896,067	Jan. 21	–	536§	31·0	?	14	–	–	–	–	–	4
Bombay	979,445	„ 14	–	–	–	–	–	–	–	–	–	–	–
Madras	522,951	„ 7	–	–	–	–	–	–	–	–	–	–	–
Paris	2,906,472	10 days Jan. 10	1269	1373	17·2	5	–	–	–	3	9	20	40
		„ 20	1473	1909	24·0	3	–	–	1	4	4	14	136
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Amsterdam	683,400	Jan. 7	300	166	12·7	–	–	1	–	1	1	2	1
		„ 14	297	205	15·6	–	–	–	–	3	1	2	13
Copenhagen	562,000	Feb. 11	263	173	16·0	–	–	–	–	–	1	–	29
Stockholm	419,788	Feb. 4	137	164	20·3	–	–	–	–	1	–	1	35
Gothenburg	228,052	Jan. 28	–	70	16·0	2	–	–	–	2	–	–	9
		Feb. 4	–	81	18·5	4	–	–	–	3	2	2	11
		„ 11	–	71	16·2	–	–	1	–	1	–	–	7
Christiania	260,920	„ 11	100	76	15·1	–	–	1	–	2	–	1	12
Berlin	1,955,000	Jan. 21	500	666	17·7	–	?	1	1	3	4	4	108
Breslau	550,000	„ 21	194	174	16·4	–	?	–	–	2	1	4	8
Cologne	672,000	„ 21	297	201	15·6	–	?	–	2	1	5	2	24
Dresden	601,000	„ 21	205	192	16·6	–	?	–	1	–	1	2	28
Frankfort-on-Main	473,000	„ 21	134	137	15·1	1	?	–	–	2	–	–	22
Hamburg	1,039,000	„ 21	350	291	14·6	1	?	–	1	5	3	4	20
Leipzig	632,000	„ 21	257	231	19·0	–	?	1	–	1	1	7	35
Munich	675,000	„ 21	203	185	14·3	–	?	–	–	–	–	2	15
Vienna	1,842,005	„ 14	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	„ 21	–	–	–	–	–	–	–	–	–	–	–
Budapest	933,000	Nov. 5	369	388	21·6	13	?	4	14	6	4	34	3
Cairo	765,200	Dec. 16	895	376	25·6	3	–	–	–	?	4	19	?
		„ 23	845	355	24·1	4	–	–	–	?	2	21	?
Alexandria	449,300	„ 16	489	196	22·7	2	–	–	–	?	1	13	?
		„ 23	446	190§	22·0	2	–	–	–	?	–	12	?
New York	5,839,738	Jan. 28	2241	1523	13·6	2	–	17	5	5	18	24	25
Chicago	2,838,288	Feb. 4	–	719	13·2	1	1	3	5	1	16	25	9
Montevideo	356,655	Nov. 26	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 12 deaths from *Asiatic cholera* in Calcutta, and 1 death from *Plague* in Alexandria.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th February, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1636	181	106	79	59	51	67	99	174	229	270	321
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	39	5	17	12	5	–	–	–	–	–	–	–
Scarlet fever	12	1	2	4	5	–	–	–	–	–	–	–
Whooping cough	52	13	21	16	2	–	–	–	–	–	–	–
Diphtheria	28	3	4	10	11	–	–	–	–	–	–	–
Influenza	92	3	4	2	1	1	8	14	15	12	19	13
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	1	–	–	–
Meningococcal meningitis	2	1	–	–	–	–	1	–	–	–	–	–
Tuberculosis of respiratory system	119	–	–	–	5	23	24	23	28	8	7	1
Tuberculous meningitis	4	1	1	1	1	–	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	1	–	–	–	–	1	–	–	–
Other tubercle	2	1	–	–	1	–	–	–	–	–	–	–
Venereal diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	114	–	–	1	–	1	1	10	19	39	28	15
Rheumatic fever	4	–	–	–	2	–	2	–	–	–	–	–
Diabetes	13	–	–	–	–	1	1	–	2	5	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	62	–	–	–	–	–	–	1	9	13	17	22
Epilepsy	10	–	1	–	2	1	1	2	2	–	1	–
"Convulsions" (not puerperal)	9	8	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	27	–	–	2	2	–	4	3	6	5	1	4
Pericarditis	1	–	–	–	–	1	–	–	–	–	–	–
Acute endocarditis	6	–	–	–	–	2	2	1	1	–	–	–
Other diseases of heart	211	–	–	–	1	4	5	12	23	46	63	57
Other dis. of circulatory system	62	–	–	–	–	–	–	1	5	11	21	24
Bronchitis	199	13	3	4	2	–	4	3	17	30	41	82
Broncho-pneumonia	121	35	36	16	3	2	–	2	4	10	6	7
Lobar pneumonia	22	1	1	–	1	3	–	4	2	5	4	1
Pneumonia (type not distinguished)	36	3	5	4	1	2	1	3	3	5	6	3
Other diseases of respiratory system	19	–	1	–	–	–	–	2	3	3	2	8
Diarrhœa and enteritis	21	10	6	1	1	–	–	–	1	–	–	2
Appendicitis and typhlitis	7	–	–	–	2	1	1	1	1	–	–	1
Hernia, Intestinal obstruction	12	1	–	–	1	1	1	–	1	1	4	2
Cirrhosis of liver	9	–	–	–	–	–	–	1	3	2	3	–
Other diseases of digestive system	31	1	–	1	1	1	2	4	9	5	6	1
Acute nephritis	6	1	–	1	1	1	–	–	–	–	2	–
Chronic Bright's disease	34	–	–	–	1	2	2	2	7	8	8	4
Other diseases of genito-urinary system.	19	–	–	–	–	–	–	2	2	2	6	7
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	1	2	–	–	–	–
Congenital malformations	12	9	2	–	–	1	–	–	–	–	–	–
Premature birth	41	41	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	13	13	–	–	–	–	–	–	–	–	–	–
Old age	65	–	–	–	–	–	–	–	–	1	11	53
Suicide	5	–	–	–	–	1	1	1	–	1	1	–
Burns and scalds	7	–	–	–	1	–	–	–	2	–	1	3
Drowning	3	–	–	–	1	–	–	–	2	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	–	3	–	–	1	–	–	–	1
Other deaths by violence	20	2	–	–	–	1	2	2	3	4	1	5
Other specified causes	49	12	2	2	2	1	2	2	2	13	8	3
Ill-defined causes	1	–	–	–	–	–	–	–	–	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th February 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	2	1	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	25	8	–	14	C. 1 M. 1
†BERMONDSEY ...	–	9	21	–	1	–
†BETHNAL GREEN	–	7	15	–	1	C. 1 D. 2
†CAMBERWELL ...	–	30	12	–	7	C. 1 M. 1
†CHELSEA ...	–	5	3	–	1	–
†DEPTFORD ...	–	18	14	–	6	–
†FINSBURY ...	–	5	5	–	1	M. 1
†FULHAM ...	–	12	14	–	16	C. 1 M. 1
†GREENWICH ...	–	17	12	–	3	M. 1
†HACKNEY ...	–	13	12	–	2	–
†HAMMERSMITH	–	15	3	–	3	M. 1
†HAMPSTEAD ...	–	9	6	–	3	–
†HOLBORN ...	–	4	1	–	1	–
†ISLINGTON ...	–	32	34	–	3	M. 2
†KENSINGTON ...	–	6	8	–	3	M. 1
†LAMBETH ...	–	27	16	–	7	C. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	23	15	1	7	C. 1
†PADDINGTON ...	–	7	11	–	3	G. 1 M. 1
†POPLAR... ...	–	9	9	–	17	–
†ST. MARYLEBONE	–	5	3	–	2	M. 2
†ST. PANCRAS ...	–	30	19	–	11	C. 1 M. 1
†SHOREDITCH ...	–	6	12	–	13	C. 1
†SOUTHWARK ...	–	12	5	–	11	M. 1
†STEPNEY ...	–	8	23	–	14	M. 2
†STOKE NEWINGTON	–	6	3	–	–	–
†WANDSWORTH	–	49	33	–	16	M. 1
†WESTMINSTER, CITY OF	–	9	3	–	1	C. 1
†WOOLWICH ...	–	22	14	–	17	C. 1
TOTAL OF PART I.	–	422	335	1	185	C. 11 D. 2 G. 1 M. 17

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	1	4	–	9	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	–	–	7	–
BIGGLESWADE ...	–	–	1	–	–	–
DUNSTABLE ...	*	*	*	*	*	*
Rural Districts :—						
AMPTHILL ...	–	–	2	–	1	–
BEDFORD ...	–	–	1	–	–	–
EATON SOCON ...	–	–	–	–	1	–
LUTON	*	*	*	*	*	*
BERKS	–	20	10	–	2	G. 1 M. 1
Boroughs and Urban Districts :—						
†MAIDENHEAD ...	–	–	–	–	2	–
†READING C.B. ...	–	13	2	–	–	M. 1
Rural Districts :—						
BRADFIELD ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	–	1	–	–	–
NEWBURY ...	–	2	1	–	–	–
WALLINGFORD	–	2	3	–	–	–
WANTAGE ...	–	–	1	–	–	–
WINDSOR ...	–	3	–	–	–	G. 1
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	18	14	–	9	–
Boroughs and Urban Districts :—						
BUCKINGHAM ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	6	1	–	3	–
CHESHAM ...	–	–	–	–	3	–
†SLOUGH ...	–	1	5	–	1	–
†WOLVERTON ...	–	–	–	–	1	–
Rural Districts :—						
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	2	1	–	–	–
NEWPORT PAGNELL	–	1	6	–	1	–
WYCOMBE ...	–	6	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE...	–	6	4	–	1	–
Borough						
†CAMBRIDGE ...	–	2	2	–	1	–
Rural Districts :—						
MELBOURN ...	–	3	–	–	–	–
NEWMARKET ...	–	1	2	–	–	–
CHESTER	–	49	29	–	68	C. 2 F. 1 M. 7
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	–	1	–	1	–
†BIRKENHEAD C.B.	–	3	1	–	19	C. 1 M. 1
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	5	2	–	–	–
CONGLETON ...	–	2	1	–	–	M. 2
†CREWE	–	9	1	–	–	–
HALE	–	2	2	–	1	–
HOLLINGWORTH	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	1	1	–	–	M. 2
†MACCLESFIELD...	–	1	–	–	1	F. 1
MIDDLEWICH ...	–	–	2	–	1	–
MOTTRAM-IN-LONGDENDALE	*	*	*	*	*	*
NANTWICH ...	–	–	1	–	1	–
†NORTHWICH ...	–	–	–	–	9	–
†RUNCORN ...	–	2	–	–	13	–
†STALYBRIDGE ...	–	–	1	–	1	–
†STOCKPOKT, C.B.	–	10	5	–	1	C. 1 M. 2
†WALLASEY, C.B.	–	6	2	–	9	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	–	–	–	4	–
Rural Districts :—						
BUCKLOW ...	–	3	2	–	–	–
CONGLETON ...	–	–	–	–	1	–
DISLEY ...	–	–	–	–	1	–
MACCLESFIELD ...	–	1	1	–	–	–
NANTWICH ...	–	–	4	–	–	–
NORTHWICH ...	–	1	–	–	5	–
TINTWISTLE ...	*	*	*	*	*	*
WIRRAL ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	8	7	–	15	–
Boroughs and Urban Districts :—						
†Camborne ...	–	–	–	–	6	–
Liskeard ...	–	3	–	–	1	–
Looe	*	*	*	*	*	*
Newquay ...	–	–	–	–	1	–
Padstow ...	–	–	–	–	2	–
Phillack ...	–	–	–	–	2	–
Redruth ...	*	*	*	*	*	*
St. Ives ...	–	4	4	–	–	–
Saltash ...	–	–	–	–	1	–
Rural Districts—						
Redruth ...	–	–	1	–	2	–
Saint Germans	–	1	1	–	–	–
Truro	–	–	1	–	–	–
CUMBERLAND ...	–	2	6	–	3	M. 1
Boroughs and Urban Districts :—						
Aspatria ...	–	–	2	–	–	–
†Carlisle C.B. ...	–	1	3	–	2	–
Egremont ...	–	1	–	–	–	–
†Whitehaven ...	–	–	1	–	–	–
†Workington ...	–	–	–	–	–	M. 1
Rural Districts :—						
Penrith ...	–	–	–	–	1	–
DERBY	5	36	16	2	20	M. 4
Boroughs and Urban Districts :—						
†Alfreton ...	–	2	3	–	–	–
†Bolsover ...	–	–	1	–	–	–
†Buxton ...	–	1	–	–	–	–
†Chesterfield	–	3	1	1	–	M. 1
Clay Cross ...	*	*	*	*	*	*
†Derby C.B. ...	–	6	4	1	5	M. 3
Dronfield ...	*	*	*	*	*	*
†Glossop ...	–	–	–	–	1	–
†Heanor ...	–	1	–	–	3	–
†Ilkeston ...	5	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Long Eaton ...	–	4	–	–	–	–
Matlock Bath and Scarthin Nick	–	1	–	–	–	–
New Mills ...	–	–	2	–	–	–
North Darley	–	–	–	–	1	–
†Ripley... ...	–	–	–	–	1	–
†Swadlincote District	–	1	–	–	2	–
Rural Districts :—						
Ashbourne ...	–	1	–	–	–	–
Bakewell ...	–	1	–	–	–	–
Belper... ...	–	1	–	–	–	–
Blackwell ...	–	5	–	–	–	–
Chapel-en-le-frith	–	1	–	–	–	–
Chesterfield	–	5	2	–	3	–
Clowne... ...	–	–	2	–	–	–
Glossop Dale	–	1	–	–	–	–
Repton... ...	–	–	1	–	–	–
Shardlow ...	–	1	–	–	1	–
DEVON	–	10	14	–	25	L. 1
Boroughs and Urban Districts :—						
Ashburton ...	–	–	–	–	2	–
Brixham ...	–	–	–	–	2	–
†Exeter C.B. ...	–	5	3	–	7	–
Honiton ...	–	–	1	–	–	–
†Ilfracombe ...	–	–	–	–	1	–
†Newton Abbot	–	–	1	–	–	–
Northam ...	–	–	1	–	–	–
†Paignton ...	–	–	1	–	–	–
†Plymouth C.B.	–	1	3	–	1	–
Tiverton ...	–	–	1	–	–	–
†Torquay ...	–	1	2	–	–	–
Rural Districts :—						
Axminster ...	–	–	–	–	1	–
Barnstaple ...	–	–	1	–	–	–
Bideford ...	–	1	–	–	–	–
Broadwood-widger ...	–	–	–	–	1	–
Culmstock ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
HONITON ...	–	–	–	–	2	–
NEWTON ABBOT	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	–	–	3	L. 1
ST. THOMAS ...	–	1	–	–	–	–
TORRINGTON ...	–	–	–	–	2	–
TOTNES	–	–	–	–	2	–
DORSET	–	13	2	–	7	E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	2	–	–	–	–
DORCHESTER ...	–	1	–	–	–	–
POOLE	–	1	2	–	1	M. 1
†PORTLAND ...	–	1	–	–	1	–
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS ...	–	2	–	–	1	E. 1
WIMBORNE ...	–	–	–	–	1	–
Rural Districts:—						
BRIDPORT ...	*	*	*	*	*	*
DORCHESTER ...	–	2	–	–	–	–
POOLE	–	–	–	–	1	–
SHAFTESBURY ...	–	–	–	–	2	–
STURMINSTER ...	–	3	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	–	G. 1
DURHAM... ...	–	51	24	2	84	C 2 L. 1 M. 4
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	4	–	–	–
†BLAYDON ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	2	–
†CHESTER-LE-STREET	–	3	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CROOK	–	–	–	–	–	C. 1
†DARLINGTON C.B.	–	2	2	–	3	–
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	1	–	–	2	–
†GATESHEAD C.B.	–	10	2	–	6	M. 2
†HEBBURN ...	–	–	1	–	1	–
†HETTON... ...	–	–	–	–	2	–
†HOUGHTON-LE-SPRING ...	–	–	1	–	–	–
†JARROW ...	–	–	–	–	3	–
LEADGATE ...	–	1	–	–	–	–
†SEAHAM HARBOUR ...	–	–	–	–	–	L. 1
†SHILDON ...	–	2	1	–	–	–
†SOUTH SHIELDS C.B.	–	2	3	–	18	–
STANHOPE ...	–	–	1	–	–	–
†STANLEY ...	–	–	–	–	4	–
†STOCKTON-ON-TEES	–	–	–	–	1	–
†SUNDERLAND C.B.	–	2	1	–	9	C. 1
†WEST HARTLEPOOL C.B.	–	7	1	–	6	M. 1
†WHICKHAM ...	–	1	–	–	1	–
WILLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	–	3	–	–	–
BARNARD CASTLE	–	1	–	–	1	–
CHESTER-LE-STREET	–	7	1	–	5	–
DARLINGTON ...	–	1	–	–	1	–
DURHAM ...	–	–	–	–	1	–
EASINGTON ...	–	3	–	–	1	M. 1
HOUGHTON-LE-SPRING	–	2	–	–	4	–
LANCHESTER ...	–	–	–	–	9	–
SEDGEFIELD ...	–	1	1	2	–	–
SOUTH SHIELDS	–	–	1	–	1	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	3	–	–	–	–
Boroughs and Urban Districts :—						
CHATTERIS ...	*	*	*	*	*	*
MARCH	*	*	*	*	*	*
†WISBECH ...	–	1	–	–	–	–
Rural Districts—						
WISBECH ...	–	2	–	–	–	–
ESSEX	–	105	58	1	41	C. 1 L. 2 M. 1
Boroughs and Urban Districts :—						
†BARKING TOWN	–	2	3	–	5	–
BRENTWOOD ...	–	1	–	–	–	–
BUCKHURST HILL	–	–	1	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	1	–	–	L. 1
†EAST HAM C.B.	–	21	7	–	1	–
†GRAYS THURROCK	–	2	2	–	–	–
†HARWICH ...	–	–	–	–	3	–
†ILFORD	–	11	4	–	1	–
†LEYTON... ...	–	15	5	1	7	–
LOUGHTON ...	*	*	*	*	*	*
†SOUTHEND-ON-SEA C.B.	–	6	–	–	5	M. 1
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	15	4	–	6	–
†WANSTEAD ...	–	1	3	–	–	–
†WEST HAM C.B.	–	18	10	–	6	C. 1
WIVENHOE ...	–	2	4	–	–	–
†WOODFORD ...	–	1	2	–	3	–
Rural Districts :—						
BELCHAMP ...	–	1	–	–	–	–
BILLERICAY ...	–	–	–	–	–	L. 1
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW ...	–	2	–	–	–	–
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	–	–	–	1	–
MALDON... ...	–	1	5	–	–	–
ONGAR	–	1	–	–	–	–
ESSEX—*cont.*						
Rural Districts— *cont.*						
ORSETT	–	–	3	–	–	–
ROMFORD ...	–	–	1	–	–	–
STANSTEAD ...	–	1	–	–	1	–
TENDRING ...	–	–	1	–	2	–
GLOUCESTER ...	–	35	37	1	41	C. 2 M. 4
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	29	23	1	26	C. 1 M. 3
CHARLTON KINGS	*	*	*	*	*	*
†CHELTENHAM ...	–	1	2	–	1	C. 1
†GLOUCESTER C.B.	–	1	2	–	4	M. 1
†KINGSWOOD ...	–	–	1	–	–	–
STOW-ON-THE-WOLD	*	*	*	*	*	*
STROUD ...	–	1	–	–	–	–
TETBURY ...	–	–	1	–	–	–
TEWKESBURY...	–	–	–	–	2	–
Rural Districts :—						
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
LYDNEY ...	–	–	2	–	–	–
NEWENT ...	–	–	2	–	–	–
NORTHLEACH ...	*	*	*	*	*	*
STOW-ON-THE-WOLD (part)	–	–	1	–	–	–
STROUD ...	–	–	1	–	1	–
THORNBURY ...	–	1	–	–	5	–
WARMLEY ...	–	1	2	–	–	–
WHEATENHURST	–	1	–	–	1	–
HEREFORD ...	–	5	–	1	2	–
Boroughs and Urban Districts :—						
BROMYARD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

able 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
HEREFORD ...	–	–	–	1	–	–
KINGTON ...	–	1	–	–	–	–
LEDBURY ...	–	–	–	–	2	–
WIGMORE ...	–	3	–	–	–	–
HERTFORD ...	–	8	14	1	7	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	1	–	–	–
†BARNET ...	–	3	–	–	–	–
BUSHEY ...	–	–	2	–	–	–
†CHESHUNT ...	–	–	2	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	1	–	–	–
ROYSTON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	–	–	–	1	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	1	1	–	2	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
HITCHIN ...	–	–	–	1	–	–
ST. ALBANS ...	–	–	3	–	1	–
WATFORD ...	–	1	1	–	3	–
HUNTINGDON ...	–	–	–	–	8	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	3	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
OUNDLE (part)...	–	–	–	–	2	–
ST. NEOTS, No. 1	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	52	53	–	25	C. 1 M. 5
Boroughs and Urban Districts:—						
†ASHFORD ...	–	2	–	–	2	–
†BECKENHAM ...	–	5	–	–	2	–
†BEXLEY ...	–	4	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	4	–	1	C. 1
†BROMLEY ...	–	4	4	–	3	–
†CHATHAM ...	–	2	–	–	–	M. 1
CHISLEHURST ...	–	2	–	–	–	–
†CRAYFORD ...	–	–	3	–	–	–
†DARTFORD ...	–	3	3	–	2	–
†DOVER	–	1	1	–	3	–
†ERITH	–	1	4	–	–	–
†FAVERSHAM ...	–	–	2	–	–	–
†FOLKSTONE ...	–	1	–	–	3	–
†GILLINGHAM ...	–	5	2	–	–	–
†HERNE BAY ...	–	2	–	–	–	–
MILTON REGIS...	–	–	1	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	2	5	–	2	M. 1
†ROCHESTER ...	–	3	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	1	–	4	–
†SHEERNESS ...	–	1	1	–	–	–
SOUTHBOROUGH	–	1	–	–	–	–
†TONBRIDGE ...	–	–	2	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	2	6	–	–	–
DOVER	–	1	–	–	–	–
EAST ASHFORD	–	1	1	–	–	–
ISLE OF THANET	–	1	6	–	–	M. 2
MALLING ...	–	1	2	–	–	–
MILTON	–	–	2	–	1	–
SEVENOAKS ...	–	–	–	–	–	M. 1
SHEPPEY ...	*	*	*	*	*	*
STROOD... ...	–	1	–	–	–	–
TONBRIDGE ...	–	2	–	–	–	–
LANCASTER ...	–	375	128	6	342	C. 6 G. 1 L. 4 M. 32
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ACCRINGTON ...	–	3	1	–	1	–
ADLINTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	1	1	1	2	–
ASPULL	–	1	1	–	2	–
†ATHERTON ...	–	–	1	–	–	–
†BARROW-IN-FURNESS C.B.	–	6	–	–	–	–
†BLACKBURN C.B.	–	3	2	–	12	–
†BLACKPOOL C.B.	–	5	1	–	–	–
†BOLTON C.B. ...	–	5	2	–	3	–
†BOOTLE C.B. ...	–	8	3	–	2	M. 1
BRIERFIELD ...	–	–	–	–	1	–
†BURNLEY C.B.	–	7	5	–	1	G. 1
†BURY C.B. ...	–	7	–	–	6	–
†CHADDERTON ...	–	5	–	–	2	–
†CHORLEY ...	–	–	–	–	1	–
CLAYTON-LE-MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	3	–	–	1	–
†COLNE	–	2	–	–	1	M. 1
†CROMPTON ...	–	–	–	–	1	–
CROSTON ...	–	2	–	–	–	–
†DARWEN ...	–	–	1	–	–	–
†DENTON ...	–	4	–	–	1	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES ...	–	2	–	–	1	–
†FAILSWORTH ...	–	3	2	–	1	–
†FARNWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	16	1	–	–	–
GRANGE ...	*	*	*	*	*	*
†GREAT CROSBY	–	–	1	1	1	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	2	–	–	–	–
†HEYWOOD ...	–	–	1	–	–	C. 1
†HINDLEY ...	–	1	–	–	1	–
†HORWICH ...	–	1	1	–	2	–
HURST	–	–	1	–	–	–
HUYTON-WITH ROBY	*	*	*	*	*	*
†INCE-IN-MAKERFIELD	–	–	–	–	2	–
IRLAM	–	2	–	–	–	–
†LANCASTER ...	–	4	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	4	5	1	1	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE HULTON	–	–	–	–	–	M. 1
†LIVERPOOL C.B.	–	43	22	–	101	M. 14
†LYTHAM ...	–	1	–	–	–	–
†MANCHESTER C.B.	–	100	29	1	73	C. 2 M. 9
†MIDDLETON ...	–	3	–	–	1	–
†NELSON ...	–	–	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	6	2	–	3	–
†OLDHAM C.B.	–	15	–	–	5	M. 1
ORMSKIRK ...	–	–	1	–	1	–
ORRELL... ...	–	2	–	–	–	–
†OSWALDTWISTLE	–	5	–	–	1	–
†PRESTON C.B. ...	–	5	5	–	–	C. 1 M. 1
†PRESTWICH ...	–	3	1	–	–	–
†RADCLIFFE ...	–	–	1	–	1	–
RAINFORD ...	–	–	–	–	2	–
†RAMSBOTTOM ...	–	–	–	–	3	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON ...	–	–	–	–	2	–
†ROCHDALE C.B.	–	9	1	–	2	–
†ROYTON ...	–	1	1	–	–	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	4	3	–	19	L. 3 M. 1
†SALFORD C.B. ...	–	30	6	1	12	M. 1
†SOUTHPORT C.B	–	2	1	–	18	–
†STRETFORD ...	–	6	4	–	2	M. 1
†SWINTON AND PENDLEBURY	–	2	–	–	1	–
THORNTON ...	–	1	–	–	1	–
TRAWDEN ...	–	3	–	–	–	–
†TURTON... ...	–	–	–	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	3	2	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
WALTON-LE-DALE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WARRINGTON C.B.	–	9	1	–	8	–
†WATERLOO-WITH-SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	–	1	–	2	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES ...	–	1	5	1	23	–
†WIGAN C.B. ...	–	2	4	–	1	–
†WORSLEY ...	–	1	–	–	–	–
Rural Districts:—						
BURNLEY ...	–	–	–	–	1	–
CHORLEY ...	–	–	–	–	1	–
FYLDE	–	–	1	–	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	2	–	–	–	C. 2
PRESTON ...	–	2	1	–	–	M. 1
SEFTON	–	–	–	–	1	–
WARRINGTON ...	–	–	1	–	1	–
WEST LANCASHIRE	–	2	–	–	2	–
WHISTON ...	–	–	1	–	–	L. 1
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	10	4	–	3	G. 1 M. 2
Boroughs and Urban Districts:—						
†LEICESTER C.B.	–	7	3	–	3	G. 1 M. 2
†LOUGHBOROUGH	–	3	–	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	1	–	1	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	–	–	–	1	–
LONG SUTTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
EAST ELLOE ...	–	–	1	–	–	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	2	–	–
Boroughs and Urban Districts:						
BOURNE ...	*	*	*	*	*	*
Rural Districts:—						
CLAYPOLE ...	–	–	–	2	–	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	7	8	1	4	M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	2	4	–	1	–
CROWLE ...	*	*	*	*	*	*
†GRIMSBY C.B. ...	–	–	–	–	1	–
†LINCOLN C.B. ...	–	2	4	–	–	–
LOUTH	–	–	–	–	1	–
Rural Districts:—						
CAISTOR ...	–	–	–	1	–	–
GAINSBOROUGH	–	3	–	–	–	–
GRIMSBY ...	–	–	–	–	1	–
SPILSBY ...	–	–	–	–	–	M. 1
MIDDLESEX ...	–	139	104	–	39	C. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	11	7	–	2	–
†BRENTFORD ...	–	4	–	–	1	–
†CHISWICK ...	–	1	1	–	–	–
†EALING ...	–	17	13	–	1	C. 1
†EDMONTON ...	–	9	4	–	6	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ENFIELD ...	–	3	2	–	–	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	–	2	–	1	–
†FRIERN BARNET	–	2	–	–	–	–
GREENFORD ...	–	–	1	–	–	–
†HAMPTON ...	–	–	–	–	1	–
HAMPTON WICK	–	2	–	–	–	–
†HANWELL ...	–	2	2	–	2	–
†HARROW-ON-THE-HILL	–	1	–	–	–	–
†HENDON ...	–	4	3	–	–	–
†HESTON AND ISLEWORTH	–	3	4	–	9	–
†HORNSEY ...	–	8	4	–	2	M. 1
†SOUTHALL-NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	2	2	–	1	–
†TOTTENHAM ...	–	22	19	–	4	–
†TWICKENHAM ...	–	1	3	–	2	M. 1
†UXBRIDGE ...	–	2	–	–	–	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	*	*	*	*	*	*
†WILLESDEN ...	–	22	31	–	7	M. 1
†WOOD GREEN ...	–	14	1	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON ...	–	3	1	–	–	–
STAINES ...	–	3	3	–	–	G. 1
NORFOLK ...	–	14	3	1	9	M. 1
Boroughs and Urban Districts:—						
DISS	–	1	–	–	–	–
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†KING'S LYNN...	–	1	–	–	–	–
NEW HUNSTANTON	–	–	–	–	1	–
†NORWICH C.B.	–	3	–	1	3	–
SWAFFHAM ...	–	2	–	–	–	–
WELLS	–	–	3	–	1	–
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DEPWADE ...	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	M. 1
FREBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING ...	–	–	–	–	1	–
THETFORD ...	–	2	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON	–	8	8	–	10	D. 1 M. 2
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	–	M. 1
†KETTERING ...	–	–	–	–	1	M. 1
†NORTHAMPTON C.B.	–	4	4	–	3	–
RAUNDS ...	–	–	–	–	1	–
ROTHWELL ...	–	2	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	–	1	–	–	–
KETTERING ...	–	–	2	–	–	–
NORTHAMPTON...	–	–	1	–	–	–
OUNDLE (part)...	–	–	–	–	1	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	–	–	–	–	D. 1
TOWCESTER ...	–	–	–	–	2	–
NORTHUMBERLAND.	–	37	13	–	49	C. 1 D. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	–	–	–	L. 1
†BEDLINGTONSHIRE	–	2	–	–	8	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK-UPON-TWEED	–	–	1	–	2	–
†BLYTH	–	3	–	–	5	–
CRAMLINGTON ...	–	2	–	–	–	–
†EARSDON ...	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
†LONGBENTON ...	*	*	*	*	*	*
NEWBIGGIN-BY-THE-SEA	–	–	–	–	4	–
†NEWBURN ...	*	*	*	*	*	*
†NEWCASTLE-UPON-TYNE C.B.	–	18	6	–	15	D. 1 M. 1
PRUDHOE ...	–	1	–	–	3	–
SEATON DELAVAL	–	3	–	–	–	–
†TYNEMOUTH C.B.	–	1	–	–	8	–
†WALLSEND ...	–	3	5	–	1	C. 1
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	1	–
HEXHAM ...	–	–	1	–	1	–
NORHAM AND ISLANDSHIRES	*	*	*	*	*	*
NOTTINGHAM ...	–	20	19	–	11	D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†CARLTON ...	–	–	1	–	–	–
†EAST RETFORD	–	–	–	–	1	–
†EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	3	–	–	M. 1
†MANSFIELD WOODHOUSE...	–	–	–	–	1	–
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	10	4	–	5	G. 1
†SUTTON-IN-ASHFIELD	–	2	–	–	–	–
†WESTBRIDGFORD	–	1	–	–	–	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	–	1	–	–	–
BINGHAM ...	–	–	1	–	–	–
EAST RETFORD	–	–	1	–	2	–
MISTERTON ...	–	–	5	–	–	–
NEWARK ...	–	1	–	–	–	–
SKEGBY ...	–	–	3	–	–	–
SOUTHWELL ...	–	3	–	–	–	D. 1
OXFORD	–	9	5	–	5	M. 1
Boroughs and Urban Districts:—						
HENLEY-UPON-THAMES	–	1	1	–	1	M. 1
†OXFORD C.B. ...	–	3	2	–	–	–
THAME... ...	–	–	1	–	–	–
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	1	–	–	–	–
CULHAM ...	–	1	–	–	–	–
HEADINGTON ...	–	2	1	–	–	–
WITNEY... ...	–	–	–	–	3	–
PETERBOROUGH (Soke of).	–	2	1	–	6	–
Borough:—						
†PETERBOROUGH	–	1	1	–	5	–
Rural District:—						
PETERBOROUGH	–	1	–	–	1	–
RUTLAND ...	–	–	–	–	3	–
Urban District:—						
OAKHAM ...	–	–	–	–	1	–
Rural District:—						
UPPINGHAM ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	10	8	–	11	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	3	–	–	–
LUDLOW ...	–	2	1	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	4	–
WEM	–	1	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	2	–	4	–
CLEOBURY MORTIMER	–	–	–	–	1	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
WELLINGTON ...	–	–	1	–	2	–
SOMERSET ...	–	12	7	–	23	E. 1 M. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	3	–	1	–
BURNHAM-ON-SEA	–	1	–	–	–	M. 1
CHARD	–	–	–	–	1	–
GLASTONBURY	–	1	–	–	–	–
MIDSOMER NORTON	–	–	1	–	1	–
MINEHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	–	2	–	–	–
SHEPTON MALLET ...	–	1	–	–	–	–
†TAUNTON ...	–	1	–	–	–	M. 1
†WESTON-SUPER-MARE	–	–	–	–	1	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	3	–
CHARD	–	1	–	–	1	–
CLUTTON ...	–	–	–	–	1	–
FROME	–	–	–	–	2	–
KEYNSHAM ...	–	–	1	–	1	–
LANGPORT ...	–	–	–	–	2	–
LONG ASHTON ...	–	5	–	–	–	–
TAUNTON ...	–	–	–	–	3	E. 1
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON	–	85	28	–	7	G. 1 M. 2
Boroughs and Urban Districts:—						
ALTON	–	–	2	–	–	–
ANDOVER ...	–	–	1	–	–	–
†BASINGSTOKE ...	–	3	–	–	–	–
†BOURNEMOUTH C.B.	–	–	2	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FAREHAM ...	–	3	1	–	–	–
†GOSPORT and ALVERSTOKE	–	5	–	–	–	–
HAVANT ...	*	*	*	*	*	*
PETERSFIELD ...	–	4	–	–	–	–
†PORTSMOUTH C.B.	–	48	9	–	3	M. 1
†SOUTHAMPTON C.B.	–	13	6	–	1	G. 1 M. 1
†WINCHESTER ...	–	1	–	–	2	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	*	*	*	*	*	*
FORDINGBRIDGE	–	3	–	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
RINGWOOD ...	–	–	–	–	1	–
ROMSEY ...	–	–	1	–	–	–
SOUTH STONEHAM	–	–	3	–	–	–
WHITCHURCH ...	–	–	3	–	–	–
STAFFORD ...	–	59	32	3	65	G. 1 M. 11
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	1	–	–	–	–
†AUDLEY... ...	–	–	2	–	–	–
†BIDDULPH ...	–	–	1	–	–	–
†BILSTON ...	–	–	2	–	3	–
†BRIERLEY HILL	–	–	–	–	3	–
†BROWNHILLS ...	–	2	1	–	1	–
†BURTON-UPON-TRENT C.B.	–	4	2	–	2	M. 1
†CANNOCK ...	–	2	–	–	2	–
†DARLASTON ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEATH TOWN ...	–	1	–	–	–	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	2	–	–	–	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS	–	1	–	–	6	–
SHORT HEATH ...	–	–	–	–	1	–
†SMALLTHORNE ...	–	–	1	–	–	–
†SMETHWICK C.B.	–	3	5	–	1	–
†STAFFORD ...	–	–	1	–	1	–
†STOKE-UPON-TRENT C.B.	–	6	6	3	26	G. 1 M. 7
†TIPTON	–	5	–	–	1	–
†WALSALL C.B....	–	3	1	–	2	–
†WEDNESBURY ...	–	–	–	–	6	–
†WEST BROMWICH C.B.	–	12	1	–	4	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	–	3	–	–	M. 1
†WOLVERHAMPTON C.B.	–	9	–	–	1	M. 1
Rural Districts:—						
BLORE HEATH...	–	–	1	–	–	–
CANNOCK ...	–	–	1	–	–	–
CHEADLE ...	–	1	1	–	2	–
KINGSWINFORD	–	3	–	–	–	–
LICHFIELD ...	–	1	–	–	2	–
STONE	–	1	1	–	–	–
WALSALL ...	–	1	1	–	–	–
SUFFOLK, EAST	–	18	21	–	7	M. 2
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
BECCLES ...	–	–	–	–	1	–
BUNGAY ...	–	–	13	–	–	–
†IPSWICH C.B. ...	–	–	2	–	4	–
†LOWESTOFT ...	–	5	1	–	–	–
SAXMUNDHAM ...	*	*	*	*	*	*
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	2	–	–	–	–
BOSMERE AND CLAYDON	–	–	1	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
EAST STOW ...	–	2	–	–	–	–
HARTISMERE ...	–	6	1	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	–	M. 1
WANGFORD ...	–	2	3	–	–	–
WOODBRIDGE ...	–	–	–	–	1	M. 1
SUFFOLK, WEST	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	1	–	–	–	–
Rural Districts:—						
THINGOE ...	–	1	–	–	1	–
SURREY	–	89	45	3	25	L. 3 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	2	3	–	–	–
†BEDDINGTON AND WALLINGTON	–	4	1	–	–	–
†CARSHALTON ...	–	1	2	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	7	5	1	–	–
†CROYDON C.B....	–	12	9	–	–	–
DORKING ...	–	1	–	–	–	–
†EGHAM	–	–	1	–	5	–
†EPSOM... ...	–	–	–	2	1	M. 1
†FRIMLEY ...	–	1	–	–	1	–
†GUILDFORD ...	–	–	–	–	4	–
HAM	–	2	–	–	–	–
†KINGSTON-UPON-THAMES	–	6	3	–	–	M. 1
†MERTON AND MORDEN	–	5	1	–	–	–
†MITCHAM ...	–	4	5	–	1	–
†REIGATE ...	–	–	1	–	1	–
†RICHMOND ...	–	5	–	–	2	–
†SURBITON ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†SUTTON	–	3	–	–	2	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON-UPON-THAMES	–	2	1	–	–	–
†WIMBLEDON ...	–	1	6	–	2	–
†WOKING ...	–	4	2	–	1	–
Rural Districts:—						
CHERTSEY ...	–	1	1	–	–	–
EPSOM	–	2	–	–	4	L. 2
FARNHAM ...	–	3	1	–	–	–
GODSTONE ...	–	4	–	–	–	–
REIGATE ...	–	13	2	–	1	L. 1
SUSSEX, EAST ...	–	33	8	–	20	D. 1 L. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
†BRIGHTON C.B.	–	9	1	–	5	–
BURGESS HILL...	–	–	1	–	7	–
†EASTBOURNE C.B	–	2	–	–	5	–
EAST GRINSTEAD	–	2	–	–	–	–
†HASTINGS C.B....	–	2	–	–	1	–
†HOVE	–	2	–	–	1	–
†LEWES	–	5	2	–	–	–
Rural Districts:—						
CHAILEY ...	–	2	2	–	–	–
CUCKFIELD ...	–	2	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	5	–	–	–	L. 1
RYE	–	–	2	–	–	–
STEYNING EAST	–	–	–	–	–	D. 1
UCKFIELD ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	5	2	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	–	–	–	–
SOUTHWICK ...	–	–	–	–	–	G. 1 M. 1
†WORTHING ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
PETWORTH ...	–	–	–	–	1	–
STEYNING WEST	–	1	–	–	–	–
WARWICK ...	–	112	37	1	103	C. 3 G. 1 L. 1 M. 13
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	78	31	–	66	C. 2 G. 1 L. 1 M. 13
†COVENTRY C.B.	–	4	2	–	8	–
†NUNEATON ...	–	8	–	–	6	–
†ROYAL LEAMINGTON SPA	–	1	2	–	4	C. 1
†RUGBY	–	–	–	–	4	–
†SUTTON COLDFIELD	–	1	–	–	1	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	1	–	–	–
BRAILES ...	–	–	–	–	1	–
COVENTRY ...	–	–	–	–	1	–
FOLESHILL ...	–	7	–	–	6	–
MERIDEN ...	–	–	–	1	–	–
RUGBY ...	–	2	–	–	3	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM ...	–	–	–	–	1	–
TAMWORTH (part)	–	5	–	–	–	–
WARWICK ...	–	2	1	–	1	–
WESTMORLAND	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	–	1	–	1	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	8	1	–	2	–
Boroughs and Urban Districts:—						
COWES	–	1	1	–	–	–
EAST COWES ...	–	1	–	–	–	–
†RYDE	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	2	–
SHANKLIN ...	–	4	–	–	–	–
WILTS	–	11	2	–	15	–
Boroughs and Urban Districts:—						
CALNE	–	–	1	–	–	–
DEVIZES ...	–	–	–	–	3	–
MELKSHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	2	–	–	–	–
†SWINDON ...	–	7	–	–	3	–
Rural Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CALNE	–	–	–	–	1	–
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	–	–	–	–	6	–
MERE	–	–	–	–	1	–
PEWSEY ...	–	–	1	–	–	–
WORCESTER ...	–	24	4	1	21	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	6	–	–	3	–
†LYE AND WOLLESCOTE	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MALVERN ...	–	–	–	–	2	–
†OLDBURY ...	–	1	–	–	4	–
†REDDITCH ...	–	5	–	–	–	–
†STOURBRIDGE	–	1	1	–	4	–
STOURPORT ...	–	4	–	–	–	–
†WORCESTER C.B.	–	2	2	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	1	1	–
DROITWICH ...	–	1	–	–	–	–
HALESOWEN ...	–	–	1	–	3	M. 1
MARTLEY ...	–	1	–	–	2	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	12	15	–	18	C. 1 D. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	*	*	*	*	*	*
HESSLE ...	–	1	–	–	2	–
HORNSEA ...	–	–	1	–	–	–
†KINGSTON-UPON HULL C.B.	–	2	9	–	7	C. 1 D. 1
†YORK C.B. ...	–	8	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
DRIFFIELD ...	–	–	1	–	–	M. 1
HOWDEN ...	–	–	–	–	4	–
PATRINGTON ...	–	–	–	–	1	–
RICCALL ...	–	–	–	–	1	–
SCULCOATES ...	–	–	1	–	–	–
SHERBURN ...	–	–	1	–	–	–
SKIRLAUGH ...	–	–	–	–	1	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	10	8	2	10	–
Boroughs and Urban Districts:—						
†ESTON ...	–	1	4	–	–	–
†MIDDLESBROUGH C.B.	–	1	3	–	6	–
†SCARBOROUGH	–	2	–	2	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†WHITBY... ...	–	–	–	–	1	–
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1	–	–	1	–
HELMSLEY ...	–	–	–	–	2	–
MIDDLESBROUGH	–	1	–	–	–	–
RICHMOND ...	–	2	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
THIRSK	–	–	1	–	–	–
WATH	*	*	*	*	*	*
YORKS ... ... (West Riding).	4	192	77	4	103	C. 3 E. 1 F. 1 G. 1 L. 3 M. 10
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	1	M. 1
ALTOFTS... ...	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	1	1	–	–	–
†BARNOLDSWICK	–	–	–	–	–	M. 1
†BARNSLEY C.B.	–	2	2	–	1	–
†BATLEY... ...	–	2	1	–	1	–
†BINGLEY ...	–	–	–	–	3	–
†BOLTON-UPON-DEARNE	–	–	1	–	–	–
†BRADFORD C.B.	–	24	6	–	8	E. 1
†BRIGHOUSE ...	–	3	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON WEST	–	–	1	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	2	–	–	1	–
†DARTON ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DEWSBURY C.B.	–	1	–	–	–	–
†DONCASTER ...	–	1	1	–	–	–
†ELLAND ...	–	3	–	–	–	–
FEATHERSTONE	*	*	*	*	*	*
GILDERSOME ...	–	1	–	–	–	–
†GOLCAR ...	2	1	–	–	–	–
†GOOLE	–	1	–	–	–	–
GREETLAND ...	–	3	–	–	–	–
GUISELEY ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	10	4	–	1	–
†HARROGATE ...	–	–	–	–	2	–
†HEMSWORTH ...	–	1	–	–	2	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	3	–	–	1	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	–	1	–	–	–
†HUDDERSFIELD C.B.	–	4	3	–	5	C. 1 F. 1
ILKLEY	–	1	2	–	–	–
†KEIGHLEY ...	–	2	–	–	1	–
KNARESBOROUGH	*	*	*	*	*	*
†LEEDS C.B. ...	–	48	13	–	24	C. 1 G. 1 M. 1
LUDDENDEN FOOT ...	–	1	–	–	–	–
MEXBOROUGH ...	–	–	–	–	–	M. 1
†MORLEY ...	–	1	–	–	–	–
MYTHOLMROYD...	–	2	–	–	–	–
†NORMANTON ...	–	1	2	–	3	–
†OSSETT	–	2	1	–	–	–
OTLEY	–	1	1	–	–	–
†PONTEFRACT ...	–	–	–	–	1	–
†PUDSEY... ...	–	2	2	–	–	–
†RAWMARSH ...	–	2	–	1	–	–
†ROTHERHAM C.B.	–	6	–	–	5	–
†ROTHWELL ...	–	2	3	–	–	–
†SADDLEWORTH	1	–	–	–	–	–
†SHEFFIELD C.B.	–	15	14	2	26	C. 1 M. 4
SHELLEY ...	–	–	2	1	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SLAITHWAITE ...	1	–	–	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	5	–	–	1	–
SPRINGHEAD ...	–	3	–	–	–	–
†STANLEY ...	–	2	3	–	2	–
STOCKSBRIDGE ...	–	–	–	–	3	–
THURSTONLAND	–	–	–	–	–	L. 1
†TODMORDEN ...	–	–	–	–	1	–
†WAKEFIELD C.B.	–	4	–	–	–	–
WHITWOOD ...	–	2	–	–	–	–
†WOMBWELL ...	–	–	1	–	1	–
†WORSBOROUGH...	–	1	–	–	–	–
YEADON ...	–	3	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	3	–
GOOLE	–	–	–	–	–	M. 1
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	2	2	–	–	–
HUNSLET ...	–	2	–	–	–	–
KIVETON PARK	–	–	1	–	–	–
PONTEFRACT ...	–	–	2	–	1	–
SELBY	–	–	1	–	–	–
SETTLE	–	1	–	–	1	–
TADCASTER ...	–	2	1	–	–	–
THORNE... ...	–	–	1	–	1	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	3	1	–	–	–
WETHERBY ...	–	2	–	–	1	–
WHARFEDALE (SOUTH)	–	–	1	–	–	L. 2
WORTLEY ...	–	–	2	–	–	M. 1
WALES.						
ANGLESEY ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
AMLWCH ...	–	–	–	–	1	–
†HOLYHEAD ...	–	1	–	–	–	–
ANGLESEY—*cont.*						
Rural District:—						
VALLEY... ...	–	–	–	–	1	–
BRECKNOCK ...	–	2	2	–	13	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	4	–
HAY	–	1	–	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
CRICKHOWELL ...	–	1	–	–	–	–
HAY	–	–	–	–	1	–
LLANWRTHWL (PARISH)	*	*	*	*	*	*
VAYNOR AND PENDERYN ...	–	–	–	–	3	–
YSTRADGYNLAIS	–	–	2	–	5	–
CARDIGAN ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	–	–	–	1	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	1	–
ABERYSTWYTH (NORTH)	*	*	*	*	*	*
LANDYSSIL ...	–	–	–	–	1	–
CARMARTHEN ...	–	10	6	–	15	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	1	1	–	–	–
LLANDOVERY ...	–	–	–	–	1	–
†LLANELLY ...	–	–	4	–	10	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
CARMARTHEN—*—cont.*						
Rural Districts:—						
CARMARTHEN ...	–	1	1	–	1	–
LLANDILO FAWR	–	5	–	–	2	–
LLANYBYTHER ...	–	3	–	–	–	–
CARNARVON ...	–	3	8	–	2	–
Boroughs and Urban Districts:—						
BANGOR ...	–	1	–	–	–	–
CARNARVON ...	–	–	3	–	2	–
CONWAY ...	–	–	2	–	–	–
LLANDUDNO ...	–	1	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	1	–	–	–	–
GWYRFAI ...	–	–	3	–	–	–
DENBIGH ...	–	7	9	–	11	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
†WREXHAM ...	–	1	–	–	2	–
Rural Districts:—						
LLANGOLLEN ...	–	2	–	–	–	–
LLANSILIN ...	–	–	1	–	1	–
RUTHIN ...	–	–	1	–	1	–
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
WREXHAM ...	–	4	6	–	6	–
FLINT	–	5	2	–	2	–
Boroughs and Urban Districts:—						
MOLD	–	1	–	–	–	–
†RHYL	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	1	1	–	1	–
OVERTON ...	–	1	1	–	–	–
ST. ASAPH (FLINT)	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	78	34	–	190	C. 2 M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	15	–	–	27	–
†BARRY	–	1	6	–	3	–
BRITON FERRY	–	–	–	–	2	–
†CAERPHILLY ...	–	1	–	–	–	–
†CARDIFF C.B. ...	–	4	4	–	27	M. 1
†GELLIGAER ...	–	7	2	–	3	–
†MAESTEG ...	–	–	1	–	–	–
†MERTHYR TYDFIL C.B.	–	2	1	–	25	–
†MOUNTAIN ASH	–	8	1	–	2	–
†NEATH	–	2	1	–	6	–
†OGMORE AND GARW	–	5	–	–	4	–
†PENARTH ...	–	2	1	–	–	–
†PONTYPRIDD ...	–	2	–	–	4	–
†PORT TALBOT ...	–	2	3	–	13	–
†RHONDDA ...	–	11	3	–	54	C. 2 M. 2
†SWANSEA C.B. ...	–	4	7	–	12	–
Rural Districts:—						
GOWER	–	–	1	–	1	–
LLANDAFF and DINAS POWIS	–	4	–	–	1	–
LLANTRISANT and LLANTWIT FARDRE	–	3	–	–	1	–
NEATH	–	1	–	–	1	–
PENYBONT ...	–	3	1	–	–	–
PONTARDAWE ...	–	1	2	–	2	–
SWANSEA ...	–	–	–	–	2	–
MERIONETH ...	–	1	–	–	2	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
FESTINIOG ...	–	1	–	–	1	–
Rural Districts:—						
EDEIRNION ...	–	–	–	–	1	–

* Returns not received. * Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	34	12	1	28	M. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	–	2	2	–	–	–
†ABERSYCHAN ...	*	*	*	*	*	*
†ABERTILLERY ...	–	6	–	–	3	–
BEDWAS AND MACHEN	–	1	–	–	1	–
†BEDWELLTY ...	–	5	1	–	–	–
CAERLEON ...	–	–	–	–	1	–
CHEPSTOW ...	–	–	–	–	3	–
†EBBW VALE ...	–	5	1	–	1	–
LLANFRECHFA UPPER	–	–	–	–	2	–
†MYNDDISLWYN	–	5	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
†NEWPORT C.B....	–	5	1	–	7	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	2	4	1	8	–
Rural Districts :—						
ABERGAVENNY...	–	1	–	–	–	–
CHEPSTOW ...	–	–	2	–	1	–
MAGOR	–	–	1	–	–	–
MONMOUTH ...	–	1	–	–	–	–
MONTGOMERY ...	–	1	–	–	–	–
Boroughs and Urban Districts :—						
WELSHPOOL ...	*	*	*	*	*	*
Rural Districts :—						
FORDEN ...	–	1	–	–	–	–
PEMBROKE ...	–	5	1	–	1	–
Boroughs and Urban Districts :—						
MILFORD HAVEN	–	–	1	–	–	–
Rural Districts :—						
LLANFYRNACH	–	–	–	–	1	–
NARBERTH ...	–	2	–	–	–	–
PEMBROKE ...	*	*	*	*	*	*
ST. DOGMELLS ...	–	3	–	–	–	–
RADNOR	–	–	–	–	1	–
Urban Districts :–						
KNIGHTON ...	–	–	–	–	1	–
Rural District :—						
RHAYDER ...	*	*	*	*	*	*
Total of Part II.	9	1876	957	33	1552	C. 25 D. 5 E. 3 F. 2 G. 11 L. 17 M. 122

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF ...	–	–	–	–	1	–
PORT OF LONDON	–	–	1	–	–	–
Total of Part III.	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	422	335	1	185	C. 11 D. 2 G. 1 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	9	1876	957	33	1552	C. 25 D. 5 E. 3 F. 2 G. 11 L. 17 M. 122
Total of Part III.—Port Sanitary Districts ...	–	–	1	–	1	–
Total (*i.e.*, of returns received) England and Wales	9	2298	1293	34	1738	C. 36 D. 7 E. 3 F. 2 G. 12 L. 17 M. 139

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Nine cases of Small-pox were notified, which appear on pages 180, 192, and 193.

able 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.
LONDON:—													
Deaths—all ages	1,324	1,601	1,383	1,279	1,395	1,606	2,170	2,726	2,481	2,022	1662	1,418	1,636
" 0 to 1 year	106	138	135	125	142	169	182	224	264	219	192	186	181
GREAT TOWNS, aggregate (including London):—													
Births	*7,672*	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969 *8,786*	8,853 *8,675*	8,096 *7,908*	8,131 *7,958*	8,822 *8,595*	8,908 *8,729*	8,240 *8,055*
Deaths—all ages	*5,060*	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922 *6,800*	8,085 *7,928*	8,638 *8,482*	8,353 *8,178*	7,786 *7,636*	6,784 *6,648*	7,192 *7,046*
" *0 to 1 year*	*566*	*648*	*623*	*641*	*661*	*699*	793 *781*	860 *842*	1,016 *1,001*	1,024 *1,011*	972 *961*	862 *854*	933 *915*
Enteric Fever—Cases	*38*	*23*	*28*	*22*	*27*	*13*	19 *19*	22 *20*	11 *9*	17 *17*	29 *28*	17 *17*	12 *11*
" Deaths	*6*	*11*	*6*	*5*	*6*	*4*	8 *7*	7 *7*	9 *9*	2 *2*	2 *2*	5 *5*	2 *2*
Small Pox—Cases	*12*	*4*	*2*	*6*	*12*	*2*	4 *4*	5 *5*	— —	1 *1*	3 *3*	1 *1*	— —
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	*2,709*	*2,639*	*2,389*	*2,430*	*2,166*	*1,895*	1816 *1798*	1,767 *1,738*	1,672 *1,645*	1,521 *1,502*	1,541 *1,527*	1,429 *1,409*	1,423 *1,390*
" Deaths	*28*	*20*	*25*	*33*	*17*	*26*	35 *34*	38 *38*	36 *36*	21 *21*	27 *27*	22 *22*	28 *27*
Diphtheria—Cases	*1,041*	*956*	*936*	*1,098*	*985*	*906*	858 *831*	863 *846*	889 *868*	787 *770*	822 *803*	807 *794*	782 *770*
" Deaths	*72*	*71*	*58*	*70*	*79*	*92*	72 *71*	93 *92*	100 *99*	75 *74*	80 *80*	75 *73*	59 *58*
Measles—Deaths	*36*	*30*	*31*	*50*	*47*	*68*	69 *69*	61 *61*	82 *82*	60 *60*	61 *61*	44 *43*	61 *61*
Influenza—Deaths	*80*	*128*	*149*	*212*	*237*	*418*	819 *807*	1,262 *1,240*	1,433 *1,404*	1,451 *1,420*	1,144 *1,121*	759 *749*	670 *655*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns cluded for the first time in 1922.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 18th February 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	54	26	46·4	33·9	10
Brighton	48	30	46·0	38·1	10
Portsmouth	50	32	47·0	38·4	11
Norwich (Eaton).	51	28	43·3	32·7	17
Plymouth	52	31	48·4	38·6	11
Bristol (Clifton).	53	28	35·0	30·6	21
Birmingham	49	27	42·6	32·9	11
Nottingham	50	28	42·7	33·6	11
Birkenhead (Bidston).	49	28	43·4	34·6	12
Manchester	49	27	43·9	33·1	14
Burnley	47	26	40·6	31·4	16
Huddersfield	Not received.				
Bradford	47	25	40·7	32·4	15
Sheffield	50	26	42·3	33·0	10
York (Museum).	46	28	43·3	33·1	7
Hull (Pearson Park).	47	26	43·0	32·7	11
Tynemouth	45	30	42·1	34·0	12
Cardiff	51	28	45·3	34·9	23
Edinburgh	43·0	31·0	40·9	33·4	13
Glasgow	44·3	30·7	40·8	34·0	22
Dublin (Phœnix Park).	Not received.				
Fitzwilliam Square.†	51·0	31·1	45·7	36·3	9
Belfast	52·0	29·5	50·1	34·7	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 18th February 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	12	Full. Perigee	29·759	35·8	27·0	8·8	32·1	− 6·7	24·9	7·2	8·8	3·2	74	76·9	21·1	42·3	E.	E. & calm.	1·9	0·0	0·1	194	−135	0·00
MONDAY -	13	..	29·823	46·7	31·8	14·9	39·1	+ 0·1	32·1	7·0	11·8	3·1	76	86·0	21·9	42·2	S. & SSW.	W. & WSW.	2·0	0·0	0·1	237	− 90	0·00
TUESDAY -	14	In Equator.	30·023	41·0	25·9	15·1	34·1	− 5·2	26·1	8·0	13·1	3·4	72	55·6	15·4	41·9	W.S.W. & calm.	W. & SSW.	1·0	0·0	0·0	180	−146	0·00
WEDNESDAY	15	..	29·746	45·3	35·9	9·4	41·5	+ 2·1	37·0	4·5	8·3	0·0	84	58·4	32·5	41·9	SSW.	SSW. & WSW.	3·7	0·0	0·3	349	+ 22	0·14
THURSDAY -	16	..	29·562	53·6	42·1	11·5	47·9	+ 8·4	45·4	2·5	7·0	0·0	91	79·0	39·4	41·9	WSW & SW.	SSW. & SW.	1·8	0·0	0·1	249	− 80	0·02
FRIDAY -	17	..	29·469	52·0	40·1	11·9	46·3	+ 6·7	42·9	3·4	8·2	1·9	88	64·7	34·4	41·7	SSW.	WSW.	3·0	0·0	0·4	383	+ 52	0·06
SATURDAY -	18	Last Quarter.	29·460	45·9	35·1	10·8	40·2	+ 0·7	31·3	8·9	13·7	4·6	71	86·4	28·8	41·9	SSW., WSW., & W.	W., WNW., & WSW.	5·2	0·0	0·5	464	+132	0·18
MEANS -		..	29·692	45·8	34·0	11·8	40·2	+ 0·9	34·2	5·9	10·1	2·3	79	72·4	27·6	42·0	SW.		...	...	...	Sum 2,056	Sum −245	Sum 0·40
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	12	w.P. till 9h, s.P. generally afterwards.	6·4	9·7	Cloudless with hoar frost till 8h. 30m. Little cloud till 15h., becoming overcast by 17h.
Monday -	13	m.P. till noon, s.P. generally afterwards.	2·5	9·8	Overcast generally till 11h. Damping about 6h. Variable thin cloud 11h. to 20h., then probably cloudless with slight fog, haze, and hoar frost.
Tuesday -	14	w.P. till noon, s.P. afterwards.	0·2	9·9	Cloudless with hoar frost. Haze and fog till about noon. Nearly overcast with haze and fog till 22h., then overcast.
Wednesday	15	s.P. till 6h., m.P. till noon, w.P. afterwards.	0·0	9·9	Overcast throughout. Frequent rain or damping from 11h. Brisk wind 10h. to 15h.
Thursday -	16	w.P. throughout	0·2	10·0	Overcast with slight exceptions. Slight mist in morning. Frequent damping till 22h.
Friday -	17	w.P. generally	0·0	10·0	Overcast till 21h. 30m., becoming cloudless by 22h. Frequent rain or damping between 2h. and 15h.
Saturday -	18	w.P. till 9h., m.P. till 12h., s.P. till 21h., v.P. afterwards.	7·1	10·1	Nearly cloudless till 2h. Overcast 2h. to 7h. Variably cloudy, with fine intervals, afterwards becoming cloudless by 17h. 30m. Heavy rain 4h. 15m. to 5h. 15m. Brisk wind 4h. to 16h.
			Sum 16·4	Sum 69·4	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·04 in. at the beginning of the week to 29·68 in. by 17h. on 12th; increased to 30·05 in. by 11h. on 14th; decreased to 29·44 in. by 13h. on 17th; increased to 29·53 ins. by 22h. on the same day; decreased to 29·35 by 6h. on 18th, and increased to 29·60 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 8.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 25TH FEBRUARY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH FEBRUARY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighth week of the year numbered 8,573, and corresponded to an annual rate of 23·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 6,377 and corresponded to an annual rate of 17·6 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 21·5, 18·8 and 19·9. Infant mortality was 98 per 1,000 births against 110, 97 and 113 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,029 births, corresponding to a rate of 23·6 per 1,000, and 1,472 deaths of civilians, corresponding to a rate of 17·1, as against 19·4, 16·5, and 19·1 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 18·0 per 1,000. The infant mortality was 90 as against 95, 88, and 94 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 815 in the total deaths last week, the deaths from influenza showing a fall of 145. In London the number of deaths from all causes fell from 1,636 to 1,472; there was a decrease of 45 in the deaths from bronchitis, and of 15 from influenza, but an increase of 21 from pneumonia.

---

m (45)17017—4 Wt 30—P 19 2500 3/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } **Births and Deaths registered in the week ended 25th February 1922.**

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,573	6,377	844	2	83	18	150	57	68	525
London	4,476,586*	2,029	1,472	183	1	54	9	42	28	23	77
Towns in Outer Ring:											
Croydon C.B.	190,877	78	45	7	–	–	–	–	–	1	3
Wimbledon	61,451	13	16	2	–	–	–	–	1	–	–
Ealing	67,753	33	19	2	–	–	–	–	–	–	1
Acton	61,314	30	16	3	–	–	–	–	1	1	–
Willesden	165,669	54	62	7	–	–	–	–	2	–	2
Hendon	56,014	12	12	–	–	–	–	–	–	–	1
Hornsey	87,691	22	24	–	–	–	–	1	–	–	–
Wood Green	50,716	15	15	–	–	–	1	–	–	–	2
Tottenham	146,695	56	45	3	–	–	–	–	2	1	3
Edmonton	66,809	34	17	3	–	–	–	1	1	–	1
Enfield	60,743	28	20	7	–	–	–	–	–	–	3
West Ham C.B.	300,905	179	112	18	–	4	–	10	–	1	4
East Ham C.B.	143,304	68	42	3	–	–	–	–	–	–	2
Leyton	128,432	39	40	7	–	–	–	3	1	–	2
Walthamstow	127,441	45	35	2	–	1	–	1	–	1	6
Ilford	85,191	31	15	1	–	–	–	–	–	–	3
Gillingham	47,887*	27	13	2	–	–	–	–	–	–	1
Canterbury C.B.	23,331*	10	7	1	–	–	–	–	–	–	1
Hastings C.B.	66,496	21	22	1	–	–	–	–	–	–	2
Eastbourne C.B.	62,030	8	18	1	–	–	–	–	–	–	1
Brighton C.B.	142,427	42	35	3	–	–	–	–	–	–	2
Portsmouth C.B.	234,218*	101	79	14	–	–	–	3	–	1	4
Bournemouth C.B.	91,770	25	23	–	–	–	–	–	–	–	3
Southampton C.B.	160,997	64	37	6	–	–	–	1	1	–	3
Reading C.B.	92,274	39	25	–	–	–	–	–	–	–	1
Oxford C.B.	57,052	24	32	2	–	1	–	–	–	–	4
Northampton C.B.	90,923	35	20	–	–	–	–	–	–	–	5
Luton	57,077	26	19	3	–	–	–	–	–	–	–
Cambridge	59,262	13	16	1	–	–	–	1	–	–	3
Southend-on-Sea C.B.	106,021	29	37	5	–	–	–	–	–	–	4
Ipswich C.B.	79,383	29	18	1	–	–	–	1	–	–	2
Great Yarmouth C.B.	60,710	31	21	1	–	–	–	1	–	–	3
Norwich C.B.	120,653	53	44	7	–	–	–	1	1	–	4
Swindon	54,920	21	19	3	–	–	–	1	–	–	1
Exeter C.B.	59,608	20	30	3	–	–	–	2	–	–	4
Plymouth C.B.	198,132*	94	60	7	–	–	–	–	–	–	3
Bath C.B.	68,648	27	23	1	–	–	–	–	–	–	1
Bristol C.B.	377,061	167	126	6	–	5	1	–	1	–	11
Gloucester C.B.	51,330	22	22	3	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	240,440	132	74	19	–	–	–	3	–	1	4
Burton-upon-Trent C.B.	48,927	30	17	3	–	–	–	–	–	–	–
Wolverhampton C.B.	102,373	46	34	2	–	–	–	1	–	–	3
Walsall C.B.	96,964	58	21	3	–	–	–	–	–	–	2
West Bromwich C.B.	73,761	43	32	8	–	–	1	2	–	–	6
Worcester C.B.	48,848	14	28	4	–	–	–	–	–	–	7
Dudley C.B.	55,908	30	25	4	–	–	–	2	–	–	3
Birmingham C.B.	919,438	391	296	38	–	1	1	19	–	3	29
Smethwick C.B.	75,757	44	27	7	–	–	–	4	–	–	2
Coventry C.B.	128,205	58	33	4	–	–	–	–	–	–	1
Leicester C.B.	234,190	102	61	9	–	–	–	–	–	1	3
Lincoln C.B.	66,020	17	15	3	–	–	–	–	–	–	–
Grimsby C.B.	82,329	39	30	7	–	–	–	–	–	1	–
Nottingham C.B.	262,658	117	77	14	–	–	–	–	–	–	–
Derby C.B.	129,836	72	40	8	–	–	–	–	1	3	1
Chesterfield	61,236	31	21	–	–	–	–	–	1	–	1
Stockport C.B.	123,315	49	38	4	–	–	–	2	–	–	2
Chester C.B.	40,794	19	11	2	–	–	–	–	–	–	1
Birkenhead C.B.	145,592	73	60	12	–	2	–	4	–	1	6
Wallasey C.B.	90,721	24	35	5	–	–	–	–	–	–	8
Liverpool C.B.	803,118	485	385	74	–	3	–	13	2	3	43
Bootle C.B.	76,508	38	33	3	–	1	–	–	–	1	3
St. Helens C.B.	102,675	62	20	3	–	–	–	–	–	–	3

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	28	48	2	–	–	–	–	–	–	5
Wigan C.B.	89,447	47	40	9	–	8	–	–	–	–	4
Warrington C.B.	76,811	35	23	5	–	–	–	–	–	1	5
Bolton C.B.	178,678	69	51	5	–	–	–	–	1	2	4
Bury C.B.	56,426	15	12	1	–	–	–	–	–	–	1
Manchester C.B.	730,551	301	252	32	–	–	1	–	2	5	22
Salford C.B.	234,150	113	79	12	1	–	–	3	2	2	5
Oldham C.B.	145,001	59	79	6	–	–	–	1	–	–	13
Rochdale C.B.	90,807	31	26	1	–	–	–	1	–	–	1
Burnley C.B.	103,175	41	33	4	–	–	–	–	–	–	2
Blackburn C.B.	126,630	47	41	8	–	–	–	2	–	–	7
Preston C.B.	117,426	56	47	3	–	–	–	–	1	–	8
Blackpool C.B.	99,640	27	49	3	–	–	–	1	–	–	7
Barrow-in-Furness C.B.	74,254	33	31	5	–	–	–	2	–	–	4
Huddersfield C.B.	110,120	36	45	6	–	1	–	–	–	–	–
Halifax C.B.	99,129	35	46	2	–	–	–	1	–	–	1
Bradford C.B.	285,979	93	86	5	–	–	–	–	–	–	2
Leeds C.B.	458,320	211	147	20	–	–	–	5	2	–	10
Dewsbury C.B.	54,165	20	27	3	–	–	–	1	1	–	2
Wakefield C.B.‡	53,053	18	19	4	–	–	–	–	1	1	1
Barnsley C.B.‡	67,918	31	22	2	–	–	–	–	–	–	1
Sheffield C.B.‡	511,748	206	132	15	–	2	1	–	–	1	5
Rotherham C.B.	68,045	44	14	1	–	–	–	–	–	–	1
Doncaster	54,052	19	15	3	–	–	–	–	–	–	1
York C.B.	82,606*	40	18	–	–	–	–	–	–	–	2
Hull C.B.	287,013	163	101	13	–	–	–	4	2	1	6
Middlesbrough C.B.	131,103	80	46	18	–	–	–	4	1	2	1
Darlington C.B.	65,866	37	20	3	–	–	–	–	–	–	1
Stockton-on-Tees	64,150	40	21	6	–	–	–	–	–	4	3
West Hartlepool C.B.	68,689	47	33	5	–	–	–	–	–	–	5
Sunderland C.B.	159,100	112	60	11	–	–	–	–	–	–	5
South Shields C.B.‡	118,631	80	46	11	–	–	–	–	–	1	5
Gateshead C.B.	124,514	73	40	6	–	–	–	–	–	1	2
Newcastle-on-Tyne C.B.	274,955	162	91	12	–	–	1	1	–	1	4
Tynemouth C.B.	63,786	37	32	4	–	–	–	1	–	–	1
Carlisle C.B.	52,600	37	18	5	–	–	–	–	–	–	5
Newport (Mon.) C.B.	92,369	52	26	6	–	–	–	1	–	1	5
Cardiff C.B.	200,262	97	69	6	–	–	–	1	–	–	17
Rhondda	162,729	76	85	10	–	–	–	–	–	2	18
Merthyr Tydfil C.B.	80,161	53	31	7	–	–	–	1	–	–	6
Aberdare	55,010	29	36	2	–	–	2	–	–	–	8
Swansea C.B.	157,561	75	74	7	–	–	–	1	1	–	17
Greater London	7,467,946*	3,202	2,325	282	1	61	10	62	41	31	126
Outer Ring	2,991,360*	1,173	853	99	–	7	1	20	13	8	49
16 Great Towns in Outer Ring	1,801,005	737	535	65	–	5	1	16	8	5	33
Remainder of Outer Ring	1,190,355*	436	318	34	–	2	–	4	5	3	16
Edinburgh†	420,500	195	144	17	–	1	1	4	2	–	10
Glasgow†	1,037,800	566	422	88	–	46	–	4	3	2	16
Dublin (Registration Area)†	427,000	228	205	36	–	6	1	1	–	3	9
Belfast†	425,000	309	234	37	–	2	1	2	1	3	30

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,476,586	1922. Feb. 25	2029	1472	17·1	1	–	54	9	42	28	23	77
Calcutta	896,067	Jan. 28	–	540§	31·3	–	14	–	–	–	–	–	16
Bombay	1,175,914	„ 21	447	825§	36·5	–	1	1	–	–	1	59	10
		„ 28	424	839§	37·0	2	3	–	–	–	–	56	7
Madras	522,951	„ 14	213	328§	30·6	1	20	1	?	–	–	28	1
		„ 21	419	484§	48·1	4	28	5	?	2	–	40	1
Johannesburg	149,500	„ 7	79	30	10·4	1	–	–	–	–	–	5	–
Paris	2,906,472	„ 31 (11 days)	1529	1961	24·8	4	–	–	1	5	8	28	140
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Amsterdam	683,674	Jan. 21	289	287	21·9	1	–	1	–	7	2	–	37
		„ 28	282	372	29·5	–	–	–	–	3	–	–	81
		Feb. 4	297	380	29·0	1	–	–	–	11	2	1	63
Copenhagen	562,000	Feb. 18	243	198	18·1	–	–	–	1	–	1	1	14
Stockholm	419,788	Feb. 11	105	128	15·9	–	–	–	–	–	1	–	20
Gothenburg	228,052	„ 11	–	–	–	–	–	–	–	–	–	–	–
Christiania	260,920	„ 18	86	78	15·5	1	–	2	–	–	–	–	2
Berlin	1,955,000	Jan. 28	460	596	15·9	–	?	1	–	4	5	11	64
Breslau	550,000	„ 28	213	188	17·8	–	?	1	–	1	–	6	10
Cologne	672,000	„ 28	289	171	13·2	1	?	–	–	1	1	1	16
Dresden	601,000	„ 28	198	170	14·7	1	?	–	–	–	2	2	17
Frankfort-on-Main	473,000	„ 28	142	116	12·8	2	?	–	–	–	2	1	11
Hamburg	1,039,000	„ 28	412	263	13·2	–	?	–	–	1	4	1	14
Leipzig	632,000	„ 28	227	231	19·0	–	?	–	–	–	1	7	37
Munich	675,000	„ 28	209	195	15·0	–	?	1	2	2	1	2	18
Vienna	1,842,005	„ 14	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	„ 21	–	–	–	–	–	–	–	–	–	–	–
Budapest	933,000	Nov. 12	352	327	18·2	10	?	–	16	2	3	17	1
		„ 19	348	376	20·9	16	?	2	20	10	3	19	3
Cairo	765,200	Dec. 23	–	–	–	–	–	–	–	–	–	–	–
Alexandria	449,300	„ 23	–	–	–	–	–	–	–	–	–	–	–
New York	5,839,738	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Chicago	2,838,288	Feb. 4	–	–	–	–	–	–	–	–	–	–	–
Rio de Janeiro	1,183,862	Jan. 7	677	455	20·0	3	–	2	–	4	–	–	13
Montevideo	356,655	Nov. 26	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 11 and 13 deaths from *Plague* in Bombay, and 21 deaths from *Asiatic cholera* in Calcutta, and 2 in Madras.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th February, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1472	183	116	64	63	64	61	88	144	200	238	251
Enteric fever	1	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	54	6	30	13	5	–	–	–	–	–	–	–
Scarlet fever	9	–	2	4	1	1	–	1	–	–	–	–
Whooping cough	42	17	16	7	2	–	–	–	–	–	–	–
Diphtheria	28	1	4	7	15	–	–	–	1	–	–	–
Influenza	77	2	3	1	5	7	6	11	9	15	12	6
Erysipelas	2	–	–	–	–	1	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	4	1	–	2	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	123	1	–	1	4	27	26	19	26	12	6	1
Tuberculous meningitis	8	2	1	2	2	–	–	1	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	3	1	–	–	1	–	–	–	–	1	–	–
Venereal diseases	3	3	–	–	–	–	–	–	–	–	–	–
Cancer	100	–	–	1	–	1	1	8	20	39	25	5
Rheumatic fever	5	–	–	–	1	2	1	–	–	1	–	–
Diabetes	7	–	–	–	–	–	–	–	2	1	2	2
Alcoholism	1	–	–	–	–	–	–	–	–	–	1	–
Simple meningitis	4	–	–	–	3	–	1	–	–	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	52	–	–	–	–	–	1	1	3	11	18	18
Epilepsy	3	–	–	–	–	–	2	–	–	–	1	–
"Convulsions" (not puerperal)	4	3	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	29	–	1	–	1	3	2	3	4	6	6	3
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1
Acute endocarditis	3	–	–	–	–	2	–	1	–	–	–	–
Other diseases of heart	180	–	–	–	3	4	6	9	23	35	42	58
Other dis. of circulatory system	41	–	–	–	–	–	–	2	6	4	13	16
Bronchitis	154	11	3	–	2	1	1	3	8	25	47	53
Broncho-pneumonia	146	40	39	22	4	1	1	2	6	7	14	10
Lobar pneumonia	26	3	1	1	1	2	1	6	2	3	4	2
Pneumonia (type not distinguished)	28	1	4	1	–	2	–	–	6	8	3	3
Other diseases of respiratory system	24	1	–	–	–	1	1	2	2	6	5	6
Diarrhœa and enteritis	26	18	5	–	–	–	–	–	–	–	2	1
Appendicitis and typhlitis	2	–	–	–	–	–	–	–	1	1	–	–
Hernia, Intestinal obstruction	5	1	–	–	–	–	–	1	–	1	1	1
Cirrhosis of liver	6	–	–	–	–	–	–	1	3	–	2	–
Other diseases of digestive system	22	2	1	1	1	–	–	3	2	5	4	3
Acute nephritis	1	–	–	–	–	–	–	–	1	–	–	–
Chronic Bright's disease	29	–	–	1	1	2	1	3	4	6	7	4
Other diseases of genito-urinary system.	10	–	–	–	–	–	2	–	–	3	1	4
Puerperal fever, &c.	5	–	–	–	–	2	3	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	1	1	–	–	–	–
Congenital malformations	11	11	–	–	–	–	–	–	–	–	–	–
Premature birth	40	40	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	14	14	–	–	–	–	–	–	–	–	–	–
Old age	58	–	–	–	–	–	–	–	–	–	12	46
Suicide	9	–	–	–	–	–	–	3	3	1	2	–
Burns and scalds	4	–	2	–	–	–	–	–	–	1	–	1
Drowning	1	–	–	–	–	–	–	–	–	–	–	1
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	–	2	–	–	1	1	–	–	–
Other deaths by violence	17	–	–	–	2	1	1	3	5	1	2	2
Other specified causes	41	3	3	–	6	3	3	3	4	7	5	4
Ill-defined causes	1	–	–	–	–	–	–	–	–	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th February 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	14	–	16	M. 2
†BERMONDSEY ...	–	20	27	–	8	M. 1
†BETHNAL GREEN	–	9	5	–	2	D. 1
†CAMBERWELL ...	–	29	16	–	4	M. 3
†CHELSEA ...	–	6	–	–	3	–
†DEPTFORD ...	–	11	13	–	1	–
†FINSBURY ...	–	6	9	–	1	–
†FULHAM ...	–	16	12	1	12	C. 1 M. 1
†GREENWICH ...	–	16	35	–	7	C. 1
†HACKNEY ...	–	16	11	–	–	M. 1
†HAMMERSMITH	–	11	7	–	3	G. 1
†HAMPSTEAD ...	–	9	18	–	7	–
†HOLBORN ...	–	2	2	–	4	–
†ISLINGTON ...	–	38	26	1	6	M. 4
†KENSINGTON ...	–	9	3	–	8	–
†LAMBETH ...	–	21	18	–	13	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	26	17	–	6	–
†PADDINGTON ...	–	7	6	–	5	–
†POPLAR... ...	–	13	12	–	12	–
†ST. MARYLEBONE	–	7	6	–	6	M. 1
†ST. PANCRAS ...	–	24	19	–	28	C. 1 M. 1
†SHOREDITCH ...	–	13	11	–	16	C. 1 M. 2
†SOUTHWARK ...	–	16	8	–	10	M. 1
†STEPNEY ...	–	6	18	–	20	D. 1 M. 1
†STOKE NEWINGTON	–	3	3	–	2	–
†WANDSWORTH	–	38	26	–	28	–
†WESTMINSTER, CITY OF	–	4	6	–	2	G. 1
†WOOLWICH ...	–	9	11	–	10	M. 1
TOTAL OF PART I.	–	394	360	2	240	C. 4 D. 2 G. 2 M. 19

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	18	–	3	M. 3
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	1	–	–	–	M. 1
BIGGLESWADE ...	–	–	2	–	–	–
DUNSTABLE ...	–	1	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	2	3	–	–	–
Rural Districts :—						
AMPTHILL ...	–	1	10	–	2	M. 2
LUTON	–	1	1	–	–	–
BERKS	–	16	6	–	–	M. 1
Boroughs and Urban Districts :—						
†NEW WINDSOR	–	–	1	–	–	–
†READING C.B. ...	–	13	2	–	–	M. 1
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	–	2	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD	–	–	1	–	–	–
BUCKINGHAM ...	–	8	11	–	6	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	1	–	–	–
BLETCHLEY ...	–	–	2	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	1	–
CHESHAM ...	–	–	–	–	2	–
NEWPORT PAGNELL	–	–	–	–	1	–
†SLOUGH ...	–	–	4	–	2	–
Rural Districts :—						
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	2	1	–	–	–
NEWPORT PAGNELL	–	1	3	–	–	–
WYCOMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE...	–	4	7	1	3	–
Borough						
†CAMBRIDGE ...	–	3	3	1	1	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
NEWMARKET ...	–	1	4	–	1	–
CHESTER	–	60	39	–	69	C. 4 L. 1 M. 4
Boroughs and Urban Districts :—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	2	–	–	–	–
†BIRKENHEAD C.B.	–	1	3	–	26	C. 1
BOLLINGTON ...	*	*	*	*	*	*
BOWDEN ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
BUGLAWTON ...	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	2	–
†CHESTER C.B. ...	–	4	–	–	2	–
†CONGLETON ...	–	2	–	–	2	C. 1
†CREWE	–	3	2	–	–	–
†DUKINFIELD ...	–	–	1	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	3	–	3	–
HIGHER BEBINGTON	–	1	–	–	–	–
HOOLE	–	–	–	–	2	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	–	–
†HYDE	–	3	2	–	–	M. 1
KNUTSFORD ...	–	3	–	–	–	–
†LOWER BEBINGTON ...	–	2	3	–	2	–
†MACCLESFIELD...	–	6	1	–	1	L. 1
MIDDLEWICH ...	–	–	2	–	1	–
NANTWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	2	1	–	4	M. 1
†RUNCORN ...	–	–	–	–	1	–
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPOKT, C.B.	–	10	3	–	–	C. 2 M. 2
†WALLASEY, C.B.	–	11	7	–	5	–
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	3	2	–	2	–
CHESTER ...	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
MALPAS ...	–	–	1	–	–	–
NANTWICH ...	–	–	4	–	–	–
NORTHWICH ...	–	–	1	–	10	–
RUNCORN ...	–	–	–	–	1	–
WIRRAL ...	–	1	–	–	–	–
CORNWALL ...	–	9	5	–	5	M. 1
Boroughs and Urban Districts:—						
BODMIN... ...	*	*	*	*	*	*
†CAMBORNE ...	–	3	–	–	–	–
LISKEARD ...	–	2	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. IVES ...	–	2	–	–	–	–
ST. JUST ...	–	–	1	–	–	M. 1
SALTASH ...	–	1	–	–	1	–
Rural Districts—						
LISKEARD ...	–	–	2	–	–	–
REDRUTH ...	–	–	–	–	2	–
ST. AUSTELL ...	–	1	–	–	–	–
SAINT COLUMB MAJOR	–	–	1	–	1	–
SAINT GERMANS	–	–	–	–	1	–
TRURO	–	–	1	–	–	–
WEST PENWITH	*	*	*	*	*	*
CUMBERLAND ...	–	6	6	–	9	M. 1
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	3	2	–	3	–
MILLOM	–	1	–	–	–	–
PENRITH ...	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	2	–	–	–
†WORKINGTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	–	M. 1
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	–	1	–	5	–
PENRITH ...	–	–	–	–	1	–
DERBY	7	36	24	–	18	C. 3 E. 1 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	3	–	–	–
ALVASTON AND BOULTON	–	4	–	–	1	–
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD	–	3	6	–	–	C. 2
†DERBY C.B. ...	–	8	5	–	8	E. 1 M. 1
†GLOSSOP ...	–	–	–	–	1	–
†HEANOR ...	–	2	–	–	1	–
†ILKESTON ...	7	–	–	–	–	–
†LONG EATON ...	–	1	–	–	1	–
†RIPLEY... ...	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	1	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	–	–
BELPER... ...	–	2	–	–	1	–
BLACKWELL ...	–	3	3	–	–	–
CHAPEL-EN-LE-FRITH	–	–	2	–	–	–
CHESTERFIELD	–	4	1	–	1	–
CLOWNE... ...	–	–	–	–	–	C. 1 M. 1
HAYFIELD ...	–	1	–	–	–	–
NORTON ...	*	*	*	*	*	*
REPTON... ...	–	1	2	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	16	8	1	25	C. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	2	1	2	–
BIDEFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Exeter C.B. ...	–	3	–	–	7	–
†Exmouth ...	–	–	–	–	1	–
Honiton ...	–	–	–	–	1	–
†Ilfracombe ...	–	–	–	–	1	–
Lynton... ...	*	*	*	*	*	*
Northam ...	–	–	1	–	–	–
†Paignton ...	–	–	–	–	1	–
†Plymouth C.B.	–	7	3	–	1	–
Tavistock ...	–	2	–	–	–	–
†Teignmouth ...	–	1	–	–	–	–
Rural Districts:—						
Axminster ...	–	–	–	–	1	–
Barnstaple ...	–	–	–	–	2	–
Bideford ...	–	2	–	–	–	–
Broadwood-widger ...	–	–	–	–	–	C. 1
Crediton ...	–	–	–	–	–	C. 1
Honiton ...	*	*	*	*	*	*
Kingsbridge ...	–	–	1	–	–	–
Newton Abbot	–	–	–	–	4	–
Plympton St. Mary	–	–	–	–	3	–
Tavistock ...	–	1	–	–	1	–
DORSET	–	4	1	10	11	M. 1
Boroughs and Urban Districts:—						
Bridport ...	–	1	–	–	–	–
Dorchester ...	–	–	–	–	–	M. 1
†Poole	–	–	1	–	–	–
Sherborne ...	–	–	–	–	1	–
Swanage ...	–	1	–	–	1	–
†Weymouth and Melcombe Regis ...	–	–	–	–	1	–
Rural Districts:—						
Blandford ...	–	1	–	–	–	–
Dorchester ...	–	–	–	–	2	–
Shaftesbury ...	–	–	–	–	2	–
Sherborne ...	–	–	–	–	1	–
Wareham and Purbeck ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts—*cont.*						
Weymouth ...	–	–	–	–	1	–
Wimborne and Cranborne	–	1	–	10	1	–
DURHAM... ...	–	56	26	10	72	C 2 M. 6
Boroughs and Urban Districts:—						
Benfieldside ...	–	–	–	–	1	–
†Bishop Auckland ...	–	1	–	–	–	–
†Blaydon ...	–	4	–	–	–	–
†Chester-le-Street	–	3	–	–	–	–
†Consett ...	–	2	1	–	–	–
†Darlington C.B.	–	3	3	–	6	M. 1
†Felling ...	–	1	–	–	4	–
†Gateshead C.B.	–	4	1	–	8	M. 1
†Hartlepool ...	–	–	–	1	3	–
†Hebburn ...	–	–	1	–	2	–
†Hetton... ...	–	2	–	–	–	–
†Jarrow ...	–	2	–	–	7	–
†Seaham Harbour ...	–	–	–	–	1	–
†Shildon ...	–	1	–	–	–	–
†South Shields C.B.	–	3	1	–	18	–
†Spennymoor ...	–	1	1	–	–	C. 1
†Stanley ...	–	1	–	–	–	–
†Stockton-on-Tees	–	1	1	–	2	–
†Sunderland C.B.	–	9	1	–	5	–
†West Hartlepool C.B.	–	4	–	–	4	C. 1 M. 3
Willington ...	–	–	–	1	1	–
Rural Districts:—						
Auckland ...	–	1	6	8	–	–
Barnard Castle	–	2	–	–	–	–
Chester-le-Street	–	3	1	–	1	–
Durham ...	–	1	–	–	2	–
Easington ...	–	4	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON-LE-SPRING	–	2	1	–	2	–
LANCHESTER ...	–	1	–	–	3	–
SEDGEFIELD ...	–	–	3	–	–	–
SOUTH SHIELDS	–	–	1	–	–	–
SUNDERLAND ...	–	–	1	–	–	M. 1
WEARDALE ...	–	–	2	–	–	–
ISLE OF ELY ...	–	6	1	–	5	–
Boroughs and Urban Districts :—						
CHATTERIS ...	–	–	–	–	1	–
MARCH	–	3	1	–	–	–
WHITTLESEY ...	–	–	–	–	3	–
Rural Districts—						
WHITTLESEY ...	–	1	–	–	1	–
WISBECH ...	–	2	–	–	–	–
ESSEX	–	87	52	1	38	C. 1 M. 4
Boroughs and Urban Districts :—						
†BARKING TOWN	–	2	2	–	1	–
BRENTWOOD ...	–	3	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
BURNHAM-ON-CROUCH	–	1	–	–	–	–
†CHELMSFORD ...	–	1	1	–	1	–
†COLCHESTER ...	–	–	–	–	1	–
†EAST HAM C.B.	–	17	5	–	2	C. 1
†GRAYS THURROCK	–	–	3	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	2	2	–	–	–
†ILFORD	–	5	3	–	2	–
†LEYTON... ...	–	6	6	–	2	M. 1
MALDON ...	–	–	–	–	1	–
†ROMFORD ...	–	–	1	–	1	–
SHOEBURYNESS-ON-SEA	–	–	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	7	1	–	4	–
TILBURY ...	–	–	1	–	–	–
†WALTHAMSTOW	–	8	4	–	2	M. 1
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WANSTEAD ...	–	–	–	–	1	–
†WEST HAM C.B.	–	18	15	1	7	M. 2
WIVENHOE ...	–	–	1	–	–	–
†WOODFORD ...	–	3	–	–	4	–
Rural Districts :—						
BILLERICAY ...	–	5	–	–	–	–
BRAINTREE ...	–	1	–	–	1	–
DUNMOW ...	–	–	–	–	3	–
EPPING	–	2	–	–	–	–
MALDON... ...	–	1	–	–	–	–
ORSETT	–	2	2	–	–	–
ROCHFORD ...	–	2	1	–	1	–
ROMFORD ...	–	1	2	–	–	–
TENDRING ...	–	–	2	–	1	–
GLOUCESTER ...	–	45	38	1	29	C. 1 G. 1 M. 2
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	38	30	–	14	G. 1 M. 1
†CHELTENHAM ...	–	3	1	–	1	–
CIRENCESTER ...	–	–	3	–	–	–
†GLOUCESTER C.B.	–	–	1	–	–	–
STROUD ...	–	1	–	–	–	–
TETBURY ...	–	–	1	–	–	–
Rural Districts :—						
CHELTENHAM	–	–	–	1	–	–
CHIPPING SODBURY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	10	M. 1
GLOUCESTER ...	–	1	–	–	–	–
STOW-ON-THE-WOLD (part)	–	–	1	–	–	–
STROUD ...	–	–	–	–	1	–
TEWKESBURY (part)	–	–	–	–	1	–
WARMLEY ...	–	–	–	–	–	C. 1
WINCHCOMB (part)	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

able 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	1	5	–	7	–
Boroughs and Urban Districts :—						
†HEREFORD ...	–	–	3	–	–	–
KINGTON ...	–	–	1	–	–	–
Rural Districts						
BROMYARD ...	–	–	–	–	3	–
HEREFORD ...	–	1	–	–	–	–
WEOBLEY ...	–	–	1	–	4	–
HERTFORD ...	–	10	14	–	10	–
Boroughs and Urban Districts :—						
BALDOCK ...	–	–	3	–	–	–
BISHOP STORTFORD	–	–	–	–	2	–
BUSHEY ...	–	1	2	–	–	–
†CHESHUNT ...	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	1	1	–	–	–
†HITCHIN ...	–	2	–	–	–	–
HODDESDON ...	–	–	1	–	2	–
†LETCHWORTH ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	1	1	–	2	–
Rural Districts :—						
BARNET ...	–	–	1	–	–	–
HATFIELD ...	–	1	1	–	–	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
ST. ALBANS ...	–	1	1	–	2	–
WARE	–	–	–	–	1	–
WATFORD ...	–	–	1	–	–	–
WELWYN ...	–	1	–	–	–	–
HUNTINGDON ...	–	3	1	–	2	–
Boroughs and Urban Districts :—						
HUNTINGDON ...	–	–	–	–	1	–
RAMSEY ...	–	–	1	–	–	–
Rural Districts :—						
HUNTINGDON ...	*	*	*	*	*	*
ST. IVES ...	–	3	–	–	–	–
ST. NEOTS, No. 1	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	56	38	1	31	C. 1 G. 1 M. 3
Boroughs and Urban Districts :—						
†ASHFORD ...	–	5	–	–	–	–
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY ...	–	5	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	2	–	3	–
†BROMLEY ...	–	5	–	–	3	–
†CANTERBURY, C.B.	–	1	1	–	–	–
†CHATHAM ...	–	4	2	–	2	M. 1
CHISLEHURST ...	–	–	–	–	1	–
†CRAYFORD ...	–	1	2	–	–	–
†DARTFORD ...	–	1	2	–	–	–
†DOVER	–	3	4	–	–	–
†ERITH	–	–	1	–	1	–
†FOLKSTONE ...	–	3	–	1	–	–
†GILLINGHAM ...	–	3	1	–	3	–
†GRAVESEND ...	–	1	2	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MAIDSTONE ...	–	–	1	–	3	–
†MARGATE ...	–	1	1	–	–	–
MILTON REGIS...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	1	1	–	–	G. 1
QUEENBOROUGH	–	1	–	–	–	–
†RAMSGATE ...	–	5	3	–	1	–
†ROCHESTER ...	–	1	3	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	3	–
†SHEERNESS ...	–	1	–	–	–	–
SOUTHBOROUGH	–	1	–	–	–	C. 1 M. 1
†TONBRIDGE ...	–	–	1	–	2	–
WHITSTABLE ...	–	4	–	–	3	–
Rural Districts :—						
DARTFORD ...	–	2	3	–	2	–
EAST ASHFORD	–	–	1	–	–	–
ELHAM	–	1	–	–	1	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING ...	–	–	–	–	–	M. 1
MILTON	–	–	1	–	–	–
ROMNEY MARSH	–	–	–	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	337	117	5	325	C. 13 D. 1 G. 1 L. 4 M. 30
Boroughs and Urban Districts :—						
†ACCRINGTON ...	–	5	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	2	2	–	4	–
†ASHTON-UNDER-LYNE	–	1	2	–	4	D. 1
ASPULL	–	–	1	–	1	–
†ATHERTON ...	–	2	1	–	–	–
AUDENSHAW ...	–	1	–	–	2	–
†BARROW-IN-FURNESS C.B.	–	6	–	–	1	–
BILLINGE ...	–	–	–	–	–	C. 1
†BLACKBURN C.B.	–	6	2	–	12	M. 1
†BLACKPOOL C.B.	–	5	–	–	2	M. 1
BLACKROD ...	–	2	–	–	1	–
†BOLTON C.B. ...	–	2	3	–	3	C. 1
†BOOTLE C.B. ...	–	5	5	–	1	–
BRIERFIELD ...	–	–	1	–	–	–
†BURNLEY C.B.	–	1	2	–	2	–
†BURY C.B. ...	–	4	–	–	2	M. 1
†CHADDERTON ...	–	4	–	–	3	–
†CHORLEY ...	–	–	–	–	1	M. 1
CHURCH ...	–	1	–	–	–	–
†CLITHEROE ...	–	3	–	–	–	–
†DALTON-IN-FURNESS	–	–	–	–	1	–
†DENTON ...	–	1	–	–	1	–
†ECCLES ...	–	5	–	–	3	C. 1
†FAILSWORTH ...	–	2	1	1	6	–
†FARNWORTH ...	–	1	1	–	1	–
†FLEETWOOD ...	–	1	–	–	2	–
FORMBY ...	–	–	1	–	–	–
†GREAT CROSBY	–	2	–	–	1	–
†HASLINGDEN ...	–	–	–	–	1	M. 1
†HAYDOCK ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	–	M. 1
†HINDLEY ...	–	1	2	–	8	–
†HORWICH ...	–	1	4	–	1	C. 1
†INCE-IN-MAKERFIELD	–	–	–	–	3	–
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	4	1	–	1	–
LEES	–	–	1	–	–	–
†LEIGH	–	2	3	–	1	M. 1
†LITTLEBOROUGH	–	2	–	–	–	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†LIVERPOOL C.B.	–	37	17	1	68	C. 2 M. 10
†MANCHESTER C.B.	–	91	27	2	71	C. 1 G. 1 M. 7
†MIDDLETON ...	–	9	–	–	5	–
MILNROW ...	–	1	–	–	–	–
†MORECAMBE ...	–	–	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	4	4	–	5	–
†OLDHAM C.B.	–	13	–	–	10	M. 1
ORMSKIRK ...	–	–	–	–	2	–
ORRELL... ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	5	–	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	–	2	–	1	–
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	2	–	–	1	–
RISHTON ...	–	1	–	–	1	–
†ROCHDALE C.B.	–	6	1	–	–	–
†ROYTON ...	–	1	–	–	–	–
†ST. ANNES-ON-THE-SEA	–	–	1	–	–	–
†ST. HELENS C.B.	–	2	2	–	13	C. 1 L. 3 M. 2
†SALFORD C.B. ...	–	38	12	1	19	C. 1 M. 1
SKELMERSDALE	*	*	*	*	*	*
†SOUTHPORT C.B	–	5	–	–	7	–
STANDISH-WITH-LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	11	4	–	1	C. 1 M. 1
†SWINTON AND PENDLEBURY	–	1	2	–	2	–
†TURTON... ...	–	–	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	1	–	–	1	–
WARDLE ...	–	1	–	–	–	–
†WARRINGTON C.B.	–	9	–	–	7	–
†WATERLOO-WITH-SEAFORTH	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES ...	–	–	2	–	18	–
†WIGAN C.B. ...	–	3	2	–	9	C. 1 M. 1
†WORSLEY ...	–	1	–	–	1	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	–	–
BLACKBURN ...	–	1	–	–	3	–
BURNLEY ...	–	–	–	–	3	–
BURY	–	2	1	–	–	–
LANCASTER ...	–	–	1	–	–	–
LEIGH	–	1	–	–	–	C. 1
LIMEHURST ...	–	3	–	–	–	–
PRESTON ...	–	2	–	–	1	–
ULVERSTON ...	–	1	–	–	2	–
WARRINGTON ...	–	–	1	–	–	C. 1
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON ...	–	–	1	–	–	L. 1
WIGAN	–	2	–	–	–	–
LEICESTER ...	–	21	12	–	10	M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	1	–	–	–
†LEICESTER C.B.	–	8	7	–	10	M. 1
MARKET HARBOROUGH	–	2	–	–	–	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	3	1	–	–	–
HALLATON ...	–	2	–	–	–	–
HINCKLEY ...	–	2	–	–	–	–
MARKET BOSWORTH	–	1	3	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON... ...	–	–	–	–	–	M. 1
EAST ELLOE ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	–	–	–	2	–
Boroughs and Urban Districts:						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE ...	*	*	*	*	*	*
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	4	14	1	3	M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	–	1	–
CROWLE ...	–	–	–	–	1	–
†GAINSBOROUGH	–	–	4	–	–	–
†GRIMSBY C.B. ...	–	2	4	–	–	–
LOUTH	–	–	–	–	1	–
SCUNTHORPE AND FRODINGHAM	–	1	2	–	–	M. 1
Rural Districts:—						
GLANFORD BRIGG	–	–	2	–	–	–
GRIMSBY ...	–	–	1	–	–	–
SPILSBY ...	–	1	–	–	–	–
WELTON ...	–	–	–	1	–	–
MIDDLESEX ...	–	138	93	1	50	D. 2 L. 2 M. 6
Boroughs and Urban Districts:—						
†ACTON	–	7	13	–	–	–
†BRENTFORD ...	–	4	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	5	3	–	1	–
†EALING ...	–	9	4	–	1	–
†EDMONTON ...	–	10	3	–	5	–
†ENFIELD ...	–	9	3	–	2	D. 2
†FINCHLEY ...	–	5	1	–	–	–
GREENFORD ...	–	1	–	–	–	–
†HAMPTON ...	–	–	–	–	1	–
HAMPTON WICK	–	1	–	–	1	–
†HANWELL ...	–	2	1	–	–	–
†HARROW-ON-THE-HILL	–	2	8	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	1	2	–	3	M. 4
†HESTON AND ISLEWORTH	–	1	2	–	5	–
†HORNSEY ...	–	7	4	–	5	M. 1
†SOUTHALL-NORWOOD	–	2	–	–	3	L. 2
†SOUTHGATE ...	–	9	2	–	2	–
†TOTTENHAM ...	–	22	15	–	8	–
†TWICKENHAM ...	–	1	1	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	–	3	–	–	–
†WEMBLEY ...	–	–	–	–	1	–
†WILLESDEN ...	–	15	23	1	8	M. 1
†WOOD GREEN ...	–	15	1	–	1	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	1	–
STAINES ...	–	9	–	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK ...	–	23	4	–	9	–
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	5	–	–	–	–
†KING'S LYNN...	–	1	1	–	–	–
†NORWICH C.B.	–	4	1	–	4	–
SWAFFHAM ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM ...	–	3	–	–	–	–
DEPWADE ...	–	–	–	–	2	–
DOCKING ...	–	3	–	–	1	–
DOWNHAM ...	–	1	–	–	–	–
ERPINGHAM ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	–	1	–	–	–
MARSHLAND ...	–	–	1	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
WAYLAND ...	–	2	–	–	1	–
NORTHAMPTON	–	7	6	–	14	C. 2 G. 2
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DAVENTRY ...	–	–	–	–	1	–
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	–	G. 1
†NORTHAMPTON C.B.	–	2	5	–	4	C. 2
OUNDLE ...	–	–	–	–	1	–
RAUNDS ...	–	1	–	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	–	G. 1
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
BRIXWORTH ...	–	–	–	–	1	–
DAVENTRY ...	–	–	–	–	2	–
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON...	–	–	–	–	2	–
POTTERSPURY ...	–	–	1	–	2	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	43	9	–	71	M. 5
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	–	–	1	–
†BEDLINGTONSHIRE	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK-UPON-TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	–	2	M. 1
†EARSDON ...	–	–	–	–	1	–
†GOSFORTH ...	–	4	1	–	–	–
HEXHAM ...	–	–	–	–	1	–
†NEWBURN ...	–	1	1	–	26	–
†NEWCASTLE-UPON-TYNE C.B.	–	24	3	–	14	M. 4
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL ...	–	–	1	–	–	–
†TYNEMOUTH C.B.	–	1	–	–	15	–
†WALLSEND ...	–	4	2	–	5	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
BELFORD ...	–	–	–	–	1	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM ...	–	–	–	–	1	–
MORPETH ...	–	5	1	–	1	–
NOTTINGHAM ...	–	22	16	1	13	C. 2 G. 1 M. 5
Boroughs and Urban Districts:—						
†BEESTON ...	–	–	1	–	–	–
†CARLTON ...	–	1	1	–	–	–
†EAST RETFORD	–	–	1	–	2	–
†HUCKNALL ...	–	3	1	–	–	–
†MANSFIELD ...	–	1	–	–	3	C. 1 G. 1 M. 1
†NOTTINGHAM C.B.	–	13	7	–	6	M. 3
†SUTTON-IN-ASHFIELD	–	1	–	–	1	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
WARSOP ...	*	*	*	*	*	*
†WESTBRIDGFORD	–	3	–	1	–	–
†WORKSOP ...	–	–	–	–	–	M. 1
Rural Districts:—						
BASFORD ...	–	–	–	–	1	–
EAST RETFORD	–	–	–	–	–	C. 1
MISTERTON ...	–	–	4	–	–	–
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	5	–	1	2	C. 2
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
CHIPPINGNORTON	–	–	–	–	1	–
†OXFORD C.B. ...	–	2	–	–	–	C. 1
WHEATLEY ...	–	–	–	–	1	–
Rural Districts:—						
BANBURY ...	–	–	–	1	–	–
BICESTER ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	–	–	C. 1
HENLEY ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	5	1	–	4	–
Borough:—						
†PETERBOROUGH	–	5	–	–	4	–
Rural District:—						
PETERBOROUGH	–	–	1	–	–	–
RUTLAND ...	–	1	1	–	–	–
Urban District:—						
OAKHAM ...	–	1	–	–	–	–
Rural District:—						
OAKHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	12	5	–	4	–
Boroughs and Urban Districts:—						
LUDLOW ...	–	4	1	–	1	–
MARKET DRAYTON	–	–	–	–	1	–
WELLINGTON ...	–	–	1	–	–	–
†WENLOCK ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	6	–	–	1	–
CLUN	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	–	1	–	–	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	13	5	1	33	–
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	–	–	2	–
BURNHAM-ON-SEA	–	–	–	–	1	–
GLASTONBURY	–	–	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
†TAUNTON ...	–	–	–	–	1	–
WELLS	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	5	–
BATH	–	1	–	–	–	–
CHARD	–	–	–	1	–	–
CLUTTON ...	–	–	–	–	8	–
KEYNSHAM ...	–	–	2	–	–	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	9	1	–	2	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	–	–	–	7	–
WELLS	–	–	–	–	3	–
WINCANTON ...	–	–	–	–	2	–
YEOVIL	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON	–	83	35	1	17	C. 1 G 1 M. 2
Boroughs and Urban Districts:—						
ALTON	–	–	2	–	–	–
ANDOVER ...	–	–	–	–	1	C. 1
†BOURNEMOUTH C.B.	–	2	1	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	4	–	–	–	G. 1
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT and ALVERSTOKE	–	2	3	–	3	–
†PORTSMOUTH C.B.	–	62	20	1	6	M. 2
†SOUTHAMPTON C.B.	–	9	7	–	–	–
†WINCHESTER ...	–	–	1	–	1	–
Rural Districts:—						
ANDOVER ...	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
HARTLEY WINTNEY	–	–	–	–	1	–
HURSLEY ...	–	1	–	–	3	–
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD ...	–	63	21	3	65	C. 1 G. 2 L. 1 M. 16
Boroughs and Urban Districts:—						
†AUDLEY... ...	–	1	1	–	–	M. 1
†BILSTON ...	–	1	–	–	2	–
†BRIERLEY HILL	–	–	–	–	1	G. 1
†BROWNHILLS ...	–	1	–	–	3	M. 1
†BURTON-UPON-TRENT C.B.	–	–	4	–	–	–
†DARLASTON ...	–	1	–	–	–	–
†HEATH TOWN ...	–	2	1	–	–	–
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	2	M. 1
NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
QUARRY BANK	–	–	–	–	2	–
†ROWLEY REGIS	–	–	–	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUGELEY ...	–	–	–	–	–	C. 1
SEDGLEY ...	–	–	1	–	1	–
†SMETHWICK C.B.	–	3	1	–	3	M. 1
†STAFFORD ...	–	1	2	–	–	–
†STOKE-ON-TRENT C.B.	–	16	3	3	32	G. 1 M. 9
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	1	–	–	1	–
†WALSALL C.B....	–	2	1	–	2	M. 1
†WEDNESBURY ...	–	2	–	–	4	–
†WEST BROMWICH C.B.	–	10	2	–	4	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	2	–	–	–	–
†WOLVERHAMPTON C.B.	–	11	1	–	1	–
Rural Districts:—						
CANNOCK ...	–	–	–	–	1	M. 1
CHEADLE ...	–	–	–	–	–	L. 1 M. 1
KINGSWINFORD	–	1	–	–	–	–
LICHFIELD ...	–	4	1	–	–	–
NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
SEISDON ...	*	*	*	*	*	*
STOKE-UPON-TRENT	–	1	–	–	–	–
STONE	–	1	–	–	–	–
WALSALL ...	–	–	1	–	–	–
SUFFOLK, EAST	–	8	13	–	19	C. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	3	–	–	–
†FELIXSTOWE ...	–	2	–	–	–	–
†IPSWICH C.B. ...	–	–	7	–	3	M. 2
†LOWESTOFT ...	–	1	3	–	12	C. 1
Rural Districts:—						
BLYTHING ...	–	–	–	–	4	–
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
PLOMESGATE ...	–	2	–	–	–	–
WANGFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	–	L. 2
SUFFOLK, WEST	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	3	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
MILDENHALL ...	–	–	–	–	2	–
SURREY	–	73	43	2	23	K. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	4	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	2	3	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	1	1	1	–	–
†COULSDON AND PURLEY	–	2	1	–	–	–
†CROYDON C.B....	–	17	7	–	4	–
DORKING ...	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	1	3	–	–	–
†EPSOM... ...	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	3	–	–	2	–
†FARNHAM ...	–	–	3	–	–	–
†FRIMLEY ...	–	–	–	–	–	M. 1
†GUILDFORD ...	–	2	1	–	3	K. 1
HAM	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	6	3	–	–	–
†MERTON AND MORDEN	–	–	2	–	–	–
†MITCHAM ...	–	1	1	–	–	–
†REIGATE ...	–	2	–	–	–	–
†RICHMOND ...	–	1	–	–	3	–
†SURBITON ...	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†SUTTON	–	4	–	–	–	–
†THE MALDENS AND COOMBE	–	–	1	–	1	–
†WALTON-UPON-THAMES	–	2	1	–	–	–
†WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	4	9	–	–	M. 1
†WOKING ...	–	–	1	–	2	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
EPSOM	–	2	–	–	2	–
FARNHAM ...	–	6	2	–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE ...	–	2	1	–	5	–
SUSSEX, EAST ...	–	25	9	1	13	–
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	2	–
†BRIGHTON C.B.	–	6	1	–	4	–
BURGESS HILL...	–	–	5	–	–	–
†EASTBOURNE C.B	–	1	1	–	1	–
EAST GRINSTEAD	–	1	–	–	–	–
†HASTINGS C.B....	–	1	–	1	5	–
†HOVE	–	2	1	–	–	–
†LEWES	–	3	–	–	–	–
†PORTSLADE-BY-SEA	–	2	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	–	1	–	1	–
EASTBOURNE ...	–	2	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	4	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	8	–	–	6	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	1	–	–	–	–
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORSHAM ...	–	2	–	–	–	–
SHOREHAM-BY SEA	–	–	–	–	1	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	1	–
MIDHURST ...	–	2	–	–	–	–
PETWORTH ...	–	1	–	–	2	–
STEYNING WEST	–	1	–	–	1	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	89	28	1	89	C. 5 G. 2 M. 6
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	67	23	–	54	C. 2 G. 2 M. 6
†COVENTRY C.B.	–	1	1	–	3	C. 1
†NUNEATON ...	–	6	–	–	3	–
†ROYAL LEAMINGTON SPA	–	–	1	–	15	C. 1
†RUGBY	–	–	–	1	6	–
†SUTTON COLDFIELD	–	1	–	–	2	–
Rural Districts:—						
ATHERSTONE ...	–	–	2	–	–	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN ...	–	1	–	–	3	C. 1
NUNEATON ...	–	2	–	–	–	–
RUGBY ...	–	–	–	–	3	–
SOLIHULL ...	–	1	–	–	–	–
TAMWORTH (part)	–	7	1	–	–	–
WESTMORLAND	–	1	–	–	3	–
Boroughs and Urban Districts:—						
SHAP	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
ISLE OF WIGHT	–	1	–	–	4	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	1	–
†RYDE	–	–	–	–	1	–
VENTNOR ...	–	–	–	–	2	–
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	8	3	–	11	C. 1 L. 1
Boroughs and Urban Districts:—						
DEVIZES ...	–	–	–	–	–	C. 1
MELKSHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	1	2	–	–	–
†SWINDON ...	–	5	–	–	1	L. 1
†TROWBRIDGE ...	–	–	1	–	–	–
WILTON ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	1	–
CALNE	–	–	–	–	1	–
HIGHWORTH ...	–	–	–	–	2	–
MARLBOROUGH	–	–	–	–	2	–
PEWSEY ...	–	–	–	–	2	–
WILTON ...	–	1	–	–	–	–
WORCESTER ...	–	20	9	–	19	C. 1 M. 2
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	5	–	–	2	–
†LYE AND WOLLESCOTE	–	2	–	–	–	–
†MALVERN ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†OLDBURY ...	–	2	1	–	4	–
†REDDITCH ...	–	5	–	–	–	M. 1
†STOURBRIDGE	–	2	–	–	2	–
†WORCESTER C.B.	–	–	4	–	4	–
Rural Districts:—						
BROMSGROVE ...	–	1	1	–	–	–
DROITWICH ...	–	1	–	–	–	–
HALESOWEN ...	–	–	2	–	3	M. 1
KIDDERMINSTER	–	1	–	–	–	–
PERSHORE ...	–	–	1	–	–	–
UPTON-UPON-SEVERN	–	–	–	–	4	C. 1
YORKS ... ... (East Riding).	–	15	18	1	22	M. 5
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	–	–
HESSLE ...	–	1	–	–	–	–
†KINGSTON-UPON HULL C.B.	–	5	13	–	16	M. 5
†YORK C.B. ...	–	8	–	1	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN ...	–	–	–	–	1	–
PATRINGTON ...	–	–	2	–	2	–
RICCALL ...	–	–	–	–	2	–
SCULCOATES ...	–	–	1	–	–	–
SKIRLAUGH ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	1	6	7	–	9	J. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	1	–	–	–
†MIDDLESBROUGH C.B.	1	–	2	–	5	–

* Returns not received. ‡ Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR... ...	–	–	–	–	1	–
SALTBURN-BY-THE-SEA	–	1	–	–	–	–
†SCARBOROUGH ...	–	2	–	–	2	–
†SKELTON AND BROTTON	–	–	2	–	–	–
†THORNABY-ON-TEES	–	–	–	–	–	J. 1
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
FLAXTON ...	–	2	–	–	–	–
RICHMOND ...	–	–	1	–	–	–
SCARBOROUGH ...	–	–	–	–	1	–
THIRSK	–	–	1	–	–	–
YORKS ... ... (West Riding).	7	174	83	9	110	C. 6 E. 2 M. 16
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	–	–
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BARNOLDSWICK	–	–	–	–	2	–
†BARNSLEY C.B.	–	2	–	–	2	M. 1
†BATLEY... ...	–	–	1	–	1	–
†BENTLEY-WITH-ARKSEY	–	–	–	–	2	–
†BINGLEY ...	–	–	–	1	3	–
†BOLTON-UPON-DEARNE	–	–	–	1	–	–
†BRADFORD C.B.	–	23	12	–	10	C. 2 M. 3
†CONISBROUGH ...	–	–	–	–	–	M. 1
DARFIELD ...	–	1	–	–	1	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DEWSBURY C.B.	–	3	2	–	1	–
EARBY	–	–	1	–	–	–
†ELLAND ...	–	7	–	–	1	–
†FEATHERSTONE	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOLCAR ...	2	–	1	–	–	–
†GOOLE	–	1	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	11	–	–	1	–
†HARROGATE ...	–	–	1	–	7	–
HAWORTH ...	–	–	–	1	–	–
HECKMONDWIKE	–	–	–	2	–	–
†HEMSWORTH ...	–	1	–	–	1	–
†HOLMFIRTH ...	–	2	–	–	–	–
HORBURY ...	–	2	1	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	2	–
†HUDDERSFIELD C.B.	–	–	4	1	3	E. 2 M. 2
ILKLEY	–	2	–	–	1	–
†KEIGHLEY ...	–	–	–	–	2	–
†LEEDS C.B. ...	–	46	14	–	22	M. 1
LINTHWAITE ...	1	–	–	–	–	–
MYTHOLMROYD...	–	1	–	–	–	–
†NORMANTON ...	–	1	2	–	1	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	1	–	–	–
†PUDSEY... ...	–	2	1	–	–	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	2	–	–	1	–
†ROTHERHAM C.B.	–	5	1	–	8	–
†ROTHWELL ...	–	3	1	–	–	–
†SADDLEWORTH	3	–	–	–	–	–
SELBY	–	–	–	–	1	–
†SHEFFIELD C.B.	–	21	24	2	22	C. 4 M. 4
SHIPLEY ...	–	1	–	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
SOUTHOWRAM ...	–	3	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
SPRINGHEAD ...	–	1	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	–	–	–	–	M. 1
†STANLEY ...	–	1	–	–	1	–
†SWINTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
THURNSCOE ...	*	*	*	*	*	*
THURSTONLAND	–	–	–	1	–	–
†TODMORDEN ...	1	–	–	–	–	–
†WAKEFIELD C.B.	–	3	1	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	1	–
YEADON ...	–	–	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	1	–
GOOLE	–	–	2	–	–	–
GREAT OUSEBURN	–	2	–	–	–	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	4	1	–	7	–
KEIGHLEY ...	–	–	1	–	–	–
KIVETON PARK	–	–	1	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	–	2	–	–	–	–
RIPON	–	–	1	–	–	–
ROTHERHAM ...	–	1	2	–	–	M 3.
SETTLE	–	–	1	–	1	–
TADCASTER ...	–	2	–	–	–	–
WAKEFIELD ...	–	7	–	–	–	–
WETHERBY ...	–	3	1	–	–	–
WALES.						
ANGLESEY ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
AMLWCH ...	–	1	–	–	–	–
BEAUMARIS ...	*	*	*	*	*	*
LLANGEFNI ...	–	–	1	–	–	–
BRECKNOCK ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	*	*	*	*	*	*
HAY	–	1	–	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
CRICKHOWELL ...	–	1	–	–	1	–
YSTRADGYNLAIS	–	–	–	–	3	–
CARDIGAN ...	–	1	–	–	8	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	–	–	–	8	–
Rural Districts:—						
LAMPETER ...	–	1	–	–	–	–
LANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN ...	–	6	2	–	15	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	3	–
†LLANELLY ...	–	1	–	–	3	–
Rural Districts:—						
CARMARTHEN ...	–	3	–	–	2	–
LLANDILO FAWR	–	2	1	–	2	–
LLANDOVERY ...	–	–	–	–	1	–
LLANELLY ...	–	–	1	–	4	–
WHITLAND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	1	10	–	–	–
Boroughs and Urban Districts :—						
CARNARVON ...	–	–	5	–	–	–
LLANDUDNO ...	–	1	–	–	–	–
Rural Districts :—						
GLASLYN ...	–	–	1	–	–	–
GWYRFAI ...	–	–	2	–	–	–
LLEYN	–	–	2	–	–	–
DENBIGH ...	–	8	3	–	5	C. 1
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
Rural Districts :—						
CHIRK	*	*	*	*	*	*
LLANGOLLEN ...	–	2	–	–	–	–
RUTHIN ...	–	–	–	–	2	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	6	3	–	1	C. 1
FLINT	–	1	3	–	–	–
Boroughs and Urban Districts :—						
CONNAH'S QUAY	–	–	1	–	–	–
PRESTATYN ...	–	–	1	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	1	–	–	–
OVERTON ...	–	1	–	–	–	–
GLAMORGAN ...	–	79	34	–	178	C. 2 M. 5
Boroughs and Urban Districts :—						
†ABERDARE ...	–	17	2	–	18	M. 1
†BARRY	–	–	2	–	8	–
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	1	3	–	–	–
†CARDIFF C.B. ...	–	3	6	–	11	C. 1 M. 1
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GELLIGAER ...	–	3	1	–	1	M. 1
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG ...	–	–	–	–	30	–
†MERTHYR TYDFIL C.B.	–	2	–	–	9	C. 1
†MOUNTAIN ASH	–	5	1	–	3	–
†NEATH	–	1	3	–	2	–
†OGMORE AND GARW	–	9	2	–	20	–
†PENARTH ...	–	2	1	–	–	–
†PONTYPRIDD ...	–	8	–	–	5	–
†PORT TALBOT ...	–	5	1	–	1	–
†RHONDDA ...	–	11	5	–	50	M. 1
†SWANSEA C.B. ...	–	4	1	–	4	M. 1
Rural Districts :—						
COWBRIDGE ...	*	*	*	*	*	*
LLANDAFF and DINAS POWIS	–	3	–	–	1	–
LLANTRISANT and LLANTWIT FARDRE	–	2	–	–	1	–
NEATH	–	1	–	–	13	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	4	–	–	–
SWANSEA ...	–	1	1	–	1	–
MERIONETH ...	–	1	2	–	3	–
Urban Districts :—						
FESTINIOG ...	–	1	–	–	3	–
Rural Districts :—						
DOLGELLY ...	–	–	2	–	–	–
MONMOUTH ...	–	48	17	–	35	G. 2 M. 2
Boroughs and Urban Districts :—						
†ABERCARN ...	–	2	1	–	–	–
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

able 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	2	1	–	–	M. 1
BEDWAS AND MACHEN	–	1	–	–	1	G. 1
†BEDWELLTY ...	–	7	–	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	–	9	1	–	–	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†MYNDDISLWYN	–	1	–	–	–	–
†NEWPORT C.B....	–	14	11	–	6	G. 1 M. 1
†RHYMNEY ...	–	3	–	–	7	–
†RISCA	–	2	1	–	–	–
†TREDEGAR ...	–	3	2	–	21	–
MONTGOMERY ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
WELSHPOOL ...	–	–	–	–	2	–
PEMBROKE ...	–	2	2	–	4	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
MILFORD HAVEN	–	2	–	–	3	–
†PEMBROKE ...	–	–	1	–	1	–
RADNOR	–	1	–	–	1	–
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural District:—						
KNIGHTON ...	–	–	–	–	1	–
PAINSCASTLE ...	–	1	–	–	–	–
Total of Part II.	15	1790	927	53	1551	C. 52 D. 3 E. 3 G. 13 J. 1 K. 1 L. 11 M. 135

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PLYMOUTH ...	–	–	–	–	3	–
WEYMOUTH ...	–	–	–	–	1	–
PORT OF LONDON	–	–	4	–	–	–
Total of Part III.	–	–	4	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	394	360	2	240	C. 4 D. 2 G. 2 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	15	1790	927	53	1551	C. 52 D. 3 E. 3 G. 13 J. 1 K. 1 L. 11 M. 135
Total of Part III.—Port Sanitary Districts ...	–	–	4	–	4	–
Total (*i.e.*, of returns received) England and Wales	15	2184	1291	55	1795	C. 56 D. 5 E. 3 G. 15 J. 1 K. 1 L. 11 M. 154

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Fifteen cases of Small-pox were notified, which appear on pages 210, 221, 222, and 223.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.
LONDON:—													
DEATHS—all ages	1,601	1,383	1,279	1,395	1,606	2,170	2,726	2,481	2,022	1662	1,418	1,636	1,472
" 0 to 1 year	138	135	125	142	169	182	224	264	219	192	186	181	183
GREAT TOWNS, aggregate (including London):—													
BIRTHS	*7,506*	*8,184*	*7,899*	*7,572*	*6,548*	8,969	8,853	8,096	8,131	8,822	8,908	8,240	8,573
						8,786	*8,675*	*7,908*	*7,958*	*8,595*	*8,729*	*8,055*	*8,397*
DEATHS—all ages	*5,377*	*5,373*	*5,108*	*5,212*	*5,658*	6,922	8,085	8,638	8,353	7,786	6,784	7,192	6,377
						6,800	*7,928*	*8,482*	*8,178*	*7,636*	*6,648*	*7,046*	*6,232*
" *0 to 1 year*	*648*	*623*	*641*	*661*	*699*	793	860	1,016	1,024	972	862	933	844
						781	*842*	*1,001*	*1,011*	*961*	*854*	*915*	*828*
ENTERIC FEVER—Cases	*23*	*28*	*22*	*27*	*13*	19	22	11	17	29	17	12	17
						19	*20*	*9*	*17*	*28*	*17*	*11*	*17*
" Deaths	*11*	*6*	*5*	*6*	*4*	8	7	9	2	2	5	2	2
						7	*7*	*9*	*2*	*2*	*5*	*2*	*2*
SMALL POX—Cases	*4*	*2*	*6*	*12*	*2*	4	5	—	1	3	1	—	1
						4	*5*	—	*1*	*3*	*1*	—	*1*
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,639*	*2,389*	*2,430*	*2,166*	*1,895*	1816	1,767	1,672	1,521	1,541	1,429	1,423	1,373
						1798	*1,733*	*1,645*	*1,502*	*1,527*	*1,409*	*1,390*	*1,347*
" Deaths	*20*	*25*	*33*	*17*	*26*	35	38	36	21	27	22	28	18
						34	*38*	*36*	*21*	*27*	*22*	*27*	*17*
DIPHTHERIA—Cases	*956*	*936*	*1,098*	*985*	*906*	858	863	889	787	822	807	782	832
						831	*846*	*868*	*770*	*803*	*794*	*770*	*811*
" Deaths	*71*	*58*	*70*	*79*	*92*	72	93	100	75	80	75	59	57
						71	*92*	*99*	*74*	*80*	*73*	*58*	*56*
MEASLES—Deaths	*30*	*31*	*50*	*47*	*68*	69	61	82	60	61	44	61	83
						69	*61*	*82*	*60*	*61*	*43*	*61*	*83*
INFLUENZA—Deaths	*128*	*149*	*212*	*237*	*418*	819	1,262	1,433	1,451	1,144	759	670	525
						807	*1,240*	*1,404*	*1,420*	*1,121*	*749*	*655*	*511*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th February 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	60	33	54·1	39·9	10
BRIGHTON	53	39	48·6	42·7	19
PORTSMOUTH	55	35	51·7	41·9	16
NORWICH (SOUTHWELL LODGE).	59	33	52·8	38·4	8
PLYMOUTH	55	37	51·3	42·9	21
BRISTOL (CLIFTON).	56	34	50·6	38·0	30
BIRMINGHAM	59	33	51·6	38·4	11
NOTTINGHAM	61	34	52·4	39·7	7
BIRKENHEAD (BIDSTON).	59	34	51·3	39·4	14
MANCHESTER	61	34	52·0	40·0	23
BURNLEY	56	32	48·7	37·1	38
HUDDERSFIELD	58	34	50·0	40·1	20
BRADFORD	58	33	50·0	37·7	24
SHEFFIELD	59	33	51·0	39·0	19
YORK (MUSEUM).	60	33	50·4	39·0	9
HULL (PEARSON PARK).	60	33	52·0	38·7	7
TYNEMOUTH	58	33	49·4	38·9	6
CARDIFF	54	34	50·0	38·7	23
EDINBURGH	54·0	30·0	46·7	36·6	14
GLASGOW	53·9	32·3	47·0	37·8	30
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	58·0	33·0	51·6	40·3	8
BELFAST	58·0	30·5	51·0	34·8	23

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th February 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	19	..	29·472	50·1	33·7	16·4	41·5	+ 2·0	39·5	2·0	7·8	0·0	92	56·5	28·1	42·0	W.S.W. & SSW.	SSW., SW., & WSW.	4·8	0·0	0·3	385	+ 53	0·05
MONDAY	20	Greatest Declination S.	29·580	47·8	36·8	11·0	41·2	+ 1·7	33·1	8·1	14·6	3·1	73	92·6	30·6	42·3	WSW.	WSW. & SSW.	4·0	0·0	0·5	463	+134	0·00
TUESDAY	21	..	29·284	50·5	33·1	17·4	41·4	+ 1·8	36·7	4·7	11·3	0·0	84	92·4	29·1	42·3	SSW.	SSW. & SW.	5·4	0·0	0·6	432	+107	0·30
WEDNESDAY	22	..	29·449	51·6	35·1	16·5	43·8	+ 4·1	37·3	6·5	13·8	1·6	78	97·9	30·9	42·6	SSW. & SW.	WSW. & SSW.	3·5	0·0	0·5	433	+111	0·02
THURSDAY	23	..	29·739	59·6	49·7	9·9	53·6	+13·8	48·4	5·2	10·5	2·4	82	91·9	48·7	42·5	SW. & WSW.	WSW. & SW.	5·0	0·0	0·6	476	+156	0·02
FRIDAY	24	..	30·034	56·8	47·0	9·8	51·9	+11·9	46·4	5·5	8·8	2·4	82	81·0	38·4	42·9	SW.	SW.	4·4	0·0	0·6	453	+134	0·00
SATURDAY	25	..	29·855	59·6	43·0	16·6	52·3	+12·2	43·7	8·6	13·2	2·2	73	107·1	32·3	43·0	SW. & SSW.	SSW. & S.	4·5	0·0	0·5	401	+ 78	0·00
MEANS		..	29·630	53·7	39·8	13·9	46·5	+ 6·8	40·7	5·8	11·4	1·7	81	88·5	34·0	42·5	SW.		...	...	...	Sum 3,043	Sum +773	Sum 0·39
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	19	w.P. generally	0·0	10·2	Cloudless till 3h. with hoar frost. Variably cloudy to overcast about 7h., clearing from 20h. 30m. to cloudless by 22h. Fine rain 9h. to 13h., and 18h. 30m. to 20h. Brisk wind generally from noon.
MONDAY -	20	v.P. generally, s.P. between noon and 18h.	7·6	10·2	Nearly cloudless till 13h., then variably cloudy with fine intervals. Hoar frost in morning. Brisk wind at times. Rain about 19h.
TUESDAY -	21	w.P. generally, v.P. and v.N. between noon and 16h.	2·3	10·3	Overcast generally till 11h. Variably cloudy till 15h. Overcast generally till 22h., then becoming cloudless. Brisk wind generally 5h. to 18h. Rain between 8h. and 10h., and frequently 15h. to 22h., with snow at 20h. Solar halo at 11h.
WEDNESDAY	22	w.P. generally, v.P. between noon and 16h.	5·1	10·4	Nearly cloudless till 7h. Variably cloudy till 16h., then overcast generally. Rain between 18h. and 22h. Brisk wind 7h. to 16h.
THURSDAY -	23	w.P. throughout	1·5	10·4	Overcast generally, with few cloudy intervals. Frequent damping or rain before 9h. and after 18h. Brisk wind generally till 15h.
FRIDAY -	24	w.P. throughout	0·3	10·5	Overcast generally till 19h., becoming cloudless by 20h. Damping about 10h. and 14h. Brisk wind 9h. to 18h.
SATURDAY -	25	w.P. in forenoon, s.P. afterwards.	9·7	10·5	Cloudless till 7h. Cloudy till 9h. Nearly cloudless till 22h., then becoming overcast. Dew in morning, and slight dew at night. Brisk wind from 10h. to 17h.
			Sum 26·5	Sum 72·5	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·60 in. at the beginning of the week to 29·64 in. by 5h. on 19th; decreased to 29·31 in. by 20h. on the same day; increased to 29·61 in. by 11h. on 20th; decreased to 29·25 in. by 9h. on 21st; increased to 30·09 by 22h. on 24th, and decreased to 29·71 in. by midnight on 25th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922, No. 9.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 4TH MARCH, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH MARCH, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the ninth week of the year numbered 8,200, and corresponded to an annual rate of 22·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,669 and corresponded to an annual rate of 15·7 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 18·8, 19·9 and 17·6. Infant mortality was 95 per 1,000 births against 97, 113 and 98 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,817 births, corresponding to a rate of 21·1 per 1,000, and 1,398 deaths of civilians, corresponding to a rate of 16·3, as against 16·5, 19·1, and 17·1 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 17·3 per 1,000. The infant mortality was 90 as against 88, 94, and 90 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 707 in the total deaths last week, the deaths from influenza showing a fall of 219. In London the number of deaths from all causes fell from 1,472 to 1,398; there was a decrease of 28 in the deaths from influenza, and of 43 from pneumonia.

---

m (45)17202—1 Wt 30—P 19 2500 3/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 4th March 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,200	5,669	781	3	86	26	152	73	60	306
London	4,476,586*	1,817	1,398	180	1	48	7	53	24	18	49
Towns in Outer Ring.											
Croydon C.B.	190,877	81	51	7	–	–	–	–	2	–	3
Wimbledon	61,451	23	8	–	–	–	–	–	1	–	1
Ealing	67,753	27	17	1	–	1	–	–	1	–	–
Acton	61,314	19	14	–	–	–	1	–	1	–	–
Willesden	165,669	66	45	2	1	1	2	1	3	–	–
Hendon	56,014	18	9	1	–	–	–	–	–	–	–
Hornsey	87,691	26	19	–	–	–	–	–	1	–	1
Wood Green	50,716	14	18	3	–	–	–	–	–	1	1
Tottenham	146,695	47	35	8	–	–	–	–	3	–	–
Edmonton	66,809	45	14	3	–	–	–	–	1	–	–
Enfield	60,743	18	15	5	–	–	1	–	2	–	–
West Ham C.B.	300,905	145	104	15	–	6	–	10	2	2	3
East Ham C.B.	143,304	64	36	3	–	1	–	–	–	1	2
Leyton	128,432	34	35	5	–	1	–	1	–	–	–
Walthamstow	127,441	43	26	2	–	2	–	2	–	–	–
Ilford	85,191	30	11	1	–	–	1	–	–	–	–
Gillingham	47,887*	30	12	1	–	–	–	–	–	–	1
Canterbury C.B.	23,331*	10	7	1	–	1	–	–	–	–	–
Hastings C.B.	66,496	17	18	1	–	–	–	–	–	–	2
Eastbourne C.B.	62,030	17	14	1	–	–	–	1	–	–	1
Brighton C.B.	142,427	53	40	8	–	–	–	–	–	–	2
Portsmouth C.B.	234,218*	96	50	6	–	–	1	–	1	–	6
Bournemouth C.B.	91,770	19	16	1	–	–	–	–	–	–	1
Southampton C.B.	160,997	56	34	8	–	–	–	–	1	–	–
Reading C.B.	92,274	42	31	3	–	–	–	–	2	–	2
Oxford C.B.	57,052	29	13	–	–	–	–	–	–	–	3
Northampton C.B.	90,923	39	18	–	–	–	–	–	–	–	1
Luton	57,077	22	17	2	–	–	–	–	–	–	–
Cambridge	59,262	25	14	2	–	–	–	–	–	–	1
Southend-on-Sea C.B.	106,021	37	24	4	–	–	–	–	–	–	–
Ipswich C.B.	79,383	23	24	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	60,710	23	27	8	–	–	–	1	–	–	2
Norwich C.B.	120,653	46	26	–	–	–	–	–	–	–	–
Swindon	54,920	29	16	7	–	–	–	1	1	–	1
Exeter C.B.	59,608	22	24	2	–	–	–	–	–	–	4
Plymouth C.B.	198,132*	81	57	5	–	–	–	–	1	–	6
Bath C.B.	68,648	31	31	2	–	–	–	–	–	1	5
Bristol C.B.	377,061	154	108	8	–	2	–	–	1	1	6
Gloucester C.B.	51,330	23	16	2	–	–	–	–	–	–	3
Stoke-on-Trent, C.B.	240,440	134	84	15	–	–	–	6	1	1	2
Burton-upon-Trent C.B.	48,927	15	7	–	–	–	–	–	–	–	1
Wolverhampton C.B.	102,373	40	26	2	–	–	–	–	–	–	2
Walsall C.B.	96,964	54	25	1	–	–	–	–	–	–	1
West Bromwich C.B.	73,761	29	24	3	–	–	–	2	2	–	1
Worcester C.B.	48,848	19	23	1	–	–	–	–	–	–	7
Dudley C.B.	55,908	28	23	1	–	–	–	–	–	–	2
Birmingham C.B.	919,438	428	254	46	–	–	3	19	1	6	16
Smethwick C.B.	75,757	31	11	–	–	–	–	–	–	–	1
Coventry C.B.	128,205	46	30	3	–	–	–	–	–	–	5
Leicester C.B.	234,190	83	57	7	–	–	–	–	–	1	2
Lincoln C.B.	66,020	20	24	1	–	–	–	–	1	–	1
Grimsby C.B.	82,329	33	20	1	–	–	–	–	–	–	–
Nottingham C.B.	262,658	116	56	13	–	–	–	–	–	–	–
Derby C.B.	129,836	59	25	3	1	–	–	–	–	–	–
Chesterfield	61,236	29	20	3	–	–	–	1	–	–	–
Stockport C.B.	123,315	22	36	4	–	–	–	4	1	–	4
Chester C.B.	40,794	16	8	1	–	–	–	–	–	–	–
Birkenhead C.B.	145,592	70	71	9	–	3	–	3	–	2	7
Wallasey C.B.	90,721	31	28	5	–	–	–	–	–	1	3
Liverpool C.B.	803,118	475	366	69	–	3	2	12	3	2	16
Bootle C.B.	76,508	53	29	–	–	2	–	3	–	–	2
St. Helens C.B.	102,675	57	35	8	–	4	–	–	–	–	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	23	20	3	–	–	–	1	–	1	1
Wigan C.B.	89,447	48	37	7	–	4	–	–	–	2	1
Warrington C.B.	76,811	25	15	1	–	–	1	–	1	–	–
Bolton C.B.	178,678	57	58	5	–	–	–	1	–	2	4
Bury C.B.	56,426	14	14	2	–	–	–	–	–	–	–
Manchester C.B.	730,551	359	240	38	–	–	4	1	3	3	16
Salford C.B.	234,150	82	56	4	–	–	2	1	2	–	1
Oldham C.B.	145,001	43	55	9	–	–	–	–	–	–	5
Rochdale C.B.	90,807	35	31	3	–	2	–	1	–	–	6
Burnley C.B.	103,175	48	37	4	–	–	–	–	–	–	–
Blackburn C.B.	126,630	46	51	5	–	–	–	–	2	–	3
Preston C.B.	117,426	71	35	6	–	–	–	–	–	–	5
Blackpool C.B.	99,640	27	19	–	–	–	–	–	–	–	2
Barrow-in-Furness C.B.	74,254	29	25	2	–	–	–	1	–	–	5
Huddersfield C.B.	110,120	38	41	2	–	–	–	1	1	–	1
Halifax C.B.	99,129	33	37	5	–	–	–	2	–	–	1
Bradford C.B.	285,979	91	84	9	–	–	–	–	–	–	4
Leeds C.B.	458,320	189	166	20	–	–	1	5	–	2	6
Dewsbury C.B.	54,165	19	11	–	–	–	–	–	–	–	–
Wakefield C.B.‡	53,053	24	16	2	–	–	–	1	–	–	–
Barnsley C.B.‡	67,918	41	16	3	–	–	–	–	–	–	–
Sheffield C.B.‡	511,748	235	136	17	–	4	–	–	1	1	4
Rotherham C.B.	68,045	26	14	2	–	1	–	–	1	–	1
Doncaster	54,052	23	14	2	–	–	–	1	–	1	1
York C.B.	82,606*	37	19	4	–	–	–	1	–	–	3
Hull C.B.	287,013	163	56	11	–	–	–	2	1	3	1
Middlesbrough C.B.	131,103	69	50	13	–	–	–	4	–	1	3
Darlington C.B.	65,866	44	26	2	–	–	–	–	–	–	1
Stockton-on-Tees	64,150	50	18	1	–	–	–	4	–	1	1
West Hartlepool C.B.	68,689	29	12	3	–	–	–	–	–	1	1
Sunderland C.B.	159,100	105	49	10	–	–	–	–	1	–	1
South Shields C.B.‡	118,631	64	46	9	–	–	–	–	1	2	4
Gateshead C.B.	124,514	65	35	8	–	–	–	2	–	–	1
Newcastle-on-Tyne C.B.	274,955	159	75	21	–	–	–	1	–	2	1
Tynemouth C.B.	63,786	36	22	5	–	–	–	1	–	–	1
Carlisle C.B.	52,600	31	15	3	–	–	–	–	–	–	–
Newport (Mon.) C.B.	92,369	44	23	3	–	–	–	1	1	1	3
Cardiff C.B.	200,262	116	61	5	–	–	–	–	–	–	9
Rhondda	162,729	89	49	8	–	–	–	–	1	–	9
Merthyr Tydfil C.B.	80,161	39	31	6	–	–	–	–	–	–	2
Aberdare	55,010	32	28	5	–	–	–	–	–	–	9
Swansea C.B.	157,561	73	52	8	–	–	–	–	–	–	7
Greater London	7,467,946*	2,924	2,093	253	2	61	13	69	46	23	84
Outer Ring	2,991,360*	1,107	695	73	1	13	6	16	22	5	35
16 Great Towns in Outer Ring	1,801,005	700	457	56	1	12	5	14	17	4	11
Remainder of Outer Ring	1,190,355*	407	238	17	–	1	1	2	5	1	24
Edinburgh†	420,500	191	140	23	–	–	1	3	4	1	8
Glasgow†	1,037,800	607	408	87	–	50	2	1	3	6	16
Dublin (Registration Area)†	427,000	252	189	29	–	9	1	1	1	3	13
Belfast†	425,000	257	176	39	–	2	–	1	2	4	19

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,476,586	Mar. 4	1817	1398	16·3	1	–	48	7	53	24	18	49
Calcutta	896,067	Feb. 4	–	563§	32·6	?	22	–	–	–	–	–	15
Bombay	1,175,914	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Madras	522,951	„ 28	433	469	46·6	3	10	4	?	2	1	36	1
		Feb. 4	348	468	46·5	1	20	7	?	2	–	40	–
Johannesburg	149,500	Jan. 14	86	40	13·9	1	–	–	–	–	–	6	–
Paris	2,906,472	„ 31	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Amsterdam	683,605	Feb. 11	253	247	18·8	1	–	1	–	5	–	–	23
		„ 18	305	184	14·0	–	–	1	–	6	–	–	13
Copenhagen	562,000	„ 25	269	163	15·0	–	–	–	1	–	1	1	13
Stockholm	419,788	„ 18	115	122	15·1	–	–	–	1	–	–	–	13
Gothenburg	228,052	„ 18	–	92	21·0	1	–	1	–	4	–	–	10
Christiania	260,920	„ 25	108	74	14·8	–	–	–	–	3	–	2	10
Berlin	1,955,000	„ 4	488	533	14·2	–	?	1	–	3	3	6	36
Breslau	550,000	„ 4	261	192	18·1	–	?	2	–	2	1	2	13
Cologne	672,000	„ 4	298	199	15·4	2	?	–	–	4	2	4	13
Dresden	601,000	„ 4	219	159	13·8	–	?	–	–	–	3	–	10
Frankfort-on-Main	473,000	„ 4	139	111	12·2	–	?	–	–	3	1	2	8
Hamburg	1,039,000	„ 4	340	256	12·8	–	?	–	–	1	3	3	13
Leipzig	632,000	„ 4	250	215	17·7	–	?	1	–	–	2	4	24
Munich	675,000	„ 4	224	169	13·0	–	?	2	–	1	1	4	7
Vienna	1,842,005	Jan. 14	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	Jan. 28	261	226	17·4	–	–	1	2	–	–	9	8
		Feb. 4	264	258	20·0	2	–	1	2	2	2	6	10
Budapest	933,000	Nov. 26	356	352	19·6	5	?	–	9	2	1	19	1
		Dec. 3	370	321	17·9	7	?	2	14	3	1	16	5
Cairo	765,200	„ 23	–	–	–	–	–	–	–	–	–	–	–
Alexandria	449,300	„ 23	–	–	–	–	–	–	–	–	–	–	–
New York	5,839,738	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Chicago	2,838,288	Feb. 11	–	693	12·8	1	–	1	4	–	11	16	13
Rio de Janeiro	1,183,862	Jan. 14	603	408	18·0	1	1	6	–	3	–	–	6
Montevideo	356,655	Nov. 26	–	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *Plague* and 19 deaths from *Asiatic cholera* in Calcutta.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th March, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1398	180	111	74	40	63	47	88	132	199	259	205
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	48	9	23	13	3	–	–	–	–	–	–	–
Scarlet fever	7	–	4	1	–	1	1	–	–	–	–	–
Whooping cough	53	12	25	14	2	–	–	–	–	–	–	–
Diphtheria	24	2	6	9	5	1	–	–	1	–	–	–
Influenza	49	3	–	1	1	3	4	6	6	9	8	8
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	1
Acute Poliomyelitis, Poliencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	103	–	1	1	1	24	15	17	22	14	5	3
Tuberculous meningitis	14	1	3	4	2	2	1	–	1	–	–	–
Abdominal tuberculosis	5	1	–	–	2	1	–	1	–	–	–	–
Other tubercle	5	1	1	–	1	1	–	1	–	–	–	–
Venereal diseases	8	4	1	–	–	–	–	1	1	1	–	–
Cancer	126	–	–	–	1	–	–	9	21	43	39	13
Rheumatic fever	4	–	–	1	–	2	1	–	–	–	–	–
Diabetes	11	–	–	–	–	1	1	–	1	3	3	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	7	1	–	–	1	1	–	2	2	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	61	–	–	–	–	–	–	3	6	17	21	14
Epilepsy	5	–	–	–	–	1	1	1	–	2	–	–
"Convulsions" (not puerperal)	7	4	2	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	15	–	1	–	2	1	1	2	3	3	2	–
Pericarditis	5	1	–	–	–	–	1	–	1	2	–	–
Acute endocarditis	1	–	–	–	–	–	–	1	–	–	–	–
Other diseases of heart	152	–	–	–	3	4	4	7	17	32	47	38
Other dis. of circulatory system	44	–	–	–	–	–	–	2	3	5	15	19
Bronchitis	151	8	5	2	–	2	3	6	10	21	50	44
Broncho-pneumonia	102	37	28	17	–	1	–	1	1	5	9	3
Lobar pneumonia	24	1	1	–	1	5	1	4	4	4	3	–
Pneumonia (type not distinguished)	31	4	1	3	1	1	3	1	4	3	7	3
Other diseases of respiratory system	19	–	–	1	–	–	1	1	–	3	6	7
Diarrhœa and enteritis	21	15	3	–	–	–	–	–	–	–	2	1
Appendicitis and typhlitis	7	–	1	–	2	2	1	–	–	1	–	–
Hernia, Intestinal obstruction	13	3	–	–	2	–	–	3	–	2	2	1
Cirrhosis of liver	5	–	–	–	–	–	–	–	2	1	2	–
Other diseases of digestive system	16	1	1	1	–	–	–	3	2	4	3	1
Acute nephritis	3	1	–	–	–	–	–	–	–	1	1	–
Chronic Bright's disease	31	–	–	1	–	–	–	–	7	7	11	5
Other diseases of genito-urinary system.	11	–	–	–	–	–	–	1	3	1	4	2
Puerperal fever, &c.	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	1	1	–	–	–	–
Congenital malformations	8	7	–	–	–	–	1	–	–	–	–	–
Premature birth	31	31	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	30	–	–	–	–	–	–	–	–	–	5	25
Suicide	11	–	–	–	–	–	1	2	2	3	2	1
Burns and scalds	4	–	1	–	–	–	–	–	–	–	1	2
Drowning	3	–	–	–	1	1	–	–	1	–	–	–
Suffocation in bed	4	4	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	1	–	4	1	1	–	2	–	1	2
Other deaths by violence	18	1	–	–	1	3	–	4	4	–	1	4
Other specified causes	71	19	–	3	4	3	4	6	5	12	9	6
Ill-defined causes	3	–	2	1	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th March 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	15	9	1	12	M. 1
†BERMONDSEY ...	–	9	20	–	2	C. 1
†BETHNAL GREEN	–	10	19	–	–	M. 2
†CAMBERWELL ...	–	22	18	1	6	–
†CHELSEA ...	–	6	4	–	1	D. 1
†DEPTFORD ...	–	17	15	–	1	–
†FINSBURY ...	–	10	6	–	–	–
†FULHAM ...	–	15	12	–	13	M. 1
†GREENWICH ...	–	16	19	–	10	–
†HACKNEY ...	–	19	13	–	–	G. 1
†HAMMERSMITH	–	6	7	–	1	M. 2
†HAMPSTEAD ...	–	4	8	–	–	M. 1
†HOLBORN ...	–	2	1	–	1	–
†ISLINGTON ...	–	36	24	–	6	M. 2
†KENSINGTON ...	–	6	2	1	7	–
†LAMBETH ...	–	28	22	1	2	M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	14	12	–	1	–
†PADDINGTON ...	–	5	16	–	14	M. 1
†POPLAR... ...	–	12	8	–	11	M. 2
†ST. MARYLEBONE	–	4	3	–	6	–
†ST. PANCRAS ...	–	19	12	–	9	M. 3
†SHOREDITCH ...	–	9	8	–	16	M. 2
†SOUTHWARK ...	–	25	10	–	13	C. 1 G. 1 M. 1
†STEPNEY ...	–	11	19	–	19	C. 1 G. 1
†STOKE NEWINGTON	–	2	5	–	–	–
†WANDSWORTH	–	44	19	–	25	G. 1 M. 3
†WESTMINSTER, CITY OF	–	3	8	–	1	D. 1 M. 1
†WOOLWICH ...	–	11	11	–	10	–
TOTAL OF PART I.	–	380	331	4	187	C. 3 D. 2 G. 4 M. 24

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	3	4	–	16	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	1	–	–	4	–
BIGGLESWADE ...	–	–	–	–	4	–
DUNSTABLE ...	*	*	*	*	*	*
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	2	–	–	–	–
†LUTON	–	–	1	–	4	–
Rural Districts :—						
AMPTHILL ...	–	–	2	–	–	–
BEDFORD ...	–	–	–	–	1	–
BIGGLESWADE ...	–	–	–	–	2	–
LUTON	*	*	*	*	*	*
BERKS	–	9	4	–	–	L. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	1	–	–	–	–
NEWBURY ...	–	–	1	–	–	–
†READING C.B. ...		2	1	–	–	L. 1
Rural Districts :—	–					
ABINGDON ...	–	2	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
NEWBURY ...	–	2	–	–	–	–
WALLINGFORD	–	1	–	–	–	–
WINDSOR ...	–	–	1	–	–	–
BUCKINGHAM ...	–	9	8	–	6	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	1	–	–	–
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
†SLOUGH ...	–	–	5	–	–	–
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	–	3	2	–	–	–
WINSLOW ...	–	–	–	–	1	–
WYCOMBE ...	–	1	–	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE...	–	3	18	–	4	–
Borough						
†CAMBRIDGE ...	–	2	10	–	1	–
Rural Districts :—						
CHESTERTON ...	–	1	–	–	1	–
MELBOURN ...	–	–	–	–	2	–
NEWMARKET ...	–	–	8	–	–	–
CHESTER	–	59	33	–	68	D. 1 M. 1
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	–	1	–	–	–
†ALTRINCHAM ...	–	2	1	–	1	–
ASHTON-UPON-MERSEY	–	–	1	–	–	–
†BIRKENHEAD C.B.	–	3	3	–	25	D. 1 M. 1
BOLLINGTON ...	–	–	–	–	1	–
†CHESTER C.B. ...	–	1	2	–	11	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	2	1	–	–	–
†DUKINFIELD ...	–	–	1	–	1	–
HALE	–	1	–	–	–	–
HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	3	–	–	–
†HYDE	–	2	2	–	1	–
KNUTSFORD ...	–	1	–	–	–	–
†LOWER BEBINGTON ...	–	–	–	–	5	–
†MACCLESFIELD...	–	5	1	–	–	–
MIDDLEWICH ...	–	–	1	–	1	–
NESTON AND PARKGATE	–	–	–	–	3	–
†NORTHWICH ...	–	–	–	–	1	–
†RUNCORN ...	–	1	–	–	1	–
†SALE	–	2	–	–	–	–
†STOCKPOKT, C.B.	–	8	4	–	–	–
†WALLASEY, C.B.	–	16	5	–	6	–
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	1	–	–	–
CHESTER ...	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	3	1	–	–	–
MALPAS ...	–	–	3	–	–	–
NANTWICH ...	–	1	2	–	–	–
NORTHWICH ...	–	–	–	–	4	–
RUNCORN ...	–	1	–	–	3	–
TARVIN	–	1	–	–	1	–
WIRRAL ...	–	4	–	–	1	–
CORNWALL ...	–	6	4	–	13	C. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	3	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	2	–	–	1	–
LUDGVAN ...	–	–	1	–	–	–
ST. IVES ...	–	–	1	–	–	C. 1
ST. JUST ...	–	–	1	–	–	–
SALTASH ...	–	1	–	–	–	–
Rural Districts—						
BODMIN... ...	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	7	–
ST. AUSTELL ...	–	2	–	–	–	–
WEST PENWITH	–	–	1	–	–	–
CUMBERLAND ...	–	5	5	–	4	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
†CARLISLE C.B. ...	–	–	2	–	2	–
†MARYPORT ...	–	–	–	–	1	–
PENRITH ...	–	3	–	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
WIGTON ...	–	–	–	–	1	–
CUMBERLAND—*cont.*						
Rural Districts:—						
WHITEHAVEN ...	–	2	–	–	–	–
WIGTON... ...	–	–	1	–	–	–
DERBY	7	38	22	–	13	D. 1 M. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
ALVASTON AND BOULTON	–	–	–	–	1	–
†BOLSOVER ...	–	–	1	–	–	–
BONSALL ...	*	*	*	*	*	*
†CHESTERFIELD	–	3	4	–	1	–
†DERBY C.B. ...	–	11	3	–	5	M. 3
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP ...	–	2	–	–	–	–
†HEANOR ...	–	1	1	–	–	–
†ILKESTON ...	7	–	–	–	–	–
†LONG EATON ...	–	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†RIPLEY... ...	–	4	1	–	1	–
†SWADLINCOTE DISTRICT	–	1	2	–	2	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BELPER... ...	–	1	1	–	–	–
BLACKWELL ...	–	6	2	–	–	–
CHAPEL-EN-LE-FRITH	–	2	–	–	–	–
CHESTERFIELD	–	1	3	–	2	–
CLOWNE... ...	–	–	3	–	–	–
HAYFIELD ...	–	2	–	–	–	–
REPTON... ...	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	D. 1
DEVON	–	13	20	4	18	D. 1 M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	1	–
BRIXHAM ...	–	–	1	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EXETER C.B. ...	–	4	1	–	4	–
HONITON ...	–	–	1	–	–	–
NORTHAM ...	–	–	1	–	1	–
†PAIGNTON ...	–	–	–	–	3	–
†PLYMOUTH C.B.	–	4	6	4	1	D. 1
†TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	1	1	–	–	–
†TORQUAY ...	–	3	–	–	1	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
CULMSTOCK ...	–	–	–	–	1	–
HONITON ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	2	–	–	M. 1
PLYMPTON ST. MARY	–	1	1	–	–	–
ST. THOMAS ...	–	–	4	–	–	–
TORRINGTON ...	–	–	–	–	1	–
DORSET	–	4	3	–	5	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	2	1	–	–	–
†WEYMOUTH AND MELCOMBE REGIS ...	–	–	–	–	1	–
WIMBORNE ...	–	–	–	–	2	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
DORCHESTER ...	–	–	1	–	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	2	–
DURHAM... ...	–	58	29	2	96	C. 2 M. 6
Boroughs and Urban Districts:—						
BARNARD CASTLE ...	–	1	–	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAYDON ...	–	2	–	–	–	C. 1 M. 1
†CHESTER-LE-STREET	–	3	–	–	–	–
†CONSETT ...	–	1	1	–	–	–
†CROOK	–	–	–	–	1	–
†DARLINGTON C.B.	–	4	1	–	5	
DURHAM ...	–	1	1	–	–	–
†FELLING ...	–	–	–	–	4	–
†GATESHEAD C.B.	–	6	2	–	6	C. 1
†HARTLEPOOL ...	–	–	–	1	1	–
†HEBBURN ...	–	–	–	–	4	–
†HETTON... ...	*	*	*	*	*	*
HOUGHTON-LE-SPRING ...	–	–	1	–	2	–
†JARROW ...	–	1	1	–	6	–
†SHILDON ...	–	4	–	–	–	–
†SOUTH SHIELDS C.B.	–	6	2	–	29	M. 1
†SOUTHWICK-ON-WEAR ...	–	–	–	–	2	–
†SPENNYMOOR ...	–	–	1	–	–	–
†STANLEY ...	–	1	–	–	2	–
†STOCKTON-ON-TEES	–	–	3	–	6	M. 1
†SUNDERLAND C.B.	–	10	3	–	4	–
†WEST HARTLEPOOL C.B.	–	2	1	–	3	M. 1
Rural Districts:—						
AUCKLAND ...	–	1	2	–	6	–
BARNARD CASTLE	–	–	–	–	1	–
CHESTER-LE-STREET	–	6	2	–	1	M. 1
DARLINGTON ...	–	1	2	–	–	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	–	–	–	2	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON-LE-SPRING	–	2	1	–	1	M. 1
LANCHESTER ...	–	1	1	–	4	–
SEDGEFIELD ...	–	–	1	1	1	–
STOCKTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
SUNDERLAND ...	–	3	1	–	4	–
WEARDALE ...	–	1	1	–	–	–
ISLE OF ELY ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
ELY	–	–	–	–	1	–
Rural Districts—						
ELY	–	–	–	–	1	–
WHITTLESEY ...	–	–	–	–	1	–
ESSEX	–	88	31	4	36	C. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	3	–	1	–
BRENTWOOD ...	–	1	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
BUCKHURST HILL	–	–	–	–	1	–
†CHELMSFORD ...	–	1	–	–	2	–
†COLCHESTER ...	–	2	1	2	4	–
†EAST HAM C.B.	–	18	5	–	1	–
†GRAYS THURROCK	–	–	–	1	–	–
†ILFORD	–	8	1	–	–	C. 1
†LEYTON... ...	–	6	2	–	2	–
MALDON ...	–	–	–	–	1	–
†ROMFORD ...	–	–	1	–	1	–
SHOEBURYNESS-ON-SEA	–	–	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	5	–	–	5	–
†WALTHAMSTOW	–	20	2	–	1	–
†WANSTEAD ...	–	1	2	–	1	–
†WEST HAM C.B.	–	14	11	1	8	–
†WOODFORD ...	–	2	1	–	4	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	1	–
EPPING	–	1	–	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
MALDON... ...	–	1	–	–	–	–
ORSETT	–	2	–	–	–	–
ROCHFORD ...	–	–	–	–	–	M. 1
ROMFORD ...	–	1	2	–	1	–
SAFFRON WALDEN	–	1	–	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	–	47	36	–	26	D. 1 M. 4
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	44	24	–	15	D. 1 M. 4
CHARLTON KINGS	–	–	–	–	1	–
†CHELTENHAM ...	*	*	*	*	*	*
CIRENCESTER ...	–	–	1	–	1	–
COLEFORD ...	–	–	1	–	–	–
†GLOUCESTER C.B.	–	1	3	–	1	–
†KINGSWOOD ...	–	–	2	–	–	–
STROUD ...	–	–	1	–	–	–
TETBURY ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	1	–	–	–
Rural Districts:—						
CHELTENHAM	–	–	1	–	–	–
CIRENCESTER ...	–	–	1	–	–	–
DURSLEY ...	–	1	–	–	1	–
STROUD ...	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	–	–	3	–
WHEATENHURST	–	–	–	–	1	–
WINCHCOMB (part)	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	1	3	–	1	–
Boroughs and Urban Districts:—						
†Hereford ...	–	–	1	–	–	–
Leominster ...	–	–	1	–	–	–
Rural Districts						
Hereford ...	–	1	1	–	–	–
Leominster ...	–	–	–	–	1	–
HERTFORD ...	–	18	10	–	4	M. 1
Boroughs and Urban Districts:—						
Baldock ...	–	–	1	–	–	–
†Barnet ...	–	1	–	–	–	–
Bushey ...	–	–	1	–	–	–
†Cheshunt ...	–	1	–	–	–	–
Harpenden ...	–	1	–	–	–	–
†Hemel Hempstead	–	–	1	–	–	–
†Hertford ...	–	–	1	–	–	–
†Letchworth ...	–	1	1	–	–	–
Rickmansworth	–	–	1	–	–	–
Royston ...	–	–	–	–	1	–
†St. Albans ...	–	–	2	–	–	–
†Watford ...	–	2	–	–	–	M. 1
Rural Districts:—						
Ashwell ...	–	1	–	–	–	–
Barnet ...	–	–	1	–	–	–
Hatfield ...	–	2	–	–	–	–
Hertford ...	–	1	–	–	–	–
Hitchin ...	–	–	1	–	–	–
St. Albans ...	–	2	–	–	–	–
Ware	–	3	–	–	–	–
Watford ...	–	–	–	–	3	–
Welwyn ...	–	3	–	–	–	–
HUNTINGDON ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
Huntingdon ...	–	1	1	–	–	–
Old Fletton ...	–	–	–	–	2	–
Rural District:—						
St. Ives ...	–	1	–	–	–	–
KENT	–	65	49	1	34	C. 1 L. 1 M. 4
Boroughs and Urban Districts:—						
†Ashford ...	–	2	1	–	–	–
†Beckenham ...	–	–	1	–	–	–
†Bexley ...	–	3	1	–	–	–
†Broadstairs and St. Peter's	–	1	2	–	–	–
†Bromley ...	–	7	1	–	–	C. 1 M. 1
†Canterbury, C.B.	–	–	1	–	–	–
†Chatham ...	–	4	–	–	–	–
Cheriton ...	–	2	–	–	1	–
Chislehurst ...	–	1	–	–	–	–
†Crayford ...	–	2	1	–	–	–
†Dartford ...	–	3	1	1	–	L. 1
†Dover	–	1	1	–	7	–
†Erith	–	6	1	–	–	–
†Folkstone ...	–	3	–	–	1	–
†Gillingham ...	–	1	4	–	–	–
†Gravesend ...	–	1	3	–	–	–
Hythe	–	–	–	–	1	–
†Maidstone ...	–	1	2	–	2	M. 1
†Margate ...	–	1	–	–	2	–
Milton Regis...	–	–	1	–	–	–
†Northfleet ...	–	1	1	–	–	–
†Penge	–	1	1	–	–	–
Queenborough	*	*	*	*	*	*
†Ramsgate ...	–	3	2	–	–	–
†Rochester ...	–	–	5	–	1	–
†Royal Tunbridge Wells	–	1	1	–	5	–
†Sheerness ...	–	4	2	–	–	–
Sittingbourne	*	*	*	*	*	*
†Tonbridge ...	–	–	3	–	–	–
Walmer ...	*	*	*	*	*	*
Whitstable ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	–	2	–	1	–
CRANBROOK ...	–	4	1	–	–	–
DARTFORD ...	–	4	–	–	2	–
EAST ASHFORD	–	–	–	–	1	–
ELHAM	–	1	–	–	–	–
HOO	–	–	3	–	–	–
ISLE OF THANET	–	2	1	–	3	M. 1
MAIDSTONE ...	–	–	2	–	–	–
MALLING ...	–	–	1	–	–	–
MILTON	–	5	2	–	–	–
SEVENOAKS ...	–	–	–	–	2	–
SHEPPEY ...	*	*	*	*	*	*
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	–	–	–	1	M. 1
LANCASTER ...	8	348	108	5	261	C. 7 D. 2 G. 1 L. 12 M. 30
Boroughs and Urban Districts:—						
ABRAM	–	2	–	–	–	–
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	2	1	–	–	–
†ASHTON-UNDER-LYNE	–	–	1	–	4	–
ASPULL	–	–	–	–	1	–
ATHERTON ...	–	–	–	–	2	–
AUDENSHAW ...	*	*	*	*	*	*
†BARROW-IN-FURNESS C.B.	–	3	1	–	–	–
†BLACKBURN C.B.	–	4	2	–	3	–
†BLACKPOOL C.B.	–	4	–	–	1	M. 1
†BOLTON C.B. ...	–	12	3	–	5	–
†BOOTLE C.B. ...	–	4	4	–	1	–
†BURNLEY C.B.	–	5	1	1	1	–
†BURY C.B. ...	–	9	–	–	4	–
CARNFORTH ...	–	–	1	–	–	–
†CHADDERTON ...	–	4	–	–	2	–
†CHORLEY ...	–	–	–	–	–	C. 1
†CLITHEROE ...	–	1	–	–	–	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON-IN-FURNESS	–	–	–	–	1	–
†DENTON ...	–	2	–	–	–	–
†DROYSLDEN ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ECCLES ...	–	4	–	–	3	D. 1
†FAILSWORTH ...	–	1	–	–	3	–
†FARNWORTH ...	–	3	–	–	1	M. 1
FORMBY ...	–	–	1	–	–	–
†HASLINGDEN ...	–	–	–	–	1	–
HEYSHAM ...	–	2	–	–	–	–
†HINDLEY ...	–	5	–	–	2	–
†HORWICH ...	–	3	2	–	1	–
HURST	–	–	–	1	–	–
†INCE-IN-MAKERFIELD	–	3	–	–	–	–
IRLAM	–	4	–	–	–	–
†LANCASTER ...	–	4	1	–	1	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
LEES	–	1	–	–	–	–
†LEIGH	–	2	–	–	–	M. 1
†LITHERLAND ...	–	1	–	–	–	–
LITTLE HULTON	–	1	1	–	–	–
†LIVERPOOL C.B.	–	43	22	–	49	C. 1 D. 1 M. 13
†MANCHESTER C.B.	–	71	23	3	88	C. 3 L. 1 M. 10
†MIDDLETON ...	–	8	1	–	1	–
MILNROW ...	–	1	–	–	–	–
†MORECAMBE ...	–	1	–	–	–	–
†NELSON ...	–	–	–	–	2	–
†NEWTON-IN-MAKERFIELD	–	6	1	–	3	–
†OLDHAM C.B.	8	13	3	–	6	–
†OSWALDTWISTLE	–	3	1	–	–	–
†PADIHAM ...	–	–	–	–	1	–
†PRESTON C.B. ...	–	7	4	–	–	–
†PRESTWICH ...	–	1	–	–	–	C. 1
†RADCLIFFE ...	–	4	2	–	–	–
†RAMSBOTTOM ...	–	2	1	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON ...	–	–	–	–	2	–
†ROCHDALE C.B.	–	6	2	–	3	M. 1
†ROYTON ...	–	1	–	–	1	M. 1
†ST. ANNES-ON-THE-SEA	–	2	–	–	–	–
†ST. HELENS C.B.	–	2	2	–	5	L. 6 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†SALFORD C.B. ...	–	35	6	–	11	–
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B	–	7	2	–	1	M. 1
STANDISH-WITH-LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	13	1	–	–	C. 1
†SWINTON AND PENDLEBURY	–	3	1	–	2	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON... ...	–	–	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
URMSTON ...	–	1	1	–	–	–
WARDLE ...	–	3	–	–	–	–
†WARRINGTON C.B.	–	4	1	–	5	–
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	1	1	–	1	–
†WIDNES ...	–	–	4	–	17	–
†WIGAN C.B. ...	–	1	–	–	11	–
†WORSLEY ...	–	2	2	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	2	G. 1
BLACKBURN ...	–	1	–	–	3	–
CHORLEY ...	–	–	2	–	–	–
CLITHEROE ...	–	–	–	–	1	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	–	2	–	1	–
LIMEHURST ...	–	3	–	–	–	–
PRESTON ...	–	2	2	–	1	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	2	–	–	1	–
WHISTON ...	–	1	–	–	–	L. 5

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	13	9	–	8	–
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	–	–	3	–
†COALVILLE ...	–	–	1	–	–	–
†LEICESTER C.B.	–	8	5	–	5	–
†LOUGHBOROUGH	–	2	–	–	–	–
OADBY	–	1	–	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	2	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	3	–	–	
Boroughs and Urban Districts:—						
†BOSTON... ...	–	–	2	–	–	–
HOLBEACH ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON... ...	–	1	–	–	–	–
EAST ELLOE ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Boroughs and Urban Districts:						
SLEAFORD ...	–	1	–	–	–	–
Rural District:—						
BOURNE ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	7	16	–	7	M. 2
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Crowle ...	*	*	*	*	*	*
†Gainsborough	–	1	2	–	–	–
†Grimsby C.B. ...	–	1	1	–	1	–
†Lincoln, C.B. ...	–	1	3	–	–	M. 1
Louth	–	–	–	–	2	–
†Scunthorpe and Frodingham	–	–	1	–	–	–
Winterton ...	–	–	2	–	–	–
Rural Districts:—						
Caistor ...	–	–	1	–	–	–
Gainsborough	–	1	–	–	–	–
Glanford Brigg	–	1	1	–	3	M. 1
Grimsby ...	–	–	–	–	1	–
Isle of Axholme	–	–	1	–	–	–
Spilsby ...	–	1	2	–	–	–
MIDDLESEX ...	–	117	85	–	58	C. 1 L. 2 M. 1
Boroughs and Urban Districts:—						
†Acton	–	4	5	–	1	–
†Brentford ...	–	2	3	–	2	–
†Chiswick ...	–	2	1	–	2	–
†Ealing ...	–	19	5	–	3	–
†Edmonton ...	–	8	4	–	3	–
†Enfield ...	–	10	1	–	16	–
Feltham ...	–	1	1	–	–	–
†Finchley ...	–	2	–	–	3	–
†Frien Barnet	*	*	*	*	*	*
Hampton Wick	–	–	–	–	1	–
†Hanwell ...	–	5	–	–	1	–
†Harrow-on-the-Hill	–	2	–	–	–	–
†Hendon ...	–	1	3	–	–	–
†Heston and Isleworth	–	4	1	–	6	–
†Hornsey ...	–	4	8	–	3	–
†Southall-Norwood	–	–	–	–	1	L. 2
†Southgate ...	–	7	–	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Teddington ...	–	–	–	–	1	–
†Tottenham ...	–	21	20	–	8	–
†Twickenham ...	–	1	–	–	–	–
†Wealdstone ...	–	1	3	–	–	–
†Wembley ...	–	2	1	–	3	–
†Willesden ...	–	11	24	–	3	C. 1
†Wood Green ...	–	6	1	–	1	M. 1
Rural Districts:—						
Hendon ...	–	1	2	–	–	–
Staines ...	–	3	–	–	–	–
Uxbridge ...	–	–	2	–	–	–
NORFOLK ...	–	11	7	–	7	–
Boroughs and Urban Districts:—						
†Great Yarmouth C.B.	–	3	1	–	–	–
North Walsham	–	–	–	–	1	–
†Norwich C.B.	–	2	4	–	3	–
Swaffham ...	–	2	–	–	–	–
Rural Districts:—						
Aylsham ...	–	1	–	–	–	–
Depwade ...	–	–	–	–	2	–
Docking ...	–	–	1	–	–	–
Marshland ...	–	1	–	–	–	–
Smallburgh ...	–	1	–	–	–	–
Swaffham ...	–	1	–	–	–	–
Thetford ...	–	–	1	–	–	–
Wayland ...	–	–	–	–	1	–
NORTHAMPTON	–	8	6	1	7	–
Boroughs and Urban Districts:—						
†Northampton C.B.	–	6	3	–	2	–
†Wellingborough	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Rural Districts :—						
Brixworth ...	–	–	–	–	1	–
Daventry ...	–	–	1	1	3	–
Hardingstone	–	1	–	–	–	–
Kettering ...	–	1	1	–	–	–
Towcester ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	45	16	2	43	D. 1
Boroughs and Urban Districts :—						
Alnwick ...	*	*	*	*	*	*
Amble	*	*	*	*	*	*
†Ashington ...	–	1	–	–	–	–
†Bedlingtonshire	–	3	–	–	1	–
†Berwick-upon-Tweed	–	1	–	–	–	–
†Blyth	–	–	–	–	1	–
Cramlington ...	–	3	–	–	–	–
†Earsdon ...	–	1	–	–	–	–
†Gosforth ...	–	1	–	–	1	–
†Newburn ...	–	1	–	–	–	–
†Newcastle-upon-Tyne C.B.	–	16	12	1	20	–
Prudhoe ...	–	–	–	–	2	–
Seaton Delaval	–	2	–	–	–	–
Seghill ...	–	–	–	–	1	–
†Tynemouth C.B.	–	7	–	1	10	–
†Wallsend ...	–	2	3	–	3	–
†Whitley and Monkseaton	–	1	1	–	–	D. 1
Rural Districts :—						
Alnwick ...	–	1	–	–	–	–
Castle Ward...	–	–	–	–	1	–
Hexham ...	–	3	–	–	1	–
Morpeth ...	–	2	–	–	2	–
NOTTINGHAM ...	–	24	8	1	15	C. 1 M. 1
Boroughs and Urban Districts :—						
†Beeston ...	–	–	–	–	1	–
†Carlton ...	–	–	2	–	1	–
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†East Retford	–	1	–	–	–	–
Eastwood ...	–	2	–	–	–	–
†Hucknall ...	–	–	–	–	3	–
†Mansfield ...	–	4	–	–	2	–
†Mansfield Woodhouse	–	2	–	–	–	–
†Nottingham C.B.	–	13	4	1	6	C. 1 M. 1
†Sutton-in-Ashfield	–	–	–	–	1	–
Worksop ...	–	–	–	–	1	–
Rural Districts :—						
Basford ...	–	1	1	–	–	–
Skegby ...	–	1	–	–	–	–
Stapleford ...	–	–	1	–	–	–
OXFORD	–	7	2	–	2	M. 1
Boroughs and Urban Districts :—						
†Oxford C.B. ...	–	3	1	–	1	–
Rural Districts :—						
Chipping Norton	–	2	–	–	1	M. 1
Henley ...	–	2	–	–	–	–
Woodstock ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	2	–
Borough :—						
†Peterborough	–	1	–	–	2	–
SALOP	–	10	3	–	7	–
Boroughs and Urban Districts :—						
Bridgnorth ...	–	1	–	–	–	–
Dawley ...	–	–	1	–	–	–
Ludlow ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	–	–	6	–
†WENLOCK ...	–	1	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	5	–	–	–	–
ELLESMERE ...	–	–	–	–	1	–
LUDLOW ...	–	–	1	–	–	–
SOMERSET ...	–	13	13	–	29	G. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	2	6	–	2	–
†BRIDGWATER ...	–	–	–	–	4	–
†FROME	–	1	–	–	–	–
GLASTONBURY	*	*	*	*	*	*
MIDSOMER NORTON	–	1	1	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
†TAUNTON ...	–	–	2	–	–	–
†WESTON-SUPER-MARE	–	1	1	–	–	G. 1
†YEOVIL... ...	–	–	–	–	4	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
BATH	–	3	–	–	–	–
BRIDGWATER ...	–	–	–	–	–	G. 1
CHARD	–	1	–	–	–	–
LONG ASHTON ...	–	1	2	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	2	–	–	7	–
WELLS	–	–	–	–	3	–
WILLITON ...	–	–	–	–	1	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	3	–
SOUTHAMPTON...	–	61	26	1	7	C. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ALTON	–	–	1	–	–	–
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	–	–	–	1	–
CHRISTCHURCH...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FAREHAM ...	–	2	–	–	–	–
†FARNBOROUGH...	–	–	1	–	–	–
†GOSPORT and ALVERSTOKE	–	3	5	–	2	–
PETERSFIELD ...	–	3	–	–	–	–
†PORTSMOUTH C.B.	–	35	9	–	1	–
†SOUTHAMPTON C.B.	–	5	4	–	1	C. 1
†WINCHESTER ...	–	5	3	–	2	–
Rural Districts:—						
ALRESFORD ...	*	*	*	*	*	*
ANDOVER ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FORDINGBRIDGE	–	–	1	–	–	–
HAVANT... ...	*	*	*	*	*	*
HURSLEY ...	–	–	–	1	–	–
STOCKBRIDGE ...	*	*	*	*	*	*
WHITCHURCH ...	–	–	1	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	–	57	25	–	69	C. 3 L. 1 M. 17
Boroughs and Urban Districts:—						
†AUDLEY... ...	–	1	–	–	–	M. 1
†BILSTON ...	–	–	–	–	1	–
†BROWNHILLS ...	–	3	1	–	3	–
†BURTON-UPON-TRENT C.B.	–	3	2	–	–	M. 1
†CANNOCK ...	–	–	–	–	–	M. 1
†COSELEY ...	–	1	1	–	–	–
†DARLASTON ...	–	2	–	–	–	–
†HEATH TOWN ...	–	2	–	–	–	–
KIDSGROVE ...	–	–	1	–	3	–
†NEWCASTLE-UNDER-LYME	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
QUARRY BANK	–	–	1	–	2	–
†ROWLEY REGIS	–	1	–	–	5	C. 1 L. 1
†SMALLTHORNE ...	–	1	1	–	–	–
†SMETHWICK C.B.	–	2	5	–	3	C. 1 M. 1
†STAFFORD ...	–	1	–	–	1	–
†STOKE-ON-TRENT C.B.	–	9	2	–	34	M. 5
TAMWORTH ...	–	3	–	–	1	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	4	–	–	–	–
†WALSALL C.B....	–	3	–	–	9	–
†WEDNESBURY ...	–	3	–	–	–	M. 2
†WEST BROMWICH C.B.	–	8	5	–	1	C. 1
†WILLENHALL ...	–	–	1	–	1	–
†WOLSTANTON UNITED	–	–	1	–	1	–
†WOLVERHAMPTON C.B.	–	7	–	–	–	M. 3
Rural Districts:—						
CANNOCK ...	–	–	2	–	1	–
CHEADLE ...	–	2	–	–	2	M. 2
LICHFIELD ...	–	–	–	–	–	M. 1
SEISDON ...	–	1	–	–	–	–
SUFFOLK, EAST	–	11	10	–	7	–
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	2	–	–	–
†IPSWICH C.B. ...	–	2	2	–	1	–
†LOWESTOFT ...	–	4	4	–	1	–
WOODBRIDGE ...	–	–	–	–	2	–
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
HARTISMERE ...	–	1	–	–	–	–
PLOMESGATE ...	–	4	–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
SAMFORD ...	–	–	2	–	1	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	2	–	–	–	–
NEWMARKET ...	–	–	2	–	–	–
SURREY	–	59	35	4	21	C. 1 G. 1 L. 2 M. 3
Boroughs and Urban Districts:—						
†BARNES ...	–	2	–	–	4	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	2	3	–	2	–
†CHERTSEY ...	–	2	1	–	–	–
†COULSDON AND PURLEY	–	1	1	2	–	–
†CROYDON C.B....	–	16	15	–	3	C. 1 G. 1
†EGHAM	–	–	1	–	1	–
†EPSOM... ...	–	–	–	2	2	L. 2
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	–	–	–	–	M. 1
†GUILDFORD ...	–	2	–	–	2	M. 1
HAM	*	*	*	*	*	*
†KINGSTON-UPON-THAMES	–	10	–	–	–	–
†MITCHAM ...	–	3	2	–	2	–
†RICHMOND ...	–	1	–	–	1	–
†SURBITON ...	–	3	–	–	–	–
†SUTTON	–	2	–	–	–	–
†THE MALDENS AND COOMBE	–	–	1	–	1	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	3	7	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	1	2	–	–	–
EPSOM	–	1	1	–	–	M. 1
FARNHAM ...	–	3	1	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	3	–	–	–	–
REIGATE ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	43	7	1	17	L. 2 M. 2
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	17	3	–	5	–
†EASTBOURNE C.B	–	3	–	1	5	–
†HASTINGS C.B....	–	2	–	–	3	M. 2
†HOVE	–	2	–	–	1	–
†LEWES	–	5	1	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
†PORTSLADE-BY-SEA	–	1	–	–	–	–
SEAFORD ...	–	1	1	–	–	–
Rural Districts:—						
CHAILEY ...	–	–	1	–	1	–
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	7	–	–	–	–
HAILSHAM ...	–	–	–	–	1	L. 2
RYE	–	–	1	–	–	–
STEYNING EAST	–	1	–	–	–	–
TICEHURST ...	–	3	–	–	–	–
SUSSEX, WEST ...	–	8	2	–	3	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	1	–	–	1	–
†HORSHAM ...	–	2	–	–	–	–
SHOREHAM-BY SEA	–	–	–	–	1	–
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	3	2	–	1	–
Rural Districts:—						
WESTBOURNE ...	–	1	–	–	–	–
WARWICK ...	–	81	38	–	72	C. 1 D. 2 G. 3 L. 1 M. 12
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	58	26	–	44	D. 2 G. 3 L. 1 M. 12
†COVENTRY C.B.	–	3	1	–	3	–
†NUNEATON ...	–	5	2	–	3	–
†ROYAL LEAMINGTON SPA	–	1	1	–	2	–
†RUGBY	–	2	2	–	3	–
STRATFORD-UPON-AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	2	–
Rural Districts:—						
ATHERSTONE ...	–	3	1	–	1	–
FOLESHILL ...	–	2	–	–	2	–
MERIDEN ...	–	–	–	–	2	–
RUGBY ...	–	1	–	–	2	–
SOLIHULL ...	–	–	–	–	7	–
SOUTHAM ...	–	–	2	–	–	C. 1
TAMWORTH (part)	–	5	3	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND	–	3	–	–	3	D. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	–	D. 1
WEST WARD ...	–	3	–	–	2	–
ISLE OF WIGHT	–	5	–	–	4	–
Boroughs and Urban Districts:—						
COWES	–	–	–	–	2	–
EAST COWES ...	–	–	–	–	2	–
†NEWPORT ...	–	2	–	–	–	–
ST. HELENS ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	15	10	1	15	–
Boroughs and Urban Districts:—						
MARLBOROUGH...	–	–	–	–	1	–
†SALISBURY ...	–	–	2	–	1	–
†SWINDON ...	–	11	5	–	7	–
Rural Districts:—						
AMESBURY ...	–	2	–	–	–	–
BRADFORD-ON-AVON	–	–	1	1	–	–
CHIPPENHAM ...	–	–	2	–	–	–
DEVIZES ...	–	2	–	–	–	–
MARLBOROUGH	–	–	–	–	1	–
PEWSEY ...	–	–	–	–	3	–
WESTBURY AND WHORWELLSDOWN	–	–	–	–	1	–
WILTON ...	–	–	–	–	1	–
WORCESTER ...	–	24	4	–	18	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†DUDLEY C.B. ...	–	2	1	–	–	–
EVESHAM ...	–	–	1	–	2	–
†KIDDERMINSTER	–	8	–	–	1	–
†MALVERN ...	–	–	–	–	1	–
†OLDBURY ...	–	2	–	–	–	–
†REDDITCH ...	–	2	–	–	–	–
†STOURBRIDGE	–	3	–	–	2	–
†WORCESTER C.B.	–	1	1	–	3	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	3	–
DROITWICH ...	–	3	–	–	1	–
HALESOWEN ...	–	2	–	–	2	M. 1
PERSHORE ...	–	–	1	–	1	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
WINCHCOMB (part)	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	12	16	–	5	–
Boroughs and Urban Districts:—						
HEDON	–	–	–	–	1	–
HESSLE ...	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	5	13	–	3	–
†YORK C.B. ...	–	6	–	–	–	–
Rural Districts:—						
HOWDEN ...	–	–	1	–	–	–
NORTON ...	–	1	1	–	–	–
RICCALL ...	*	*	*	*	*	*
SHERBURN ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	–	10	7	1	10	–
Boroughs and Urban Districts:—						
†ESTON	–	3	3	–	–	–
KIRKLINGTON-CUM-UPSLAND	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIDDLESBROUGH C.B.	–	–	1	–	5	–
†SCARBOROUGH ...	–	3	–	–	–	–
†THORNABY-ON-TEES	–	1	1	–	–	–
Rural Districts:—						
FLAXTON ...	–	1	–	1	–	–
KIRKBY MOORSIDE	–	–	1	–	–	–
LEYBURN ...	–	–	–	–	3	–
NORTHALLERTON	–	–	–	–	2	–
RICHMOND ...	–	–	1	–	–	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding).	1	198	77	9	121	C. 6 D. 1 E. 2 G. 1 L. 1 M. 13
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	–	M. 1
ALTOFTS ...	–	1	2	–	–	–
ARDSLEY, EAST AND WEST	–	1	1	–	–	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	3	3	–	4	–
†BATLEY... ...	–	–	–	1	–	–
†BINGLEY ...	–	–	–	–	2	–
†BOLTON-UPON-DEARNE	–	–	–	2	–	–
†BRADFORD C.B.	–	31	4	–	10	D. 1
†BRIGHOUSE ...	–	1	–	–	1	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	–	1	–	–	M. 1
CUDWORTH ...	–	–	1	–	1	–
DENHOLME ...	–	–	1	–	–	–
†DEWSBURY C.B.	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	1	–	1	–
EARBY	–	–	1	–	–	–
†ELLAND ...	–	3	–	–	1	–
†FEATHERSTONE	–	–	–	–	–	M. 1
GILDERSOME ...	–	–	1	–	–	–
†GOLCAR ...	–	–	1	–	–	–
†GOOLE	–	2	–	–	–	–
GREASBROUGH ...	–	1	–	–	–	–
GREETLAND ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	8	2	–	1	–
†HARROGATE ...	–	1	–	–	3	–
HEBDEN BRIDGE	–	–	–	–	1	–
†HEMSWORTH ...	–	1	–	–	3	–
HIPPERHOLME...	–	2	–	–	–	–
†HOLMFIRTH ...	–	–	2	–	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	2	–	2	–
†HUDDERSFIELD C.B.	–	2	3	–	5	E. 1
ILKLEY	–	3	1	–	–	–
†KEIGHLEY ...	–	–	1	–	1	–
†LEEDS C.B. ...	–	41	13	–	15	C. 2 M. 1
LINTHWAITE ...	1	–	–	–	–	–
†MORLEY ...	–	–	2	–	1	–
MYTHOLMROYD...	–	4	–	–	–	–
†NORMANTON ...	–	2	3	–	1	–
OTLEY	–	2	–	–	–	–
†PUDSEY... ...	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	2	2	M. 1
†ROTHERHAM C.B.	–	7	2	–	5	G. 1
†ROTHWELL ...	–	6	–	–	–	–
†SADDLEWORTH	–	1	–	–	–	–
†SHEFFIELD C.B.	–	18	14	2	43	C. 4 E. 1 L. 1 M. 4
SHELLEY ...	–	–	–	–	1	–
†SHIPLEY ...	–	4	–	–	–	–
†SPENBOROUGH ...	–	2	4	–	–	–
SPRINGHEAD ...	–	2	–	–	–	–
†STANLEY ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON ...	–	1	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	–	1	–	–	–
†WAKEFIELD C.B.	–	5	1	–	1	M. 1
WHITWOOD ...	–	2	–	–	1	–
†WOMBWELL ...	–	–	–	–	1	M. 1
†WORSBOROUGH	–	1	1	–	–	–
YEADON ...	–	1	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	1	–	1	–
GOOLE	–	–	1	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	9	–	–	3	–
KEIGHLEY ...	–	–	–	–	1	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	2	–	–	–	–
SELBY	–	–	1	–	–	–
SETTLE	–	–	1	–	–	–
TADCASTER ...	–	7	–	–	–	–
THORNE... ...	–	–	1	1	–	–
WAKEFIELD ...	–	6	–	–	–	M. 1
WETHERBY ...	–	1	–	–	1	M. 1
WHARFEDALE (SOUTH)	–	–	–	1	–	–
WORTLEY ...	–	–	–	–	2	–
WALES.						
ANGLESEY ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
Rural District:—						
VALLEY... ...	–	–	–	–	1	–
BRECKNOCK ...	–	3	–	–	6	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	1	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
BUILTH	–	–	–	–	1	–
LLANWRTHWL (Parish)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	2	–	–	–	–
YSTRADFELLTE (Parish)	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	–	–	3	–
CARDIGAN ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
LANDYSSIL ...	–	–	1	–	–	–
CARMARTHEN ...	–	11	12	–	21	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	2	–	–	1	–
BURRY PORT ...	–	–	1	–	–	–
LLANDILO ...	–	–	–	–	1	–
†LLANELLY ...	–	1	5	–	7	–
Rural Districts:—						
CARMARTHEN ...	–	5	–	–	2	–
LLANDILO FAWR	–	3	3	–	4	–
LLANELLY ...	–	–	1	–	4	–
LLANYBYTHER ...	–	–	–	–	2	–
NEWCASTLE-IN-EMLYN	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	2	5	1	2	–
Boroughs and Urban Districts :—						
Bangor ...	–	1	–	–	2	–
Bettws-y-Coed	–	–	–	1	–	–
Carnarvon ...	–	–	1	–	–	–
Conway ...	–	–	4	–	–	–
Rural Districts :—						
Gwyrfai ...	–	1	–	–	–	–
DENBIGH ...	–	5	4	1	4	C. 1
Boroughs and Urban Districts :—						
Denbigh ...	–	–	1	1	–	–
Ruthin ...	–	–	–	–	2	–
†Wrexham ...	–	2	–	–	–	–
Rural District :—						
Wrexham ...	–	3	3	–	2	C. 1
FLINT	–	2	3	–	4	–
Boroughs and Urban Districts :—						
Prestatyn ...	–	1	–	–	–	–
†Rhyl	–	–	–	–	2	–
Rural Districts :—						
Hawarden ...	–	–	1	–	2	–
Holywell (Mold Division)	–	1	1	–	–	–
St. Asaph (Flint)	–	–	1	–	–	–
GLAMORGAN ...	–	69	34	1	75	C. 1 M. 1
Boroughs and Urban Districts :—						
†Aberdare ...	–	14	1	–	6	–
†Barry	–	5	1	–	4	M. 1
Briton Ferry	–	–	2	–	1	–
†Caerphilly ...	–	2	4	–	–	–
†Cardiff C.B. ...	–	2	3	1	5	–
Cowbridge ...	–	–	–	–	1	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Gelligaer ...	–	4	4	–	2	–
†Glyncorwg ...	–	1	–	–	5	–
†Maesteg ...	–	–	–	–	2	–
†Merthyr Tydfil C.B.	–	–	1	–	2	–
†Mountain Ash	–	10	1	–	1	–
†Neath	–	–	1	–	1	–
†Ogmore and Garw	–	–	2	–	10	–
†Pontypridd ...	–	4	–	–	–	C. 1
†Port Talbot ...	–	5	2	–	1	–
†Rhondda ...	–	8	4	–	20	–
†Swansea C.B. ...	–	8	4	–	12	–
Rural Districts :—						
Llandaff and Dinas Powis	–	2	1	–	–	–
Llantrisant and Llantwit Fardre	–	1	–	–	–	–
Neath	–	1	1	–	–	–
Penybont ...	–	–	1	–	1	–
Pontardawe ...	–	1	–	–	–	–
Swansea ...	–	1	1	–	1	–
MERIONETH ...	–	1	1	–	4	C. 1
Urban Districts :—						
Bala	–	–	–	–	1	–
Festiniog ...	–	–	1	–	2	–
Rural Districts :—						
Dolgelly ...	–	1	–	–	–	–
Edeirnion ...	–	–	–	–	1	C. 1
MONMOUTH ...	–	32	17	1	20	C. 1 M. 3
Boroughs and Urban Districts :—						
†Abercarn ...	–	–	1	–	–	M. 1
†Abersychan ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†Abertillery ...	–	2	2	–	–	M. 1
Bedwas and Machen	–	–	–	–	–	M. 1
†Bedwellty ...	–	1	2	–	–	–
†Blaenavon ...	*	*	*	*	*	*
Chepstow ...	–	–	1	–	–	–
†Ebbw Vale ...	–	9	2	–	–	–
†Nantyglo and Blaina	–	–	–	–	8	–
†Newport C.B....	–	11	1	1	2	C. 1
†Panteg... ...	–	3	–	–	–	–
†Rhymney ...	–	3	–	–	6	–
†Risca	–	–	1	–	–	–
†Tredegar ...	–	–	5	–	4	–
Rural Districts:—						
Magor	–	–	1	–	–	–
Saint Mellons	–	1	1	–	–	–
MONTGOMERY ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
Welshpool ...	–	–	–	–	1	–
MONTGOMERY—*cont.*						
Rural Districts:—						
Forden... ...	–	1	–	–	1	–
Llanfyllin ...	–	–	1	–	–	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
Fishguard ...	*	*	*	*	*	*
†Pembroke ...	*	*	*	*	*	*
RADNOR	–	–	–	–	2	–
Rural Districts:—						
Knighton ...	–	–	–	–	2	–
Rhayader ...	*	*	*	*	*	*
Total of Part II.	16	1750	895	41	1309	C. 30 D. 11 E. 2 G. 8 L. 23 M. 108

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff ...	–	–	1	–	–	–
Southampton ...	–	–	–	–	1	–
Port of London	–	1	2	–	–	–
Total of Part III.	–	1	3	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	380	331	4	187	C. 3 D. 2 G. 4 M. 24
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	16	1750	895	41	1309	C. 30 D. 11 E. 2 G. 8 L. 23 M. 108
Total of Part III.—Port Sanitary Districts ...	–	1	3	–	1	–
Total (*i.e.*, of returns received), England and Wales	16	2131	1229	45	1497	C. 33 D. 13 E. 2 G. 12 L. 23 M. 132

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Sixteen cases of Small-pox were notified, which appear on pages 240, 244, and 252.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.
LONDON:—													
DEATHS—all ages	1,383	1,279	1,395	1,606	2,170	2,726	2,481	2,022	1662	1,418	1,636	1,472	1,398
„ 0 to 1 year	135	125	142	169	182	224	264	219	192	186	181	183	180
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	*8,184*	*7,899*	*7,572*	*6,548*	8,969	8,853	8,096	8,131	8,822	8,908	8,240	8,573	8,200
					8,786	*8,675*	*7,908*	*7,958*	*8,595*	*8,729*	*8,055*	*8,397*	*8,034*
DEATHS—all ages	*5,373*	*5,108*	*5,212*	*5,658*	6,922	8,085	8,638	8,353	7,786	6,784	7,192	6,376	5,669
					6,800	*7,928*	*8,482*	*8,178*	*7,636*	*6,648*	*7,046*	*6,231*	*5,546*
„ *0 to 1 year*	*623*	*641*	*661*	*699*	793	860	1,016	1,024	972	862	933	844	781
					781	*842*	*1,001*	*1,011*	*961*	*854*	*915*	*828*	*767*
ENTERIC FEVER—Cases	*28*	*22*	*27*	*13*	19	22	11	17	29	17	12	17	21
					19	*20*	*9*	*17*	*28*	*17*	*11*	*17*	*21*
„ Deaths	*6*	*5*	*6*	*4*	8	7	9	2	2	5	2	1	3
					7	*7*	*9*	*2*	*2*	*5*	*2*	*1*	*3*
SMALL POX—Cases	*2*	*6*	*12*	*2*	4	5	—	1	3	1	—	1	8
					4	*5*	—	*1*	*3*	*1*	—	*1*	*8*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,389*	*2,430*	*2,166*	*1,895*	1816	1,767	1,672	1,521	1,541	1,429	1,423	1,373	1,314
					1798	*1,738*	*1,645*	*1,502*	*1,527*	*1,409*	*1,390*	*1,347*	*1,299*
„ Deaths	*25*	*33*	*17*	*26*	35	38	36	21	27	22	28	18	26
					34	*38*	*36*	*21*	*27*	*22*	*27*	*17*	*26*
DIPHTHERIA—Cases	*936*	*1,098*	*985*	*906*	858	863	889	787	822	807	782	832	785
					831	*846*	*868*	*770*	*803*	*794*	*770*	*811*	*769*
„ Deaths	*58*	*70*	*79*	*92*	72	93	100	75	80	75	59	58	73
					71	*92*	*99*	*74*	*80*	*73*	*58*	*57*	*73*
MEASLES—Deaths	*31*	*50*	*47*	*68*	69	61	82	60	61	44	61	83	86
					69	*61*	*82*	*60*	*61*	*43*	*61*	*83*	*85*
INFLUENZA—Deaths	*149*	*212*	*237*	*418*	819	1,262	1,433	1,451	1,144	759	670	525	306
					807	*1,240*	*1,404*	*1,420*	*1,121*	*749*	*655*	*511*	*296*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th March 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	58	39	54·4	44·0	18
BRIGHTON	51	43	50·0	46·0	30
PORTSMOUTH	54	42	52·6	45·3	35
NORWICH (EATON).	59	35	52·9	41·4	17
PLYMOUTH	54	40	52·6	44·6	50
BRISTOL (CLIFTON).	57	39	52·0	41·6	74
BIRMINGHAM	55	35	50·3	38·4	35
NOTTINGHAM	58	37	51·7	40·3	25
BIRKENHEAD (BIDSTON).	54	36	49·9	40·4	17
MANCHESTER	56	36	50·1	39·9	45
BURNLEY	53	35	48·4	38·4	42
HUDDERSFIELD	57	35	49·9	39·0	35

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	53	35	48·6	38·7	34
SHEFFIELD	57	35	50·0	38·6	42
YORK (MUSEUM).	56	36	50·3	38·6	23
HULL (PEARSON PARK).	58	36	51·1	38·7	40
TYNEMOUTH	55	35	49·9	39·4	14
CARDIFF	54	37	51·1	41·4	83
EDINBURGH	54·0	34·0	48·6	36·9	19
GLASGOW	51·2	36·6	48·3	39·0	17
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†	55·2	37·1	50·8	41·2	8
BELFAST	55·0	30·8	53·0	39·0	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th March 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	26	Apogee. New.	29·557	53·5	45·4	8·1	49·1	+ 8·9	45·1	4·0	8·2	2·7	86	68·0	38·4	43·2	SW.	SSW. & SW.	7·1	0·0	0·7	474	+144	0·14
MONDAY	27	..	29·688	54·1	41·6	12·5	47·7	+ 7·4	39·5	8·2	13·0	3·9	73	101·1	35·0	43·5	SW.	SW. & SSW.	8·2	0·0	0·6	487	+153	0·01
TUESDAY	28	In Equator.	29·615	54·8	45·1	9·7	49·2	+ 8·9	39·0	10·2	16·3	0·4	58	97·0	39·4	43·7	SSW. & WSW.	SW. & S.	7·4	0·0	0·8	549	+212	0·19
MARCH. WEDNESDAY	1	..	29·343	53·4	40·7	12·7	46·5	+ 6·1	41·6	4·9	10·5	1·5	83	99·4	34·8	44·0	SW. WSW. & SSW.	SSW. & WNW.	13·2	0·0	1·3	589	+248	0·10
THURSDAY	2	..	29·961	49·8	39·4	10·4	44·2	+ 3·8	34·4	9·8	14·7	3·1	69	92·0	30·1	43·9	WSW. & W.	WNW. & SW.	3·9	0·0	0·3	373	+ 31	0·00
FRIDAY	3	..	29·860	57·9	42·8	15·1	51·4	+10·9	49·4	2·0	7·2	1·2	93	84·0	35·2	44·2	SSW. & SW.	SW.	3·5	0·0	0·5	428	+ 86	0·10
SATURDAY	4	..	29·797	54·4	42·8	11·6	47·4	+ 6·7	44·2	3·2	8·5	2·4	88	93·5	35·0	44·3	SW. & WSW.	WSW. & SW.	4·4	0·0	0·5	425	+ 81	0·17
MEANS		..	29·689	54·0	42·5	11·4	47·9	+ 7·5	41·9	6·0	11·2	2·2	80	90·7	35·4	43·8	SW.		...	...	...	Sum 3,325	Sum +955	Sum 0·71
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	26	w.P. throughout	0·3	10·6	Cloudy to overcast generally till 18h. 30m., becoming nearly cloudless by 21h. Frequent rain between 11h. 30m. and 16h. 30m. Brisk wind 9h. to 19h. Dew in morning.
MONDAY -	27	w.P. till 9h., s.P. generally till 15h., m.P. afterwards.	7·6	10·7	Nearly cloudless till 10h., with cloudy interval 2h. to 4h. Partially cloudy till 14h., then nearly overcast with cloudy intervals. Rain about 15h., and damping at times. Brisk wind from 11h.
TUESDAY -	28	m.P. generally, s.P. from noon to 16h.	6·3	10·8	Overcast till 6h., variably cloudy till noon. Nearly overcast soon afterwards. Solar halo in afternoon. Brisk wind till 17h. Rain from 21h. 30m.
MARCH. WEDNESDAY	1	w.P. generally	1·6	10·8	Overcast generally, with cloudy intervals, clearing after 23h. Brisk wind before 7h. and after noon. Frequent rain between 9h. 30m. and 21h. 30m., with squall 15h. 30m.
THURSDAY -	2	v.P. generally, s.P. 12h. to 18h.	6·0	10·9	Little cloud generally in forenoon, but mainly overcast at times. Cloudy generally from noon to 18h. 30m. Nearly cloudless till 23h., then becoming overcast.
FRIDAY -	3	w.P. throughout	0·0	11·0	Overcast, with extremely slight exceptions. Rain 2h. to 7h., and from about 21h. Slight damping at times through the day.
SATURDAY -	4	w.P. throughout	0·7	11·0	Overcast, with few exceptions, till 15h. 30m., becoming cloudless generally by 16h. 30m., clouding up after 23h. Brisk wind in early morning. Frequent rain or damping from 3h. to 15h. 30m.
			Sum 22·5	Sum 75·8	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·71 in. at the beginning of the week to 29·45 in. by 17h. on February 26th; increased to 29·73 in. by noon on February 27th; decreased to 29·33 in. by 14h. on February 28th; increased to 29·68 in. by 18h. on the same day; decreased to 29·32 in by 3h. on March 1st; increased to 29·43 in. by 9h. and decreased to 29·26 in. by 18h. on the same day; increased to 30·06 by 19h. on March 2nd; decreased to 29·76 in. by 9h. on March 4th; increased to 29·90 in. by 23h., and was 29·88 in. at midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 10.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 11TH MARCH, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH MARCH, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the tenth week of the year numbered 8,357, and corresponded to an annual rate of 23·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4.956 and corresponded to an annual rate of 13·7 per 1,000 of their aggregate civilian population, which is provisionally estimated at 18,852,688 in the year 1921. In the preceding three weeks the rates had been 19·9, 17·6 and 15·7. Infant mortality was 85 per 1,000 births against 113, 98 and 95 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,942 births, corresponding to a rate of 22·6 per 1,000, and 1,239 deaths of civilians, corresponding to a rate of 14·4, as against 19·1, 17·1, and 16·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 16·7 per 1,000. The infant mortality was 91 as against 94, 90, and 99 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 713 in the total deaths last week, the deaths from influenza showing a fall of 105. In London the number of deaths from all causes fell from 1,398 to 1,239; there was a decrease of 19 in the deaths from influenza, of 52 from bronchitis, and of 26 from pneumonia.

---

m (45)17202—2 Wt 30—P 19 2250 3/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 11th March 1922.

Towns.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	18,852,688*	8,357	4,956	713	6	89	25	107	74	49	201
London	4,476,586*	1,942	1,239	177	1	50	5	38	38	12	30
Towns in Outer Ring.											
Croydon C.B.	190,877	70	36	1	–	–	–	–	3	–	1
Wimbledon	61,451	15	6	–	–	–	–	–	1	–	–
Ealing	67,753	21	17	1	–	–	–	–	–	–	–
Acton	61,314	22	12	–	–	–	–	–	–	–	–
Willesden	165,669	59	46	1	–	–	–	2	3	–	5
Hendon	56,014	16	7	–	–	–	–	–	–	–	–
Hornsey	87,691	30	20	1	–	–	–	–	–	–	2
Wood Green	50,716	14	15	1	–	–	–	–	–	–	1
Tottenham	146,695	43	40	7	–	–	–	–	4	–	–
Edmonton	66,809	35	18	2	–	–	–	1	–	–	–
Enfield	60,743	28	9	–	–	–	–	–	1	–	–
West Ham C.B.	300,905	164	98	21	–	11	–	5	1	–	4
East Ham C.B.	143,304	59	39	6	–	–	1	1	–	–	–
Leyton	128,432	44	30	2	–	2	–	2	–	–	1
Walthamstow	127,441	61	27	5	–	4	–	1	–	–	1
Ilford	85,191	22	7	1	–	–	–	–	–	–	–
Gillingham	47,887*	23	6	3	–	–	–	–	–	–	–
Canterbury C.B.	23,331*	18	9	–	–	–	–	–	–	–	–
Hastings C.B.	66,496	19	18	–	–	–	–	–	1	–	–
Eastbourne C.B.	62,030	11	10	–	1	–	–	–	–	–	1
Brighton C.B.	142,427	57	36	2	–	–	–	–	–	–	1
Portsmouth C.B.	234,218*	103	56	8	–	–	–	1	1	1	3
Bournemouth C.B.	91,770	23	28	14	–	–	–	–	–	–	–
Southampton C.B.	160,997	60	40	7	–	–	–	1	–	1	2
Reading C.B.	92,274	38	18	2	–	–	1	–	–	–	1
Oxford C.B.	57,052	23	16	2	–	–	–	–	–	–	1
Northampton C.B.	90,923	37	16	4	–	–	–	–	–	–	–
Luton	57,077	30	11	3	–	–	–	1	–	1	1
Cambridge	59,262	16	12	2	–	–	–	–	1	–	–
Southend-on-Sea C.B.	106,021	36	20	–	–	–	–	–	–	–	–
Ipswich C.B.	79,383	32	26	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	60,710	28	17	2	–	–	–	–	–	–	–
Norwich C.B.	120,653	44	32	6	–	–	–	1	–	–	2
Swindon	54,920	31	11	2	–	–	–	–	–	–	–
Exeter C.B.	59,608	21	13	1	–	–	–	–	–	–	1
Plymouth C.B.	198,132*	89	53	5	1	–	–	–	–	–	3
Bath C.B.	68,648	33	21	1	–	–	–	–	–	–	4
Bristol C.B.	377,061	157	89	12	–	3	1	–	1	–	5
Gloucester C.B.	51,330	23	12	2	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	240,440	134	89	19	1	–	3	–	–	1	3
Burton-upon-Trent C.B.	48,927	16	9	2	–	–	–	–	–	1	–
Wolverhampton C.B.	102,373	55	33	11	–	–	1	1	–	1	3
Walsall C.B.	96,964	42	22	3	–	–	–	–	–	–	1
West Bromwich C.B.	73,761	38	18	1	–	–	–	1	3	–	–
Worcester C.B.	48,848	21	17	3	–	–	–	–	–	–	–
Dudley C.B.	55,908	32	18	2	–	–	–	–	–	–	1
Birmingham C.B.	919,438	399	224	33	1	1	–	17	3	3	13
Smethwick C.B.	75,757	38	9	–	–	–	–	–	–	–	–
Coventry C.B.	128,205	66	30	2	–	–	–	–	–	–	1
Leicester C.B.	234,190	76	46	6	–	–	–	–	1	–	1
Lincoln C.B.	66,020	22	8	–	–	–	–	1	–	–	–
Grimsby C.B.	82,329	44	17	–	–	–	–	–	–	–	–
Nottingham C.B.	262,658	125	58	8	–	–	–	–	–	–	1
Derby C.B.	129,836	56	21	1	–	–	–	–	–	–	1
Chesterfield	61,236	36	13	3	–	–	–	–	1	–	–
Stockport C.B.	123,315	50	51	4	–	–	–	2	1	1	3
Chester C.B.	40,794	17	12	3	–	1	–	–	–	–	–
Birkenhead C.B.	145,592	76	41	9	–	2	–	1	–	–	6
Wallasey C.B.	90,721	38	23	2	–	1	–	–	–	1	2
Liverpool C.B.	803,118	440	260	47	–	4	3	10	–	4	10
Bootle C.B.	76,508	38	26	5	–	–	–	2	–	1	2
St. Helens C.B.	102,675	72	31	11	–	1	–	–	–	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Enumerated Population, June 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	76,644	26	24	–	–	–	1	–	–	–	1
Wigan C.B.	89,447	48	32	3	–	2	–	–	–	–	3
Warrington C.B.	76,811	34	22	3	–	–	–	–	–	1	2
Bolton C.B.	178,678	59	51	5	–	–	–	–	–	–	3
Bury C.B.	56,426	16	8	1	–	–	–	–	–	–	–
Manchester C.B.	730,551	332	216	36	–	–	4	–	2	3	7
Salford C.B.	234,150	125	52	10	1	1	1	–	–	1	2
Oldham C.B.	145,001	69	59	10	–	–	–	–	1	–	6
Rochdale C.B.	90,807	23	30	4	–	1	–	1	–	–	–
Burnley C.B.	103,175	36	33	2	–	–	–	–	1	–	3
Blackburn C.B.	126,630	49	37	3	–	–	–	–	–	1	3
Preston C.B.	117,426	43	42	3	–	–	–	–	–	–	3
Blackpool C.B.	99,640	20	30	2	–	–	–	–	–	–	2
Barrow-in-Furness C.B.	74,254	35	20	2	–	–	–	2	–	1	1
Huddersfield C.B.	110,120	33	31	3	–	–	–	1	–	–	1
Halifax C.B.	99,129	43	19	4	–	–	–	1	–	–	1
Bradford C.B.	285,979	109	70	5	–	–	1	1	–	–	1
Leeds C.B.	458,320	184	126	19	–	–	1	6	1	1	3
Dewsbury C.B.	54,165	22	16	3	–	–	–	–	–	–	1
Wakefield C.B.‡	53,053	20	6	–	–	–	–	–	–	–	–
Barnsley C.B.‡	67,918	38	17	–	–	–	–	–	–	–	3
Sheffield C.B.‡	511,748	238	110	17	–	5	1	–	2	2	1
Rotherham C.B.	68,045	31	14	1	–	–	–	–	–	–	–
Doncaster	54,052	25	13	1	–	–	–	–	–	–	2
York C.B.	82,606*	34	11	–	–	–	–	–	–	–	1
Hull C.B.	287,013	145	87	12	–	–	–	1	1	–	2
Middlesbrough C.B.	131,103	74	33	5	–	–	–	–	–	–	3
Darlington C.B.	65,866	28	13	1	–	–	–	–	–	–	2
Stockton-on-Tees	64,150	32	15	3	–	–	–	2	–	–	–
West Hartlepool C.B.	68,689	41	19	6	–	–	–	1	–	–	1
Sunderland C.B.	159,100	99	46	7	–	–	–	–	–	–	–
South Shields C.B.‡	118,631	67	28	9	–	–	–	–	–	–	4
Gateshead C.B.	124,514	53	31	12	–	–	–	–	–	1	–
Newcastle-on-Tyne C.B.	274,955	154	82	20	–	–	1	1	1	5	1
Tynemouth C.B.	63,786	30	17	6	–	–	–	–	–	–	1
Carlisle C.B.	52,600	24	12	3	–	–	–	–	1	–	3
Newport (Mon.) C.B.	92,369	46	29	3	–	–	–	1	–	–	3
Cardiff C.B.	200,262	97	42	7	–	–	–	–	–	–	3
Rhondda	162,729	97	37	4	–	–	–	–	–	–	4
Merthyr Tydfil C.B.	80,161	36	18	2	–	–	–	–	–	–	–
Aberdare	55,010	22	16	4	–	–	–	–	–	2	3
Swansea C.B.	157,561	92	30	4	–	–	–	–	–	2	2
Greater London	7,467,946*	3,058	1,913	247	1	69	9	53	55	16	54
Outer Ring	2,991,360*	1,116	674	70	–	19	4	15	17	4	24
16 Great Towns in Outer Ring	1,801,005	703	427	49	–	17	1	12	13	–	15
Remainder of Outer Ring	1,190,355*	413	247	21	–	2	3	3	4	4	9
Edinburgh†	420,500	157	136	23	–	1	–	4	1	3	5
Glasgow†	1,037,800	623	345	66	–	44	4	2	3	3	5
Dublin (Registration Area)†	427,000	212	173	47	–	11	–	–	1	4	4
Belfast†	425,000	199	141	22	–	1	–	4	–	3	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE** and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
LONDON‡	4,476,586	Mar. 11	1942	1239	14·4	1	–	50	5	38	38	12	30
CALCUTTA	896,067	Feb. 11	–	578§	33·1	?	20	–	–	–	–	–	14
BOMBAY	1,175,914	„ 4	430	835§	36·9	–	–	–	–	1	1	56	12
		„ 11	442	834§	36·9	1	1	1	–	–	–	72	15
MADRAS	522,951	„ 11	346	488	48·5	1	32	5	?	1	–	45	–
JOHANNESBURG	149,500	Jan. 21	80	40	13·9	1	–	–	–	–	–	6	–
DURBAN	48,000	„ 7	26	7	7·6	–	?	–	?	?	–	3	–
		„ 14	40	22	23·9	–	?	–	?	?	–	1	1
		„ 21	31	26	28·2	–	?	–	?	?	–	2	1
PARIS	2,906,472	Feb. 10 (10 days).	1314	1361	17·1	2	–	2	1	3	2	19	65
BRUSSELS	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	340,852	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
AMSTERDAM	683,605	Feb. 25	272	163	12·4	–	–	–	–	2	3	1	9
COPENHAGEN	562,000	Mar. 4	242	159	14·7	–	–	–	1	–	–	–	12
STOCKHOLM	419,788	Feb. 25	116	132	16·4	–	–	–	–	1	–	–	10
GOTHENBURG	228,052	„ 25	–	72	16·4	1	–	1	–	2	–	–	7
CHRISTIANIA	260,920	Mar. 4	96	59	11·8	–	–	–	–	2	–	–	1
BERLIN	1,955,000	Feb. 11	511	796	21·2	–	?	3	3	–	2	11	49
BRESLAU	550,000	„ 11	221	183	17·3	–	?	–	2	1	2	8	9
COLOGNE	672,000	„ 11	321	203	15·7	–	?	–	–	4	1	4	12
DRESDEN	601,000	„ 11	223	162	14·0	–	?	–	–	1	–	2	10
FRANKFORT-ON-MAIN	473,000	„ 11	158	88	9·7	–	?	–	–	1	1	1	8
HAMBURG	1,039,000	„ 11	239	327	16·4	–	?	1	1	3	3	3	10
LEIPZIG	632,000	„ 11	246	194	16·0	–	?	2	–	–	4	5	13
MUNICH	675,000	„ 11	216	156	12·9	–	?	1	–	1	1	5	5
VIENNA	1,842,005	Jan. 14	–	–	–	–	–	–	–	–	–	–	–
PRAGUE AND SUBURBS	676,454	Feb. 11	239	265	20·3	–	–	2	2	–	–	10	4
BUDAPEST	933,000	Dec. 10	348	424	23·6	5	?	–	16	5	3	24	3
		„ 17	366	402	22·4	2	?	4	13	4	2	14	2
		„ 24	407	420	23·4	6	?	15	16	3	8	19	3
		„ 31	374	412	23·0	2	?	9	10	10	3	20	10
CAIRO	765,200	„ 23	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA	449,300	„ 23	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	5,839,738	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,838,288	Feb. 18	–	653	12·0	–	1	–	7	–	10	24	9
RIO DE JANEIRO	1,186,871	„ 25	–	731	13·5	–	2	4	2	1	16	22	22
		Jan. 21	624	416	18·3	6	–	5	–	5	2	–	11
MONTEVIDEO	356,301	Dec. 3	207	139	18·4	1	–	–	1	1	–	7	1
		„ 10	214	160	18·9	–	–	–	–	1	–	11	–
		„ 17	177	157	19·3	–	–	–	–	–	1	21	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *Plague* in Calcutta, 13 and 14 in Bombay, and from *Asiatic cholera*, 15 in Calcutta, 1 in Bombay.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th March, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1239	177	96	57	53	47	59	72	95	161	213	209
Enteric fever	1	–	–	–	–	–	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	50	14	21	11	4	–	–	–	–	–	–	–
Scarlet fever	5	–	–	3	–	–	2	–	–	–	–	–
Whooping cough	38	13	18	7	–	–	–	–	–	–	–	–
Diphtheria	38	5	6	12	15	–	–	–	–	–	–	–
Influenza	30	1	1	1	1	3	1	2	6	3	5	6
Erysipelas	2	–	–	–	–	–	1	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	3	2	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	86	2	–	1	2	18	20	16	11	11	4	1
Tuberculous meningitis	8	1	4	1	2	–	–	–	–	–	–	–
Abdominal tuberculosis	5	–	1	2	1	–	–	–	–	–	1	–
Other tubercle	10	1	2	1	3	2	–	–	–	1	–	–
Venereal diseases	4	1	–	–	–	–	1	2	–	–	–	–
Cancer	103	–	–	–	–	–	2	5	17	37	27	15
Rheumatic fever	2	–	–	–	1	–	1	–	–	–	–	–
Diabetes	7	–	–	–	–	1	–	–	1	4	1	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	–	1	–	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	49	–	–	–	–	–	–	1	5	10	13	20
Epilepsy	9	–	–	1	–	1	1	1	–	1	2	2
"Convulsions" (not puerperal)	10	9	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	26	–	–	–	1	2	2	2	4	3	9	3
Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	1	–	–	2	–	–	–	–
Other diseases of heart	148	–	–	–	3	8	10	12	17	32	39	27
Other dis. of circulatory system	54	–	–	–	–	–	1	–	3	8	19	23
Bronchitis	99	9	3	–	–	–	–	1	4	8	29	45
Broncho-pneumonia	80	35	24	4	1	–	1	–	–	5	8	2
Lobar pneumonia	23	3	2	1	2	2	–	3	1	3	6	–
Pneumonia (type not distinguished)	28	2	3	–	–	–	4	3	2	5	5	4
Other diseases of respiratory system	17	1	1	2	1	–	–	1	2	3	1	5
Diarrhœa and enteritis	13	10	2	–	–	–	–	1	–	–	–	–
Appendicitis and typhlitis	5	–	–	–	1	2	1	–	–	–	1	–
Hernia, Intestinal obstruction	9	2	–	–	–	–	–	–	–	3	2	2
Cirrhosis of liver	4	–	–	–	–	–	–	–	1	1	1	1
Other diseases of digestive system	27	3	–	–	4	–	1	4	4	5	5	1
Acute nephritis	4	–	1	–	2	–	–	–	1	–	–	–
Chronic Bright's disease	27	–	–	–	–	1	–	1	5	5	8	7
Other diseases of genito-urinary system.	16	–	–	–	–	1	1	1	4	2	3	4
Puerperal fever, &c.	5	–	–	–	–	1	2	2	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	1	1	–	–	–	–
Congenital malformations	8	6	–	1	–	–	1	–	–	–	–	–
Premature birth	27	27	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	14	14	–	–	–	–	–	–	–	–	–	–
Old age	42	–	–	–	–	–	–	–	–	–	9	33
Suicide	8	–	–	–	–	–	3	–	2	1	1	1
Burns and scalds	7	1	3	2	–	–	–	–	–	1	–	–
Drowning	2	–	–	–	–	1	–	1	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	1	3	–	1	–	–	–	1	–
Other deaths by violence	13	–	–	2	–	–	–	2	2	1	3	3
Other specified causes	53	14	1	2	3	4	1	6	2	6	10	4
Ill-defined causes	4	–	2	1	–	–	–	1	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th March 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	15	–	11	C 1 E. 1 M. 2
†BERMONDSEY ...	–	5	10	–	2	G. 1
†BETHNAL GREEN	–	6	16	–	5	M. 1
†CAMBERWELL ...	–	28	9	–	9	C. 1 L. 2
†CHELSEA ...	–	1	1	–	1	M. 1
†DEPTFORD ...	–	7	12	–	3	D. 1
†FINSBURY ...	–	1	2	–	–	M. 2
†FULHAM ...	–	9	15	–	6	C. 1
†GREENWICH ...	–	17	17	–	3	–
†HACKNEY ...	–	10	18	–	2	–
†HAMMERSMITH	–	14	5	–	2	M. 1
†HAMPSTEAD ...	–	12	8	–	5	M. 1
†HOLBORN ...	–	1	–	–	2	–
†ISLINGTON ...	–	44	20	–	3	M. 3
†KENSINGTON ...	–	5	8	–	5	–
†LAMBETH ...	–	21	15	–	5	M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	16	11	–	3	–
†PADDINGTON ...	–	5	4	–	5	–
†POPLAR... ...	–	7	7	1	5	C. 1 M. 1
†ST. MARYLEBONE	–	8	7	–	1	M. 1
†ST. PANCRAS ...	–	6	17	–	6	–
†SHOREDITCH ...	–	9	6	–	15	C. 1 M. 2
†SOUTHWARK ...	–	15	9	–	7	C. 1 M. 1
†STEPNEY ...	–	8	19	–	6	C. 3 M. 3
†STOKE NEWINGTON	–	7	3	–	1	–
†WANDSWORTH	–	23	21	–	9	M. 1
†WESTMINSTER, CITY OF	–	4	7	–	–	–
†WOOLWICH ...	–	6	9	–	4	–
TOTAL OF PART I.	–	299	291	1	127	C. 9 D. 1 E. 1 G. 1 L. 2 M. 22

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	11	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	2	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
KEMPSTON ...	–	–	–	–	1	–
†LUTON	–	–	2	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	3	–	–	–
BEDFORD ...	–	1	–	–	1	–
LUTON	–	–	4	–	–	–
BERKS	–	11	10	–	1	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†READING C.B. ...	–	6	5	–	1	–
Rural Districts:—						
ABINGDON ...	–	–	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EAST HAMPSTEAD	–	1	–	–	–	–
NEWBURY ...	–	–	4	–	–	–
WALLINGFORD	–	2	–	–	–	–
BUCKINGHAM ...	–	4	8	–	2	G. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	2	–	–	1	G. 1
CHESHAM ...	–	2	–	–	–	–
†SLOUGH ...	–	–	2	–	–	–
Rural Districts:—						
NEWPORT PAGNELL	–	–	4	–	–	–
WYCOMBE ...	–	–	2	–	1	–
CAMBRIDGE...	–	3	9	–	4	–
Borough:—						
†CAMBRIDGE ...	–	2	3	–	–	–
CAMBRIDGE— *cont.*						
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	2	–
CHESTERTON ...	–	–	–	–	1	–
LINTON ...	–	–	1	–	–	–
NEWMARKET ...	–	1	5	–	–	–
SWAVESEY ...	–	–	–	–	1	–
CHESTER	–	59	28	1	32	C. 3 M. 4
Boroughs and Urban Districts:—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	9	4	–	15	–
BOLLINGTON ...	–	–	1	–	–	–
BOWDEN ...	–	1	–	–	–	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	3	4	–	1	C. 1
†CONGLETON ...	–	–	1	–	5	–
†CREWE	–	3	5	–	–	–
†DUKINFIELD ...	–	–	1	1	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	–	M. 1
HALE	–	2	–	–	–	–
HIGHER BEBINGTON	–	1	–	–	–	–
HOLLINGWORTH	–	2	–	–	–	–
HOOLE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
†HYDE	–	1	1	–	–	C. 1 M. 1
KNUTSFORD ...	–	1	–	–	–	–
†LOWER BEBINGTON ...	–	1	–	–	–	–
†MACCLESFIELD...	–	2	2	–	1	–
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	1	–	2	–
†SALE	–	3	–	–	–	–
†STOCKPORT, C.B.	–	5	3	–	–	C. 1 M. 1
†WALLASEY, C.B.	–	10	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...	–	–	–	–	3	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CONGLETON ...	–	1	1	–	–	–
NANTWICH ...	–	–	3	–	–	–
RUNCORN ...	–	1	–	–	–	M. 1
TARVIN	–	1	–	–	–	–
WIRRAL ...	–	3	–	–	–	–
CORNWALL ...	–	8	9	–	12	–
Boroughs and Urban Districts:—						
BODMIN ...	*	*	*	*	*	*
†CAMBORNE ...	–	1	–	–	2	–
LISKEARD ...	–	1	–	–	2	–
ST. IVES ...	–	1	–	–	–	–
†TRURO	–	–	1	–	–	–
Rural Districts:—						
BODMIN... ...	–	–	–	–	2	–
CALSTOCK ...	–	–	2	–	–	–
EAST KERRIER...	–	–	1	–	–	–
HELSTON ...	–	2	–	–	–	–
LISKEARD ...	–	–	–	–	3	–
REDRUTH ...	–	–	2	–	2	–
ST. AUSTELL ...	–	–	3	–	–	–
SAINT COLUMB MAJOR	–	3	–	–	–	–
STRATTON ...	*	*	*	*	*	*
†TRURO	–	–	–	–	1	–
CUMBERLAND ...	–	5	6	–	3	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	–	–
†CARLISLE C.B. ...	–	–	5	–	2	–
PENRITH ...	–	4	–	–	–	–
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE ...	–	–	–	–	1	–
LONGTOWN ...	–	1	–	–	–	–
DERBY	6	45	27	–	16	G. 1 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ALVASTON AND BOULTON	–	2	–	–	1	–
†BELPER ...	1	–	1	–	1	–
†BOLSOVER ...	–	–	1	–	–	–
†BUXTON... ...	–	2	–	–	–	–
†CHESTERFIELD	–	4	7	–	–	–
†DERBY C.B. ...	–	22	5	–	5	M. 1
†GLOSSOP ...	–	1	–	–	–	–
†HEANOR ...	–	3	–	–	1	–
†ILKESTON ...	5	–	–	–	–	–
†LONG EATON ...	–	–	–	–	1	–
†RIPLEY... ...	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	6	–	3	–
Rural Districts:—						
BLACKWELL ...	–	7	3	–	–	–
CHAPEL-EN-LE-FRITH	–	1	–	–	–	–
CHESTERFIELD	–	1	3	–	–	M. 1
HARTSHORN AND SEALS	–	–	1	–	–	–
HAYFIELD ...	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	2	G. 1
DEVON	–	13	19	–	7	C. 1 M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	6	–	–	–
BRIXHAM ...	–	–	–	–	1	–
†EXETER C.B. ...	–	1	–	–	–	–
HONITON ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON ABBOT	–	–	2	–	–	–
OKEHAMPTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	7	3	–	3	C. 1
SOUTH MOLTON	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	1	1	–	–	–
†TORQUAY ...	–	2	–	–	–	–
TOTNES ...	–	–	1	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
CULMSTOCK ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	2	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	–	–	–	–	M. 1
SOUTH MOLTON	–	1	–	–	–	–
DORSET	–	6	4	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
LYME REGIS ...	–	1	–	–	–	–
†POOLE	–	2	1	–	–	C. 1
†WEYMOUTH AND MELCOMBE REGIS ...	–	1	–	–	–	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	2	–	1	G. 1
DURHAM... ...	–	63	26	2	60	G. 1 M. 10
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
BARNARD CASTLE ...	–	2	–	–	1	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAYDON ...	–	–	1	–	–	M. 1
†BRANDON AND BYSHOTTLES	–	1	1	–	–	–
†CHESTER-LE-STREET	–	1	–	–	–	–
†CONSETT ...	–	1	1	–	–	–
†CROOK	–	–	–	–	1	–
†DARLINGTON C.B.	–	5	3	–	1	M. 1
†FELLING ...	–	–	–	–	3	–
†GATESHEAD C.B.	–	6	–	–	2	M. 1
†HARTLEPOOL ...	–	–	1	–	3	–
†HEBBURN ...	–	–	1	–	–	–
†HETTON... ...	–	1	–	–	1	–
†HOUGHTON-LE-SPRING ...	–	2	1	–	–	–
†JARROW ...	–	1	–	–	5	–
†RYTON ...	–	1	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	–	M. 1
†SOUTH SHIELDS C.B.	–	11	1	–	17	–
†SOUTHWICK-ON-WEAR ...	–	2	–	–	–	–
†STANLEY ...	–	–	1	–	2	–
†STOCKTON-ON-TEES	–	–	–	–	5	–
†SUNDERLAND C.B.	–	6	1	–	3	M. 3
†TANFIELD ...	–	–	–	–	1	–
†WEST HARTLEPOOL C.B.	–	2	1	1	2	–
†WHICKHAM ...	–	–	–	–	3	G. 1
Rural Districts:—						
AUCKLAND ...	–	1	2	–	–	–
CHESTER-LE-STREET	–	4	1	–	–	–
DARLINGTON ...	–	–	2	–	–	–
DURHAM ...	–	1	1	–	–	–
EASINGTON ...	–	3	–	1	3	M. 1
HOUGHTON-LE-SPRING	–	–	1	–	–	M. 1
LANCHESTER ...	–	5	2	–	–	–
SEDGEFIELD ...	–	4	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
SUNDERLAND ...	–	2	1	–	5	M. 1
WEARDALE ...	–	–	1	–	1	–
ISLE OF ELY ...	–	3	2	–	–	C. 1
Boroughs and Urban Districts:—						
†WISBECH ...	–	1	–	–	–	–
Rural Districts—						
ELY	–	2	–	–	–	–
THORNEY ...	–	–	1	–	–	–
WISBECH ...	–	–	1	–	–	C. 1
ESSEX	–	80	49	–	31	C. 1 E. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	3	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	–	2	–	1	–
†COLCHESTER ...	–	1	1	–	–	–
†EAST HAM C.B.	–	11	2	–	–	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	5	4	–	1	E. 1 L. 1
†LEYTON... ...	–	11	2	–	2	C. 1
†ROMFORD ...	–	1	–	–	–	–
SAFFRON WALDEN	–	2	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	2	–	3	–
TILBURY ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW	–	13	8	–	2	M. 1
†WANSTEAD ...	–	–	2	–	–	–
†WEST HAM C.B.	–	24	12	–	9	M. 1
†WOODFORD ...	–	2	–	–	6	–
Rural Districts:—						
BELCHAMP ...	*	*	*	*	*	*
BILLERICAY ...	*	*	*	*	*	*
ESSEX—*cont.*						
Rural Districts—*cont.*						
CHELMSFORD ...	–	–	–	–	2	–
EPPING	–	1	1	–	–	–
MALDON... ...	–	–	–	–	3	–
ORSETT	–	1	6	–	–	–
ROMFORD ...	–	–	–	–	1	–
STANSTED ...	–	1	1	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	–	38	38	2	24	C. 2 L. 1 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	33	29	–	9	C. 1 L. 1 M. 2
†CHELTENHAM ...	–	3	–	–	3	–
CIRENCESTER ...	–	–	–	–	1	–
COLEFORD ...	*	*	*	*	*	*
†GLOUCESTER C.B.	–	–	1	–	5	–
†KINGSWOOD ...	–	–	5	–	–	–
Rural Districts:—						
CAMPDEN ...	–	–	–	–	2	–
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	–	–	1	–	–
DURSLEY ...	–	1	–	1	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	M. 1
GLOUCESTER ...	–	–	1	–	–	–
NORTHLEACH ...	*	*	*	*	*	*
STOW-ON-THE-WOLD (part)	–	–	–	–	–	C. 1
STROUD ...	–	–	1	–	1	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
HERTFORD ...	–	11	17	1	3	C. 1 L. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	C. 1
†BARNET ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	–	3	–	–	–
†LETCHWORTH ...	–	1	–	–	1	–
ROYSTON ...	–	1	–	–	–	–
WARE	–	3	–	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
BARNET ...	–	–	1	–	–	–
HATFIELD ...	–	1	–	–	1	–
HEMEL HEMPSTEAD	–	1	1	–	–	–
ST. ALBANS ...	–	–	4	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	–	8	1	–	L. 1
HUNTINGDON ...	–	–	–	–	4	C. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	2	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
ST. IVES ...	–	–	–	–	–	C. 1
ST. NEOTS, No. 1	–	–	–	–	1	–
KENT	–	65	28	1	12	D. 2 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	2	2	–	–	–
†BECKENHAM ...	–	1	–	–	2	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEXLEY ...	–	3	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	3	–	–	–	–
†BROMLEY ...	–	–	–	–	1	–
†CHATHAM ...	–	2	2	–	–	M. 1
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	1	–	–	D. 1
†DARTFORD ...	–	2	3	–	–	D. 1
†DOVER	–	–	–	1	2	–
†ERITH	–	4	1	–	1	–
†FAVERSHAM ...	*	*	*	*	*	*
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	9	3	–	–	–
†GRAVESEND ...	–	1	4	–	–	–
†HERNE BAY ...	–	1	1	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	1	–	–	1	–
†PENGE	–	1	1	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	4	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SANDWICH ...	–	–	–	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
WALMER ...	*	*	*	*	*	*
Rural Districts:—						
BRIDGE	–	2	–	–	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	6	1	–	–	–
EAST ASHFORD	–	2	–	–	1	–
ELHAM	–	1	–	–	–	–
ISLE OF THANET	–	4	2	–	1	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING ...	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
STROOD	–	–	–	–	–	M. 1
TONBRIDGE ...	–	1	–	–	1	–
WEST ASHFORD	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	409	107	4	228	C. 10 E. 1 G. 1 L. 5 M. 41
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	6	–	–	–	–
ADLINGTON ...	–	2	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	2	–	1	–
†ASHTON-UNDER-LYNE	–	–	1	–	1	–
ASPULL	–	1	–	–	1	–
†ATHERTON ...	–	3	1	–	4	–
AUDENSHAW ...	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	4	–	–	–	C. 1
†BLACKBURN C.B.	–	3	2	–	5	M. 1
†BLACKPOOL C.B.	–	5	1	–	5	–
BLACKROD ...	–	1	–	–	–	–
†BOLTON C.B. ...	–	17	2	–	8	M. 1
†BOOTLE C.B. ...	–	9	3	–	1	M. 2
†BURNLEY C.B.	–	4	2	–	2	C. 1
†BURY C.B. ...	–	7	–	–	6	–
†CHADDERTON ...	–	7	–	–	3	–
†CHORLEY ...	–	–	–	–	2	M. 1
†CLITHEROE ...	–	4	–	–	–	–
†COLNE	–	1	2	–	3	–
†CROMPTON ...	–	2	–	–	–	–
†DALTON-IN-FURNESS	–	2	1	–	1	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	–	–	–	1	–
†DROYSLDEN ...	–	3	–	–	1	M. 1
†ECCLES ...	–	1	–	–	3	–
†FAILSWORTH ...	–	7	–	–	4	–
†FARNWORTH ...	–	–	1	–	3	–
†FLEETWOOD ...	–	–	1	–	1	–
FULWOOD ...	–	–	1	–	–	–
GOLBORNE ...	*	*	*	*	*	*
†GREAT CROSBY...	–	1	–	–	–	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	2	–	–	–	–
†HEYWOOD ...	–	–	1	–	–	M. 1
†HINDLEY ...	–	7	–	–	13	–
†HORWICH ...	–	4	5	–	1	–
HURST	–	–	–	1	2	–
†INCE-IN-MAKERFIELD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
KEARSLEY ...	–	1	1	–	–	–
†LANCASTER ...	–	8	2	–	1	–
LEES	–	3	–	–	–	–
†LEIGH	–	4	2	–	–	E. 1 M. 1
†LIVERPOOL C.B.	–	60	26	–	25	M. 17
LONGRIDGE ...	–	–	1	–	–	–
†LYTHAM ...	–	1	–	–	–	–
†MANCHESTER C.B.	–	66	16	–	74	C. 5 M. 7
†MIDDLETON ...	–	6	–	–	–	–
MILNROW ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	6	–	–	1	–
†OLDHAM C.B.	1	22	–	–	3	C. 1 M. 3
ORMSKIRK ...	–	–	–	–	1	–
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE	–	2	–	–	–	M. 1
†PADIHAM ...	–	–	–	–	–	M. 1
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	4	4	–	1	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	2	1	–	1	–
RAINFORD ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	3	–	–	–	–
†ROCHDALE C.B.	–	6	–	–	–	–
†ROYTON ...	–	–	–	–	3	–
†ST. HELENS C.B.	–	3	–	–	1	L. 3 M. 2
†SALFORD C.B. ...	–	26	8	1	9	G. 1
SKELMERSDALE	–	9	–	–	–	–
†SOUTHPORT C.B	–	3	1	–	4	–
STANDISH-WITH-LANGTREE	–	–	–	–	–	M. 1
†STRETFORD ...	–	12	3	–	2	C. 1
†SWINTON AND PENDLEBURY	–	2	1	–	1	–
TOTTINGTON ...	–	2	1	–	–	–
TRAWDEN ...	–	2	–	–	–	–
†TURTON... ...	–	2	–	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	1	–
†UPHOLLAND ...	–	12	–	–	–	–
URMSTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WARRINGTON C.B.	–	6	1	–	1	–
†WESTHOUGHTON	–	–	–	–	1	–
WHITEFIELD ...	–	–	1	–	–	–
WHITWORTH ...	–	2	–	–	3	–
†WIDNES ...	–	2	1	–	2	–
†WIGAN C.B. ...	–	5	1	1	6	–
†WORSLEY ...	–	1	1	–	2	–
Rural Districts:—						
BLACKBURN ...	–	–	–	–	2	–
BURNLEY ...	–	1	–	1	–	–
BURY	–	2	2	–	–	–
CHORLEY ...	–	–	3	–	1	–
CLITHEROE ...	–	1	–	–	3	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	1	1	–	1	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON ...	–	2	–	–	–	M. 1
WARRINGTON ...	–	–	1	–	1	C. 1
WEST LANCASHIRE	–	2	–	–	1	–
WHISTON ...	–	1	–	–	–	L. 2
LEICESTER ...	–	11	14	–	3	M. 2
Boroughs and Urban Districts:—						
†COALVILLE ...	*	*	*	*	*	*
†HINCKLEY ...	–	–	1	–	–	–
†LEICESTER C.B.	–	6	6	–	2	M. 2
QUORNDON ...	–	–	1	–	–	–
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	2	–	–	–	–
BARROW-UPON-SOAR	–	–	3	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BLABY	–	2	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	1	
Boroughs and Urban Districts:—						
SUTTON BRIDGE	–	–	–	–	1	–
Rural District:—						
BOSTON... ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	1	3	M. 1
Boroughs and Urban Districts:						
SLEAFORD ...	–	–	–	–	–	M. 1
Rural Districts:—						
BOURNE ...	–	–	–	–	1	–
CLAYPOLE ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	1	1	–
LINCOLN (parts of Lindsey).	–	2	10	–	2	–
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†GAINSBOROUGH	–	–	1	–	–	–
†GRIMSBY C.B. ...	–	–	2	–	–	–
†LINCOLN, C.B. ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	2	–
Rural Districts:—						
CAISTOR ...	–	–	2	–	–	–
GAINSBOROUGH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts—*cont.*						
GLANFORD BRIGG	–	–	2	–	–	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	118	85	–	27	D. 1 G. 1 L. 2 M. 5
Boroughs and Urban Districts:—						
†ACTON	–	9	7	–	1	–
†BRENTFORD ...	–	2	1	–	1	–
†CHISWICK ...	–	1	8	–	1	–
†EALING ...	–	17	5	–	–	M. 1
†EDMONTON ...	–	6	12	–	2	–
†ENFIELD ...	–	5	2	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	–	1	–	4	–
†FRIEN BARNET	–	4	–	–	–	–
†HAMPTON ...	–	–	1	–	2	–
HAMPTON WICK	–	–	–	–	1	–
†HANWELL ...	–	4	1	–	–	–
HAYES	–	4	–	–	–	–
†HENDON ...	–	2	3	–	–	–
†HESTON AND ISLEWORTH	–	5	–	–	–	–
†HORNSEY ...	–	4	4	–	2	G. 1
†SOUTHALL-NORWOOD	–	1	1	–	1	L. 2
†SOUTHGATE ...	–	11	–	–	–	–
SUNBURY-ON-THAMES	–	–	3	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	9	17	–	7	M. 2
†WEALDSTONE ...	–	1	–	–	–	–
†WILLESDEN ...	–	18	14	–	4	M. 2
†WOOD GREEN ...	–	5	–	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON ...	–	4	1	–	–	–
STAINES ...	–	4	1	–	–	D. 1
UXBRIDGE ...	–	–	2	–	–	–
NORFOLK ...	–	11	8	2	4	C. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	–	1	–	–	–
†KING'S LYNN ...	–	1	–	–	1	–
†NORWICH C.B.	–	7	2	1	1	–
WALSOKEN ...	–	–	–	–	–	C. 1
WELLS	–	–	1	–	–	–
Rural Districts:—						
AYLSHAM ...	–	–	–	–	1	–
BLOFIELD ...	–	–	–	1	–	–
DOCKING ...	–	–	1	–	–	–
ERPINGHAM ...	–	–	–	–	1	–
HENSTEAD ...	*	*	*	*	*	*
SWAFFHAM ...	–	1	–	–	–	–
THETFORD ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	2	–	–	–
WAYLAND ...	–	2	–	–	–	–
NORTHAMPTON	–	8	12	–	9	D. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	6	7	–	4	D. 1
OUNDLE ...	*	*	*	*	*	*
†RUSHDEN ...	–	–	–	–	1	–
†WELLING-BOROUGH	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	2	–	–	–
DAVENTRY ...	–	–	–	–	1	–
NORTHAMPTON	–	–	1	–	–	–
TOWCESTER ...	–	–	2	–	1	–
WELLING-BOROUGH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	37	8	–	43	C. 1 M 1.
Boroughs and Urban Districts :—						
ALNWICK ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	4	–	–	–	–
†BLYTH	–	2	–	–	3	–
†EARSDON ...	–	2	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
†NEWBURN ...	–	1	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	7	4	–	14	C. 1
PRUDHOE ...	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	7	–	–	18	–
†WALLSEND ...	–	4	2	–	2	M. 1
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts :—						
BELLINGHAM ...	–	–	–	–	1	–
GLENDALE ...	–	4	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM ...	–	–	1	–	–	–
MORPETH ...	–	2	1	–	1	–
NOTTINGHAM ...	–	16	5	–	6	M. 5
Boroughs and Urban Districts :—						
†BEESTON ...	–	–	–	–	–	M. 1
†CARLTON ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–	1	M. 1
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	7	4	–	2	M. 3
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BRIDGFORD	–	1	–	–	1	–
Rural Districts :—						
BASFORD ...	–	1	1	–	–	–
EAST RETFORD	–	2	–	–	–	–
OXFORD	–	17	2	–	–	–
Boroughs and Urban Districts :—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts :—						
BANBURY ...	–	1	–	–	–	–
BICESTER ...	–	2	2	–	–	–
CROWMARSH ...	–	1	–	–	–	–
HENLEY ...	–	6	–	–	–	–
WITNEY ...	–	2	–	–	–	–
WOODSTOCK ...	–	2	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	4	–
Borough :—						
†PETERBOROUGH	–	1	–	–	4	–
RUTLAND ...	–	–	3	–	–	–
Rural District :—						
UPPINGHAM ...	–	–	3	–	–	–
SALOP	–	16	2	–	2	M. 1
Boroughs and Urban Districts :—						
BRIDGNORTH ...	–	1	–	–	–	–
LUDLOW ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	1	–	–	–
†WENLOCK ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	10	–	–	–	–
BRIDGNORTH ...	–	1	–	–	–	–
WEM	–	1	–	–	2	–
SOMERSET ...	–	13	9	1	28	–
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	1	–	1	–
†BRIDGWATER ...	–	–	–	–	3	–
†FROME	–	1	–	–	–	–
ILMINSTER ...	–	1	–	–	–	–
†TAUNTON ...	–	–	6	–	1	–
†WESTON-SUPER-MARE	–	–	–	–	2	–
†YEOVIL... ...	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	4	–
CLUTTON ...	–	1	–	1	–	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	8	–	–	10	–
WELLS	–	–	–	–	2	–
YEOVIL	–	–	1	–	1	–
SOUTHAMPTON...	–	66	33	2	11	C. 1 M. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ALTON	–	–	1	–	–	–
ANDOVER ...	–	–	1	–	–	M. 1
†BASINGSTOKE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOURNEMOUTH C.B.	–	–	–	1	3	M. 1
CHRISTCHURCH...	–	1	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	1	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT and ALVERSTOKE	–	2	4	–	1	–
PETERSFIELD ...	–	11	–	–	–	–
†PORTSMOUTH C.B.	–	37	18	–	–	M. 1
ROMSEY ...	–	–	1	–	–	–
†SOUTHAMPTON C.B.	–	4	5	–	3	–
WARBLINGTON ...	*	*	*	*	*	*
†WINCHESTER ...	–	3	–	1	2	–
Rural Districts:—						
HAVANT... ...	–	1	–	–	–	–
KINGSCLERE ...	–	–	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	–	–	–	C. 1
STOCKBRIDGE ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	–	66	31	1	57	C. 1 M. 14
Boroughs and Urban Districts:—						
†AUDLEY... ...	*	*	*	*	*	*
BIDDULPH ...	–	–	2	–	–	–
†BILSTON ...	–	–	–	–	1	–
†BRIERLEY HILL	–	2	–	–	–	–
†BROWNHILLS ...	–	2	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	5	1	–	–	–
†CANNOCK ...	–	1	–	–	3	–
†HEATH TOWN ...	–	1	–	–	–	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	1	1	–	–	–
†NEWCASTLE-UNDER-LYME	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
QUARRY BANK	–	–	1	–	1	–
†ROWLEY REGIS	–	–	1	–	5	M. 1
†SEDGLEY ...	–	–	1	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†SMALLTHORNE ...	–	1	–	–	–	–
†SMETHWICK C.B.	–	1	3	–	1	M. 2
†STAFFORD ...	–	–	–	–	1	–
†STOKE-ON-TRENT C.B.	–	17	5	1	36	M. 10
TAMWORTH ...	–	2	–	–	–	–
†TIPTON	–	2	–	–	–	–
†WALSALL C.B....	–	3	2	–	4	M. 1
†WEDNESBURY ...	–	4	1	–	1	–
†WEST BROMWICH C.B.	–	9	8	–	1	–
†WOLSTANTON UNITED	–	2	2	–	1	–
†WOLVERHAMPTON C.B.	–	4	–	–	–	–
Rural Districts:—						
CHEADLE ...	–	1	–	–	–	–
GNOSALL ...	–	2	–	–	–	–
KINGSWINFORD	–	2	–	–	–	–
LICHFIELD ...	–	1	–	–	1	C. 1
SEISDON ...	–	1	–	–	–	–
WALSALL ...	–	1	–	–	–	–
SUFFOLK, EAST	–	10	7	–	8	C. 1 M. 1
Boroughs and Urban Districts:—						
BUNGAY ...	–	4	–	–	–	–
†IPSWICH C.B. ...	–	–	6	–	3	C. 1 M. 1
†LOWESTOFT ...	–	5	–	–	3	–
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
PLOMESGATE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	1	–	–	–	–
SURREY	–	63	28	2	15	C. 2 G. 1 L. 3 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	4	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	1	–	–	–
†CARSHALTON ...	–	4	1	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†CHERTSEY ...	–	1	2	–	–	–
†COULSDON AND PURLEY	–	5	1	1	–	L. 2
†CROYDON C.B....	–	20	9	–	2	G. 1 M. 1
†EGHAM	–	–	–	–	2	–
†EPSOM... ...	–	1	–	–	–	L. 1
†ESHER AND THE DITTONS	–	1	–	–	1	–
†FARNHAM ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	2	–
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	5	1	–	–	–
†MERTON AND MORDEN ...	–	–	1	–	–	–
†MITCHAM ...	–	2	–	–	–	–
†REIGATE ...	–	1	–	–	–	–
†RICHMOND ...	–	2	–	–	2	–
†SURBITON ...	–	2	–	–	–	–
†SUTTON	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	1	6	1	1	C. 1
Rural Districts:—						
CHERTSEY ...	–	–	2	–	–	–
DORKING ...	–	–	–	–	–	C. 1
EPSOM	–	2	1	–	–	–
FARNHAM ...	–	1	–	–	–	–
HAMBLEDON ...	–	4	–	–	3	–
REIGATE ...	–	–	1	–	1	–
SUSSEX, EAST ...	–	22	5	–	11	C. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
†BRIGHTON C.B.	–	12	1	–	7	–
†EASTBOURNE C.B	–	3	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
†HASTINGS C.B....	–	–	3	–	–	–
†HOVE	–	1	–	–	4	–
†PORTSLADE-BY-SEA	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	1	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
STEYNING EAST	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–	–	C. 1
SUSSEX, WEST ...	–	9	2	1	6	–
Boroughs and Urban Districts:—						
†BOGNOR ...	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	1	2	–
†HORSHAM ...	–	5	–	–	–	–
†WORTHING ...	–	–	2	–	–	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON...	–	1	–	–	–	–
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST	–	–	–	–	1	–
THAKEHAM ...	–	–	–	–	1	–
WESTBOURNE ...	–	1	–	–	1	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	85	40	1	46	C. 4 G. 1 M. 16
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	62	39	1	28	C. 3 G. 1 M. 13
†COVENTRY C.B.	–	3	–	–	3	M. 1
†NUNEATON ...	–	8	1	–	6	M. 1
†RUGBY	–	–	–	–	3	–
†SUTTON COLDFIELD	–	4	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	2	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN ...	–	–	–	–	3	–
RUGBY ...	–	–	–	–	1	C. 1
TAMWORTH (part)	–	5	–	–	–	M. 1
WESTMORLAND	–	–	–	–	5	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	4	–
WEST WARD ...	–	–	–	–	1	–
ISLE OF WIGHT	–	7	1	–	6	–
Boroughs and Urban Districts:—						
COWES	–	1	–	–	1	–
EAST COWES ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ISLE OF WIGHT *cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWPORT ...	–	–	–	–	2	–
†RYDE	–	1	1	–	–	–
SANDOWN ...	–	2	–	–	–	–
VENTNOR ...	–	–	–	–	3	–
Rural District:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	27	7	–	10	M. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
CALNE	–	–	1	–	–	–
†SALISBURY ...	–	–	2	–	1	–
†SWINDON ...	–	11	2	–	4	–
Rural Districts:—						
AMESBURY ...	–	4	–	–	–	–
CHIPPENHAM ...	–	1	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	–	M. 1
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	3	–	–	2	–
MALMESBURY ...	–	1	–	–	1	–
PEWSEY ...	–	–	–	–	2	–
TISBURY ...	*	*	*	*	*	*
WARMINSTER ...	–	3	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WILTON ...	–	1	–	–	–	–
WORCESTER ...	–	25	1	–	10	M. 2
Boroughs and Urban Districts:—						
DROITWICH ...	–	–	–	–	–	M. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
WORCESTER— *cont.*						
Boroughs and Urban Districts—*cont.*						
†KIDDERMINSTER	–	5	–	–	1	–
†OLDBURY ...	–	3	–	–	2	–
†REDDITCH ...	–	2	–	–	–	M. 1
†STOURBRIDGE ...	–	3	–	–	1	–
STOURPORT ...	–	2	–	–	–	–
†WORCESTER C.B.	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	1	–
DROITWICH ...	–	3	–	–	–	–
HALESOWEN ...	–	4	–	–	–	–
MARTLEY ...	–	–	–	–	1	–
PERSHORE ...	–	–	1	–	–	–
SHIPSTON-ON STOUR	–	1	–	–	2	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	17	18	1	7	C 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON ...	–	–	1	–	–	–
COTTINGHAM ...	–	1	–	–	–	–
HEDON	–	–	–	–	1	–
HESSLE ...	*	*	*	*	*	*
HORNSEA ...	–	–	1	–	–	–
†KINGSTON-UPON-HULL C.B.	–	4	10	–	4	C. 1
WITHERNSEA ...	–	–	2	–	–	–
†YORK C.B. ...	–	10	1	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	–	–	1	–	–
DRIFFIELD ...	–	–	1	–	1	–
HOWDEN ...	–	1	–	–	–	–
PATRINGTON ...	–	–	1	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
RICCALL ...	–	–	1	–	–	–
SCULCOATES ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	4	8	1	9	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	1	–	–	–
KIRKLINGTON-CUM-UPSLAND	–	2	–	–	–	–
LOFTUS	–	–	–	–	–	M. 1
†MIDDLESBROUGH C.B.	–	–	2	–	5	C. 1
†REDCAR ...	–	–	1	–	–	–
SCALBY	–	–	–	1	–	–
†SCARBOROUGH ...	–	1	2	–	1	–
†WHITBY ...	–	–	2	–	1	–
Rural Districts:—						
BEDALE ...	–	1	–	–	–	–
LEYBURN ...	–	–	–	–	2	–
YORKS ... ... (West Riding).	1	209	75	11	131	C. 8 G. 1 L. 1 M. 13
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	–	–	–	–
ARDSLEY, EAST AND WEST	–	1	1	–	–	C. 1 M. 1
BAILDON ...	*	*	*	*	*	*
†BARNSLEY C.B.	–	2	2	–	3	C. 1
†BINGLEY ...	–	2	1	–	1	–
†BOLTON-UPON-DEARNE	–	–	–	3	2	–
†BRADFORD C.B.	–	36	7	2	5	C. 3
†BRIGHOUSE ...	–	1	–	–	–	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
CUDWORTH ...	–	1	–	–	1	–
DARFIELD ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	2	–	–	–	–
†DONCASTER ...	–	1	2	–	1	–
EARBY	–	–	1	–	–	–
†ELLAND ...	–	3	1	–	3	–
EMLEY	–	–	1	–	–	–
FARSLEY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FEATHERSTONE	–	1	–	–	2	–
GILDERSOME ...	–	–	1	–	–	–
†GOLCAR ...	1	–	–	–	–	–
†GOOLE	–	3	1	–	1	–
†HALIFAX C.B. ...	–	7	–	–	–	–
†HARROGATE ...	–	1	1	–	2	L. 1
HAWORTH ...	–	–	1	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	2	4	M. 1
†HOLMFIRTH ...	–	–	–	–	3	–
HORBURY ...	*	*	*	*	*	*
†HOYLAND NETHER	–	1	–	–	1	–
†HUDDERSFIELD C.B.	–	1	1	–	5	M. 1
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	2	–	–	–	M. 3
KIRKBURTON ...	–	–	1	–	1	–
†LEEDS C.B. ...	–	57	7	–	16	M. 1
LINTHWAITE ...	–	–	–	–	2	–
MARSDEN ...	–	1	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	–	1	–	2	–
†MIRFIELD ...	–	–	1	–	–	–
†MORLEY ...	–	–	–	–	3	–
†NORMANTON ...	–	1	1	–	1	–
OTLEY	–	1	–	–	1	–
†PONTEFRACT ...	–	1	1	–	–	–
†PUDSEY... ...	–	2	–	–	–	–
†RAWMARSH ...	–	2	–	–	3	–
RISHWORTH ...	–	–	1	–	–	–
†ROTHERHAM C.B.	–	5	1	–	3	M. 1
†ROTHWELL ...	–	6	–	–	–	–
†SHEFFIELD C.B.	–	25	19	1	54	C. 3 M. 4
SHELLEY ...	–	–	2	–	–	–
†SHIPLEY ...	–	2	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON ...	–	–	–	–	1	–
SOUTH CROSLAND	–	1	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
†STANLEY ...	–	1	2	1	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON ...	–	–	1	–	–	–
†TODMORDEN ...	–	2	–	–	1	–
†WAKEFIELD C.B.	–	5	1	–	1	–
†WATH-UPON-DEARNE	–	–	1	–	–	–
WHITWOOD ...	–	2	–	–	–	–
†WOMBWELL ...	–	–	1	1	2	M. 1
†WORSBOROUGH	–	1	1	–	–	–
Rural Districts:—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	–	–	1	–	1	–
GOOLE	–	–	–	1	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	8	1	–	1	–
KIVETON PARK	–	3	1	–	–	–
KNARESBOROUGH	–	–	1	–	–	–
PONTEFRACT ...	–	–	1	–	–	–
RIPON	–	–	1	–	–	–
ROTHERHAM ...	–	1	1	–	–	–
SETTLE	–	–	1	–	–	G. 1
TADCASTER ...	*	*	*	*	*	*
WAKEFIELD ...	–	5	1	–	–	–
WETHERBY ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	–	–	–	1	–
Rural District:—						
TWRCELYN ...	–	–	–	–	1	–
BRECKNOCK ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
YSTRADGYNLAIS	–	2	–	–	2	–
CARDIGAN ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
ABERAYRON ...	*	*	*	*	*	*
CARMARTHEN ...	–	1	8	–	5	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	–	1	–	–	–
†LLANELLY ...	–	1	2	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	–	–	1	–
LLANDILO FAWR	–	–	3	–	–	–
LLANDOVERY ...	–	–	1	–	–	–
LLANELLY ...	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	3	6	–	3	D. 1
Boroughs and Urban Districts:—						
BANGOR ...	–	–	1	–	–	D. 1
CARNARVON ...	–	–	2	–	–	–
PENMAENMAWR	–	–	1	–	–	–
Rural Districts:—						
GWYRFAI ...	–	–	2	–	3	–
LLEYN	–	3	–	–	–	–
DENBIGH ...	–	5	3	–	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
RUTHIN ...	–	1	–	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural District:—						
WREXHAM ...	–	3	3	–	1	–
FLINT	–	–	2	–	1	M. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	1	–
HOLYWELL (Holywell Division)	–	–	–	–	–	M. 1
GLAMORGAN ...	–	60	23	–	35	C. 4 M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	8	–	–	9	M. 1
†BARRY	–	1	2	–	–	M. 1
†CAERPHILLY ...	–	2	–	–	–	–
†CARDIFF C.B. ...	–	7	6	–	–	C. 1
†GELLIGAER ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†GLYNCORWG ...	–	1	–	–	1	–
†MAESTEG ...	–	1	–	–	1	–
†MERTHYR TYDFIL C.B.	–	1	1	–	1	M. 1
†MOUNTAIN ASH	–	13	1	–	1	–
†OGMORE AND GARW	–	2	–	–	2	–
PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	2	–	–	2	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	5	4	–	11	C. 1
†SWANSEA C.B. ...	–	3	6	–	1	C. 2
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
LLANDAFF and DINAS POWIS	–	4	1	–	–	–
NEATH	–	1	–	–	5	–
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA ...	–	2	–	–	–	–
MERIONETH ...	–	1	1	–	5	–
Urban District:—						
BALA	–	–	–	–	2	–
Rural Districts:—						
DOLGELLY ...	–	1	–	–	–	–
EDEIRNION ...	–	–	1	–	2	–
PENLLYN ...	–	–	–	–	1	–
MONMOUTH ...	–	25	12	2	3	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY...	–	–	1	–	–	–
†ABERSYCHAN ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; .encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	3	1	1	–	–
BEDWAS AND MACHEN	–	–	1	–	1	–
†BEDWELLTY ...	–	3	–	–	–	–
CAERLEON ...	–	–	–	1	1	–
†EBBW VALE ...	–	9	–	–	1	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†NEWPORT C.B....	–	3	1	–	–	–
†PANTEG... ...	–	1	–	–	–	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	–	3	–	–	–
Rural Districts:—						
ABERGAVENNY...	–	–	1	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
MONTGOMERY ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE ...	–	3	4	–	1	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	1	–	–	–	–
MILFORD HAVEN	–	–	–	–	1	–
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST	–	2	2	–	–	–
NARBERTH ...	–	–	1	–	–	–
ST. DOGMELLS ...	–	–	1	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	1	–	–	–	–
Total of Part II.	8	1790	874	37	964	C. 47 D. 5 E. 2 G. 9 L. 14 M. 136

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARNSTAPLE ...	*	*	*	*	*	*
CARDIFF ...	–	–	–	1	1	–
FAVERSHAM ...	*	*	*	*	*	*
PLYMOUTH ...	–	–	–	–	1	G. 1
WISBECH ...	–	–	–	–	1	–
PORT OF LONDON	–	1	–	–	–	–
Total of Part III.	–	1	–	1	3	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	299	291	1	127	C. 9 D. 1 E. 1 G. 1 L. 2 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	8	1790	874	37	964	C. 47 D. 5 E. 2 G. 9 L. 14 M. 136
Total of Part III.—Port Sanitary Districts ...	–	1	–	1	3	G. 1
Total (*i.e.*, of returns received), England and Wales	8	2090	1165	39	1094	C. 56 D. 6 E. 3 G. 11 L. 16 M. 158

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eight cases of Small-pox were notified, which appear on pages 270, 274, and 282.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.
LONDON:—													
DEATHS—all ages	1,279	1,395	1,606	2,170	2,726	2,481	2,022	1662	1,418	1,636	1,472	1,398	1,239
„ 0 to 1 year	125	142	169	182	224	264	219	192	186	181	183	180	177
GREAT TOWNS, aggregate (including London):—													
BIRTHS	*7,899*	*7,572*	*6,548*	8,969 *8,786*	8,853 *8,675*	8,096 *7,908*	8,131 *7,958*	8,822 *8,595*	8,908 *8,729*	8,240 *8,055*	8,573 *8,397*	8,200 *8,034*	8,357 *8,164*
DEATHS—all ages	*5,108*	*5,212*	*5,658*	6,922 *6,800*	8,085 *7,928*	8,638 *8,482*	8,353 *8,178*	7,786 *7,636*	6,784 *6,648*	7,192 *7,046*	6,376 *6,231*	5,669 *5,546*	4,956 *4,850*
„ *0 to 1 year*	*641*	*661*	*699*	793 *781*	860 *842*	1,016 *1,001*	1,024 *1,011*	972 *961*	862 *854*	933 *915*	844 *828*	781 *767*	713 *697*
ENTERIC FEVER—Cases	*22*	*27*	*13*	19 *19*	22 *20*	11 *9*	17 *17*	29 *28*	17 *17*	12 *11*	17 *17*	21 *21*	12 *12*
„ Deaths	*5*	*6*	*4*	8 *7*	7 *7*	9 *9*	2 *2*	2 *2*	5 *5*	2 *2*	1 *1*	3 *3*	6 *6*
SMALL POX—Cases	*6*	*12*	*2*	4 *4*	5 *5*	— —	1 *1*	3 *3*	1 *1*	— —	1 *1*	8 *8*	1 *1*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,430*	*2,166*	*1,895*	1816 *1798*	1,767 *1,738*	1,672 *1,645*	1,521 *1,502*	1,541 *1,527*	1,429 *1,409*	1,423 *1,390*	1,373 *1,347*	1,314 *1,299*	1,253 *1,232*
„ Deaths	*33*	*17*	*26*	35 *34*	38 *38*	36 *36*	21 *21*	27 *27*	22 *22*	28 *27*	18 *17*	26 *26*	25 *25*
DIPHTHERIA—Cases	*1,098*	*985*	*906*	858 *831*	863 *846*	889 *868*	787 *770*	822 *803*	807 *794*	782 *770*	832 *811*	785 *769*	740 *721*
„ Deaths	*70*	*79*	*92*	72 *71*	93 *92*	100 *99*	75 *74*	80 *80*	75 *73*	59 *58*	58 *57*	73 *73*	74 *73*
MEASLES—Deaths	*56*	*47*	*68*	69 *69*	61 *61*	82 *82*	60 *60*	61 *61*	44 *43*	61 *61*	83 *83*	86 *85*	89 *88*
INFLUENZA—Deaths	*212*	*237*	*418*	819 *807*	1,262 *1,240*	1,433 *1,404*	1,451 *1,420*	1,144 *1,121*	759 *749*	670 *655*	525 *511*	306 *296*	201 *197*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th March 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	55	30	50·3	39·0	13
BRIGHTON	52	32	47·4	36·7	24
PORTSMOUTH	52	34	49·3	41·2	20
NORWICH (EATON).	54	30	50·1	40·4	26
PLYMOUTH	54	29	49·7	38·0	14
BRISTOL (CLIFTON).	53	32	51·1	40·0	12
BIRMINGHAM	53	29	48·1	38·7	21
NOTTINGHAM	52	31	47·4	36·1	18
BIRKENHEAD (BIDSTON).	55	29	48·6	38·4	21
MANCHESTER	54	35	47·9	38·6	8
BURNLEY	55	31	48·3	37·7	18
HUDDERSFIELD	51	27	46·1	35·6	40
	53	29	49·0	36·3	23

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	53	29	46·6	35·4	34
SHEFFIELD	52	32	47·4	36·7	24
YORK (MUSEUM).	54	31	48·6	37·0	19
HULL (PEARSON PARK).	55	29	49·4	36·6	10
TYNEMOUTH	53	33	48·3	37·1	3
CARDIFF	53	31	49·1	38·1	32
EDINBURGH	51·0	34·0	46·1	37·0	15
GLASGOW	50·9	33·3	47·6	36·7	13
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†	54·3	34·9	49·3	38·8	5
BELFAST	51·0	31·4	48·8	34·3	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th March 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	5	..	29·625	54·8	42·3	12·5	49·6	+ 8·7	44·8	4·8	8·6	2·7	83	66·4	34·8	44·5	SSW. & SW.	SW.	14·3	0·0	1·1	565	+216	0·01
MONDAY	6	First Quarter. Greatest Declination N.	29·524	54·7	46·4	8·3	49·7	+ 8·7	44·1	5·6	9·8	1·7	81	94·3	43·1	44·8	SW. & W.	SSW.	7·4	0·0	0·3	353	+ 2	0·11
TUESDAY	7		29·284	49·4	39·8	9·6	42·9	+ 1·9	36·3	6·6	12·0	3·6	78	101·7	33·8	44·7	SSW. & WSW.	SW. & SSW.	9·3	0·0	0·6	464	+112	0·11
WEDNESDAY	8	..	28·878	47·0	39·2	7·8	42·1	+ 1·0	37·0	5·1	11·5	3·5	82	78·5	36·4	44·8	S, SSW. & W.	W. & WSW.	11·0	0·0	1·2	681	+328	0·31
THURSDAY	9	..	29·397	52·4	34·5	17·9	43·0	+ 2·0	33·5	9·5	19·1	2·1	69	106·3	28·0	45·0	WSW.	WSW. & SW.	2·0	0·0	0·2	333	− 14	0·00
FRIDAY	10	..	29·821	45·3	33·5	11·8	39·5	− 1·4	29·8	9·7	15·3	4·0	69	92·7	27·6	44·7	N. & NNE.	NNE. & N.	2·7	0·0	0·3	331	− 6	0·00
SATURDAY	11	..	30·157	49·0	29·5	19·5	39·2	− 1·8	30·9	8·3	15·3	4·2	72	80·9	28·1	44·6	N, NNE & calm.	N. & calm.	0·2	0·0	0·0	104	−222	0·00
MEANS		..	29·527	50·4	37·9	12·5	43·7	+ 2·7	36·6	7·1	13·1	3·1	76	88·7	33·1	44·7	SW.		...	...	...	Sum 2,831	Sum +416	Sum 0·54
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	5	w.P. throughout	0·0	11·1	Cloudless from 2h. to 3h. 30m., otherwise overcast with very slight exceptions. Brisk wind from 8h. Frequent slight rain or damping from 7h.
MONDAY -	6	w.P. generally, a little w.N. in afternoon.	1·0	11·1	Overcast with few exceptions, cloud thin at times. Occasional rain or damping till 10h. and about 21h. Brisk wind till 4h.
TUESDAY -	7	w.P. generally, v.P. and v.N. between 11h. and 15h.	4·1	11·2	Nearly overcast till 6h., cloudy till noon, nearly overcast till 15h. 45m., becoming cloudless generally by 19h. Brisk wind in forenoon, solar halo at noon, showers before 9h. and between 13h. and 15h. 30m.
WEDNESDAY	8	v.P. throughout	0·6	11·3	Overcast with few exceptions till 16h. 30m., cloudless generally from 17h. 30m. to 19h. 30m., nearly overcast till 23h., then clearing. Frequent rain from 3h. 30m. Brisk wind from 5h., rising to gale between 10h. and 14h.
THURSDAY -	9	w.P. till 11h., then s.P. till 20h., later w.P.	9·2	11·3	Nearly cloudless generally with cloudy intervals at times. Haze and slight mist at night.
FRIDAY -	10	m.P. till 11h., s.P. till 18h., then w.P.	7·8	11·4	Variably cloudy with both nearly overcast and cloudless periods. Slight mist in morning.
SATURDAY -	11	w.P. till 11h., loss of register till 21h., then m.P.	5·5	11·5	Nearly overcast till 1h., then clearing and remaining cloudless from 6h. to 17h., with haze and mist. Later, partially cloudy, becoming overcast from 20h. Slight hoar frost in morning and mist both morning and night.
			Sum 28·2	Sum 78·9	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·88 in. at the beginning of the week to 29·49 in. by 3h. on 6th; increased to 29·58 in. by 9h. on the same day; decreased to 29·21 in. by 7h. on 7th; increased to 29·33 in. by 20h. on the same day; decreased to 28·45 in. by 10h. on 8th; increased generally to 30·18 in. by 10h. on 11th, and was 30·16 in. at midnight of the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd. East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

1922. No. 11.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 18TH MARCH, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1 Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH MARCH, 1922.

POPULATION.

The Census of 1921, originally planned for the 24th April, was unavoidably postponed until the 19th June; and it is now clear that, while the latter date avoided the recognised programme of industrial holidays, some holiday movement was, largely owing to the abnormally fine weather, already then in progress. This is reflected in the Census returns by the inclusion in the case of the more popular holiday areas of varying and sometimes substantial proportions of visitors.

The use of local population figures which depart materially from the figures of normal resident populations would, of course, be unsuitable in connection with statistics of births and deaths classified according to area of residence; and it has been deemed necessary to make an adjustment for these purposes by measuring the extent of the non-resident population in certain areas and by effecting its re-distribution throughout the country.

Such an adjustment has accordingly been made by means of the best data available in the preparation of the estimated mid-yearly populations for 1921. Any substantial difference between the population quoted and the corresponding Census figure should be attributed to this process of adjustment, although its effect has been negligible in the majority of areas.

These estimates of population are shown in Table 1 of this return.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eleventh week of the year numbered 8,238, and corresponded to an annual rate of 22·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,066 and corresponded to an annual rate of 13·9 per 1,000 of their aggregate civilian population, which is estimated at 19,005,401 in the year 1921. In the preceding three weeks the rates had been 17·5, 15·6 and 13·6. Infant mortality was 89 per 1,000 births against 98, 95 and 85 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,881 births, corresponding to a rate of 21·7 per 1,000, and 1,223 deaths of civilians, corresponding to a rate of 14·1, as against 17·0, 16·1, and 14·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 15·4 per 1,000. The infant mortality was 80 as against 90, 99, and 91 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 109 in the total deaths last week, the deaths from influenza showing a fall of 55. In London the number of deaths from all causes fell from 1,239 to 1,223; there was a decrease of 9 in the deaths from influenza, but an increase of 30 from pneumonia, while the deaths from measles, which had been 54, 48 and 50 in the preceding three weeks further rose to 72 last week.

---

m (45)17202—3 Wt 80—P 19 2,250 3/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 18th March 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,005,401*	8,238	5,066	733	5	104	17	101	45	46	146
London	4,514,405*	1,881	1,223	150	1	72	6	35	21	8	21
Towns in Outer Ring.											
Croydon C.B.	191,500	66	53	3	–	2	–	1	–	–	2
Wimbledon	61,700	11	13	1	–	–	–	–	1	–	–
Ealing	67,800	18	13	2	–	1	–	–	1	1	–
Acton	62,000	22	7	1	–	–	–	–	–	–	–
Willesden	167,200	66	35	2	1	–	–	–	4	–	1
Hendon	55,500	12	10	–	–	–	–	–	–	–	–
Hornsey	87,600	20	16	1	–	–	–	–	–	–	1
Wood Green	51,100	15	6	–	–	–	–	–	–	–	–
Tottenham	149,200	56	45	11	–	1	–	1	1	–	–
Edmonton	67,800	36	20	1	–	–	–	–	1	–	1
Enfield	61,400	25	11	1	–	–	–	–	–	1	–
West Ham C.B.	307,000	174	102	17	–	9	–	5	1	1	2
East Ham C.B.	145,500	54	39	4	–	2	–	2	–	–	–
Leyton	130,100	49	18	2	–	1	–	–	1	–	1
Walthamstow	129,800	51	40	5	–	1	–	3	–	–	1
Ilford	85,500	36	12	1	–	–	1	–	–	–	1
Gillingham	48,149*	18	13	1	–	–	–	–	–	–	1
Canterbury C.B.	23,680	12	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	17	17	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	18	17	2	–	–	–	–	–	–	–
Brighton C.B.	134,800	50	33	1	–	–	–	–	–	–	1
Portsmouth C.B.	233,929*	111	57	5	–	1	–	2	2	–	2
Bournemouth C.B.	81,200	21	21	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	71	46	7	–	–	–	–	–	–	1
Reading C.B.	92,600	35	21	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	22	15	–	–	–	–	–	–	–	2
Northampton C.B.	92,300	38	15	2	–	–	–	–	–	–	–
Luton	57,800	22	10	2	–	–	–	–	–	–	–
Cambridge	58,900	19	12	2	–	–	–	1	–	–	–
Southend-on-Sea C.B.	90,500	24	22	3	–	–	–	–	–	–	–
Ipswich C.B.	80,100	39	18	4	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	12	12	1	–	–	–	–	–	–	1
Norwich C.B.	122,400	72	32	10	–	–	–	1	1	–	1
Swindon	55,500	18	17	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	19	25	–	–	–	–	–	–	–	2
Plymouth C.B.	199,869*	80	43	9	1	–	–	–	–	1	3
Bath C.B.	68,300	22	17	1	–	–	–	–	–	1	2
Bristol C.B.	381,700	140	95	9	–	2	–	1	1	1	10
Gloucester C.B.	51,800	32	16	6	–	–	–	–	–	1	–
Stoke-on-Trent, C.B.	245,600	127	82	22	–	–	1	3	–	2	2
Burton-upon-Trent C.B.	49,410	24	12	1	–	–	–	–	–	–	1
Wolverhampton C.B.	104,000	44	22	5	–	–	–	1	–	2	1
Walsall C.B.	98,800	50	22	2	–	–	–	1	1	–	1
West Bromwich C.B.	75,300	40	26	5	–	–	–	2	1	–	2
Worcester C.B.	49,160	16	14	4	–	–	–	–	–	–	1
Dudley C.B.	57,100	35	18	6	–	–	–	1	–	–	–
Birmingham C.B.	936,000	390	232	41	–	1	–	6	1	1	10
Smethwick C.B.	77,400	23	12	–	–	–	–	1	–	–	–
Coventry C.B.	130,300	64	31	6	–	–	–	1	–	–	1
Leicester C.B.	237,900	107	55	7	–	–	–	1	–	–	1
Lincoln C.B.	66,600	26	11	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	49	27	4	–	–	–	–	–	–	–
Nottingham C.B.	266,400	113	76	11	–	–	1	–	–	–	2
Derby C.B.	131,800	61	29	6	–	–	–	1	–	–	1
Chesterfield	62,400	35	20	2	–	–	1	–	–	–	1
Stockport C.B.	125,500	51	24	2	–	–	1	–	–	–	1
Chester C.B.	41,030	17	11	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	77	40	5	–	–	–	–	–	–	1
Wallasey C.B.	89,600	32	17	1	–	–	–	–	–	–	1
Liverpool C.B.	817,000	408	246	36	–	1	–	10	1	5	6
Bootle C.B.	77,800	54	22	4	–	–	–	–	–	2	–
St. Helens C.B.	104,900	57	28	6	1	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	21	21	–	–	–	–	–	–	–	3
Wigan C.B.	91,200	41	28	7	–	2	–	–	–	–	–
Warrington C.B.	78,600	32	16	3	–	–	–	–	–	–	–
Bolton C.B.	182,200	81	53	5	–	–	–	–	–	–	1
Bury C.B.	57,600	15	10	–	–	–	–	–	–	–	–
Manchester C.B.	744,000	335	230	37	–	–	2	3	3	3	5
Salford C.B.	239,100	113	58	10	–	–	1	1	1	–	3
Oldham C.B.	148,300	62	50	6	–	–	–	–	–	1	3
Rochdale C.B.	92,700	24	35	4	–	1	–	–	–	–	1
Burnley C.B.	105,300	48	37	4	–	–	–	–	–	–	–
Blackburn C.B.	129,400	35	39	4	–	–	–	–	–	2	1
Preston C.B.	119,900	48	34	4	–	–	–	–	–	–	–
Blackpool C.B.	73,800	10	20	1	–	–	–	–	–	1	1
Barrow-in-Furness C.B.	75,200	38	14	3	–	–	–	–	–	–	1
Huddersfield C.B.	111,900	38	27	1	–	–	–	1	–	–	1
Halifax C.B.	100,700	46	27	9	–	–	–	2	–	1	–
Bradford C.B.	291,100	104	76	15	–	1	2	–	–	–	3
Leeds C.B.	465,500	197	140	23	–	–	–	3	–	–	2
Dewsbury C.B.	55,100	26	13	3	1	–	–	1	–	–	1
Wakefield C.B.‡	53,763	8	17	3	–	–	–	–	1	2	–
Barnsley C.B.‡	68,991	36	10	2	–	–	–	–	–	–	–
Sheffield C.B.‡	519,239	248	128	24	–	4	–	–	–	1	3
Rotherham C.B.	69,100	50	14	3	–	2	–	–	–	–	–
Doncaster	54,700	21	15	2	–	–	–	1	–	–	1
York C.B.	84,500	29	28	2	–	–	–	–	–	–	–
Hull C.B.	291,800	150	82	18	–	–	–	–	–	3	1
Middlesbrough C.B.	133,400	75	36	6	–	–	–	–	–	–	3
Darlington C.B.	66,400	17	21	1	–	–	–	–	–	–	2
Stockton-on-Tees	65,000	40	24	4	–	–	–	2	–	–	1
West Hartlepool C.B.	69,300	34	15	5	–	–	–	2	–	–	–
Sunderland C.B.	161,100	114	42	8	–	–	–	–	–	–	–
South Shields C.B.‡	120,376	53	44	11	–	–	–	–	–	–	–
Gateshead C.B.	126,700	63	39	9	–	–	–	2	–	–	1
Newcastle-on-Tyne C.B.	278,400	163	90	18	–	–	–	–	–	2	2
Tynemouth C.B.	63,900	38	20	7	–	–	–	–	–	1	–
Carlisle C.B.	53,200	24	11	2	–	–	–	1	–	–	–
Newport (Mon.) C.B.	93,700	47	18	2	–	–	–	–	–	–	3
Cardiff C.B.	202,700	89	45	4	–	–	–	–	–	–	3
Rhondda	166,600	91	35	6	–	–	1	–	–	2	2
Merthyr Tydfil C.B.	81,800	25	21	5	–	–	–	–	–	–	3
Aberdare	56,100	23	16	–	–	–	–	–	–	–	3
Swansea C.B.	159,600	82	48	5	–	–	–	2	1	–	2
Greater London	7,523,963*	2,962	1,894	223	2	90	7	48	33	15	39
Outer Ring	3,009,558*	1,081	671	73	1	18	1	13	12	7	18
16 Great Towns in Outer Ring	1,820,700	711	440	52	1	17	1	12	10	3	10
Remainder of Outer Ring	1,188,858*	370	231	21	–	1	–	1	2	4	8
Edinburgh†	420,500	179	120	25	–	4	–	1	–	–	3
Glasgow†	1,037,800	585	375	85	1	67	2	3	2	7	5
Dublin (Registration Area)†	427,000	205	186	29	1	10	1	4	1	2	9
Belfast†	425,000	215	157	18	–	2	–	–	1	3	10

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire** and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Mar. 18	1881	1223	14·1	1	–	72	6	35	21	8	21
Calcutta	896,067	Feb. 18	–	537§	30·7	?	17	–	–	–	–	–	18
Bombay	1,175,914	„ 18	425‖	785§	34·7	–	–	–	–	–	–	52	20
Madras	522,951	„ 11	–	–	–	–	–	–	–	–	–	–	–
Sydney and Suburbs	905,947	January (31 days).	1895	695	9·1	4	–	–	–	2	2	46	2
Perth (Registration District).	116,600	Jan. 7	77	51	22·7	1	–	–	–	1	–	3	–
		„ 14	59	29	12·9	–	–	–	–	–	–	1	1
Johannesburg	149,500	„ 28	91	35	12·2	1	–	–	–	–	–	6	1
Durban	48,000	„ 28	41	10	10·9	–	?	–	?	?	–	1	1
Paris	2,906,472	Feb. 10	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	- - -	–	–	–	–	–	–	–	–	–	–	–
Antwerp	340,852	Jan. 28	–	–	–	–	–	–	–	–	–	–	–
Amsterdam	683,605	Mar. 4	257	154	11·7	–	–	–	–	4	–	–	2
Copenhagen	562,000	„ 11	222	154	14·3	–	–	–	1	–	2	1	11
Stockholm	419,788	„ 4	99	107	13·3	–	–	–	–	–	–	1	8
Gothenburg	228,052	„ 4	–	59	13·5	1	–	–	–	1	–	–	6
Christiania	260,920	„ 11	56	57	11·4	–	–	–	–	2	–	–	–
Berlin	1,955,000	Feb. 18	472	430	11·4	1	?	2	–	1	1	3	29
Breslau	550,000	„ 18	237	200	18·9	–	?	1	1	1	1	3	9
Cologne	672,000	„ 18	335	251	19·4	2	?	–	–	–	1	4	16
Dresden	601,000	„ 18	210	177	15·3	–	?	–	–	1	–	1	5
Frankfort-on-Main	473,000	„ 18	150	113	12·4	–	?	–	–	1	–	3	10
Hamburg	1,039,000	„ 18	291	402	20·1	–	?	–	–	5	1	5	11
Leipzig	632,000	„ 18	245	218	17·9	–	?	2	–	2	–	8	13
Munich	675,000	„ 18	200	195	15·0	–	?	–	–	1	1	6	6
Vienna	1,842,005	Jan. 14	–	–	–	–	–	–	–	–	–	–	–
Prague and Suburbs	676,454	Feb. 18	293	292	22·5	1	–	2	1	2	–	8	4
Budapest	936,000	Jan. 7	343	468	26·0	3	?	22	17	9	4	25	5
Cairo	777,500	„ 7	892	349	23·3	1	–	–	–	?	3	18	?
Alexandria	456,300	„ 7	505	201	22·9	1	–	–	–	?	–	12	?
New York	5,839,738	Feb. 4	2637	1837	16·4	–	–	13	9	6	28	29	85
		„ 11	2581	2067	18·4	–	–	17	8	13	52	33	128
Chicago	2,838,288	„ 25	–	–	–	–	–	–	–	–	–	–	–
Rio de Janeiro	1,188,422	Jan. 28	666	438	19·2	3	–	7	–	6	1	–	16
Montevideo	356,301	Dec. 3	207	139	18·4	1	–	–	1	1	–	7	1
		„ 10	214	160	18·9	–	–	–	–	1	–	11	-

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 15 deaths from *Plague* in Bombay and 18 deaths from *Asiatic Cholera* in Calcutta.

‖ The registration of births in Bombay is incomplete.

** The inclusion in this table of Cities in parts of the British Empire other than India takes effect from the beginning of 1922 only, and the figures will accordingly appear in subsequent issues as they become available.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th March, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES - - - -	1223	150	102	73	51	56	47	79	108	155	208	194
Enteric fever - - - -	1	–	–	–	–	–	–	–	–	1	–	–
Small-pox - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - - - -	72	16	28	22	6	–	–	–	–	–	–	–
Scarlet fever - - - -	6	–	2	3	1	–	–	–	–	–	–	–
Whooping cough - - - -	35	10	17	7	1	–	–	–	–	–	–	–
Diphtheria - - - - -	21	1	4	10	5	1	–	–	–	–	–	–
Influenza - - - - -	21	–	–	1	–	3	–	2	3	6	2	4
Erysipelas - - - - -	2	–	–	–	–	1	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica - -	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis - -	1	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	107	–	–	1	5	24	20	15	19	13	8	2
Tuberculous meningitis - -	7	1	2	3	1	–	–	–	–	–	–	–
Abdominal tuberculosis - -	2	2	–	–	–	–	–	–	–	–	–	–
Other tubercle - - - -	6	3	1	–	2	–	–	–	–	–	–	–
Venereal diseases - - - -	7	3	–	1	–	–	–	–	1	–	2	–
Cancer - - - - - -	132	–	–	–	2	–	1	10	25	32	36	26
Rheumatic fever - - - -	9	–	–	–	1	4	1	1	–	–	1	1
Diabetes - - - - -	8	–	–	–	–	–	–	2	–	4	1	1
Alcoholism - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis - - -	1	–	–	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	42	–	–	–	–	–	–	1	4	6	15	16
Epilepsy - - - - - -	5	–	–	–	1	2	1	–	–	–	–	1
"Convulsions" (not puerperal) -	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system -	19	–	–	–	3	2	1	5	2	4	2	–
Pericarditis - - - - -	2	–	–	1	–	–	–	–	–	–	1	–
Acute endocarditis - - -	11	–	–	–	5	1	2	2	1	–	–	–
Other diseases of heart - -	127	–	–	–	2	4	5	7	11	22	40	36
Other dis. of circulatory system -	40	–	–	–	–	–	–	–	–	8	17	15
Bronchitis - - - - -	104	13	3	1	–	–	–	5	9	20	24	29
Broncho-pneumonia - - -	111	35	34	15	1	1	–	3	2	6	9	5
Lobar pneumonia - - -	25	4	1	1	–	1	3	3	4	4	2	2
Pneumonia (type not distinguished)	25	3	2	3	1	–	–	2	1	2	6	5
Other diseases of respiratory system	12	–	–	–	1	1	1	1	2	1	3	2
Diarrhœa and enteritis - -	14	7	1	–	–	1	–	–	1	3	–	1
Appendicitis and typhlitis - -	5	–	–	–	1	1	–	1	2	–	–	–
Hernia, Intestinal obstruction -	9	2	–	–	–	–	1	–	2	2	–	2
Cirrhosis of liver - - - -	7	–	–	–	–	1	1	–	1	1	3	–
Other diseases of digestive system -	16	2	–	–	–	1	2	3	2	1	5	–
Acute nephritis - - - - -	3	–	–	–	1	1	–	1	–	–	–	–
Chronic Bright's disease - -	31	–	–	–	1	–	1	4	6	11	5	3
Other diseases of genito-urinary system.	10	2	–	–	–	1	–	–	–	1	3	3
Puerperal fever, &c. - - - -	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth	5	–	–	–	–	–	3	2	–	–	–	–
Congenital malformations - -	8	7	1	–	–	–	–	–	–	–	–	–
Premature birth - - - -	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital) -	6	6	–	–	–	–	–	–	–	–	–	–
Old age - - - - - -	40	–	–	–	–	–	–	–	–	–	12	28
Suicide - - - - - -	11	–	–	–	–	–	–	3	5	1	1	1
Burns and scalds - - - -	4	–	1	1	–	–	–	–	–	–	–	2
Drowning - - - - - -	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed - - -	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses - - -	7	–	–	1	4	–	–	–	–	1	–	1
Other deaths by violence - -	10	1	–	–	2	1	1	1	1	–	–	3
Other specified causes - - -	44	6	3	–	3	4	3	3	4	4	9	5
Ill-defined causes - - -	3	–	1	1	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th March 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
†CITY OF LONDON	–	1	2	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	19	13	–	5	G. 1 M. 2
†BERMONDSEY ...	–	14	12	–	3	D. 2
†BETHNAL GREEN	–	10	5	–	2	C. 1
†CAMBERWELL ...	–	24	8	–	2	C. 1 M. 2
†CHELSEA ...	–	2	3	–	–	–
†DEPTFORD ...	–	14	7	–	1	–
†FINSBURY ...	–	5	7	–	1	M. 2
†FULHAM ...	–	13	6	–	5	C. 3 M. 1
†GREENWICH ...	–	25	9	–	–	M. 1
†HACKNEY ...	–	11	17	–	1	–
†HAMMERSMITH	–	14	11	1	2	C. 1 M. 1
†HAMPSTEAD ...	–	10	5	–	1	G. 1 M. 1
†HOLBORN ...	–	2	1	–	–	–
†ISLINGTON ...	–	41	28	–	1	M. 5
†KENSINGTON ...	–	7	8	1	–	–
†LAMBETH ...	–	31	12	–	5	C. 4 G. 1 M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	16	8	1	2	–
†PADDINGTON ...	–	8	10	–	5	–
†POPLAR... ...	–	8	11	–	10	M. 2
†ST. MARYLEBONE	–	6	6	–	1	M. 1
†ST. PANCRAS ...	–	26	21	1	6	M. 1
†SHOREDITCH ...	–	10	7	–	16	M. 1
†SOUTHWARK ...	–	10	8	–	5	C. 1 M. 2
†STEPNEY ...	–	11	9	–	10	M. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH	–	39	21	–	10	C. 1
†WESTMINSTER, CITY OF	–	4	4	1	–	C. 1 M. 1
†WOOLWICH ...	–	6	10	–	12	–
TOTAL OF PART I.	–	388	269	5	107	C. 13 D. 2 G. 3 M. 26

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	16	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	1	–	1	–
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	9	–	–	–
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
LUTON	–	–	6	–	–	–
BERKS	–	12	2	–	2	L. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	2	–	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
†NEWBURY ...	–	–	1	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
†READING, C.B.	–	4	–	–	2	L. 1
WALLINGFORD ...	–	–	1	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD	–	3	–	–	–	–
BUCKINGHAM ...	–	10	3	–	6	C. 1 G. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	2	–	–	1	C. 1
CHESHAM ...	–	2	1	–	–	–
†SLOUGH ...	–	1	1	–	4	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	–	–	1	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
WING	–	1	–	–	–	–
WINSLOW ...	*	*	*	*	*	*
WYCOMBE ...	–	2	–	–	1	G. 1
CAMBRIDGE...	–	3	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
NEWMARKET ...	–	2	–	–	–	–
CHESTER	–	60	16	1	27	C. 3 L. 1 M. 4
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	1	–	–	
†BIRKENHEAD C.B.	–	9	1	–	11	C. 1
BOLLINGTON ...	–	–	–	–	2	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	6	1	–	2	C. 1
†CONGLETON ...	–	–	–	–	4	C. 1
†CREWE	–	3	1	–	–	–
†DUKINFIELD ...	–	–	–	1	–	M. 1
HALE	–	3	–	–	–	–
HOLLINGWORTH	–	3	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
KNUTSFORD ...	–	3	–	–	–	–
†LOWER BEBINGTON ...	–	–	1	–	–	–
†MACCLESFIELD...	–	2	1	–	–	L 1
MIDDLEWICH ...	–	–	3	–	–	–
NANTWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	1	2	–	1	–
†STALYBRIDGE ...	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†STOCKPORT, C.B.	–	5	2	–	1	M. 1
†WALLASEY, C.B.	–	9	1	–	1	–
†WINSFORD ...	–	–	–	–	4	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	M. 1
CONGLETON ...	–	1	–	–	–	–
NANTWICH ...	–	1	1	–	–	–
RUNCORN ...	–	2	–	–	–	–
WIRRAL ...	–	4	–	–	–	–
CORNWALL ...	–	5	5	1	2	–
Boroughs and Urban Districts:—						
CALLINGTON ...	–	–	1	–	–	–
HELSTON ...	*	*	*	*	*	*
LAUNCESTON ...	–	–	2	–	–	–
LISKEARD ...	–	1	–	–	–	–
LOOE	*	*	*	*	*	*
†PENZANCE ...	–	1	–	–	–	–
PHILLACK ...	–	–	2	–	–	–
ST. IVES ...	–	2	–	–	1	–
Rural Districts:—						
BODMIN... ...	–	1	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
SAINT GERMANS	–	–	–	1	–	–
CUMBERLAND ...	–	7	3	1	1	–
Boroughs and Urban Districts:—						
†MARYPORT ...	–	–	1	–	–	–
MILLOM ...	–	–	1	–	–	–
PENRITH ...	–	1	1	–	–	–
†WHITEHAVEN ...	–	–	–	1	–	–
WIGTON ...	–	2	–	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE ...	–	1	–	–	1	–
PENRITH ...	–	1	–	–	–	–
DERBY	2	32	22	1	18	G. 3 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	2	–
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD	–	2	1	–	1	–
CLAY CROSS ...	–	–	1	–	–	–
†DERBY C.B. ...	–	16	3	1	3	–
†GLOSSOP ...	–	–	–	–	–	G. 1
†HEANOR ...	–	2	–	–	1	–
†ILKESTON ...	2	–	–	–	1	–
†LONG EATON ...	–	–	–	–	–	G. 1
NORTH DARLEY	*	*	*	*	*	*
†RIPLEY... ...	–	2	–	–	2	–
†SWADLINCOTE DISTRICT	–	2	5	–	2	–
WIRKSWORTH ...	–	–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER ...	–	–	1	–	1	G. 1
BLACKWELL ...	–	4	1	–	1	–
CHAPEL-EN-LE-FRITH	–	–	–	–	1	–
CHESTERFIELD	–	1	4	–	–	M. 1
CLOWNE... ...	–	1	2	–	–	–
HARTSHORNE AND SEALS	*	*	*	*	*	*
HAYFIELD ...	–	1	–	–	–	–
SHARDLOW ...	–	–	1	–	2	–
DEVON	–	14	24	5	16	C. 1 M. 1
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
CREDITON ...	–	1	–	–	–	–
†EXETER C.B. ...	–	3	–	–	1	M. 1
†EXMOUTH ...	–	–	4	–	–	–
GREAT TORRINGTON	–	–	2	–	–	–
HONITON ...	–	–	1	–	–	–
†NEWTON ABBOT	–	–	1	–	–	–
NORTHAM ...	–	–	2	–	–	–
†PLYMOUTH C.B.	–	8	8	5	1	C. 1
SOUTH MOLTON	–	–	–	–	2	–
†TEIGNMOUTH ...	–	–	1	–	1	–
TIVERTON ...	–	–	2	–	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BARNSTAPLE ...	–	1	–	–	1	–
CULMSTOCK ...	–	–	–	–	1	–
HONITON ...	–	–	–	–	3	–
KINGSBRIDGE ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	–	–	2	–
SOUTH MOLTON	–	–	–	–	1	–
TAVISTOCK ...	–	–	1	–	–	–
DORSET	–	4	6	2	2	M. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	1	–
DORCHESTER ...	–	–	2	–	–	–
LYME REGIS ...	–	1	–	–	–	–
†POOLE	–	–	1	–	1	M. 1
†PORTLAND ..	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS ...	–	2	–	–	–	–
WIMBORNE ...	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	1	–	–	–
CERNE	*	*	*	*	*	*
DORSET—*cont.*						
Rural Districts—*cont.*						
WIMBORNE AND CRANBORNE	–	–	1	2	–	–
DURHAM... ...	–	75	15	1	43	C. 3 E. 1 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
†BLAYDON ...	–	3	1	–	–	C. 1
†CHESTER-LE-STREET	–	1	–	–	–	–
†CROOK	–	1	–	–	3	–
†DARLINGTON C.B.	–	7	2	1	–	–
†FELLING ...	–	2	–	–	2	–
†GATESHEAD C.B.	–	2	1	–	2	C. 1
†HEBBURN ...	–	2	1	–	–	–
†JARROW ...	–	2	–	–	8	E. 1
†RYTON ...	–	–	–	–	2	–
†SEAHAM HARBOUR	*	*	*	*	*	*
†SHILDON ...	–	4	–	–	–	–
†SOUTH SHIELDS C.B.	–	9	–	–	14	–
†SOUTHWICK-ON-WEAR ...	–	–	1	–	–	M. 3
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY ...	–	–	1	–	–	–
†STOCKTON-ON-TEES	–	–	3	–	3	M. 1
†SUNDERLAND C.B.	–	8	–	–	2	C. 1 M. 1
†WEST HARTLEPOOL C.B.	–	4	–	–	1	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	4	2	–	2	–
CHESTER-LE-STREET	–	14	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	3	–	–	1	–
HARTLEPOOL ...	–	1	–	–	–	–
LANCHESTER ...	–	2	1	–	–	M. 2
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	2	1	–	–	–
ISLE OF ELY ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†WISBECH ...	–	2	1	–	–	–
Rural Districts—						
THORNEY ...	–	–	1	–	–	–
ESSEX	–	75	49	1	33	C. 3 E. 1 G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	–	–	1	–
BRENTWOOD ...	–	–	1	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†CLACTON ...	–	–	–	–	1	–
†COLCHESTER ...	–	–	2	1	2	E. 1
†EAST HAM C.B.	–	12	7	–	3	–
†GRAYS THURROCK	–	1	4	–	–	–
†ILFORD	–	4	3	–	1	–
†LEYTON... ...	–	7	3	–	4	C. 1
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	2	2	–	–	G. 1
SAFFRON WALDEN	–	2	–	–	2	–
SHOEBURYNESS-ON-SEA	–	–	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	6	–	–	8	C. 1 L. 1
TILBURY ...		–	1	–	–	–
WALTHAM HOLY CROSS	–	–	3	–	–	–
†WALTHAMSTOW	–	10	6	–	1	M. 1
†WANSTEAD ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST HAM C.B.	–	14	13	–	4	C. 1
†WOODFORD ...	–	–	–	–	2	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BUMPSTEAD ...	–	1	–	–	–	–
CHELMSFORD ...	–	3	–	–	–	–
EPPING	–	2	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	1	–
MALDON... ...	–	–	–	–	2	–
ORSETT... ...	–	1	–	–	–	–
ROCHFORD ...	–	3	2	–	–	–
ROMFORD ...	–	2	–	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	–	47	17	3	15	M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	34	14	2	10	M. 1
†CHELTENHAM ...	–	1	–	–	2	–
†GLOUCESTER C.B.	–	2	–	–	–	–
STOW-ON-THE-WOLD	*	*	*	*	*	*
STROUD ...	–	1	–	–	–	M. 1
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
CIRENCESTER ...	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	–	M. 1
GLOUCESTER ...	–	5	–	–	–	–
STROUD ...	–	–	1	–	–	–
WARMLEY ...	–	1	–	1	–	–
WEST DEAN ...	–	1	–	–	2	–
WHEATENHURST	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	4	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	2	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	2	–	–	–
LEDBURY ...	–	–	–	–	1	–
LEOMINSTER ...	–	–	–	–	1	–
HERTFORD ...	–	9	14	4	1	L. 1
Boroughs and Urban Districts:—						
†BARNET ...	*	*	*	*	*	*
†CHESHUNT ...	–	–	2	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	2	–	4	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	1	1	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	–	2	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
ST. ALBANS ...	–	–	4	–	–	–
WARE	–	–	–	–	1	–
WATFORD ...	–	–	4	–	–	L. 1
HUNTINGDON ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
OLD FLETTON ...	–	–	–	–	1	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	66	28	–	17	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	6	–	–	2	–
†BECKENHAM ...	–	1	–	–	2	–
†BEXLEY ...	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	2	2	–	1	–
†CANTERBURY, C.B.	*	*	*	*	*	*
†CHATHAM ...	–	3	1	–	–	–
CHISLEHURST ...	–	–	1	–	–	–
†DARTFORD ...	–	9	3	–	1	–
†DOVER	–	1	–	–	3	–
†ERITH	–	3	1	–	–	–
†FOLKESTONE ...	–	–	–	–	1	C. 1
†GILLINGHAM ...	–	5	1	–	–	–
†GRAVESEND ...	–	2	1	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	1	–	–	2	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	–	1	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	3	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WALMER ...	–	1	–	–	–	–
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	2	1	–	–	–
CRANBROOK ...	–	–	5	–	–	–
DARTFORD ...	–	3	1	–	–	M. 1
EAST ASHFORD	–	4	–	–	2	–
HOO	–	–	1	–	–	–
ISLE OF THANET	–	–	2	–	–	–
MALLING ...	–	1	–	–	–	–
MILTON	–	–	3	–	–	–
STROOD	–	3	–	–	–	–
TONBRIDGE ...	–	–	–	–	2	–
WEST ASHFORD	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	356	107	8	174	C. 6 D. 1 G. 1 J. 1 L. 1 M. 35
Boroughs and Urban Districts :—						
ABRAM	–	–	1	–	–	–
†ACCRINGTON ...	–	3	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	1	2	–	1	–
†ASHTON-UNDER-LYNE	–	1	–	–	3	–
ASPULL	–	–	1	–	2	–
†ATHERTON ...	–	1	1	–	3	–
BARROWFORD ...	–	–	1	–	1	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	M. 1
†BLACKBURN C.B.	–	7	–	–	5	–
†BLACKPOOL C.B.	–	–	–	–	2	–
†BOLTON C.B. ...	–	7	2	–	3	–
†BOOTLE C.B. ...	–	6	3	–	–	–
BRIERFIELD ...	–	1	–	–	–	–
†BURNLEY C.B.	–	1	5	–	–	–
†BURY C.B. ...	–	3	–	–	3	C. 1 M. 1
†CHADDERTON ...	–	3	1	–	2	–
†CHORLEY ...	–	–	1	–	–	M. 1
†CLITHEROE ...	–	1	–	–	–	–
†COLNE	–	–	–	–	1	–
†CROMPTON ...	–	1	–	–	1	–
†DARWEN ...	–	–	1	–	–	–
†DROYSLDEN ...	–	5	1	–	–	–
†ECCLES ...	–	9	–	–	1	–
†FAILSWORTH ...	–	2	–	–	2	–
†FARNWORTH ...	–	1	–	–	4	–
†FLEETWOOD ...	–	–	1	–	1	–
†GREAT CROSBY...	–	–	–	–	–	J. 1
†GREAT HARWOOD	–	2	–	–	–	–
†HASLINGDEN ...	–	–	–	–	1	–
†HEYWOOD ...	–	3	–	–	–	–
†HINDLEY ...	–	1	–	1	8	–
†HORWICH ...	–	1	1	–	1	–
HUYTON-WITH-ROBY	–	–	1	–	–	–
†INCE-IN-MAKERFIELD	–	1	–	–	–	M 1
IRLAM	–	1	–	–	–	–
KEARSLEY ...	–	1	2	–	–	–
†LANCASTER ...	–	2	3	–	2	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	7	1	–	1	–
LEYLAND ...	–	1	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LIVERPOOL C.B.	–	62	27	3	14	C. 4 D. 1 G. 1 M. 13
†MANCHESTER C.B.	–	89	9	–	51	C. 1 M. 7
†MIDDLETON ...	–	7	–	–	1	M. 1
MILNROW ...	–	1	–	–	–	–
†MORECAMBE ...	–	1	1	–	–	–
†MOSSLEY ...	–	–	–	–	–	M. 1
†NEWTON-IN-MAKERFIELD	–	5	1	–	2	–
†OLDHAM C.B.	1	12	4	–	3	M. 2
†OSWALDTWISTLE	–	7	–	–	–	–
†PADIHAM ...	–	1	–	–	1	–
PRESCOT ...	–	1	1	–	–	–
†PRESTON C.B. ...	–	5	1	1	1	–
†RADCLIFFE ...	–	3	1	–	4	–
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON ...	–	1	–	–	–	–
†ROCHDALE C.B.	–	5	–	–	–	–
†ROYTON ...	–	2	–	–	6	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	4	5	1	5	M. 2
†SALFORD C.B. ...	–	26	5	2	7	M. 1
SKELMERSDALE	–	–	–	–	1	–
†SOUTHPORT C.B	–	3	–	–	2	M. 1
†STRETFORD ...	–	4	2	–	1	–
†SWINTON AND PENDLEBURY	–	–	1	–	1	–
TRAWDEN ...	–	1	–	–	–	–
†TURTON... ...	–	–	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	1	–
UPHOLLAND ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	2	1	–	1	–
†WARRINGTON C.B.	–	6	1	–	1	–
†WATERLOO-WITH-SEAFORTH	–	–	2	–	–	–
†WESTHOUGHTON	–	–	–	–	3	M. 1
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES ...	–	–	5	–	8	–
†WIGAN C.B. ...	–	5	1	–	5	–
WITHNELL ...	–	–	–	–	–	M. 1
†WORSLEY ...	–	1	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	–	–	–	2	–
BURY	–	2	1	–	1	–
CHORLEY ...	–	1	3	–	–	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	–	2	–	–	–
LANCASTER ...	–	–	1	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	1	–	–	–	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON ...	–	2	–	–	–	–
SEFTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	–	–	–	–	M. 1
WHISTON ...	–	1	–	–	–	L. 1
LEICESTER ...	–	8	8	–	4	M. 3
Boroughs and Urban Districts:—						
ASHBY WOULDS	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	–	–
†LEICESTER C.B.	–	5	5	–	2	M. 3
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	–	1	–	–	–
LEICESTER—*cont.*						
Rural Districts:—						
BLABY	–	–	2	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
MARKET HARBOROUGH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	1	1	–	1	–
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON... ...	–	1	–	–	–	–
CROWLAND ...	–	–	–	–	1	–
EAST ELLOE ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	7	2	–	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	M. 1
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	2	2	–	–	–
Rural Districts:—						
BOURNE ...	*	*	*	*	*	*
CLAYPOLE ...	–	1	–	–	–	–
SLEAFORD ...	–	3	–	–	–	–
LINCOLN (parts of Lindsey).	–	4	6	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES	–	–	–	–	2	–
†GRIMSBY C.B. ...	–	–	4	–	1	M. 1
LOUTH	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GAINSBOROUGH	–	1	–	–	–	–
GLANFORD BRIGG	–	1	1	–	1	–
MIDDLESEX ...	–	105	81	1	26	C. 2 G. 2 L. 1 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	4	10	–	–	–
†BRENTFORD ...	–	4	–	–	–	–
†CHISWICK ...	–	3	8	–	–	–
†EALING ...	–	11	2	–	1	–
†EDMONTON ...	–	5	8	–	2	C. 1
†ENFIELD ...	–	2	3	–	–	G. 2
†FINCHLEY ...	–	1	1	–	3	–
†FRIERN BARNET	–	–	–	–	–	C. 1
†HANWELL ...	–	3	–	–	1	–
†HARROW-ON-THE-HILL	–	1	1	–	–	M. 1
HAYES	–	1	–	–	–	–
†HENDON ...	–	4	6	–	1	–
†HESTON AND ISLEWORTH	–	2	1	–	4	–
†HORNSEY ...	–	5	7	–	2	–
†SOUTHALL-NORWOOD	–	–	–	–	1	L. 1
†SOUTHGATE ...	–	8	–	–	1	–
STAINES... ...	–	1	–	–	–	–
SUNBURY-ON-THAMES	–	–	2	–	–	–
†TOTTENHAM ...	–	15	19	–	6	–
†TWICKENHAM ...	–	1	–	–	–	M. 1
†UXBRIDGE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	–	–	1	–
†WILLESDEN ...	–	20	10	1	2	M. 2
†WOOD GREEN ...	–	10	–	–	1	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
UXBRIDGE ...	–	1	3	–	–	–
NORFOLK ...	–	23	10	–	1	C. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	8	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–
†NORWICH C.B....	–	4	7	–	1	–
WELLS	–	–	1	–	–	–
Rural Districts:—						
DOCKING ...	–	–	–	–	–	C. 1
ERPINGHAM ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
SMALLBURGH ...	–	2	1	–	–	–
WALSINGHAM ...	–	–	1	–	–	–
WAYLAND ...	–	6	–	–	–	–
NORTHAMPTON	–	12	5	–	3	M. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
FINEDON ...	*	*	*	*	*	*
IRTHLINGBOROUGH	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	8	3	–	1	M. 1
†RUSHDEN ...	–	–	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	1	–	–	–
HARDINGSTONE	–	–	–	–	1	–
KETTERING ...	–	–	1	–	–	–
POTTERSPURY ...	*	*	*	*	*	*
TOWCESTER ...	–	1	–	–	–	–
NORTHUMBERLAND.	–	31	13	–	44	C. 1 F. 1 M. 1
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	2	1	–	1	–
BERWICK-UPON-TWEED	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	1	–	–	4	–
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON ...	–	–	1	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	2	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	7	9	–	22	C. 1 F. 1 M. 1
PRUDHOE ...	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	7	–	–	10	–
†WALLSEND ...	–	2	–	–	–	–
WEETSLADE ...	–	–	1	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	2	–
Rural Districts:—						
BELFORD ...	–	–	–	–	1	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD...	–	2	–	–	1	–
GLENDALE ...	–	2	–	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM ...	–	1	–	–	1	–
NOTTINGHAM ...	–	23	7	1	9	M. 1
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	1	–	–	–
EASTWOOD ...	–	3	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	1	1	–
†NEWARK ...	–	2	1	–	–	–
†NOTTINGHAM C.B.	–	10	4	–	6	–
†SUTTON-IN-ASHFIELD	–	2	–	–	–	M. 1
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	1	1	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
EAST RETFORD	–	–	–	–	1	–
MISTERTON ...	*	*	*	*	*	*
NEWARK ...	–	1	–	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
OXFORD	–	7	1	–	3	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER ...	–	–	1	–	–	–
CULHAM ...	–	1	–	–	–	–
GORING ...	–	1	–	–	–	–
HEADINGTON ...	–	–	–	–	2	–
HENLEY ...	–	1	–	–	–	–
WITNEY ...	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	1	–
PETERBOROUGH (Soke of).	–	1	1	–	1	–
Borough:—						
†PETERBOROUGH	–	–	–	–	1	–
Rural District:—						
PETERBOROUGH	–	1	1	–	–	–
SALOP	–	11	3	–	3	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
LUDLOW ...	–	1	–	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHREWSBURY ...	–	1	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	–	–
CHIRBURY ...	–	1	–	–	–	–
DRAYTON ...	–	–	–	–	3	–
OSWESTRY ...	–	1	–	–	–	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	10	4	3	10	M. 3
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	1	–	–	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	–	1	–	–	–
†TAUNTON ...	–	–	1	–	–	–
WATCHET ...	–	–	–	–	–	M. 1
†WESTON-SUPER-MARE	–	1	–	–	1	–
†YEOVIL... ...	–	–	–	–	–	M. 2
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	5	–
BATH	–	–	1	2	–	–
CHARD	–	2	–	–	–	–
CLUTTON ...	–	–	–	1	–	–
FROME	–	–	–	–	1	–
LONG ASHTON ...	–	3	–	–	–	–
TAUNTON ...	–	1	–	–	1	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	1	–	–	1	–
SOUTHAMPTON...	–	60	34	1	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	1	1	–	1	C. 1
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHRISTCHURCH...	–	–	1	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FARNBOROUGH ...	–	1	1	–	–	–
†GOSPORT and ALVERSTOKE	–	3	2	–	–	–
PETERSFIELD ...	–	4	–	–	–	–
†PORTSMOUTH C.B.	–	32	14	–	1	–
†SOUTHAMPTON C.B.	–	9	9	–	–	–
WARBLINGTON ...	–	1	3	–	–	–
†WINCHESTER ...	–	1	–	–	1	–
Rural Districts:—						
FAREHAM ...	–	1	1	–	–	–
HAVANT... ...	–	1	–	–	–	–
HURSLEY ...	–	2	–	–	2	–
KINGSCLERE ...	–	–	1	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	–	–	1	–	–
STAFFORD ...	–	58	42	1	41	C. 1 M. 10
Boroughs and Urban Districts:—						
†AUDLEY... ...	–	1	–	–	–	–
BIDDULPH ...	–	–	2	–	–	–
†BILSTON ...	–	–	–	–	2	–
†BRIERLEY HILL	–	–	–	–	1	–
†BROWNHILLS ...	–	–	1	–	–	–
†BURTON-UPON-TRENT C.B.	–	6	3	–	–	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	1	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	–	2	–	–	–
QUARRY BANK	–	–	1	–	1	–
†ROWLEY REGIS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEDGLEY ...	–	–	1	–	–	–
SHORT HEATH ...	–	2	–	–	1	M. 1
†SMALLTHORNE ...	–	3	–	–	3	–
†SMETHWICK C.B.	–	4	2	–	–	–
†STOKE-ON-TRENT C.B.	–	9	9	1	21	M. 4
TAMWORTH ...	–	–	2	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†WALSALL C.B....	–	3	2	–	1	M. 2
†WEDNESBURY ...	–	2	–	–	–	M. 1
†WEST BROMWICH C.B.	–	8	9	–	2	–
†WOLSTANTON UNITED	–	2	1	–	1	–
†WOLVERHAMPTON C.B.	–	10	–	–	4	M. 1
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	–	M. 1
CANNOCK ...	–	–	2	–	–	–
CHEADLE ...	–	1	1	–	–	–
KINGSWINFORD	–	2	–	–	–	–
LICHFIELD ...	–	1	1	–	–	–
SEISDON ...	–	1	1	–	1	–
STOKE-UPON-TRENT...	–	–	–	–	1	–
STONE	–	–	2	–	–	C. 1
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST	–	14	3	–	7	D. 1 M. 2
Boroughs and Urban Districts:—						
BECCLES ...	–	1	–	–	–	–
†FELIXSTOWE ...	–	–	–	–	–	M. 1
HALESWORTH ...	*	*	*	*	*	*
†IPSWICH C.B. ...	–	2	–	–	2	–
†LOWESTOFT ...	–	8	3	–	–	M. 1
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	2	–
PLOMESGATE ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	–	D. 1
SUFFOLK, WEST	–	2	2	–	–	F. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	1	–	–	–	–
NEWMARKET ...	–	–	2	–	–	–
Rural Districts:—						
MILDENHALL ...	–	1	–	–	–	–
THINGOE ...	–	–	–	–	–	F. 1
SURREY	–	66	29	–	8	C. 2 G. 1 L. 1
Boroughs and Urban Districts:—						–
†BARNES ...	–	4	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	2	–	1	L. 1
†CROYDON C.B....	–	23	8	–	–	C. 1
DORKING ...	–	1	–	–	–	–
†EPSOM... ...	–	–	–	–	1	–
GODALMING ...	–	–	–	–	–	G. 1
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	1	3	–	–	–
†MERTON AND MORDEN ...	–	3	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM ...	–	5	1	–	1	–
†RICHMOND ...	–	–	–	–	4	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	2	5	–	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	8	4	–	–	–
†WOKING ...	–	–	–	–	–	C. 1
Rural Districts:—						
EPSOM	–	–	–	–	1	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	5	–	–	–	–
HAMBLEDON ...	–	5	1	–	–	–
REIGATE ...	–	1	2	–	–	–
SUSSEX, EAST ...	–	21	3	1	6	M. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	10	2	–	2	–
†EASTBOURNE C.B	–	3	–	–	–	–
†HASTINGS C.B....	–	4	–	–	2	–
†HOVE	–	2	–	–	1	M. 1
†PORTSLADE-BY-SEA	–	2	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	–	–	1	–	–
CUCKFIELD ...	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	12	1	–	6	–
Boroughs and Urban Districts:—						
†LITTLEHAMPTON	–	2	–	–	–	–
†WORTHING ...	–	2	1	–	3	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON...	–	5	–	–	–	–
HORSHAM ...	–	–	–	–	2	–
THAKEHAM ...	–	–	–	–	1	–
WESTBOURNE ...	–	2	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	64	34	2	41	C. 5 D. 1 L. 1 M. 5
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	50	21	2	22	C. 5 L. 1 M. 5
†COVENTRY C.B.	–	1	3	–	2	–
†NUNEATON ...	–	8	1	–	2	–
†ROYAL LEAMINGTON SPA	–	1	1	–	4	–
†RUGBY	–	–	2	–	4	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	2	–
Rural Districts:—						
ALCESTER ...	–	–	2	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
FOLESHILL ...	–	1	1	–	–	–
MERIDEN ...	–	–	–	–	3	–
RUGBY ...	–	–	–	–	–	D. 1
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM ...	–	–	1	–	–	–
TAMWORTH (part)	–	2	2	–	–	–
WESTMORLAND	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	5	4	–	2	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	1	–	–	–
†RYDE	–	1	2	–	2	–
SANDOWN ...	–	2	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	2	1	–	–	–
WILTS	–	16	1	–	6	M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	–	–	–	M. 1
†SWINDON ...	–	6	–	–	5	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	2	–	–	–	–
PEWSEY ...	–	–	–	–	1	–
SALISBURY ...	–	–	1	–	–	–
WARMINSTER ...	–	3	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WORCESTER ...	–	12	6	–	9	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
DROITWICH ...	–	1	–	–	–	–
EVESHAM ...	–	–	1	–	–	–
†KIDDERMINSTER	–	3	–	–	1	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY ...	–	1	2	–	2	–
†STOURBRIDGE ...	–	2	–	–	1	–
†WORCESTER C.B.	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
DROITWICH ...	–	–	1	–	–	M. 1
EVESHAM ...	–	–	1	–	–	–
HALESOWEN ...	–	–	1	–	1	–
MARTLEY ...	–	3	–	–	–	–
PERSHORE ...	–	1	–	–	1	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	14	12	–	9	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	3	–
FILEY	–	1	–	–	–	–
HESSLE ...	–	1	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	6	8	–	3	–
WITHERNSEA ...	–	–	–	–	1	–
†YORK C.B. ...	–	6	1	–	1	M. 1
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
NORTON ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	1	2	7	1	6	M. 1
Boroughs and Urban Districts:—						
GUISBOROUGH ...	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	1	–	3	–	2	M. 1
†REDCAR ...	–	–	–	–	2	–
†SCARBOROUGH ...	–	2	–	–	–	–
†THORNAY-ON-TEES	–	–	–	1	–	–
†WHITBY ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
FLAXTON ...	–	–	1	–	–	–
LEYBURN ...	–	–	1	–	–	–
WHITBY ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	8	209	70	12	100	C. 5 E. 1 G. 5 M. 12
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	3	1	–	1	–
ARDSLEY, EAST AND WEST	–	2	–	–	–	–
BAILDON ...	–	1	–	–	–	–
†BARNOLDSWICK	–	–	1	–	1	–
†BARNSLEY C.B.	–	1	–	–	3	C. 1 G. 2
†BATLEY... ...	–	1	–	–	–	–
†BINGLEY ...	–	3	2	–	–	M. 1
BIRSTALL ...	–	–	–	–	–	G. 1
†BOLTON-UPON-DEARNE	–	1	–	8	2	–
†BRADFORD C.B.	–	38	7	–	3	C. 2
†BRIGHOUSE ...	–	4	–	–	1	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON ...	–	–	1	–	–	–
†CONISBROUGH ...	–	–	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DEWSBURY C.B.	–	5	–	1	1	–
†DONCASTER ...	–	2	1	–	1	–
†ELLAND ...	–	1	–	–	1	–
EMLEY	–	–	1	–	–	–
†GOLCAR ...	2	1	–	–	–	–
†GOOLE	–	1	2	1	1	–
GREASBOROUGH	*	*	*	*	*	*
GREETLAND ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	12	1	–	–	–
†HARROGATE ...	–	3	1	–	1	C. 1
†HEMSWORTH ...	–	2	1	–	–	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HUDDERSFIELD C.B.	–	–	2	–	4	–
ILKLEY	–	1	1	–	–	–
†KEIGHLEY ...	–	2	–	–	1	E. 1 M. 1
†LEEDS C.B. ...	–	42	11	–	9	G. 1 M. 2
LEPTON ...	–	1	–	–	–	–
LINTHWAITE ...	1	–	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	1	–
†MORLEY ...	–	–	1	–	1	–
MYTHOLMROYD	–	1	–	–	–	–
†NORMANTON ...	–	–	1	–	1	–
OTLEY	–	–	1	–	–	–
†RAWMARSH ...	–	2	–	–	–	M. 1
†ROTHERHAM C.B.	–	2	1	–	4	G. 1
†ROTHWELL ...	–	6	–	–	–	–
ROYSTON ...	–	1	–	–	–	–
†SADDLEWORTH...	§5	–	–	–	–	–
†SHEFFIELD C.B.	–	24	13	–	46	M. 6
SHELLEY ...	–	–	1	–	–	–
SHEPLEY ...	–	–	1	–	1	–
†SHIPLEY ...	–	2	–	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
SPENBOROUGH ...	–	2	1	–	–	C. 1
STAINLAND WITH OLD LINDLEY	–	3	–	–	–	–
†STANLEY ...	–	1	–	–	–	–
†SWINTON ...	*	*	*	*	*	*
THURSTONLAND	–	–	–	–	1	–
†WAKEFIELD C.B.	–	7	–	–	1	–
WHITWOOD ...	–	3	–	–	–	–
†WOMBWELL ...	–	–	1	2	3	–
†WORSBOROUGH	–	1	5	–	–	M. 1
YEADON... ...	–	2	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	4	–	2	–
HEMSWORTH ...	–	7	1	–	3	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ All cases notified as Alastrim.

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
ROTHERHAM ...	–	1	1	–	2	–
SELBY	–	3	–	–	–	–
SETTLE	–	1	–	–	–	–
SKIPTON ...	–	1	–	–	–	–
TADCASTER ...	–	2	–	–	–	–
THORNE ...	–	–	–	–	1	–
WAKEFIELD ...	–	2	–	–	1	–
WHARFEDALE (NORTH)	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	1	3	–	2	–
Boroughs and Urban Districts :—						
LLANGEFNI ...	–	–	–	–	1	–
Rural Districts :—						
AETHWY ...	–	–	3	–	–	–
TWRCELYN ...	–	1	–	–	1	–
BRECKNOCK ...	–	2	–	–	3	–
Boroughs and Urban Districts :—						
BRYNMAWR ...	–	2	–	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts :—						
YSTRADGYNLAIS	–	–	–	–	3	–
CARDIGAN ...	–	1	–	–	1	–
Boroughs and Urban Districts :—						
ABERYSTWITH ...	–	1	–	–	–	–
Rural District—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ...	–	8	10	–	6	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	–	–	–	1	–
LLANDILO ...	–	–	–	–	1	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts :—						
LLANDILO FAWR	–	7	3	–	–	–
LLANELLY ...	–	–	6	–	–	–
LLANYBYTHER ...	–	1	–	–	4	–
CARNARVON ...	–	1	5	1	1	–
Boroughs and Urban Districts :—						
BANGOR ...	–	1	–	–	–	–
CARNARVON ...	–	–	2	–	–	–
LLANDUDNO ...	–	–	2	–	–	–
PENMAENMAWR	–	–	–	1	–	–
Rural Districts :—						
GWYRFAI ...	–	–	1	–	1	–
DENBIGH ...	–	3	6	–	2	–
Boroughs and Urban Districts :—						
†WREXHAM ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
WREXHAM ...	–	2	6	–	1	–
FLINT	–	4	3	–	–	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	1	–	–	–	–
MOLD	–	–	1	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	2	–	–	–
GLAMORGAN ...	–	83	35	–	35	C. 3 D. 1 E. 1 L. 1 M. 5
Boroughs and Urban Districts:—						
†ABERDARE ...	–	8	1	–	4	D. 1
†BARRY	–	–	5	–	2	M. 1
BRIDGEND ...	–	–	–	–	1	–
†CARDIFF C.B. ...	–	9	3	–	3	C. 1 M. 1
†GELLIGAER ...	–	13	3	–	1	–
†GLYNCORWG ...	–	1	–	–	1	–
†MAESTEG ...	–	3	–	–	6	–
†MERTHYR TYDFIL C.B.	–	1	–	–	2	M. 1
†MOUNTAIN ASH	–	15	1	–	–	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	1	–	–	4	–
†PONTYPRIDD ...	–	4	–	–	–	–
PORTHCAWL ...	–	–	3	–	1	–
†PORT TALBOT ...	–	6	2	–	–	–
†RHONDDA ...	–	7	5	–	4	C. 1 L. 1 M. 1
†SWANSEA C.B. ...	–	6	5	–	3	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANDAFF and DINAS POWIS	–	5	2	–	–	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	1	–	–	–	–
NEATH	–	–	2	–	3	E. 1
PONTARDAWE ...	–	2	1	–	–	–
SWANSEA ...	–	1	–	–	–	–
MERIONETH ...	–	1	–	–	1	C. 1
Urban Districts:—						
BALA	–	–	–	–	1	–
FESTINIOG ...	–	1	–	–	–	–
Rural District:—						
DEUDRAETH ...	–	–	–	–	–	C. 1
MONMOUTH ...	–	32	11	1	9	C. 1 M. 1
Boroughs and Urban Districts:—						
†ABERGAVENNY...	*	*	*	*	*	*
ABERSYCHAN ...	–	2	–	–	–	–
†ABERTILLERY ...	–	2	1	1	2	–
BEDWAS AND MACHEN	–	1	–	–	1	–
†BEDWELLTY ...	–	1	1	–	–	–
CHEPSTOW ...	–	6	–	–	1	–
†EBBW VALE ...	–	6	1	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	5	M. 1
†NEWPORT C.B....	–	6	3	–	–	C. 1
†RISCA	–	3	–	–	–	–
†TREDEGAR ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
Abergavenny...	–	–	1	–	–	–
Chepstow ...	–	–	1	–	–	–
Magor	–	2	–	–	–	–
Pontypool ...	–	–	3	–	–	–
MONTGOMERY ...	–	–	–	–	1	–
Rural Districts:—						
Llanfyllin ...	–	–	–	–	1	–
PEMBROKE ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
Haverfordwest	–	1	–	–	–	–
Milford Haven	–	1	–	–	–	–
†Pembroke ...	*	*	*	*	*	*
Rural District:—						
Llanfyrnach ...	–	–	–	–	2	–
Total of Part II.	12	1723	798	53	787	C. 42 D. 4 E. 4 F. 2 G. 14 J. 1 L. 9 M. 110

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Liverpool ...	–	–	–	1	1	–
Port of London	–	–	–	1	–	G. 1 J. 1
Total of Part III.	–	–	–	2	1	G. 1 J. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	388	269	5	107	C. 13 D. 2 G. 3 M. 26
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	12	1723	798	53	787	C. 42 D. 4 E. 4 F. 2 G. 14 J. 1 L. 9 M. 110
Total of Part III.—Port Sanitary Districts ...	–	–	–	2	1	G. 1 J. 1
Total (*i.e.*, of returns received), England and Wales	12	2111	1067	60	895	C. 55 D. 6 E. 4 F. 2 G. 18 J. 2 L. 9 M. 136

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. The 12 cases of Small-pox include 5 cases of Alastrim, and appear on pages 300, 304, 311, and 312.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.
LONDON:—													
DEATHS—all ages -	1,395	1,606	2,170	2,726	2,481	2,022	1662	1,418	1,636	1,472	1,398	1,239	1,223
„ 0 to 1 year -	142	169	182	224	264	219	192	186	181	183	180	177	150
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	*7,572*	*6,548*	8,969 *8,786*	8,853 *8,675*	8,096 *7,908*	8,131 *7,958*	8,822 *8,595*	8,908 *8,729*	8,240 *8,055*	8,573 *8,397*	8,200 *8,034*	8,357 *8,164*	8,238 *8,064*
DEATHS—all ages -	*5,212*	*5,658*	6,922 *6,800*	8,085 *7,928*	8,638 *8,482*	8,353 *8,178*	7,786 *7,636*	6,784 *6,648*	7,192 *7,046*	6,376 *6,231*	5,669 *5,546*	4,957 *4,851*	5,066 *4,963*
„ *0 to 1 year* -	*661*	*699*	793 *781*	860 *842*	1,016 *1,001*	1,024 *1,011*	972 *961*	862 *854*	933 *915*	844 *828*	781 *767*	713 *697*	733 *722*
ENTERIC FEVER—Cases	*27*	*13*	19 *19*	22 *20*	11 *9*	17 *17*	29 *28*	17 *17*	12 *11*	17 *17*	21 *21*	12 *12*	26 *26*
„ Deaths	*6*	*4*	8 *7*	7 *7*	9 *9*	2 *2*	2 *2*	5 *5*	2 *2*	1 *1*	3 *3*	6 *6*	5 *5*
SMALL POX—Cases -	*12*	*2*	4 *4*	5 *5*	— —	1 *1*	3 *3*	1 *1*	— —	1 *1*	8 *8*	1 *1*	2 *2*
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*2,166*	*1,895*	1816 *1798*	1,767 *1,738*	1,672 *1,645*	1,521 *1,502*	1,541 *1,527*	1,429 *1,409*	1,423 *1,390*	1,373 *1,347*	1,314 *1,299*	1,252 *1,231*	1,322 *1,290*
„ Deaths	*17*	*26*	35 *34*	38 *33*	36 *36*	21 *21*	27 *27*	22 *22*	28 *27*	18 *17*	26 *26*	25 *25*	17 *16*
DIPHTHERIA—Cases -	*985*	*906*	858 *831*	863 *846*	889 *868*	787 *770*	822 *803*	807 *794*	782 *770*	832 *811*	785 *769*	740 *721*	654 *642*
„ Deaths	*79*	*92*	72 *71*	93 *92*	100 *99*	75 *74*	80 *80*	75 *73*	59 *58*	58 *57*	73 *73*	74 *73*	45 *45*
MEASLES—Deaths -	*47*	*68*	69 *69*	61 *61*	82 *82*	60 *60*	61 *61*	44 *43*	61 *61*	83 *83*	86 *85*	89 *88*	104 *104*
INFLUENZA—Deaths -	*237*	*418*	819 *807*	1,262 *1,240*	1,433 *1,404*	1,451 *1,420*	1,144 *1,121*	759 *749*	670 *655*	525 *511*	306 *296*	201 *197*	146 *142*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th March 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	54	32	47·4	38·1	0
BRIGHTON -	55	35	51·0	40·7	0
PORTSMOUTH -	54	32	50·7	39·4	0
NORWICH (EATON).	55	33	47·1	37·4	1
PLYMOUTH -	53	40	49·1	42·1	8
BRISTOL (CLIFTON).	52	25	46·9	35·1	0
BIRMINGHAM -	53	33	46·1	36·0	0
NOTTINGHAM -	53	30	44·7	36·1	0·2
BIRKENHEAD (BIDSTON).	51	31	47·3	36·9	0
MANCHESTER	55	31	49·6	36·0	0
BURNLEY -	52	32	45·1	34·6	0·2
HUDDERSFIELD	51	34	46·3	35·9	0

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	51	34	42·9	35·6	0·2
SHEFFIELD -	51	35	43·4	36·4	1
YORK (MUSEUM).	50	33	44·7	37·1	0
HULL (PEARSON PARK).	51	32	45·9	37·1	0
TYNEMOUTH	50	34	44·3	37·6	1
CARDIFF -	52	33	47·3	37·4	0
EDINBURGH -	52·0	32·0	44·6	35·9	0
GLASGOW -	54·5	33·2	51·2	37·4	0
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	52·1	37·1	48·8	40·9	0
BELFAST -	52·0	32·0	47·9	36·0	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 18th March 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	12	Perigee	30·204	54·0	32·2	21·8	43·7	+ 2·6	37·1	6·6	15·6	2·5	77	101·0	27·0	44·6	Calm & NE.	E. & ENE.	1·4	0·0	0·1	162	−155	0·00
MONDAY -	13	Full. In Equator.	30·182	43·7	39·1	4·6	40·8	− 0·5	36·5	4·3	6·4	0·9	85	61·0	37·9	44·4	ENE.	ENE. & E.	5·0	0·0	0·8	542	+232	0·00
TUESDAY -	14	..	30·048	51·7	40·1	11·6	44·9	+ 3·4	38·9	6·0	12·2	1·7	80	100·3	38·1	44·7	E. & ENE.	E.	5·3	0·0	0·5	423	+116	0·00
WEDNESDAY	15	..	30·090	44·3	40·7	3·6	42·0	+ 0·3	37·5	4·5	5·6	2·6	84	52·4	40·7	44·2	E. & ENE.	E. & ENE.	2·7	0·0	0·4	390	+ 80	0·00
THURSDAY -	16	..	30·094	46·0	38·0	8·0	42·0	+ 0·1	37·5	4·5	7·3	2·9	84	58·4	30·6	44·3	E. & NE.	E. & ENE.	1·2	0·0	0·1	230	− 83	0·00
FRIDAY -	17	..	30·009	43·8	37·9	5·9	40·0	− 2·0	37·0	3·0	7·2	1·2	89	66·8	36·9	44·3	E. & NE.	E.	1·5	0·0	0·1	249	− 68	0·00
SATURDAY -	18	..	29·847	49·1	38·7	10·4	42·9	+ 0·9	37·8	5·1	10·4	2·1	82	101·6	34·6	44·5	E. & ESE.	E.	1·9	0·0	0·2	281	− 39	0·00
MEANS -		..	30·068	47·5	38·1	9·4	42·3	+ 0·7	37·5	4·9	9·2	2·0	83	77·4	35·1	44·4	ENE.		...	...	...	Sum 2,277	Sum + 83	Sum 0·00
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	12	w.P. till 11h., s.P. generally afterwards.	8·8	11·5	Overcast to cloudy by 4h., nearly cloudless from 5h., clouding up after 22h. Misty till 3h. Hoar frost in morning. Lunar halo at night.
MONDAY -	13	w.P. throughout	0·3	11·6	Overcast with few exceptions, damping in forenoon from 5h. Brisk wind from 4h.
TUESDAY -	14	w.P. generally, v.N. about noon, s.P. 13h. to 17h.	5·5	11·7	Overcast generally till 9h., variably cloudy till 20h., then overcast. Brisk wind till 3h. and from 8h. till noon.
WEDNESDAY	15	w.P. throughout	0·0	11·7	Overcast throughout. Damping at times.
THURSDAY -	16	w.P. generally	0·0	11·8	Overcast except for very cloudy intervals between 5h. and 7h., and between 19h. and 20h. 30m. Dew at night.
FRIDAY -	17	w.P. generally	0·0	11·9	Overcast with slight exceptions. Damping at times with mist in early morning.
SATURDAY -	18	w.P. till 11h., w.P. and w.N. till 13h., v.P. afterwards.	4·9	11·9	Overcast till about noon, nearly cloudless 12h. 30m. to 19h. 30m., overcast again by 20h.
			Sum 19·5	Sum 82·1	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30·16 in. at the beginning of the week to 30·24 in. by 2h. on 13th; decreased to 30·01 in. by 15h. on 14th; increased generally to 30·12 in. by 11h. on 16th, and decreased generally to 29·83 in. by midnight on 18th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 12.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 25TH MARCH, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH MARCH, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twelfth week of the year numbered 7,683, and corresponded to an annual rate of 21·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,162 and corresponded to an annual rate of 14·2 per 1,000 of their aggregate civilian population, which is estimated at 19,005,401 in the year 1921. In the preceding three weeks the rates had been 15·6, 13·6 and 13·9. Infant mortality was 109 per 1,000 births against 95, 85 and 89 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,854 births, corresponding to a rate of 21·4 per 1,000, and 1,267 deaths of civilians, corresponding to a rate of 14·6, as against 16·1, 14·3, and 14·1 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 14·8 per 1,000. The infant mortality was 101 as against 99, 91, and 80 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 96 in the total deaths last week, the deaths from influenza showing a fall of 42. In London the number of deaths from all causes rose from 1,223 to 1,267; there was a decrease of 4 in the deaths from influenza, while the deaths from measles, which had been 48, 50 and 72 in the preceding three weeks further rose to 89 last week.

---

m (45)17202—4 Wt 30—P 19 2250 3/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 25th March 1922.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,005,401*	7,683	5,162	839	4	122	17	120	37	47	104
London	4,514,405*	1,854	1,267	188	–	89	6	43	18	16	17
Towns in Outer Ring.											
Croydon C.B.	191,500	54	48	7	–	–	–	–	1	1	2
Wimbledon	61,700	17	3	–	–	–	–	–	–	–	–
Ealing	67,800	23	16	1	–	–	–	–	–	–	–
Acton	62,000	18	6	2	–	–	1	–	–	–	–
Willesden	167,200	60	37	8	–	1	–	–	1	–	–
Hendon	55,500	12	5	–	–	–	–	–	–	–	–
Hornsey	87,600	25	16	3	–	–	–	–	–	–	1
Wood Green	51,100	15	13	3	–	–	–	–	–	–	–
Tottenham	149,200	47	28	3	–	–	–	–	1	–	1
Edmonton	67,800	54	11	2	–	–	–	–	–	–	–
Enfield	61,400	21	11	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	141	88	19	–	9	2	8	1	–	1
East Ham C.B.	145,500	49	34	6	–	2	–	1	–	–	2
Leyton	130,100	35	34	3	1	1	–	1	–	–	–
Walthamstow	129,800	52	41	5	–	7	–	–	–	–	–
Ilford	85,500	21	19	2	–	1	–	1	–	–	–
Gillingham	48,149*	17	8	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	11	5	2	–	–	–	–	–	–	–
Hastings C.B.	59,500	19	11	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	10	6	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	42	23	–	–	–	–	–	–	–	1
Portsmouth C.B.	233,929*	82	68	8	–	–	–	4	–	–	–
Bournemouth C.B.	81,200	23	18	1	–	–	–	–	–	–	1
Southampton C.B.	162,200	63	45	10	–	–	–	–	–	4	1
Reading C.B.	92,600	30	14	6	–	–	–	–	–	–	–
Oxford C.B.	56,400	22	17	–	–	–	–	–	–	–	1
Northampton C.B.	92,300	32	20	1	–	–	–	–	–	–	2
Luton	57,800	20	16	–	–	–	–	–	–	–	–
Cambridge	58,900	23	7	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	24	15	3	–	–	–	–	–	–	–
Ipswich C.B.	80,100	23	16	3	–	–	–	1	–	–	–
Great Yarmouth C.B.	56,300	27	17	3	–	–	–	–	–	–	1
Norwich C.B.	122,400	48	37	8	–	–	–	–	–	1	–
Swindon	55,500	10	17	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	24	21	2	–	–	–	–	–	–	3
Plymouth C.B.	199,869*	95	59	6	1	–	–	–	–	–	2
Bath C.B.	68,300	20	22	2	–	–	–	–	–	–	–
Bristol C.B.	381,700	167	99	11	–	1	2	1	1	1	4
Gloucester C.B.	51,800	23	22	4	–	–	–	–	1	–	–
Stoke-on-Trent, C.B.	245,600	103	79	23	–	–	1	2	–	1	–
Burton-upon-Trent C.B.	49,410	28	8	–	–	–	–	–	–	–	1
Wolverhampton C.B.	104,000	38	25	2	–	–	–	–	–	–	1
Walsall C.B.	98,800	40	24	6	–	–	–	–	–	–	1
West Bromwich C.B.	75,300	44	11	4	–	–	–	2	–	–	–
Worcester C.B.	49,160	16	16	3	–	–	–	–	–	–	–
Dudley C.B.	57,100	30	19	8	–	–	–	1	–	–	–
Birmingham C.B.	936,000	385	223	34	–	–	–	15	–	3	7
Smethwick C.B.	77,400	25	15	6	–	–	–	1	1	–	–
Coventry C.B.	130,300	46	38	9	–	–	–	3	–	–	1
Leicester C.B.	237,900	86	51	6	–	–	–	1	1	–	2
Lincoln C.B.	66,600	24	13	1	–	–	–	1	–	–	–
Grimsby C.B.	83,600	41	26	5	–	–	–	–	–	1	–
Nottingham C.B.	266,400	106	72	11	–	–	1	–	–	2	–
Derby C.B.	131,800	48	27	5	–	–	–		–	–	–
Chesterfield	62,400	20	7	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	41	44	6	–	–	–	1	–	1	–
Chester C.B.	41,030	12	7	–	–	1	–	–	–	–	–
Birkenhead C.B.	147,800	55	45	12	–	–	–	2	–	–	2
Wallasey C.B.	89,600	22	25	3	–	–	–	–	–	–	4
Liverpool C.B.	817,000	393	252	46	–	1	–	4	–	3	4
Bootle C.B.	77,800	44	19	2	–	–	–	2	–	–	–
St. Helens C.B.	104,900	37	26	7	–	1	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	18	20	1	–	–	–	–	–	–	–
Wigan C.B.	91,200	46	21	4	–	2	–	–	–	–	–
Warrington C.B.	78,600	29	21	2	–	–	–	–	–	–	–
Bolton C.B.	182,200	60	49	2	–	–	–	1	–	1	–
Bury C.B.	57,600	15	17	–	–	–	–	–	–	–	1
Manchester C.B.	744,000	296	230	52	–	–	1	–	2	2	4
Salford C.B.	239,100	93	68	13	–	–	–	2	1	2	3
Oldham C.B.	148,300	60	55	5	–	–	–	–	–	–	4
Rochdale C.B.	92,700	23	31	3	–	1	–	–	–	–	2
Burnley C.B.	105,300	40	32	3	–	–	–	–	–	–	–
Blackburn C.B.	129,400	39	36	6	–	–	1	1	–	1	–
Preston C.B.	119,900	55	24	2	–	–	–	–	–	–	1
Blackpool C.B.	73,800	16	17	1	–	–	–	–	1	–	1
Barrow-in-Furness C.B.	75,200	39	30	3	–	–	–	–	–	–	1
Huddersfield C.B.	111,900	37	20	1	–	–	–	–	–	–	–
Halifax C.B.	100,700	30	33	6	–	–	–	–	–	–	–
Bradford C.B.	291,100	111	93	16	–	–	–	1	–	–	3
Leeds C.B.	465,500	170	146	31	–	–	–	5	–	–	2
Dewsbury C.B.	55,100	21	15	2	–	–	–	1	–	–	–
Wakefield C.B.‡	53,763	19	10	2	–	–	–	–	–	–	–
Barnsley C.B.‡	68,991	36	21	3	–	–	–	1	–	–	2
Sheffield C.B.‡	519,239	222	144	28	2	5	–	1	1	–	3
Rotherham C.B.	69,100	39	12	2	–	–	–	–	–	–	1
Doncaster	54,700	14	13	3	–	–	–	–	–	–	–
York C.B.	84,500	38	15	3	–	–	–	–	1	–	–
Hull C.B.	291,800	147	93	24	–	–	–	2	1	1	1
Middlesbrough C.B.	133,400	93	40	16	–	–	–	3	–	–	–
Darlington C.B.	66,400	27	17	1	–	–	–	1	–	–	–
Stockton-on-Tees	65,000	27	22	2	–	–	–	3	–	1	–
West Hartlepool C.B.	69,300	29	15	2	–	–	–	–	1	1	–
Sunderland C.B.	161,100	85	61	16	–	–	–	1	–	–	–
South Shields C.B.‡	120,376	55	41	7	–	–	–	–	–	–	–
Gateshead C.B.	126,700	53	44	7	–	–	–	–	–	–	1
Newcastle-on-Tyne C.B.	278,400	154	79	15	–	–	1	–	–	–	1
Tynemouth C.B.	63,900	25	14	1	–	–	–	1	–	1	–
Carlisle C.B.	53,200	29	20	4	–	–	–	–	–	–	2
Newport (Mon.) C.B.	93,700	42	28	–	–	–	–	1	–	–	2
Cardiff C.B.	202,700	104	67	9	–	–	–	–	–	1	2
Rhondda	166,600	84	52	6	–	–	1	–	3	2	1
Merthyr Tydfil C.B.	81,800	40	25	5	–	–	–	–	–	–	–
Aberdare	56,100	24	9	2	–	–	–	–	–	–	1
Swansea C.B.	159,600	62	30	3	–	–	–	–	–	–	2
Greater London	7,523,963*	2,878	1,925	282	1	113	9	58	26	18	29
Outer Ring	3,009,558*	1,024	658	94	1	24	3	15	8	2	12
16 Great Towns in Outer Ring	1,820,700	644	410	64	1	21	3	11	4	1	7
Remainder of Outer Ring	1,188,858*	380	248	30	–	3	–	4	4	1	5
Edinburgh†	420,500	190	131	21	–	2	–	2	1	1	3
Glasgow†	1,037,800	582	362	63	–	63	1	5	6	3	2
Dublin (Registration Area)†	427,000	264	198	27	–	7	–	1	2	4	6
Belfast†	425,000	204	132	22	–	–	–	1	2	3	4

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended in November 1921.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Mar. 25	1854	1267	14·6	–	–	89	6	43	18	16	17
Calcutta	896,067	Feb. 18											
Bombay	1,175,914	„ 25	358‖	864§	38·2	–	1	1	–	–	–	70	23
Madras	522,951	„ 18	371	522	51·9	3	16	4	?	3	1	39	1
Sydney and Suburbs	905,947	Month of January											
Perth (Registration District).	116,600	Jan. 21	73	27	12·0	1	–	–	–	–	–	5	–
		„ 28	57	37	16·5	–	–	–	–	–	–	4	–
Johannesburg	149,500	Feb. 4	87	38	13·2	1	–	–	–	–	–	3	2
Durban	48,000	„ 4	18	13	14·1	–	–	–	–	–	–	2	–
Paris	2,906,472	„ 20 (10 days).	1362	1475	18·5	2	–	2	2	6	3	27	32
		Feb. 28 (8 days).	1072	1115	14·0	4	–	2	2	1	7	25	17
Antwerp	340,852	Jan. 28											
Amsterdam	683,895	Mar. 11	275	178	11·3	–	–	2	–	3	1	1	6
Copenhagen	562,000	„ 18	198	128	11·9	–	–	–	–	–	–	–	–
Stockholm	419,788	„ 11	89	95	11·8	–	–	–	–	–	–	1	5
Gothenburg	228,052	„ 11	?	48	10·9	1	–	–	–	–	–	–	3
		„ 18	?	58	13·2	–	–	–	–	1	–	–	2
Christiania	260,920	„ 18	101	73	14·5	–	–	–	–	–	–	–	–
Berlin	1,955,000	Feb. 25	510	924	24·6	–	?	13	1	2	3	18	39
Breslau	550,000	„ 25	261	207	19·6	–	?	2	1	–	1	2	5
Cologne	672,000	„ 25	315	231	17·9	–	?	–	–	–	–	3	9
Dresden	601,000	„ 25	203	181	15·7	–	?	–	–	1	–	1	11
Frankfort-on-Main	473,000	„ 25	175	108	11·9	–	?	–	–	2	–	1	4
Hamburg	1,039,000	„ 25	375	323	16·2	–	?	1	1	–	3	5	10
Leipzig	632,000	„ 25	245	195	16·1	–	?	1	–	–	1	5	8
Munich	675,000	„ 25	240	199	15·3	–	?	–	–	1	–	5	6
Vienna	1,842,005	Jan. 21	561	620	17·5	–	–	–	1	2	1	10	15
Prague and Suburbs	676,454	Feb. 18											
Budapest	936,000	Jan. 14	412	459	25·5	1	?	17	15	3	–	23	5
Cairo	777,500	„ 14	823	378	25·3	2	–	–	–	?	2	20	?
Alexandria	456,300	„ 14	473	189	21·5	2	–	–	–	?	–	8	?
New York	5,839,738	Feb. 18	2642	1981	17·7	1	–	17	7	9	37	22	130
		„ 25	2662	1988	17·8	1	–	17	10	7	28	27	105
Chicago	2,838,288	„ 25											
Rio de Janeiro	1,188,422	„ 4	646	482	21·2	4	1	5	–	4	1	–	12
Montevideo	356,301	Dec. 17	177	157	19·3	–	–	–	–	–	1	21	–
		„ 24	145	166	19·8	1	–	–	–	–	–	33	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 15 deaths from *Plague* in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th March, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1267	188	127	73	41	41	46	90	134	150	181	196
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	89	17	50	19	3	–	–	–	–	–	–	–
Scarlet fever	6	–	–	2	1	1	2	–	–	–	–	–
Whooping cough	43	15	19	9	–	–	–	–	–	–	–	–
Diphtheria	18	–	5	4	9	–	–	–	–	–	–	–
Influenza	17	1	–	1	2	1	2	2	–	2	4	2
Erysipelas	4	2	–	–	–	–	–	–	–	–	1	1
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	1	–	–	–	1	–	–	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	105	–	2	–	–	18	21	21	20	18	5	–
Tuberculous meningitis	10	4	2	2	–	2	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	1	–	1	–	–	–	–	–	–
Other tubercle	10	1	–	1	2	3	–	–	1	1	1	–
Venereal diseases	2	–	–	–	–	1	–	1	–	–	–	–
Cancer	103	–	–	–	–	–	2	10	22	30	22	17
Rheumatic fever	7	–	–	–	5	–	–	1	1	–	–	–
Diabetes	12	–	–	–	–	1	1	–	3	1	4	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	1	1	1	1	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	53	–	–	–	–	–	1	–	6	7	19	20
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	25	–	–	4	–	1	2	1	5	7	2	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	7	–	–	–	–	1	1	2	3	–	–	–
Other diseases of heart	145	–	–	–	2	2	6	16	21	28	37	33
Other dis. of circulatory system	56	–	–	–	–	–	–	2	6	9	24	15
Bronchitis	87	17	5	–	–	–	–	1	7	12	18	27
Broncho-pneumonia	109	39	29	23	3	–	–	2	1	6	4	2
Lobar pneumonia	26	2	7	–	–	–	–	1	6	4	5	1
Pneumonia (type not distinguished)	27	7	4	1	1	1	–	4	3	1	2	3
Other diseases of respiratory system	17	1	–	1	1	–	–	2	3	3	3	3
Diarrhœa and enteritis	26	16	–	1	1	–	–	2	1	2	1	2
Appendicitis and typhlitis	5	–	–	–	–	2	–	1	–	–	1	1
Hernia, Intestinal obstruction	10	1	–	–	–	–	1	–	2	1	2	3
Cirrhosis of liver	6	–	–	–	–	–	–	2	2	1	1	–
Other diseases of digestive system	16	–	1	1	2	–	–	4	2	1	2	3
Acute nephritis	1	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	21	–	–	–	–	–	–	2	6	5	5	3
Other diseases of genito-urinary system.	12	–	–	–	–	–	–	–	1	2	4	5
Puerperal fever, &c.	6	–	–	–	–	2	3	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	1	1	–	–	–	–
Congenital malformations	10	9	–	1	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age	45	–	–	–	–	–	–	–	–	1	4	40
Suicide	12	–	–	–	–	–	–	4	3	3	–	2
Burns and scalds	4	2	–	1	–	–	–	–	–	–	1	–
Drowning	4	–	–	–	1	–	–	1	2	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	–	–	–	1	1	–	–	1	1
Other deaths by violence	15	1	–	–	–	–	–	3	3	2	2	4
Other specified causes	39	13	1	–	5	3	2	2	2	3	5	3
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th March 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	13	9	–	9	M. 2
†BERMONDSEY ...	–	1	16	–	1	–
†BETHNAL GREEN	–	2	12	–	1	–
†CAMBERWELL ...	–	18	17	–	9	M. 1
†CHELSEA ...	–	2	–	–	1	–
†DEPTFORD ...	–	6	9	–	1	C. 1
†FINSBURY ...	–	3	14	–	2	–
†FULHAM ...	–	12	7	–	5	C. 1
†GREENWICH ...	–	12	16	–	4	–
†HACKNEY ...	–	15	20	–	–	–
†HAMMERSMITH	–	20	11	–	–	–
†HAMPSTEAD ...	–	7	5	–	2	–
†HOLBORN ...	–	–	5	–	1	M. 1
†ISLINGTON ...	–	31	30	–	4	C. 2 M. 2
†KENSINGTON ...	–	5	8	–	2	M. 1
†LAMBETH ...	–	21	8	–	4	M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	17	5	–	3	–
†PADDINGTON ...	–	5	6	–	4	M. 1
†POPLAR... ...	–	5	14	–	7	–
†ST. MARYLEBONE	–	7	8	–	–	–
†ST. PANCRAS ...	–	24	16	–	5	M. 2
†SHOREDITCH ...	–	6	12	–	8	M. 1
†SOUTHWARK ...	–	8	5	–	4	C. 1 G. 1
†STEPNEY ...	–	12	8	1	7	C. 2 G. 1 M. 2
†STOKE NEWINGTON	–	6	3	–	–	–
†WANDSWORTH	–	32	19	–	9	–
†WESTMINSTER, CITY OF	–	9	5	–	1	–
†WOOLWICH ...	–	9	3	–	6	–
TOTAL OF PART I.	–	308	292	1	100	C. 7 G. 2 M. 15

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	8	–	3	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	–	1	–	2	–
DUNSTABLE ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
Rural Districts :—						
AMPTHILL ...	–	1	3	–	–	–
BIGGLESWADE ...	–	2	–	–	–	–
LUTON	–	1	3	–	–	–
BERKS	–	20	1	–	1	L. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	1	–	–	–	–
†NEW WINDSOR	*	*	*	*	*	*
†READING, C.B.	–	5	–	–	1	–
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	10	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
WALLINGFORD	–	1	–	–	–	–
WANTAGE ...	–	–	1	–	–	L. 1
BUCKINGHAM ...	–	10	6	–	1	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	3	–	–	–	–
CHESHAM ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
†SLOUGH ...	–	1	1	–	1	–
Rural Districts :—						
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	1	1	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
NEWPORT PAGNELL	–	–	3	–	–	–
WYCOMBE ...	–	2	–	–	–	–
CAMBRIDGE...	–	4	2	–	3	–
Borough :—						
†CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts :—						
CHESTERTON ...	–	1	–	–	3	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	50	18	4	32	C. 1 M. 8
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	8	3	–	10	M. 2
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	–	1	–	–	–
†CHESTER C.B. ...	–	6	–	–	1	M. 1
†CONGLETON ...	–	1	1	–	1	M. 1
†CREWE	–	2	3	–	–	–
†DUKINFIELD ...	–	1	–	1	4	M. 1
HALE	–	1	1	–	1	–
HANDFORTH ...	*	*	*	*	*	*
HAZELL GROVE AND BRAMHALL	–	–	–	2	–	–
HOLLINGWORTH	–	4	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	–	–
†HYDE	–	2	–	–	–	–
†LOWER BEBINGTON ...	–	1	–	–	–	–
†MACCLESFIELD...	–	1	–	–	–	M. 1
MIDDLEWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	3	–	–	–	–
†RUNCORN ...	–	1	–	–	4	–
†SALE	–	2	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†STOCKPORT, C.B.	–	2	3	–	1	C. 1 M. 1
†WALLASEY, C.B.	–	5	1	–	3	–
†WINSFORD ...	–	–	1	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	2	–	1	–
CONGLETON ...	–	–	–	–	1	–
NORTHWICH ...	–	1	–	–	1	–
WIRRAL ...	–	4	–	1	–	–
CORNWALL ...	–	5	3	–	4	M. 1
Boroughs and Urban Districts:—						
CAMBORNE ...	–	–	1	–	–	–
FOWEY	–	–	–	–	–	M. 1
HELSTON ...	*	*	*	*	*	*
PENRYN... ...	–	–	–	–	1	–
†PENZANCE ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. IVES ...	*	*	*	*	*	*
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–	2	–	–	–
CAMELFORD ...	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	1	–
SAINT AUSTELL	–	2	–	–	2	–
STRATTON ...	*	*	*	*	*	*
CUMBERLAND ...	–	4	9	–	2	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	–	–	–	1	–
HARRINGTON ...	–	–	4	–	–	–
†MARYPORT ...	–	–	1	–	–	–
PENRITH ...	–	–	1	–	–	–
†WORKINGTON ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON AND GARRIGILL	–	–	–	–	1	–
BRAMPTON	–	1	–	–	–	–
CARLISLE ...	–	–	1	–	–	–
COCKERMOUTH ...	–	–	1	–	–	–
LONGTOWN ...	–	2	–	–	–	–
DERBY	1	35	19	1	16	C. 3 M. 4
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	3	–	–	–
ALVESTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	1	–	–	–	–
†BELPER ...	–	–	1	–	–	–
†BOLSOVER ...	–	–	1	–	–	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD	–	4	3	–	1	–
CLAY CROSS ...	–	2	–	–	–	–
†DERBY C.B. ...	–	16	7	1	6	C. 1 M. 3
HEANOR ...	–	–	1	–	–	C. 1 M. 1
ILKESTON ...	1	–	–	–	–	–
LONG EATON ...	–	–	–	–	3	–
RIPLEY... ...	–	–	–	–	1	–
SOUTH DARLEY	*	*	*	*	*	*
SWADLINCOTE DISTRICT	–	–	2	–	3	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	–	–
CHESTERFIELD	–	2	–	–	–	–
CLOWNE... ...	*	*	*	*	*	*
HARTSHORNE AND SEALS	–	1	1	–	1	–
HAYFIELD ...	–	3	–	–	–	–
REPTON ...	–	1	–	–	–	–
SHARDLOW ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	19	11	2	10	C. 1 G. 1 M. 7
Boroughs and Urban Districts:—						
EXETER C.B. ...	–	2	–	1	–	G. 1 M. 1
HONITON ...	–	–	2	–	–	–
NEWTON ABBOT	–	1	1	–	–	–
NORTHAM ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	1	–	–	–
PLYMOUTH C.B.	–	8	4	–	1	M. 4
SOUTH MOLTON	–	1	–	–	1	–
TAVISTOCK ...	–	1	–	–	–	–
TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	1	1	–	–	–
TORQUAY ...	–	–	–	–	–	C. 1 M. 1
TOTNES	–	–	1	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
CULMSTOCK ...	–	1	–	–	1	–
HONITON ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	–	1	–	–
NEWTON ABBOT	–	1	–	–	2	–
OKEHAMPTON ...	–	–	–	–	–	M. 1
PLYMPTON ST. MARY	–	–	–	–	2	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON	–	2	–	–	–	–
TAVISTOCK ...	*	*	*	*	*	*
DORSET	–	5	–	–	2	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
†POOLE	–	–	–	–	1	–
†PORTLAND ..	–	2	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS ...	–	1	–	–	1	–
Rural Districts:—						
POOLE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	59	20	–	65	G. 1 L. 1 M. 12
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	2	–	–	–
BENFIELDSIDE ...	–	1	1	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	G. 1
†BLAYDON ...	–	3	1	–	1	–
†BRANDON AND BYSHOTTLES	–	1	2	–	–	–
†CHESTER-LE-STREET	–	12	1	–	–	–
†DARLINGTON C.B.	–	5	3	–	3	L. 1 M. 2
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	9	–	–	6	–
†HETTON ...	–	–	1	–	1	–
†JARROW ...	–	–	–	–	13	–
†RYTON ...	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	1	–	–	–
†SOUTH SHIELDS C.B.	–	–	–	–	17	M. 1
†SOUTHWICK-ON-WEAR ...	–	–	–	–	–	M. 1
†STANLEY ...	–	–	–	–	2	–
†STOCKTON-ON-TEES	–	–	1	–	–	M. 1
†SUNDERLAND C.B.	–	9	2	–	8	M. 3
†WEST HARTLEPOOL C.B.	–	3	1	–	4	M. 2
†WHICKHAM ...	–	3	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
CHESTER-LE-STREET	–	5	2	–	1	–
DURHAM ...	–	–	–	–	1	–
EASINGTON ...	–	2	–	–	3	–
HOUGHTON-LE-SPRING	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
SEDGEFIELD ...	–	–	2	–	–	–
SUNDERLAND ...	–	–	–	–	2	M. 2
WEARDALE ...	*	*	*	*	*	*
ISLE OF ELY ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	1	–
MARCH	*	*	*	*	*	*
†WISBECH ...	–	1	–	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	1	–	–	–	–
WISBECH ...	–	2	1	–	–	–
ESSEX	–	78	53	1	25	C. 3 D. 1 G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	1	–	–	–
†CHELMSFORD ...	–	6	1	1	–	–
†COLCHESTER ...	–	–	2	–	–	C. 1
†EAST HAM C.B.	–	9	7	–	3	–
EPPING	–	–	1	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	8	8	–	1	L. 1
†LEYTON... ...	–	5	4	–	–	–
LOUGHTON ...	–	–	–	–	1	–
†ROMFORD ...	–	1	3	–	–	–
SHOEBURYNESS-ON-SEA	–	–	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	9	–	–	5	M. 1
TILBURY ...	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW	–	11	10	–	2	G. 1
†WANSTEAD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST HAM C.B	–	12	10	–	8	C. 1 D. 1
†WOODFORD ...	–	1	2	–	1	–
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BUMPSTEAD ...	–	3	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW ...	–	–	1	–	–	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT	–	3	–	–	–	–
ROCHFORD ...	–	–	–	–	–	C. 1
ROMFORD ...	–	–	2	–	–	–
TENDRING ...	–	–	–	–	2	–
GLOUCESTER ...	–	43	30	–	14	G. 1 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	37	29	–	9	M. 3
CIRENCESTER ...	–	1	–	–	–	–
COLEFORD ...	*	*	*	*	*	*
†GLOUCESTER C.B.	–	–	1	–	–	–
STOW-ON-THE-WOLD	*	*	*	*	*	*
STROUD ...	–	–	–	–	1	–
Rural Districts:—						
CAMPDEN ...	–	–	–	–	–	G. 1
DURSLEY ...	–	1	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
STOW-ON-THE-WOLD (part)	–	2	–	–	–	–
STROUD ...	–	1	–	–	1	–
TETBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	5	–	–	L. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	2	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	3	–	–	L. 1
WHITCHURCH ...	*	*	*	*	*	*
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	6	7	1	4	G. 1
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
HARPENDEN ...	–	–	–	–	–	G. 1
†HERTFORD ...	–	1	–	–	1	–
HODDESDON ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	1	–
ROYSTON ...	–	–	–	–	1	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
BARNET ...	–	–	2	–	–	–
BERKHAMPSTEAD	–	2	–	–	–	–
ST. ALBANS ...	–	2	–	1	–	–
WARE	–	–	–	–	1	–
WELWYN ...	–	–	1	–	–	–
HUNTINGDON ...	–	6	–	–	2	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	3	–	–	–	–
OLD FLETTON ...	–	–	–	–	1	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
OUNDLE (part)...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	67	35	2	11	G. 1
Boroughs and Urban Districts:—						L. 1 M. 3
†ASHFORD ...	–	4	–	–	–	–
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY ...	–	2	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	6	–	–	2	–
†CHATHAM ...	–	1	1	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	3	1	–	–	–
†CRAYFORD ...	–	–	2	–	–	–
†DARTFORD ...	–	2	2	–	–	M. 1
†DOVER	–	2	2	–	1	–
†ERITH	–	2	4	–	1	–
†FOLKESTONE ...	–	2	–	–	–	G. 1
†GILLINGHAM ...	–	4	2	–	–	–
†GRAVESEND ...	–	1	2	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	2	–	–	1	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	4	1	–	–	–
†ROCHESTER ...	–	–	–	–	1	L. 1 M. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	M. 1
†SHEERNESS ...	–	1	1	–	–	–
SITTINGBOURNE	–	–	–	–	1	–
WHITSTABLE ...	–	1	–	–	–	–
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	4	–	–	–	–
BRIDGE	–	1	1	–	–	–
BROMLEY ...	–	–	4	–	–	–
CRANBROOK ...	–	–	4	–	–	–
DARTFORD ...	–	7	2	–	–	–
DOVER	–	2	–	–	–	–
EAST ASHFORD	–	1	–	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	1	–	–
HOO	–	1	1	1	–	–
ISLE OF THANET	–	1	3	–	–	–
MAIDSTONE ...	–	–	–	–	3	–
MALLING ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
SEVENOAKS ...	–	1	–	–	–	–
SHEPPEY ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	5	317	103	2	190	C. 15 L. 2 M. 30
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	2	–
†ASHTON-UNDER-LYNE	–	1	–	–	4	–
ASPULL	–	2	3	–	–	–
†ATHERTON ...	–	–	1	–	1	–
†BACUP	–	–	–	–	4	–
†BARROW-IN-FURNESS C.B.	–	8	1	–	–	–
†BLACKBURN C.B.	–	8	–	–	4	C. 1
†BLACKPOOL C.B.	–	1	2	–	6	–
†BOLTON C.B. ...	–	10	1	–	4	–
†BOOTLE C.B. ...	–	3	3	–	–	C. 1 M. 1
†BURNLEY C.B.	–	9	2	–	1	M. 1
†BURY C.B. ...	–	2	1	–	5	M. 1
†CHADDERTON ...	–	5	–	–	1	C. 1
†CHORLEY ...	–	–	–	–	2	–
†CLITHEROE ...	–	1	–	–	–	–
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON-IN-FURNESS	–	1	2	–	–	–
†DARWEN ...	–	3	–	–	–	–
†DENTON ...	–	1	–	–	4	M. 1
†DROYLSDEN ...	–	1	–	–	4	–
†ECCLES ...	–	7	1	–	–	–
†FAILSWORTH ...	–	3	–	–	3	–
†FARNWORTH ...	–	3	–	–	–	–
†FLEETWOOD ...	–	–	1	–	2	–
FORMBY... ...	–	1	–	–	–	–
†HAYDOCK ...	–	4	–	–	–	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY ...	–	4	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORWICH ...	–	1	5	–	–	–
HURST	–	–	–	–	1	–
†INCE-IN-MAKERFIELD	–	1	–	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	2	3	–	1	–
LEES	–	–	–	–	2	–
†LEIGH	–	3	2	–	1	–
LITTLE HULTON	–	–	2	–	–	–
†LIVERPOOL C.B.	–	51	18	–	10	C. 1 M. 9
LONGRIDGE ...	–	–	3	–	–	–
†MANCHESTER C.B.	–	64	18	–	60	C. 6 M. 11
†MIDDLETON ...	–	10	1	–	3	–
MILNROW ...	–	–	–	–	4	–
†NELSON... ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	–	1	–	3	–
†OLDHAM C.B.	5	14	–	–	1	M. 2
†OSWALDTWISTLE	–	3	–	–	–	–
†PADIHAM ...	–	–	–	–	–	C. 1
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	8	2	–	–	–
†RADCLIFFE ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	1	–	–	–	–
†ROCHDALE C.B.	–	3	2	–	–	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	1	2	–	2	C. 1 L. 1
†SALFORD C.B. ...	–	21	8	–	14	C. 2 M. 3
†SOUTHPORT C.B	–	6	–	–	2	M. 1
STANDISH-WITH-LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	9	4	–	–	C. 1
†SWINTON AND PENDLEBURY	–	–	–	–	1	–
TRAWDEN ...	–	2	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	–	–
UPHOLLAND ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	3	–	–	–	–
†WARRINGTON C.B.	–	2	–	–	4	–
†WESTHOUGHTON	–	–	1	–	–	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES ...	–	3	8	–	11	–
†WIGAN C.B. ...	–	–	1	–	9	–
†WORSLEY ...	–	3	–	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	–	–
BURY	–	–	–	–	1	–
CHORLEY ...	–	2	–	–	–	–
CLITHEROE ...	–	–	–	1	–	–
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	–	1	–	5	–
LIMEHURST ...	*	*	*	*	*	*
PRESTON ...	–	2	1	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	1	–	1	–	–
WHISTON ...	–	1	2	–	–	L. 1
LEICESTER ...	–	17	15	1	3	C. 3 G. 2 M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	1	–	–
†LEICESTER C.B.	–	10	4	–	3	C. 2 G. 2 M. 1
†LOUGHBOROUGH	–	–	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
QUORNDON ...	–	–	1	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	3	–	–	–
BELVOIR ...	–	2	–	–	–	–
BLABY	–	–	2	–	–	–
CASTLE DONINGTON	–	1	–	–	–	–
MARKET BOSWORTH	–	1	3	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	–	C. 1
LINCOLN (parts of Holland).	–	2	–	–	1	–
Rural Districts:—						
BOSTON... ...	–	2	–	–	–	–
EAST ELLOE ...	*	*	*	*	*	*
SPALDING ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	–	–	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
GRANTHAM ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	4	11	–	3	D. 1
Boroughs and Urban Districts:—						
ALFORD ...	*	*	*	*	*	*
BRIGG	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CLEETHORPES	–	1	1	–	1	–
†GAINSBOROUGH	–	–	1	–	–	–
†GRIMSBY C.B. ...	–	1	2	–	–	D. 1
†LINCOLN C.B. ...	–	–	1	–	–	–
LOUTH	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH	–	–	1	–	–	–
GLANFORD BRIGG	–	–	3	–	–	–
GRIMSBY ...	–	–	1	–	–	–
SPILSBY ...	–	1	–	–	1	–
MIDDLESEX ...	–	104	76	1	24	C. 1 D. 1 G. 1 L. 1 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	6	15	–	1	–
†BRENTFORD ...	–	5	–	–	–	–
†CHISWICK ...	–	4	4	–	1	–
†EALING ...	–	15	5	–	–	–
†EDMONTON ...	–	5	5	–	1	–
†ENFIELD ...	–	2	3	–	–	D. 1
†FINCHLEY ...	–	1	1	–	–	–
†FRIERN BARNET	–	1	–	1	–	M. 1
†HAMPTON ...	–	–	1	–	–	–
†HANWELL ...	–	3	3	–	–	–
†HARROW-ON-THE-HILL	–	–	3	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	2	6	–	3	–
†HESTON AND ISLEWORTH	–	–	–	–	1	–
†HORNSEY ...	–	6	4	–	1	–
KINGSBURY ...	–	–	1	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHALL-NORWOOD	–	–	3	–	1	L. 1
†SOUTHGATE ...	–	7	–	–	–	–
†TEDDINGTON ...	–	–	–	–	–	C. 1
†TOTTENHAM ...	–	19	5	–	6	G. 1 M. 1
†TWICKENHAM ...	–	4	2	–	–	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	–	–	2	–
†WILLESDEN ...	–	9	8	–	4	M. 2
†WOOD GREEN ...	–	7	1	–	1	–
Rural Districts:—						
HENDON ...	–	1	4	–	–	–
STAINES ...	–	3	–	–	–	–
UXBRIDGE ...	–	–	2	–	2	–
NORFOLK ...	–	19	4	–	3	C. 1 G. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–
†NORWICH C.B....	–	10	3	–	1	G. 1
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	1	–	–	1	–
DOCKING ...	–	–	1	–	–	–
FOREHOE ...	–	–	–	–	–	C. 1
FREBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	1	–
MARSHLAND ...	*	*	*	*	*	*
SMALLBURGH ...	–	1	–	–	–	–
WAYLAND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡note below).
NORTHAMPTON	–	3	3	–	4	M. 1
Boroughs and Urban Districts:—						
†NORTHAMPTON C.B.	–	2	2	–	3	M. 1
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
KETTERING ...	–	–	1	–	–	–
NORTHUMBERLAND.	–	32	10	–	43	M. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	1	–	1	–
†BEDLINGTONSHIRE	–	–	1	–	2	–
†BERWICK-UPON-TWEED	–	–	1	–	–	–
†BLYTH	–	2	1	–	1	–
†GOSFORTH ...	–	4	1	–	–	–
†NEWBURN ...	–	3	–	–	1	M. 1
†NEWCASTLE-UPON-TYNE C.B.	–	15	3	–	25	M. 1
SEATON DELAVAL	–	2	1	–	–	–
SEGHILL ...	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	1	1	–	7	–
†WALLSEND ...	–	2	–	–	2	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–
Rural Districts:—						
HEXHAM ...	–	1	–	–	1	–
MORPETH ...	–	–	–	–	1	–
NORHAM AND ISLANDSHIRES	–	–	–	–	1	–
NOTTINGHAM ...	7	18	6	–	10	C. 1 M. 3
Boroughs and Urban Districts:—						
†CARLTON ...	–	1	–	–	2	–
†EAST RETFORD	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	3	–	–	1	–
†MANSFIELD ...	–	2	2	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	1	–
†NOTTINGHAM C.B.	§7	5	1	–	2	C. 1 M. 3
†SUTTON-IN-ASHFIELD	–	2	1	–	2	–
WARSOP ...	–	1	–	–	–	–
†WESTBRIDGFORD	–	–	1	–	1	–
†WORKSOP ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD ...	–	1	–	–	–	–
EAST RETFORD	–	1	–	–	–	–
SKEGBY ...	–	–	1	–	–	–
OXFORD	–	8	1	–	1	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	–	–
†OXFORD C.B. ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	–	1	–	1	–
CROWMARSH ...	–	1	–	–	–	–
CULHAM ...	–	2	–	–	–	–
HENLEY ...	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	1	–
Borough:—						
†PETERBOROUGH	–	1	–	–	1	–
RUTLAND ...	–	–	1	–	–	–
Rural District:—						
UPPINGHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ Six of these cases were notified as Alastrim.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	7	2	–	1	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
LUDLOW ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
Rural Districts:—						
ELLESMERE ...	–	1	–	–	–	–
LUDLOW ...	–	2	–	–	1	–
OSWESTRY ...	–	–	1	–	–	–
WELLINGTON ...	–	–	1	–	–	–
SOMERSET ...	–	15	6	–	16	M. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	8	1	–	1	–
BURNHAM-ON-SEA	–	1	–	–	–	–
†FROME	–	3	–	–	–	–
MIDSOMER NORTON	–	–	–	–	2	–
†TAUNTON ...	–	–	3	–	–	M. 1
WELLS	–	–	–	–	1	–
†WESTON-SUPER-MARE	–	1	–	–	3	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BATH	–	–	–	–	1	–
CHARD	–	1	–	–	–	–
CLUTTON ...	–	–	1	–	1	–
DULVERTON ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	1	–	2	–
TAUNTON ...	–	–	–	–	2	–
SOUTHAMPTON...	–	41	30	–	4	M. 1
Boroughs and Urban Districts:—						
†BOURNEMOUTH C.B.	–	3	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	–	–
†FAREHAM ...	–	1	–	–	–	–
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSPORT and ALVERSTOKE	–	3	2	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	24	18	–	–	M. 1
†SOUTHAMPTON C.B.	–	3	5	–	–	–
†WINCHESTER ...	–	2	–	–	1	–
Rural Districts:—						
CHRISTCHURCH...	–	–	1	–	–	–
FORDINGBRIDGE	–	1	–	–	–	–
HAVANT... ...	–	1	–	–	–	–
HURSLEY ...	–	–	–	–	3	–
NEW FOREST ...	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	–	3	–	–	–
STAFFORD ...	–	75	21	–	54	C. 1 G. 1 M. 14
Boroughs and Urban Districts:—						
†BROWNHILLS ...	–	–	1	–	–	–
†BURTON-UPON-TRENT C.B.	–	2	2	–	1	–
†CANNOCK ...	–	1	–	–	–	–
†COSELEY ...	–	2	–	–	–	–
†DARLASTON ...	–	1	–	–	1	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†ROWLEY REGIS	–	2	–	–	–	–
SEDGLEY ...	–	–	–	–	1	G. 1
†SMALLTHORNE ...	–	1	–	–	1	M. 1
†SMETHWICK C.B.	–	7	–	–	1	M. 1
†STOKE-ON-TRENT C.B.	–	9	8	–	41	C. 1 M. 8
†WALSALL C.B....	–	3	1	–	2	–
†WEDNESBURY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BROMWICH C.B.	–	16	2	–	–	–
†WILLENHALL ...	–	1	–	–	2	–
†WOLSTANTON UNITED	–	–	2	–	1	M. 1
†WOLVERHAMPTON C.B.	–	15	1	–	1	M. 1
Rural Districts:—						
GNOSALL ...	*	*	*	*	*	*
KINGSWINFORD	–	2	–	–	–	–
LEEK	–	4	–	–	–	–
LICHFIELD ...	–	4	1	–	–	M. 1
MAYFIELD ...	–	1	–	–	–	–
SEISDON ...	–	1	–	–	1	M. 1
STAFFORD ...	–	–	1	–	–	–
STONE	–	1	–	–	–	–
UTTOXETER ...	–	–	1	–	–	–
SUFFOLK, EAST	–	7	5	–	13	L. 1
Boroughs and Urban Districts:—						
BECCLES ...	*	*	*	*	*	*
†FELIXSTOWE ...	–	1	1	–	–	–
†IPSWICH C.B. ...	–	–	2	–	2	–
LEISTON-CUM-SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	3	–	–	1	–
SOUTHWOLD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	–	–	–	5	–
Rural Districts:—						
HARTISMERE ...	–	1	2	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
PLOMESGATE ...	–	2	–	–	–	–
WOODBRIDGE ...	–	–	–	–	2	L. 1
SUFFOLK, WEST	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	2	–	–	–	–
NEWMARKET ...	–	–	2	–	–	–
Rural Districts:—						
BRANDON ...	–	1	–	–	–	–
THINGOE ...	–	1	–	–	–	–
SURREY	–	76	41	3	16	C. 2 L. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	3	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	4	4	–	–	–
†CATERHAM ...	–	2	6	–	1	–
†CHERTSEY ...	–	–	1	–	–	C. 1
†COULSDON AND PURLEY	–	–	–	3	–	–
†CROYDON C.B....	–	29	16	–	7	C. 1
†EGHAM	–	–	–	–	2	–
†EPSOM... ...	–	1	–	–	3	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	5	–	–	1	–
†MERTON AND MORDEN ...	–	2	–	–	–	–
†MITCHAM ...	–	3	2	–	1	M. 1
†SURBITON ...	–	5	–	–	–	–
†SUTTON	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	6	7	–	–	–
Rural Districts:—						
EPSOM	–	4	–	–	–	L. 1
FARNHAM ...	–	2	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	3	–	–	–	–
HAMBLEDON ...	*	*	*	*	*	*
REIGATE ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	24	2	–	2	M. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	8	–	–	2	M. 1
BURGESS HILL...	–	–	1	–	–	–
†EASTBOURNE C.B	–	2	1	–	–	–
†HASTINGS C.B....	–	6	–	–	–	–
†HOVE	–	5	–	–	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
SEAFORD ...	–	2	–	–	–	–
SUSSEX, WEST ...	–	4	–	1	1	G. 1 M. 2
Boroughs and Urban Districts:—						
ARUNDEL ...	–	1	–	–	–	–
HORSHAM ...	–	2	–	–	–	–
SHOREHAM-BY-SEA	–	–	–	1	–	–
†WORTHING ...	–	–	–	–	–	M. 1
Rural Districts:—						
EAST PRESTON...	–	–	–	–	–	G. 1
PETWORTH ...	–	–	–	–	1	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	–	M. 1
WARWICK ...	–	83	26	–	48	C. 2 D. 1 M. 8
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	63	18	–	38	C. 2 D. 1 M. 7
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COVENTRY C.B.	–	3	3	–	1	–
KENILWORTH ...	–	1	–	–	1	–
†NUNEATON ...	–	1	–	–	–	M. 1
†ROYAL LEAMINGTON SPA	–	–	1	–	1	–
†RUGBY	–	–	–	–	2	–
†SUTTON COLDFIELD	–	4	–	–	–	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
FOLESHILL ...	–	5	–	–	–	–
MERIDEN ...	–	1	–	–	3	–
RUGBY ...	–	1	–	–	–	–
SOUTHAM ...	–	–	1	–	–	–
STRATFORD-ON-AVON	–	–	2	–	–	–
TAMWORTH (part)	–	3	1	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND	–	2	–	–	5	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	–	–	1	–
KIRKBY LONSDALE	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	2	–	–	2	–
ISLE OF WIGHT	–	7	–	–	–	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
†NEWPORT ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT—*cont.*						
Boroughs and Urban Districts—*cont.*						
SANDOWN ...	–	4	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	17	1	–	5	F. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
DEVIZES ...	–	1	–	–	–	–
MARLBOROUGH...	–	–	–	–	–	F. 1
†SWINDON ...	–	7	–	–	4	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
SALISBURY ...	–	–	–	–	1	–
WARMINSTER ...	–	3	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	3	–	–	–	–
WORCESTER ...	–	31	7	–	11	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	1	–
BROMSGROVE ...	–	–	–	–	1	–
DUDLEY, C.B. ...	–	1	2	–	–	–
†KIDDERMINSTER	–	17	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	1	–	–	1	–
†OLDBURY ...	–	–	2	–	2	–
†STOURBRIDGE ...	–	2	–	–	1	–
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
STOURPORT ...	–	1	–	–	–	–
†WORCESTER C.B.	–	3	1	–	3	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	1	–
DROITWICH ...	–	–	1	–	–	–
HALESOWEN ...	–	4	–	–	–	–
MARTLEY ...	*	*	*	*	*	*
TEWKESBURY (part)	–	–	1	–	–	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	10	18	–	5	M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	–	–
GREAT DRIFFIELD	*	*	*	*	*	*
HESSLE ...	–	–	3	–	–	–
†KINGSTON-UPON-HULL C.B.	–	6	10	–	5	M. 3
†YORK C.B. ...	–	3	2	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN ...	–	–	1	–	–	–
NORTON ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	1	12	3	1	12	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LOFTUS	–	–	–	–	1	–
MALTON ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	1	1	2	–	7	M. 1
†REDCAR ...	*	*	*	*	*	*
SCALBY	–	–	–	1	–	–
†SCARBOROUGH ...	–	6	–	–	3	–
Rural Districts:—						
BEDALE ...	*	*	*	*	*	*
EASINGWOLD ...	–	1	–	–	–	–
MALTON ...	*	*	*	*	*	*
SCARBOROUGH ...	–	1	1	–	–	–
YORKS ... ... (West Riding).	2	160	83	7	112	C. 4 D. 1 E. 1 G. 1 L. 1 M. 13
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	3	1	1	–
ARDSLEY, EAST AND WEST	–	4	1	–	–	–
†BARNSLEY C.B.	–	2	3	–	1	M. 2
†BINGLEY ...	–	1	–	–	–	–
†BOLTON-UPON-DEARNE	–	–	–	2	1	M. 1
†BRADFORD C.B.	–	27	2	–	14	E. 1
†BRIGHOUSE ...	–	4	–	–	–	–
†CASTLEFORD ...	–	1	1	–	–	–
CLAYTON WEST	–	1	–	–	–	–
†CONISBROUGH ...	–	–	2	–	–	M. 1
DARFIELD ...	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DEWSBURY C.B.	–	–	–	2	–	M. 1
†DONCASTER ...	–	1	2	–	–	–
DRIGHLINGTON	–	–	–	–	1	–
†ELLAND ...	–	2	–	–	–	–
†GOLCAR ...	–	–	–	–	1	–
†GOOLE	–	2	–	–	–	M. 1
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HALIFAX C.B. ...	–	4	–	–	–	–
†HARROGATE ...	–	1	3	–	1	–
HAWORTH ...	–	–	1	–	–	–
HECKMONDWIKE	–	1	–	–	1	–
†HEMSWORTH ...	–	–	–	–	1	C. 1
HIPPERHOLME ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	1	–	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	3	–	–	3	–
ILKLEY	–	1	1	–	–	–
†KEIGHLEY ...	–	–	1	–	–	–
KIRKBURTON ...	–	–	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
†LEEDS C.B. ...	–	36	12	–	7	M. 2
LINTHWAITE ...	2	–	–	–	1	–
†MEXBOROUGH ...	–	–	1	–	–	–
†MORLEY ...	–	–	2	–	4	–
†NORMANTON ...	–	–	–	–	2	–
OXENHOPE ...	–	–	1	–	–	–
†PONTEFRACT ...	*	*	*	*	*	*
†PUDSEY ...	–	–	3	–	–	–
QUEENSBURY ...	–	–	–	–	–	G. 1
†RAWMARSH ...	–	3	1	–	1	–
RIPON	*	*	*	*	*	*
†ROTHERHAM C.B.	–	3	–	–	3	C. 1
†ROTHWELL ...	–	6	–	1	–	–
†SHEFFIELD C.B.	–	23	20	–	56	C. 2 M. 3
SHELLEY ...	–	–	2	–	–	–
SHEPLEY ...	–	–	5	–	–	–
†SHIPLEY ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SILSDEN ...	–	–	2	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	4	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	1	1	–	–	–
†STANLEY ...	–	1	–	–	–	–
†SWINTON ...	–	–	–	–	1	–
†TODMORDEN ...	–	1	1	–	–	–
†WAKEFIELD C.B.	–	4	–	–	1	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	2	–
†WORSBOROUGH	–	–	5	–	–	–
YEADON... ...	–	–	–	–	1	–
Rural Districts:—						
BOWLAND ...	–	1	–	–	–	–
DONCASTER ...	–	–	1	–	4	–
GOOLE	–	–	1	–	–	–
HEMSWORTH ...	–	7	1	–	1	M. 1
HUNSLETT ...	–	3	–	–	–	–
PONTEFRACT ...	–	–	1	–	–	D. 1
ROTHERHAM ...	–	1	–	1	–	M. 1
TADCASTER ...	–	2	–	–	–	–
THORNE ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	2	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
ALMWCH ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	*	*	*	*	*	*
VALLEY ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
CARDIGAN ...	–	–	–	–	–	–
Rural Districts:—						
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN ...	–	9	2	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	2	–	–	–	–
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	6	1	–	–	–
LLANELLY ...	–	1	1	–	–	–
CARNARVON ...	–	3	4	–	–	–
Boroughs and Urban Districts:—						
BANGOR ...	–	3	–	–	–	–
CARNARVON ...	–	–	3	–	–	–
Rural Districts:—						
GWYRFAI ...	–	–	1	–	–	–
DENBIGH ...	–	6	4	–	4	–
Boroughs and Urban Districts:—						
†COLWYN BAY and COLWYN ...	–	–	–	–	1	–
†WREXHAM ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
RUTHIN... ...	–	–	1	–	–	–
WREXHAM ...	–	4	2	–	2	–
FLINT	–	1	1	–	2	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	2	–
OVERTON ...	–	1	–	–	–	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	–	64	41	–	31	M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	16	1	–	7	–
†BARRY	–	4	4	–	1	–
†CAERPHILLY ...	–	1	3	–	–	M. 1
†CARDIFF C.B. ...	–	4	6	–	1	–
†GELLIGAER ...	–	2	2	–	–	–
†MAESTEG ...	–	1	–	–	5	–
†MERTHYR TYDFIL C.B.	–	1	–	–	3	–
†MOUNTAIN ASH	–	3	1	–	1	–
†NEATH	–	1	1	–	1	–
†OGMORE AND GARW	–	1	1	–	–	–
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	3	–	–	1	–
†PORT TALBOT ...	–	9	1	–	1	–
†RHONDDA ...	–	2	7	–	7	–
†SWANSEA C.B. ...	–	3	4	–	1	M. 2
Rural Districts:—						
COWBRIDGE ...	–	2	–	–	–	–
GOWER	–	–	1	–	–	–
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
LLANDAFF and DINAS POWIS	–	2	3	–	–	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	–	–	–	1	–
NEATH	–	4	3	–	1	–
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA ...	–	1	1	–	–	–
MERIONETH ...	–	–	2	–	3	–
Urban Districts:—						
FESTINIOG ...	–	–	1	–	–	–
TOWYN	*	*	*	*	*	*
Rural Districts:—						
EDEIRNION ...	–	–	1	–	–	–
PENLLYN ...	–	–	–	–	3	–
MONMOUTH ...	–	28	6	–	8	E. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	2	1	–	–	–
CHEPSTOW ...	–	8	–	–	–	–
†EBBW VALE ...	–	4	–	–	–	–
MONMOUTH ...	*	*	*	*	*	*
†MYNDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†NEWPORT C.B....	–	7	4	–	2	E. 1
†PANTEG... ...	–	1	–	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
†TREDEGAR ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts :—						
Chepstow ...	–	1	–	–	–	–
Monmouth ...	*	*	*	*	*	*
MONTGOMERY ...	–	–	1	–	1	–
Boroughs and Urban Districts :—						
Llanidloes ...	*	*	*	*	*	*
Welshpool ...	*	*	*	*	*	*
Rural Districts :—						
Llanfyllin ...	–	–	1	–	1	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	2	2	–	–	C. 1
Boroughs and Urban Districts :—						
Haverfordwest	–	1	1	–	–	–
Milford Haven	–	–	–	–	–	C. 1
†Pembroke ...	*	*	*	*	*	*
PEMBROKE—*cont.*						
Rural District :—						
Haverfordwest	–	1	–	–	–	–
Narberth ...	–	–	1	–	–	–
RADNOR	–	–	1	–	–	–
Rural District :—						
Knighton ...	–	–	1	–	–	–
Total of Part II.	16	1635	769	27	835	C. 39 D. 5 E. 2 F. 1 G. 13 L. 11 M. 130

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Plymouth ...	–	–	–	–	2	–
Southampton ...	–	–	–	–	–	M. 1
Port of London	*	*	*	*	*	*
Total of Part III.	–	–	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	308	292	1	100	C. 7 G. 2 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	16	1635	769	27	835	C. 39 D. 5 E. 2 F. 1 G. 13 L. 11 M. 130
Total of Part III.—Port Sanitary Districts ...	–	–	–	–	2	M. 1
Total (*i.e.*, of returns received), England and Wales	16	1943	1061	28	937	C. 46 D. 5 E. 2 F. 1 G. 15 L. 11 M. 146

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. The 16 cases of Small-pox include 6 cases of Alastrim, and appear on pages 330, 334, 337, and 342.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.
LONDON:—													
DEATHS—all ages	1,606	2,170	2,726	2,481	2,022	1662	1,418	1,636	1,472	1,398	1,239	1,223	1,267
" 0 to 1 year	169	182	224	264	219	192	186	181	183	180	177	150	188
GREAT TOWNS, aggregate (including London):—													
BIRTHS	*6,548*	8,969	8,853	8,096	8,131	8,822	8,908	8,240	8,573	8,200	8,357	8,238	7,683
		8,786	*8,675*	*7,908*	*7,958*	*8,595*	*8,729*	*8,055*	*8,397*	*8,034*	*8,164*	*8,064*	*7,535*
DEATHS—all ages	*5,658*	6,922	8,085	8,638	8,353	7,786	6,784	7,192	6,376	5,669	4,957	5,066	5,162
		6,800	*7,928*	*8,482*	*8,178*	*7,636*	*6,648*	*7,046*	*6,231*	*5,546*	*4,851*	*4,963*	*5,072*
" *0 to 1 year*	*699*	793	860	1,016	1,024	972	862	933	844	781	713	733	839
		781	*842*	*1,001*	*1,011*	*961*	*854*	*915*	*828*	*767*	*697*	*722*	*827*
ENTERIC FEVER—Cases	*13*	19	22	11	17	29	17	12	17	21	12	26	4
		19	*20*	*9*	*17*	*28*	*17*	*11*	*17*	*21*	*12*	*26*	*4*
" Deaths	*4*	8	7	9	2	2	5	2	1	3	6	5	4
		7	*7*	*9*	*2*	*2*	*5*	*2*	*1*	*3*	*6*	*5*	*4*
SMALL POX—Cases	*2*	4	5	—	1	3	1	—	1	8	1	2	13
		4	*5*	—	*1*	*3*	*1*	—	*1*	*8*	*1*	*2*	*13*
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	*1,895*	1816	1,767	1,672	1,521	1,541	1,429	1,423	1,373	1,314	1,252	1,322	1,180
		1798	*1,738*	*1,645*	*1,502*	*1,527*	*1,409*	*1,390*	*1,347*	*1,299*	*1,231*	*1,290*	*1,155*
" Deaths	*26*	35	38	36	21	27	22	28	18	26	25	17	17
		34	*38*	*36*	*21*	*27*	*22*	*27*	*17*	*26*	*25*	*16*	*17*
DIPHTHERIA—Cases	*906*	858	863	889	787	822	807	782	832	785	740	654	685
		831	*846*	*868*	*770*	*803*	*794*	*770*	*811*	*769*	*721*	*642*	*670*
" Deaths	*92*	72	93	100	75	80	75	59	58	73	74	45	37
		71	*92*	*99*	*74*	*80*	*73*	*58*	*57*	*73*	*73*	*45*	*37*
MEASLES—Deaths	*68*	69	61	82	60	61	44	61	83	86	89	104	122
		69	*61*	*82*	*60*	*61*	*43*	*61*	*83*	*85*	*88*	*104*	*121*
INFLUENZA—Deaths	*418*	819	1,262	1,433	1,451	1,144	759	670	525	306	201	146	104
		807	*1,240*	*1,404*	*1,420*	*1,121*	*749*	*655*	*511*	*296*	*197*	*142*	*103*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th March 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	48	30	43·7	34·1	1	BRADFORD	43	23	39·9	30·7	8
BRIGHTON	53	29	44·4	34·4	5	SHEFFIELD	Not received.				
PORTSMOUTH	53	31	45·0	34·4	2	YORK (MUSEUM).	44	24	40·7	31·6	11
NORWICH (EATON).	45	26	41·1	32·7	12	HULL (PEARSON PARK).	46	30	42·6	32·3	8
PLYMOUTH	53	30	45·6	33·9	10	TYNEMOUTH	44	31	41·1	34·0	16
BRISTOL (CLIFTON).	45	29	41·3	31·9	3	CARDIFF	47	28	42·6	31·7	3
BIRMINGHAM	47	28	40·0	31·1	7	EDINBURGH	44·0	29·0	41·1	32·3	6
NOTTINGHAM	47	29	41·6	32·7	5	GLASGOW	43·8	29·6	42·2	32·9	4
BIRKENHEAD (BIDSTON).	43	28	41·0	32·3	14	DUBLIN (PHŒNIX PARK).	Not received.				
MANCHESTER	45	28	41·3	32·0	6	FITZWILLIAM SQUARE.†	48·1	33·0	45·2	36·4	8
BURNLEY	45	22	39·9	29·4	8	BELFAST	49·8	29·0	46·3	35·1	5
HUDDERSFIELD	45	30	42·0	33·6	3						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th March 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	19	..	29·768	44·2	37·7	6·5	40·7	− 1·2	34·3	6·4	8·5	2·1	78	66·9	37·2	44·3	ENE. & NE.	NE.	1·3	0·0	0·2	304	− 17	0·00
Monday	20	Greatest Declination S. Last Quarter.	29·724	40·9	32·4	8·5	36·5	− 5·4	29·6	6·9	11·0	2·8	76	58·5	26·3	44·3	NE & NNE.	N.	6·2	0·0	0·5	423	+104	0·02
Tuesday	21	..	29·820	41·5	30·4	11·1	34·4	− 7·5	27·1	7·3	14·1	3·6	74	100·8	25·0	44·4	N. & NE.	NE. & NNE.	6·0	0·0	0·6	479	+162	0·00
Wednesday	22	..	29·828	40·0	31·1	8·9	34·4	− 7·6	24·4	10·0	16·0	4·8	66	98·2	26·3	44·2	NNE. & NE.	NE. & NNE.	9·8	0·0	1·0	658	+340	0·00
Thursday	23	..	29·747	45·3	29·7	15·6	37·3	− 4·9	23·4	13·9	19·0	10·6	56	102·8	23·2	44·0	NNE. & NE.	NNE.	4·9	0·0	0·6	498	+180	0·00
Friday	24	..	29·445	45·5	32·5	13·0	37·6	− 4·8	27·4	10·2	18·5	3·2	66	92·0	22·6	44·0	N, NW & W.	SW. & S.	2·4	0·0	0·1	250	− 70	0·01
Saturday	25	Apogee.	28·938	47·5	32·1	15·4	39·3	− 3·4	30·8	8·5	17·5	0·7	72	84·0	23·5	43·9	S, W & NW.	NW & W.	2·1	0·0	0·1	262	− 64	0·03
Means		..	29·610	43·6	32·3	11·3	37·2	− 5·0	28·1	9·0	14·9	4·0	70	86·2	23·3	44·2	NNE.		...	...	...	Sum 2,874	Sum +635	Sum 0·06
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	19	v.P. generally	0·0	12·0	Overcast with very slight exceptions. Lightning at 1h. 30m.
MONDAY -	20	w.P. till 11h., s.P. generally afterwards.	0·1	12·1	Overcast generally till 15h. 30m., becoming cloudless generally by 18h. 30m. Rain between 4h. 30m. and 9h., and damping about 15h. 30m. Brisk wind from 7h. to 14h. Slight hoar frost at night.
TUESDAY -	21	w.P. generally till 10h., s.P. afterwards.	1·6	12·1	Cloudy to overcast generally by 5h., clearing about 19h. to variably cloudy. Snow and hoar frost in morning. Brisk wind from 10h.
WEDNESDAY	22	s.P. throughout	5·1	12·2	Overcast generally till noon with slight snow at times. Partially cloudy till 20h., then very cloudy or overcast. Brisk wind throughout.
THURSDAY -	23	s.P. throughout	8·0	12·2	Nearly cloudless with hoar frost till 7h. Partially cloudy till 18h. 30m. Nearly overcast afterwards with cloudy intervals between 21h. 30m. and 23h. 30m. Brisk wind till 19h.
FRIDAY -	24	s.P. throughout	1·1	12·3	Overcast or nearly overcast generally. Cloudy intervals between 8h. 30h. and 15h. with hazy sky. Frequent damping or slight rain from 20h.
SATURDAY -	25	m.P. till 11h., s.P. generally afterwards.	1·0	12·4	Overcast with slight exceptions till 17h. becoming nearly cloudless by 18h. with slight mist. Slight rain or damping from 3h. to 9h. Slight rain and hail at noon. Misty generally. Hoar frost at night.
			Sum 16·9	Sum 85·3	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·83 in. at the beginning of the week to 29·70 in. by 6h. on 20th; increased to 29·92 in. by 22h. on 21st; decreased to 28·91 in. by 16h. on 25th, and increased to 28·95 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922, No. 13.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 1ST APRIL, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st APRIL, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirteenth week of the year numbered 8,220, and corresponded to an annual rate of 22·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,625 and corresponded to an annual rate of 15·4 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 13·6, 13·9 and 14·2. Infant mortality was 112 per 1,000 births against 85, 89 and 109 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,941 births, corresponding to a rate of 22·4 per 1,000, and 1,417 deaths of civilians, corresponding to a rate of 16·4, as against 14·3, 14·1, and 14·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 14·9 per 1,000. The infant mortality was 113 as against 91, 80, and 101 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 463 in the total deaths last week, the deaths from influenza showing an increase of 9. In London the number of deaths from all causes rose from 1,267 to 1,417; there was an increase of 4 in the deaths from influenza, and of 33 from bronchitis, while the deaths from measles, which had been 50, 72 and 89 in the preceding three weeks, further rose to 106 last week.

---

m (45)17433—1 Wt 30—P 19 2250 4/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 1st April 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,220	5,625	920	5	160	25	114	74	68	113
London	4,514,405*	1,941	1,417	219	2	106	10	32	25	27	21
Towns in Outer Ring.											
Croydon C.B.	191,500	60	56	5	–	–	–	–	1	–	1
Wimbledon	61,700	17	6	1	–	–	–	–	–	–	–
Ealing	67,800	19	15	1	–	–	–	1	1	–	–
Acton	62,000	20	17	1	–	–	–	–	–	–	1
Willesden	167,200	79	41	3	–	3	–	–	2	–	1
Hendon	55,500	15	9	1	–	–	–	–	–	–	–
Hornsey	87,600	24	23	1	–	–	–	–	–	–	–
Wood Green	51,100	9	6	–	–	–	–	–	–	–	–
Tottenham	149,200	61	47	9	–	3	1	–	5	–	2
Edmonton	67,800	36	15	4	–	–	–	1	3	–	–
Enfield	61,400	22	15	3	–	–	–	–	1	–	–
West Ham C.B.	307,000	190	104	19	–	12	–	14	1	–	–
East Ham C.B.	145,500	65	39	6	–	2	–	1	–	–	–
Leyton	130,100	51	40	10	–	2	–	3	–	–	–
Walthamstow	129,800	54	38	9	–	4	–	2	2	–	1
Ilford	85,500	34	21	3	–	–	–	–	–	–	1
Gillingham	48,149*	31	17	4	–	–	–	–	–	–	–
Canterbury C.B.	23,680	7	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	23	15	1	–	–	–	–	–	–	1
Eastbourne C.B.	53,600	12	11	–	–	–	–	–	–	–	1
Brighton C.B.	134,800	40	41	5	–	–	–	–	–	1	–
Portsmouth C.B.	233,929*	107	57	10	–	1	1	3	2	–	3
Bournemouth C.B.	81,200	21	24	2	–	–	–	–	–	1	–
Southampton C.B.	162,200	79	46	9	–	–	–	–	–	–	1
Reading C.B.	92,600	43	21	4	–	–	–	–	–	–	–
Oxford C.B.	56,400	21	18	–	–	–	–	–	–	–	1
Northampton C.B.	92,300	36	19	1	–	–	–	–	–	–	2
Luton	57,800	14	8	–	–	–	–	–	–	–	–
Cambridge	58,900	22	12	2	–	–	–	1	–	–	1
Southend-on-Sea C.B.	90,500	22	26	4	–	1	–	1	–	–	–
Ipswich C.B.	80,100	41	19	5	–	–	–	1	1	–	–
Great Yarmouth C.B.	56,300	27	18	–	–	–	–	–	–	–	1
Norwich C.B.	122,400	53	36	7	–	–	–	1	–	1	1
Swindon	55,500	18	13	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	23	23	1	1	–	–	–	–	–	–
Plymouth C.B.	199,869*	85	59	5	–	1	–	–	–	–	2
Bath C.B.	68,300	21	16	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	149	102	9	–	3	1	–	–	–	1
Gloucester C.B.	51,800	12	25	4	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.†	273,238	125	98	35	–	–	–	5	1	–	–
Burton-upon-Trent C.B.	49,410	22	12	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	35	30	5	–	–	1	1	–	1	–
Walsall C.B.	98,800	59	28	6	–	–	–	1	–	–	–
West Bromwich C.B.	75,300	44	20	2	–	–	–	–	3	–	–
Worcester C.B.	49,160	21	7	1	–	–	–	1	–	–	2
Dudley C.B.	57,100	38	17	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	418	296	53	–	–	1	19	–	6	12
Smethwick C.B.	77,400	33	20	4	–	–	–	2	–	–	1
Coventry C.B.	130,300	38	27	5	–	–	–	1	–	–	–
Leicester C.B.	237,900	90	75	8	–	–	–	–	2	1	–
Lincoln C.B.	66,600	19	15	1	–	–	–	1	–	–	–
Grimsby C.B.	83,600	40	31	7	–	–	–	1	1	–	–
Nottingham C.B.	266,400	119	59	10	–	1	1	–	–	1	4
Derby C.B.	131,800	71	24	2	–	–	–	–	–	–	–
Chesterfield	62,400	29	9	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	51	43	7	–	–	–	–	3	–	1
Chester C.B.	41,030	19	7	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	69	36	6	–	–	–	2	1	–	1
Wallasey C.B.	89,600	29	24	–	–	1	–	–	–	–	1
Liverpool C.B.	817,000	393	219	36	–	1	1	4	2	5	3
Bootle C.B.	77,800	49	24	4	–	–	2	–	–	–	–
St. Helens C.B.	104,900	66	34	5	1	4	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

† The County Borough of Stoke-on-Trent was extended on 1st April 1922. The population shown in this table relates to the extended borough, and the births and deaths include those in the extended borough on 1st April.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	25	30	4	–	–	–	–	–	2	1
Wigan C.B.	91,200	44	38	5	1	2	–	–	–	–	–
Warrington C.B.	78,600	37	18	1	–	–	–	–	–	–	2
Bolton C.B.	182,200	82	47	5	–	–	–	–	–	–	1
Bury C.B.	57,600	15	16	5	–	–	–	1	–	–	–
Manchester C.B.	744,000	342	230	38	–	1	3	2	4	5	5
Salford C.B.	239,100	105	70	13	–	–	1	2	–	3	1
Oldham C.B.	148,300	69	65	5	–	–	–	–	–	–	5
Rochdale C.B.	92,700	33	32	1	–	1	–	–	–	–	1
Burnley C.B.	105,300	35	40	11	–	–	–	–	1	–	–
Blackburn C.B.	129,400	33	32	5	–	–	–	–	–	–	2
Preston C.B.	119,900	50	27	13	–	–	–	–	1	–	–
Blackpool C.B.	73,800	19	28	2	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	29	17	2	–	–	–	1	–	1	–
Huddersfield C.B.	111,900	43	32	3	–	–	–	–	–	–	–
Halifax C.B.	100,700	34	30	2	–	–	–	1	–	–	1
Bradford C.B.	291,100	110	88	14	–	–	–	–	1	1	6
Leeds C.B.	465,500	186	151	30	–	–	–	4	–	–	3
Dewsbury C.B.	55,100	25	14	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	26	13	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	44	31	5	–	–	–	1	–	–	2
Sheffield C.B.	519,239	214	175	27	–	10	1	–	1	2	1
Rotherham C.B.	69,100	36	15	3	–	1	1	–	–	–	–
Doncaster	54,700	15	16	1	–	–	–	–	–	–	–
York C.B.	84,500	39	28	3	–	–	–	–	–	–	3
Hull C.B.	291,800	137	81	16	–	–	–	1	–	1	1
Middlesbrough C.B.	133,400	75	50	16	–	–	–	–	3	–	2
Darlington C.B.	66,400	32	22	4	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	34	19	5	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	37	19	4	–	–	–	1	–	–	–
Sunderland C.B.	161,100	102	55	19	–	–	–	–	1	3	1
South Shields C.B.	120,376	58	44	13	–	–	–	–	–	–	1
Gateshead C.B.	126,700	58	54	21	–	–	–	–	1	1	1
Newcastle-on-Tyne C.B.	278,400	152	77	16	–	–	–	–	–	–	1
Tynemouth C.B.	63,900	32	20	7	–	–	–	–	1	1	–
Carlisle C.B.	53,200	21	21	2	–	–	–	–	–	1	1
Newport (Mon.) C.B.	93,700	33	25	4	–	–	–	–	2	1	1
Cardiff C.B.	202,700	67	51	6	–	–	–	–	–	–	–
Rhondda	166,600	80	32	4	–	–	–	–	–	–	1
Merthyr Tydfil C.B.	81,800	40	27	6	–	–	–	–	–	1	–
Aberdare	56,100	16	11	2	–	–	–	–	–	1	–
Swansea C.B.	159,600	75	39	5	–	–	–	1	1	–	–
Greater London	7,523,963*	3,106	2,193	322	2	133	15	57	43	30	34
Outer Ring	3,009,558*	1,165	776	103	–	27	5	25	18	3	13
16 Great Towns in Outer Ring	1,820,700	756	492	76	–	26	1	22	16	–	7
Remainder of Outer Ring	1,188,858*	409	284	27	–	1	4	3	2	3	6
Edinburgh†	420,500	176	135	33	–	–	–	1	–	2	3
Glasgow†	1,037,800	639	371	80	–	68	2	4	1	4	4
Dublin (Registration Area)†	427,000	163	159	24	–	8	–	1	2	2	2
Belfast†	425,000	213	138	17	–	1	–	–	1	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Apr. 1	1941	1417	16·4	2	–	106	10	32	25	27	21
Calcutta	896,067	Feb. 25	?	567§	29·0	?	10	–	–	–	–	–	19
Bombay	1,175,914	Mar. 4	372‖	819§	36·2	–	1	1	–	–	–	44	32
Madras	522,951	Feb. 25	283	552	54·9	–	32	8	?	2	–	51	2
Sydney and Suburbs	905,947	January 31 days.											
Brisbane (Met. Area).	209,699	January 31 days.	489	192§	11·0	1	–	–	1	1	1	11	1
Perth (Registration District).	116,600	Feb. 4	83	12	5·3	–	–	–	–	–	–	5	–
Johannesburg	149,500	,, 11	98	39	13·6	–	–	1	–	–	1	6	–
		,, 18	69	26	9·0	–	–	–	–	–	–	4	–
Durban	48,000	,, 11	34	7	7·6	–	–	–	–	–	–	–	–
		,, 18	31	9	9·7	–	–	–	–	1	–	1	–
Paris	2,906,472	Feb. 28 (8 days).											
Antwerp	340,852	Jan. 28											
Amsterdam	683,895	Mar. 18	268	148	11·3	–	–	–	–	3	–	1	5
Copenhagen	562,000	,, 18											
Stockholm	422,042	,, 18	101	98	12·1	–	–	–	–	–	–	1	3
Gothenburg	228,052	,, 25	?	40	9·1	–	–	–	–	–	–	1	–
Christiania	260,920	,, 25	104	59	11·8	–	–	–	–	2	–	1	1
Berlin	1,955,000	Feb. 25											
Breslau	550,000	Mar. 4	247	221	20·9	–	?	–	1	2	–	4	10
Cologne	672,000	,, 4	305	221	17·1	1	?	–	1	3	1	1	9
Dresden	601,000	,, 4	224	185	16·0	–	?	1	1	–	–	5	6
Frankfort-on-Main	473,000	,, 4	152	117	12·9	–	?	–	–	1	1	–	4
Hamburg	1,039,000	,, 4	435	285	14·3	–	?	–	1	1	3	2	9
Leipzig	632,000	,, 4	240	161	13·3	–	?	–	–	2	–	7	7
Munich	675,000	,, 4	222	215	16·6	–	?	–	1	1	–	2	7
Vienna	1,842,005	Jan. 28	406	706	19·9	2	–	–	2	3	2	18	25
Prague and Suburbs	676,454	Feb. 25	293	294	22·5	–	–	2	–	2	–	8	6
Budapest	936,000	Jan. 21	351	439	24·4	–	?	13	10	3	5	23	9
Cairo	777,500	,, 21	825	385	25·7	2	–	1	–	?	3	30	?
Alexandria	456,300	,, 21	445	236	26·9	2	–	–	–	?	–	10	?
New York	5,839,738	Mar. 4	2614	1666	14·9	–	–	12	10	4	14	30	54
Chicago	2,838,288	,, 4	?	855	15·7	–	–	1	4	2	19	26	47
Rio de Janeiro	1,188,422	Feb. 11	675	437	19·2	1	2	9	–	6	1	–	8
Montevideo	358,196	Jan. 7	281	152	22·0	–	–	–	–	–	–	21	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 36 deaths from *Plague* in Bombay, and 1 in Brisbane, and 17 deaths from *Asiatic Cholera* in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st April, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1417	219	114	90	52	43	53	95	133	169	234	215
Enteric fever	2	–	1	–	–	–	–	–	–	–	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	106	19	44	33	9	–	–	–	–	1	–	–
Scarlet fever	10	2	3	2	3	–	–	–	–	–	–	–
Whooping cough	32	14	10	7	1	–	–	–	–	–	–	–
Diphtheria	25	2	5	9	8	–	–	–	–	–	1	–
Influenza	21	1	–	–	–	1	–	–	1	9	8	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	1	–	–	–	1	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	1	–	1	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	100	–	1	–	3	17	27	21	14	10	6	1
Tuberculous meningitis	6	–	1	1	2	2	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
Other tubercle	10	1	1	2	1	1	2	1	–	–	–	1
Venereal diseases	6	1	–	–	–	1	–	2	–	2	–	–
Cancer	129	–	–	–	–	2	4	14	27	32	35	15
Rheumatic fever	4	–	–	–	3	1	–	–	–	–	–	–
Diabetes	7	–	–	–	–	–	–	2	3	–	2	–
Alcoholism	1	–	–	–	–	–	–	–	–	–	–	1
Simple meningitis	6	–	1	3	–	–	1	1	–	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	47	–	–	–	–	–	–	1	5	10	18	13
Epilepsy	5	1	–	1	–	1	–	1	1	–	–	–
"Convulsions" (not puerperal)	6	6	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	29	–	2	–	2	1	3	5	6	6	3	1
Pericarditis	3	–	–	–	3	–	–	–	–	–	–	–
Acute endocarditis	14	2	1	2	2	1	1	4	1	–	–	–
Other diseases of heart	177	–	–	–	1	2	2	10	17	32	54	59
Other dis. of circulatory system	49	1	–	–	–	–	–	3	4	13	16	12
Bronchitis	120	19	7	2	–	–	1	3	12	14	29	33
Broncho-pneumonia	124	57	23	17	2	1	1	–	3	8	6	6
Lobar pneumonia	17	–	1	3	1	1	–	1	4	3	3	–
Pneumonia (type not distinguished)	26	8	3	1	2	–	–	1	2	1	5	3
Other diseases of respiratory system	18	1	1	2	–	–	–	3	3	2	4	2
Diarrhœa and enteritis	33	24	3	–	–	–	–	–	1	2	1	2
Appendicitis and typhlitis	10	–	–	1	1	3	–	2	2	1	–	–
Hernia, Intestinal obstruction	8	2	1	–	–	–	–	–	3	1	1	–
Cirrhosis of liver	5	–	–	–	–	–	–	3	–	1	–	1
Other diseases of digestive system	22	1	–	–	2	–	1	3	10	3	2	–
Acute nephritis	5	1	–	–	–	–	1	2	–	1	–	–
Chronic Bright's disease	32	–	–	–	1	3	2	2	1	7	12	4
Other diseases of genito-urinary system.	17	2	–	–	–	–	1	–	2	2	4	6
Puerperal fever, &c.	2	–	–	–	–	1	1	–	–	–	–	–
Other causes incident to childbirth	4	–	–	–	–	–	–	4	–	–	–	–
Congenital malformations	8	8	–	–	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	55	–	–	–	–	–	–	–	–	1	8	46
Suicide	9	–	–	–	–	1	2	1	2	1	2	–
Burns and scalds	5	–	2	–	1	–	–	–	1	1	–	–
Drowning	2	–	–	–	–	1	–	–	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	1	–	–	–	–	3	–	–	1
Other deaths by violence	10	–	–	–	–	1	1	–	1	1	5	1
Other specified causes	42	11	3	2	3	1	1	3	2	3	7	6
Ill-defined causes	3	–	–	1	–	–	–	1	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st April 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	6	–	6	M. 1
†BERMONDSEY ...	–	10	13	–	5	C. 1 M. 1
†BETHNAL GREEN	–	4	10	–	1	G. 1 M. 1
†CAMBERWELL ...	–	20	15	–	6	M. 1
†CHELSEA ...	–	2	1	–	1	–
†DEPTFORD ...	–	17	8	–	1	D. 1
†FINSBURY ...	–	7	5	–	2	–
†FULHAM ...	–	4	6	1	4	C. 1 M. 2
†GREENWICH ...	–	9	13	–	1	M. 1
†HACKNEY ...	–	11	14	–	–	C. 1
†HAMMERSMITH	–	14	16	–	4	–
†HAMPSTEAD ...	–	6	6	–	2	–
†HOLBORN ...	–	4	1	–	–	–
†ISLINGTON ...	–	35	25	–	6	M. 3
†KENSINGTON ...	–	7	6	1	2	M. 2
†LAMBETH ...	–	35	14	–	5	M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	14	8	–	–	–
†PADDINGTON ...	–	6	9	1	8	–
†POPLAR... ...	–	9	9	–	11	–
†ST. MARYLEBONE	–	9	2	1	–	–
†ST. PANCRAS ...	–	16	12	–	18	C. 1 M. 1
†SHOREDITCH ...	–	15	9	–	5	M. 2
†SOUTHWARK ...	–	9	8	–	9	–
†STEPNEY ...	–	7	7	–	14	C. 1 M. 1
†STOKE NEWINGTON	–	3	2	–	2	D. 1
†WANDSWORTH	–	26	22	–	4	M. 2
†WESTMINSTER, CITY OF	–	3	3	–	1	–
†WOOLWICH ...	–	14	7	–	2	–
TOTAL OF PART I.	–	325	257	4	120	C. 5 D. 2 G. 1 M. 19

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	10	1	–	–	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	–	1	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
KEMPSTON ...	–	1	–	–	–	–
Rural Districts :—						
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
LUTON	–	3	–	–	–	–
BERKS	–	34	8	2	1	E. 1 M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	–	–	–	–
†READING, C.B.	–	12	2	1	1	–
WALLINGFORD ...	–	4	–	–	–	–
WANTAGE ...	–	–	1	–	–	E. 1
Rural Districts :—						
ABINGDON ...	–	7	–	–	–	–
BRADFIELD ...	–	–	1	–	–	–
COOKHAM ...	–	1	–	1	–	M. 1
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	4	1	–	–	–
WALLINGFORD	–	2	1	–	–	–
WANTAGE ...	–	–	1	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	10	4	–	4	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	2	–	–	–
†CHEPPING WYCOMBE	–	4	–	–	1	–
CHESHAM ...	–	–	–	–	2	–
LINSLADE ...	–	–	–	–	1	–
†SLOUGH ...	–	–	1	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
ETON	–	3	–	–	–	–
WYCOMBE ...	–	2	1	–	–	–
CAMBRIDGE...	–	4	4	–	2	C. 1
Borough :—						
†CAMBRIDGE ...	–	4	1	–	–	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	–	–	–	–	C. 1
LINTON	–	–	1	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	–	2	–	–	–
CHESTER	–	56	30	–	24	C. 5 M. 4
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	–	1	–	–	–
†BIRKENHEAD C.B.	–	9	5	–	4	C. 1
BREDBURY AND ROMILEY	–	–	–	–	1	M. 1
BUGLAWTON ...	–	–	1	–	–	–
†CHESTER C.B. ...	–	3	2	–	1	–
†CONGLETON ...	–	1	–	–	3	–
†CREWE	–	–	1	–	–	–
†DUKINFIELD ...	–	–	1	–	5	C. 1
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	C. 1
HIGHER BEBINGTON	–	–	–	–	1	–
HOOLE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	–	–
†HYDE	–	3	–	–	–	–
†LOWER BEBINGTON ...	–	4	2	–	–	–
LYMM	–	3	–	–	–	–
†MACCLESFIELD...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	1	–	–	–
†SALE	–	–	1	–	–	M. 1
†STALYBRIDGE ...	–	2	–	–	–	–
†STOCKPORT, C.B.	–	1	7	–	–	C. 1 M. 2
†WALLASEY, C.B.	–	14	1	–	1	C. 1
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	–	–	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER ...	–	2	–	–	–	–
CONGLETON ...	–	1	1	–	–	–
MACCLESFIELD ...	–	4	–	–	–	–
MALPAS	–	–	1	–	–	–
NANTWICH ...	–	1	1	–	1	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	2	2	–	–	–
TARVIN	–	–	–	–	1	–
TINTWISTLE ...	–	1	–	–	–	–
WIRRAL ...	–	–	–	–	1	–
CORNWALL ...	–	9	2	–	10	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	–
HELSTON ...	*	*	*	*	*	*
LISKEARD ...	–	1	–	–	1	–
REDRUTH ...	–	1	1	–	1	–
SALTASH ...	–	2	–	–	–	–
TORPOINT ...	–	–	–	–	1	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
CALSTOCK ...	–	–	–	–	2	–
HELSTON ...	–	–	1	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	2	–	–	3	–
SAINT GERMANS	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	6	6	–	5	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
†CARLISLE, C.B....	–	–	2	–	1	M. 1
HARRINGTON ...	–	–	1	–	–	–
KESWICK ...	–	–	–	–	1	–
MILLOM... ...	–	–	–	–	2	–
PENRITH ...	–	2	–	–	–	–
WIGTON... ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	3	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	1	39	14	–	16	C. 3 G. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	1	–
BASLOW AND BUBNELL	–	1	–	–	–	–
†BOLSOVER ...	–	–	2	–	–	–
†BUXTON ...	–	–	–	–	–	G. 1
†CHESTERFIELD	–	1	–	–	–	–
†DERBY C.B. ...	–	12	6	–	6	M. 1
DRONFIELD ...	–	1	–	–	–	–
†HEANOR ...	–	1	–	–	1	–
†ILKESTON ...	1	1	–	–	–	–
†LONG EATON ...	–	–	–	–	3	–
NEW MILLS ...	–	–	–	–	–	C. 1
†RIPLEY... ...	–	1	–	–	1	C. 1
†SWADLINCOTE DISTRICT	–	1	2	–	–	–
Rural Districts:—						
BAKEWELL ...	–	6	–	–	–	–
BELPER	–	3	–	–	–	–
BLACKWELL ...	–	4	–	–	–	–
CHESTERFIELD	–	1	2	–	1	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
Clowne... ...	–	1	1	–	–	–
Hartshorne and Seals	–	–	–	–	2	–
Repton ...	–	4	–	–	–	–
Shardlow ...	–	–	–	–	1	–
DEVON	–	19	16	–	9	–
Boroughs and Urban Districts:—						
Brixham ...	–	1	–	–	–	–
Budleigh Salterton	–	1	–	–	–	–
†Exeter C.B. ...	–	1	2	–	3	–
†Exmouth ...	–	–	–	–	1	–
Honiton ...	–	–	2	–	–	–
†Ilfracombe ...	–	1	–	–	–	–
Northam ...	–	–	1	–	–	–
†Paignton ...	–	2	–	–	–	–
†Plymouth C.B.	–	4	2	–	2	–
South Molton	–	–	–	–	1	–
†Teignmouth ...	–	–	1	–	–	–
Tiverton ...	–	–	2	–	–	–
†Torquay ...	–	1	1	–	–	–
Totnes	–	–	4	–	–	–
Rural Districts:—						
Barnstaple ...	–	1	–	–	1	–
Okehampton ...	–	–	1	–	–	–
Plympton St. Mary	–	1	–	–	–	–
St. Thomas ...	–	1	–	–	1	–
South Molton	–	5	–	–	–	–
DORSET	–	8	1	–	1	M. 1
Boroughs and Urban Districts:—						
Lyme Regis ...	*	*	*	*	*	*
†Poole	–	1	1	–	–	–
†Portland ..	–	5	–	–	–	–
Sherborne ...	–	–	–	–	1	–
†Weymouth and Melcombe Regis ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
Poole	–	1	–	–	–	–
Sturminster ...	–	1	–	–	–	–
DURHAM... ...	–	69	30	2	70	C. 2 E. 1 M. 5
Boroughs and Urban Districts:—						
Benfieldside ...	–	1	–	–	–	–
†Bishop Auckland	–	1	–	–	–	–
†Blaydon ...	–	1	1	–	1	C. 1
†Brandon and Byshottles	–	1	–	–	–	–
†Chester-le-Street	–	6	–	–	–	–
†Consett ...	–	1	–	–	–	–
†Crook	–	–	1	–	1	–
†Darlington C.B.	–	4	1	–	3	–
†Durham ...	–	1	1	–	–	–
†Felling ...	–	2	–	–	5	–
†Gateshead C.B.	–	3	2	–	9	M. 1
†Hebburn ...	–	2	1	–	–	–
†Hetton ...	–	–	–	–	4	–
†Jarrow ...	–	–	–	–	11	–
†Seaham Harbour	–	–	2	–	–	–
†South Shields C.B.	–	7	–	–	8	–
†Southwick-on-Wear ...	–	1	–	–	–	–
†Spennymoor ...	–	1	1	–	–	–
†Stanley ...	–	–	3	–	8	–
†Stockton-on-Tees	–	1	–	–	6	–
†Sunderland C.B.	–	13	1	–	6	M. 3
†Tanfield ...	–	–	1	–	–	–
Tow Law ...	–	–	1	–	–	–
†West Hartlepool C.B	–	–	–	–	2	C. 1 E. 1
†Whickham ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	3	2	–	–	M. 1
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	6	3	–	–	–
DARLINGTON ...	–	–	1	–	–	–
DURHAM ...	–	1	1	–	–	–
EASINGTON ...	–	3	2	–	1	–
HOUGHTON-LE-SPRING	–	4	–	–	2	–
LANCHESTER ...	–	1	1	–	1	–
SEDGEFIELD ...	–	3	3	2	–	–
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	–	1	–	–	2	–
WEARDALE ...	*	*	*	*	*	*
ISLE OF ELY ...	–	2	–	–	–	–
Rural District:—						
ELY	–	2	–	–	–	–
ESSEX	–	73	44	–	10	L. 3 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	2	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	1	1	–	2	–
†EAST HAM C.B.	–	12	7	–	–	–
†HARWICH ...	–	2	1	–	–	–
†ILFORD	–	8	3	–	–	L. 3
†LEYTON... ...	–	7	4	–	2	M. 1
MALDON ...	–	–	–	–	–	M. 1
†ROMFORD ...	–	–	2	–	–	–
SAFFRON WALDEN	–	5	1	–	–	–
SHOEBURYNESS-ON-SEA	–	–	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	4	–	–	1	–
†WALTHAMSTOW	–	12	9	–	–	M. 1
WALTON-ON-THE-NAZE	*	*	*	*	*	*
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST HAM C.B.	–	6	12	–	2	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUMPSTEAD ...	–	1	–	–	–	–
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT	–	3	–	–	–	–
ROMFORD ...	–	4	2	–	1	–
SAFFRON WALDEN	–	1	–	–	–	–
GLOUCESTER ...	–	38	33	2	9	D. 1 M. 3
Boroughs and Urban Districts:—						
AWRE	–	–	1	–	–	–
†BRISTOL C.B. ...	–	32	21	2	6	D. 1 M. 3
CHARLTON KINGS	–	1	1	–	–	–
†GLOUCESTER C.B.	–	–	2	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
STOW-ON-THE-WOLD	*	*	*	*	*	*
STROUD ...	–	–	–	–	1	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
GLOUCESTER ...	–	–	6	–	–	–
STROUD ...	–	1	1	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
LEDBURY ...	–	1	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	1	1	–	–	–
LEDBURY ...	–	1	–	–	–	–
HERTFORD ...	–	17	11	1	1	L. 2
Boroughs and Urban Districts:—						
†BARNET... ...	–	1	1	–	–	–
GREAT BERKHAMPSTEAD	–	–	–	1	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	3	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCIN	–	2	–	–	–	–
HODDESDON ...	–	1	1	–	–	–
ROYSTON ...	–	3	–	–	–	–
†ST. ALBANS ...	–	1	1	–	–	–
†WATFORD ...	–	2	4	–	1	–
Rural Districts:—						
BARNET ...	–	–	2	–	–	–
ST. ALBANS ...	–	3	–	–	–	–
WATFORD ...	–	–	–	–	–	L. 2
WELWYN ...	–	–	1	–	–	–
HUNTINGDON ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	1	–	–	–
OLD FLETTON ...	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS	*	*	*	*	*	*
ST. NEOTS, No. 4	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	67	43	1	14	C. 5 L. 1 M. 7
Boroughs and Urban Districts:—						
†ASHFORD ...	–	3	–	–	1	–
†BECKENHAM ...	–	3	2	–	–	–
†BEXLEY ...	–	9	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	3	1	–	–	–
†BROMLEY ...	–	3	1	–	1	C. 1 M. 1
†CHATHAM ...	–	2	1	–	–	M. 2
CHISLEHURST ...	–	2	–	–	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	2	3	–	–	L. 1 M. 1
†DOVER	–	–	–	–	1	–
†ERITH	–	4	5	–	2	–
†FAVERSHAM ...	–	–	3	–	3	–
†FOLKESTONE ...	–	6	–	–	–	–
†GILLINGHAM ...	–	2	2	–	–	–
†GRAVESEND ...	–	1	–	–	–	C. 1
†MAIDSTONE ...	–	–	–	–	2	–
†MARGATE ...	–	1	–	–	–	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	1	1	–	–	–
†RAMSGATE ...	–	3	3	–	–	–
†ROCHESTER ...	–	1	4	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	1	–
†SHEERNESS ...	–	1	1	–	–	M. 1
WHITSTABLE ...	–	2	–	–	1	–
Rural Districts:—						
BRIDGE	–	2	–	–	–	–
BROMLEY ...	–	–	1	–	–	C. 2
CRANBROOK ...	–	–	–	–	–	C. 1
DARTFORD ...	–	3	1	–	–	–
EAST ASHFORD	–	3	–	–	–	–
HOLLINGBOURNE	–	2	–	1	–	–
HOO	–	1	–	–	–	–
ISLE OF THANET	–	–	10	–	1	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING ...	–	–	–	–	–	M. 1
MILTON	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
SEVENOAKS ...	–	1	1	–	–	–
TONBRIDGE ...	–	–	1	–	–	M. 1
LANCASTER ...	3	300	109	3	189	C. 12 D. 4 G. 2 L. 10 M. 35
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	6	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	2	–	2	–
†ASHTON-UNDER-LYNE	–	2	–	–	2	G. 1
ASPULL	–	1	–	–	1	–
†ATHERTON ...	–	–	1	–	8	–
AUDENSHAW ...	–	1	–	–	–	D. 1
†BACUP	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	–
†BLACKBURN C.B.	–	5	3	–	5	–
†BLACKPOOL C.B.	–	–	–	–	1	M. 1
†BOLTON C.B. ...	–	9	2	–	4	M. 1
†BOOTLE C.B. ...	–	6	–	–	–	–
†BURNLEY C.B.	–	8	3	–	–	M. 1
†BURY C.B. ...	–	4	2	–	2	M. 1
†CHADDERTON ...	–	2	–	–	1	–
CHURCH ...	–	2	–	–	–	–
†CLITHEROE ...	–	1	–	–	–	–
†COLNE	–	2	1	–	1	–
†CROMPTON ...	–	–	–	–	1	–
CROSTON ...	–	1	–	–	–	–
†DALTON-IN-FURNESS	–	–	–	–	1	–
†DARWEN ...	–	3	–	–	–	–
†DENTON ...	–	–	–	–	1	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES ...	–	5	–	–	1	C. 2
†FAILSWORTH ...	–	1	2	–	3	–
†FARNWORTH ...	–	2	1	–	–	–
†FLEETWOOD ...	–	2	1	–	1	–
FULWOOD ...	–	1	–	–	–	–
†GREAT CROSBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER-*cont.*						
Boroughs and Urban Districts—*cont.*						
†HASLINGDEN ...	–	–	–	–	1	–
†HINDLEY ...	–	4	2	–	4	–
†HORWICH ...	–	4	1	–	–	–
HURST	–	–	–	–	1	–
†INCE-IN-MAKERFIELD	–	4	–	–	–	–
†LANCASTER ...	–	2	2	1	–	–
†LEIGH	–	3	3	–	–	–
†LITHERLAND ...	–	1	1	–	–	–
LITTLE HULTON	–	1	4	–	–	–
LITTLE LEVER	–	–	1	–	–	–
†LIVERPOOL C.B.	–	48	12	–	18	C. 1 D. 1 G. 1 M. 14
LONGRIDGE ...	–	1	–	–	–	–
†LYTHAM ...	–	2	–	–	–	–
†MANCHESTER C.B.	–	48	16	1	61	C. 6 D. 1 M. 8
†MIDDLETON ...	–	3	–	–	2	–
MILNROW ...	–	–	1	–	2	–
†MORECAMBE ...	–	–	1	–	–	–
†MOSSLEY ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	3	–	–	3	–
†OLDHAM C.B.	3	16	–	–	–	M. 1
ORMSKIRK ...	–	1	–	–	–	–
ORRELL... ...	–	1	1	–	1	–
†OSWALDTWISTLE	–	3	1	–	–	C. 1 M. 1
†PADIHAM ...	–	1	1	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	6	2	–	2	–
PRESTWICH ...	–	3	–	–	–	–
†RADCLIFFE ...	–	6	2	–	2	–
†RAMSBOTTOM ...	–	–	–	–	–	M. 1
†RAWTENSTALL ...	–	–	–	–	–	C. 1
RISHTON ..	–	–	1	–	–	–
†ROCHDALE C.B.	–	3	–	–	5	–
ROYTON ...	–	–	1	–	–	–
†ST. HELENS C.B.	–	3	–	–	7	C. 1 L. 2 M. 3
†SALFORD C.B. ...	–	18	16	–	5	M. 1
†SOUTHPORT C.B.	–	2	2	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRETFORD ...	–	4	6	–	1	M. 1
†SWINTON AND PENDLEBURY	–	1	–	–	6	–
TOTTINGTON ...	–	1	1	–	2	–
†TURTON ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	1	–
UPHOLLAND ...	–	3	–	–	–	–
WARDLE ...	–	1	1	–	–	–
†WARRINGTON C.B.	–	3	–	–	8	–
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–
†WESTHOUGHTON	–	–	–	–	2	–
WHITWORTH ...	–	1	–	–	1	–
†WIDNES ...	–	1	6	–	7	–
†WIGAN C.B. ...	–	6	–	1	4	M. 1
†WORSLEY ...	–	2	–	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 5
GARSTANG ...	–	–	–	–	1	–
LANCASTER ...	–	1	1	–	–	–
LEIGH	–	1	–	–	1	D. 1
LIMEHURST ...	–	1	–	–	–	–
PRESTON ...	–	2	2	–	–	–
SEFTON	–	–	–	–	1	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON ...	–	1	1	–	–	L. 3
LEICESTER ...	–	23	11	–	5	M. 2
Boroughs and Urban Districts:—						
ASHBY-DE-LA ZOUCH	–	–	–	–	–	M. 1
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COALVILLE ...	–	–	–	–	–	M. 1
†LEICESTER C.B.	–	11	6	–	4	–
†LOUGHBOROUGH	–	5	–	–	–	–
QUORNDON ...	–	–	1	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	3	–	–	–
HINCKLEY ...	–	4	–	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
MARKET HARBOROUGH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	–	–	–	–	–
Urban District:—						
HOLBEACH ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	–	1	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	*	*	*	*	*	*
Rural District:—						
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	7	9	–	3	M. 2
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRIMSBY C.B. ...	–	1	2	–	1	M. 1
†LINCOLN C.B. ...	–	1	1	–	–	–
MARKET RASEN	–	–	–	–	–	M. 1
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	2	–
Rural Districts:—						
CAISTOR... ...	–	–	1	–	–	–
GAINSBOROUGH	–	1	–	–	–	–
GLANFORD BRIGG	–	1	1	–	–	–
MIDDLESEX ...	–	88	78	1	31	M. 2
Boroughs and Urban Districts:—						
†ACTON	–	11	5	–	2	–
†BRENTFORD ...	–	3	2	–	–	–
†CHISWICK ...	–	–	8	–	1	–
†EALING ...	–	7	6	–	–	M. 1
†EDMONTON ...	–	5	8	–	2	–
†ENFIELD ...	–	3	1	–	1	–
FELTHAM ...	–	2	–	1	–	–
†FINCHLEY ...	–	2	4	–	2	–
†HAMPTON ...	–	–	–	–	1	–
†HANWELL ...	–	2	2	–	–	–
†HARROW-ON-THE-HILL	–	–	5	–	–	–
†HENDON ...	–	5	1	–	1	–
†HESTON AND ISLEWORTH	–	5	–	–	3	–
†HORNSEY ...	–	7	2	–	3	–
RUISLIP-NORTHWOOD	–	–	1	–	–	–
†SOUTHALL-NORWOOD	–	2	–	–	1	–
†SOUTHGATE ...	–	–	1	–	1	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	11	13	–	10	–
†TWICKENHAM ...	–	–	–	–	1	–
†UXBRIDGE ...	–	1	–	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	1	–	–	–
†WILLESDEN ...	–	13	16	–	1	–
†WOOD GREEN ...	–	7	–	–	1	M. 1
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
NORFOLK ...	–	10	7	2	5	G. 1
Boroughs and Urban Districts:—						
CROMER... ...	–	–	–	1	–	–
DOWNHAM MARKET	–	–	–	–	1	–
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†KING'S LYNN ...	–	1	–	1	–	–
NORTH WALSHAM	–	1	–	–	–	–
†NORWICH C.B....	–	1	4	–	–	G. 1
Rural Districts:—						
DEPWADE ...	–	–	–	–	2	–
DOCKING ...	–	1	–	–	–	–
ERPINGHAM ...	–	–	2	–	–	–
FREBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	–	1	–	–	–
MARSHLAND ...	–	2	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON	–	15	5	2	10	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
KETTERING ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORTHAMPTON C.B.	–	6	3	2	5	–
ROTHWELL ...	–	1	–	–	–	–
Rural Districts :—						
BRACKLEY ...	–	5	–	–	–	–
BRIXWORTH ...	–	–	1	–	–	–
DAVENTRY ...	–	–	–	–	2	–
KETTERING ...	–	2	–	–	–	–
POTTERSPURY ...	–	–	–	–	3	–
NORTHUMBERLAND.	–	26	8	–	38	M. 1
Boroughs and Urban Districts :—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	–	1	–	1	–
†BERWICK-UPON-TWEED	–	1	1	–	–	–
†BLYTH	–	–	–	–	1	M. 1
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	–	–	–	2	–
†NEWBURN ...	–	3	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	10	3	–	28	–
†TYNEMOUTH C.B.	–	5	2	–	4	–
†WALLSEND ...	–	1	1	–	1	–
Rural Districts :—						
ALNWICK ...	–	1	–	–	–	–
CASTLE WARD...	–	1	–	–	1	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	8	22	11	–	16	G. 1 M. 4
Boroughs and Urban Districts :—						
†CARLTON ...	–	1	–	–	–	–
†EAST RETFORD	–	1	–	–	3	–
†EASTWOOD ...	–	1	1	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	–	4	1	–	1	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NOTTINGHAM C.B.	§8	8	4	–	5	G. 1 M. 2
†SUTTON-IN-ASHFIELD	–	2	–	–	5	–
WARSOP ...	–	1	–	–	–	–
†WESTBRIDGFORD	–	–	1	–	1	M. 1
Rural Districts :—						
BASFORD ...	–	1	1	–	–	–
LEAKE	–	–	1	–	–	–
NEWARK ...	–	–	1	–	–	–
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	22	1	1	3	G. 1 M. 1
Boroughs and Urban Districts :—						
†BANBURY ...	–	3	–	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
†OXFORD C.B. ...	–	3	1	1	–	G. 1
Rural Districts :—						
BANBURY ...	–	2	–	–	–	M. 1
BICESTER ...	–	1	–	–	–	–
CULHAM ...	–	1	–	–	–	–
HEADINGTON ...	–	7	–	–	–	–
HENLEY ...	–	5	–	–	–	–
WITNEY... ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ Seven of these cases were notified as Alastrim.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	–	2	–	2	–
Borough :—						
†PETERBOROUGH	–	–	–	–	1	–
Rural Districts :—						
PETERBOROUGH	–	–	2	–	1	–
SALOP	–	7	2	–	1	–
Boroughs and Urban Districts :—						
LUDLOW ...	–	3	–	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
Rural Districts :—						
ATCHAM ...	–	1	1	–	–	–
BRIDGNORTH ...	–	2	–	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	–
DRAYTON ...	–	–	–	–	1	–
SOMERSET ...	–	14	4	1	8	G. 1
Boroughs and Urban Districts :—						
†BATH C.B. ...	–	2	–	–	–	G. 1
†BRIDGWATER ...	–	1	–	–	–	–
CREWKERNE ...	*	*	*	*	*	*
†FROME	–	3	–	1	–	–
MIDSOMER NORTON	–	1	–	–	–	–
PORTISHEAD –	–	–	–	–	2	–
SHEPTON MALLET –	–	1	–	–	–	–
†TAUNTON ...	–	–	3	–	–	–
†WESTON-SUPER-MARE	–	1	–	–	–	–
YEOVIL ...	*	*	*	*	*	*
Rural Districts :—						
AXBRIDGE ...	–	–	1	–	2	–
BATH	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
SOMERSET—*cont.*						
Rural Districts—*cont.*						
KEYNSHAM ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
TAUNTON ...	–	2	–	–	1	–
WELLINGTON ...	–	–	–	–	1	–
SOUTHAMPTON...	–	58	38	–	6	C. 1 M. 4
Boroughs and Urban Districts :—						
†ALDERSHOT ...	–	2	–	–	–	–
†ALTON	–	1	2	–	–	–
†BOURNEMOUTH C.B.	–	–	3	–	–	–
CHRISTCHURCH...	–	–	–	–	–	M. 1
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT and ALVERSTOKE	–	5	3	–	3	–
†PORTSMOUTH C.B.	–	27	25	–	1	M. 1
†SOUTHAMPTON C.B.	–	14	3	–	1	C. 1 M. 2
†WINCHESTER ...	–	3	–	–	–	–
Rural Districts :—						
ANDOVER ...	–	1	–	–	–	–
CATHERINGTON	–	1	–	–	–	–
CHRISTCHURCH...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	1	–
STAFFORD ...	–	69	35	–	55	C. 3 G. 2 M. 12
Boroughs and Urban Districts :—						
†AUDLEY ...	–	–	1	–	–	–
BILSTON ...	–	4	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL	–	–	–	–	–	G. 1
†BURTON-UPON-TRENT C.B.	–	2	4	–	1	–
†CANNOCK ...	–	1	–	–	–	–
†DARLASTON ...	–	3	–	–	–	–
†HEATH TOWN ...	–	1	–	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	1	1	–	–	–
PERRY BAR ...	*	*	*	*	*	*
QUARRY BANK	–	–	–	–	2	–
†ROWLEY REGIS	–	1	2	–	–	–
SHORT HEATH ...	–	–	–	–	–	M. 1
†SMALLTHORNE ...	*	*	*	*	*	*
†SMETHWICK C.B.	–	4	2	–	3	G. 1
†STOKE-ON-TRENT C.B.	–	6	6	–	42	C. 3 M. 9
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	3	–	–	–	–
†WALSALL C.B....	–	2	–	–	1	M. 2
†WEDNESBURY ...	–	1	–	–	–	–
WEDNESFIELD ...	–	–	1	–	–	–
†WEST BROMWICH C.B.	–	17	10	–	3	–
†WILLENHALL ...	–	–	1	–	–	–
†WOLSTANTON UNITED	–	1	6	–	–	–
†WOLVERHAMPTON C.B.	–	14	–	–	1	–
Rural Districts:—						
CANNOCK ...	*	*	*	*	*	*
CHEADLE ...	–	3	–	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	2	–	–	–	–
STOKE-UPON-TRENT	*	*	*	*	*	*
STONE	–	1	–	–	–	–
WALSALL ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	6	7	–	12	–
Boroughs and Urban Districts:—						
HALESWORTH ...	–	–	–	–	1	–
†IPSWICH C.B. ...	–	1	5	–	2	–
†LOWESTOFT ...	–	5	2	–	–	–
STOWMARKET ...	–	–	–	–	1	–
WOODBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	3	–
WOODBRIDGE ...	–	–	–	–	4	–
SUFFOLK, WEST	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS ...	–	1	–	–	–	–
HAVERHILL ...	–	–	–	–	1	–
NEWMARKET ...	–	1	1	–	–	–
Rural Districts:—						
MILDENHALL ...	–	1	–	–	–	–
THINGOE ...	–	–	–	–	1	–
SURREY	–	71	29	2	12	L. 3 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	–	1	–	–	M. 1
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	2	–	–	–	–
†CATERHAM ...	–	–	4	–	–	–
†CHERTSEY ...	–	1	1	–	–	–
†COULSDON AND PURLEY	–	2	1	2	–	–
†CROYDON C.B....	–	22	9	–	3	–
DORKING ...	–	–	–	–	1	–
†EGHAM	–	–	1	–	3	–
†EPSOM... ...	–	3	1	–	–	L. 1
†GUILDFORD ...	–	1	–	–	1	–
HAM	–	2	–	–	–	–
†KINGSTON-UPON-THAMES	–	6	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN ...	–	2	2	–	–	–
†MITCHAM ...	–	7	–	–	–	–
†REIGATE ...	–	1	–	–	1	–
†RICHMOND ...	–	5	–	–	2	–
†SURBITON ...	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	6	5	–	–	–
†WOKING ...	–	–	1	–	–	–
Rural Districts:—						
DORKING ...	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	1	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE ...	–	3	–	–	–	L. 2
SUSSEX, EAST ...	–	22	5	–	3	E. 1 L. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	1	–
†BRIGHTON C.B.	–	13	1	–	–	E. 1
CUCKFIELD ...	–	–	1	–	–	–
†EASTBOURNE C.B	–	–	1	–	–	–
†HASTINGS C.B....	–	–	1	–	–	–
†HOVE	–	1	1	–	–	–
†LEWES	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE-BY-SEA	–	2	–	–	–	–
SEAFORD ...	–	2	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
EASTBOURNE ...	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	1	L. 1
HASTINGS ...	*	*	*	*	*	*
SUSSEX, WEST ...	–	11	1	1	1	–
Boroughs and Urban Districts:—						
†BOGNOR ...	–	1	1	–	–	–
HORSHAM ...	–	3	–	–	–	–
SHOREHAM-BY-SEA	–	–	–	–	1	–
†WORTHING ...	–	1	–	1	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	1	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	3	–	–	–	–
WARWICK ...	–	92	26	1	58	C. 3 D. 1 E. 1 G. 2 M. 14
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	71	20	–	50	C. 3 D. 1 G. 1 M. 11
†COVENTRY C.B.	–	1	–	–	2	M. 1
†NUNEATON ...	–	4	–	–	1	M. 2
†ROYAL LEAMINGTON SPA	–	2	–	–	–	–
†RUGBY	–	1	–	–	2	–
†SUTTON COLDFIELD	–	1	1	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	–	G. 1
ATHERSTONE ...	–	1	–	–	–	–
BRAILES ...	–	–	–	–	–	E. 1
COVENTRY ...	–	–	–	–	1	–
FOLESHILL ...	–	5	1	1	–	–
MERIDEN ...	–	1	–	–	–	–
RUGBY ...	–	–	–	–	1	–
SOLIHULL ...	–	–	1	–	–	–
TAMWORTH (part)	–	5	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	5	–	–	4	E. 1
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	4	–	–	2	E. 1
ISLE OF WIGHT	–	7	–	1	–	–
Boroughs and Urban Districts:—						
RYDE	–	–	–	1	–	–
ST. HELEN'S ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	5	–	–	–	–
WILTS	–	22	3	–	4	C. 1 L. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	2	–	–	–
†SALISBURY ...	–	1	–	–	–	–
†SWINDON ...	–	8	–	–	2	–
†TROWBRIDGE ...	–	1	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
WILTON... ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	2	–	–	1	–
BRADFORD-ON-AVON	–	–	1	–	–	–
CHIPPENHAM ...	–	–	–	–	–	C. 1
CRICKLADE AND WOOTTON BASSETT	–	6	–	–	–	–
DEVIZES ...	–	–	–	–	–	L. 1
RAMSBURY ...	–	2	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	20	4	–	5	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	1	–	1	–
DUDLEY, C.B. ...	–	1	–	–	–	–
EVESHAM ...	–	2	–	–	–	–
†KIDDERMINSTER	–	9	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY ...	–	3	1	–	1	M. 1
†REDDITCH ...	*	*	*	*	*	*
†WORCESTER C.B.	–	–	2	–	1	–
Rural Districts:—						
HALESOWEN ...	–	2	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
SHIPSTON-ON-STOUR	–	1	–	–	–	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	11	12	1	10	M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	1	3	–
†BRIDLINGTON ...	*	*	*	*	*	*
FILEY	–	2	–	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	5	8	–	5	M. 3
WITHERNSEA ...	–	1	–	–	1	–
†YORK C.B. ...	–	2	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
RICCALL ...	*	*	*	*	*	*
SHERBURN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	12	11	–	10	C. 1 M. 2
Boroughs and Urban Districts:—						
†ESTON	–	4	3	–	–	C. 1
GUISBOROUGH ...	–	–	–	–	3	–
†MIDDLESBROUGH C.B.	–	2	3	–	7	–
†SCARBOROUGH ...	–	–	–	–	–	M. 1
†THORNABY-ON-TEES	–	2	–	–	–	M. 1
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
LEYBURN ...	–	–	4	–	–	–
SCARBOROUGH ...	–	2	–	–	–	–
THIRSK... ...	–	1	–	–	–	–
WHITBY... ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	4	183	80	5	154	C. 1 D. 1 L. 1 M. 12
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	1	3	–
ALTOFTS ...	–	–	2	–	–	M. 1
ARDSLEY, EAST AND WEST	–	4	–	–	–	–
†BARNSLEY C.B.	–	1	–	–	3	–
†BATLEY... ...	–	1	–	2	–	–
†BINGLEY ...	–	2	1	–	2	–
BIRSTAL... ...	–	–	1	–	–	–
†BOLTON-UPON-DEARNE	–	2	–	2	–	–
†BRADFORD C.B.	–	36	4	–	9	D. 1 M. 1
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON ...	–	–	1	–	–	–
CLAYTON WEST	–	–	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DEWSBURY C.B.	–	–	–	–	–	C. 1
†DONCASTER ...	–	3	4	–	1	–
DRIGHLINGTON	–	–	1	–	–	–
†ELLAND ...	–	2	–	–	–	–
EMLEY	–	–	1	–	–	–
†FEATHERSTONE	–	–	1	–	–	–
GARFORTH ...	–	–	1	–	–	–
†GOLCAR ...	–	–	1	–	1	–
†GOOLE	–	1	–	–	–	–
†HALIFAX C.B. ...	–	6	1	–	1	–
†HARROGATE ...	–	–	2	–	1	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	2	–
†HOLMFIRTH ...	–	1	–	–	–	–
HOYLAND NETHER	–	–	2	–	1	–
†HUDDERSFIELD C.B.	–	3	3	–	6	–
ILKLEY	–	5	–	–	–	–
†KEIGHLEY ...	–	–	2	–	–	–
†LEEDS C.B. ...	–	44	7	–	9	M. 4
LEPTON	–	–	1	–	–	–
LINTHWAITE ...	2	–	–	–	–	–
MARSDEN ...	–	–	1	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MORLEY ...	–	–	–	–	2	–
MYTHOLMROYD	–	1	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	1	–	–	2	–
†OSSETT	–	–	2	–	–	–
OTLEY	–	–	–	–	2	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	3	–	–	1	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	5	3	–	8	–
†ROTHWELL ...	–	8	1	–	1	–
†SADDLEWORTH...	1	–	–	–	–	–
†SHEFFIELD C.B.	–	16	11	–	81	M. 4
SHELLEY ...	–	–	4	–	–	–
†SHIPLEY ...	–	1	–	–	–	M. 1
†SKIPTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	1	–	2	M. 1
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
†STANLEY ...	–	1	–	–	–	–
†SWINTON ...	–	–	2	–	–	–
TICKHILL ...	–	–	–	–	1	–
†WAKEFIELD C.B.	–	2	2	–	–	–
WATH-UPON-DEARNE	1	–	–	–	–	–
WHITLEY UPPER	–	–	–	–	2	–
WHITWOOD ...	–	3	–	–	–	–
†WOMBWELL ...	–	–	–	–	4	–
†WORSBOROUGH	–	–	1	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	1	–	2	–
HEMSWORTH ...	–	2	3	–	2	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	–	2	2	–	2	–
ROTHERHAM ...	–	1	–	–	–	–
SELBY	–	–	1	–	–	–
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	2	2	–	–	–
THORNE ...	–	–	2	–	–	–
TODMORDEN ...	–	3	–	–	–	–
WAKEFIELD ...	–	3	–	–	–	–
WETHERBY ...	–	4	1	–	–	–
WHARFEDALE (SOUTH)	–	–	1	–	–	L. 1
WALES.						
ANGLESEY ...	–	–	2	1	–	–
Boroughs and Urban Districts:—						
ALMWCH ...	–	–	2	–	–	–
Rural Districts:—						
DWYRAN ...	–	–	–	1	–	–
BRECKNOCK ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
CRICKHOWELL ...	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	1	–	–	–
CARDIGAN ...	–	–	1	–	3	–
Rural Districts:—						
ABERYSTWYTH (South)	–	–	1	–	–	–
LLANDYSSIL ...	–	–	–	–	2	–
TREGARON ...	–	–	–	–	1	–
CARMARTHEN ...	–	8	2	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
†LLANELLY ...	–	3	1	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	4	–	–	–	–
LLANELLY ...	–	–	–	–	1	–
LLANYBYTHER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
CARNARVON ...	–	3	5	–	1	–
Boroughs and Urban Districts:—						
BANGOR ...	–	1	–	–	–	–
CARNARVON ...	–	–	2	–	–	–
LLANDUDNO ...	–	2	–	–	–	–
Rural Districts:—						
CONWAY ...	–	–	1	–	–	–
GLASLYN ...	–	–	1	–	–	–
GWYRFAI ...	–	–	1	–	1	–
DENBIGH ...	–	5	4	–	–	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	1	–	–	–	–
†COLWYN BAY and COLWYN	–	–	1	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
GLAN CONWAY (parish)	–	–	1	–	–	–
LLANGOLLEN ...	–	2	–	–	–	–
WREXHAM ...	–	2	2	–	–	–
FLINT	–	5	5	–	–	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	1	1	–	–	–
†RHYL	–	1	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	1	–	–	–
HOLYWELL (Holywell Division)	–	1	1	–	–	–
OVERTON ...	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	84	41	–	27	C. 1 E. 1 M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	4	–
†BARRY	–	2	4	–	1	M. 1
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRITON FERRY	–	–	–	–	1	–
†CAERPHILLY ...	–	2	2	–	–	–
†CARDIFF C.B. ...	–	11	2	–	1	–
†GELLIGAER ...	–	4	4	–	–	–
†MAESTEG ...	–	3	–	–	2	–
†MERTHYR TYDFIL C.B.	–	1	2	–	1	–
†MOUNTAIN ASH	–	10	–	–	–	–
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	2	2	–	1	–
†PENARTH ...	–	1	1	–	–	–
†PONTYPRIDD ...	–	4	3	–	1	–
†PORT TALBOT ...	–	4	–	–	–	–
†RHONDDA ...	–	22	5	–	10	M. 1
†SWANSEA C.B. ...	–	6	4	–	–	C. 1 E. 1 M. 1
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	2	–
LLANDAFF and DINAS POWIS	–	3	4	–	–	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	1	–	–	–	–
NEATH	–	–	–	–	2	–
PONTARDAWE ...	–	–	6	–	–	–
SWANSEA ...	–	1	1	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban Districts:—						
BALA	*	*	*	*	*	*
FESTINIOG ...	–	–	1	–	–	–
Rural District:—						
PENLLYN ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	–	36	15	–	4	C. 1 M. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	–	–	–	–	–	M. 1
ABERGAVENNY...	–	1	–	–	–	–
†ABERSYCHAN ...	–	3	–	–	–	–
†ABERTILLERY ...	–	3	1	–	–	C. 1
†BEDWELLTY ...	–	3	–	–	–	–
CHEPSTOW ...	–	1	1	–	–	–
†EBBW VALE ...	–	4	–	–	–	–
LLANTARNAM ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNDDISLWYN	–	2	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
†NEWPORT C.B....	–	7	9	–	1	–
†RHYMNEY ...	–	7	–	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	2	2	–	–	–
Rural Districts :—						
CHEPSTOW ...	–	–	2	–	–	–
MAGOR	–	–	–	–	1	–
MONTGOMERY ...	–	–	–	–	–	–
Rural Districts :—						
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	–
Boroughs and Urban Districts :—						
MILFORD HAVEN	–	1	–	–	–	–
Rural District :—						
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II.	16	1734	826	30	863	C. 40 D. 6 E. 2 G. 11 L. 22 M. 127

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF... ...	–	–	–	–	1	–
COLCHESTER ...	*	*	*	*	*	*
LIVERPOOL ...	–	–	–	–	1	–
PADSTOW ...	*	*	*	*	*	*
Total of Part III.	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

———	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ *note below*).
Total of Part I.—London	–	325	257	4	120	C. 5 D. 2 G. 1 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	16	1734	826	30	863	C. 40 D. 7 E. 6 G. 11 L. 22 M. 127
Total of Part III.—Port Sanitary Districts ...	–	–	–	–	2	–
Total (*i.e.*, of returns received), England and Wales	16	2059	1083	34	985	C. 45 D. 9 E. 6 G. 12 L. 22 M. 146

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. The 16 cases of Small-pox include 7 cases of Alastrim, and appear on pages 360, 364, 367, 372, and 373.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.
LONDON:—													
DEATHS—all ages	2,170	2,726	2,481	2,022	1662	1,418	1,636	1,472	1,398	1,239	1,223	1,267	1,417
" 0 to 1 year	182	224	264	219	192	186	181	183	180	177	150	188	219
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,969	8,853	8,096	8,131	8,822	8,908	8,240	8,573	8,200	8,357	8,238	7,683	8,220
	8,786	*8,675*	*7,908*	*7,958*	*8,595*	*8,729*	*8,055*	*8,397*	*8,034*	*8,164*	*8,064*	*7,535*	*8,069*
DEATHS—all ages	6,922	8,085	8,638	8,353	7,786	6,784	7,192	6,376	5,669	4,957	5,066	5,162	5,625
	6,800	*7,928*	*8,482*	*8,178*	*7,636*	*6,648*	*7,046*	*6,231*	*5,546*	*4,851*	*4,963*	*5,072*	*5,546*
" 0 to 1 year	793	860	1,016	1,024	972	862	933	844	781	713	733	839	920
	781	*842*	*1,001*	*1,011*	*961*	*854*	*915*	*828*	*767*	*697*	*722*	*827*	*914*
ENTERIC FEVER—Cases	19	22	11	17	29	17	12	17	21	12	26	4	12
	19	*20*	*9*	*17*	*28*	*17*	*11*	*17*	*21*	*12*	*26*	*4*	*12*
" Deaths	8	7	9	2	2	5	2	1	3	6	5	4	5
	7	*7*	*9*	*2*	*2*	*5*	*2*	*1*	*3*	*6*	*5*	*4*	*5*
SMALL POX—Cases	4	5	—	1	3	1	—	1	8	1	2	13	11
	4	*5*	—	*1*	*3*	*1*	—	*1*	*8*	*1*	*2*	*13*	*11*
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1816	1,767	1.672	1,521	1,541	1,429	1,423	1,373	1,314	1,252	1,322	1,180	1,196
	1798	*1,738*	*1,645*	*1,502*	*1,527*	*1,409*	*1,390*	*1,347*	*1,299*	*1,231*	*1,290*	*1,155*	*1,175*
" Deaths	35	38	36	21	27	22	28	18	26	25	17	17	25
	34	*38*	*36*	*21*	*27*	*22*	*27*	*17*	*26*	*25*	*16*	*17*	*25*
DIPHTHERIA—Cases	858	863	889	787	822	807	782	832	785	740	654	685	654
	831	*846*	*868*	*770*	*803*	*794*	*770*	*811*	*769*	*721*	*642*	*670*	*641*
" Deaths	72	93	100	75	80	75	59	58	73	74	45	37	74
	71	*92*	*99*	*74*	*80*	*73*	*58*	*57*	*73*	*73*	*45*	*37*	*74*
MEASLES—Deaths	69	61	82	60	61	44	61	83	86	89	104	122	160
	69	*61*	*82*	*60*	*61*	*43*	*61*	*83*	*85*	*88*	*104*	*121*	*160*
INFLUENZA—Deaths	819	1,262	1,433	1,451	1,144	759	670	525	306	201	146	104	113
	807	*1,240*	*1,404*	*1,420*	*1,121*	*749*	*655*	*511*	*296*	*197*	*142*	*103*	*111*

Note.—For the Great Towns the italic figures relate to 96 towns, the roman figures to the larger group of 105 towns included for the first time in 1922.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st April 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	48	26	43·9	32·9	8
BRIGHTON	49	33	45·6	34·8	4
PORTSMOUTH	49	30	45·7	33·6	12
NORWICH (EATON).	44	26	42·0	30·7	20
PLYMOUTH	50	32	47·9	35·3	12
BRISTOL (CLIFTON).	49	29	43·7	33·3	34
BIRMINGHAM	44	29	41·6	31·6	7
NOTTINGHAM	46	27	43·3	32·4	8
BIRKENHEAD (BIDSTON).	44	27	42·4	32·7	7
MANCHESTER	44	29	42·3	31·7	1
BURNLEY	41	25	40·1	30·7	5
HUDDERSFIELD	45	28	41·7	33·6	3

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	42	27	40·6	31·4	6
SHEFFIELD	44	27	41·0	31·9	6
YORK (MUSEUM).	44	28	41·4	32·4	6
HULL (PEARSON PARK).	45	29	42·4	32·0	9
TYNEMOUTH	43	32	40·7	34·0	11
CARDIFF	49	28	44·7	32·4	28
EDINBURGH	44·0	27·0	40·4	30·9	7
GLASGOW	47·0	27·5	43·9	33·1	2
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	48·9	32·9	45·6	34·6	8
BELFAST	48·0	30·0	45·5	34·5	6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 1st April 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	26	..	29·118	47·6	26·2	21·4	36·5	− 6·5	31·8	4·7	13·7	3·0	83	86·0	18·6	43·9	Calm & NW.	NNW & N.	2·5	0·0	0·2	205	−124	0·03
MONDAY	27	In Equator. New.	29·324	45·0	34·4	10·6	38·8	− 4·5	33·2	5·6	11·2	2·8	80	81·3	22·0	43·7	NNW, W & NW.	NNW & N.	2·9	0·0	0·2	267	− 62	0·00
TUESDAY	28		29·708	46·9	33·5	13·4	38·5	− 5·2	35·2	3·3	10·4	2·0	88	88·0	28·5	43·6	N. & NE.	NE & NNE.	2·6	0·0	0·2	261	− 65	0·17
WEDNESDAY	29	..	29·867	43·5	34·2	9·3	38·1	− 6·0	29·6	8·5	14·2	5·1	71	79·0	28·8	43·5	N.	N.	1·6	0·0	0·2	262	− 59	0·00
THURSDAY	30	..	29·589	40·2	34·4	5·8	37·1	− 7·4	31·3	5·8	8·3	1·3	80	56·5	29·8	43·5	NNW. & NW.	W, SW & N.	0·8	0·0	0·1	207	−105	0·13
FRIDAY	31	..	29·441	40·3	32·6	7·7	36·1	− 8·8	26·9	9·2	11·9	3·1	69	79·0	32·2	43·3	NE & E.	ESE & E	2·0	0·0	0·2	273	− 32	0·01
APRIL. SATURDAY	1	..	29·549	43·2	30·7	12·5	36·8	− 8·5	28·0	8·8	13·2	6·9	70	100·0	23·0	43·2	ESE, ENE. & E	NE.	5·7	0·0	0·5	362	+ 61	0·00
MEANS		..	29·514	43·8	32·3	11·5	37·4	− 6·7	30·9	6·6	11·8	3·5	77	81·4	27·0	43·5	N.		...	...	...	Sum 1,837	Sum −386	Sum 0·34
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	26	v.P. generally	0·6	12·5	Cloudless generally with hoar frost till 8h. Then cloudy generally to overcast soon after 15h. Hazy and misty generally. Solar halo in forenoon, occasional light rain after noon.
MONDAY -	27	v.P. generally	1·6	12·5	Little cloud till 4h., nearly overcast till 13h., very cloudy till 16h., nearly overcast till 19h., then becoming nearly cloudless with hoar frost. Hazy generally, very slight rain in afternoon and evening.
TUESDAY -	28	w.P. generally, v.P. and v.N. between 10h. and 16h.	1·2	12·6	Overcast or nearly overcast with few cloudy intervals till 21h., then nearly cloudless. Frequent rain between 2h. 30m. and 19h. Snow about 4h., hail about noon and 15h., misty in morning.
WEDNESDAY	29	w.P. till 9h., s.P. generally afterwards.	1·6	12·6	Overcast generally till 6h., cloudy till 9h., very cloudy to overcast by noon. Slight damping about 5h. and in afternoon.
THURSDAY -	30	s.P. till 17h., w.P. afterwards.	0·0	12·7	Overcast generally, few cloudy intervals between 5h. and 9h. Misty and hazy at times, occasional slight rain from noon. Snow about 18h.
FRIDAY -	31	w.P. till 9h., s.P. afterwards.	0·8	12·8	Overcast with few exceptions. Rain till 1h. Solar halo about noon.
APRIL SATURDAY -	1	s.P. generally	4·1	12·9	Overcast generally with cloudy intervals till 21h., becoming cloudless with hoar frost by 22h. Occasional slight snow.
			Sum 9·9	Sum 88·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·95 in. at the beginning of the week to 29·91 in. by 7h. on March 29; decreased to 29·39 in. by 3h. on March 31, and increased generally to 29·73 in. by midnight on April 1.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 14.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 8TH APRIL, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH APRIL, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourteenth week of the year numbered 7,962, and corresponded to an annual rate of 21·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 6,071 and corresponded to an annual rate of 16·6 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 13·9, 14·2 and 15·4. Infant mortality was 127 per 1,000 births against 89, 109 and 112 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,813 births, corresponding to a rate of 20·9 per 1,000, and 1,514 deaths of civilians, corresponding to a rate of 17·5, as against 14·1, 14·6, and 16·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 15·7 per 1,000. The infant mortality was 126 as against 80, 101, and 113 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 445 in the total deaths last week, the deaths from influenza showing an increase of 6. In London the number of deaths from all causes rose from 1,417 to 1,514; there was an increase of 20 in the deaths from pneumonia, and of 15 from bronchitis, while the deaths from measles, which had been 72, 89 and 106 in the preceding three weeks, further rose to 115 last week.

---

m (45)17433—2 Wt 30—P 19 2250 /22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 8th April 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,962	6,071	1,011	3	181	18	131	47	63	117
London	4,514,405*	1,813	1,514	228	1	115	7	46	22	15	20
Towns in Outer Ring.											
Croydon C.B.	191,500	60	51	3	–	1	–	–	–	1	2
Wimbledon	61,700	15	4	1	–	–	–	–	–	–	–
Ealing	67,800	24	25	2	–	–	2	–	1	1	–
Acton	62,000	11	11	1	–	–	–	–	–	–	–
Willesden	167,200	67	49	8	–	4	–	–	1	–	–
Hendon	55,500	25	13	3	–	–	–	–	–	1	–
Hornsey	87,600	20	25	–	–	–	–	–	–	–	–
Wood Green	51,100	17	12	3	–	–	–	–	–	–	–
Tottenham	149,200	52	40	7	–	2	–	1	1	–	2
Edmonton	67,800	26	23	3	–	–	1	1	–	–	–
Enfield	61,400	23	19	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	134	102	17	–	11	1	8	1	1	–
East Ham C.B.	145,500	51	33	6	–	4	–	1	–	–	1
Leyton	130,100	33	44	4	–	1	–	4	1	–	–
Walthamstow	129,800	55	52	6	–	8	–	3	2	–	–
Ilford	85,500	18	17	1	–	–	–	–	–	–	1
Gillingham	48,149*	17	8	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	3	8	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	17	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	19	8	–	–	–	–	–	–	–	1
Brighton C.B.	134,800	52	28	2	–	–	1	–	–	–	3
Portsmouth C.B.	233,929*	118	83	18	–	1	–	3	1	–	1
Bournemouth C.B.	81,200	19	32	1	–	–	–	1	–	1	1
Southampton C.B.	162,200	57	41	1	–	–	–	–	–	–	–
Reading C.B.	92,600	32	20	1	–	–	1	1	–	–	–
Oxford C.B.	56,400	16	17	3	–	–	–	–	1	–	–
Northampton C.B.	92,300	37	24	–	–	–	–	–	–	–	1
Luton	57,800	25	17	3	–	–	–	1	–	–	–
Cambridge	58,900	22	17	–	–	–	–	–	–	–	1
Southend-on-Sea C.B.	90,500	35	13	2	–	–	–	–	1	–	–
Ipswich C.B.	80,100	27	23	2	–	–	–	2	–	–	–
Great Yarmouth C.B.	56,300	32	28	6	1	–	–	1	–	1	–
Norwich C.B.	122,400	54	41	6	–	–	–	–	–	1	–
Swindon	55,500	18	14	2	–	–	–	1	–	–	–
Exeter C.B.	59,500	20	22	2	–	–	–	1	–	–	–
Plymouth C.B.	199,869*	82	70	13	–	1	–	3	–	–	2
Bath C.B.	68,300	18	22	2	–	–	–	–	–	–	1
Bristol C.B.	381,700	137	131	20	–	1	–	1	1	5	5
Gloucester C.B.	51,800	16	13	2	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.†	273,238	162	105	27	–	2	1	4	1	1	2
Burton-upon-Trent C.B.	49,410	29	13	1	–	–	–	–	1	–	–
Wolverhampton C.B.	104,000	40	31	3	–	–	–	–	–	–	–
Walsall C.B.	98,800	45	27	8	–	–	–	–	1	1	–
West Bromwich C.B.	75,300	32	21	4	–	–	–	2	–	1	–
Worcester C.B.	49,160	20	19	1	–	–	–	1	–	–	–
Dudley C.B.	57,100	26	17	2	–	–	–	1	–	–	1
Birmingham C.B.	936,000	414	270	46	–	–	–	11	–	6	5
Smethwick C.B.	77,400	24	13	3	–	–	–	–	–	1	–
Coventry C.B.	130,300	53	37	5	–	–	–	–	–	–	1
Leicester C.B.	237,900	87	95	12	–	–	–	–	1	–	1
Lincoln C.B.	66,600	21	17	3	–	–	–	3	–	1	1
Grimsby C.B.	83,600	42	35	13	–	–	–	–	–	1	–
Nottingham C.B.	266,400	114	54	11	–	–	–	–	–	–	–
Derby C.B.	131,800	47	35	8	–	–	–	–	1	–	2
Chesterfield	62,400	21	17	1	–	–	–	–	–	1	–
Stockport C.B.	125,500	37	31	2	–	–	–	–	1	–	–
Chester C.B.	41,030	18	16	3	–	–	–	1	1	1	–
Birkenhead C.B.	147,800	75	47	7	–	–	–	1	–	1	1
Wallasey C.B.	89,600	37	23	–	–	2	–	–	–	–	1
Liverpool C.B.	817,000	467	281	47	–	4	–	4	1	2	8
Bootle C.B.	77,800	59	21	5	–	1	–	1	–	–	–
St. Helens C.B.	104,900	56	37	11	–	–	–	–	1	–	–

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st April 1922.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	18	25	1	–	–	–	–	–	–	5
Wigan C.B.	91,200	29	40	10	–	5	–	–	–	–	–
Warrington C.B.	78,600	40	22	4	–	–	–	–	–	1	1
Bolton C.B.	182,200	61	54	5	–	–	–	–	–	–	2
Bury C.B.	57,600	14	14	3	–	–	–	–	1	–	–
Manchester C.B.	744,000	318	244	49	–	1	1	1	–	3	6
Salford C.B.	239,100	98	76	14	–	2	–	1	–	1	2
Oldham C.B.	148,300	62	59	6	–	–	–	–	1	–	4
Rochdale C.B.	92,700	38	38	8	–	2	–	1	–	2	2
Burnley C.B.	105,300	40	27	8	–	–	–	–	–	2	–
Blackburn C.B.	129,400	46	35	3	–	–	–	–	1	–	–
Preston C.B.	119,900	49	50	13	–	–	–	–	–	–	1
Blackpool C.B.	73,800	25	32	4	–	–	–	1	–	–	1
Barrow-in-Furness C.B.	75,200	32	28	–	–	–	–	1	–	–	1
Huddersfield C.B.	111,900	38	34	6	–	–	–	3	–	–	1
Halifax C.B.	100,700	37	37	7	–	–	–	–	–	–	–
Bradford C.B.	291,100	98	104	17	–	–	2	–	–	1	3
Leeds C.B.	465,500	171	178	31	–	–	1	2	–	–	7
Dewsbury C.B.	55,100	18	18	3	–	–	–	–	–	–	–
Wakefield C.B.	53,763	20	17	4	–	–	–	1	–	–	–
Barnsley C.B.	68,991	37	21	4	–	–	–	1	–	–	1
Sheffield C.B.	519,239	236	171	41	–	11	–	2	–	2	1
Rotherham C.B.	69,100	42	29	3	1	2	–	–	–	–	1
Doncaster	54,700	29	13	2	–	–	–	–	–	–	–
York C.B.	84,500	27	38	5	–	–	–	–	–	–	2
Hull C.B.	291,800	136	101	30	–	–	–	1	–	1	1
Middlesbrough C.B.	133,400	88	58	24	–	–	–	3	–	–	–
Darlington C.B.	66,400	40	15	4	–	–	–	–	–	1	–
Stockton-on-Tees	65,000	38	30	6	–	–	–	2	–	–	–
West Hartlepool C.B.	69,300	33	12	4	–	–	–	–	–	1	–
Sunderland C.B.	161,100	84	53	19	–	–	–	1	–	–	–
South Shields C.B.	120,376	66	36	7	–	–	–	–	–	–	1
Gateshead C.B.	126,700	69	38	12	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	181	94	20	–	–	–	1	–	1	1
Tynemouth C.B.	63,900	37	17	4	–	–	–	–	–	–	–
Carlisle C.B.	53,200	26	20	5	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	47	24	1	–	–	–	–	2	–	–
Cardiff C.B.	202,700	72	52	5	–	–	–	1	–	–	–
Rhondda	166,600	70	43	2	–	–	–	–	–	1	3
Merthyr Tydfil C.B.	81,800	28	21	1	–	–	–	–	–	–	–
Aberdare	56,100	20	16	4	–	–	–	–	–	1	2
Swansea C.B.	159,600	66	44	7	–	–	–	–	–	1	2
Greater London	7,523,963*	2,858	2,322	330	3	149	12	64	36	20	30
Outer Ring	3,009,558*	1,045	808	102	2	34	5	18	14	5	10
16 Great Towns in Outer Ring	1,820,700	631	520	66	–	31	4	18	7	4	6
Remainder of Outer Ring	1,188,858*	414	288	36	2	3	1	–	7	1	4
Edinburgh†	420,500	191	120	24	–	3	–	3	3	2	–
Glasgow†	1,037,800	556	382	79	–	89	1	1	3	3	3
Dublin (Registration Area)†	427,000	197	233	41	–	10	–	3	3	4	6
Belfast†	425,000	219	153	17	–	–	–	1	2	2	5

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Apr. 8	1813	1514	17·5	1	–	115	7	46	22	15	20
Calcutta	896,067	Mar. 4	?	556§	31·8	?	18	–	–	–	–	–	28
Bombay	1,175,914	,, 11	367‖	742§	32·8	1	2	–	–	–	–	51	24
Madras	522,951	,, 4	322	484	48·1	–	36	7	?	2	–	38	–
Sydney and Suburbs	905,947	January 31 days.											
Brisbane (Met. Area).	209,699	,, ,,											
Perth (Registration District).	116,600	Feb. 11	83	29	12·9	–	–	–	–	–	1	–	–
Auckland (Urban Area).	157,757	January 31 days.	288	121	9·2	–	–	–	–	–	–	1	–
Wellington (Urban Area).	107,488	,, ,,	202	73	8·1	–	–	–	–	–	–	1	–
Christchurch (Urban Area).	105,670	,, ,,	199	82	9·4	–	–	–	–	–	–	1	–
Johannesburg	149,500	Feb. 25	104	28	9·7	1	–	–	–	–	–	4	–
Durban	48,000	,, 25	32	17	18·4	–	–	–	–	–	–	3	2
Paris	2,906,472	,, 28 (8 days).											
Antwerp	340,852	Jan. 28											
Amsterdam	683,895	Mar. 25	275	133	10·1	–	–	–	–	2	–	–	–
Copenhagen	562,000	,, 25	229	152	14·0	–	–	2	–	–	1	–	5
Stockholm	422,042	,, 25	125	89	11·0	–	–	–	–	–	1	1	2
Gothenburg	228,052	Apr. 1	?	44	10·0	–	–	–	–	–	–	–	–
Christiania	260,920	,, 1	92	48	9·6	–	–	–	–	–	–	1	–
Berlin	1,955,000	Mar. 11	449	689	18·3	–	?	9	–	4	1	3	29
Breslau	550,000	,, 11	180	191	18·0	–	?	–	–	1	1	2	5
Cologne	672,000	,, 11	333	183	14·2	1	?	–	–	2	1	2	7
Dresden	601,000	,, 11	202	173	15·0	–	?	3	–	–	–	4	4
Frankfort-on-Main	473,000	,, 11	156	124	13·6	–	?	–	–	1	–	1	6
Hamburg	1,039,000	,, 11	347	331	16·6	–	?	2	–	1	1	2	7
Leipzig	632,000	,, 11	234	175	14·4	–	?	–	–	–	–	6	7
Munich	675,000	,, 11	246	207	15·9	–	?	1	1	1	–	1	5
Vienna	1,842,005	Feb. 4	636	872	24·6	–	–	–	1	2	1	16	40
Prague and Suburbs	689,262	Mar. 4	296	182	13·7	1	–	1	–	1	1	1	–
Budapest	936,000	Jan. 28	409	417	23·2	1	?	7	7	8	2	10	8
Cairo	777,500	,, 28	859	401	26·8	2	–	2	–	?	4	24	?
Alexandria	456,300	,, 28	425	189§	21·5	–	–	–	–	?	1	13	?
New York	5,839,738	Mar. 11	2597	1650	14·8	–	–	20	7	6	16	25	37
Chicago	2,838,288	,, 11	?	855	15·7	–	3	6	3	2	18	40	33
Rio de Janeiro	1,188,422	Feb. 18	670	506	22·2	8	1	5	–	4	1	–	14
Montevideo	358,196	Jan. 14	238	122	19·9	1	–	–	–	–	–	15	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 3 deaths from *Plague* in Calcutta, 29 in Bombay, and 1 in Alexandria, and 45 deaths from *Asiatic Cholera* in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th April, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1514	228	116	82	44	54	74	77	142	219	226	252
Enteric fever	1	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	115	24	51	32	8	–	–	–	–	–	–	–
Scarlet fever	7	–	2	1	4	–	–	–	–	–	–	–
Whooping cough	46	15	22	7	2	–	–	–	–	–	–	–
Diphtheria	22	1	7	5	8	1	–	–	–	–	–	–
Influenza	20	1	–	–	–	–	2	2	3	8	1	3
Erysipelas	3	2	–	1	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	3	–	–	–	–	1	–	–	1	1	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	108	1	–	–	–	26	26	20	15	12	8	–
Tuberculous meningitis	12	2	1	5	–	1	2	1	–	–	–	–
Abdominal tuberculosis	3	–	1	–	1	1	–	–	–	–	–	–
Other tubercle	12	2	–	1	3	1	2	–	2	1	–	–
Venereal diseases	6	4	–	–	–	–	1	–	1	–	–	–
Cancer	129	–	–	1	–	–	2	8	23	40	32	23
Rheumatic fever	6	–	–	–	3	2	–	–	–	1	–	–
Diabetes	9	–	–	–	–	–	1	1	1	4	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	7	2	2	–	2	–	–	–	–	–	1	–
Cerebral hæmorrhage, &c., Apoplexy	67	–	–	–	–	–	1	–	8	19	17	22
Epilepsy	8	–	–	–	1	–	1	1	–	3	–	2
"Convulsions" (not puerperal)	8	8	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	35	–	–	–	–	–	1	5	9	13	4	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	1	1	1	–	–	–	–
Other diseases of heart	181	–	–	–	–	3	8	6	21	30	54	59
Other dis. of circulatory system	43	–	–	–	–	–	–	–	3	7	14	19
Bronchitis	135	12	2	–	1	1	–	7	8	25	33	46
Broncho-pneumonia	117	57	17	12	3	–	1	2	3	7	6	9
Lobar pneumonia	37	2	3	2	2	4	3	4	3	7	6	1
Pneumonia (type not distinguished)	33	6	4	3	–	–	4	3	6	2	4	1
Other diseases of respiratory system	16	–	1	1	–	–	–	–	6	1	5	2
Diarrhœa and enteritis	18	15	–	1	–	1	1	–	–	–	–	–
Appendicitis and typhlitis	5	–	–	1	–	2	–	–	1	–	1	–
Hernia, Intestinal obstruction	13	4	–	2	–	–	1	1	2	–	1	2
Cirrhosis of liver	3	–	–	–	–	–	–	1	1	1	–	–
Other diseases of digestive system	27	4	1	1	–	–	–	1	1	9	6	4
Acute nephritis	6	–	1	1	2	–	–	–	–	–	1	1
Chronic Bright's disease	32	–	–	–	–	1	2	3	3	9	9	5
Other diseases of genito-urinary system.	11	–	–	–	–	1	2	1	1	2	2	2
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	7	–	–	–	–	2	3	2	–	–	–	–
Congenital malformations	10	9	–	–	–	1	–	–	–	–	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	16	16	–	–	–	–	–	–	–	–	–	–
Old age	48	–	–	–	–	–	–	–	–	2	8	38
Suicide	11	–	–	–	–	1	3	2	4	1	–	–
Burns and scalds	4	–	–	2	–	1	–	–	–	–	–	1
Drowning	1	–	–	–	–	–	–	–	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	1	2	1	–	–	1	–	–	–
Other deaths by violence	9	1	–	–	–	–	2	–	3	1	2	–
Other specified causes	69	15	–	2	2	1	2	5	12	12	10	8
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th April 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	3	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	19	–	10	M. 3
†BERMONDSEY ...	–	9	21	–	9	M. 1
†BETHNAL GREEN	–	11	13	–	3	–
†CAMBERWELL ...	–	21	18	–	7	D. 1 M. 1
†CHELSEA ...	–	4	1	–	–	L. 1
†DEPTFORD ...	–	9	7	–	–	–
†FINSBURY ...	–	8	7	–	1	–
†FULHAM ...	–	16	9	1	10	C. 3 L. 1 M. 2
†GREENWICH ...	–	16	13	–	5	–
†HACKNEY ...	–	15	16	–	2	L. 1
†HAMMERSMITH	–	19	16	–	6	–
†HAMPSTEAD ...	–	8	4	–	1	–
†HOLBORN ...	–	4	3	–	2	–
†ISLINGTON ...	–	35	20	–	5	C. 1 D. 1 M. 4
†KENSINGTON ...	–	8	5	–	1	–
†LAMBETH ...	–	21	12	–	6	G. 1 M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	13	12	–	1	G. 1
†PADDINGTON ...	–	9	11	–	9	M. 1
†POPLAR... ...	–	9	9	–	21	M. 1
†ST. MARYLEBONE	–	5	2	–	–	–
†ST. PANCRAS ...	–	28	13	1	17	M. 2
†SHOREDITCH ...	–	12	5	–	8	M. 2
†SOUTHWARK ...	–	12	5	–	3	G. 1 M. 1
†STEPNEY ...	–	14	18	2	12	–
†STOKE NEWINGTON	–	4	4	–	–	–
†WANDSWORTH	–	41	14	–	17	M. 3
†WESTMINSTER, CITY OF	–	1	1	–	–	–
†WOOLWICH ...	–	9	12	–	11	M. 1
TOTAL OF PART I.	–	372	293	4	167	C. 4 D. 2 G. 3 L. 3 M. 24

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	12	7	–	6	G. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	2	2	–	4	–
DUNSTABLE ...	–	–	1	–	–	–
KEMPSTON ...	–	1	–	–	–	–
†LUTON	–	1	1	–	2	–
Rural Districts :—						
AMPTHILL ...	–	–	2	–	–	G. 1
BEDFORD ...	–	2	–	–	–	–
LUTON	–	6	1	–	–	–
BERKS	–	36	3	–	2	C. 1 F. 1 M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	18	–	–	–	–
†NEWBURY ...	–	–	1	–	–	–
†READING, C.B.	–	4	–	–	1	F. 1 M. 1
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	4	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	4	–	–	–	–
BRADFIELD ...	–	1	1	–	1	–
COOKHAM ...	–	1	–	–	–	–
FARINGDON (part)	–	–	1	–	–	–
NEWBURY ...	–	3	–	–	–	–
WANTAGE ...	–	–	–	–	–	C. 1
BUCKINGHAM ...	–	10	7	–	6	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	1	–
CHESHAM ...	–	–	1	–	1	–
MARLOW ...	–	1	–	–	–	–
†SLOUGH... ...	–	2	–	–	–	–
†WOLVERTON ...	–	1	–	–	1	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
ETON	–	3	1	–	–	–
NEWPORT PAGNELL	–	–	4	–	1	–
WING	–	–	–	–	1	–
WINSLOW ...	–	–	–	–	1	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE...	–	2	4	–	1	–
Borough :—						
†CAMBRIDGE ...	–	2	4	–	–	–
Rural District :—						
MELBOURN ...	–	–	–	–	1	–
CHESTER	–	41	27	–	33	C. 1 D. 1 G. 1 H. 9 M. 9
Boroughs and Urban Districts :—						
ALDERLEY EDGE ...	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON-UPON-MERSEY	–	–	–	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	9	–	–	7	G. 1 H. 9
BOLLINGTON ...	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	6	–	3	–
†CHESTER C.B. ...	–	2	4	–	–	–
†CONGLETON ...	–	1	1	–	1	M. 1
†CREWE	–	6	2	–	–	–
†DUKINFIELD ...	–	–	–	–	2	M. 4
HALE	–	–	–	–	1	–
HAZEL GROVE AND BRAMHALL	–	–	–	–	1	–
HOOLE	–	–	1	–	–	–
†HYDE	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD...	–	2	1	–	–	–
†RUNCORN ...	–	–	1	–	4	–
†SALE	–	1	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	4	–
†STOCKPORT, C.B.	–	4	3	–	–	D. 1 M. 1
†WALLASEY, C.B.	–	4	2	–	2	–
†WINSFORD ...	–	–	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CONGLETON ...	–	–	–	–	–	M. 1
MACCLESFIELD ...	–	1	–	–	–	C. 1 M. 1
NANTWICH ...	–	–	2	–	2	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ...	–	2	–	–	2	–
WIRRAL ...	–	1	1	–	1	–
CORNWALL ...	–	6	7	–	4	M. 2
Boroughs and Urban Districts:—						
HELSTON ...	*	*	*	*	*	*
LISKEARD ...	–	1	–	–	–	–
NEWQUAY ...	–	2	–	–	–	–
PHILLACK ...	–	–	2	–	–	–
REDRUTH ...	–	2	–	–	–	–
ST. IVES ...	–	1	4	–	–	–
†TRURO	–	–	–	–	–	M. 1
WADEBRIDGE ...	–	–	–	–	2	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	–	M. 1
SAINT AUSTELL	–	–	–	–	2	–
SAINT GERMANS	–	–	1	–	–	–
CUMBERLAND ...	–	5	1	–	1	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
†CARLISLE, C.B....	–	–	1	–	–	M. 1
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRITH ...	–	3	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE... ...	–	1	–	–	–	–
WHITEHAVEN ...	–	–	–	–	1	–
DERBY	2	35	28	–	35	C. 2 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	4	–	–	–
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD	–	–	7	–	–	–
CLAY CROSS ...	–	2	1	–	–	–
†DERBY C.B. ...	–	8	9	–	14	C. 1 M. 2
DRONFIELD ...	–	–	–	–	1	–
†HEANOR ...	–	1	–	–	5	C. 1
†ILKESTON ...	2	–	–	–	4	–
†LONG EATON ...	–	1	–	–	–	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY... ...	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	4	4	–	2	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	2	–	–	4	–
CHESTERFIELD	–	7	2	–	1	–
GLOSSOP DALE...	–	1	–	–	–	–
HARTSHORNE AND SEALS	–	2	–	–	1	–
SUDBURY ...	–	4	–	–	–	–
DEVON	–	14	12	1	11	D. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EXETER C.B. ...	–	1	3	1	2	–
†EXMOUTH ...	–	–	1	–	1	–
HONITON ...	–	–	1	–	–	–
†ILFRACOMBE ...	–	–	–	–	2	–
†NEWTON ABBOT	–	–	–	–	2	–
NORTHAM ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	4	1	–	2	–
SOUTH MOLTON	*	*	*	*	*	*
†TORQUAY ...	–	2	2	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
CULMSTOCK ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	1	–	–	–
ST. THOMAS ...	–	–	–	–	–	D. 1
SOUTH MOLTON	–	4	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	–	1	–	–	–
TORRINGTON ...	–	–	–	–	1	–
DORSET	–	5	1	–	4	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	*	*	*	*	*	*
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	2	–	–	1	–
†PORTLAND ..	–	3	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BLANDFORD ...	*	*	*	*	*	*
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	*	*	*	*	*	*
WEYMOUTH ...	–	–	–	–	1	–
DURHAM... ...	–	52	23	–	66	G. 1 L. 1 M. 12
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
BENFIELDSIDE ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON ...	–	1	1	–	–	M. 1
†CHESTER-LE-STREET	–	1	1	–	1	–
†CONSETT ...	–	–	–	–	1	–
†CROOK	–	–	–	–	2	–
†DARLINGTON C.B.	–	1	4	–	8	M. 1
†DURHAM ...	–	2	–	–	1	–
†FELLING ...	–	–	1	–	1	–
†GATESHEAD C.B.	–	3	1	–	4	–
†HEBBURN ...	–	3	2	–	3	–
†HETTON ...	–	–	–	–	1	–
†HOUGHTON-LE-SPRING	–	–	–	–	2	L. 1
†JARROW ...	–	1	–	–	14	M. 1
†SEAHAM HARBOUR	–	–	2	–	1	–
SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	4	–	–	11	G. 1 M. 1
†SOUTHWICK-ON-WEAR ...	–	–	–	–	2	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY ...	–	–	3	–	–	–
†STOCKTON-ON-TEES	–	–	–	–	1	–
†SUNDERLAND C.B.	–	6	–	–	5	M. 3
†TANFIELD ...	–	–	1	–	–	–
†WASHINGTON ...	–	6	–	–	–	–
†WEST HARTLEPOOL C.B	–	2	–	–	2	–
WILLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	–
CHESTER-LE-STREET	–	4	–	–	1	–
DARLINGTON ...	–	–	2	–	–	M. 1
DURHAM ...	–	1	1	–	–	–
EASINGTON ...	–	5	–	–	1	M. 1
HOUGHTON-LE-SPRING	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
LANCHESTER ...	–	–	–	–	–	M. 1
SEDGEFIELD ...	–	2	1	–	1	M. 1
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	–	1	–	–	–
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†WISBECH ...	–	1	–	–	–	–
ESSEX	–	67	41	1	28	C. 3 D. 1 E. 1 G. 1 M. 5
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	2	–	1	–
BRAINTREE ...	–	–	–	–	1	–
†CHELMSFORD ...	–	–	1	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
†EAST HAM C.B.	–	13	3	–	1	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	1	1	–	1	–
†ILFORD	–	4	2	–	–	C. 1 M. 2
†LEYTON... ...	–	7	5	–	1	–
†ROMFORD ...	–	–	2	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	7	2	–	6	C. 1 M. 1
TILBURY ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	11	1	–	3	D. 1 M. 1
†WANSTEAD ...	–	1	1	–	–	–
†WEST HAM C.B.	–	11	15	–	8	G. 1 M. 1
†WOODFORD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BRAINTREE ...	–	–	–	–	1	–
DUNMOW ...	–	1	–	–	1	–
EPPING	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	–	–	–	1	E. 1
MALDON ...	–	–	1	–	–	–
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	–	1	–	–	C. 1
ROMFORD ...	–	–	2	1	–	–
SAFFRON WALDEN	–	5	–	–	–	–
GLOUCESTER ...	–	46	18	1	22	D. 1 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	35	11	1	11	D. 1 M. 2
CHARLTON KINGS	–	1	–	–	–	–
†CHELTENHAM ...	–	1	2	–	1	–
†GLOUCESTER C.B.	–	3	–	–	1	–
†KINGSWOOD ...	–	1	–	–	–	–
NEWNHAM ...	–	1	–	–	–	–
STROUD ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	4	–
DURSLEY ...	–	2	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	M 1
GLOUCESTER ...	–	–	1	–	–	–
STROUD ...	–	1	1	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	2	–	–	–
WHEATENHURST	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	3	6	–	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1	–	–	–
†HEREFORD ...	–	–	1	–	–	–
KINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BREDWARDINE	–	–	–	–	1	–
BROMYARD ...	–	1	–	–	1	–
HEREFORD ...	–	–	2	–	–	–
LEDBURY ...	–	2	1	–	–	–
HERTFORD ...	–	12	11	–	6	G. 1 L. 2
Boroughs and Urban Districts:—						
†BARNET... ...	–	1	1	–	–	–
BISHOP'S STORTFORD ...	–	–	–	–	2	–
BUSHEY... ...	–	–	3	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HARPENDEN ...	–	–	–	–	–	G. 1
†HEMEL HEMPSTEAD	–	1	3	–	–	–
†HITCHIN ...	–	1	–	–	–	–
†ST. ALBANS ...	–	1	1	–	–	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	2	3	–	1	–
Rural Districts:—						
HADHAM ...	–	–	–	–	1	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	2	–	–	–	–
WATFORD ...	–	1	–	–	1	L. 2
HUNTINGDON ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	2	–
ST. NEOTS ...	–	–	–	–	1	–
HUNTINGDON—*coni.*						
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
NORMAN CROSS	–	1	–	–	–	–
ST. IVES ...	–	1	–	–	–	–
KENT	–	49	34	1	12	C. 2 D. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	2	–	–	–	–
†BECKENHAM ...	–	2	–	–	1	–
†BEXLEY ...	–	1	–	–	–	–
†BROMLEY ...	–	6	1	–	–	C. 1
†CHATHAM ...	–	1	1	–	–	–
†DARTFORD ...	–	–	1	–	–	C. 1
†DOVER	–	–	–	–	1	–
†ERITH	–	–	5	–	–	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	7	–	–	–	–
†GILLINGHAM ...	–	3	3	–	5	–
†GRAVESEND ...	–	–	2	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	3	–	1	–	–
MILTON REGIS ...	–	–	1	–	–	–
†PENGE	–	1	4	–	–	–
†ROCHESTER ...	–	–	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	1	–
†SHEERNESS ...	–	–	1	–	–	–
SIDCUP	–	1	–	–	–	–
TONBRIDGE ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BRIDGE	–	3	1	–	–	–
BROMLEY ...	–	1	4	–	–	–
CRANBROOK ...	–	2	–	–	–	–
DARTFORD ...	–	3	4	–	–	D. 1
EAST ASHFORD	–	1	–	–	1	–
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
MAIDSTONE ...	–	2	1	–	–	–
MALLING ...	–	2	–	–	–	–
STROOD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD	–	1	–	–	–	–
LANCASTER ...	2	314	108	1	212	C. 13 D. 1 L. 4 M. 36
Boroughs and Urban Districts:—						
ABRAM ...	–	–	–	–	1	–
†ACCRINGTON ...	–	6	1	–	–	–
†ASHTON-IN-MAKERFIELD	–	2	-	–	4	–
†ASHTON-UNDER-LYNE	–	–	–	–	4	–
ASPULL	–	3	–	–	2	–
AUDENSHAW ...	–	1	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	10	–	–	–	–
†BLACKBURN C.B.	–	2	4	–	3	M. 1
†BLACKPOOL C.B.	–	2	1	1	3	M. 1
BLACKROD ...	–	–	1	–	–	–
†BOLTON C.B. ...	–	6	1	–	2	M. 1
†BOOTLE C.B. ...	–	9	1	–	–	–
†BURNLEY C.B.	–	6	1	–	2	M. 1
†BURY C.B. ...	–	3	2	–	2	M. 1
†CHADDERTON ...	–	4	–	–	1	C. 1
†COLNE	–	–	–	–	3	–
†CROMPTON ...	–	3	–	–	2	–
†DALTON-IN-FURNESS	–	–	–	–	2	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	4	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	M. 1
†ECCLES ...	–	4	2	–	–	–
†FAILSWORTH ...	–	1	–	–	3	–
†FARNWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	–	1	–	3	–
FULWOOD ...	–	–	1	–	–	–
†HASLINGDEN ...	–	–	–	–	1	–
†HAYDOCK ...	–	1	1	–	–	–
HEYSHAM ...	–	1	2	–	–	–
†HEYWOOD ...	–	–	–	–	2	–
†HINDLEY ...	–	1	–	–	2	–
†HORWICH ...	–	4	3	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†INCE-IN-MAKERFIELD	–	3	–	–	1	–
IRLAM	–	2	–	–	–	–
KEARSLEY ...	–	–	–	–	–	C. 1
†LANCASTER ...	–	1	3	–	2	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	5	2	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
LITTLE HULTON	–	–	2	–	–	–
†LIVERPOOL C.B.	–	49	16	–	23	C. 3 M. 12
LONGRIDGE ...	–	–	1	–	–	–
†LYTHAM ...	–	2	–	–	–	–
†MANCHESTER C.B.	–	66	20	–	59	C. 3 M. 15
†MIDDLETON ...	–	3	1	–	2	–
MILNROW ...	–	1	–	–	–	–
†NELSON ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	1	1	–	7	–
†OLDHAM C.B.	2	11	1	–	3	C. 2 M. 1
ORMSKIRK ...	–	–	–	–	2	–
†OSWALDTWISTLE	–	3	–	–	1	–
POULTON-LE-FYLDE	–	–	–	–	–	M. 1
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	9	2	–	3	D. 1
PRESTWICH ...	–	6	–	–	1	–
†RAMSBOTTOM ...	–	1	–	–	1	–
RISHTON ..	–	–	–	–	2	–
†ROCHDALE C.B.	–	5	2	–	2	–
†ROYTON ...	–	–	–	–	1	–
†ST. HELENS C.B.	–	4	–	–	5	L. 1 M. 1
†SALFORD C.B. ...	–	17	16	–	3	C. 2
SKELMERSDALE	–	–	–	–	–	C. 1
†SOUTHPORT C.B.	–	5	1	–	6	–
STANDISH-WITH-LANGTREE	-	1	–	–	1	–
†STRETFORD ...	–	6	1	–	–	–
†SWINTON AND PENDLEBURY	–	1	4	–	6	–
TOTTINGTON ...	–	1	1	–	–	–
†TURTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY-WITH-SHAKERLEY	–	1	1	–	4	–
†WALTON-LE-DALE	–	1	–	–	–	–
†WARRINGTON C.B.	–	4	1	–	18	–
†WATERLOO-WITH-SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES ...	*	*	*	*	*	*
†WIGAN C.B. ...	–	5	2	–	8	–
WITHNELL ...	–	–	–	–	1	–
†WORSLEY ...	–	3	–	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	4	1	–	1	–
BURNLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 1
LEIGH	–	2	2	–	–	–
LIMEHURST ...	–	2	–	–	1	–
PRESTON ...	–	–	1	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON ...	–	4	–	–	1	L. 2
WIGAN... ...	–	1	1	–	–	–
LEICESTER ...	–	19	13	–	8	M. 3
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	1	–	–	–	–
†HINCKLEY ...	–	1	–	–	–	–
†LEICESTER C.B.	–	13	8	–	5	M. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	1	–	–	M. 2
WIGSTON MAGNA	–	–	1	–	–	–
LEICESTER—*cont.*						
Rural Districts:—						
BARROW-UPON-SOAR	–	2	–	–	1	–
BLABY	–	–	2	–	–	–
MELTON MOWBRAY	–	1	1	–	2	–
LINCOLN (parts of Holland).	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	–	–
EAST ELLOE ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
GRANTHAM ...	–	–	1	–	–	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	9	15	–	2	–
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	1	–	–	–
BROUGHTON ...	–	1	–	–	–	–
†CLEETHORPES	–	–	2	–	1	–
†GRIMSBY C.B. ...	–	1	2	–	–	–
†LINCOLN C.B. ...	–	3	3	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	–	3	–	–	–
GAINSBOROUGH	–	–	1	–	–	–
GRIMSBY ...	–	–	1	–	–	–
HORNCASTLE ...	–	2	–	–	–	–
MIDDLESEX ...	–	108	56	1	40	C. 1 D. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	8	4	–	1	–
†BRENTFORD ...	–	4	6	–	1	–
†CHISWICK ...	–	3	2	–	1	–
†EALING ...	–	10	4	–	–	L. 1
†EDMONTON ...	–	5	3	–	2	–
†ENFIELD ...	–	4	1	–	2	–
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	2	–	1	–	–
†HAMPTON WICK	–	–	–	–	1	–
†HANWELL ...	–	4	1	–	1	–
†HARROW-ON-THE-HILL	–	–	1	–	–	–
HAYES... ...	–	2	–	–	–	–
†HENDON ...	–	12	3	–	–	–
†HESTON AND ISLEWORTH	–	–	–	–	2	D. 1
†HORNSEY ...	–	5	–	–	2	–
†SOUTHALL-NORWOOD	–	3	–	–	1	–
†SOUTHGATE ...	–	1	1	–	–	–
SUNBURY-ON-THAMES	–	–	1	–	–	–
†TOTTENHAM ...	–	15	11	–	9	M. 1
†TWICKENHAM ...	–	1	2	–	1	–
†UXBRIDGE ...	–	–	1	–	–	–
†WEMBLEY ...	–	3	–	–	2	–
†WILLESDEN ...	–	11	13	–	10	C. 1 M. 1
†WOOD GREEN ...	–	9	1	–	2	M. 1
Rural Districts:—						
HENDON ...	–	1	1	–	–	–
STAINES ...	–	3	–	–	–	–
UXBRIDGE ...	–	–	–	–	2	–
NORFOLK ...	–	10	6	1	1	G. 2 L. 2 M. 1
Boroughs and Urban Districts:—						
EAST DEREHAM	–	1	–	–	–	–
†KING'S LYNN ...	–	–	–	–	–	G. 1
NORTH WALSHAM	*	*	*	*	*	*
†NORWICH C.B....	–	4	4	–	–	G. 1 M. 1
WELLS	–	–	1	–	1	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	L. 1
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	–	–	–	–	L. 1
SMALLBURGH ...	–	1	–	–	–	–
SWAFFHAM ...	–	–	–	1	–	–
WALSINGHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	6	8	–	15	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	1	–	–	–
DAVENTRY ...	–	–	1	–	–	–
†KETTERING ...	–	1	–	–	3	–
†NORTHAMPTON C.B.	–	5	5	–	11	–
†RUSHDEN ...	–	–	1	–	1	–
NORTHUMBERLAND.	–	30	12	–	53	C. 2 M. 3
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	2	–
†BEDLINGTONSHIRE	–	1	–	–	7	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK-UPON-TWEED	–	–	–	–	1	–
†BLYTH	–	–	1	–	6	M. 2
†GOSFORTH ...	–	1	1	–	–	–
HEXHAM ...	–	–	–	–	1	–
†LONGBENTON ...	–	–	–	–	2	–
NEWBRIGGIN-BY-THE-SEA	–	1	–	–	–	–
†NEWBURN ...	–	–	–	–	2	–
†NEWCASTLE-UPON-TYNE C.B.	–	14	7	–	25	C. 2
SEATON DELAVAL	–	3	1	–	–	–
†TYNEMOUTH C.B.	–	2	1	–	5	–
†WALLSEND ...	–	1	–	–	–	M. 1
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	1	–
HEXHAM ...	–	2	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	–	1	–	–	–
NOTTINGHAM ...	6	18	6	2	12	C. 2 G. 1 M. 3
Boroughs and Urban Districts:—						
†CARLTON ...	–	2	1	–	–	M. 1
†EAST RETFORD	–	–	–	–	3	–
†KIRKBY-IN-ASHFIELD	–	5	–	–	–	–
†NOTTINGHAM C.B.	§6	6	3	–	6	C. 2 G. 1 M. 2
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON-IN-ASHFIELD	–	2	1	1	2	–
WARSOP ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD ...	–	2	–	–	–	–
BINGHAM ...	–	–	1	1	–	–
MISTERTON ...	–	–	–	–	1	–
OXFORD	–	13	1	–	2	C. 1 G. 2 M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	3	–	–	–	–
CHIPPING NORTON	–	–	–	–	–	G. 1
†OXFORD C.B. ...	–	4	1	–	1	G. 1
Rural Districts:—						
CHIPPING NORTON	–	1	–	–	–	–
CROWMARSH ...	–	2	–	–	–	C. 1
CULHAM ...	–	1	–	–	–	–
GORING	–	–	–	–	–	M. 1
HEADINGTON ...	–	1	–	–	1	–
WITNEY... ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	2	M. 2
Borough:—						
†PETERBOROUGH	–	–	–	–	2	M. 2
SALOP	–	3	3	1	9	–
Boroughs and Urban Districts:—						
LUDLOW ...	–	2	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D Cerebro-Spinal Fever; E. Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ All of these cases were notified as Alastrim.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHREWSBURY ...	–	–	–	1	7	–
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
CLUN	–	–	–	–	1	–
ELLESMERE ...	–	–	–	–	1	–
NEWPORT ...	–	–	1	–	–	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	8	7	–	25	C. 1 D. 1 M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	–	–	2	–
BURNHAM-ON-SEA	–	–	1	–	–	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	–	–	–	1	–
†TAUNTON ...	–	–	1	–	–	–
WATCHET ...	–	–	–	–	–	D. 1
†WESTON-SUPER-MARE	–	–	2	–	2	–
†YEOVIL ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	–	1	–	–	–
BRIDGWATER ...	–	–	–	–	–	C. 1 M. 1
CHARD	–	2	–	–	–	–
CLUTTON ...	–	–	1	–	1	–
DULVERTON ...	–	–	–	–	3	–
KEYNSHAM ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	1	–
TAUNTON ...	–	–	–	–	12	–
WELLS	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOMERSET—*cont.*						
Rural Districts—*cont.*						
WILLITON ...	–	–	1	–	–	–
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON...	–	51	47	1	6	M. 1
Boroughs and Urban Districts:—						
ALTON	–	–	1	–	–	–
†BOURNEMOUTH C.B.	–	3	3	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	2	1	–	–	–
†GOSPORT and ALVERSTOKE	–	1	12	–	–	–
LYMINGTON ...	*	*	*	*	*	*
PETERSFIELD ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	18	22	1	–	–
†SOUTHAMPTON C.B.	–	8	4	–	1	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	5	2	–	–	M. 1
Rural Districts:—						
ANDOVER ...	–	–	–	–	2	–
DROXFORD ...	–	2	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
FORDINGBRIDGE	–	–	1	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	–
HAVANT... ...	–	1	–	–	–	–
HURSLEY ...	–	–	–	–	1	–
KINGSCLERE ...	–	7	–	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD ...	–	64	25	–	92	C. 4 G. 1 M. 15
Boroughs and Urban Districts:—						
†AUDLEY ...	–	–	1	–	–	–
BIDDULPH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bilston ...	–	2	–	–	1	–
†Burton-upon-Trent C.B.	–	2	2	–	–	M. 1
†Leek	–	2	–	–	–	–
Lichfield ...	–	3	–	–	–	M. 1
†Newcastle-under-Lyme	–	–	1	–	1	–
†Rowley Regis	–	–	1	–	3	–
†Smethwick C.B.	–	2	1	–	4	M 3
†Stoke-on-Trent C.B.	–	11	5	–	66	C. 2 G. 1 M. 6
Stone	–	–	–	–	1	–
†Tipton	–	2	–	–	–	–
†Walsall C.B....	–	5	2	–	–	M. 3
†Wednesbury ...	–	–	1	–	2	–
†West Bromwich C.B.	–	16	8	–	–	C. 1
†Willenhall ...	–	1	–	–	3	–
†Wolstanton United	–	2	–	–	–	–
†Wolverhampton C.B.	–	11	–	–	4	C. 1
Rural Districts:—						
Cheadle ...	–	3	1	–	4	–
Leek	–	1	–	–	–	–
Lichfield ...	–	1	1	–	1	M. 1
Stone	–	–	–	–	1	–
Uttoxeter ...	–	–	1	–	–	–
SUFFOLK, EAST	–	6	8	–	8	–
Boroughs and Urban Districts:—						
Beccles ...	*	*	*	*	*	*
Bungay ...	–	–	1	–	–	–
†Felistowe ...	*	*	*	*	*	*
†Ipswich C.B. ...	–	–	4	–	4	–
†Leiston-cum-Sizewell	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Lowestoft ...	–	3	2	–	–	–
Stowmarket ...	–	–	–	–	1	–
Rural Districts:—						
Blything ...	–	–	–	–	1	–
Hartismere ...	–	1	–	–	–	–
Plomesgate ...	–	2	1	–	–	–
SUFFOLK, WEST	–	2	2	–	1	M. 1
Boroughs and Urban Districts:—						
†Bury St. Edmunds ...	–	1	–	–	–	–
Glemsford ...	–	–	1	–	–	–
Hadleigh ...	–	–	–	–	1	–
Newmarket ...	–	–	1	–	–	–
Rural District:—						
Thingoe ...	–	1	–	–	–	M. 1
SURREY	–	83	25	–	16	–
Boroughs and Urban Districts:—						
†Barnes ...	–	1	1	–	1	–
†Beddington and Wallington	–	1	–	–	–	–
†Carshalton ...	–	6	–	–	–	–
†Caterham ...	–	2	–	–	–	–
†Chertsey ...	–	–	–	–	1	–
†Coulsdon and Purley	–	4	2	–	–	–
†Croydon C.B....	–	16	8	–	6	–
†Egham	–	–	1	–	1	–
†Esher and the Dittons	–	4	–	–	–	–
†Frimley ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	4	–	–	–	–
HASLEMERE ...	–	2	–	–	–	–
†KINGSTON-UPON-THAMES	–	8	–	–	–	–
†MERTON AND MORDEN ...	–	4	1	–	–	–
†MITCHAM ...	–	7	2	–	1	–
†SURBITON ...	–	9	3	–	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	6	6	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	1	–
EPSOM	–	2	–	–	3	–
FARNHAM ...	–	–	1	–	–	–
HAMBLEDON ...	–	2	–	–	2	–
REIGATE ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	22	3	1	19	L. 2
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	6	1	1	11	–
†EASTBOURNE C.B	–	2	–	–	4	–
†HASTINGS C.B....	–	2	1	–	–	–
†HOVE	–	1	–	–	2	–
PORTSLADE-BY-SEA	–	2	–	–	–	–
RYE	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	4	–	–	–	–
CUCKFIELD ...	–	–	–	–	1	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	1	–	1	L. 2
RYE	–	3	–	–	–	–
SUSSEX, WEST ...	–	16	2	–	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	3	–	–	–	–
†HORSHAM ...	–	6	–	–	–	–
†WORTHING ...	–	2	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	3	–	–	–	–
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST	–	1	–	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WARWICK ...	–	70	23	2	54	C. 2 G. 1 M. 8
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	57	17	1	33	C. 1 M. 8
†COVENTRY C.B.	–	3	1	1	6	C. 1
†NUNEATON ...	–	3	1	–	5	G. 1
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	1	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	1	–	–	–
ATHERSTONE ...	–	–	–	–	1	–
FOLESHILL ...	–	2	–	–	2	–
MERIDEN ...	–	–	–	–	2	–
RUGBY ...	–	1	1	–	1	–
SOLIHULL ...	–	–	–	–	1	–
TAMWORTH (part)	–	3	2	–	–	–
WESTMORLAND	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural District:—						
SOUTH WESTMORLAND	–	–	–	–	2	–
ISLE OF WIGHT	–	1	–	–	3	–
Boroughs and Urban Districts:—						
COWES	–	–	–	–	1	–
EAST COWES ...	–	–	–	–	1	–
†RYDE	–	–	–	–	1	–
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	14	2	–	7	L. 2
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	2	–
†SALISBURY ...	–	1	1	–	1	–
†SWINDON ...	–	12	–	–	3	L. 1
†TROWBRIDGE ...	*	*	*	*	*	*
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
DEVIZES ...	–	–	–	–	–	L. 1
HIGHWORTH ...	–	–	–	–	1	–
PEWSEY ...	–	–	1	–	–	–
WORCESTER ...	–	18	5	–	19	D. 1 M. 1
Boroughs and Urban Districts:—						
DUDLEY, C.B. ...	–	2	–	–	–	–
†KIDDERMINSTER	–	4	–	–	–	–
†LYE AND WOLLESCOTE	–	2	–	–	–	–
†MALVERN ...	–	1	–	–	2	–
†OLDBURY ...	–	–	4	–	2	–
†REDDITCH ...	–	2	–	–	–	M. 1
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†STOURBRIDGE ...	–	2	–	–	1	–
STOURPORT ...	–	3	–	–	–	–
†WORCESTER C.B.	–	–	–	–	8	D. 1
Rural Districts:—						
DROITWICH ...	*	*	*	*	*	*
HALESOWEN ...	–	2	–	–	2	–
PERSHORE ...	–	–	–	–	1	–
TENBURY ...	–	–	–	–	1	–
UPTON-UPON-SEVERN	–	–	1	–	2	–
YORKS ... ... (East Riding).	–	6	9	–	8	G. 1 M 3
Boroughs and Urban Districts:—						
GREAT DRIFFIELD	–	–	–	–	–	M. 1
†KINGSTON-UPON-HULL C.B.	–	2	9	–	6	M. 2
†YORK C.B. ...	–	2	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
ESCRICK ...	–	1	–	–	–	–
HOWDEN ...	–	1	–	–	–	–
RICCALL ...	–	–	–	–	–	G. 1
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	4	6	12	–	8	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIDDLESBROUGH C.B.	4	–	4	–	6	–
PICKERING ...	–	–	1	–	–	–
†SCARBOROUGH ...	–	–	–	–	1	–
†SKELTON AND BROTTON	–	–	2	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	1	–	–	–	–
STARTFORTH ...	–	–	4	–	–	–
THIRSK... ...	–	2	–	–	–	–
YORKS ... ... (West Riding).	13	207	61	10	192	C. 5 G. 1 L. 1 M. 13
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	6	–	2	–
ALTOFTS ...	–	1	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	2	–
BAILDON ...	*	*	*	*	*	*
†BARNSLEY C.B.	–	4	1	–	4	C. 1
†BATLEY... ...	–	2	2	1	2	–
†BOLTON-UPON-DEARNE	–	1	1	3	1	–
†BRADFORD C.B.	–	42	2	–	12	M. 2
†BRIGHOUSE ...	–	3	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	–	–	2	–
DARFIELD ...	–	–	–	–	1	–
†DARTON... ...	–	–	–	–	1	–
†DEWSBURY C.B.	–	1	–	–	–	–
†DONCASTER ...	–	7	–	–	1	–
†ELLAND... ...	–	2	–	–	–	–
FARSLEY ...	–	1	–	–	–	–
†FEATHERSTONE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOLCAR ...	–	–	–	–	2	–
†GOOLE	–	1	–	–	4	M. 1
GREETLAND ...	–	–	1	–	–	–
GUISELEY ...	–	–	1	–	–	–
†HALIFAX C.B. ...	–	6	1	–	1	–
†HARROGATE ...	–	2	–	–	–	–
HAWORTH ...	–	1	–	–	–	–
HECKMONDWIKE	–	–	–	1	–	C. 1
†HEMSWORTH ...	–	6	–	–	–	–
†HOYLAND NETHER	–	–	–	–	–	M. 1
†HUDDERSFIELD C.B.	–	2	–	–	7	M. 1
ILKLEY	–	4	–	–	–	G. 1
†KEIGHLEY ...	–	–	2	–	2	–
KIRKBURTON ...	–	–	–	–	1	–
†LEEDS C.B. ...	–	45	10	–	28	C. 1 M. 1
LINTHWAITE ...	11	–	–	–	–	–
MELTHAM ...	–	–	1	–	–	–
†MORLEY ...	–	–	–	–	2	–
MYTHOLMROYD	–	1	–	–	–	–
†NORMANTON ...	–	1	2	–	3	–
OTLEY	–	–	–	–	2	–
†PONTEFRACT ...	–	3	–	–	–	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	3	–	–	–	–
†ROTHERHAM C.B.	–	4	1	1	3	–
†ROTHWELL ...	–	7	1	–	–	–
†SADDLEWORTH...	2	–	–	–	–	–
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	–	17	13	–	94	C. 1 M. 6
SHELLEY ...	–	–	1	–	–	–
SHEPLEY ...	–	–	1	–	–	–
†SHIPLEY ...	–	1	–	–	–	–
†SKIPTON ...	–	–	–	–	2	–
†SPENBOROUGH ...	–	5	1	–	1	M. 1
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY ...	–	5	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON ...	*	*	*	*	*	*
THURLSTONE ...	–	–	–	–	–	C. 1
THURNSCOE ...	*	*	*	*	*	*
†TODMORDEN ...	–	1	1	–	1	–
†WAKEFIELD C.B.	–	2	1	1	–	–
WHITWOOD ...	–	4	–	–	–	–
†WOMBWELL ...	–	–	–	–	2	–
†WORSBOROUGH	–	2	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	1	–	–	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	2	1	1	3	–
HUNSLET ...	–	1	1	–	–	–
ROTHERHAM ...	–	–	1	2	1	–
SELBY	–	1	1	–	–	–
TADCASTER ...	–	7	1	–	2	–
WAKEFIELD ...	–	2	2	–	–	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (South)	–	–	–	–	–	L. 1
WALES.						
ANGLESEY ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	–	–	1	–
BRECKNOCK ...	–	1	2	–	4	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	1	–	3	–
LLANWRTYD ...	*	*	*	*	*	*
BRECKNOCK—*cont.*						
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	1	–	1	–
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
ABERYSTWYTH (South)	*	*	*	*	*	*
LAMPETER ...	–	–	1	–	–	–
CARMARTHEN ...	–	8	7	–	2	G. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	–	–
BURRY PORT ...	–	–	1	–	–	–
†LLANELLY ...	–	1	3	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	2	–
LLANDILO FAWR	–	5	–	–	–	–
LLANELLY ...	–	1	2	–	–	G. 1
CARNARVON ...	–	5	6	–	1	–
Boroughs and Urban Districts:—						
BANGOR ...	–	2	–	–	–	–
CONWAY ...	–	1	3	–	–	–
PENMAENMAWR	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON—*cont.*						
Rural Districts:—						
GWYRFAI ...	–	2	–	–	1	–
LLEYN	–	–	1	–	–	–
OGWEN	–	–	1	–	–	–
DENBIGH ...	–	3	7	–	–	–
Boroughs and Urban Districts:—						
†COLWYN BAY and COLWYN	–	–	3	–	–	–
†WREXHAM ...	–	–	1	–	–	–
Rural District:—						
WREXHAM ...	–	3	3	–	–	–
FLINT	–	5	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	4	2	–	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	77	29	–	22	C. 1 M. 7
Boroughs and Urban Districts:—						
†ABERDARE ...	–	7	–	–	6	–
†BARRY	–	3	4	–	–	–
†CAERPHILLY ...	–	2	1	–	–	M. 1
†CARDIFF C.B. ...	–	9	3	–	7	M. 1
†GELLIGAER ...	–	6	4	–	–	–
†MAESTEG ...	–	5	–	–	1	–
†MERTHYR TYDFIL C.B.	–	2	–	–	–	M. 1
†MOUNTAIN ASH	–	7	–	–	–	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	–	1	–	1	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	3	–	–	–	–
†PORT TALBOT ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RHONDDA ...	–	14	4	–	4	C. 1 M. 3
†SWANSEA C.B. ...	–	4	7	–	2	–
Rural Districts:—						
LLANDAFF and DINAS POWIS	–	6	1	–	–	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	1	–	–	1	M. 1
PONTARDAWE ...	–	3	3	–	–	–
SWANSEA ...	–	1	–	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban Districts:—						
BALA	*	*	*	*	*	*
DOLGELLY ...	–	–	1	–	–	–
Rural District:—						
EDEIRNION ...	*	*	*	*	*	*
PENLLYN ...	*	*	*	*	*	*
MONMOUTH ...	–	29	13	2	3	C. 1 D. 1
Boroughs and Urban Districts:—						
ABERGAVENNY...	–	–	1	–	–	–
†ABERTILLERY ...	–	4	–	2	–	–
BEDWAS AND MACHEN	–	–	1	–	–	C. 1
†BEDWELLTY ...	–	2	1	–	–	–
CAERLEON ...	–	1	–	–	–	–
CHEPSTOW ...	–	–	2	–	–	–
†EBBW VALE ...	–	2	–	–	–	–
†MYNDDISLWYN	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Newport C.B....	–	10	5	–	1	D. 1
†Rhymney ...	–	1	2	–	–	–
†Tredegar ...	–	4	–	–	2	–
MONTGOMERY ...	–	–	1	–	–	–
Boroughs and Urban District:—						
Newtown and Llanllwchaiarn	–	–	1	–	–	–
Rural Districts:—						
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Haverford-west	–	1	–	–	–	–
†Pembroke ...	*	*	*	*	*	*
RADNOR	–	1	–	–	1	–
Rural Districts:—						
Knighton ...	–	–	–	–	1	–
Painscastle ...	–	1	–	–	–	–
Total of Part II.	27	1636	760	26	1094	C. 42 D. 10 E. 1 F. 1 G. 15 H. 9 L. 15 M. 137

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff... ...	–	–	–	–	1	–
Padstow ...	*	*	*	*	*	*
Plymouth ...	–	–	–	1	1	L. 1
Port of London	–	1	1	1	1	–
Total of Part III.	–	1	1	2	3	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	372	293	4	167	C. 4 D. 2 G. 3 L. 3 M. 24
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	27	1636	760	26	1094	C. 42 D. 10 E. 1 F. 1 G. 15 H. 9 L. 15 M. 137
Total of Part III.—Port Sanitary Districts ...	–	1	1	2	3	L. 1
Total (*i.e.*, of returns received), England and Wales	27	2009	1054	32	1264	C. 46 D. 12 E. 1 F. 1 G. 18 H. 9 L. 19 M. 161

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. 9 cases of Typhus Fever were notified which appear on page 389. The 27 cases of Small-pox include 6 cases of Alastrim, and appear on pages 390, 394, 397, and 402.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.
LONDON:—													
DEATHS—all ages -	2,726	2,481	2,022	1662	1,418	1,636	1,472	1,398	1,239	1,223	1,267	1,417	1,514
" 0 to 1 year -	224	264	219	192	186	181	183	180	177	150	188	219	228
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	8,853	8,096	8,131	8,822	8,908	8,240	8,575	8,200	8,357	8,238	7,683	8,220	7,962
DEATHS—all ages -	8,086	8,638	8,353	7,785	6,784	7,192	6,376	5,669	4,955	5,066	5,161	5,626	6,071
" *0* to *1* year -	860	1,016	1,024	972	862	933	844	781	713	733	839	920	1,011
ENTERIC FEVER—Cases	22	11	17	29	17	12	17	21	12	26	4	12	13
" Deaths	7	9	2	2	5	2	1	3	6	5	4	5	3
SMALL POX—Cases -	5	—	1	3	1	—	1	8	1	2	13	11	12
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,767	1,672	1,521	1,541	1,429	1,423	1,373	1,314	1,252	1,322	1,180	1,196	1,227
" Deaths	38	36	21	27	22	28	18	26	25	17	17	25	18
DIPHTHERIA—Cases -	863	889	787	822	807	782	832	785	740	654	685	654	666
" Deaths	93	100	75	80	75	59	58	73	74	45	37	74	47
MEASLES—Deaths -	61	82	60	61	44	61	83	86	89	104	122	160	181
INFLUENZA—Deaths -	1,262	1,433	1,451	1,144	759	670	525	306	201	146	104	111	117

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th April 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	51	25	45·7	33·1	29
BRIGHTON -	49	27	47·0	35·9	35
PORTSMOUTH -	51	29	47·7	35·1	38
NORWICH (EATON).	49	27	46·3	31·6	17
PLYMOUTH -	56	30	50·6	35·9	19
BRISTOL (CLIFTON).	52	27	45·3	32·6	21
BIRMINGHAM -	48	28	44·6	31·7	17
NOTTINGHAM -	50	27	45·4	30·1	25
BIRKENHEAD (BIDSTON).	47	28	44·1	33·4	5
MANCHESTER	49	27	45·1	31·4	11
BURNLEY -	46	24	43·1	27·0	9
HUDDERSFIELD	Not received.				
BRADFORD -	47	28	43·7	29·7	18
SHEFFIELD -	46	29	44·3	32·3	20
YORK (MUSEUM).	49	27	47·3	30·6	6
HULL (PEARSON PARK).	50	29	47·4	31·7	7
TYNEMOUTH	48	30	45·0	32·6	1
CARDIFF -	52	27	45·4	32·9	24
EDINBURGH -	46·0	30·0	43·3	32·1	2
GLASGOW -	47·7	29·2	44·9	31·9	4
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	49·0	29·1	46·5	34·3	11
BELFAST -	51·0	27·4	44·2	28·9	?

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th April 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	2	..	29·574	50·0	24·7	25·3	37·2	− 8·5	26·4	10·8	18·5	6·9	64	113·2	14·5	43·2	Calm & SE.	SSE & ESE.	1·2	0·0	0·0	136	−167	0·00
Monday	3	Greatest Declination N.	28·952	38·0	32·7	5·3	33·7	−12·3	32·8	0·9	9·0	0·0	96	39·9	24·6	43·0	E.	ENE. & NE.	4·5	0·0	0·4	428	+121	0·73
Tuesday	4	..	29·400	45·2	34·0	11·2	38·8	− 7·4	31·1	7·7	13·8	2·1	74	90·2	26·3	43·0	NNE & N.	NNW & WSW.	3·6	0·0	0·4	354	+ 39	0·00
Wednesday	5	First Quarter.	29·568	51·0	31·2	19·8	41·2	− 5·1	31·7	9·5	15·2	2·9	69	96·0	22·9	43·0	WSW.	WSW & Variable.	1·0	0·0	0·0	190	−132	0·01
Thursday	6	..	29·752	49·3	34·7	14·6	40·3	− 6·0	31·9	8·4	16·4	2·9	72	99·2	28·7	42·9	WSW & W.	N. & calm.	1·4	0·0	0·1	209	−118	0·15
Friday	7	..	29·489	43·9	34·2	9·7	39·0	− 7·3	35·8	3·2	8·5	0·0	88	61·1	28·6	42·9	SE.	ESE, E & ENE.	2·4	0·0	0·2	259	− 68	0·05
Saturday	8	..	29·505	44·0	35·8	8·2	39·2	− 6·9	36·7	2·5	6·8	0·0	91	58·5	32·2	42·9	NNE & N.	NNW & calm.	1·9	0·0	0·0	173	−149	0·19
Means		..	29·463	45·9	32·5	13·4	38·5	− 7·6	32·3	6·1	12·6	2·1	79	79·7	25·4	43·0	Variable		...	...	...	Sum 1,749	Sum −474	Sum 1·13
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	2	s.P. throughout	10·0	12·9	Cloudless generally till 11h. with hoar frost. Partially cloudy till 18h. 30m., then nearly cloudless. Lunar halo at night.
Monday -	3	s.P. till 7h., w.P. afterwards with w.N. at times.	0·0	13·0	Becoming overcast by 2h., rain or snow generally 4h. to 22h.; sleet at times.
Tuesday -	4	w.P. generally till 10h., s.P. afterwards.	4·1	13·0	Overcast generally till 7h., then variably cloudy with fine intervals. Misty at night. Slight rain between 18h. and 19h.
Wednesday	5	v.P. till 10h., s.P. afterwards.	5·1	13·1	Nearly cloudless generally till 10h., cloudy generally. Nearly overcast at times till 21h., then overcast. Hoar frost in morning, slight snow about 6h. shower at 13h., rain beginning just before midnight. Lunar halo at 20h.
Thursday -	6	v.P. till 10h., s.P. afterwards.	2·8	13·2	Overcast till 9h. 30m., very cloudy generally till 22h.; then fine and partially cloudy. Rain till 4h. Misty and hazy in afternoon.
Friday -	7	v.P. till noon, v.N. till 17h., w.P. afterwards.	0·0	13·3	Becoming overcast by 2h. Lunar halo 1h. Slight hoar frost before 2h. Rain or damping generally from 10h.
Saturday -	8	w.P. generally, v.P. between 14h. and 22h.	0·0	13·3	Overcast generally, frequent rain or damping. Slight mist morning and evening.
			Sum 22·0	Sum 91·8	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·73 in. at the beginning of the week to 28·89 in. by 19h. on 3rd; increased generally to 29·78 in. by 18h. on 6th; decreased to 29·38 in. by 3h. on 8th, and increased to 29·64 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 15.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 15TH APRIL, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D. Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH APRIL, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifteenth week of the year numbered 7,250, and corresponded to an annual rate of 19·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,948 and corresponded to an annual rate of 16·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 14·2, 15·4 and 16·6. Infant mortality was 136 per 1,000 births against 109, 112 and 127 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,645 births, corresponding to a rate of 19·0 per 1,000, and 1,446 deaths of civilians, corresponding to a rate of 16·7, as against 14·6, 16·4, and 17·5 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 16·3 per 1,000. The infant mortality was 120 as against 101, 113, and 126 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 125 in the total deaths last week, the deaths from influenza showing a decrease of 8. In London the number of deaths from all causes fell from 1,514 to 1,446; there was an increase of 14 in the deaths from pneumonia, and of 9 from bronchitis, while the deaths from measles, which had been 89, 106 and 115 in the preceding three weeks, fell to 101 last week.

---

m (45)17433—3 Wt 30—P 19 2250 4 22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 15th April 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,250	5,948	984	6	154	20	137	49	56	109
London	4,514,405*	1,645	1,446	197	1	101	6	47	23	7	23
Towns in Outer Ring.											
Croydon C.B.	191,500	68	61	11	–	1	–	–	–	2	–
Wimbledon	61,700	17	14	–	–	–	–	1	–	–	1
Ealing	67,800	28	7	–	–	–	1	–	–	–	–
Acton	62,000	14	8	1	–	1	–	–	–	–	–
Willesden	167,200	65	57	8	–	4	–	–	–	–	1
Hendon	55,500	12	16	2	–	–	–	–	–	–	–
Hornsey	87,600	24	24	6	–	–	–	–	1	–	–
Wood Green	51,100	14	11	–	–	–	–	–	–	–	–
Tottenham	149,200	52	37	7	–	2	–	–	2	–	–
Edmonton	67,800	35	13	2	–	–	–	–	–	–	–
Enfield	61,400	19	19	3	–	–	–	–	–	1	–
West Ham C.B.	307,000	165	101	16	–	7	–	9	–	–	2
East Ham C.B.	145,500	43	41	5	–	3	–	2	–	–	1
Leyton	130,100	50	34	1	–	2	–	2	1	–	1
Walthamstow	129,800	35	28	1	–	4	–	3	–	–	1
Ilford	85,500	22	11	–	–	–	–	1	–	–	–
Gillingham	48,149*	22	18	4	–	–	–	–	–	–	–
Canterbury C.B.	23,680	9	9	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	22	24	2	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	15	21	2	–	–	–	–	–	–	–
Brighton C.B.	134,800	32	48	4	–	–	1	–	1	–	–
Portsmouth C.B.	233,929*	99	63	9	1	–	1	2	1	1	–
Bournemouth C.B.	81,200	19	26	1	–	–	–	–	–	–	1
Southampton C.B.	162,200	64	40	4	–	–	–	1	–	–	1
Reading C.B.	92,600	23	25	2	–	–	–	–	–	–	–
Oxford C.B.	56,400	18	23	3	–	–	–	1	–	–	–
Northampton C.B.	92,300	27	18	–	–	–	–	–	–	–	–
Luton	57,800	26	10	3	–	–	–	–	–	–	–
Cambridge	58,900	21	16	3	–	–	–	1	–	–	–
Southend-on-Sea C.B.	90,500	18	13	–	–	–	–	–	1	–	–
Ipswich C.B.	80,100	39	19	3	–	–	–	1	–	–	1
Great Yarmouth C.B.	56,300	17	16	3	–	–	–	4	–	–	–
Norwich C.B.	122,400	53	49	10	–	–	–	–	–	1	–
Swindon	55,500	18	19	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	15	24	2	–	–	–	–	1	–	–
Plymouth C.B.	199,869*	58	58	16	–	1	–	1	–	–	–
Bath C.B.	68,300	20	28	3	–	–	–	–	–	–	1
Bristol C.B.	381,700	139	112	10	–	2	–	–	–	1	–
Gloucester C.B.	51,800	24	11	2	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.†	273,238	118	104	28	–	–	–	9	1	2	3
Burton-upon-Trent C.B.	49,410	30	13	3	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	61	36	8	1	–	–	1	–	–	3
Walsall C.B.	98,800	48	21	6	–	–	–	–	1	2	–
West Bromwich C.B.	75,300	47	28	3	–	–	1	2	1	–	–
Worcester C.B.	49,160	24	11	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	26	26	9	–	–	–	1	–	–	–
Birmingham C.B.	936,000	338	268	51	–	1	1	13	3	5	5
Smethwick C.B.	77,400	25	22	8	–	–	–	2	–	1	–
Coventry C.B.	130,300	39	28	8	–	–	–	–	–	–	–
Leicester C.B.	237,900	87	83	13	–	–	–	–	1	–	–
Lincoln C.B.	66,600	19	14	3	–	–	–	–	–	–	–
Grimsby C.B.	83,600	42	28	6	–	–	–	1	–	–	1
Nottingham C.B.	266,400	104	80	14	–	–	–	–	–	2	1
Derby C.B.	131,800	59	28	1	–	–	–	–	1	–	–
Chesterfield	62,400	37	17	1	1	–	–	–	–	–	–
Stockport C.B.	125,500	34	38	5	–	–	–	–	–	–	2
Chester C.B.	41,030	15	9	2	–	1	–	–	–	–	–
Birkenhead C.B.	147,800	58	45	9	–	–	1	2	1	4	–
Wallasey C.B.	89,600	29	25	3	–	2	–	–	–	–	–
Liverpool C.B.	817,000	392	263	32	–	1	–	2	1	2	6
Bootle C.B.	77,800	30	21	1	–	–	1	–	1	–	–
St. Helens C.B.	104,900	45	26	6	–	1	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st April 1922.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	10	28	2	–	–	–	–	–	–	2
Wigan C.B.	91,200	38	27	7	–	1	–	–	–	–	1
Warrington C.B.	78,600	32	27	3	–	–	–	–	–	–	–
Bolton C.B.	182,200	43	42	4	–	–	–	1	–	–	1
Bury C.B.	57,600	17	21	2	–	–	–	–	–	–	–
Manchester C.B.	744,000	266	246	41	–	2	1	6	2	8	6
Salford C.B.	239,100	89	66	22	–	1	–	1	1	–	1
Oldham C.B.	148,300	39	59	7	–	–	1	1	–	–	1
Rochdale C.B.	92,700	24	37	10	–	–	–	1	–	3	2
Burnley C.B.	105,300	36	30	8	–	–	–	–	–	–	1
Blackburn C.B.	129,400	42	36	5	–	–	–	1	–	–	1
Preston C.B.	119,900	42	50	15	–	–	1	–	–	–	1
Blackpool C.B.	73,800	22	26	3	1	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	36	20	4	–	–	–	2	–	1	–
Huddersfield C.B.	111,900	28	47	6	–	–	–	–	–	–	–
Halifax C.B.	100,700	28	37	4	–	–	–	–	–	–	–
Bradford C.B.	291,100	81	108	22	–	1	–	2	–	–	7
Leeds C.B.	465,500	195	175	26	–	–	–	3	1	1	6
Dewsbury C.B.	55,100	15	15	5	–	–	1	–	–	–	2
Wakefield C.B.	53,763	22	15	1	1	–	–	–	–	–	–
Barnsley C.B.	68,991	27	27	6	–	–	–	1	–	–	2
Sheffield C.B.	519,239	194	172	32	–	10	2	1	1	1	1
Rotherham C.B.	69,100	27	28	6	–	4	1	–	–	1	1
Doncaster	54,700	24	15	4	–	–	–	–	–	1	–
York C.B.	84,500	30	21	5	–	–	–	–	–	–	1
Hull C.B.	291,800	138	126	39	–	–	–	1	–	2	–
Middlesbrough C.B.	133,400	60	55	17	–	–	–	–	–	–	2
Darlington C.B.	66,400	20	21	4	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	39	21	5	–	–	–	3	–	–	–
West Hartlepool C.B.	69,300	38	24	4	–	–	–	–	–	–	1
Sunderland C.B.	161,100	92	61	18	–	–	–	–	–	1	–
South Shields C.B.	120,376	53	42	11	–	–	–	–	–	2	1
Gateshead C.B.	126,700	82	48	9	–	–	–	3	–	–	–
Newcastle-on-Tyne C.B.	278,400	130	81	20	–	1	–	–	–	–	1
Tynemouth C.B.	63,900	34	26	6	–	–	–	–	–	–	–
Carlisle C.B.	53,200	22	10	–	–	–	–	–	–	–	2
Newport (Mon.) C.B.	93,700	36	26	5	–	–	–	–	–	–	2
Cardiff C.B.	202,700	90	52	11	–	–	–	1	1	2	–
Rhondda	166,600	68	36	4	–	–	–	–	–	2	3
Merthyr Tydfil C.B.	81,800	36	31	6	–	–	–	–	1	–	1
Aberdare	56,100	24	11	1	–	–	–	–	–	–	2
Swansea C.B.	159,600	59	40	6	–	–	–	–	–	–	1
Greater London	7,523,963*	2,643	2,196	289	1	128	8	67	29	12	40
Outer Ring	3,009,558*	998	750	92	–	27	2	20	6	5	17
16 Great Towns in Outer Ring	1,820,700	663	482	63	–	24	1	18	4	3	7
Remainder of Outer Ring	1,188,858*	335	268	29	–	3	1	2	2	2	10
Edinburgh†	420,500	171	130	21	–	1	–	2	2	2	4
Glasgow†	1,037,800	478	415	73	–	90	1	6	3	2	2
Dublin (Registration Area)†	427,000	190	231	38	–	11	–	2	2	4	3
Belfast††	425,000	201	133	12	–	–	–	–	–	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
LONDON‡ - - -	4,514,405	Apr. 15	1645	1446	16·7	1	–	101	6	47	23	7	23
CALCUTTA - - -	896,067	Mar. 11	?	637§	36·5	?	26	–	–	–	–	–	33
BOMBAY - - -	1,175,914	„ 11											
MADRAS - - -	522,951	„ 11	315	457	45·4	–	28	10	?	–	–	31	–
SYDNEY AND SUBURBS	926,400	February 28 days.	1637	576	7·5	2	–	–	–	3	7	27	2
BRISBANE (Met. Area).	209,699	January 31 days.											
PERTH (Registration District).	116,600	Feb. 18	48	26	11·6	–	–	–	–	–	–	1	–
		„ 25	85	28	12·5	1	–	–	–	–	–	2	1
AUCKLAND (Urban Area).	157,757	January 31 days.											
WELLINGTON (Urban Area).	107,488	„ „											
CHRISTCHURCH (Urban Area).	105,670	„ „											
JOHANNESBURG - -	149,500	Mar. 4	85	32	11·1	1	–	–	–	–	1	3	–
DURBAN - - -	48,000	„ 4	35	10	10·8	–	–	–	–	–	–	3	3
PARIS - - -	2,906,472	„ 10 (10 days).	1372	1273	15·9	3	–	2	3	2	5	25	17
ANTWERP - - -	340,852	Feb. 4	115	111	17·3	–	–	–	–	1	1	4	5
		„ 11	127	93	14·4	1	–	1	–	1	–	2	6
AMSTERDAM - -	683,895	Apr. 1	288	155	11·8	–	–	1	–	3	–	–	1
COPENHAGEN - -	562,000	„ 1	246	160	14·7	–	–	2	–	–	1	1	–
STOCKHOLM - -	422,042	„ 1	106	95	11·7	–	–	–	–	–	–	–	–
GOTHENBURG - -	228,052	„ 8	?	39	8·9	–	–	–	–	–	–	1	–
CHRISTIANIA - -	260,920	„ 8	114	72	14·3	–	–	1	–	2	–	–	–
BERLIN - - -	1,955,000	Mar. 11											
BRESLAU - - -	550,000	„ 11											
COLOGNE - - -	672,000	„ 11											
DRESDEN - - -	601,000	„ 11											
FRANKFORT-ON-MAIN -	473,000	„ 11											
HAMBURG - - -	1,039,000	„ 11											
LEIPZIG - - -	632,000	„ 11											
MUNICH - - -	675,000	„ 11											
VIENNA - - -	1,842,005	Feb. 11	504	947	26·7	1	–	–	–	7	4	30	34
PRAGUE AND SUBURBS	689,262	Mar. 11	237	256	19·3	1	–	1	1	1	–	7	2
BUDAPEST - - -	936,000	Jan. 28											
CAIRO - - -	777,500	Feb. 4	837	360	24·1	2	–	2	1	?	3	25	?
ALEXANDRIA - -	456,300	„ 4	418	208	23·7	–	–	–	–	?	1	10	?
NEW YORK - -	5,839,738	Mar. 18	2490	1607	14·4	2	–	39	11	4	27	38	34
CHICAGO - - -	2,838,288	„ 11											
RIO DE JANEIRO -	1,188,422	Feb. 25	667	551	24·2	5	4	6	–	9	–	–	19
MONTEVIDEO - -	358,196	Jan. 21	234	149	20·3	1	–	–	–	–	1	25	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 37 deaths from *Asiatic Cholera* in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th April, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1446	197	125	68	42	51	49	88	136	199	229	262
Enteric fever	1	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	101	20	50	21	10	–	–	–	–	–	–	–
Scarlet fever	6	–	–	4	1	–	1	–	–	–	–	–
Whooping cough	47	17	17	13	–	–	–	–	–	–	–	–
Diphtheria	23	–	6	9	8	–	–	–	–	–	–	–
Influenza	23	2	1	–	–	1	1	2	6	3	2	5
Erysipelas	2	–	–	–	–	–	–	–	1	–	1	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	100	–	–	2	–	24	17	20	20	11	5	1
Tuberculous meningitis	7	1	2	1	2	1	–	–	–	–	–	–
Abdominal tuberculosis	3	–	–	2	1	–	–	–	–	–	–	–
Other tubercle	11	2	3	–	1	2	1	1	1	–	–	–
Venereal diseases	3	3	–	–	–	–	–	–	–	–	–	–
Cancer	119	–	–	1	1	1	2	13	18	34	23	26
Rheumatic fever	7	–	–	–	4	2	–	–	1	–	–	–
Diabetes	12	–	–	–	–	1	1	1	2	3	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	2	–	–	–	–	1	–	1	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	75	–	–	–	–	–	1	3	6	21	22	22
Epilepsy	5	–	–	–	1	–	1	2	1	–	–	–
"Convulsions" (not puerperal)	6	4	1	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	24	–	–	–	1	–	1	6	1	6	3	6
Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	3	–	–	–	–	2	1	–	–	–	–	–
Other diseases of heart	163	–	–	1	4	2	4	13	18	30	46	45
Other dis. of circulatory system	47	–	–	–	–	–	–	3	2	9	15	18
Bronchitis	144	14	4	3	–	–	–	3	10	21	39	50
Broncho-pneumonia	123	56	29	7	–	1	1	1	1	8	12	7
Lobar pneumonia	45	1	5	–	1	1	2	5	8	10	7	5
Pneumonia (type not distinguished)	33	8	2	–	1	1	1	2	4	6	4	4
Other diseases of respiratory system	20	1	–	–	–	–	2	1	3	4	4	5
Diarrhœa and enteritis	9	7	–	1	–	–	–	–	–	–	1	–
Appendicitis and typhlitis	8	–	–	–	1	4	–	1	2	–	–	–
Hernia, Intestinal obstruction	9	3	–	–	–	–	–	2	2	–	–	2
Cirrhosis of liver	3	–	–	–	–	–	–	–	–	1	1	1
Other diseases of digestive system	21	–	1	–	1	–	1	4	6	3	4	1
Acute nephritis	1	–	–	–	–	–	–	–	–	1	–	–
Chronic Bright's disease	41	–	–	–	–	1	1	1	8	12	13	8
Other diseases of genito-urinary system.	16	–	–	–	–	–	1	–	–	5	2	8
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	1	1	–	–	–	–	–
Congenital malformations	9	8	–	–	–	–	1	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	48	–	–	–	–	–	–	–	–	1	9	38
Suicide	7	–	–	–	–	1	1	1	2	–	2	–
Burns and scalds	3	–	1	–	–	1	–	–	–	–	1	–
Drowning	1	–	–	–	–	–	1	–	–	–	–	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	–	–	1	1	–	–	1	1	–
Other deaths by violence	10	1	–	–	–	1	–	1	1	1	1	4
Other specified causes	59	14	3	2	4	2	2	2	9	8	9	4
Ill-defined causes	1	1	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th April 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	6	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	15	13	–	6	–
†BERMONDSEY ...	–	6	16	–	12	C. 1 G. 1
†BETHNAL GREEN	–	10	7	–	3	–
†CAMBERWELL ...	–	27	13	–	2	C. 1
†CHELSEA ...	–	2	4	–	1	–
†DEPTFORD ...	–	6	10	–	3	–
†FINSBURY ...	–	3	6	–	2	–
†FULHAM ...	–	12	9	–	6	C. 1
†GREENWICH ...	–	14	9	–	2	–
†HACKNEY ...	–	15	11	–	3	–
†HAMMERSMITH	–	9	6	1	7	M. 2
†HAMPSTEAD ...	–	11	2	–	1	G. 1
†HOLBORN ...	–	4	1	–	4	–
†ISLINGTON ...	–	34	26	–	2	M. 2
†KENSINGTON ...	–	7	9	–	2	D. 1 G. 1
†LAMBETH ...	–	16	15	–	8	M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	5	10	–	2	–
†PADDINGTON ...	–	9	6	–	10	M. 1
†POPLAR... ...	–	7	6	–	22	–
†ST. MARYLEBONE	–	11	4	–	1	M. 1
†ST. PANCRAS ...	–	24	10	1	17	–
†SHOREDITCH ...	–	13	4	–	1	M. 2
†SOUTHWARK ...	–	6	4	–	3	G. 1
†STEPNEY ...	–	9	15	–	9	C. 2 D. 1 M. 3
†STOKE NEWINGTON	–	6	2	–	–	–
†WANDSWORTH	–	23	13	–	13	M. 1
†WESTMINSTER, CITY OF	–	7	8	–	–	–
†WOOLWICH ...	–	14	14	–	6	–
TOTAL OF PART I.	–	325	259	2	148	C. 5 D. 2 G. 4 M. 13

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	7	–	2	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	1	2	–	1	–
†LUTON	–	1	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	2	–	1	–
BEDFORD ...	–	3	–	–	–	–
LUTON	–	–	1	–	–	–
BERKS	–	18	4	–	2	C. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	7	–	–	–	–
†NEW WINDSOR	–	1	1	–	–	–
†READING, C.B.	–	4	1	–	2	–
WANTAGE ...	–	3	–	–	–	–
Rural Districts :—						
FARINGDON (part)	–	2	2	–	–	–
WALLINGFORD ...	–	1	–	–	–	C. 1
BUCKINGHAM ...	–	12	11	–	9	C. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	–	–	1	–
BLETCHLEY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE	–	–	–	–	3	–
CHESHAM ...	–	–	–	–	2	–
†SLOUGH... ...	–	2	3	–	1	–
Rural Districts :—						
AMERSHAM ...	–	–	–	–	–	C. 1
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	3	1	–	–	–
NEWPORT PAGNELL	–	–	6	–	–	–
WYCOMBE ...	–	6	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE...	–	2	3	–	1	G. 1 M. 1
Borough :—						
†CAMBRIDGE ...	–	1	3	–	1	G. 1
Rural Districts :—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
LINTON	–	–	–	–	–	M. 1
CHESTER	–	36	35	1	34	C. 1 D. 1 H. 1 M. 1
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	1	–
ASHTON-UPON-MERSEY	–	1	–	–	3	–
†BEBINGTON AND BROMBOROUGH	–	1	–	1	1	–
†BIRKENHEAD C.B.	–	3	6	–	4	H. 1
BOLLINGTON ...	–	1	–	–	1	D. 1
BREDBURY AND ROMILEY	–	–	1	–	1	–
†CHEADLE AND GATLEY	–	1	6	–	2	–
†CHESTER C.B. ...	–	3	3	–	2	–
†CONGLETON ...	–	–	–	–	2	–
†CREWE	*	*	*	*	*	*
†DUKINFIELD ...	–	–	1	–	2	C. 1
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	1	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	4	–	–	–	–
†MACCLESFIELD...	–	4	2	–	–	–
MIDDLEWICH ...	–	1	–	–	2	–
†RUNCORN ...	–	1	1	–	4	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	2	–
†STOCKPORT, C.B.	–	1	2	–	2	–
†WALLASEY, C.B.	–	7	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WILMSLOW ...	–	–	2	–	1	–
†WINSFORD ...	–	–	–	–	1	M. 1
Rural Districts:—						
BUCKLOW ...	–	–	–	–	2	–
CHESTER ...	–	–	2	–	–	–
CONGLETON ...	–	1	2	–	–	–
NANTWICH ...	–	–	2	–	–	–
TARVIN	–	2	–	–	–	–
WIRRAL... ...	–	–	1	–	–	–
CORNWALL ...	–	5	8	–	2	–
Boroughs and Urban Districts:—						
BODMIN... ...	*	*	*	*	*	*
FOWEY	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	1	–	–	–	–
LOOE	–	1	–	–	–	–
NEWQUAY ...	–	–	3	–	–	–
ST. IVES ...	–	1	1	–	–	–
ST. JUST ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN	–	–	1	–	–	–
EAST KERRIER...	–	–	2	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	–	–	–	–
SAINT GERMANS	–	–	1	–	–	–
STRATTON ...	*	*	*	*	*	*
CUMBERLAND ...	–	3	6	–	1	F. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	–	F. 1
†CARLISLE, C.B....	–	2	2	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRITH ...	–	1	1	–	–	–
†WHITEHAVEN ...	*	*	*	*	*	*
Rural Districts:—						
BOOTLE... ...	–	–	2	–	–	–
PENRITH ...	–	–	1	–	–	–
WHITEHAVEN ...	*	*	*	*	*	*
DERBY	5	26	14	4	25	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
ALVESTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	2	–
BAKEWELL ...	–	–	–	–	1	–
†CHESTERFIELD	–	2	1	1	–	M. 1
CLAY CROSS ...	–	1	–	–	–	–
†DERBY C.B. ...	–	2	6	–	7	C. 1
DRONFIELD ...	–	4	–	–	–	–
†HEANOR ...	–	1	–	–	4	–
†ILKESTON ...	5	–	–	–	–	–
†LONG EATON ...	–	1	–	–	2	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY... ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	2	3	–	–
Rural Districts:—						
ASHBORNE ...	–	–	–	–	3	–
BAKEWELL ...	–	1	–	–	1	–
BLACKWELL ...	–	1	–	–	–	–
CHESTERFIELD	–	–	4	–	–	–
CLOWNE... ...	–	1	–	–	–	–
HARTSHORNE AND SEALS	–	8	–	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	–	–	–	2	–
SUDBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	9	9	1	21	C. 2 M. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	–	2	–	1	–
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	3	–	–	4	–
†EXMOUTH ...	–	–	–	–	3	–
HONITON ...	–	–	–	1	–	–
NORTHAM ...	*	*	*	*	*	*
†PAIGNTON ...	–	–	–	–	–	M. 1
†PLYMOUTH C.B.	–	5	4	–	2	C. 2
SOUTH MOLTON	–	–	–	–	1	–
TIVERTON ...	–	–	1	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BARNSTAPLE ...	–	–	1	–	–	–
BROADWOODWIDGER	–	–	–	–	5	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	2	–
TORRINGTON ...	–	–	–	–	2	–
DORSET	–	8	3	2	4	M. 1
Boroughs and Urban Districts:—						
†POOLE	–	3	1	–	1	–
†PORTLAND ..	–	3	–	–	1	–
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	–	–	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	1	–
Rural Districts:—						
DORCHESTER ...	–	–	–	1	–	–
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
STURMINSTER ...	–	–	2	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	1	–	–
DURHAM... ...	–	57	9	2	90	M. 6
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
†BLAYDON ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER-LE-STREET	–	1	1	–	–	–
†CONSETT ...	–	–	–	–	1	–
†CROOK	–	–	–	–	4	–
†DARLINGTON C.B.	–	1	–	–	–	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	8	2	–	6	M. 1
†HEBBURN ...	–	–	–	–	7	–
†HOUGHTON-LE-SPRING	–	1	–	–	–	–
†JARROW ...	–	–	–	–	12	M. 1
LEADGATE ...	–	–	–	–	1	–
†RYTON ...	–	1	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	1	–
SHILDON ...	–	1	1	–	–	–
†SOUTH SHIELDS C.B.	–	9	–	–	8	M. 1
†SPENNYMOOR ...	–	3	–	–	–	–
†STANLEY ...	–	1	–	–	5	–
†STOCKTON-ON-TEES	–	1	–	–	5	–
†SUNDERLAND C.B.	–	9	–	1	12	–
TOW LAW ...	*	*	*	*	*	*
†WASHINGTON ...	–	1	1	–	–	–
†WEST HARTLEPOOL C.B.	–	3	–	–	7	M. 1
Rural Districts:—						
AUCKLAND ...	–	4	1	–	–	–
CHESTER-LE-STREET	–	3	–	–	–	M. 2
DURHAM ...	–	1	–	1	–	–
EASINGTON ...	–	1	–	–	3	–
HOUGHTON-LE-SPRING	–	3	–	–	7	–
LANCHESTER ...	–	3	–	–	4	–
SEDGEFIELD ...	–	–	1	–	2	–
SUNDERLAND ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts :—						
†WISBECH ...	–	1	–	–	–	–
Rural Districts :—						
WISBECH ...	*	*	*	*	*	*
ESSEX	–	82	39	–	32	C. 1 L. 2 M. 4
Boroughs and Urban Districts :—						
†BARKING TOWN	–	1	1	–	3	M. 1
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†COLCHESTER ...	–	2	–	–	3	–
†EAST HAM C.B.	–	8	–	–	3	–
†GRAYS THURROCK	–	–	2	–	–	–
†HARWICH ...	–	1	3	–	1	–
†ILFORD	–	9	1	–	–	C. 1 L. 2
†LEYTON... ...	–	11	4	–	–	–
†ROMFORD ...	–	1	2	–	1	–
SAFFRON WALDEN	–	3	–	–	–	–
SHOEBURYNESS-ON-SEA	–	–	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	3	–	–	3	–
TILBURY ...	–	3	–	–	–	–
†WALTHAMSTOW	–	16	4	–	2	M. 1
†WANSTEAD ...	–	1	1	–	–	–
†WEST HAM C.B.	–	12	15	–	10	M. 1
†WOODFORD ...	–	1	–	–	1	–
Rural Districts :—						
BRAINTREE ...	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON ...	–	–	1	–	–	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	–	–	–	1	–
ROMFORD ...	–	–	2	–	1	M 1
ESSEX—*cont.*						
Rural Districts—*cont.*						
SAFFRON WALDEN	–	5	–	–	–	–
STANSTEAD ...	–	2	–	–	–	–
GLOUCESTER ...	–	45	29	1	16	C. 2 D. 2 E. 1 M. 4
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	39	21	–	8	C. 1 D. 1 E. 1 M. 3
†CHELTENHAM ...	–	–	–	–	1	D. 1
CIRENCESTER ...	–	–	1	–	–	–
†GLOUCESTER C.B.	–	2	2	–	2	C. 1
STOW-ON-THE-WOLD	*	*	*	*	*	*
TEWKESBURY ...	–	–	1	1	–	–
Rural Districts :—						
CHIPPING SODBURY	–	–	–	–	1	M. 1
DURSLEY ...	–	2	–	–	2	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	1	–
GLOUCESTER ...	–	–	1	–	–	–
STROUD ...	–	–	–	–	1	–
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	2	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	5	2	–	2	C. 1
Boroughs and Urban Districts :—						
†HEREFORD ...	–	–	1	–	–	–
LEDBURY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
BROMYARD ...	–	2	–	–	–	C. 1
KINGTON ...	–	2	–	–	–	–
LEDBURY ...	–	1	–	–	1	–
ROSS	–	–	1	–	–	–
WIGMORE ...	*	*	*	*	*	*
HERTFORD ...	–	10	4	1	5	E. 1 L. 2
Boroughs and Urban Districts:—						
†BARNET... ...	–	2	–	–	–	–
BUSHEY... ...	–	–	2	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
HODDESDON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	4	–	–	–	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	–	1	–	–	E. 1
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
HADHAM ...	–	–	–	–	1	–
HATFIELD ...	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	–	–	1	–	–
WATFORD ...	–	–	–	–	2	L. 2
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	45	30	–	15	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	1	–
†BEXLEY ...	–	5	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	–	–
†BROMLEY ...	–	3	–	–	3	–
†CHATHAM ...	–	–	1	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	2	3	–	1	–
†DOVER	–	1	1	–	–	–
†ERITH	–	–	3	–	–	–
†FAVERSHAM ...	–	–	–	–	2	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	1	2	–	1	–
†GRAVESEND ...	–	1	1	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†MARGATE ...	–	2	–	–	1	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	3	3	–	1	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	–	3	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	1	–	2	–
Rural Districts:—						
BROMLEY ...	–	–	1	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	2	–	–	–	–
DOVER	–	2	–	–	–	–
EAST ASHFORD		1	2	–	–	–
FAVERSHAM ...	–	1	1	–	–	–
HOLLINGBOURNE	*	*	*	*	*	*
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	1	–	–	1	–
MALLING ...	–	1	–	–	–	–
MILTON	–	3	–	–	–	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	1	–	–	1	–
WEST ASHFORD	–	–	3	–	–	–
LANCASTER ...	2	297	109	7	195	C. 9 D. 3 G. 2 L. 4 M. 18
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
†ACCRINGTON ...	–	2	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-IN-MAKERFIELD	–	–	1	–	1	–
†ASHTON-UNDER-LYNE	–	–	–	–	3	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	–	–	–	2	–
†BARROW-IN-FURNESS C.B.	–	6	–	–	–	–
†BLACKBURN C.B.	–	1	3	–	3	–
†BLACKPOOL C.B.	–	4	1	–	2	–
†BOLTON C.B. ...	–	7	4	–	3	–
†BOOTLE C.B. ...	–	5	2	–	1	M. 1
†BURNLEY C.B.	–	9	1	–	2	M. 1
†BURY C.B. ...	–	7	4	–	4	C. 1
†CHADDERTON ...	–	2	–	–	–	–
†CHORLEY ...	–	–	1	–	–	–
CHURCH... ...	–	1	–	–	–	–
CLAYTON-LE-MOORS ...	*	*	*	*	*	*
†CROMPTON ...	–	–	–	–	4	–
†DARWEN ...	–	2	–	–	–	–
†DENTON ...	–	2	–	–	–	–
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES ...	–	1	1	–	4	–
†FAILSWORTH ...	–	3	–	–	2	C. 1
†FARNWORTH ...	–	1	–	–	1	–
FULWOOD ...	–	–	–	1	–	–
GOLBOURNE ...	–	–	1	–	–	–
GRANGE... ...	–	1	–	–	–	–
†GREAT CROSBY	–	–	2	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
HEYSHAM ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	2	–
†HINDLEY ...	–	2	–	–	2	–
†HORWICH ...	–	5	1	–	1	–
HURST	–	–	–	–	2	–
†INCE-IN-MAKERFIELD	*	*	*	*	*	*
IRLAM	–	–	–	–	4	–
†LANCASTER ...	–	12	3	1	4	–
LEES	–	1	–	–	1	–
†LEIGH	–	2	1	2	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEYLAND ...	–	1	–	–	–	–
LITTLE HULTON	–	–	–	–	–	M. 1
LIVERPOOL C.B.	–	47	18	–	14	C. 1
LONGRIDGE ...	–	1	–	–	–	–
†MANCHESTER C.B.	–	74	18	1	62	C. 3 D. 1 G. 1 M. 7
†MIDDLETON ...	–	8	1	–	1	M. 1
MILNROW ...	–	–	–	–	1	–
MORECAMBE ...	–	–	3	–	–	–
†NEWTON-IN-MAKERFIELD	–	4	1	–	2	–
†OLDHAM C.B.	2	6	2	–	1	M. 2
ORMSKIRK ...	–	1	–	–	3	–
†OSWALDTWISTLE	–	4	–	–	–	M. 1
†PADIHAM ...	–	2	–	–	–	–
PREESALE ...	–	1	–	–	–	–
†PRESTON C.B. ...	–	5	5	–	–	C. 1 M. 1
†RAMSBOTTOM ...	–	–	–	–	4	–
†RAWTENSTALL ..	–	2	–	–	–	–
†ROCHDALE C.B.	–	5	1	–	2	–
†ROYTON ...	–	1	–	–	–	–
†ST. HELENS C.B.	–	–	–	1	1	M. 1
†SALFORD C.B. ...	–	19	20	1	11	C. 2 D. 1
SKELMERSDALE	–	–	–	–	1	–
†SOUTHPORT C.B.	–	3	–	–	5	G. 1
†STRETFORD ...	–	7	–	–	–	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
TOTTINGTON ...	–	–	–	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	1	–
UPHOLLAND ...	–	3	1	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	1	–	–	–	–
†WARRINGTON C.B.	–	5	1	–	15	M. 1
†WATERLOO-WITH-SEAFORTH	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	1	–	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES ...	–	–	3	–	1	–
†WIGAN C.B. ...	–	1	–	–	5	–
†WORSLEY ...	–	2	–	–	–	–
Rural Districts:—						
BURY	–	1	1	–	–	–
CLITHEROE ...	–	1	–	–	–	L. 4
LEIGH	–	–	–	–	2	–
LIMEHURST ...	–	4	–	–	–	–
LUNESDALE ...	–	–	1	–	–	–
PRESTON ...	–	1	2	–	–	D. 1
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	–	–	–	2	–
WIGAN... ...	–	–	3	–	–	–
LEICESTER ...	–	8	3	1	8	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	1	–	–	–	–
†COALVILLE ...	–	–	–	1	–	–
†LEICESTER C.B.	–	2	1	–	3	M. 1
†LOUGHBOROUGH	–	2	–	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
BARROW-UPON-SOAR	–	–	–	–	1	–
CASTLE DONINGTON	–	–	–	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	1	–	–	4	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	–	M. 1
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE... ...	–	–	–	–	2	–
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	3	4	1	4	D. 1 G. 1
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	1	–	–	–
BROUGHTON ...	–	–	–	–	1	–
†GAINSBOROUGH	–	1	1	–	–	–
†GRIMSBY C.B. ...	–	–	1	–	–	–
†LINCOLN C.B. ...	–	–	1	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–
Rural Districts:—						
CAISTOR... ...	–	–	–	1	1	G. 1
GAINSBOROUGH	–	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
SPILSBY ...	–	–	–	–	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	104	48	1	39	G. 1 M. 1
Boroughs and Urban Districts:—						
†Acton	–	8	1	–	–	–
†Brentford ...	–	1	–	–	1	–
†Chiswick ...	–	1	1	–	–	–
†Ealing ...	–	12	2	–	1	–
†Edmonton ...	–	9	3	–	1	–
†Enfield ...	–	2	–	–	2	–
Feltham ...	–	2	–	–	–	M. 1
†Finchley ...	–	1	–	–	2	–
†Friern Barnet	–	2	1	–	–	–
†Hampton ...	–	–	–	–	1	–
†Hanwell ...	–	5	1	–	–	–
†Harrow-on-the-Hill	–	–	3	–	–	–
Hayes... ...	–	1	–	–	–	–
†Hendon ...	–	4	2	–	2	G. 1
†Heston and Isleworth	–	2	–	1	4	–
†Hornsey ...	–	4	2	–	3	–
†Southall-Norwood	–	–	1	–	1	–
†Southgate ...	–	9	–	–	–	–
†Teddington ...	–	–	–	–	1	–
†Tottenham ...	–	20	8	–	7	–
†Twickenham ...	–	1	1	–	2	–
†Uxbridge ...	–	–	–	–	2	–
†Wembley ...	–	–	1	–	1	–
†Willesden ...	–	15	16	–	7	–
†Wood Green ...	–	3	2	–	–	–
Yiewsley ...	–	1	–	–	–	–
Rural Districts:—						
Hendon ...	–	1	1	–	–	–
Staines ...	*	*	*	*	*	*
Uxbridge ...	–	–	2	–	1	–
NORFOLK ...	–	19	8	–	1	C. 1
Boroughs and Urban Districts:—						
Diss	*	*	*	*	*	*
East Dereham	–	1	–	–	–	–
†Great Yarmouth, C.B.	–	2	1	–	–	–
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†King's Lynn ...	–	1	–	–	–	–
North Walsham	–	–	1	–	–	–
†Norwich C.B....	–	8	2	–	1	C. 1
Wells	–	–	2	–	–	–
Rural Districts:—						
Docking ...	–	1	–	–	–	–
Downham ...	–	5	–	–	–	–
East and West Flegg	–	–	2	–	–	–
Smallburgh ...	–	1	–	–	–	–
NORTHAMPTON	–	7	7	–	11	–
Boroughs and Urban Districts:—						
†Kettering ...	–	–	–	–	5	–
†Northampton C.B.	–	4	4	–	3	–
Rothwell ...	–	1	2	–	–	–
†Welling-borough	–	–	–	–	3	–
Rural Districts:—						
Brackley ...	–	2	–	–	–	–
Middleton Cheney	*	*	*	*	*	*
Northampton...	–	–	1	–	–	–
NORTHUMBERLAND.	–	24	8	–	26	M. 1
Boroughs and Urban Districts:—						
†Bedlingtonshire	–	–	–	–	1	–
†Blyth	–	2	–	–	–	–
Cramlington ...	–	3	–	–	–	–
†Earsdon ...	–	1	–	–	–	–
†Gosforth ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
HEXHAM ...	–	–	–	–	1	–
NEWBIGGIN-BY-THE-SEA	–	3	–	–	–	–
†NEWBURN ...	–	–	–	–	2	–
†NEWCASTLE-UPON-TYNE C.B.	–	9	5	–	–	–
PRUDHOE ...	–	1	–	–	5	–
SEATON DELAVAL	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	1	1	–	10	–
†WALLSEND ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
BELFORD ...	–	–	–	–	–	M. 1
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	2	–	–	2	–
HEXHAM ...	–	–	1	–	–	–
MORPETH ...	–	–	–	–	2	–
NOTTINGHAM ...	2	9	11	2	24	C. 2 D. 1 L. 4 M. 1
Boroughs and Urban Districts:—						
†ARNOLD... ...	–	–	–	–	1	–
†CARLTON ...	–	–	2	–	1	D. 1
†EAST RETFORD	–	–	–	–	10	–
EASTWOOD ...	1	–	1	–	1	–
†MANSFIELD ...	–	1	–	1	–	–
†NOTTINGHAM C.B.	1	5	5	–	5	C. 2 L. 4 M. 1
†SUTTON-IN-ASHFIELD	–	–	–	–	2	–
WARSOP ...	*	*	*	*	*	*
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD ...	–	3	–	–	1	–
BINGHAM ...	–	–	–	1	–	–
EAST RETFORD	–	–	–	–	2	–
SKEGBY ...	–	–	1	–	1	–
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	18	4	–	5	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	3	1	–	–	–
†OXFORD C.B. ...	–	4	–	–	3	–
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CROWMARSH ...	–	1	–	–	–	–
CULHAM ...	–	1	–	–	–	–
HEADINGTON ...	–	6	1	–	1	–
WITNEY... ...	–	2	2	–	1	–
PETERBOROUGH (Soke of).	–	1	–	–	4	–
Borough:—						
†PETERBOROUGH	–	1	–	–	4	–
RUTLAND ...	–	1	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	3	3	–	4	M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	–	–	–	M. 1
ELLESMERE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
LUDLOW ...	–	1	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	*	*	*	*	*	*
Rural Districts:—						
ATCHAM... ...	–	–	–	–	2	–
BRIDGNORTH ...	–	1	–	–	–	–
CLEOBURY MORTIMER	–	–	2	–	–	–
ELLESMERE ...	–	–	–	–	1	–
SOMERSET ...	–	5	11	–	18	C. 1 G. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	2	–	4	–
CHARD	–	–	–	–	2	–
ILMINSTER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	2	–	–	–
RADSTOCK ...	–	–	–	–	1	–
†TAUNTON ...	–	–	2	–	1	–
WATCHET ...	–	–	–	–	–	G. 1
†WESTON-SUPER-MARE	–	–	2	–	–	–
†YEOVIL ...	–	1	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	5	–
BATH	–	–	–	–	1	–
CHARD	–	1	–	–	–	C. 1
CLUTTON ...	–	–	2	–	1	–
TAUNTON ...	–	2	–	–	2	–
WELLS	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON...	–	46	24	–	2	C. 2 M. 3
Boroughs and Urban Districts:—						
†BOURNEMOUTH C.B.	–	5	3	–	–	–
†GOSPORT and ALVERSTOKE	–	1	7	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	19	8	–	–	M. 1
†SOUTHAMPTON C.B.	–	6	4	–	1	M. 1
†WINCHESTER ...	–	4	2	–	1	C. 1 M. 1
Rural Districts:—						
ALTON	–	1	–	–	–	–
FORDINGBRIDGE	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT... ...	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
RINGWOOD ...	–	3	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
WINCHESTER ...	–	–	–	–	–	C. 1
STAFFORD ...	–	56	36	2	76	C. 1 M. 10
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	1	–	1	–
†BILSTON ...	–	2	–	–	1	–
†BROWNHILLS ...	–	–	–	–	3	M. 1
†BURTON-UPON-TRENT C.B.	–	6	1	–	1	M. 1
†CANNNOCK ...	–	1	1	–	–	M. 1
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	2	–	–	2	–
†HEATH TOWN ...	–	3	–	–	–	–
†LEEK	–	–	–	–	–	M. 1
†NEWCASTLE-UNDER-LYME	–	–	–	–	1	–
QUARRY BANK...	–	1	–	–	–	–
†ROWLEY REGIS	–	1	–	–	3	–
RUGELEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEDGLEY ...	–	1	1	–	1	–
SHORT HEATH ...	–	1	–	–	1	–
†SMETHWICK C.B.	–	–	3	–	2	–
†STOKE-ON-TRENT C.B.	–	13	10	1	49	M. 5
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	2	–	–	–	–
†WALSALL C.B....	–	2	4	–	4	–
†WEDNESBURY ...	–	–	2	–	2	–
†WEST BROMWICH C.B.	–	10	8	–	1	–
†WOLSTANTON UNITED	*	*	*	*	*	*
†WOLVERHAMPTON C.B.	–	4	–	1	2	C. 1
Rural Districts:—						
CANNOCK ...	–	1	–	–	–	–
CHEADLE ...	–	–	–	–	–	M. 1
KINGSWINFORD	–	1	–	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	2	1	–	1	–
MAYFIELD ...	–	–	–	–	1	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL ...	–	–	1	–	–	–
SUFFOLK, EAST	–	10	2	–	11	–
Boroughs and Urban Districts:—						
†IPSWICH C.B. ...	–	1	2	–	4	–
†LOWESTOFT ...	–	6	–	–	–	–
SAXMUNDHAM ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	–	–	–	–	1	–
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	1	–	–	2	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	1	2	–	1	G. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	–	2	–	1	–
SUDBURY ...	*	*	*	*	*	*
Rural Districts:—						
CLARE	–	–	–	–	–	G. 1
COSFORD ...	–	1	–	–	–	–
MELFORD ...	*	*	*	*	*	*
SURREY	–	60	32	1	15	C. 1 D. 2 G. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	3	2	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	–	1	1	–	–
†CHERTSEY ...	–	–	–	–	1	–
†COULSDON AND PURLEY	–	–	3	–	–	–
†CROYDON C.B....	–	19	8	–	4	D. 1 G. 1
†EGHAM	–	–	–	–	4	–
†EPSOM	–	–	–	–	–	L. 2
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	–	–	–	1	D. 1
†FRIMLEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	1	2	–	1	–
HASLEMERE ...	–	2	–	–	–	–
†KINGSTON-UPON-THAMES	–	5	1	–	–	–
†MERTON AND MORDEN ...	–	2	–	–	1	–
†MITCHAM ...	–	3	3	–	–	C. 1
†REIGATE ...	–	–	4	–	1	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	5	2	–	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	3	3	–	1	–
WINDLESHAM ...	–	1	–	–	–	–
†WOKING... ...	–	–	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	–	M. 1
DORKING ...	–	1	–	–	–	–
EPSOM	–	3	–	–	–	M. 1
FARNHAM ...	–	3	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE ...	–	2	1	–	1	–
SUSSEX, EAST ...	–	24	3	–	5	L. 2 M. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	2	–	–	–	–
†BRIGHTON C.B.	–	17	2	–	2	–
†EASTBOURNE C.B	–	–	1	–	1	–
†HASTINGS C.B....	–	2	–	–	1	M. 1
†HOVE	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 2
UCKFIELD ...	–	1	–	–	1	–
SUSSEX, WEST ...	–	13	1	–	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	2	1	–	–	–
†HORSHAM ...	–	4	–	–	–	–
†SOUTHWICK ...	–	3	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	2	–	–	–	–
STEYNING WEST	–	1	–	–	–	–
WARWICK ...	–	92	22	2	87	C. 3 D. 1 M. 42
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	76	14	2	66	C. 2 M. 11
†COVENTRY C.B.	–	4	1	–	5	C. 1 M. 1
†NUNEATON ...	–	2	–	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	2	1	–	1	–
Rural Districts:—						
BRAILES ...	–	4	–	–	–	–
COVENTRY ...	–	1	–	–	1	–
FOLESHILL ...	–	–	1	–	4	–
MERIDEN ...	–	–	1	–	4	–
RUGBY ...	–	–	–	–	1	D. 1
SOLIHULL ...	–	1	1	–	2	–
SOUTHAM ...	–	–	3	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WESTMORLAND	–	2	–	–	2	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WEST WARD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	5	1	–	2	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
†NEWPORT ...	–	1	1	–	–	–
†RYDE	–	–	–	–	1	–
SANDOWN ...	–	2	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	–	–	–	1	–
WILTS	–	18	7	–	7	–
Boroughs and Urban Districts:—						
CALNE	–	–	–	–	1	–
DEVIZES ...	–	–	–	–	1	–
MARLBOROUGH	–	1	–	–	–	–
†SALISBURY ...	–	2	1	–	–	–
†SWINDON ...	–	8	2	–	3	–
†TROWBRIDGE ...	–	–	1	–	–	–
WESTBURY ...	–	2	–	–	–	–
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES ...	–	–	–	–	1	–
HIGHWORTH ...	–	2	–	–	–	–
MERE	–	–	1	–	1	–
PEWSEY ...	–	–	2	–	–	–
TISBURY ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WORCESTER ...	–	20	4	2	12	M. 2
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†DUDLEY, C.B. ...	–	1	–	–	–	M. 1
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†KIDDERMINSTER	–	2	–	1	2	–
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY ...	–	1	–	–	–	–
†REDDITCH ...	–	6	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
†WORCESTER C.B.	–	2	1	1	5	–
Rural Districts:—						
BROMSGROVE ...	–	1	1	–	1	–
DROITWICH ...	–	1	–	–	–	–
EVESHAM ...	–	1	1	–	–	–
HALESOWEN ...	–	2	–	–	–	–
PERSHORE ...	–	1	–	–	2	M. 1
SHIPSTON-ON-STOUR	–	1	–	–	–	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	4	8	–	9	M. 3
Boroughs and Urban Districts:—						
FILEY	–	2	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	–	4	–	6	M. 2
†YORK C.B. ...	–	1	3	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	1	–
DRIFFIELD ...	–	–	–	–	1	–
HOWDEN ...	–	1	–	–	1	–
SKIRLAUGH ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	8	7	6	–	11	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
HINDERWELL ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	8	1	4	–	7	–
†REDCAR... ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	–	–	1	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY-ON-TEES	*	*	*	*	*	*
Rural Districts:—						
BEDALE... ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	1	–	–	–
LEYBURN ...	–	–	–	–	1	–
MALTON... ...	–	1	–	–	–	M. 1
NORTHALLERTON	–	–	1	–	–	–
THIRSK... ...	–	2	–	–	–	–
YORKS ... ... (West Riding).	6	176	58	14	223	C. 9 M. 15
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	1	–	–	–
†BARNSLEY C.B.	–	2	–	2	7	M. 1
†BATLEY... ...	–	–	1	–	–	–
†BINGLEY ...	–	–	–	–	3	M. 1
BIRKENSHAW ...	–	1	–	–	–	–
BIRSTAL... ...	*	*	*	*	*	*
†BOLTON-UPON-DEARNE	–	–	–	4	–	–
†BRADFORD C.B.	–	24	5	–	19	C. 2 M. 1
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	1	–	–	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	–	–	–	2	–
DENHOLME ...	–	1	1	–	–	–
†DEWSBURY C.B.	–	6	1	–	5	M. 1
†DONCASTER ...	–	4	1	4	–	–
†ELLAND... ...	–	4	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
EMLEY	*	*	*	*	*	*
†FEATHERSTONE	–	2	–	–	2	–
FLOCKTON ...	*	*	*	*	*	*
†GOLCAR ...	–	3	–	1	–	–
†GOOLE	–	1	2	–	3	–
GREASBROUGH ...	–	–	–	–	1	–
GREETLAND ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	5	2	–	–	–
†HARROGATE ...	–	–	1	–	–	–
†HEMSWORTH ...	–	–	1	–	1	–
HIPPERHOLME ...	–	–	–	–	1	C. 1
†HOLMFIRTH ...	–	1	–	–	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	1	–	2	–
†HUDDERSFIELD C.B.	–	3	2	–	8	–
HUNSWORTH ...	–	1	–	–	–	–
†KEIGHLEY ...	–	2	1	–	–	–
†LEEDS C.B. ...	–	35	5	–	12	C. 3 M. 2
LINTHWAITE ...	2	–	–	–	–	–
MARSDEN ...	–	–	1	–	–	–
METHLEY ...	–	2	–	–	–	–
†MEXBOROUGH ...	–	–	1	–	1	C. 1
†MORLEY ...	–	–	–	–	1	–
†NORMANTON ...	–	2	–	–	–	C. 1
OAKWORTH ...	–	1	–	–	–	–
†OSSETT... ...	–	1	–	–	–	M. 1
OTLEY	–	–	–	–	1	–
PENISTONE ...	–	–	–	–	1	–
†PUDSEY ...	–	1	–	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
†ROTHERHAM C.B.	–	1	2	–	5	M. 1
†ROTHWELL ...	–	2	–	–	–	–
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	§3	24	15	2	120	M. 4
SHELLEY ...	–	–	1	–	1	–
SHEPLEY ...	–	–	1	–	–	–
†SHIPLEY ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	–	2	–
†SKIPTON ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ These cases were notified as Alastrim.

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SPENBOROUGH ...	–	2	–	–	5	–
STAINLAND WITH OLD LINDLEY	–	4	–	–	–	–
†STANLEY ...	–	6	2	–	–	–
STOCKSBRIDGE ...	*	*	*	*	*	*
†SWINTON ...	–	1	–	–	–	–
THURLSTONE ...	–	–	–	–	–	M. 1
THURNSCOE ...	–	2	–	–	2	–
†TODMORDEN ...	1	–	–	–	1	–
†WAKEFIELD C.B.	–	4	–	–	2	M. 1
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	2	–	–	–	–
†WOMBWELL ...	–	–	1	1	1	–
Rural Districts:—						
DONCASTER ...	–	–	4	–	6	–
HEMSWORTH ...	–	3	3	–	4	–
HUNSLET ...	–	–	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
PONTEFRACT ...	–	2	–	–	1	–
ROTHERHAM ...	–	2	–	–	1	C. 1
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	3	–	–	–	–
WAKEFIELD ...	–	3	–	–	–	–
WORTLEY ...	–	2	–	–	–	–
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	–	1	–	–	–
BRECKNOCK ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	*	*	*	*	*	*
HAY	–	1	–	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
CRICKHOWELL ...	–	–	1	–	–	–
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
LANDYSSIL ...	–	–	1	–	–	–
CARMARTHEN ...	–	7	9	–	6	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	3	–	–	–	–
BURRY PORT ...	–	–	2	–	–	–
KIDWELLY ...	–	1	1	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	1	–
LLANDILO FAWR	–	2	3	–	1	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	–	2	–	2	–
LLANYBYTHER ...	–	–	1	–	2	–
WHITLAND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	–	2	–	–	–
Rural Districts :—						
CONWAY... ...	–	–	1	–	–	–
GWYRFAI ...	–	–	1	–	–	–
DENBIGH ...	–	5	3	–	7	C. 1 G. 1
Boroughs and Urban Districts :—						
†COLWYN BAY and COLWYN	–	–	–	–	2	G. 1
DENBIGH ...	–	–	1	–	–	–
RUTHIN... ...	–	–	–	–	1	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts :—						
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	4	2	–	3	C. 1
FLINT	–	6	5	–	1	M. 1
Boroughs and Urban Districts :—						
CONNAH'S QUAY	–	2	1	–	–	–
FLINT	–	–	1	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	3	1	–	–	M. 1
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	1	–
OVERTON ...	–	–	1	–	–	–
GLAMORGAN ...	–	53	26	–	39	M. 1
Boroughs and Urban Districts :—						
†ABERDARE ...	–	10	–	–	7	–
†BARRY	–	1	–	–	–	–
†CARDIFF C.B. ...	–	9	2	–	5	–
†GELLIGAER ...	–	1	1	–	–	–
†GLYNCORWG ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MAESTEG ...	–	2	1	–	2	–
†MERTHYR TYDFIL C.B.	–	–	4	–	7	–
†MOUNTAIN ASH	–	4	2	–	–	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	1	–	–	4	M. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	–	–	–	–
†PORT TALBOT ...	–	7	3	–	–	–
†RHONDDA ...	–	5	2	–	2	–
†SWANSEA C.B. ...	–	2	6	–	2	–
Rural Districts :—						
COWBRIDGE ...	–	3	–	–	1	–
LLANDAFF and DINAS POWIS	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	1	2	–	–	–
NEATH	–	2	1	–	5	–
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA ...	–	1	–	–	1	–
MERIONETH ...	–	–	1	–	–	–
Rural District :—						
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	32	10	3	7	M. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	2	1	–	–	–
†ABERTILLERY ...	–	9	–	3	4	–
CHEPSTOW ...	–	2	–	–	–	–
†EBBW VALE ...	–	4	1	–	–	–
†MYNDDISLWYN	–	4	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
NANTYGLO AND BLAINA	–	–	–	–	–	M. 1
†NEWPORT C.B....	–	4	5	–	2	–
†RHYMNEY ...	–	3	–	–	1	–
†RISCA	–	1	2	–	–	–
†TREDEGAR ...	–	2	–	–	–	–
Rural Districts:—						
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	2	1	–	–	M. 1
Rural Districts:—						
FORDEN... ...	–	2	–	–	–	M. 1
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST	–	1	–	–	–	–
NARBERTH ...	*	*	*	*	*	*
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II.	23	1512	695	48	1128	C. 40 D. 11 E. 2 F. 1 G. 9 H. 1 L. 16 M. 96

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF... ...	–	–	1	1	–	L. 2
COWES	*	*	*	*	*	*
PADSTOW ...	*	*	*	*	*	*
PORT OF LONDON	–	–	2	1	–	–
Total of Part III.	–	–	3	2	–	L. 2

* Returns not received. † Population over 10,000.
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	325	259	2	148	C. 5 D. 2 G. 4 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	23	1512	695	48	1128	C. 40 D. 11 E. 2 F. 1 G. 9 H. 1 L. 16 M. 96
Total of Part III.—Port Sanitary Districts ...	–	–	3	2	–	L. 2
Total (*i.e.*, of returns received), England and Wales	23	1837	957	52	1276	C. 45 D. 13 E. 2 F. 1 G. 13 H. 1 L. 18 M. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. One case of Typhus Fever was notified and appears on page 419. The 23 cases of Small-pox include 3 cases of Alastrim, and appear on pages 420, 424, 427, 432, and 433.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.
LONDON:—													
DEATHS—all ages -	2,481	2,022	1662	1,418	1,636	1,472	1,398	1,239	1,223	1,267	1,417	1,514	1,446
" 0 to 1 year -	264	219	192	186	181	183	180	177	150	188	219	228	197
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	8,096	8,131	8,822	8,908	8,240	8,575	8,200	8,357	8,238	7,683	8,220	7,962	7,250
DEATHS—all ages -	8,638	8,353	7,785	6,784	7,192	6,376	5,669	4,955	5,066	5,161	5,626	6,073	5,948
" *0* to *1* year -	1,016	1,024	972	862	933	844	781	713	733	839	920	1,011	984
ENTERIC FEVER—Cases	11	17	29	17	12	17	21	12	26	4	12	13	20
" Deaths	9	2	2	5	2	1	3	6	5	4	5	3	6
SMALL POX—Cases -	—	1	3	1	—	1	8	1	2	13	11	12	14
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,672	1,521	1,541	1,429	1,423	1,373	1,314	1,252	1,322	1,180	1,196	1,227	1,145
" Deaths	36	21	27	22	28	18	26	25	17	17	25	18	20
DIPHTHERIA—Cases -	889	787	822	807	782	832	785	740	654	685	654	666	622
" Deaths	100	75	80	75	59	58	73	74	45	37	74	47	49
MEASLES—Deaths -	82	60	61	44	61	83	86	89	104	122	160	181	154
INFLUENZA—Deaths -	1,433	1,451	1,144	759	670	525	306	201	146	104	111	117	109

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th April 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	70	31	56·7	39·6	15
BRIGHTON -	56	34	51·7	43·1	20
PORTSMOUTH -	57	34	52·7	42·1	31
NORWICH (EATON).	65	29	55·0	38·3	13
PLYMOUTH -	57	36	52·3	41·0	28
BRISTOL (CLIFTON).	Not received.				
BIRMINGHAM -	62	32	50·9	36·9	21
NOTTINGHAM -	64	32	52·4	37·9	17
BIRKENHEAD (BIDSTON).	56	34	49·9	37·0	15
MANCHESTER	58	35	52·6	38·3	19
BURNLEY -	56	30	49·1	34·1	35
HUDDERSFIELD	56	33	49·3	37·6	34

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	56	30	49·0	35·1	35
SHEFFIELD -	56	31	50·4	36·9	31
YORK (MUSEUM).	57	30	51·7	37·3	20
HULL (PEARSON PARK).	61	30	52·3	37·3	15
TYNEMOUTH	57	33	47·9	36·4	21
CARDIFF -	55	32	51·7	37·6	27
EDINBURGH -	51·0	30·0	46·4	33·9	19
GLASGOW -	50·0	31·0	47·6	34·3	37
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	53·2	30·9	49·1	35·7	32
BELFAST -	52·0	25·5	48·9	32·2	48

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th April 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	9	..	29·801	48·0	32·4	15·6	39·1	− 6·9	35·6	3·5	10·3	0·0	87	106·6	26·7	42·8	Calm & E.	SE & calm.	1·0	0·0	0·0	148	−167	0·00
Monday	10	In Equator. Perigee.	29·509	50·7	30·9	19·8	40·9	− 5·0	35·7	5·2	14·1	1·3	82	102·8	25·9	43·0	Calm & SE.	ESE & E.	2·0	0·0	0·1	218	− 88	0·00
Tuesday	11	Full.	29·327	53·6	34·3	19·3	44·8	− 1·0	34·6	10·2	17·4	3·0	67	116·7	28·0	43·0	Calm & E.	ESE & calm.	0·9	0·0	0·0	156	−141	0·00
Wednesday	12	..	29·286	53·6	37·8	15·8	47·1	+ 1·2	45·0	2·1	8·7	0·0	92	70·1	26·2	43·1	SW & SSW.	SSW & SW.	8·8	0·0	0·5	423	+132	0·22
Thursday	13	..	29·432	57·5	43·7	13·8	49·2	+ 3·1	41·1	8·1	16·4	0·0	74	120·1	41·6	43·3	SW & WSW.	WSW, ESE & SW.	6·0	0·0	0·4	396	+107	0·37
Friday	14	..	29·302	70·0	53·1	16·9	60·5	+14·1	47·3	13·2	20·1	2·8	62	123·0	49·6	43·8	SSW & S.	S & SSW	7·0	0·0	0·6	461	+173	0·01
Saturday	15	..	29·380	59·2	43·4	15·8	50·6	+ 3·8	39·9	10·7	16·7	1·1	67	114·7	43·0	43·9	SW.	SW	16·1	0·0	1·7	731	+442	0·00
Means		..	29·434	56·1	39·4	16·7	47·5	+ 1·3	39·9	7·6	14·8	1·2	76	107·7	34·4	43·3	SW		...	...	...	Sum 2,533	Sum +458	Sum 0·60
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	9	v.P. generally, v.N. at times.	2·8	13·4	Overcast with cloudy intervals till 11h.; variably cloudy till 21h., then nearly cloudless generally. Mist in morning. Slight rain 17h. 30m.
MONDAY -	10	m.P. till 8h., s.P. generally afterwards.	4·7	13·4	Nearly cloudless generally with hoar frost till 4h., becoming overcast by 5h. Cloudy intervals till 15h., and partially cloudy till about 21h., then overcast generally. Solar halo 9h. to 15h.
TUESDAY -	11	m.P. till 7h. s.P. afterwards.	8·6	13·5	Nearly overcast till 1h., becoming cloudless generally by 2h. until noon. Partially cloudy till 16h., then overcast generally. Hazy in early morning.
WEDNESDAY	12	s.P. till 9h. v.P. afterwards.	0·6	13·6	Overcast generally, cloudy interval between 2h. and 8h., nearly cloudless from 2h. 30m. to 5h. Rain or damping 9h. 30m. to 21h. 30m. Lunar halo before 1h. Brisk wind from 16h.
THURSDAY -	13	w.P. generally	4·9	13·6	Cloudy to overcast by 3h. Variably cloudy 9h. to 13h., then overcast. Rain or damping 2h. to 7h. and after 15h. Solar halo in forenoon. Brisk wind from 22h.
FRIDAY -	14	w.P. till 9h. s.P. afterwards.	4·0	13·7	Overcast with cloudy intervals. Solar halo in forenoon. Brisk wind at times. Rain about 22h.
SATURDAY -	15	s.P. throughout	6·9	13·7	Cloudy generally, overcast at times. Brisk wind throughout. Slight damping in evening.
			Sum 32·5	Sum 94·9	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·64 in. at the beginning of the week to 29·83 in. by 19h. on 9th; decreased to 29·31 in. by 5h. on 11th; increased to 29·43 in. by 6h. on 12th; decreased to 29·09 in. by 21h. on the same day, increased to 29·48 in. by 17h. on 13th; decreased to 29·21 in. by midnight on 14th; and increased generally to 29·42 in. by midnight on 15th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 16.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 22ND APRIL, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND APRIL, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the sixteenth week of the year numbered 8,046, and corresponded to an annual rate of 22·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,637 and corresponded to an annual rate of 15·4 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 15·4, 16·6 and 16·3. Infant mortality was 112 per 1,000 births against 112, 127 and 136 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,945 births, corresponding to a rate of 22·4 per 1,000, and 1,406 deaths of civilians, corresponding to a rate of 16·2, as against 16·4, 17·5, and 16·7 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 16·7 per 1,000. The infant mortality was 113 as against 113, 126, and 120 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 311 in the total deaths last week, the deaths from influenza showing a decrease of 16. In London the number of deaths from all causes fell from 1,446 to 1,406; there was a decrease of 31 in the deaths from bronchitis, while the deaths from measles, which had been 106, 115 and 101 in the preceding three weeks, further fell to 84 last week.

---

m (45)17433—4 Wt 30—P 19 2250 4/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 22nd April 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,046	5,637	906	4	158	23	123	43	46	93
London	4,514,405*	1,945	1,406	220	–	84	9	40	20	14	15
Towns in Outer Ring:											
Croydon C.B.	191,500	85	55	9	–	2	–	–	–	–	–
Wimbledon	61,700	26	22	3	–	–	–	–	–	–	2
Ealing	67,800	36	15	2	–	–	–	–	1	–	–
Acton	62,000	20	14	2	–	–	–	–	1	–	–
Willesden	167,200	70	49	9	–	6	–	–	–	1	1
Hendon	55,500	24	17	2	–	–	–	–	–	–	–
Hornsey	87,600	26	20	–	–	–	–	–	–	–	1
Wood Green	51,100	11	11	–	–	–	–	–	–	–	–
Tottenham	149,200	70	36	6	–	2	–	–	–	1	2
Edmonton	67,800	36	17	2	–	–	–	2	1	–	1
Enfield	61,400	26	17	1	–	–	–	–	–	–	1
West Ham C.B.	307,000	176	83	16	–	3	–	7	–	–	–
East Ham C.B.	145,500	55	21	4	–	1	–	–	–	–	1
Leyton	130,100	53	32	2	–	4	–	–	2	–	–
Walthamstow	129,800	57	37	9	–	4	–	3	–	–	–
Ilford	85,500	20	25	3	–	–	–	1	–	–	–
Gillingham	48,149*	25	16	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	5	6	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	22	22	1	1	–	–	–	–	–	1
Eastbourne C.B.	53,600	19	14	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	41	45	4	–	–	–	–	–	–	1
Portsmouth C.B.	233,929*	117	66	10	–	–	–	2	2	–	1
Bournemouth C.B.	81,200	33	23	2	–	–	–	–	–	–	–
Southampton C.B.	162,200	72	32	3	–	–	–	–	1	–	–
Reading C.B.	92,600	40	32	5	–	–	–	1	–	–	1
Oxford C.B.	56,400	19	20	3	–	1	–	–	–	–	–
Northampton C.B.	92,300	36	14	–	–	–	–	–	–	–	–
Luton	57,800	17	14	1	–	–	–	–	–	–	–
Cambridge	58,900	24	22	2	–	–	–	1	–	–	–
Southend-on-Sea C.B.	90,500	37	32	3	–	–	–	1	–	1	–
Ipswich C.B.	80,100	28	17	1	–	–	–	–	–	–	1
Great Yarmouth C.B.	56,300	19	24	4	–	–	–	1	–	–	1
Norwich C.B.	122,400	54	41	6	–	–	–	2	–	–	–
Swindon	55,500	17	15	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	28	22	2	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	102	64	10	–	–	–	1	–	–	1
Bath C.B.	68,300	16	23	2	–	–	–	–	–	–	2
Bristol C.B.	381,700	132	91	8	–	2	–	–	–	–	4
Gloucester C.B.	51,800	35	17	1	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.†	273,238	138	106	27	–	–	1	8	1	2	2
Burton-upon-Trent C.B.	49,410	15	11	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	45	25	1	–	–	–	–	–	–	1
Walsall C.B.	98,800	44	29	7	–	–	–	2	–	–	–
West Bromwich C.B.	75,300	28	32	2	–	–	–	–	1	–	–
Worcester C.B.	49,160	19	17	1	–	–	–	–	–	–	1
Dudley C.B.	57,100	29	13	1	–	–	–	–	–	1	–
Birmingham C.B.	936,000	381	270	66	–	1	–	14	–	2	1
Smethwick C.B.	77,400	30	9	3	–	–	–	1	–	–	–
Coventry C.B.	130,300	47	33	5	–	–	–	2	–	–	–
Leicester C.B.	237,900	94	76	9	1	–	–	1	1	1	–
Lincoln C.B.	66,600	28	14	–	–	–	–	–	–	–	1
Grimsby C.B.	83,600	45	32	13	–	–	–	1	1	–	1
Nottingham C.B.	266,400	105	60	6	–	–	–	1	1	–	–
Derby C.B.	131,800	52	30	4	–	–	–	1	1	1	–
Chesterfield	62,400	31	19	6	–	–	1	–	–	–	1
Stockport C.B.	125,500	38	24	2	–	–	1	–	–	–	1
Chester C.B.	41,030	12	15	3	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	59	35	6	–	–	–	3	–	1	1
Wallasey C.B.	89,600	32	32	2	–	1	–	–	–	–	1
Liverpool C.B.	817,000	403	236	24	1	4	1	4	–	4	6
Bootle C.B.	77,800	45	13	2	–	1	–	1	–	–	–
St. Helens C.B.	104,900	57	32	8	–	5	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st April 1922.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	22	31	–	–	–	–	–	–	–	2
Wigan C.B.	91,200	30	46	9	–	4	–	–	–	1	1
Warrington C.B.	78,600	38	20	5	–	–	–	1	–	–	–
Bolton C.B.	182,200	77	66	8	–	–	–	1	–	–	3
Bury C.B.	57,600	17	20	1	–	–	1	–	–	–	–
Manchester C.B.	744,000	302	238	36	–	10	2	1	2	3	3
Salford C.B.	239,100	120	67	13	–	–	–	1	1	–	–
Oldham C.B.	148,300	67	51	6	–	–	–	–	–	–	3
Rochdale C.B.	92,700	33	45	6	–	2	1	1	–	1	3
Burnley C.B.	105,300	39	32	6	–	1	–	–	–	1	3
Blackburn C.B.	129,400	41	32	6	–	–	–	–	–	–	–
Preston C.B.	119,900	39	36	8	–	–	–	–	–	1	1
Blackpool C.B.	73,800	27	27	2	–	–	–	–	–	–	2
Barrow-in-Furness C.B.	75,200	41	13	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	24	42	4	–	–	–	1	–	–	2
Halifax C.B.	100,700	35	32	3	–	–	–	–	–	–	–
Bradford C.B.	291,100	101	95	21	–	–	–	2	–	1	4
Leeds C.B.	465,500	171	153	31	1	–	2	3	–	–	4
Dewsbury C.B.	55,100	20	13	3	–	–	–	–	–	–	–
Wakefield C.B.	53,763	23	16	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	36	19	6	–	–	–	–	–	1	2
Sheffield C.B.	519,239	187	156	28	–	18	2	1	–	–	2
Rotherham C.B.	69,100	29	13	3	–	2	–	2	–	–	–
Doncaster	54,700	14	9	1	–	–	–	–	–	–	–
York C.B.	84,500	33	25	3	–	–	–	1	–	–	–
Hull C.B.	291,800	150	99	20	–	–	–	1	–	3	–
Middlesbrough C.B.	133,400	74	50	14	–	–	–	–	1	–	
Darlington C.B.	66,400	27	13	4	–	–	–	1	–	–	–
Stockton-on-Tees	65,000	41	18	2	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	42	15	2	–	–	–	–	1	–	–
Sunderland C.B.	161,100	73	57	14	–	–	–	1	–	1	–
South Shields C.B.	120,376	59	27	10	–	–	1	–	–	1	–
Gateshead C.B.	126,700	72	42	13	–	–	–	1	–	–	–
Newcastle-on-Tyne C.B.	278,400	143	83	20	–	–	–	–	3	1	–
Tynemouth C.B.	63,900	28	19	7	–	–	–	–	–	–	–
Carlisle C.B.	53,200	27	16	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	34	14	1	–	–	–	–	–	–	–
Cardiff C.B.	202,700	85	51	7	–	–	–	3	–	–	–
Rhondda	166,600	73	37	7	–	–	1	–	1	1	–
Merthyr Tydfil C.B.	81,800	39	29	2	–	–	–	–	–	–	–
Aberdare	56,100	12	17	1	–	–	–	–	–	–	–
Swansea C.B.	159,600	50	41	8	–	–	–	–	–	–	4
Greater London	7,523,963*	3,205	2,124	311	–	108	9	56	29	18	31
Outer Ring	3,009,558*	1,260	718	91	–	24	–	16	9	4	16
16 Great Towns in Outer Ring	1,820,700	791	471	70	–	22	–	13	5	2	9
Remainder of Outer Ring	1,188,858*	469	247	21	–	2	–	3	4	2	7
Edinburgh†	420,500	199	132	22	–	3	–	3	1	1	2
Glasgow†	1,037,800	690	372	75	–	67	1	3	1	3	2
Dublin (Registration Area)†	427,000	186	201	23	–	8	1	–	1	2	2
Belfast†	425,000	219	125	21	–	1	–	–	–	3	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
London‡	4,514,405	1922. Apr. 22	1945	1406	16·2	–	–	84	9	40	20	14	15
Calcutta	896,067	Mar. 18	?	596§	34·1	?	30	–	–	–	–	–	35
Bombay	1,175,914	,, 18	336‖	744§	32·9	3	1	–	–	–	–	47	18
Madras	522,951	,, 18	427	558	55·5	–	38	4	?	2	–	52	–
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	January 31 days.											
Perth (Metropolitan Area).	154,866	Mar. 4	76	43	14·4	1	–	–	–	–	1	3	–
Auckland (Urban Area).	157,757	January 31 days.											
Wellington (Urban Area).	107,488	,, ,,											
Christchurch (Urban Area).	105,670	,, ,,											
Cape Town	101,000	Jan. 7	45	30	15·4	1	–	–	–	–	–	5	–
		,, 14	51	19	9·8	–	–	–	–	–	–	2	–
Johannesburg	149,500	Mar. 11	48	30	10·4	2	–	–	–	–	–	1	1
Durban	48,000	,, 11	30	10	10·8	1	–	–	–	–	–	–	–
Paris	2,906,472	,, 20 (10 days).	1349	1194	15·0	1	–	1	1	6	7	31	11
Antwerp	340,852	Feb. 18	114	110	17·1	1	–	4	–	2	–	7	–
		,, 25	132	112	17·4	–	–	–	–	5	1	5	1
Amsterdam	683,595	Apr. 8	302	158	11·6	–	–	1	–	2	2	–	–
Copenhagen	562,000	,, 8	222	156	14·4	–	–	1	–	–	–	5	4
Stockholm	422,042	,, 8	125	88	10·8	–	–	–	–	–	–	–	1
Gothenburg	228,052	,, 15	?	43	9·8	–	–	–	–	–	–	–	–
Christiania	260,920	,, 15	93	65	12·9	–	–	2	–	1	–	–	–
Berlin	1,955,000	Mar. 25	432	601	16·0	1	?	8	–	1	2	4	11
Breslau	550,000	,, 25	245	220	20·8	–	?	–	–	1	2	4	5
Cologne	672,000	,, 25	300	177	13·7	1	?	–	–	5	3	1	4
Dresden	601,000	,, 25	166	180	15·6	–	?	–	–	–	–	5	3
Frankfort-on-Main	473,000	,, 25	162	111	12·2	–	?	–	1	1	–	2	3
Hamburg	1,039,000	,, 25	326	308	15·4	–	?	–	–	2	2	5	3
Leipzig	632,000	,, 25	215	197	16·2	–	?	1	–	–	1	9	9
Munich	675,000	,, 25	211	183	14·1	–	?	–	–	–	–	5	2
Vienna	1,842,005	Feb. 18	599	885	25·0	–	–	–	2	4	3	36	35
		,, 25	587	846	23·9	–	–	1	1	5	2	23	39
Prague and Suburbs	689,262	Mar. 18	231	211	15·9	2	–	2	–	2	1	6	3
Budapest	936,000	Jan. 28											
Cairo	777,500	Feb. 11	796	400	26·8	2	–	2	–	?	3	23	?
Alexandria	456,300	,, 11	417	206§	23·5	2	–	–	–	?	–	10	?
New York	5,839,738	Mar. 25	2499	1580	14·1	–	–	46	9	4	38	29	23
Chicago	2,838,288	,, 11											
Rio de Janeiro	1,188,422	,, 4	550	492	21·6	2	2	10	–	6	–	–	13
Montevideo	358,196	Jan. 28	187	140	20·2	1	–	–	–	–	–	10	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 44 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 2 in Calcutta, 9 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd April, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1406	220	101	60	38	45	60	85	139	167	246	245
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	84	22	35	25	2	–	–	–	–	–	–	–
Scarlet fever	9	–	1	6	2	–	–	–	–	–	–	–
Whooping cough	40	19	15	5	1	–	–	–	–	–	–	–
Diphtheria	20	3	5	6	6	–	–	–	–	–	–	–
Influenza	15	–	1	–	1	–	1	1	3	7	1	–
Erysipelas	3	–	–	–	–	–	1	–	–	2	–	–
Acute Poliomyelitis, Polioencephalitis.	1	–	–	–	1	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	1	–	–	–	–	–	–	–
Meningococcal meningitis	3	2	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	109	1	–	1	–	23	21	24	22	11	3	3
Tuberculous meningitis	11	2	3	4	1	1	–	–	–	–	–	–
Abdominal tuberculosis	6	–	1	1	1	–	–	1	1	1	–	–
Other tubercle	8	1	–	–	1	2	–	–	3	–	1	–
Venereal diseases	4	3	–	–	–	–	–	–	1	–	–	–
Cancer	119	–	–	–	–	–	4	6	24	31	36	18
Rheumatic fever	3	–	–	–	1	–	–	1	–	1	–	–
Diabetes	9	–	–	–	–	–	–	2	2	3	2	–
Alcoholism	1	–	–	–	–	–	–	–	–	1	–	–
Simple meningitis	5	2	1	–	1	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	60	–	–	–	–	–	–	3	6	13	18	20
Epilepsy	5	–	–	–	–	1	2	–	–	2	–	–
"Convulsions" (not puerperal)	8	8	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	37	1	–	–	–	1	3	5	11	6	6	4
Pericarditis	3	–	–	–	1	–	–	–	1	1	–	–
Acute endocarditis	3	–	–	–	–	1	–	1	–	–	1	–
Other diseases of heart	157	–	–	1	2	1	4	9	14	18	47	61
Other dis. of circulatory system	54	–	–	–	–	–	–	2	5	4	20	23
Bronchitis	113	13	3	–	–	1	2	–	10	10	36	38
Broncho-pneumonia	119	48	27	9	3	1	2	–	1	8	11	9
Lobar pneumonia	42	2	1	–	3	3	3	3	8	7	10	2
Pneumonia (type not distinguished)	39	9	3	–	–	1	3	4	6	6	5	2
Other diseases of respiratory system	26	1	2	–	1	–	–	2	2	5	8	5
Diarrhœa and enteritis	17	14	–	–	–	1	–	1	–	–	1	–
Appendicitis and typhlitis	3	–	–	–	–	2	–	1	–	–	–	–
Hernia, Intestinal obstruction	5	1	–	–	–	–	1	1	–	1	1	–
Cirrhosis of liver	8	–	–	–	1	–	–	–	2	2	1	2
Other diseases of digestive system	24	2	–	–	1	–	1	4	1	8	5	2
Acute nephritis	6	–	–	–	–	–	2	1	2	1	–	–
Chronic Bright's disease	19	–	–	–	–	–	–	3	1	7	5	3
Other diseases of genito-urinary system.	26	1	–	–	–	–	2	3	4	4	7	5
Puerperal fever, &c.	3	–	–	–	–	–	2	1	–	–	–	–
Other causes incident to childbirth	5	–	–	–	–	1	3	1	–	–	–	–
Congenital malformations	12	9	1	–	–	–	1	–	1	–	–	–
Premature birth	35	35	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	49	–	–	–	–	–	–	–	–	–	8	41
Suicide	4	–	–	–	–	–	–	1	–	1	2	–
Burns and scalds	3	–	1	1	–	–	–	1	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	2	1	–	–	–	–	–	–	1	–	–	–
Vehicles and horses	7	–	–	1	2	–	–	–	1	1	2	–
Other deaths by violence	14	2	–	–	1	1	–	–	1	1	4	4
Other specified causes	41	13	1	–	3	3	2	3	4	4	5	3
Ill-defined causes	1	–	–	–	–	1	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd April 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	13	10	1	10	–
†BERMONDSEY ...	–	5	15	–	11	–
†BETHNAL GREEN	–	8	17	–	1	M. 2
†CAMBERWELL ...	–	18	11	–	4	–
†CHELSEA ...	–	3	3	–	2	–
†DEPTFORD ...	–	4	5	–	1	–
†FINSBURY ...	–	4	9	–	3	–
†FULHAM ...	–	10	6	–	15	C. 1
†GREENWICH ...	–	14	3	–	3	–
†HACKNEY ...	–	11	9	–	1	–
†HAMMERSMITH	–	13	7	–	2	M. 1
†HAMPSTEAD ...	–	5	1	–	3	–
†HOLBORN ...	–	5	3	–	3	M. 1
†ISLINGTON ...	–	40	16	–	5	C. 1 M. 5
†KENSINGTON ...	–	7	9	–	2	D. 1 M. 1
†LAMBETH ...	–	34	15	–	15	D. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	6	4	–	3	–
†PADDINGTON ...	–	5	7	–	15	–
†POPLAR... ...	–	8	6	–	18	C. 1 D. 1 M. 1
†ST. MARYLEBONE	–	5	3	–	2	–
†ST. PANCRAS ...	–	29	14	–	12	M. 1
†SHOREDITCH ...	–	7	7	1	6	M. 2
†SOUTHWARK ...	–	13	12	–	6	D. 1 G. 2 M. 3
†STEPNEY ...	–	9	18	3	12	H. 1
†STOKE NEWINGTON	–	6	1	–	–	–
†WANDSWORTH	–	27	16	–	19	M. 1
†WESTMINSTER, CITY OF	–	4	3	1	4	–
†WOOLWICH ...	–	19	6	–	7	–
TOTAL OF PART I.	–	333	237	6	185	C. 3 D. 4 G. 2 H. 1 M. 18

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	9	–	7	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	–	2	–	4	–
KEMPSTON ...	–	2	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	2	–	–	–
BEDFORD ...	–	–	3	–	–	–
BIGGLESWADE ...	–	–	–	–	2	–
EATON BRAY ...	–	–	–	–	1	–
LUTON	–	–	2	–	–	–
BERKS	–	16	7	–	5	C. 1 M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	2	–	–	–	–
†MAIDENHEAD ...	–	2	–	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†READING, C.B.	–	2	5	–	5	–
WANTAGE ...	–	4	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	4	–	–	–	–
BRADFIELD ...	–	1	–	–	–	C. 1 M. 1
FARINGDON (part)	–	–	2	–	–	–
BUCKINGHAM ...	–	12	3	–	2	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
CHESHAM ...	–	1	–	–	–	–
LINSLADE ...	*	*	*	*	*	*
†SLOUGH... ...	–	1	2	–	–	–
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts—*cont.*						
ETON	–	2	1	–	–	–
WING	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	1	–
CAMBRIDGE...	–	10	5	–	1	C. 1
Borough :—						
†CAMBRIDGE ...	–	6	5	–	1	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	1	–	–	–	C. 1
CHESTERTON ...	–	1	–	–	–	–
MELBOURN ...	–	1	–	–	–	–
SWAVESEY ...	–	1	–	–	–	–
CHESTER	–	58	42	3	26	G. 2 M. 2
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	–	–	–	–	G. 1
†ALTRINCHAM ...	–	5	1	–	1	–
†BIRKENHEAD C.B.	–	7	2	–	8	–
BREDBURY AND ROMILEY	–	2	–	–	–	–
BUGLAWTON ...	–	–	1	–	1	–
†CHEADLE AND GATLEY	–	3	13	–	1	–
†CHESTER C.B. ...	–	5	3	–	1	–
†CREWE	–	3	2	–	–	–
†DUKINFIELD ...	–	2	–	1	1	M. 1
HOOLE	–	–	1	–	2	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	4	–	–	–	M. 1
KNUTSFORD ...	–	1	1	–	–	–
†MACCLESFIELD...	–	10	5	–	–	–
MIDDLEWICH ...	–	–	2	–	–	–
†RUNCORN ...	–	2	–	–	3	–
†SALE	–	2	1	–	–	–
†STALYBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKPORT, C.B.	–	4	2	–	1	–
†WALLASEY, C.B.	–	2	2	1	3	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	3	–	–	1	–
CONGLETON ...	–	–	2	–	1	–
MACCLESFIELD ...	–	1	1	–	–	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	1	–	1	–	G. 1
WIRRAL... ...	–	–	–	–	1	–
CORNWALL ...	–	8	9	–	7	–
Boroughs and Urban Districts:—						
BODMIN... ...	–	3	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LOOE	–	1	–	–	–	–
NEWQUAY ...	–	–	7	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. IVES ...	–	–	1	–	–	–
TORPOINT ...	–	–	–	–	2	–
WADEBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BODMIN... ...	–	1	–	–	–	–
CAMELFORD ...	–	–	–	–	1	–
REDRUTH ...	–	1	1	–	–	–
SAINT AUSTELL	*	*	*	*	*	*
SAINT GERMANS	–	–	–	–	2	–
CUMBERLAND ...	–	2	1	–	5	M. 2
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
†CARLISLE, C.B....	–	–	–	–	1	M. 1
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRITH ...	–	1	–	–	2	–
WIGTON ...	–	1	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	1	–
COCKERMOUTH ...	–	–	1	–	–	M. 1
DERBY	5	43	21	–	45	C. 2 D. 2 M. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	1	–
†BELPER	–	–	–	–	–	D. 1
†BOLSOVER ...	§2	–	–	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†CHESTERFIELD	–	3	4	–	–	C. 1
CLAY CROSS ...	–	3	–	–	–	–
†DERBY C.B. ...	–	10	9	–	23	M. 2
†GLOSSOP... ...	–	–	–	–	1	–
†HEANOR ...	–	1	4	–	4	–
†ILKESTON ...	3	–	–	–	1	–
†LONG EATON ...	–	–	–	–	1	–
MATLOCK ...	–	2	–	–	–	–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY... ...	–	–	–	–	4	M. 1
†SWADLINCOTE DISTRICT	–	2	–	–	4	–
Rural Districts:—						
ASHBORNE ...	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	1	–
BLACKWELL ...	–	7	–	–	–	–
CHESTERFIELD	–	5	–	–	1	C. 1
HARTSHORNE AND SEALS	–	4	–	–	–	–
NORTON... ...	–	1	–	–	1	–
REPTON... ...	–	1	–	–	2	D. 1
SHARDLOW ...	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encepalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ These cases were notified as Alastrim.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	13	8	1	14	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BRIXHAM ...	–	–	1	–	–	–
DARTMOUTH ...	–	–	–	–	–	C. 1
†EXETER C.B. ...	–	3	–	–	1	M. 1
†EXMOUTH ...	–	–	–	–	4	–
NEWTON ABBOT	–	–	2	–	–	–
†PLYMOUTH C.B.	–	6	2	1	2	G. 1
TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BROADWOODWIDGER	–	–	–	–	1	–
CULMSTOCK ...	*	*	*	*	*	*
KINGSBRIDGE ...	–	–	1	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	2	–	–	–	–
TIVERTON ...	–	–	–	–	1	–
TORRINGTON ...	–	–	–	–	2	–
TOTNES	–	–	1	–	–	–
DORSET	–	5	1	–	1	C. 1 M. 2
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	–	M. 1
†POOLE	–	2	–	–	–	C. 1 M. 1
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
WIMBORNE ...	–	–	1	–	–	–
Rural Districts:—						
CERNE	–	2	–	–	–	–
DURHAM... ...	–	44	17	–	84	F. 1 G. 1 M. 4
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	2	–	–	–
†BLAYDON ...	–	–	3	–	2	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT ...	–	–	1	–	2	–
†CROOK	–	–	1	–	–	–
†DARLINGTON C.B.	–	–	–	–	9	–
†DURHAM ...	–	4	–	–	–	–
†FELLING ...	–	–	–	–	4	–
†GATESHEAD C.B.	–	9	1	–	8	M. 1
†HARTLEPOOL ...	–	–	–	–	6	–
†HEBBURN ...	–	1	–	–	4	–
†HETTON ...	–	–	–	–	4	M. 1
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	–	–	–	6	–
†RYTON ...	–	–	–	–	–	M. 1
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	6	–	–	7	–
†SOUTHWICK-ON-WEAR	–	–	–	–	1	M. 1
†STANLEY ...	–	1	2	–	4	–
†STOCKTON-ON-TEES	–	–	1	–	2	–
†SUNDERLAND C.B.	–	9	–	–	10	F. 1
†WEST HARTLEPOOL C.B.	–	1	3	–	1	–
†WHICKHAM ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	4	1	–	–	–
BARNARD CASTLE	–	–	–	–	2	–
CHESTER-LE-STREET	–	3	–	–	–	G. 1
DARLINGTON ...	–	–	1	–	1	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	2	–	–	4	–
HOUGHTON-LE-SPRING	–	–	1	–	–	–
LANCHESTER ...	–	–	–	–	2	–
SEDGEFIELD ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	2	–
WEARDALE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	3	–	–	–	C. 1
Boroughs and Urban Districts :—						
†WISBECH ...	–	1	–	–	–	–
Rural District :—						
ELY	–	2	–	–	–	C. 1
ESSEX	–	81	31	–	47	C. 1 L. 1 M. 2
Boroughs and Urban Districts :—						
†BARKING TOWN	–	4	–	–	6	–
BUCKHURST HILL	–	–	–	–	1	–
†CHELMSFORD ...	–	1	–	–	–	–
†CLACTON ...	–	–	1	–	–	–
†COLCHESTER ...	–	–	1	–	3	M. 1
†EAST HAM C.B.	–	11	2	–	4	–
†GRAYS THURROCK	–	1	–	–	–	–
HALSTEAD ...	*	*	*	*	*	*
†ILFORD	–	3	–	–	1	L. 1
†LEYTON... ...	–	7	9	–	2	–
†ROMFORD ...	–	1	2	–	–	–
SHOEBURYNESS-ON-SEA	–	–	1	–	4	–
†SOUTHEND-ON-SEA C.B.	–	1	–	–	5	M. 1
TILBURY ...	–	1	–	–	–	–
†WALTHAMSTOW	–	21	3	–	1	C. 1
†WANSTEAD ...	–	4	–	–	1	–
†WEST HAM C.B.	–	16	6	–	8	–
†WOODFORD ...	–	3	1	–	6	–
Rural Districts :—						
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	–	1	–	1	–
DUNMOW ...	–	2	–	–	–	–
EPPING	–	1	–	–	1	–
LEXDEN AND WINSTREE	*	*	*	*	*	*
MALDON ...	–	–	–	–	1	–
ONGAR	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	2	1	–	–	–
ROMFORD ...	–	1	2	–	–	–
STANSTEAD ...	–	1	–	–	–	–
GLOUCESTER ...	–	37	19	–	34	G. 1 M. 3
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	30	11	–	20	G. 1 M. 3
†CHELTENHAM ...	–	2	–	–	2	–
†GLOUCESTER C.B.	–	1	4	–	3	–
†KINGSWOOD ...	–	–	2	–	–	–
STROUD ...	–	–	–	–	1	–
Rural Districts :—						
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	6	–
GLOUCESTER ...	–	–	1	–	–	–
NEWENT ...	–	1	–	–	–	–
STOW-ON-THE-WOLD (part)	–	–	1	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	2	–
HEREFORD ...	–	4	–	–	3	M. 1
Boroughs and Urban Districts :—						
BROMYARD ...	–	1	–	–	–	–
†HEREFORD ...	–	–	–	–	1	–
ROSS	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
KINGTON ...	–	1	–	–	–	–
LEDBURY ...	–	2	–	–	–	–
ROSS	–	–	–	–	1	–
WIGMORE ...	–	–	–	–	1	–
HERTFORD ...	–	11	5	1	3	C. 2
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	–	C. 1
†BARNET... ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	–	–	1	–	–
†HERTFORD ...	–	–	1	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	2	–
†ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	2	1	–	–	–
Rural Districts:—						
BARNET... ...	–	–	2	–	–	–
BUNTINGFORD ...	–	–	–	–	–	C. 1
HATFIELD ...	–	1	–	–	–	–
ST. ALBANS ...	–	2	1	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
Rural Districts—						
ST. IVES ...	–	2	–	–	1	–
ST. NEOTS, No. 4	*	*	*	*	*	*
KENT	–	43	27	–	18	M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	1	–	–	–	–
†BECKENHAM ...	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	7	2	–	2	–
†CANTERBURY, C.B.	–	1	–	–	–	–
†CHATHAM ...	–	1	–	–	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	2	1	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	1	–	1	–
†ERITH	–	4	1	–	1	–
†FAVERSHAM ...	–	–	–	–	2	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	–	4	–	–	–
†GRAVESEND ...	–	1	1	–	–	M. ‡ 1
HYTHE... ...	–	–	1	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	5	1	–	–	–
NEW ROMNEY ...	–	–	–	–	1	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	3	1	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	–	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SOUTHBOROUGH	–	–	–	–	1	–
WALMER ...	*	*	*	*	*	*
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	2	–	–	2	–
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	–	4	–	–	–
DARTFORD ...		3	1	–	1	–
FAVERSHAM ...	–	–	1	–	1	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MALLING ...	–	1	–	–	–	–
ROMNEY MARSH	–	–	–	–	1	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	5	282	91	5	255	C. 5 D. 3 G. 1 L. 4 M. 28
Boroughs and Urban Districts:—						
Abram	–	–	–	–	4	–
†Accrington ...	–	1	–	–	–	–
†Ashton-in-Makerfield	–	–	1	–	3	–
†Ashton-under-Lyne	–	–	1	–	3	M. 1
Aspull	–	1	–	–	5	–
†Atherton ...	–	1	3	–	–	–
Audenshaw ...	–	–	–	–	1	–
†Bacup	–	–	–	–	2	–
†Barrow-in-Furness C.B.	–	3	–	–	2	M. 2
Billinge ...	–	–	–	–	1	–
†Blackburn C.B.	–	3	–	–	9	–
†Blackpool C.B.	–	1	1	–	3	–
Blackrod ...	–	1	–	–	–	–
†Bolton C.B. ...	–	4	1	–	4	–
†Bootle C.B. ...	–	6	7	–	1	–
†Burnley C.B.	–	8	2	–	2	–
†Bury C.B. ...	–	3	1	–	4	M. 2
†Chadderton ...	–	2	–	–	1	–
†Chorley ...	–	–	–	–	1	–
†Colne	–	–	–	–	5	–
†Crompton ...	–	2	–	–	2	–
†Dalton-in-Furness...	–	–	–	–	2	–
†Darwen ...	–	2	–	–	–	–
†Denton ...	–	3	–	–	–	–
†Droylsden ...	–	1	–	–	2	–
†Eccles ...	–	3	–	–	3	–
†Failsworth ...	–	2	–	–	3	–
†Farnworth ...	–	1	–	–	2	–
†Fleetwood ...	–	1	–	–	2	–
†Haslingden ...	–	–	1	–	–	–
†Haydock ...	–	1	–	–	–	–
Heysham ...	–	1	–	–	–	–
†Heywood ...	–	–	–	–	1	–
†Hindley ...	–	4	–	2	1	–
†Horwich ...	–	–	1	–	1	–
Hurst	–	2	–	–	1	–
Huyton-with-Roby	*	*	*	*	*	*
†Ince-in-Makerfield	–	6	–	–	9	–
Kearsley ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Lancaster ...	–	7	1	–	1	M. 1
†Leigh	–	6	3	–	2	M. 1
Little Lever...	–	–	–	–	1	–
†Liverpool C.B.	–	41	22	–	36	D. 1 M. 8
†Manchester C.B.	–	61	14	–	49	C. 1 D. 1 M. 5
†Middleton ...	–	8	–	–	–	C. 1 M. 1
Milnrow ...	–	2	–	–	4	–
†Newton-in-Makerfield	–	1	–	–	–	–
†Oldham C.B.	5	13	1	–	3	M. 1
Ormskirk ...	–	3	–	–	–	–
Orrell... ...	–	–	1	–	–	–
†Oswaldtwistle	–	2	–	–	–	–
Preesall ...	–	2	–	–	–	–
†Preston C.B. ...	–	2	5	–	1	–
†Radcliffe ...	–	–	2	–	4	–
Rainford ...	–	–	1	–	–	–
†Ramsbottom ...	–	1	–	–	9	–
†Rawtenstall ...	–	–	–	–	1	–
†Rochdale C.B.	–	6	2	–	3	–
†Royton ...	–	–	–	–	1	–
†St. Helens C.B.	–	2	3	–	3	L. 1 M. 1
†Salford C.B. ...	–	18	4	–	14	C. 2 D. 1 M. 4
Skelmersdale	–	–	–	–	1	–
†Southport C.B.	–	3	2	–	6	M. 1
†Stretford ...	–	6	1	–	–	–
†Swinton and Pendlebury	–	–	–	–	7	–
Tottington ...	–	2	–	–	–	–
†Turton... ...	–	1	4	–	–	–
†Tyldesley-with-Shakerley	–	2	–	1	–	–
†Warrington C.B.	–	5	1	–	9	–
†Waterloo-with-Seaforth	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	1	–	–	–	G. 1
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES ...	–	2	1	–	3	–
†WIGAN C.B. ...	–	3	1	1	4	–
†WORSLEY ...	–	2	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	–	–	–	1	–
BURNLEY ...	–	–	–	–	1	–
BURY	–	2	–	–	2	–
CHORLEY ...	–	4	–	–	–	C. 1
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	2	–	–	4	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	3	–
WEST LANCASHIRE	–	2	–	1	–	–
WHISTON ...	–	–	1	–	1	L. 2
WIGAN... ...	–	–	1	–	–	–
LEICESTER ...	–	11	9	1	9	–
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	–	–	–	1	–
†LEICESTER C.B.	–	9	1	1	4	–
MARKET HARBOROUGH	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	1	–	1	–
BARROW-UPON-SOAR	–	1	4	–	–	–
BLABY	–	–	1	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
LOUGHBOROUGH	–	–	–	–	2	–
MARKET BOSWORTH	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BOSTON... ...	–	1	–	–	–	–
HOLBEACH ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	3	–
Boroughs and Urban Districts:—						
BOURNE... ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	3	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	6	11	–	15	–
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	–	–	–	1	–
†GRIMSBY C.B. ...	–	1	1	–	3	–
†LINCOLN C.B. ...	–	2	4	–	3	–
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	3	–
Rural Districts:—						
CAISTOR... ...	–	–	1	–	3	–
GAINSBOROUGH	–	1	–	–	–	–
GLANFORD BRIGG	–	–	2	–	1	–
GRIMSBY ...	–	–	–	–	1	–
LOUTH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	87	44	1	44	C. 1 F. 1 G. 1 L. 3 M. 5
Boroughs and Urban Districts :—						
†ACTON	–	7	5	–	–	–
†BRENTFORD ...	–	5	–	–	–	–
†CHISWICK ...	–	4	1	–	–	–
†EALING ...	–	10	3	–	3	M. 1
†EDMONTON ...	–	3	3	–	1	M. 1
†ENFIELD ...	–	3	1	–	–	F. 1
†FINCHLEY ...	–	3	1	–	4	–
†FRIERN BARNET	–	2	1	–	–	L. 1
GREENFORD ...	–	1	–	–	–	–
†HANWELL ...	–	2	2	–	1	–
†HARROW-ON-THE-HILL	–	–	2	–	2	–
†HENDON ...	–	5	4	–	1	–
†HESTON AND ISLEWORTH	–	5	1	–	3	–
†HORNSEY ...	–	2	3	–	1	–
†SOUTHALL-NORWOOD	–	1	1	–	1	L. 2
†SOUTHGATE ...	–	5	1	–	4	–
†TOTTENHAM ...	–	11	11	–	9	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEMBLEY ...	–	4	–	–	2	–
†WILLESDEN ...	–	12	3	1	9	C. 1 G. 1 M. 3
WOOD GREEN ...	–	2	1	–	1	–
Rural Districts :—						
HENDON ...	–	–	–	–	1	–
STAINES ...	*	*	*	*	*	*
NORFOLK ...	–	8	3	–	1	–
Boroughs and Urban Districts :—						
DOWNHAM MARKET	–	–	1	–	–	–
†GREAT YARMOUTH, C.B.	–	1	–	–	–	–
NORTH WALSHAM	–	1	–	–	–	–
†NORWICH C.B....	–	1	–	–	–	–
Rural Districts :—						
AYLSHAM ...	–	–	1	–	–	–
BLOFIELD ...	–	–	1	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOCKING ...	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	1	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE ...	*	*	*	*	*	*
SMALLBURGH ...	*	*	*	*	*	*
SWAFFHAM ...	–	1	–	–	–	–
WALSINGHAM ...	–	1	–	–	–	–
NORTHAMPTON	–	5	14	–	11	–
Boroughs and Urban Districts :—						
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	–	2	–	1	–
†NORTHAMPTON C.B.	–	3	9	–	5	–
†RUSHDEN ...	–	–	1	–	1	–
Rural Districts :—						
BRACKLEY ...	–	1	–	–	–	–
HARDINGSTONE	–	–	–	–	1	–
NORTHAMPTON...	–	–	2	–	1	–
POTTERSBURY...	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	44	12	–	40	C. 1 E. 1 M. 5
Boroughs and Urban Districts :—						
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	1	1	–	5	E. 1
†BERWICK-UPON-TWEED	–	2	–	–	–	–
†BLYTH	–	–	–	–	3	M. 2
†EARSDON ...	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LONGBENTON ...	–	1	–	–	–	–
†NEWBURN ...	–	–	1	–	3	–
†NEWCASTLE-UPON-TYNE C.B.	–	13	6	–	19	M. 1
PRUDHOE ...	–	–	–	–	2	M. 1
SEATON DELAVAL	–	1	1	–	–	–
†TYNEMOUTH C.B.	–	7	1	–	6	C. 1
†WALLSEND ...	–	1	2	–	1	M. 1
†WEETSLADE ...	*	*	*	*	*	*
†WHITLEY AND MONKSEATON	–	4	–	–	1	–
Rural Districts:—						
BELFORD ...	–	1	–	–	–	–
BELLINGHAM ...	–	1	–	–	–	–
HALTWHISTLE ...	–	3	–	–	–	–
HEXHAM ...	–	4	–	–	–	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	2	14	4	1	12	M. 7
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	–	–	–	M. 1
†EAST RETFORD	–	–	–	–	6	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	–	1	–	–	–
†NEWARK ...	–	–	–	–	–	M. 1
†NOTTINGHAM C.B.	2	7	1	–	3	M. 4
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	1	–	–	–	–
BINGHAM ...	–	–	–	1	–	–
EAST RETFORD	–	1	–	–	1	–
LEAKE	–	–	–	–	–	M. 1
SKEGBY ...	–	–	2	–	–	–
STAPLEFORD ...	–	1	–	–	1	–
OXFORD	–	12	4	–	3	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	–	–
†OXFORD C.B. ...	–	6	2	–	1	–
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CULHAM ...	–	1	–	–	–	–
GORING	–	2	–	–	–	–
HEADINGTON ...	–	–	–	–	1	–
WITNEY... ...	–	–	2	–	1	–
PETERBOROUGH (Soke of).	–	–	1	–	1	–
Borough:—						
†PETERBOROUGH	–	–	1	–	–	–
Rural District:—						
PETERBOROUGH	–	–	–	–	1	–
SALOP	–	2	2	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	1	–	–	–
MARKET DRAYTON	–	–	–	–	1	–
†OAKENGATES ...	–	–	–	–	–	M. 1
WELLINGTON ...	–	–	–	–	–	E. 1
Rural Districts:—						
CLEOBURY MORTIMER	–	–	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	11	3	6	16	M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	2	–	–	–
†BRIDGWATER ...	–	–	–	–	–	M. 1
FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	2	–
WELLINGTON ...	–	1	–	–	–	–
†WESTON-SUPER-MARE	–	1	1	–	1	–
†YEOVIL ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BATH	–	1	–	6	1	–
BRIDGWATER ...	–	–	–	–	4	–
CHARD	–	2	–	–	–	–
FROME	–	–	–	–	1	–
SHEPTON MALLET	–	2	–	–	1	–
TAUNTON ...	–	–	–	–	1	–
WELLS	–	–	–	–	2	–
YEOVIL	–	1	–	–	1	–
SOUTHAMPTON...	–	37	28	3	5	C. 1 M. 7
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	1	–	–	3	–
CHRISTCHURCH	–	–	–	–	1	–
EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	–	1	–	–
†GOSPORT and ALVERSTOKE	–	1	3	–	–	–
HAVANT ...	*	*	*	*	*	*
†PORTSMOUTH C.B.	–	15	12	–	–	–
ROMSEY ...	*	*	*	*	*	*
†SOUTHAMPTON C.B.	–	5	10	1	–	M. 6
†WINCHESTER ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	2	–	–	–	–
FORDINGBRIDGE	–	–	1	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	–
KINGSCLERE ...	–	6	–	–	–	C. 1
ROMSEY ...	*	*	*	*	*	*
SOUTH STONEHAM	–	–	1	–	–	–
STOCKBRIDGE ...	–	–	–	1	–	M. 1
STAFFORD ...	–	60	21	1	62	C. 1 G. 2 M. 10
Boroughs and Urban Districts:—						
†AUDLEY ...	–	1	–	–	–	–
BIDDULPH ...	–	–	1	–	1	–
†BILSTON ...	–	3	–	–	2	–
†BRIERLEY HILL	–	–	–	–	1	–
†BROWNHILLS ...	–	8	–	–	2	–
†BURTON-UPON-TRENT C.B.	–	2	–	–	–	–
†COSELEY ...	–	–	–	–	1	–
†DARLASTON ...	–	1	–	–	–	–
†HEATH TOWN ...	–	1	–	–	–	–
KIDSGROVE ...	–	–	1	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	1	1	–	–	–
†ROWLEY REGIS	–	–	–	–	1	–
†SEDGLEY ...	–	–	1	–	–	–
SHORT HEATH ...	–	–	1	–	–	–
†SMETHWICK C.B.	–	6	2	–	5	–
†STAFFORD ...	–	–	1	–	–	–
†STOKE-ON-TRENT C.B.	–	11	5	–	40	G. 1 M. 8
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	1	1	–	1	G. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BROMWICH C.B.	–	7	3	–	3	–
†WOLSTANTON UNITED	–	2	–	–	–	–
†WOLVERHAMPTON C.B.	–	7	–	–	1	C. 1
Rural Districts:—						
CANNOCK ...	*	*	*	*	*	*
CHEADLE ...	–	2	–	–	1	–
KINGSWINFORD	–	1	–	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
MAYFIELD ...	–	1	–	–	–	–
SEISDON ...	–	1	–	–	2	M. 1
STAFFORD ...	–	–	1	1	–	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY ...	–	–	1	–	–	–
UTTOXETER ...	–	–	–	–	1	–
SUFFOLK, EAST	–	6	3	1	3	M. 2
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	2	–
BUNGAY... ...	–	–	1	–	–	–
†LOWESTOFT ...	–	2	1	1	–	M. 1
Rural Districts:—						
BLYTHING ...	–	–	–	–	–	M. 1
BOSMERE AND CLAYDON	–	–	1	–	–	–
EAST STOW ...	–	1	–	–	1	–
HARTISMERE ...	*	*	*	*	*	*
MUTFORD AND LOTHINGLAND	–	3	–	–	–	–
SUFFOLK, WEST	–	1	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
Rural District:—						
CLARE	–	–	–	–	–	G. 1
SURREY	–	68	25	1	11	L. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	1	3	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	–	–	2	–
†CATERHAM ...	–	–	–	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	2	3	–	–	–
†CROYDON C.B....	–	19	6	–	2	–
EAST AND WEST MOLESEY	–	2	–	–	–	–
†EGHAM	–	–	2	–	1	–
†EPSOM	–	1	–	1	1	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	1	M. 1
HAM	–	1	–	–	–	–
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	6	–	–	–	–
†MERTON AND MORDEN ...	–	5	4	–	–	–
†MITCHAM ...	–	1	–	–	–	–
†RICHMOND ...	–	–	1	–	2	–
†SURBITON ...	–	2	1	–	–	–
†SUTTON	–	–	1	–	1	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON-UPON-THAMES	–	4	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIMBLEDON ...	–	13	2	–	–	–
†WOKING... ...	–	1	–	–	–	–
Rural Districts:—						
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
REIGATE ...	–	1	–	–	–	L. 1
SUSSEX, EAST ...	–	8	1	–	15	M. 2
Boroughs and Urban Districts:—						
†BEXHILL ...	–	–	–	–	–	M. 1
†BRIGHTON C.B.	–	5	–	–	5	–
BURGESS HILL	–	–	–	–	1	–
†EASTBOURNE C.B	–	–	–	–	2	–
†HASTINGS C.B....	–	1	–	–	3	–
†HOVE	–	–	1	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	2	–
STEYNING EAST	–	–	–	–	–	M. 1
UCKFIELD ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	10	2	–	2	M. 1
Boroughs and Urban Districts:—						
ARUNDEL ...	–	–	1	–	–	–
†BOGNOR... ...	–	1	–	–	–	–
†CHICHESTER ...	–	1	–	–	–	–
†HORSHAM ...	–	5	–	–	–	–
SHOREHAM-BY-SEA	–	–	1	–	–	–
†WORTHING ...	–	1	–	–	–	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	1	–	–	1	–
STEYNING WEST	–	–	–	–	–	M. 1
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	94	14	1	97	C. 5 M. 16
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	82	12	–	77	C. 5 M. 13
†COVENTRY C.B.	–	3	–	–	9	–
†NUNEATON ...	–	1	–	–	5	M. 2
†ROYAL LEAMINGTON SPA	–	–	1	1	2	–
†SUTTON COLDFIELD	–	2	–	–	–	M. 1
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	–	–
FOLESHILL ...	–	2	–	–	–	–
MERIDEN ...	–	–	–	–	2	–
SOUTHAM ...	–	–	–	–	1	–
TAMWORTH (part)	–	4	–	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND	–	5	–	–	–	–
Boroughs and Urban Districts:—						
KIRBY LONSLALE	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	4	–	–	1	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	1	–
SANDOWN ...	–	2	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	19	1	–	15	M. 1
Boroughs and Urban Districts:—						
†SWINDON ...	–	8	1	–	12	M. 1
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	1	–
CRICKLADE AND WOOTTON BASSETT	–	3	–	–	–	–
HIGHWORTH ...	–	1	–	–	2	–
WESTBURY AND WHORWELLSDOWN	–	5	–	–	–	–
WORCESTER ...	–	18	2	–	8	M. 1
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	3	–	–	2	–
†LYE AND WOLLESCOTE	–	2	–	–	–	–
†MALVERN ...	–	4	–	–	–	–
†OLDBURY ...	–	1	–	–	2	M. 1
†REDDITCH ...	–	1	–	–	1	–
†STOURBRIDGE ...	–	3	–	–	–	–
†WORCESTER C.B.	–	2	2	–	–	–
Rural Districts:—						
FECKENHAM ...	–	2	–	–	–	–
HALESOWEN ...	–	–	–	–	1	–
WORCESTER— *cont.*						
Rural Districts— *cont.*						
SHIPSTON-ON-STOUR	–	–	–	–	1	–
UPTON-UPON-SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	13	15	–	4	G. 2 K. 1 M. 5
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	–	G. 1
†BRIDLINGTON ...	–	–	–	–	–	G. 1
GREAT DRIFFIELD	–	–	1	–	–	–
†KINGSTON-UPON-HULL C.B.	–	3	9	–	4	K. 1 M. 3
WITHERNSEA ...	–	2	–	–	–	–
†YORK C.B. ...	–	1	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	M. 1
BRIDLINGTON ...	–	3	–	–	–	–
POCKLINGTON ...	–	4	–	–	–	M. 1
SCULCOATES ...	–	–	2	–	–	–
YORKS ... ... (North Riding).	18	5	5	–	9	C. 1 H. 1 M. 2
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	H. 1‡
MIDDLESBROUGH C.B.	18	–	1	–	6	M. 1
†REDCAR... ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	1	M. 1
†WHITBY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

‡ Notified as a doubtful case of typhus.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	1	–	–	–
MALTON... ...	–	–	1	–	–	–
NORTHALLERTON	–	–	–	–	1	–
PICKERING ...	–	–	–	–	–	C. 1
STARTFORTH ...	–	–	1	–	–	–
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding).	18	179	54	8	248	C. 7 E. 1 L. 6 M. 11
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	3	–	2	–
ALTOFTS ...	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	4	–	1	10	–
†BATLEY... ...	–	1	–	1	3	–
†BINGLEY ...	–	1	–	–	2	–
†BOLTON-UPON-DEARNE	–	–	–	1	4	–
†BRADFORD C.B.	–	16	7	–	16	M. 1
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	–	1	–	1	–
CUDWORTH ...	–	–	–	1	–	–
DARFIELD ...	–	–	–	–	2	–
†DARTON... ...	–	–	–	–	1	–
†DEWSBURY C.B.	–	2	–	–	–	–
EARBY	–	1	–	–	–	–
†ELLAND... ...	–	2	–	–	–	–
EMLEY	–	–	1	–	–	–
†FEATHERSTONE	–	–	1	–	–	–
†GOLCAR ...	1	–	–	–	2	–
†GOOLE	–	–	3	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	5	1	–	3	–
†HARROGATE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HECKMONDWIKE	–	–	–	–	1	–
†HEMSWORTH ...	–	6	1	–	3	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	1	–	–	–
HONLEY ...	–	–	–	–	2	–
HORBURY ...	–	–	–	–	–	C. 1
HORSFORTH ...	–	–	–	–	–	C. 1
†HOYLAND NETHER	–	–	–	–	2	–
†HUDDERSFIELD C.B.	–	1	1	–	6	–
ILKLEY	–	1	–	–	–	C. 1
†KEIGHLEY ...	–	–	–	–	1	–
†LEEDS C.B. ...	–	35	5	1	26	C. 3
LEPTON ...	*	*	*	*	*	*
LINTHWAITE ...	6	–	1	–	1	–
METHLEY ...	–	6	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	1	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY ...	–	–	1	–	4	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ...	–	1	–	–	2	–
†OSSETT... ...	*	*	*	*	*	*
OTLEY	–	1	–	–	1	–
†PONTEFRACT ...	–	–	–	–	2	–
RAWDON ...	–	–	–	–	2	–
†RAWMARSH ...	–	1	–	–	–	–
RIPON	–	–	1	–	–	–
†ROTHERHAM C.B.	–	4	1	–	3	–
†ROTHWELL ...	–	3	–	–	–	–
SELBY	–	–	1	–	1	–
†SHEFFIELD C.B.	–	28	18	3	107	E. 1 M. 9
SHEPLEY ...	–	–	–	–	2	–
SLAITHWAITE ...	1	–	–	–	–	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	2	–	–	3	–
†STANLEY ...	–	6	–	–	–	–
†SWINTON ...	–	1	–	–	1	–
THURLSTONLAND	–	–	–	–	–	L. 1
†TODMORDEN ...	10	–	–	–	2	–
†WAKEFIELD C.B.	–	10	–	–	2	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
WHITLEY, UPPER	*	*	*	*	*	*
†WOMBWELL ...	–	1	–	–	6	–
†WORSBOROUGH	–	–	–	–	2	–
YEADON ...	–	4	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	–	–	–	–	C. 1
DONCASTER ...	–	1	–	–	3	–
GOOLE	–	3	–	–	–	–
GREAT OUSEBURN ...	–	2	–	–	–	–
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	6	2	–	4	–
KIVETON PARK	–	–	1	–	–	–
KNARESBOROUGH	–	6	–	–	1	–
PENISTONE ...	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	1	–
SELBY	–	1	1	–	–	–
SKIPTON ...	–	–	–	–	–	M. 1
TADCASTER ...	–	1	–	–	1	–
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	6	1	–	–	–
WHARFEDALE (South)	–	–	–	–	–	L. 5
WORTLEY ...	–	–	1	–	–	–
WALES.						
ANGLESEY ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
MENAI BRIDGE	–	2	–	–	–	–
Rural District:—						
VALLEY ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
YSTRADFELLTE (parish)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	–	–	–	2	–
Rural District:—						
LAMPETER ...	–	–	–	–	2	–
CARMARTHEN ...	–	10	3	1	12	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	5	–
†LLANELLY ...	–	1	2	–	4	–
Rural Districts:—						
CARMARTHEN ...	–	4	–	–	–	–
LLANDILO FAWR	–	5	–	–	–	–
LLANELLY ...	–	–	1	1	2	–
LLANYBYTHER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	1	5	–	1	–
Boroughs and Urban Districts—						
CARNARVON ...	–	–	2	–	–	–
Rural Districts :—						
CONWAY ...	–	–	1	–	–	–
GEIRIONYDD ...	–	–	–	–	1	–
GWYRFAI ...	–	1	2	–	–	–
DENBIGH ...	–	6	1	–	6	M. 1
Boroughs and Urban Districts :—						
†COLWYN BAY and COLWYN	–	–	–	–	1	–
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	2	–	–	–	–
Rural Districts :—						
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	3	1	–	4	M. 1
FLINT	–	4	3	–	4	–
Boroughs and Urban Districts :—						
†RHYL	–	–	–	–	1	–
Rural Districts :—						
HAWARDEN ...	–	2	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	3	–
OVERTON ...	–	2	1	–	–	–
GLAMORGAN ...	–	80	17	2	29	C 1 D. 1 M. 2
Boroughs and Urban Districts :—						
†ABERDARE ...	–	9	–	–	3	–
†BARRY	–	1	–	1	5	–
BRITON FERRY	–	1	–	–	–	–
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CAERPHILLY ...	–	3	3	–	–	–
†CARDIFF C.B. ...	–	8	4	–	6	D. 1 M. 2
†GELLIGAER ...	–	4	–	–	–	–
†MAESTEG ...	–	4	–	–	–	–
†MERTHYR TYDFIL C.B.	–	1	–	–	–	–
†MOUNTAIN ASH	–	12	1	–	–	–
†NEATH	–	–	–	–	1	–
†OGMORE AND GARW	–	5	–	–	–	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	5	–	1	–	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	10	1	–	8	–
†SWANSEA C.B. ...	–	7	7	–	5	C. 1
Rural Districts :—						
LLANDAFF and DINAS POWIS	–	6	1	–	1	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	1	–	–	–	–
NEATH	*	*	*	*	*	*
PONTARDAWE ...	*	*	*	*	*	*
MERIONETH ...	–	2	–	–	–	–
Urban District :—						
FESTINIOG ...	–	2	–	–	–	–
MONMOUTH ...	–	22	11	–	10	C. 1
Boroughs and Urban Districts :—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	4	–	–	1	–
†BLAENAVON ...	–	–	1	–	–	–
†EBBW VALE ...	–	4	–	–	–	–
MONMOUTH ...	–	–	1	–	–	–
†MYNDDISLWYN	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
NANTYGLO AND BLAINA	–	1	–	–	3	–
†NEWPORT C.B....	–	5	4	–	3	C. 1
†RHYMNEY ...	–	4	–	–	–	–
†RISCA	–	1	1	–	–	–
†TREDEGAR ...	–	1	3	–	3	–
Rural District :—						
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	–	3	–	3	–
Boroughs and Urban Districts—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts :—						
LLANFYLLIN ...	–	–	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	1	–	–	–	–
Boroughs and Urban Districts :—						
MILFORD HAVEN	*	*	*	*	*	*
†PEMBROKE ...	*	*	*	*	*	*
Rural District :—						
PEMBROKE ...	–	1	–	–	–	–
RADNOR... ...	–	1	–	–	–	–
Rural District :—						
PAINCASTLE ...	–	1	–	–	–	–
Total of Part II.	48	1539	618	37	1264	C. 34 D. 6 E. 3 F. 2 G. 12 H. 1 K. 1 L. 15 M. 131

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COLCHESTER ...	*	*	*	*	*	*
DOVER (Deal Division)	–	1	–	–	–	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL ...	–	–	–	1	–	–
MILFORD ...	*	*	*	*	*	*
Total of Part III.	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	333	237	6	185	C. 3 D. 4 G. 2 H. 1 M. 18
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	48	1539	618	37	1264	C. 34 D. 6 E. 3 F. 2 G. 12 H. 1 K. 1 L. 15 M. 131
Total of Part III.—Port Sanitary Districts ...	–	1	–	1	–	–
Total (*i.e.*, of returns received), England and Wales	48	1873	855	44	1449	C. 37 D. 10 E. 3 F. 2 G. 14 H. 2 K. 1 L. 15 M. 149

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. Two cases of Typhus Fever were notified and appear on pages 448 and 461. The 48 cases of Small-pox include 2 cases of Alastrim, and appear on pages 450, 454, 457, 461, and 462.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.
LONDON:—													
DEATHS—all ages -	2,022	1662	1,418	1,636	1,472	1,398	1,239	1,223	1,267	1,417	1,514	1,446	1,406
„ 0 to 1 year -	219	192	186	181	183	180	177	150	188	219	228	197	220
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	8,131	8,822	8,908	8,240	8,575	8,199	8,357	8,238	7,683	8,220	7,962	7,250	8,046
DEATHS—all ages -	8,353	7,785	6,784	7,192	6,376	5,669	4,955	5,066	5,161	5,626	6,073	5,948	5,637
„ 0 to 1 year -	1,024	972	862	933	844	781	713	733	839	920	1,011	984	906
ENTERIC FEVER—Cases	17	29	17	12	17	21	12	26	4	12	13	20	17
„ Deaths	2	2	5	2	1	3	6	5	4	5	3	6	4
SMALL POX—Cases -	1	3	1	—	1	8	1	2	13	11	12	14	25
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,521	1,541	1,429	1,423	1,373	1,314	1,252	1,322	1,180	1,196	1,227	1,145	1,122
„ Deaths	21	27	22	28	18	26	25	17	17	25	18	20	23
DIPHTHERIA—Cases -	787	822	807	782	832	785	740	654	685	654	666	622	560
„ Deaths	75	80	75	59	58	73	74	45	37	74	47	49	43
MEASLES—Deaths -	60	61	44	61	83	86	89	104	122	160	181	154	158
INFLUENZA—Deaths -	1,451	1,144	759	670	525	306	291	146	104	111	117	109	93

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd April 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	59	31	53·0	36·6	10
BRIGHTON -	59	36	50·4	38·4	5
PORTSMOUTH -	59	36	52·7	39·3	7
NORWICH (SOUTHWELL LODGE).	52	30	49·0	37·2	11
PLYMOUTH -	58	34	53·0	38·6	4
BRISTOL (CLIFTON).	58	36	50·7	40·6	4
BIRMINGHAM -	55	33	49·7	36·1	5
NOTTINGHAM -	55	30	49·9	35·9	9
BIRKENHEAD (BIDSTON).	52	34	48·7	38·4	5
MANCHESTER	58	34	51·6	37·0	4
BURNLEY -	57	29	50·3	32·7	10
HUDDERSFIELD	55	30	49·3	34·1	16

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	56	32	49·3	34·0	10
SHEFFIELD -	54	33	49·1	35·3	10
YORK (MUSEUM).	57	31	51·0	35·0	6
HULL (PEARSON PARK).	52	29	48·4	34·7	1
TYNEMOUTH	48	32	45·1	35·6	5
CARDIFF -	58	36	53·0	37·9	1
EDINBURGH -	50·0	32·0	46·7	34·9	2
GLASGOW -	57·7	32·2	?	?	1
DUBLIN (PHŒNIX PARK).			Not received.		
FITZWILLIAM SQUARE.†	54·1	34·0	51·4	37·6	1
BELFAST -	53·5	29·6	50·2	34·4	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 22nd April 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	16	Greatest Declination S.	29·612	52·1	41·2	10·9	44·2	− 3·0	38·3	5·9	12·9	2·0	80	104·0	40·6	44·2	SSW & WSW.	SW & NNE.	5·0	0·0	0·5	427	+136	0·13
MONDAY	17	..	30·144	48·0	35·7	12·3	41·2	− 6·4	33·8	7·4	11·7	2·2	75	102·3	30·7	44·4	N & NNE	N.	4·5	0·0	0·5	381	+ 89	0·03
TUESDAY	18	..	30·239	49·0	35·4	13·6	41·5	− 6·5	35·7	5·8	12·5	3·0	80	91·0	30·6	44·9	N.	N & NNE	5·2	0·0	0·6	434	+142	0·00
WEDNESDAY	19	Last Quarter.	30·212	58·8	37·7	21·1	47·5	− 0·8	35·5	12·0	20·8	3·0	63	120·4	27·6	45·0	NNE & NE.	NE	5·0	0·0	0·4	375	+ 82	0·00
THURSDAY	20	..	30·091	58·0	31·1	26·9	43·8	− 4·7	34·4	9·4	20·5	0·0	70	117·2	21·6	45·0	NE & N	NE, ESE & calm.	1·1	0·0	0·1	153	−139	0·00
FRIDAY	21	..	29·907	55·9	33·2	22·7	43·9	− 4·8	35·2	8·7	18·8	0·0	71	124·0	22·3	45·0	Calm & NE.	E, calm & S.	0·7	0·0	0·0	132	−159	0·00
SATURDAY	22	Apogee	29·659	46·0	37·2	8·8	41·5	− 7·2	39·0	2·5	6·2	0·0	91	60·3	25·9	44·9	Calm & N.	N & NNW	1·9	0·0	0·1	200	− 89	0·24
MEANS		..	29·981	52·5	35·9	16·6	43·4	− 4·8	36 0	7·4	14·8	1·5	76	102·7	28·5	44·8	NNE		...	...	...	Sum 2,102	Sum + 62	Sum 0·40
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	16	s.P. generally till 18h., w.P. afterwards.	1·7	13·8	Overcast generally with cloudy intervals. Brisk wind till 9h. Damping or rain 3h. 30m. to 5h. and after 16h.
MONDAY -	17	v.P. generally	4·9	13·9	Overcast generally till 6h.; cloudy with overcast intervals till 19h. 30m., then cloudless. Frequent rain till 18h. 30m. Hail between 15h. and 16h. 30m.
TUESDAY -	18	m.P. till 10h. s.P. generally afterwards.	3·9	13·9	Very cloudy generally with overcast intervals. Occasional slight rain, sleet or damping.
WEDNESDAY	19	w.P. till 8h., s.P. afterwards.	11·0	14·0	Overcast generally till 7h. 30m., nearly cloudless by 8h., variably cloudy 14h. 30m. to 17h., then nearly cloudless. Cloudless from 19h.
THURSDAY -	20	m.P. till 8h., s.P. afterwards.	9·8	14·1	Cloudless or nearly cloudless generally. Overcast with mist 3h. to 8h. and cloudy between 17h. and 20h. 30m. Hoar frost morning and night.
FRIDAY -	21	m.P. generally till 8h., s.P. afterwards.	6·2	14·1	Cloudless till 2h. 30m., overcast till 4h. 30m. Very cloudy generally till 11h., variably cloudy till 20h. becoming cloudless generally by 20h. 30m. Hoar frost in morning. Slight dew at night.
SATURDAY -	22	v.P. till 6h., w.P. generally afterwards.	0·0	14·2	Cloudy to overcast by 3h. with rain or damping generally throughout the rest of the day. Misty in morning.
			Sum 37·5	Sum 98·0	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·42 in. at the beginning of the week to 30·27 in. by 7h. on 18th; decreased to 29·63 in. by 18h. on 22nd; and was 29·66 in. at midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 17.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 29TH APRIL, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and n foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH APRIL, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventeenth week of the year numbered 8,711, and corresponded to an annual rate of 23·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,486 and corresponded to an annual rate of 15·0 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 16·6, 16·3 and 15·4. Infant mortality was 96 per 1,000 births against 127, 136 and 112 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,170 births, corresponding to a rate of 25·0 per 1,000, and 1,327 deaths of civilians, corresponding to a rate of 15·3, as against 17·5, 16·7, and 16·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 16·4 per 1,000. The infant mortality was 73 as against 126, 120, and 113 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 151 in the total deaths last week, the deaths from influenza showing a decrease of 18. In London the number of deaths from all causes fell from 1,406 to 1,327; there was a decrease of 34 in the deaths from pneumonia, while the deaths from measles, which had been 115, 101 and 84 in the preceding three weeks, rose again to 98 last week.

---

m (45)17630—1 Wt 30—P 19 2250 5/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 29th April 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,711	5,486	834	5	177	31	95	53	68	75
London	4,514,405*	2,170	1,327	159	–	98	5	39	24	15	15
Towns in Outer Ring.											
Croydon C.B.	191,500	63	41	2	–	1	2	–	1	1	–
Wimbledon	61,700	20	20	2	–	–	–	–	–	–	–
Ealing	67,800	34	10	3	–	–	–	–	–	1	–
Acton	62,000	24	14	1	–	1	–	–	–	–	–
Willesden	167,200	57	45	7	–	4	–	–	2	1	–
Hendon	55,500	19	8	1	–	–	–	–	–	–	–
Hornsey	87,600	25	16	1	–	1	–	–	–	–	–
Wood Green	51,100	17	7	1	–	–	–	1	–	–	–
Tottenham	149,200	53	37	5	–	5	–	–	2	–	1
Edmonton	67,800	37	10	–	–	1	–	1	2	–	–
Enfield	61,400	31	8	3	–	–	–	–	–	–	–
West Ham C.B.	307,000	181	84	20	–	5	–	2	1	2	1
East Ham C.B.	145,500	76	31	5	–	2	–	–	1	–	1
Leyton	130,100	49	26	5	–	2	1	–	1	–	1
Walthamstow	129,800	41	39	7	–	2	–	3	1	–	–
Ilford	85,500	31	16	1	–	–	–	–	–	–	–
Gillingham	48,149*	28	10	2	–	–	–	–	1	–	–
Canterbury C.B.	23,680	8	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	23	26	2	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	12	16	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	47	25	4	–	–	–	–	–	1	–
Portsmouth C.B.	233,929*	105	69	13	–	–	–	1	–	1	–
Bournemouth C.B.	81,200	29	23	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	78	41	2	–	–	–	–	1	–	1
Reading C.B.	92,600	29	13	3	–	–	–	–	–	–	–
Oxford C.B.	56,400	22	24	–	–	–	1	–	–	–	–
Northampton C.B.	92,300	38	25	3	–	–	–	–	–	–	–
Luton	57,800	23	14	6	–	–	–	–	–	–	–
Cambridge	58,900	22	19	4	–	–	1	–	–	–	–
Southend-on-Sea C.B.	90,500	41	13	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	33	16	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	19	18	3	–	–	–	1	–	–	–
Norwich C.B.	122,400	51	35	6	–	–	–	1	–	–	–
Swindon	55,500	29	14	2	–	–	–	–	–	–	1
Exeter C.B.	59,500	25	13	–	–	–	–	–	–	–	1
Plymouth C.B.	199,869*	94	66	9	–	4	–	1	–	–	–
Bath C.B.	68,300	19	22	–	1	–	–	–	–	–	1
Bristol C.B.	381,700	183	116	13	–	3	–	1	1	1	1
Gloucester C.B.	51,800	14	18	3	–	–	–	–	1	–	–
Stoke-on-Trent, C.B.†	273,238	133	75	13	1	–	–	2	–	2	1
Burton-upon-Trent C.B.	49,410	22	11	3	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	55	26	4	–	–	–	–	–	1	–
Walsall C.B.	98,800	61	31	6	–	–	–	1	–	–	–
West Bromwich C.B.	75,300	50	23	6	–	–	–	3	1	–	–
Worcester C.B.	49,160	24	20	1	–	–	–	1	–	–	–
Dudley C.B.	57,100	28	23	3	–	–	–	–	–	–	–
Birmingham C.B.	936,000	438	302	64	–	3	4	14	–	5	4
Smethwick C.B.	77,400	41	21	5	–	–	–	1	–	–	–
Coventry C.B.	130,300	52	20	3	–	–	–	–	–	–	–
Leicester C.B.	237,900	89	71	10	–	–	–	–	–	1	–
Lincoln C.B.	66,600	20	26	6	–	–	–	–	–	–	–
Grimsby C.B.	83,600	47	30	5	–	–	–	1	–	2	–
Nottingham C.B.	266,400	121	67	11	–	–	1	1	–	5	1
Derby C.B.	131,800	57	35	8	–	–	–	–	–	1	1
Chesterfield	62,400	27	17	6	–	–	–	–	1	–	2
Stockport C.B.	125,500	57	42	4	–	–	–	1	–	–	2
Chester C.B.	41,030	20	15	4	–	1	–	–	–	–	–
Birkenhead C.B.	147,800	64	49	7	–	1	–	–	–	2	3
Wallasey C.B.	89,600	27	28	2	–	2	–	–	–	–	1
Liverpool C.B.	817,000	406	210	23	–	1	3	–	1	6	3
Bootle C.B.	77,800	48	19	4	–	1	–	–	–	–	1
St. Helens C.B.	104,900	60	35	8	–	4	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st April 1922.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	23	22	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	36	30	6	–	2	–	–	–	–	–
Warrington C.B.	78,600	35	18	2	–	–	–	–	–	–	–
Bolton C.B.	182,200	68	44	12	–	–	–	–	1	1	–
Bury C.B.	57,600	15	16	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	355	228	33	–	6	1	3	2	8	5
Salford C.B.	239,100	93	94	15	1	5	1	1	1	2	–
Oldham C.B.	148,300	55	45	4	–	–	–	–	–	–	1
Rochdale C.B.	92,700	28	39	3	–	1	–	–	1	–	–
Burnley C.B.	105,300	45	42	7	–	–	–	–	–	–	2
Blackburn C.B.	129,400	35	33	4	–	–	–	1	–	–	–
Preston C.B.	119,900	46	30	5	–	–	–	–	1	–	1
Blackpool C.B.	73,800	32	25	2	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	39	25	4	–	–	–	1	–	–	–
Huddersfield C.B.	111,900	39	42	6	–	1	–	2	–	–	–
Halifax C.B.	100,700	31	35	4	–	–	–	–	–	–	–
Bradford C.B.	291,100	112	97	15	–	1	1	–	–	–	9
Leeds C.B.	465,500	217	143	17	–	–	–	2	–	1	3
Dewsbury C.B.	55,100	18	13	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	33	22	4	–	–	–	–	–	–	–
Barnsley C.B.	68,991	37	33	14	–	–	–	–	–	–	1
Sheffield C.B.	519,239	222	165	35	1	13	4	1	2	–	1
Rotherham C.B.	69,100	37	25	8	–	6	–	–	–	–	–
Doncaster	54,700	31	10	1	–	–	–	–	–	–	1
York C.B.	84,500	48	17	1	–	–	–	–	–	–	1
Hull C.B.	291,800	136	77	13	–	–	–	1	–	–	–
Middlesbrough C.B.	133,400	87	41	8	–	–	–	1	–	–	–
Darlington C.B.	66,400	38	25	4	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	38	26	2	–	–	–	2	–	1	1
West Hartlepool C.B.	69,300	37	22	2	–	–	1	–	–	–	–
Sunderland C.B.	161,100	78	57	17	–	–	–	–	–	2	–
South Shields C.B.	120,376	68	39	9	–	–	–	–	–	–	1
Gateshead C.B.	126,700	78	27	5	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	153	72	16	–	–	1	–	–	–	–
Tynemouth C.B.	63,900	34	14	1	1	–	–	–	–	–	–
Carlisle C.B.	53,200	25	23	3	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	42	30	3	–	–	1	1	–	1	–
Cardiff C.B.	202,700	96	52	11	–	–	–	1	3	1	–
Rhondda	166,600	82	36	7	–	–	1	–	–	1	2
Merthyr Tydfil C.B.	81,800	47	23	7	–	–	1	–	–	1	–
Aberdare	56,100	24	12	2	–	–	1	–	–	–	–
Swansea C.B.	159,600	71	41	11	–	–	–	2	–	1	2
Greater London	7,523,963*	3,384	2,005	241	1	129	8	47	39	21	21
Outer Ring	3,009,558*	1,214	678	82	1	31	3	8	15	6	6
16 Great Towns in Outer Ring	1,820,700	758	412	64	–	24	3	7	11	5	4
Remainder of Outer Ring	1,188,858*	456	266	18	1	7	–	1	4	1	2
Edinburgh†	420,500	186	123	19	1	7	–	–	2	–	–
Glasgow†	1,037,800	672	356	61	–	56	3	3	5	5	1
Dublin (Registration Area)†	427,000	186	148	30	–	10	–	1	1	3	3
Belfast†	425,000	265	134	19	–	2	–	1	2	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Apr. 29	2170	1327	15·3	–	–	98	5	39	24	15	15
Calcutta	896,067	Mar. 25	?	646§	37·0	?	31	–	–	–	–	–	26
Bombay	1,175,914	,, 25	334‖	703§	31·1	2	3	–	–	–	1	45	34
Madras	522,951	,, 25	373	545	54·2	2	61	10	?	4	–	58	1
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	January 31 days.											
Perth (Metropolitan Area).	154,866	Mar. 11	92	42	14·1	3	–	–	–	–	1	3	–
Auckland (Urban Area).	157,757	January 31 days.											
Wellington (Urban Area).	107,488	,, ,,											
Christchurch (Urban Area).	105,670	,, ,,											
Cape Town	101,000	Jan. 21	42	8	4·1	–	–	–	–	–	–	1	–
		,, 28	66	22	11·3	–	–	–	–	–	–	2	–
Johannesburg	149,500	Mar. 18	84	17	5·9	–	–	–	–	–	–	–	–
Durban	48,000	,, 18	14	14	15·2	–	–	–	–	–	–	–	–
Paris	2,906,472	,, 31 (11 days).	1372	1409	17·2	3	–	3	1	4	7	28	7
Antwerp	340,852	Mar. 4	99	90	14·0	–	–	2	–	4	–	4	1
Amsterdam	683,595	Apr. 15	298	152	11·6	1	–	5	–	–	–	2	–
Copenhagen	562,000	,, 15	218	157	14·4	–	–	1	2	–	–	1	2
Stockholm	422,042	,, 15	106	83	10·2	–	–	–	–	–	–	1	–
Gothenburg	228,052	,, 15											
Christiania	260,920	,, 22	97	66	13·1	–	–	–	–	2	–	–	1
Berlin	1,955,000	Apr. 1	469	611	16·2	–	?	5	–	2	1	10	7
Breslau	550,000	,, 1	239	240	22·7	–	?	–	–	1	2	6	7
Cologne	672,000	,, 1	283	184	14·2	–	?	–	–	3	3	6	5
Dresden	601,000	,, 1	187	215	18·6	2	?	1	1	1	1	1	10
Frankfort-on-Main	473,000	,, 1	135	122	13·4	–	?	–	–	1	2	2	3
Hamburg	1,039,000	,, 1	304	270	13·5	–	?	–	–	–	3	5	2
Leipzig	632,000	,, 1	216	192	15·8	–	?	1	–	2	–	2	7
Munich	675,000	,, 1	214	181	13·9	–	?	–	–	–	1	2	11
Vienna	1,842,005	Mar. 4	681	801	22·6	–	–	1	1	6	2	19	23
		,, 11	611	713	20·1	–	–	–	1	4	5	10	14
Prague and Suburbs	689,262	,, 18											
Budapest	936,000	Jan. 28											
Cairo	777,500	Feb. 18	742	387	25·9	3	1	6	–	?	2	27	?
Alexandria	456,300	,, 18	456	222	25·3	–	–	–	–	?	–	13	?
New York	5,839,738	Apr. 1	2626	1534	13·7	2	–	40	9	7	28	35	16
Chicago	2,833,288	,, 1	?	659	12·1	1	2	4	3	2	14	19	16
Rio de Janeiro	1,188,422	Mar. 11	743	463	20·3	1	2	1	–	3	1	–	15
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 34 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 9 in Calcutta and 19 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th April, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1327	159	124	70	48	49	48	76	131	174	207	241
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	98	13	57	23	3	2	–	–	–	–	–	–
Scarlet fever	5	–	1	2	1	1	–	–	–	–	–	–
Whooping cough	39	13	18	7	1	–	–	–	–	–	–	–
Diphtheria	24	–	6	13	5	–	–	–	–	–	–	–
Influenza	15	2	–	–	–	1	–	–	2	3	3	4
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	3	–	–	–	1	–	–	1	–	–	1	–
Meningococcal meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	83	–	–	–	3	18	19	7	15	14	5	2
Tuberculous meningitis	11	1	3	2	4	–	–	1	–	–	–	–
Abdominal tuberculosis	3	–	–	–	–	1	–	2	–	–	–	–
Other tubercle	10	1	2	2	1	1	1	1	–	1	–	–
Venereal diseases	2	–	–	–	–	–	–	–	2	–	–	–
Cancer	104	–	–	–	2	1	–	12	23	32	25	9
Rheumatic fever	9	–	–	–	5	1	1	2	–	–	–	–
Diabetes	14	–	–	–	–	1	1	–	1	5	5	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	1	1	–	–	1	–	–	–	–	1	–
Cerebral hæmorrhage, &c., Apoplexy	48	–	–	–	–	–	1	1	8	7	17	14
Epilepsy	3	–	–	–	–	–	–	1	2	–	–	–
"Convulsions" (not puerperal)	6	5	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	30	1	–	2	2	–	2	3	11	6	3	–
Pericarditis	3	–	–	–	1	–	–	–	–	1	–	1
Acute endocarditis	3	–	–	–	–	–	–	3	–	–	–	–
Other diseases of heart	161	–	2	–	2	3	5	6	19	30	39	55
Other dis. of circulatory system	52	1	–	–	–	–	–	2	6	7	18	18
Bronchitis	126	12	–	4	–	1	–	7	3	13	23	63
Broncho-pneumonia	91	32	22	7	3	–	–	1	4	7	8	7
Lobar pneumonia	42	3	1	2	–	3	2	6	5	5	10	5
Pneumonia (type not distinguished)	33	3	1	1	3	3	1	2	3	5	6	5
Other diseases of respiratory system	12	–	–	–	–	–	–	–	2	3	6	1
Diarrhœa and enteritis	17	12	3	1	–	–	–	1	–	–	–	–
Appendicitis and typhlitis	5	–	–	–	–	1	1	–	1	1	1	–
Hernia, Intestinal obstruction	12	–	–	–	–	–	1	1	1	5	2	2
Cirrhosis of liver	3	–	–	–	–	–	–	1	1	1	–	–
Other diseases of digestive system	24	1	–	–	1	–	1	–	4	4	9	5
Acute nephritis	3	–	–	1	–	–	–	–	–	–	2	–
Chronic Bright's disease	27	–	–	–	1	2	1	3	5	5	4	6
Other diseases of genito-urinary system.	12	–	–	–	–	–	1	–	1	1	6	3
Puerperal fever, &c.	4	–	–	–	–	1	1	1	1	–	–	–
Other causes incident to childbirth	7	–	–	–	–	2	4	1	–	–	–	–
Congenital malformations	6	6	–	–	–	–	–	–	–	–	–	–
Premature birth	36	36	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	38	–	–	–	–	–	–	–	–	–	6	32
Suicide	9	–	–	–	–	2	–	–	1	4	2	–
Burns and scalds	4	1	–	1	–	–	–	1	–	–	–	1
Drowning	2	–	–	–	–	–	1	–	1	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	2	2	–	1	1	–	–	–
Other deaths by violence	14	–	–	–	1	–	1	2	3	3	2	2
Other specified causes	54	7	5	2	6	1	3	6	5	11	3	5
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th April 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	16	16	–	13	C. 1 M. 2
†BERMONDSEY ...	–	7	17	–	3	C. 1
†BETHNAL GREEN	–	6	10	–	3	–
†CAMBERWELL ...	–	18	16	–	2	M. 2
†CHELSEA ...	–	–	4	–	–	–
†DEPTFORD ...	–	8	7	–	–	–
†FINSBURY ...	–	6	16	–	4	–
†FULHAM ...	–	14	20	–	5	C. 1 M. 1
†GREENWICH ...	–	16	5	–	5	–
†HACKNEY ...	–	15	13	–	3	M. 1
†HAMMERSMITH	–	9	5	–	–	M. 1
†HAMPSTEAD ...	–	2	6	–	5	–
†HOLBORN ...	–	5	5	–	–	G. 1
†ISLINGTON ...	–	30	22	–	1	C. 2 M. 3
†KENSINGTON ...	–	8	8	–	3	–
†LAMBETH ...	–	31	20	–	6	C. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	10	8	–	1	–
†PADDINGTON ...	–	3	7	–	15	C. 1
†POPLAR... ...	–	7	15	–	9	C. 2 M. 1
†ST. MARYLEBONE	–	5	5	–	4	M. 2
†ST. PANCRAS ...	–	28	12	–	9	M. 2
†SHOREDITCH ...	–	5	4	–	3	M. 1
†SOUTHWARK ...	–	6	5	1	7	M. 2
†STEPNEY ...	–	5	17	–	7	M. 2
†STOKE NEWINGTON	–	7	3	–	–	C. 1
†WANDSWORTH	–	25	16	–	17	C. 1
†WESTMINSTER, CITY OF	–	5	3	–	3	C. 1
†WOOLWICH ...	–	8	6	1	9	–
TOTAL OF PART I.	–	305	291	2	137	C. 12 G. 1 M. 21

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	2	–	1	M. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	1	–	–	1	M. 1
BIGGLESWADE ...	–	1	–	–	–	–
Rural Districts :—						
BEDFORD ...	–	–	1	–	–	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	18	2	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
†READING, C.B.	–	2	2	–	–	–
WANTAGE ...	–	4	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	3	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
BUCKINGHAM ...	–	7	6	–	11	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	3	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	2	–
CHESHAM ...	–	–	–	–	2	–
†SLOUGH... ...	–	1	–	–	2	–
†WOLVERTON ...	–	1	–	–	2	–
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
NEWPORT PAGNELL	–	–	2	–	1	–
WYCOMBE ...	–	2	1	–	2	M. 1
CAMBRIDGE...	–	2	1	–	1	–
Borough :—						
†CAMBRIDGE ...	–	–	–	–	1	–
Rural District :—						
CHESTERTON ...	–	2	1	–	–	–
CHESTER	–	68	21	2	36	C. 2 G. 1 M. 4
Boroughs and Urban Districts :—						
ALDERLEY EDGE	*	*	*	*	*	*
ALSAGER ...	*	*	*	*	*	*
†ALTRINCHAM ...	–	3	–	–	–	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	7	2	–	11	C. 2 G. 1 M. 2
BOLLINGTON ...	–	2	2	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	3	–
†CHEADLE AND GATLEY	–	–	3	–	1	–
†CHESTER C.B. ...	–	7	3	–	–	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	6	2	–	–	–
†DUKINFIELD ...	–	–	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	–	–
HALE	–	4	–	–	–	–
HAZEL GROVE AND BRAMHALL	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOOLE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	1	1	–
†HYDE	–	1	–	–	–	M. 1
†MACCLESFIELD...	–	7	1	–	–	–
MIDDLEWICH ...	–	–	1	–	1	–
†RUNCORN ...	–	1	2	–	1	–
†SALE	*	*	*	*	*	*
†STOCKPORT, C.B.	–	4	2	–	3	–
†WALLASEY, C.B.	–	11	1	1	5	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	–	–	–	6	–
Rural Districts:—						
BUCKLOW ...	–	3	–	–	1	–
CHESTER ...	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ...	–	1	–	–	–	–
WIRRAL... ...	–	1	–	–	–	–
CORNWALL ...	–	5	–	–	3	–
Boroughs and Urban Districts:—						
CAMBORNE ...	–	1	–	–	–	–
NEWQUAY ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SALTASH ...	–	–	–	–	1	–
Rural Districts:—						
LAUNCESTON ...	–	–	–	–	1	–
REDRUTH ...	–	1	–	–	–	–
SAINT AUSTELL	–	2	–	–	–	–
WEST PENRITH	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	3	3	–	2	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	3	–	–	1	–
MARYPORT ...	–	–	2	–	–	–
MILLOM ...	–	–	–	–	1	–
Rural Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
DERBY	–	29	19	1	49	G. 1 M. 1
Boroughs and Urban Districts:—						
ALVESTON AND BOULTON	–	1	–	–	–	–
†CHESTERFIELD	–	2	2	–	2	–
CLAY CROSS ...	–	2	–	–	–	–
†DERBY C.B. ...	–	6	6	–	23	M. 1
DRONFIELD ...	–	–	–	–	1	–
†HEANOR ...	–	1	1	–	3	–
†LONG EATON ...	–	1	–	–	4	–
†RIPLEY... ...	–	1	1	–	3	–
†SWADLINCOTE DISTRICT	–	1	1	–	1	–
WIRKSWORTH ...	–	–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	4	–
BELPER	–	1	–	–	1	–
BLACKWELL ...	–	6	1	–	1	–
CHAPEL-EN-LE-FRITH	–	–	–	–	1	–
CHESTERFIELD	–	4	–	1	1	G. 1
CODNOR PARK, &c. (parishes)	–	–	–	–	1	–
†GLOSSOP DALE...	–	1	–	–	–	–
HARTSHORNE AND SEALS	*	*	*	*	*	*
HAYFIELD ...	–	–	2	–	–	–
NORTON... ...	–	–	–	–	3	–
REPTON	–	1	2	–	–	–
SHARDLOW ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	6	9	–	16	C. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	–	–	–	4	–
†NEWTON ABBOT	–	–	1	–	–	–
NORTHAM ...	–	–	–	–	1	–
†PAIGNTON ...	–	–	–	–	2	–
†PLYMOUTH C.B.	–	2	–	–	2	C. 1
TAVISTOCK ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	2	–
TIVERTON ...	–	–	1	–	–	–
†TORQUAY ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
HONITON ...	–	–	–	–	2	–
KINGSBRIDGE ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	–	2	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TOTNES	–	–	1	–	–	–
DORSET	–	6	2	1	6	G. 1 M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	*	*	*	*	*	*
BRIDPORT ...	–	–	–	–	1	–
†POOLE	–	2	–	–	2	G. 1
SHERBORNE ...	–	1	–	–	–	–
SWANAGE ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	M. 1
WIMBORNE ...	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BLANDFORD ...	*	*	*	*	*	*
CERNE	–	1	1	–	–	–
DORCHESTER ...	–	–	1	1	–	–
STURMINSTER ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	39	17	1	84	C. 2 E. 1 M. 14
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	1	–	1	M. 1
†BLAYDON ...	–	–	–	–	1	M. 1
†CHESTER-LE-STREET	–	–	–	–	–	M. 2
†DARLINGTON C.B.	–	4	2	–	11	M. 1
†DURHAM ..	–	1	–	–	–	–
†FELLING ...	–	–	–	–	2	–
†GATESHEAD C.B.	–	2	3	–	3	–
†HARTLEPOOL ...	–	–	–	–	2	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON ...	–	–	–	–	3	–
†HOUGHTON-LE-SPRING	–	1	–	–	3	–
†JARROW ...	–	–	1	–	7	–
†RYTON ...	–	1	–	–	–	–
†SHILDON ...	–	2	–	–	–	–
†SOUTH SHIELDS C.B.	–	1	–	–	14	C. 1 M. 1
†SOUTHWICK-ON-WEAR	–	–	–	–	1	M. 2
†STANLEY ...	–	–	1	–	3	C. 1
†STOCKTON-ON-TEES	–	3	2	1	2	–
†SUNDERLAND C.B.	–	5	–	–	4	M. 5
TOW LAW ...	*	*	*	*	*	*
†WASHINGTON ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B.	–	–	–	–	2	–
†WHICKHAM ...	–	2	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	5	–	–	–	M. 1
CHESTER-LE-STREET	–	4	1	–	3	–
DARLINGTON ...	–	–	2	–	1	–
DURHAM ...	–	2	–	–	–	E. 1
EASINGTON ...	–	–	–	–	11	–
HARTLEPOOL ...	–	–	1	–	–	–
HOUGHTON-LE-SPRING	–	1	–	–	3	–
LANCHESTER ...	–	1	–	–	1	–
SEDGEFIELD ...	–	–	1	–	1	–
SOUTH SHIELDS	–	–	1	–	–	–
SUNDERLAND ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	1	–
Rural District:—						
ELY	–	1	–	–	1	–
ESSEX	–	77	35	–	30	C. 4 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	3	–	–	3	–
BUCKHURST HILL	–	–	1	–	–	–
†CHINGFORD ...	–	1	1	–	–	–
†COLCHESTER ...	–	2	3	–	–	–
†EAST HAM C.B.	–	9	2	–	3	–
FRINTON-ON-SEA	–	–	–	–	1	–
†GRAYS THURROCK	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	3	4	–	1	–
†LEYTON... ...	–	8	4	–	4	C. 2
LOUGHTON ...	–	1	–	–	–	–
MALDON ...	–	–	–	–	–	M. 1
†ROMFORD ...	–	1	1	–	–	–
SHOEBURYNESS-ON-SEA	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	4	2	–	1	C. 1 M. 1
TILBURY ...	–	1	–	–	–	–
†WALTHAMSTOW	–	11	3	–	3	–
†WANSTEAD ...	–	2	–	–	1	–
†WEST HAM C.B.	–	7	8	–	9	M. 1
†WOODFORD ...	–	3	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
BRAINTREE ...	–	–	–	–	1	–
BUMPSTEAD ...	–	1	–	–	–	–
CHELMSFORD ...	–	3	–	–	–	–
DUNMOW ...	–	1	–	–	2	–
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT	–	1	1	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROCHFORD ...	–	–	2	–	–	–
ROMFORD ...	–	–	2	–	–	C. 1
SAFFRON WALDEN	–	5	–	–	–	–
STANSTED ...	–	4	–	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	48	7	–	22	C. 3 G. 1 M. 4
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	39	5	–	15	C. 1 G. 1 M. 4
†GLOUCESTER C.B.	–	–	–	–	2	–
†KINGSWOOD ...	–	1	–	–	–	–
STOW-ON-THE-WOLD	–	1	–	–	–	–
STROUD ...	–	–	–	–	1	–
Rural Districts:—						
DURSLEY ...	–	3	–	–	–	–
GLOUCESTER ...	–	2	–	–	–	–
PEBWORTH ...	*	*	*	*	*	*
STOW-ON-THE-WOLD (part)	–	1	1	–	–	C. 1
STROUD ...	–	–	1	–	1	C. 1
THORNBURY ...	–	–	–	–	3	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	2	7	–	4	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	4	–	–	–
LEOMINSTER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
DORE	–	–	–	–	1	–
HEREFORD ...	–	–	3	–	–	–
LEDBURY ...	–	–	–	–	2	–
LEOMINSTER ...	–	1	–	–	1	–
HERTFORD ...	–	8	3	–	7	L. 1
Boroughs and Urban Districts:—						
BALDOCK ...	*	*	*	*	*	*
†BARNET... ...	*	*	*	*	*	*
†CHESHUNT ...	–	–	–	–	2	–
HARPENDEN ...	–	2	–	–	–	–
RICKMANSWORTH	–	–	1	–	–	–
ROYSTON ...	–	1	1	–	–	–
†ST. ALBANS ...	–	–	–	–	4	–
STEVENAGE ...	–	–	–	–	1	–
†WATFORD ...	–	2	–	–	–	L. 1
Rural Districts:—						
BERKHAMPSTED	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WATFORD ...	–	2	–	–	–	–
HUNTINGDON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
RAMSEY ...	–	1	–	–	–	–
Rural Districts—						
ST. IVES ...	–	2	–	–	–	–
ST. NEOTS, No. 1	–	1	–	–	–	–
KENT	–	42	17	1	13	C. 1 E. 1 M. 5
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	–	–	2	–
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY ...	–	–	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	6	–	–	2	–
†CHATHAM ...	–	–	1	–	1	–
CHERITON ...	–	–	–	–	–	M. 1
†DARTFORD ...	–	2	1	–	1	M. 1
†DOVER	–	–	–	–	1	M. 1
†ERITH	–	–	2	–	1	E. 1
†FAVERSHAM ...	–	2	–	–	–	M. 1
†FOLKESTONE ...	–	1	1	–	–	–
†GILLINGHAM ...	–	1	–	1	1	–
†GRAVESEND ...	–	–	1	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
HYTHE... ...	–	2	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	2	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	4	2	–	1	–
QUEENBOROUGH	–	1	–	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	2	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	–	M. 1
†SHEERNESS ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	2	–	–	C. 1
CRANBROOK ...	–	1	1	–	–	–
DARTFORD ...	–	1	–	–	1	–
EAST ASHFORD		1	–	–	–	–
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MALLING ...	–	2	1	–	–	–
MILTON	–	1	1	–	–	–
LANCASTER ...	–	291	65	7	206	C. 8 D. 2 G. 1 L. 17 M.38
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	5	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	2	1	1	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-UNDER-LYNE	–	1	–	–	7	–
ASPULL	–	1	1	–	3	–
†ATHERTON ...	–	1	–	–	4	–
†BACUP	–	–	–	–	1	–
BARROWFORD ...	*	*	*	*	*	*
†BARROW-IN-FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	1	3	–	1	–
†BLACKPOOL C.B.	–	–	–	1	5	M. 2
†BOLTON C.B. ...	–	7	2	–	2	–
†BOOTLE C.B. ...	–	6	3	–	–	G. 1
BRIERFIELD ...	–	–	1	–	3	–
†BURNLEY C.B.	–	10	3	–	4	M. 1
†BURY C.B. ...	–	7	–	–	–	–
†CHADDERTON ...	–	4	–	–	–	–
†CHORLEY ...	–	–	1	–	3	–
CHURCH... ...	–	2	–	–	–	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN ...	–	3	–	–	–	–
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	2	–	–	1	–
†ECCLES ...	–	2	–	–	4	M. 1
†FAILSWORTH ...	–	9	–	–	5	C. 1
†FARNWORTH ...	–	4	1	–	2	–
†FLEETWOOD ...	–	1	–	–	1	–
FULWOOD ...	–	2	–	–	–	–
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HINDLEY ...	–	1	1	–	3	–
†HORWICH ...	–	3	2	–	3	–
HURST	–	–	–	–	1	–
HUYTON-WITH-ROBY	*	*	*	*	*	*
†INCE-IN-MAKERFIELD	–	3	1	–	3	–
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	7	1	–	–	–
†LEIGH	–	–	–	–	2	M. 1
LEYLAND ...	–	1	–	–	–	–
LITTLE LEVER...	–	–	1	–	–	–
†LIVERPOOL C.B.	–	36	9	–	12	C. 4 D. 1 M. 15
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANCHESTER C.B.	–	57	9	2	62	C. 2 D. 1 M. 13
†MIDDLETON ...	–	5	–	–	2	–
MILNROW ...	–	–	–	–	1	–
†NELSON ...	–	–	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	7	–	–	2	–
NORDEN ...	–	–	1	–	1	–
†OLDHAM C.B.	–	9	1	–	4	M. 2
ORMSKIRK ...	–	1	–	–	–	–
ORRELL... ...	–	1	–	–	–	–
†PADIHAM ...	–	1	1	–	–	–
PREESALL ...	–	1	–	–	–	–
†PRESTON C.B. ...	–	5	3	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	2	1	–	1	–
†RAMSBOTTOM ...	–	1	–	–	4	C. 1
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON ...	–	–	–	–	1	–
†ROCHDALE C.B.	–	5	1	–	2	–
†ROYTON ...	–	–	–	–	2	–
†ST. HELENS C.B.	–	6	1	–	4	M. 2
†SALFORD C.B. ...	–	12	2	1	10	M. 1
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B.	–	5	–	–	3	–
STANDISH-WITH-LANGTREE	–	–	1	–	–	–
†STRETFORD ...	–	10	2	–	2	–
†SWINTON AND PENDLEBURY	–	2	–	1	4	–
TOTTINGTON ...	–	–	–	1	2	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	2	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	–	1	–	–	–
†WARRINGTON C.B.	–	6	1	–	10	–
†WATERLOO-WITH-SEAFORTH	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES ...	–	–	2	–	3	–
†WIGAN C.B. ...	–	5	–	–	7	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 14§
FYLDE	–	5	2	–	–	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	3	–	–	1	–
PRESTON ...	–	2	–	–	–	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON ...	–	–	1	–	–	L. 3
LEICESTER ...	–	3	7	3	8	M. 2
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
ASHBY WOULDS	*	*	*	*	*	*
†COALVILLE ...	–	–	–	3	–	–
†LEICESTER C.B.	–	3	3	–	3	M. 2
†LOUGHBOROUGH	–	–	1	–	–	–
SHEPSHED ...	–	–	–	–	2	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	2	–	–	–
HINCKLEY ...	–	–	1	–	–	–
LOUGHBOROUGH	–	–	–	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	5	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON... ...	–	1	–	–	–	–
HOLBEACH ...	*	*	*	*	*	*
LONG SUTTON ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON... ...	–	–	1	–	–	–
SPALDING ...	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	3	E. 1
Boroughs and Urban Districts:—						
BOURNE... ...	–	–	–	–	1	–
†GRANTHAM ...	–	–	–	–	1	–
RUSKINGTON ...	*	*	*	*	*	*
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE... ...	–	–	–	–	1	–
BRANSTON ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	–	E. 1
LINCOLN (parts of Lindsey).	–	4	6	–	4	M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	2	–
†GAINSBOROUGH	–	–	–	–	–	M. 1
†GRIMSBY C.B. ...	–	–	2	–	–	–
†LINCOLN C.B. ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	2	–
†SKEGNESS ...	*	*	*	*	*	*
WINTERTON ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ All cases were notified as Asylum Enteritis.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR... ...	–	1	–	–	–	–
GRIMSBY ...	–	–	1	–	–	–
WELTON ...	–	1	–	–	–	–
MIDDLESEX ...	–	75	41	–	28	E. 1 L. 4 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	2	4	–	–	–
†BRENTFORD ...	–	1	–	–	2	–
†CHISWICK ...	–	2	1	–	–	–
†EALING ...	–	4	5	–	–	–
†EDMONTON ...	–	1	1	–	5	–
†ENFIELD ...	–	1	1	–	–	–
†FINCHLEY ...	–	6	–	–	1	–
†FRIERN BARNET	–	1	–	–	–	L. 1
GREENFORD ...	–	1	–	–	–	–
†HAMPTON ...	–	2	1	–	1	–
†HANWELL ...	–	5	2	–	–	–
†HARROW-ON-THE-HILL	–	–	2	–	–	–
HAYES	–	2	–	–	–	–
†HENDON ...	–	4	–	–	–	–
†HESTON AND ISLEWORTH	–	3	2	–	1	M. 1
†HORNSEY ...	–	2	1	–	1	–
†SOUTHALL-NORWOOD	–	1	–	–	–	L. 3
†SOUTHGATE ...	–	4	1	–	1	–
†TOTTENHAM ...	–	15	2	–	5	–
†TWICKENHAM ...	–	–	1	–	2	E. 1
†UXBRIDGE ...	–	–	1	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	2	1	–	1	–
†WILLESDEN ...	–	8	14	–	8	–
†WOOD GREEN ...	–	7	–	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
STAINES ...	*	*	*	*	*	*
UXBRIDGE ...	*	*	*	*	*	*
NORFOLK ...	–	16	5	2	2	–
Boroughs and Urban District:—						
†NORWICH C.B....	–	9	1	–	1	–
Rural Districts:—						
BLOFIELD ...	–	–	–	2	–	–
DOCKING ...	–	–	1	–	–	–
DOWNHAM ...	–	2	–	–	1	–
EAST AND WEST FLEGG	–	4	–	–	–	–
FOREHOE ...	–	–	1	–	–	–
FREEBRIDGE LYNN	–	–	1	–	–	–
ST. FAITH'S ...	*	*	*	*	*	*
SMALLBURGH ...	–	1	1	–	–	–
SWAFFHAM ...	*	*	*	*	*	*
WAYLAND ...	*	*	*	*	*	*
NORTHAMPTON	–	9	5	–	9	M. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	1	M. 1
†NORTHAMPTON C.B.	–	3	2	–	5	–
RAUNDS ...	–	–	–	–	1	–
†RUSHDEN ...	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
DAVENTRY ...	–	–	2	–	–	–
KETTERING ...	–	1	–	–	–	–
MIDDLETON CHENEY	*	*	*	*	*	*
NORTHAMPTON ...	–	–	1	–	–	–
POTTERSBURY...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	1	–
NORTHUMBERLAND.	–	39	6	2	40	C. 1 D. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
AMBLE	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashington ...	–	1	–	1	–	–
†Bedlingtonshire	–	–	–	–	3	–
†Berwick-upon-Tweed	–	–	–	–	1	–
†Blyth	–	–	1	1	3	–
†Longbenton ...	–	1	–	–	1	–
†Newcastle-upon-Tyne C.B.	–	27	5	–	21	C. 1 D. 1
Prudhoe ...	–	–	–	–	2	–
Seghill ...	–	–	–	–	1	–
†Tynemouth C.B.	–	2	–	–	4	M. 1
†Wallsend ...	–	2	–	–	2	–
†Whitley and Monkseaton	–	2	–	–	1	–
Rural Districts:—						
Alnwick ...	–	1	–	–	–	M. 1
Castle Ward ...	–	2	–	–	–	–
Hexham ...	–	–	–	–	1	L. 1
NOTTINGHAM ...	2	23	9	1	26	M. 7
Boroughs and Urban Districts:—						
Beeston ...	–	1	–	–	–	–
†Carlton ...	–	–	–	–	–	M. 1
†East Retford	–	–	–	–	6	–
Eastwood ...	1	1	–	–	–	–
†Mansfield ...	–	3	–	–	1	M. 1
†Mansfield Woodhouse	–	1	–	–	–	–
†Newark ...	–	1	–	–	–	–
†Nottingham C.B.	–	9	6	1	10	M. 4
†Sutton-in-Ashfield	–	–	2	–	3	–
†West Bridgford	–	3	–	–	–	–
†Worksop ...	*	*	*	*	*	*
NOTTINGHAM—*cont.*						
Rural Districts:—						
Basford ...	1	3	–	–	2	M. 1
Bingham ...	–	–	1	–	1	–
East Retford	–	1	–	–	2	–
Misterton ...	*	*	*	*	*	*
Stapleford ...	–	–	–	–	1	–
OXFORD	–	8	2	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†Oxford C.B. ...	–	4	–	–	1	M. 1
Rural Districts:—						
Banbury ...	–	1	1	–	–	C. 1
Culham ...	–	–	–	–	1	–
Headington ...	–	2	–	–	–	–
Witney... ...	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	–	2	–	1	–
Borough:—						
†Peterborough	–	–	2	–	1	–
SALOP	–	6	7	–	6	M. 1
Boroughs and Urban Districts:—						
Bridgnorth ...	–	–	–	–	1	–
Ludlow ...	–	1	–	–	–	–
†Oakengates ...	–	–	1	–	–	M. 1
Oswestry ...	–	1	–	–	–	–
†Shrewsbury ...	–	–	3	–	4	–
Rural Districts:—						
Atcham ...	–	–	3	–	–	–
Bridgnorth ...	–	2	–	–	–	–
Cleobury Mortimer	–	1	–	–	–	–
Oswestry ...	–	1	–	–	–	–
Wem	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	12	6	1	12	L. 3 M. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	1	1	3	–
ILMINSTER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	M. 1
RADSTOCK ...	–	1	–	–	–	–
STREET	–	–	–	–	1	–
†TAUNTON ...	–	1	3	–	–	–
†WESTON-SUPER-MARE	–	1	–	–	–	–
†YEOVIL ...	–	1	–	–	–	M. 1
Rural Districts:—						
BATH	–	2	–	–	1	–
BRIDGWATER ...	–	3	–	–	1	–
CLUTTON ...	–	–	1	–	1	–
KEYNSHAM ...	–	–	1	–	1	–
LONG ASHTON ...	–	1	–	–	1	–
TAUNTON ...	–	–	–	–	2	L. 3
WELLS	–	–	–	–	1	–
SOUTHAMPTON...	–	47	33	–	9	D. 1 M. 6
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	–	1	–	2	–
CHRISTCHURCH	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†GOSPORT and ALVERSTOKE	–	3	7	–	–	–
PETERSFIELD ...	–	–	–	–	–	D. 1
†PORTSMOUTH C.B.	–	21	10	–	–	M. 1
†SOUTHAMPTON C.B.	–	9	13	–	2	M. 3
†WINCHESTER ...	–	–	–	–	2	–
Rural Districts:—						
ANDOVER ...	–	1	–	–	–	–
BASINGSTOKE ...	–	2	–	–	–	–
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
DROXFORD ...	–	1	–	–	1	–
FAREHAM ...	–	3	–	–	–	–
FORDINGBRIDGE	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	M. 1
HAVANT ...	–	1	–	–	–	–
HURSLEY ...	–	–	–	–	1	–
PETERSFIELD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	–
STOCKBRIDGE ...	–	–	1	–	–	M. 1
STAFFORD ...	–	66	10	1	55	C. 5 E. 1 M. 12
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	2	–	1	M. 1
†BILSTON ...	–	1	–	–	1	–
†BRIERLEY HILL	–	1	–	–	3	–
†BROWNHILLS ...	–	1	–	–	1	–
†BURTON-UPON-TRENT C.B.	–	1	1	–	1	–
CANNOCK ...	–	–	–	–	–	M. 1
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	1	–	–	–	–
KIDSGROVE ...	–	–	–	–	1	–
LICHFIELD ...	–	–	–	–	3	–
PERRY BAR ...	–	–	–	–	1	–
†ROWLEY REGIS	–	1	–	–	5	–
RUGELEY ...	–	–	–	–	2	–
†SEDGLEY ...	–	–	–	–	1	–
SHORT HEATH ...	–	–	–	–	1	–
†SMETHWICK C.B.	–	5	1	–	5	C. 1
†STAFFORD ...	–	5	–	–	–	–
†STOKE-ON-TRENT C.B.	–	12	3	1	19	C. 3 M. 6
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	1	–	–	–	–
UTTOXETER ...	*	*	*	*	*	*
†WALSALL C.B....	–	5	–	–	2	E. 1 M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEDNESBURY ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	15	2	–	–	C. 1
†WILLENHALL ...	–	2	–	–	1	–
†WOLSTANTON UNITED	–	1	1	–	–	–
†WOLVERHAMPTON C.B.	–	8	–	–	1	M. 2
Rural Districts:—						
CHEADLE ...	–	–	–	–	4	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	1	–
NEWCASTLE-UNDER-LYME	*	*	*	*	*	*
STAFFORD ...	–	2	–	–	–	–
UTTOXETER ...	*	*	*	*	*	*
SUFFOLK, EAST	–	8	6	1	7	G. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
BUNGAY... ...	–	2	1	–	1	–
†IPSWICH C.B. ...	–	1	1	1	2	–
†LOWESTOFT ...	–	1	2	–	2	–
SAXMUNDHAM ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	–	–	–	–	–	G. 1
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	–	1	–	–	–
WANGFORD ...	–	–	1	–	–	–
SUFFOLK, WEST	–	1	1	–	2	C. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	1	–	–	–
GLEMSFORD ...	–	–	–	–	–	C. 1
HADLEIGH ...	–	–	–	–	1	–
Rural District:—						
COSFORD ...	–	–	–	–	1	–
SURREY	–	80	27	3	15	M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	3	5	–	3	–
†BEDDINGTON AND WALLINGTON	–	4	–	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CATERHAM ...	–	–	2	–	–	–
†CHERTSEY ...	–	3	–	–	–	–
†COULSDON AND PURLEY	–	6	3	1	1	–
†CROYDON C.B....	–	27	3	–	3	M. 1
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–	–	–	2	1	–
†GUILDFORD ...	–	1	–	–	1	–
HAM	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	4	2	–	–	–
LEATHERHEAD ...	–	1	3	–	–	–
†MERTON AND MORDEN ...	–	–	3	–	–	–
†MITCHAM ...	–	11	–	–	2	–
†REIGATE ...	–	4	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	3	–	–	–	M. 1
†SUTTON	–	–	1	–	1	–
†WALTON-UPON-THAMES	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIMBLEDON ...	–	4	1	–	–	–
†WOKING ...	–	–	1	–	–	–
Rural Districts:—						
EPSOM	–	3	–	–	–	–
FARNHAM ...	–	1	–	–	1	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	18	4	1	5	C. 1 G. 1 L. 4 M. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	2	–	–	–	–
†BRIGHTON C.B.	–	3	2	–	–	M. 1
†EASTBOURNE C.B	–	1	–	–	2	–
EAST GRINSTEAD	–	–	–	–	–	C. 1
†HASTINGS C.B....	–	4	–	–	–	–
†HAYWARD'S HEATH	–	–	1	–	–	–
†HOVE	–	1	–	1	1	G. 1
†LEWES	–	4	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	1	–
EASTBOURNE ...	–	2	–	–	–	–
HAILSHAM ...	–	–	–	–	1	L. 4
HASTINGS ...	*	*	*	*	*	*
RYE	–	1	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	5	3	–	2	–
Boroughs and Urban Districts:—						
ARUNDEL ...	–	1	1	–	1	–
†HORSHAM ...	–	2	–	–	–	–
†LITTLEHAMPTON	–	–	–	–	1	–
SHOREHAM-BY-SEA	–	–	1	–	–	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	–	1	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	83	23	–	104	C. 2 M. 8
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	58	16	–	71	C. 1 M. 8
BULKINGTON ...	*	*	*	*	*	*
†COVENTRY C.B.	–	6	1	–	3	C. 1
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	3	1	–	16	–
†ROYAL LEAMINGTON SPA	–	–	2	–	2	–
†RUGBY	–	1	1	–	1	–
†SUTTON COLDFIELD	–	1	1	–	–	–
WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
BRAILES ...	–	1	–	–	–	–
FOLESHILL ...	–	5	–	–	–	–
MERIDEN ...	–	1	–	–	2	–
MONKS KIRBY...	–	1	–	–	–	–
SOLIHULL ...	–	1	–	–	2	–
TAMWORTH (part)	–	5	1	–	–	–
WARWICK ...	–	–	–	–	5	–
WESTMORLAND	–	3	–	–	3	–
Boroughs and Urban Districts:—						
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†RYDE	–	1	–	–	–	–
VENTNOR ...	*	*	*	*	*	*
Rural District:—						
ISLE OF WIGHT	–	1	1	–	–	–
WILTS	–	9	1	–	17	L. 1 M. 2
Boroughs and Urban Districts:—						
†SWINDON ...	–	3	1	–	13	M. 2
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	1	–
RAMSBURY ...	–	–	–	–	–	L. 1
SALISBURY ...	–	–	–	–	1	–
TISBURY ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WILTON ...	–	–	–	–	1	–
WORCESTER ...	–	25	6	–	11	M. 2
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	–	1	–	–	–
†DUDLEY C.B. ...	–	4	–	–	–	–
†KIDDERMINSTER	–	2	–	–	–	–
†MALVERN ...	–	5	1	–	1	–
†OLDBURY ...	–	2	–	–	3	–
†REDDITCH ...	–	4	–	–	1	M. 1
†STOURPORT ...	–	–	–	–	–	M. 1
†WORCESTER C.B.	–	2	1	–	4	–
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	3	–	–	–	–
EVESHAM ...	–	–	1	–	–	–
HALESOWEN ...	–	–	–	–	1	–
MARTLEY ...	–	–	1	–	–	–
REDMARLEY D'ABITOT AND STAUNTON (Parishes)	–	–	1	–	–	–
SHIPSTON-ON-STOUR	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	15	19	–	9	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	–	1	–	–	–
FILEY	–	2	–	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HORNSEA ...	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	3	15	–	6	M. 1
WITHERNSEA ...	–	–	–	–	1	–
†YORK C.B. ...	–	7	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
ESCRICK ...	–	2	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	9	5	5	1	17	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	1	–	–	–
MIDDLESBROUGH C.B.	9	1	–	–	8	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR... ...	–	1	–		3	–
RICHMOND ...	*	*	*	*	*	*
†SCARBOROUGH ...	–	2	2	–	–	–
†THORNABY-ON-TEES	–	–	–	1	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	3	–
GUISBOROUGH ...	–	–	1	–	–	–
KIRKBY MOORSIDE	*	*	*	*	*	*
LEYBURN ...	–	–	–	–	1	–
RICHMOND ...	*	*	*	*	*	*
STOKESLEY ...	–	–	–	–	2	–
THIRSK	–	1	1	–	–	–
YORKS ... ... (West Riding).	7	179	58	8	268	C. 9 E. 1 J. 1 L. 5 M. 7
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	2	–	1	–
ALTOFTS ...	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	1	2	–	–	–
†BARNOLDSWICK	–	1	–	–	–	–
†BARNSLEY C.B.	–	8	2	2	7	–
†BATLEY... ...	–	1	2	–	–	–
†BINGLEY ...	–	1	1	–	7	–
†BOLTON-UPON-DEARNE	–	–	–	–	2	–
†BRADFORD C.B.	–	27	4	–	20	J. 1
†BRIGHOUSE ...	–	1	–	–	–	–
BURLEY-IN-WHARFEDALE	–	–	–	–	1	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON ...	–	1	–	–	–	–
CLAYTON WEST	–	3	–	–	–	–
†CONISBROUGH ...	–	–	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
DARFIELD ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	3	–	–	1	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	–	–	2	–
EARBY	–	–	1	–	–	–
†ELLAND... ...	–	2	–	–	–	C. 1
FARSLEY ...	–	1	–	–	–	–
GARFORTH ...	–	1	–	–	–	–
†GOLCAR ...	–	1	–	–	–	–
†GOOLE	–	6	4	–	4	–
GREETLAND ...	–	1	–	–	–	–
GUISELEY ...	–	1	–	–	–	–
†HALIFAX, C.B. ...	–	8	2	–	2	–
†HARROGATE ...	–	4	–	–	2	–
†HEMSWORTH ...	–	1	1	1	1	–
†HOLMFIRTH ...	–	–	–	–	3	–
†HOYLAND NETHER	–	–	1	–	5	–
†HUDDERSFIELD C.B.	–	2	1	–	8	–
ILKLEY	–	–	1	–	1	–
†KEIGHLEY ...	–	–	–	–	–	C. 1
KIRKBURTON ...	–	–	–	–	1	–
KNARESBOROUGH	*	*	*	*	*	*
†LEEDS C.B. ...	–	30	5	–	19	C. 1 M. 1
LINTHWAITE ...	4	–	–	–	2	–
MELTHAM ...	–	1	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	1	–	–	2	–
†MIRFIELD ...	–	2	–	–	1	M. 1
†MORLEY ...	–	–	2	–	5	–
MYTHOLMROYD	–	–	–	–	1	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	1	–	1	–
†OSSETT... ...	–	–	–	1	–	–
OTLEY	–	–	1	–	–	C. 1
†RAWMARSH ...	–	1	–	1	–	–
†ROTHERHAM C.B.	–	2	1	–	4	–
†ROTHWELL ...	–	3	1	–	–	–
†SADDLEWORTH...	–	–	–	–	1	–
†SHEFFIELD C.B.	3	22	15	1	139	C. 1 M. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHEPLEY ...	–	–	1	–	–	–
†SHIPLEY ...	–	1	–	–	–	–
SILSDEN ...	–	2	–	–	–	–
†SKIPTON ...	–	1	–	–	–	–
SOWERBY ...	*	*	*	*	*	*
†SPENBOROUGH ...	–	4	–	–	2	C. 1
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
†STANLEY ...	–	4	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON ...	*	*	*	*	*	*
THURNSCOE ...	–	1	–	–	–	–
†WAKEFIELD C.B.	–	4	–	–	2	M. 1
†WATH-UPON-DEARNE	–	–	–	–	–	C. 1
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	2	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	5	–
GOOLE	–	–	–	1	–	–
HEMSWORTH ...	–	2	–	–	1	M. 1
HUNSLET ...	–	1	–	–	–	–
KEIGHLEY ...	–	–	1	–	–	–
KNARESBOROUGH	–	1	–	–	1	–
PONTEFRACT ...	–	2	1	–	1	–
ROTHERHAM ...	–	–	–	–	1	E. 1
SELBY	–	–	3	–	1	–
SKIPTON ...	–	–	1	–	2	–
TADCASTER ...	–	1	–	1	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	10	–	–	–	C. 1
WETHERBY ...	–	–	–	–	3	–
WHARFEDALE (South)	–	–	–	–	–	L. 5

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
MENAI BRIDGE	–	1	–	–	–	–
BRECKNOCK ...	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
BUILTH	–	–	–	–	–	M. 1
HAY	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	–	–	–	1	E. 1
Boroughs and Urban District:—						
†ABERYSTWYTH	–	–	–	–	–	E. 1
Rural District:—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ...	–	5	6	–	12	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	4	–
CWMAMMAN ...	–	–	–	–	2	–
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	3	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
CARMARTHEN —*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	1	3	–	–	–
LLANYBYTHER ...	–	–	1	–	3	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	2	3	–	6	–
Boroughs and Urban Districts—						
CARNARVON ...	–	–	1	–	–	–
Rural Districts:—						
CONWAY ...	–	–	1	–	–	–
GLASLYN ...	–	–	–	–	1	–
GWYRFAI ...	–	2	1	–	5	–
DENBIGH ...	–	5	2	–	9	M. 1
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	1	–	–	–
†WREXHAM ...	–	3	1	–	–	M. 1
Rural Districts:—						
LLANSILIN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	4	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	2	–	–	4	–
FLINT	–	–	3	–	4	M. 1
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	–	1	–	–	–
HOLYWELL ...	–	–	–	–	1	–
MOLD	–	–	1	–	–	–
†RHYL	–	–	1	–	1	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	2	–
OVERTON ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	101	27	3	37	M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	13	1	–	3	–
†BARRY	–	2	3	–	2	–
BRITON FERRY	–	1	–	–	–	–
†CAERPHILLY ...	–	–	1	–	–	–
†CARDIFF C.B. ...	–	11	4	–	6	M. 1
†GELLIGAER ...	–	6	2	–	–	–
GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	3	–	–	3	–
†MERTHYR TYDFIL C.B.	–	4	2	–	–	–
†MOUNTAIN ASH	–	12	1	1	–	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	7	–	–	2	–
†PENARTH ...	–	3	–	–	–	–
†PONTYPRIDD ...	–	5	–	1	–	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	13	4	–	10	M. 1
†SWANSEA C.B. ...	–	2	3	–	–	–
Rural Districts:—						
COWBRIDGE ...	–	10	–	–	–	–
GOWER	*	*	*	*	*	*
LLANDAFF and DINAS POWIS	–	2	1	–	1	–
LLANTRISANT AND LLANTWIT FARDRE ...	–	2	2	–	–	–
NEATH	–	1	2	1	7	–
PONTARDAWE ...	–	–	–	–	1	–
SWANSEA ...	–	1	–	–	1	–
MERIONETH ...	–	1	1	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	29	14	2	13	M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	–	–	3	–
BEDWAS AND MACHEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bedwellty ...	–	3	1	–	–	–
†Blaenavon ...	–	–	–	–	2	–
Chepstow ...	–	3	–	–	–	–
†Ebbw Vale ...	–	4	1	–	–	–
Llanfrechfa Upper	–	–	1	–	–	–
Llantarnam ...	–	–	–	–	1	–
†Mynddislwyn	–	3	1	–	–	–
Nantyglo and Blaina	–	2	–	–	2	–
†Newport C.B....	–	5	6	–	3	M. 1
†Panteg ...	–	1	–	–	–	–
†Rhymney ...	–	2	–	–	–	–
†Risca	–	2	1	–	–	–
†Tredegar ...	–	2	2	2	1	–
Rural Districts:—						
Magor	–	–	1	–	–	–
Saint Mellons	–	–	–	–	1	–
MONTGOMERY ...	–	–	2	–	–	–
Rural Districts:—						
Llanfyllin ...	–	–	2	–	–	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Neyland ...	*	*	*	*	*	*
†Pembroke ...	*	*	*	*	*	*
Rural Districts:—						
Haverfordwest	–	1	–	–	–	–
St. Dogmells ...	*	*	*	*	*	*
RADNOR... ...	–	1	2	–	–	–
Urban District:—						
Llandrindod Wells	–	–	1	–	–	–
Rural Districts:—						
Painscastle ...	–	–	1	–	–	–
Rhayader ...	–	1	–	–	–	–
Total of Part II.	18	1554	571	42	1240	C. 41 D. 4 E. 7 G. 7 J. 1 L 36 M. 138

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff ...	–	–	–	1	–	–
Colchester ...	*	*	*	*	*	*
Liverpool ...	–	–	–	1	–	–
Southampton ...	–	–	–	–	2	–
Port of London	–	–	2	–	–	–
Total of Part III.	–	–	2	2	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	305	291	2	137	C. 12 G. 1 M. 21
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	18	1554	571	42	1240	C. 41 D. 4 E. 7 G. 7 J. 1 L. 36 M. 138
Total of Part III.—Port Sanitary Districts ...	–	–	2	2	2	–
Total (*i.e.*, of returns received), England and Wales	18	1859	864	46	1379	C. 53 D. 4 E. 7 G. 8 J. 1 L. 36 M. 159

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eighteen cases of Small-pox were notified which appear on pages 487, 491, and 492.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.
LONDON:—													
DEATHS—all ages -	1662	1,418	1,636	1,472	1,398	1,239	1,223	1,267	1,417	1,514	1,446	1,406	1,327
" 0 to 1 year -	192	186	181	183	180	177	150	188	219	228	197	220	159
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	8,822	8,908	8,240	8,575	8,199	8,357	8,238	7,683	8,220	7,962	7,250	8,046	8,711
DEATHS—all ages -	7,785	6,784	7,192	6,376	5,669	4,955	5,066	5,161	5,626	6,073	5,948	5,637	5,486
" 0 to 1 year -	972	862	933	844	781	713	733	839	920	1,011	984	906	834
ENTERIC FEVER—Cases	29	17	12	17	21	12	26	4	12	13	20	17	16
" Deaths	2	5	2	1	3	6	5	4	5	3	6	4	5
SMALL POX—Cases -	3	1	—	1	8	1	2	13	11	12	14	25	12
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,541	1,429	1,423	1,373	1,314	1,252	1,322	1,180	1,196	1,227	1,145	1,122	1,081
" Deaths	27	22	28	18	26	25	17	17	25	18	20	23	31
DIPHTHERIA—Cases -	822	807	782	832	785	740	654	685	654	666	622	560	553
" Deaths	80	75	59	58	73	74	45	37	74	47	49	43	53
MEASLES—Deaths -	61	44	61	83	86	89	104	122	160	181	154	158	177
INFLUENZA—Deaths -	1,144	759	670	525	306	201	146	104	111	117	109	93	75

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th April 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	60	33	55·6	37·7	14
BRIGHTON -	53	34	50·9	39·0	19
PORTSMOUTH -	54	36	53·4	38·4	13
NORWICH (SOUTHWELL LODGE).	56	30	51·8	35·3	22
PLYMOUTH -	54	34	52·4	39·1	18
BRISTOL (CLIFTON).	56	33	51·3	37·1	11
BIRMINGHAM -	53	32	50·4	35·6	37
NOTTINGHAM -	55	33	50·4	37·7	21
BIRKENHEAD (BIDSTON).	51	37	48·1	39·7	16
MANCHESTER	52	33	48·6	37·6	36
BURNLEY -	50	30	47·1	33·9	37
HUDDERSFIELD	Not received.				
BRADFORD -	50	34	48·6	35·4	26
SHEFFIELD -	52	33	48·6	36·7	36
YORK (MUSEUM).	55	36	51·1	37·9	7
HULL (PEARSON PARK).	55	37	51·3	38·1	17
TYNEMOUTH	54	35	49·7	37·1	5
CARDIFF -	54	34	50·7	37·1	25
EDINBURGH -	52·0	33·0	49·7	36·4	5
GLASGOW -	51·0	35·0	49·2	36·9	8
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	53·1	33·1	49·8	37·5	12
BELFAST -	53·0	35·5	50·3	39·3	44

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th April 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	23	..	29·643	57·7	37·2	20·5	47·0	− 1·6	38·5	8·5	16·2	2·2	72	106·1	29·1	44·5	NW & W.	WSW & SW.	4·3	0·0	0·3	378	+ 91	0·00
Monday	24	In Equator.	29·429	55·0	41·0	14·0	46·6	− 2·0	35·1	11·5	19·1	4·3	64	112·6	33·7	45·2	WSW, W & WNW.	WNW & NW.	9·3	0·0	0·8	574	+288	0·04
Tuesday	25	..	29·449	56·9	39·7	17·2	45·5	− 3·1	36·0	9·5	20·0	0·0	70	113·6	32·5	45·1	W & WNW.	W, SW & S.	4·3	0·0	0·5	475	+189	0 30
Wednesday	26	..	29·154	52·8	37·1	15·7	41·7	− 6·9	36·8	4·9	16·2	0·0	83	104·5	31·4	45·2	WSW & NW.	Variable & calm.	4·6	0·0	0·3	336	+ 50	0·10
Thursday	27	New	29·294	52·0	37·3	14·7	42·8	− 5·9	36·4	6·4	13·3	0·0	78	101·4	31·5	45 2	NW, N & W.	W, N & calm.	1·9	0·0	0·1	204	− 82	0·12
Friday	28	..	29·503	54·1	35·1	19·0	43·2	− 5·6	35·7	7·5	17·8	0·0	75	113·5	27·7	45·3	Calm & N.	N & E	1·9	0·0	0·1	150	−137	0·00
Saturday	29	..	29·687	59·9	33·0	26·9	47·2	− 1·8	34·7	12·5	21·2	0·0	62	128·9	27·7	45·3	Calm & SW.	Calm & Variable.	1·0	0·0	0·0	114	−172	0·00
Means		..	29·451	55·5	37·2	18·3	44·9	− 3·8	36·2	8·7	17·7	0·9	72	111·5	30·5	45·1	WNW		...	...	...	Sum 2,231	Sum −227	Sum 0·56
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	23	m.P. till 8h. s.P. generally afterwards.	5·0	14·3	Overcast till 3h., then nearly cloudless. Cloudy generally to nearly overcast from 7h. with few fine intervals. Occasional slight rain or damping between 11h. and 21h. Brisk wind in afternoon.
MONDAY -	24	m.P. in early morning, s.P. afterwards.	6·3	14·3	Variably cloudy with overcast intervals till 20h., little cloud afterwards. Brisk wind 5h. to 19h. Showers between 9h. and 18h. 30m. Hail 15h. Thunder 17h. 45m.
TUESDAY -	25	s.P. till 19h., v.P. afterwards.	6·7	14·4	Nearly cloudless till 4h., variably cloudy with overcast intervals till 14h. Then overcast generally. Brisk wind in morning, occasional rain before 15h. and generally afterwards.
WEDNESDAY	25	v.P. throughout	3·6	14·5	Overcast generally with very cloudy intervals between 10h. and 18h. Gloom in forenoon. Rain till 2h. and at times between 14h. 30m. and 20h.
THURSDAY -	26	w.P. generally	2·7	14·5	Overcast, generally, few cloudy intervals between 9h. and 15h., clearing from 22h. to nearly cloudless by 23h. Rain between 3h. and 7h. 30m. and 15h. 30m. to 18h. 30m. Gloom in afternoon.
FRIDAY -	27	v.P. generally, a little w.N. about 16h.	4·4	14·6	Nearly cloudless generally till 6h., very cloudy generally till about 21h., then nearly cloudless. Mist in morning. Slight rain 17h. Dew at night.
SATURDAY -	28	v.P. throughout	9·3	14·6	Nearly cloudless generally till 9h. Partially cloudy till 15h. Very cloudy till 20h., then fine with little cloud. Hazy generally. Hoar frost in morning. Dew at night.
			Sum 38·0	Sum 101·2	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·66 in. at the beginning of the week to 29·70 in. by 9h. on 23rd; decreased to 29·39 in. by 5h. on 24th; increased to 29·58 in. by 8h. on 25th; decreased to 28·97 in. by 2h. on 26th; and increased generally to 29·71 in. at midnight on 29th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 18.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 6TH MAY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH MAY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighteenth week of the year numbered 8,491, and corresponded to an annual rate of 23·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,202 and corresponded to an annual rate of 14·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 16·3, 15·4 and 15·0. Infant mortality was 98 per 1,000 births against 136, 112 and 96 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,019 births, corresponding to a rate of 23·3 per 1,000, and 1,319 deaths of civilians, corresponding to a rate of 15·2, as against 16·7, 16·2, and 15·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 15·9 per 1,000. The infant mortality was 84 as against 120, 113, and 73 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 284 in the total deaths last week, the deaths from influenza showing a decrease of 6. In London the number of deaths from all causes fell from 1,327 to 1,319; there was a decrease of 29 in the deaths from bronchitis, while the deaths from measles, which had been 101, 84 and 98 in the preceding three weeks, further rose to 107 last week.

---

(45)17630—2 Wt 30—P 10 2250 5/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 6th May 1922.**

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,491	5,202	829	7	184	17	96	38	51	69
London	4,514,405*	2,019	1,319	170	–	107	6	30	19	9	7
Towns in Outer Ring.											
Croydon C.B.	191,500	90	48	6	–	2	–	–	–	–	–
Wimbledon	61,700	15	14	5	–	–	–	–	–	–	–
Ealing	67,800	23	12	1	–	–	–	–	–	–	–
Acton	62,000	21	12	3	–	1	–	–	–	–	–
Willesden	167,200	77	46	6	–	2	–	–	–	–	–
Hendon	55,500	18	10	–	–	–	–	–	–	–	–
Hornsey	87,600	27	14	1	–	–	–	–	–	1	1
Wood Green	51,100	21	8	1	–	–	–	–	–	–	–
Tottenham	149,200	69	38	4	–	2	–	–	–	–	
Edmonton	67,800	53	15	4	–	–	–	–	1	–	–
Enfield	61,400	19	18	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	163	73	15	–	3	–	2	1	–	1
East Ham C.B.	145,500	50	19	4	–	–	–	1	–	–	–
Leyton	130,100	50	28	2	–	1	–	1	1	–	–
Walthamstow	129,800	44	30	1	–	2	–	–	–	–	–
Ilford	85,500	31	13	2	–	–	–	–	–	–	–
Gillingham	48,149*	24	13	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	13	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	15	16	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	9	10	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	55	35	4	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	98	61	11	–	1	–	1	1	–	1
Bournemouth C.B.	81,200	23	16	1	–	1	–	–	–	–	–
Southampton C.B.	162,200	83	40	11	1	–	1	2	–	–	1
Reading C.B.	92,600	35	29	6	–	–	–	1	1	–	–
Oxford C.B.	56,400	13	10	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	42	19	4	–	–	–	–	–	–	1
Luton	57,800	25	11	1	–	–	–	–	–	–	–
Cambridge	58,900	34	15	3	–	–	–	–	–	–	
Southend-on-Sea C.B.	90,500	25	17	2	–	–	–	–	–	–	1
Ipswich C.B.	80,100	41	15	2	1	–	–	–	–		–
Great Yarmouth C.B.	56,300	35	23	7	–	–	–	1	–	–	–
Norwich C.B.	122,400	46	28	3	–	–	–	–	–	–	–
Swindon	55,500	17	15	3	–	–	–	–	–	–	–
Exeter C.B.	59,500	25	13	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	90	65	15	–	4	–	–	–	–	–
Bath C.B.	68,300	19	26	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	178	99	8	–	5	–	1	2	–	1
Gloucester C.B.	51,800	19	15	2	–	–	–	–	–	–	2
Stoke-on-Trent, C.B.	273,238	160	84	22	–	–	–	7	–	1	3
Burton-upon-Trent C.B.	49,410	18	19	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	41	15	2	–	–	1	–	–	1	–
Walsall C.B.	98,800	44	18	5	–	–	–	–	–	1	–
West Bromwich C.B.	75,300	38	19	4	–	–	–	–	–	–	–
Worcester C.B.	49,160	21	14	1	–	–	–	–	1	–	1
Dudley C.B.	57,100	30	18	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	407	259	69	–	1	–	12	–	2	4
Smethwick C.B.	77,400	33	15	4	–	–	–	1	–	–	–
Coventry C.B.	130,300	56	25	6	–	–	–	1	–	–	–
Leicester C.B.	237,900	88	56	9	–	–	–	2	1	1	–
Lincoln C.B.	66,600	24	14	1	–	–	–	–	–	–	1
Grimsby C.B.	83,600	44	24	5	1	–	–	–	–	–	–
Nottingham C.B.	266,400	100	62	6	–	–	1	1	–	–	1
Derby C.B.	131,800	60	34	7	–	1	–	–	–	1	–
Chesterfield	62,400	43	20	7	–	–	–	–	–	–	–
Stockport C.B.	125,500	36	33	4	–	–	–	–	–	–	–
Chester C.B.	41,030	11	17	5	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	68	34	6	–	–	–	2	–	1	1
Wallasey C.B.	89,600	29	28	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	427	209	37	–	1	1	5	2	4	2
Bootle C.B.	77,800	44	14	2	–	–	–	1	–	–	–
St. Helens C.B.	104,900	55	38	1	–	5	1	–	–	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	22	19	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	38	26	4	–	1	–	–	–	–	–
Warrington C.B.	78,600	37	21	3	–	–	–	2	–	–	–
Bolton C.B.	182,200	74	64	7	–	–	1	–	–	–	2
Bury C.B.	57,600	28	11	–	–	–	–	–	–	–	–
Manchester C.B.	744,000	352	248	42	–	11	1	2	1	9	2
Salford C.B.	239,100	115	73	19	–	4	–	2	–	1	2
Oldham C.B.	148,300	41	38	2	1	–	–	–	–	1	–
Rochdale C.B.	92,700	26	31	2	–	1	–	1	–	–	–
Burnley C.B.	105,300	48	29	5	–	1	–	–	–	1	1
Blackburn C.B.	129,400	47	50	10	–	–	–	1	–	2	1
Preston C.B.	119,900	53	22	4	–	–	–	1	–	–	–
Blackpool C.B.	73,800	19	23	1	–	–	1	–	–	–	–
Barrow-in-Furness C.B.	75,200	35	30	6	–	–	–	1	–	–	–
Huddersfield C.B.	111,900	43	39	3	–	1	–	–	1	–	1
Halifax C.B.	100,700	28	24	4	–	–	–	–	–	–	–
Bradford C.B.	291,100	118	100	14	–	–	–	–	–	1	9
Leeds C.B.	465,500	195	135	20	–	1	–	4	1	–	2
Dewsbury C.B.	55,100	26	22	5	–	–	–	–	–	1	–
Wakefield C.B.	53,763	23	17	3	–	–	–	–	–	1	–
Barnsley C.B.	68,991	40	23	3	–	–	–	–	1	–	4
Sheffield C.B.	519,239	275	135	28	–	17	1	2	–	3	3
Rotherham C.B.	69,100	43	25	9	–	7	–	1	1	–	–
Doncaster	54,700	28	15	3	–	–	–	–	–	1	2
York C.B.	84,500	61	23	5	–	–	1	–	–	–	–
Hull C.B.	291,800	143	91	15	–	–	–	4	–	–	–
Middlesbrough C.B.	133,400	59	36	12	–	–	–	–	–	–	1
Darlington C.B.	66,400	33	25	3	–	–	–	1	–	–	–
Stockton-on-Tees	65,000	30	20	3	1	–	–	–	–	–	–
West Hartlepool C.B.	69,300	42	21	5	–	–	–	–	–	1	–
Sunderland C.B.	161,100	104	47	15	–	–	–	–	–	–	–
South Shields C.B.	120,376	53	27	3	–	–	–	–	–	1	–
Gateshead C.B.	126,700	52	40	5	–	–	–	–	–	–	1
Newcastle-on-Tyne C.B.	278,400	149	80	11	–	–	–	–	–	2	1
Tynemouth C.B.	63,900	30	16	2	–	–	–	1	–	1	–
Carlisle C.B.	53,200	22	16	2	–	–	–	–	–	–	1
Newport (Mon.) C.B.	93,700	29	14	1	1	–	–	–	2	–	–
Cardiff C.B.	202,700	98	52	10	1	1	–	–	1	–	2
Rhondda	166,600	70	34	6	–	–	–	–	–	1	1
Merthyr Tydfil C.B.	81,800	35	14	–	–	–	–	–	–	–	–
Aberdare	56,100	25	9	1	–	–	1	–	–	1	1
Swansea C.B.	159,600	71	35	10	–	–	–	1	–	–	–
Greater London	7,523,963*	3,191	1,960	260	–	127	7	36	23	11	11
Outer Ring	3,009,558*	1,172	641	90	–	20	1	6	4	2	4
16 Great Towns in Outer Ring	1,820,700	771	398	55	–	13	–	4	3	1	3
Remainder of Outer Ring	1,188,858*	401	243	35	–	7	1	2	1	1	1
Edinburgh†	420,500	188	98	11	–	2	–	1	3	–	2
Glasgow†	1,037,800	592	361	64	1	59	3	4	3	8	1
Dublin (Registration Area)†	427,000	265	169	33	–	6	–	2	1	3	2
Belfast†	425,000	236	129	13	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	May 6	2019	1319	15·2	–	–	107	6	30	19	9	7
Calcutta	896,067	Apr. 1	?	652§	37·3	?	31	–	–	–	–	–	30
Bombay	1,175,914	„ 1	325‖	810§	35·8	4	3	–	–	–	–	53	21
Madras	522,951	„ 1	374	498§	49·5	2	37	7	?	2	–	46	1
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	January 31 days.											
Perth (Metropolitan Area).	154,866	Mar. 18	100	22	7·4	–	–	–	–	–	–	2	–
Auckland (Urban Area).	157,757	January 31 days.											
Wellington (Urban Area).	107,488	„ „											
Christchurch (Urban Area).	105,670	„ „											
Cape Town	101,000	Feb. 4	37	21	10·8	3	–	–	–	–	–	2	–
		„ 11	50	29	14·9	1	–	–	–	–	–	4	–
Johannesburg	149,500	Mar. 25	132	70	24·3	2	–	1	–	–	–	3	3
Durban	48,000	„ 25	27	17	18·4	–	–	–	–	–	–	1	2
Paris	2,906,472	Apr. 10 (10 days).	1347	1249	15·7	5	–	–	–	4	6	21	4
Antwerp	340,114	Mar. 11	121	81	12·6	–	–	–	–	5	–	4	1
		„ 18	101	84	13·1	–	–	2	–	5	1	5	–
Amsterdam	683,595	Apr. 22	236	131	10·0	–	–	–	–	3	2	–	2
Copenhagen	562,000	„ 22	255	174	16·0	–	–	–	1	–	–	–	3
Stockholm	422,042	„ 22	107	99	12·2	1	–	–	–	–	–	–	–
Gothenburg	228,052	„ 15											
Christiania	260,920	„ 29	76	60	12·0	–	–	–	–	1	–	–	1
Berlin	1,965,000	Apr. 8	461	602	15·9	–	?	5	1	1	2	8	13
Breslau	557,000	„ 8	208	236	22·0	–	?	2	–	2	–	3	9
Cologne	677,000	„ 8	308	177	13·6	–	?	–	–	4	1	–	2
Dresden	605,000	„ 8	205	197	16·9	–	?	1	–	–	1	1	9
Frankfort-on-Main	476,000	„ 8	143	132	14·4	–	?	–	–	5	–	2	4
Hamburg	1,053,000	„ 8	317	371	18·3	–	?	–	1	3	–	5	7
Leipzig	673,000	„ 8	261	209	16·2	1	?	1	–	2	2	3	4
Munich	680,000	„ 8	235	208	15·9	–	?	–	–	1	–	6	4
Vienna	1,842,005	Mar. 18	595	679	19·1	3	–	–	–	6	1	16	8
Prague and Suburbs	689,262	„ 18											
Budapest	936,000	Feb. 4	409	466	25·9	4	?	7	6	2	4	11	12
Cairo	777,500	„ 18											
Alexandria	456,800	„ 18											
New York	5,839,738	Apr. 8	2532	1619	14·5	1	–	51	8	11	27	25	14
Chicago	2,833,288	„ 8	?	729	13·4	–	1	1	4	2	9	26	10
Rio de Janeiro	1,188,422	Mar. 18	695	472	20·7	6	3	4	–	5	–	–	16
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 89 deaths from *Asiatic Cholera* in Calcutta and 1 in Madras, and from *Plague*, 4 in Calcutta and 43 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th May, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1319	170	106	87	39	43	58	83	107	175	224	227
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	107	16	44	46	1	–	–	–	–	–	–	–
Scarlet fever	6	–	1	5	–	–	–	–	–	–	–	–
Whooping cough	30	13	19	7	–	–	–	–	–	–	–	–
Diphtheria	19	1	7	4	7	–	–	–	–	–	–	–
Influenza	7	–	1	1	1	–	1	–	–	1	1	1
Erysipelas	4	1	–	–	–	–	–	–	–	1	2	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	1	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	96	–	2	–	3	17	20	24	14	9	4	3
Tuberculous meningitis	13	–	3	4	6	–	–	–	–	–	–	–
Abdominal tuberculosis	4	1	–	–	1	1	–	–	–	1	–	–
Other tubercle	6	2	–	1	2	–	–	–	–	–	1	–
Venereal diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	129	–	–	–	1	2	3	6	24	33	40	20
Rheumatic fever	2	–	–	–	1	–	–	1	–	–	–	–
Diabetes	14	–	–	–	–	–	–	2	4	4	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	–	–	–	–	2	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	61	–	–	–	–	–	–	3	6	14	19	19
Epilepsy	3	–	–	–	–	1	–	–	–	2	–	–
"Convulsions" (not puerperal)	4	3	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	31	1	–	–	2	3	2	4	4	10	4	1
Pericarditis	1	–	–	–	–	–	1	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	–	1	2	–	–	1	–
Other diseases of heart	155	–	–	–	2	4	7	11	14	30	43	44
Other dis. of circulatory system	55	–	–	–	–	1	–	1	7	8	19	19
Bronchitis	97	9	–	–	–	–	1	4	6	12	25	40
Broncho-pneumonia	98	34	23	11	4	–	–	3	2	6	7	8
Lobar pneumonia	32	–	3	1	–	–	5	4	2	7	7	3
Pneumonia (type not distinguished)	34	4	5	2	–	2	1	1	3	5	3	8
Other diseases of respiratory system	21	5	–	–	–	–	1	1	2	8	3	1
Diarrhœa and enteritis	13	8	1	2	–	–	–	–	–	–	1	1
Appendicitis and typhlitis	4	–	–	–	1	1	–	2	–	–	–	–
Hernia, Intestinal obstruction	6	–	–	–	–	–	2	–	–	1	2	1
Cirrhosis of liver	3	–	–	–	–	–	–	–	–	1	1	1
Other diseases of digestive system	13	1	1	–	–	1	1	1	4	1	3	–
Acute nephritis	2	–	–	–	–	–	–	–	–	1	1	–
Chronic Bright's disease	34	–	–	–	–	3	1	3	6	6	11	4
Other diseases of genito-urinary system.	11	–	–	–	–	–	–	1	1	–	6	3
Puerperal fever, &c.	6	–	–	–	–	5	–	1	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	12	11	1	–	–	–	–	–	–	–	–	–
Premature birth	39	39	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age	48	–	–	–	–	–	–	–	–	2	10	36
Suicide	17	–	–	–	–	–	4	5	3	–	2	3
Burns and scalds	2	–	1	1	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	1	3	1	–	–	–	1	1	–
Other deaths by violence	15	2	–	–	–	1	1	2	3	2	–	4
Other specified causes	42	12	2	–	4	–	3	1	2	8	5	5
Ill-defined causes	1	–	–	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th May 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	14	6	–	12	C. 1
†BERMONDSEY ...	–	14	21	–	6	M. 1
†BETHNAL GREEN	–	7	13	–	1	M. 1
†CAMBERWELL ...	–	33	11	–	6	–
†CHELSEA ...	–	4	1	–	–	–
†DEPTFORD ...	–	12	4	–	2	–
†FINSBURY ...	–	7	5	–	1	–
†FULHAM ...	–	16	13	–	7	C. 1 M. 1
†GREENWICH ...	–	11	13	–	5	D. 1
†HACKNEY ...	–	7	12	–	–	–
†HAMMERSMITH	–	14	4	–	2	M. 2
†HAMPSTEAD ...	–	8	–	1	1	–
†HOLBORN ...	–	3	1	–	1	–
†ISLINGTON ...	–	37	19	–	1	–
†KENSINGTON ...	–	11	5	–	3	–
†LAMBETH ...	–	33	12	1	6	C. 1 D. 1 G. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	8	9	–	–	–
†PADDINGTON ...	–	8	11	–	9	C. 1
†POPLAR... ...	–	6	7	–	7	C. 1 M. 1
†ST. MARYLEBONE	–	5	6	–	1	–
†ST. PANCRAS ...	–	23	15	–	10	M. 1
†SHOREDITCH ...	–	9	14	–	4	M. 1
†SOUTHWARK ...	–	19	8	–	5	–
†STEPNEY ...	–	10	9	1	10	M. 3
†STOKE NEWINGTON	–	3	4	–	–	–
†WANDSWORTH	–	23	17	–	14	C. 1
†WESTMINSTER, CITY OF	–	7	4	–	–	C. 1 M. 2
†WOOLWICH ...	–	11	9	2	7	C. 2 M. 1
TOTAL OF PART I.	–	363	254	5	121	C. 9 D. 2 G. 1 M. 15

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	5	–	2	M. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	2	1	–	1	–
BIGGLESWADE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	–	2	–	–	–
Rural Districts :—						
BIGGLESWADE ...	–	1	–	–	–	M. 1
LUTON	–	–	1	–	–	–
BERKS	–	28	7	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	–	–	–	–
†MAIDENHEAD ...	–	–	1	–	–	–
†NEWBURY ...	–	1	1	–	–	–
†NEW WINDSOR	–	1	1	–	–	–
†READING, C.B.	–	6	1	–	–	–
WANTAGE ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	5	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
FARINGDON (part)	–	7	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE ...	–	1	2	–	–	–
BUCKINGHAM	–	13	5	1	6	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	3	–	–	–	M. 1
†BEACONSFIELD...	*	*	*	*	*	*
BUCKINGHAM ...	–	–	–	–	1	–
†CHEPPING WYCOMBE	–	3	–	–	–	–
ETON	–	1	–	–	–	–
†SLOUGH... ...	–	–	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts :—						
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	3	–
ETON	–	2	–	–	–	–
NEWPORT PAGNELL	–	3	2	–	–	–
WYCOMBE ...	–	–	1	1	–	–
CAMBRIDGE...	–	4	2	–	3	–
Borough :—						
†CAMBRIDGE ...	–	4	2	–	1	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
MELBOURN ...	–	–	–	–	1	–
CHESTER	–	81	21	–	19	C. 1 L. 1 M. 1
Boroughs and Urban Districts :—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	1	–
†BIRKENHEAD C.B.	–	18	3	–	3	–
BOLLINGTON ...	–	–	–	–	2	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	2	2	–	–	–
†CHESTER C.B. ...	–	7	2	–	–	–
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HOOLE	–	5	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	1	–	–	–	–
KNUTSFORD ...	–	4	–	–	–	–
†MACCLESFIELD...	–	8	–	–	1	L. 1
MIDDLEWICH ...	–	–	5	–	2	–
MOTTRAM-IN-LONGDENDALE	–	1	–	–	–	–
†RUNCORN ...	–	2	2	–	1	–
†STOCKPORT, C.B.	–	4	–	–	1	M. 1
†WALLASEY, C.B.	–	4	1	–	–	–
WILMSLOW ...	–	3	–	–	–	–
†WINSFORD ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	3	2	–	–	C. 1
CONGLETON ...	–	1	1	–	–	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ...	–	1	–	–	3	–
WIRRAL... ...	–	4	2	–	–	–
CORNWALL ...	–	7	1	–	5	–
Boroughs and Urban Districts:—						
BODMIN ...	–	1	–	–	–	–
HAYLE	–	–	–	–	2	–
LAUNCESTON ...	–	–	–	–	1	–
PHILLACK ...	–	–	–	–	1	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	1	–	–	–	–
ST. IVES ...	–	2	–	–	–	–
TRURO	–	2	–	–	–	–
Rural Districts:—						
HELSTON ...	–	–	1	–	–	–
LISKEARD ...	–	–	–	–	1	–
SAINT AUSTELL	*	*	*	*	*	*
SAINT GERMAINS	–	1	–	–	–	–
STRATTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	1	2	2	–	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	–	1	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE	*	*	*	*	*	*
WHITEHAVEN ...	–	–	–	2	–	–
DERBY	3	42	30	–	27	C. 2 M. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	2	–
ALVESTON AND BOULTON	*	*	*	*	*	*
ASHBOURNE ...	–	–	–	–	1	–
BASLOW AND BUBNELL...	–	1	–	–	–	–
†BOLSOVER ...	2	–	–	–	–	–
†CHESTERFIELD ...	–	4	4	–	4	M. 1
†DERBY C.B. ...	–	12	5	–	7	M. 2
GLOSSOP ...	–	–	–	–	1	–
†HEANOR ...	–	2	1	–	1	–
†ILKESTON ...	–	–	–	–	1	–
NEW MILLS ...	–	–	–	–	1	C. 1
†RIPLEY... ...	–	2	6	–	1	–
†SWADLINCOTE DISTRICT	–	5	1	–	2	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	1	C. 1
BLACKWELL ...	–	6	2	–	–	–
CHAPEL-EN-LE-FRITH	–	–	1	–	1	–
CHESTERFIELD	–	2	6	–	2	–
CODNOR PARK, &c. (parishes)	1	–	–	–	–	–
HARTSHORNE AND SEALS	–	4	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
NORTON... ...	–	1	1	–	1	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	21	3	–	6	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	5	–	–	–	M. 1
†EXMOUTH ...	–	–	–	–	2	–
HONITON ...	–	1	–	–	–	–
†NEWTON ABBOT	–	1	–	–	–	–
†PLYMOUTH C.B.	–	5	2	–	1	C. 1 G. 1
SOUTH MOLTON	–	2	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BARNSTAPLE ...	–	1	–	–	2	–
CREDITON ...	–	1	–	–	–	M. 1
HONITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	*	*	*	*	*	*
TAVISTOCK ...	–	2	–	–	–	–
DORSET	–	4	3	1	3	–
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	–	–
Rural Districts:—						
BLANDFORD ...	*	*	*	*	*	*
DORCHESTER ...	–	–	–	1	–	–
SHAFTESBURY ...	–	–	–	–	1	–
STURMINSTER ...	–	2	–	–	1	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	2	–	1	–
DURHAM... ...	–	55	20	–	57	C. 3 G. 1 M. 9
Boroughs and Urban Districts:—						
BARNARD CASTLE	–	–	1	–	–	–
BENFIELDSIDE...	–	1	1	–	–	–
†BLAYDON ...	–	2	–	–	2	M. 1
†CHESTER-LE-STREET	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CROOK	–	–	1	–	1	–
†DARLINGTON C.B.	–	–	–	–	2	–
†DURHAM ..	–	–	–	–	1	–
†FELLING ...	–	–	–	–	4	–
†GATESHEAD C.B.	–	5	4	–	5	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON ...	–	1	–	–	2	–
†HOUGHTON-LE-SPRING	–	–	–	–	5	–
†JARROW ...	–	1	–	–	1	–
†RYTON ...	–	–	–	–	1	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	–	–	7	–
†SOUTHWICK-ON-WEAR	–	–	–	–	–	M. 1
†SPENNYMOOR ...	–	2	–	–	–	G. 1
STANHOPE ...	–	–	1	–	–	–
†STANLEY ...	–	–	3	–	2	–
†STOCKTON-ON-TEES	–	–	–	–	6	–
†SUNDERLAND C.B	–	13	–	–	5	C. 1 M. 2
TANFIELD ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B.	–	4	–	–	2	C. 1 M. 2
†WHICKHAM ...	–	1	2	–	1	M. 1
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
CHESTER-LE-STREET	–	6	2	–	1	M. 1
DARLINGTON ...	–	1	3	–	–	–
DURHAM ...	–	2	–	–	–	–
EASINGTON ...	–	5	–	–	2	–
HOUGHTON-LE-SPRING	–	1	–	–	1	M. 1
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	–	1	–	–	–
SUNDERLAND ...	–	1	–	–	4	–
WEARDALE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
MARCH	*	*	*	*	*	*
†WISBECH ...	–	–	1	–	–	–
ESSEX	–	79	40	1	26	C. 1 L. 4 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	3	–	1	M. 1
BRAINTREE ...	–	3	–	–	–	–
BUCKHURST HILL	–	–	–	–	1	–
†CHELMSFORD ...	–	2	–	–	1	–
†COLCHESTER ...	–	3	11	1	–	L. 1
†EAST HAM C.B.	–	13	3	–	2	–
†GRAYS THURROCK	–	1	1	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†ILFORD	–	8	4	–	1	L. 3
†LEYTON... ...	–	9	4	–	3	C. 1
†ROMFORD ...	–	4	2	–	–	–
SAFFRON WALDEN	–	2	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	4	–	–	2	–
WALTHAM HOLY CROSS	–	3	–	–	–	–
†WALTHAMSTOW	–	8	2	–	5	–
†WANSTEAD ...	–	–	–	–	1	–
†WEST HAM C.B.	–	7	8	–	4	–
†WOODFORD ...	–	1	–	–	3	–
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT	–	2	1	–	–	–
ROMFORD ...	–	–	–	–	1	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
SAFFRON WALDEN	–	1	–	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	–	47	20	3	9	C. 1 M. 5
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	39	12	3	7	C. 1 M. 4
CHARLTON KINGS	–	1	1	–	–	–
†CHELTENHAM ...	–	1	–	–	–	M. 1
CIRENCESTER ...	–	2	–	–	–	–
COLEFORD ...	–	–	3	–	–	–
†GLOUCESTER C.B.	–	–	1	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	–	1	–	–	–
STROUD ...	–	–	1	–	–	–
TETBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	2	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	4	1	–	5	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
Rural Districts:—						
KINGTON ...	–	1	–	–	–	–
LEOMINSTER ...	–	–	–	–	2	–
ROSS	–	3	–	–	–	–
WEOBLEY ...	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	4	8	–	7	L. 1
Boroughs and Urban Districts:—						
†EAST BARNET VALLEY	–	–	1	–	–	–
HARPENDEN ...	–	3	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	2	–
RICKMANSWORTH	–	–	–	–	4	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
BARNET... ...	–	–	2	–	–	–
BERKHAMPSTED	–	–	1	–	–	–
HADHAM ...	–	–	–	–	1	–
WATFORD ...	–	–	2	–	–	L. 1
HUNTINGDON ...	–	4	1	–	2	M. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
OLD FLETTON ...	–	–	–	–	1	–
Rural Districts—						
HUNTINGDON ...	–	–	1	–	–	–
ST. IVES ...	–	3	–	–	1	M. 1
ST. NEOTS, No. 3	*	*	*	*	*	*
KENT	1	49	32	3	8	D. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	1	2	1	–	1	–
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY ...	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	–	–
†BROMLEY ...	–	4	–	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANTERBURY C.B.	–	–	–	–	–	M. 1
†CHATHAM ...	–	1	–	–	1	–
CHERITON ...	–		–	–	1	–
†DARTFORD ...	–	1	1	1	–	–
†DOVER	–	–	2	–	–	–
†ERITH	–	3	3	–	–	–
†FOLKESTONE ...	–	1	1	–	–	–
†GILLINGHAM ...	–	–	–	–	1	–
†GRAVESEND ...	–	3	1	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
HYTHE... ...	–	1	–	–	–	–
†MARGATE ...	–	3	–	–	–	–
†NORTHFLEET ...	–	2	–	–	–	–
†PENGE	–	–	2	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	2	E. 1
†SITTINGBOURNE	–	–	–	–	–	D. 1
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	2	2	–	–	–
BROMLEY ...	–	1	1	–	–	–
CRANBROOK ...	–	2	1	–	–	–
DARTFORD ...		6	2	–	–	–
EAST ASHFORD	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	1	–	–
HOO	–	1	1	–	–	–
ISLE OF THANET	–	–	2	–	–	–
MAIDSTONE ...	–	–	8	–	–	–
MILTON	–	4	–	–	–	–
STROOD	–	1	–	–	–	–
TENTERDEN ...	–	–	–	1	–	–
WEST ASHFORD	–	–	2	–	–	–
LANCASTER ...	3	344	89	5	179	C. 13 D. 2 L. 6 M. 38
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	–	–
ADLINGTON ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashton-in-Makerfield	–	1	1	–	2	–
†Ashton-under-Lyne	–	2	–	–	3	–
†Atherton ...	–	1	–	–	–	–
Audenshaw ...	–	1	–	–	–	–
†Bacup	–	–	1	–	6	–
†Barrow-in-Furness C.B.	–	11	1	1	1	–
†Blackburn C.B.	–	9	–	–	4	–
†Blackpool C.B.	–	1	–	–	–	–
†Bolton C.B. ...	–	10	1	–	4	–
†Bootle C.B. ...	–	8	1	–	4	M. 3
Brierfield ...	–	–	1	–	–	–
†Burnley C.B.	–	8	4	–	1	–
†Bury C.B. ...	–	5	–	–	3	–
†Chadderton ...	–	2	1	–	1	–
†Chorley ...	–	–	–	–	2	–
†Colne	–	–	–	–	2	C. 1 M. 1
†Crompton ...	–	–	1	–	2	–
†Dalton-in Furness	–	2	–	–	–	–
†Darwen ...	–	3	–	–	–	–
†Denton ...	–	1	–	–	2	–
†Droylsden ...	–	3	–	–	–	–
†Eccles ...	–	2	–	–	3	–
†Failsworth ...	–	5	–	–	–	–
†Farnworth ...	–	1	–	–	1	–
†Fleetwood ...	–	1	–	–	–	–
Formby... ...	–	–	1	–	–	–
Fulwood ...	–	2	–	–	–	C. 1
†Great Crosby	–	–	3	–	–	–
†Great Harwood	–	–	–	–	–	M. 1
†Haydock ...	–	2	–	–	–	–
Heysham ...	–	1	–	–	–	–
†Heywood ...	–	3	–	–	1	–
†Hindley ...	–	4	–	–	4	M. 2
†Horwich ...	–	4	2	–	–	–
†Ince-in-Makerfield	–	3	–	–	2	–
Irlam	–	–	1	–	–	–
Kearsley ...	–	–	1	–	–	–
†Lancaster ...	–	8	–	–	2	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Lathom and Burscough	–	–	2	–	1	–
†Leigh	–	2	2	–	3	–
Litherland	–	1	–	–	–	–
Little Hulton	–	–	1	–	–	–
†Liverpool C.B.	–	49	12	–	12	D. 2 M. 7
†Manchester C.B.	–	79	23	–	49	C 9 M. 7
†Middleton ...	–	5	–	–	1	–
Milnrow ...	–	1	–	–	1	–
†Mossley ...	–	–	–	–	–	M. 1
†Newton-in-Makerfield	–	9	–	–	–	–
†Oldham C.B.	3	10	1	2	3	M. 1
Orrell... ...	–	1	–	–	–	–
†Padiham ...	–	4	–	–	–	–
Preesall ...	–	1	–	–	–	–
†Preston C.B. ...	–	3	1	–	1	–
†Radcliffe ...	–	–	2	–	6	–
†Ramsbottom ...	–	1	1	–	–	–
Rishton ...	–	–	1	–	1	–
†Rochdale C.B.	–	1	3	–	1	M. 1
†St. Annes-on-the-Sea	–	2	–	1	–	–
†St. Helens C.B.	–	1	5	–	4	L. 2 M. 2
†Salford C.B. ...	–	21	4	1	9	C. 2
†Southport C.B.	–	2	1	–	1	–
Standish-with-Langtree	–	–	–	–	1	–
†Stretford ...	–	9	–	–	2	–
†Swinton and Pendlebury	–	–	–	–	5	–
Tottington ...	–	2	–	–	–	–
†Tyldesley-with-Shakerley	–	2	2	–	1	–
Ulverston ...	–	1	–	–	–	–
Upholland ...	–	7	–	–	–	–
Wardle ...	–	1	–	–	–	–
†Warrington C.B.	–	5	–	–	10	M. 1
†Waterloo-with-Seaforth	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	1	–	–	1	–
WHITEFIELD ...	*	*	*	*	*	*
WHITWORTH ...	–	2	–	–	–	–
†WIDNES ...	–	1	2	–	5	–
†WIGAN C.B. ...	–	2	1	–	3	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	–	–
BURY	–	1	–	–	1	–
CHORLEY ...	–	2	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 2
GARSTANG ...	–	1	1	–	–	–
LEIGH	–	1	3	–	1	–
LIMEHURST ...	–	3	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	2	–	–	2	–
WHISTON ...	–	–	–	–	–	L. 2
LEICESTER ...	–	16	8	1	9	M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	1	–	–
†LEICESTER C.B.	–	11	3	–	6	M. 1
†LOUGHBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	–	–
QUORNDON ...	–	1	–	–	–	–
WIGSTON MAGNA	–	2	–	–	–	–
Rural Districts:—						
BARROW-UPON-SOAR	–	–	–	–	1	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	1	1	–	–	–
LEICESTER—*cont.*						
Rural Districts—*cont.*						
MARKET BOSWORTH	–	–	2	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	2	–	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Rural District:—						
BOURNE... ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	10	4	1	9	C. 1 M. 1
Boroughs and Urban Districts:—						
ALFORD... ...	–	1	–	–	–	–
BARTON-UPON-HUMBER	–	–	2	–	–	–
BROUGHTON ...	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	2	M. 1
†GAINSBOROUGH	–	1	–	–	1	–
†GRIMSBY C.B. ...	–	–	1	1	–	–
†LINCOLN C.B. ...	–	3	–	–	1	–
MARKET RASEN	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	3	–
Rural Districts:—						
CAISTOR... ...	–	1	–	–	–	–
GAINSBOROUGH	–	1	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts—*cont.*						
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY ...	–	1	–	–	1	–
HORNCASTLE ...	–	1	–	–	–	–
MIDDLESEX ...	–	106	58	–	14	C. 1 D. 1 G. 1 L. 1 M. 1
Boroughs and Urban Districts :—						
†ACTON	–	4	3	–	1	–
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	3	1	–	–	D. 1
†EALING ...	–	8	5	–	–	–
†EDMONTON ...	–	1	3	–	–	M. 1
†ENFIELD ...	–	3	3	–	2	–
FELTHAM ...	–	4	–	–	–	–
†FINCHLEY ...	–	6	–	–	–	–
†FRIERN BARNET	–	2	–	–	–	–
GREENFORD ...	–	1	–	–	–	–
†HAMPTON ...	–	–	1	–	–	–
†HANWELL ...	–	1	1	–	–	–
†HARROW-ON-THE-HILL	–	1	1	–	–	–
HAYES	–	2	–	–	–	–
†HENDON ...	–	3	5	–	–	–
†HESTON AND ISLEWORTH	–	7	–	–	1	–
†HORNSEY ...	–	7	2	–	1	–
RUISLIP-NORTHWOOD	–	–	–	–	3	–
†SOUTHALL-NORWOOD	–	2	–	–	–	L. 1
†SOUTHGATE ...	–	4	–	–	–	–
†TOTTENHAM ...	–	20	10	–	3	–
†TWICKENHAM ...	–	3	–	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	2	–	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WILLESDEN ...	–	8	16	–	1	C. 1
†WOOD GREEN ...	–	8	3	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts :—						
HENDON ...	–	–	1	–	–	–
STAINES ...	–	3	1	–	1	G. 1
NORFOLK ...	–	29	4	1	4	C. 1 G. 1
Boroughs and Urban District :—						
DISS	*	*	*	*	*	*
†GREAT YARMOUTH, C.B.	–	6	–	–	–	–
†KING'S LYNN ...	–	2	1	–	–	–
NORTH WALSHAM	–	1	–	–	–	–
†NORWICH C.B....	–	11	2	–	–	G. 1
WALSOKEN ...	–	–	–	–	–	C. 1
WELLS	–	–	–	–	1	–
Rural Districts :—						
DEPWADE ...	–	1	–	–	2	–
EAST AND WEST FLEGG	–	3	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	1	–	–
THETFORD ...	–	3	–	–	–	–
WALSINGHAM ...	–	–	1	–	–	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON	–	8	3	–	6	M. 1
Boroughs and Urban Districts :—						
†NORTHAMPTON C.B.	–	5	2	–	3	–
ROTHWELL ...	–	–	–	–	1	–
†RUSHDEN ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Rural Districts :—						
MIDDLETON CHENEY	*	*	*	*	*	*
OUNDLE (part)	–	–	–	–	–	M. 1
POTTERSPURY...	–	2	–	–	–	–
TOWCESTER ...	–	–	–	–	2	–
NORTHUMBERLAND.	–	39	4	–	26	C. 2 M. 2
Boroughs and Urban Districts :—						
AMBLE	–	3	–	–	–	–
†ASHINGTON ...	–	2	–	–	–	–
†BLYTH	–	3	–	–	1	–
†EARSDON ...	–	2	–	–	–	–
†GOSFORTH ...	–	3	–	–	–	–
NEWBIGGIN-BY-THE-SEA	–	2	–	–	1	–
†NEWBURN ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	11	2	–	14	C. 1
PRUDHOE ...	–	–	–	–	1	–
SEATON DELAVAL	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	1	–	–	4	C. 1
†WALLSEND ...	–	2	2	–	2	M. 1
†WHITLEY AND MONKSEATON	–	2	–	–	1	–
Rural Districts :—						
CASTLE WARD ...	–	1	–	–	1	M. 1
HALTWHISTLE ...	–	4	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	3	23	8	1	16	C. 1 L. 1 M. 2
Boroughs and Urban Districts :—						
†CARLTON ...	–	–	1	–	1	M. 1
†EAST RETFORD	–	1	–	–	–	L. 1
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
HUTHWAITE ...	–	4	–	–	–	–
†KIRKBY-IN-ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	1	–	1	C. 1
†MANSFIELD WOODHOUSE	–	2	–	–	1	–
†NOTTINGHAM C.B.	3	12	5	–	6	–
†SUTTON-IN-ASHFIELD	–	–	–	1	1	M. 1
WARSOP ...	*	*	*	*	*	*
†WEST BRIDGFORD	–	1	–	–	1	–
Rural Districts :—						
BASFORD ...	–	1	1	–	1	–
EAST RETFORD	–	–	–	–	3	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	9	4	–	3	–
Boroughs and Urban Districts :—						
†OXFORD C.B. ...	–	4	–	–	2	–
Rural Districts :—						
BANBURY ...	–	–	3	–	–	–
BICESTER ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
HEADINGTON ...	–	3	–	–	–	–
WITNEY... ...	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	1	M. 1
Borough :—						
†PETERBOROUGH	–	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	2	–	1	M. 1
Boroughs and Urban Districts:—						
†Oakengates ...	–	1	–	–	–	–
Oswestry ...	–	1	–	–	–	–
†Shrewsbury ...	–	1	–	–	–	–
Wellington ...	–	–	–	–	–	M. 1
Rural Districts:—						
Atcham ...	–	1	2	–	–	–
Bridgnorth ...	–	1	–	–	–	–
Ellesmere ...	–	–	–	–	1	–
SOMERSET ...	–	15	6	1	12	F. 1 M. 1
Boroughs and Urban Districts:—						
†Bath C.B. ...	–	2	–	–	3	M. 1
†Bridgwater ...	–	2	–	–	–	–
Glastonbury ...	–	–	1	–	–	–
Highbridge ...	–	1	–	–	–	–
Midsomer Norton	–	–	1	–	–	F. 1
Minehead ...	–	1	–	–	–	–
Shepton Mallet	–	1	–	–	–	–
†Taunton ...	–	1	1	–	2	–
†Yeovil ...	–	1	–	–	–	–
Rural Districts:—						
Axbridge ...	–	–	–	1	–	–
Bath	–	1	–	–	–	–
Bridgwater ...	–	–	–	–	1	–
Clutton ...	–	3	1	–	1	–
Frome	–	–	–	–	1	–
Keynsham ...	–	–	1	–	1	–
Langport ...	–	–	–	–	1	–
Long Ashton ...	–	–	1	–	–	–
Taunton ...	–	2	–	–	1	–
Wellington ...	–	–	–	–	1	–
SOUTHAMPTON...	–	64	40	–	7	C. 1 M. 3
Boroughs and Urban Districts:—						
†Aldershot ...	–	2	–	–	–	–
†Basingstoke ...	–	2	–	–	–	–
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bournemouth C.B.	–	–	1	–	–	–
†Eastleigh and Bishopstoke	–	1	1	–	–	–
†Fareham ...	–	2	–	–	–	–
†Gosport and Alverstoke	–	7	3	–	1	–
†Portsmouth C.B.	–	39	27	–	–	M. 2
†Southampton C.B.	–	5	5	–	1	C. 1 M. 1
†Winchester ...	–	2	–	–	4	–
Rural Districts:—						
Andover ...	–	–	1	–	–	–
Basingstoke ...	–	2	–	–	–	–
Hartley Wintney	–	–	–	–	1	–
Kingsclere ...	–	–	1	–	–	–
Petersfield ...	–	2	–	–	–	–
South Stoneham	–	–	1	–	–	–
STAFFORD ...	–	48	16	1	53	C. 2 E. 1 L. 2 M. 8
Boroughs and Urban Districts:—						
†Audley... ...	–	2	–	–	–	–
†Bilston ...	–	1	–	–	5	–
†Brierley Hill	–	–	–	–	2	–
†Brownhills ...	–	1	–	–	5	–
†Burton-upon-Trent C.B.	–	1	1	–	–	E. 1
†Cannock ...	–	–	–	–	–	M. 2
†Coseley ...	–	1	1	–	1	M. 1
†Darlaston ...	–	1	–	–	1	–
†Rowley Regis	–	–	–	–	6	–
†Sedgley ...	*	*	*	*	*	*
†Smethwick C.B.	–	1	3	–	3	C. 1

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Stoke-on-Trent C.B.	–	14	7	–	23	M. 4
Stone	–	–	–	–	1	–
Tamworth ...	–	2	–	–	–	–
Tettenhall ...	–	–	–	–	–	C. 1
†Tipton	–	1	–	–	–	–
†Walsall C.B....	–	1	–	–	1	M. 1
†Wednesbury ...	–	1	–	–	3	–
†West Bromwich C.B.	–	7	2	–	–	–
†Willenhall ...	–	1	–	1	–	–
†Wolstanton United	–	–	1	–	–	–
†Wolverhampton C.B.	–	6	–	–	2	–
Rural Districts:—						
Cheadle ...	–	2	1	–	–	L. 2
Gnosall ...	–	1	–	–	–	–
Tamworth (part)	–	3	–	–	–	–
Tutbury ...	–	1	–	–	–	–
SUFFOLK, EAST	–	14	14	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
Aldeburgh ...	–	–	–	–	1	–
Beccles ...	–	3	–	–	–	M. 1
†Felixstowe ...	–	1	–	–	–	–
†Ipswich C.B. ...	–	1	11	–	–	–
†Lowestoft ...	–	4	3	–	2	–
Saxmundham ...	–	1	–	–	–	–
Stowmarket ...	–	–	–	–	–	C. 1
Woodbridge ...	–	1	–	–	–	–
Rural Districts:—						
Blything ...	–	1	–	–	–	–
East Stow ...	–	1	–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
Hoxne	–	–	–	–	1	–
Plomesgate ...	–	1	–	–	–	–
SUFFOLK, WEST	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
Hadleigh ...	*	*	*	*	*	*
Newmarket ...	–	–	1	–	–	–
Rural Districts:—						
Melford ...	–	3	–	–	–	–
Thedwastre ...	–	–	–	–	–	M. 1
SURREY	–	64	16	2	14	C. 1 D. 1 M. 4
Boroughs and Urban Districts:—						
†Barnes ...	–	2	2	–	1	–
†Beddington and Wallington	–	2	–	–	–	–
†Carshalton ...	–	2	1	–	–	–
†Caterham ...	–	–	–	1	1	–
†Chertsey ...	–	1	–	–	–	–
†Croydon C.B....	–	20	3	–	1	C. 1 D. 1 M. 1
†Egham	–	1	–	–	–	–
Esher and the Dittons	–	–	–	–	1	–
†Guildford ...	–	2	1	–	–	M. 1
Ham	*	*	*	*	*	*
†Kingston-upon-Thames	–	3	4	–	–	–
†Merton and Morden ...	–	3	–	–	1	–
†Mitcham ...	–	3	2	–	–	M. 1
†Reigate ...	–	1	–	–	–	–
†Richmond ...	–	2	–	–	1	–
†Surbiton ...	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON	–	1	–	–	3	–
†WALTON-UPON-THAMES	–	4	–	–	–	–
†WIMBLEDON ...	–	6	1	1	1	–
†WOKING ...	–	–	–	–	–	M. 1
Rural Districts:—						
EPSOM	–	4	–	–	3	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	1	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	24	4	–	6	M. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	10	3	–	3	–
†EASTBOURNE C.B	–	–	1	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
†HASTINGS C.B....	–	3	–	–	1	M. 1
†HAYWARD'S HEATH	–	1	–	–	1	–
†HOVE	–	5	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
Rural Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
STEYNING EAST	–	1	–	–	–	–
SUSSEX, WEST ...	–	12	2	1	1	M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	2	–	–	–	–
SHOREHAM-BY-SEA	–	–	–	1	–	–
SOUTHWICK ...	–	–	–	–	1	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
PETWORTH ...	–	1	–	–	–	–
STEYNING WEST	–	3	–	–	–	–
THAKEHAM ...	–	4	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	1	–	–	M. 1
WARWICK ...	–	84	39	–	90	C. 3 M. 19
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	62	34	–	70	C. 3 M. 16
†COVENTRY C.B.	–	3	–	–	2	M. 1
KENILWORTH ...	–	–	–	–	1	M. 2
†NUNEATON ...	–	1	–	–	5	–
†ROYAL LEAMINGTON SPA	–	–	1	–	2	–
†RUGBY	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	1	2	–	1	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	3	–	–	2	–
MERIDEN ...	–	3	–	–	1	–
SOUTHAM ...	–	–	–	–	3	–
STRATFORD-ON-AVON	–	2	–	–	–	–
TAMWORTH (part)	–	7	2	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND	–	3	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	1	–	–	–	–
†RYDE	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	13	3	–	11	M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	2	1	–	5	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	M. 1
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
HIGHWORTH ...	–	1	–	–	3	–
MARLBOROUGH...	–	1	–	–	1	–
PEWSEY... ...	–	–	1	–	–	–
TISBURY ...	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	8	–	–	–	–
WORCESTER ...	–	18	1	–	8	M. 3
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	1	–	–	–	–
†KIDDERMINSTER	–	2	–	–	1	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	2	–	–	–	–
†OLDBURY ...	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDDITCH ...	–	5	–	–	2	M. 1
†STOURBRIDGE ...	–	1	–	–	1	–
†WORCESTER C.B.	–	1	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	–	M. 2
DROITWICH ...	–	1	–	–	1	–
FECKENHAM ...	–	2	–	–	–	–
SHIPSTON-ON-STOUR	–	1	–	–	–	–
UPTON-UPON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	17	6	–	7	M. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	–	–
FILEY	–	3	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	2	5	–	7	–
WITHERNSEA ...	*	*	*	*	*	*
†YORK C.B. ...	–	2	–	–	–	M. 1
Rural Districts:—						
BEVERLEY ...	–	2	–	–	–	–
ESCRICK ...	–	2	–	–	–	–
PATRINGTON ...	*	*	*	*	*	*
POCKLINGTON ...	–	6	–	–	–	–
YORKS ... ... (North Riding).	13	6	6	–	10	J. 1 M. 1
Boroughs and Urban Districts:—						
GUISBOROUGH ...	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	13	1	–	–	8	J. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR... ...	–	–	–		–	M. 1
RICHMOND ...	*	*	*	*	*	*
†SCARBOROUGH ...	–	2	–	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†WHITBY ...	–	–	1	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	2	–	–	–
MALTON... ...	–	1	–	–	–	–
RICHMOND ...	*	*	*	*	*	*
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	–	1	–	–	–
THIRSK	–	–	–	–	1	–
WHITBY ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	14	167	59	19	212	C. 6 D. 1 G. 1 M. 14
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	1	–	–	–
ALTOFTS ...	–	–	–	–	2	–
†BARNOLDSWICK	–	1	1	–	2	–
†BARNSLEY C.B.	–	4	1	2	8	C. 1
†BINGLEY ...	–	–	2	–	1	–
†BOLTON-UPON-DEARNE	–	1	–	3	–	–
†BRADFORD C.B.	–	27	8	–	14	C. 3 M. 1
†CASTLEFORD ...	–	1	2	–	–	–
CLAYTON ...	–	1	–	–	–	–
CLAYTON WEST	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	–	–	2	–
DARFIELD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTON ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	2	–	–	–	–
DODWORTH ...	–	–	–	1	–	–
†DONCASTER ...	–	1	–	–	2	–
†ELLAND... ...	–	–	–	–	2	–
FLOCKTON ...	–	–	1	–	–	–
†GOLCAR ...	1	–	–	–	–	–
†GOOLE	–	2	–	2	1	–
†HALIFAX, C.B. ...	–	6	–	–	1	D. 1
†HARROGATE ...	–	–	–	–	–	M. 1
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	3	–
HONLEY ...	–	–	–	–	1	–
†HOYLAND NETHER	–	–	–	–	4	–
†HUDDERSFIELD C.B.	–	1	5	–	7	–
KNARESBOROUGH	*	*	*	*	*	*
†LEEDS C.B. ...	–	37	6	1	8	M. 4
LINTHWAITE ...	1	–	–	–	–	–
LUDDENDEN FOOT	*	*	*	*	*	*
MIDGLEY ...	*	*	*	*	*	*
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY ...	–	–	–	–	3	–
MYTHOLMROYD	–	1	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	3	–	–	2	–
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	–	1	–	–	–
OTLEY	–	–	1	–	1	–
OXENHOPE ...	–	–	–	1	–	–
†PONTEFRACT ...	–	2	–	–	–	–
†PUDSEY... ...	–	1	–	–	–	–
RAWDON ...	–	1	–	–	–	–
†RAWMARSH ...	–	–	–	–	1	–
†ROTHERHAM C.B.	–	3	1	–	5	G. 1 M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROTHWELL ...	–	4	1	–	–	–
ROYSTON ...	–	2	–	–	–	–
†SADDLEWORTH...	1	–	–	–	–	–
†SHEFFIELD C.B.	–	29	13	5	116	C. 2 M. 6
SKELMANTHORPE	–	2	–	–	–	–
SLAITHWAITE ...	8	–	–	–	1	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	2	–
STAINLAND WITH OLD LINDLEY	–	2	–	–	–	–
STOCKSBRIDGE...	–	–	–	–	1	–
†SWINTON ...	–	2	–	–	3	–
THURNSCOE ...	–	2	–	–	–	–
THURSTONLAND	–	–	1	–	–	–
†TODMORDEN ...	2	–	–	–	1	–
†WAKEFIELD C.B.	–	–	1	–	–	–
†WOMBWELL ...	–	–	1	–	2	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	3	–
GOOLE	–	–	1	–	–	–
HEMSWORTH ...	–	2	5	2	4	–
HUNSLET ...	–	1	1	–	–	–
KEIGHLEY ...	–	–	–	–	1	–
KNARESBOROUGH	–	2	–	–	–	–
PONTEFRACT ...	–	2	–	–	1	–
ROTHERHAM ...	1	2	1	–	–	–
SEDBERGH ...	–	2	–	–	–	–
SKIPTON ...	–	–	1	–	–	–
TADCASTER ...	–	–	1	–	–	–
TODMORDEN ...	–	–	1	–	–	–
WAKEFIELD ...	–	3	1	–	–	–
WETHERBY ...	–	1	–	–	4	–
WHARFEDALE (North)	–	2	–	–	–	–
WORTLEY ...	–	–	–	2	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
MENAI BRIDGE	–	–	3	–	–	–
Rural Districts:—						
AETHWY ...	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	–	–	2	–
CARDIGAN ...	–	–	–	–	–	–
Boroughs and Urban District:—						
LAMPETER ...	*	*	*	*	*	*
Rural District:—						
LAMPETER ...	*	*	*	*	*	*
CARMARTHEN ...	–	10	2	–	5	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	–	–
BURRY PORT ...	–	–	1	–	–	–
†CARMARTHEN ...	–	1	–	–	–	–
†LLANELLY ...	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
CARMARTHEN —*cont.*						
Rural Districts :—						
Llandilo Fawr	–	7	1	–	1	–
Llanybyther ...	*	*	*	*	*	*
CARNARVON ...	–	2	2	–	1	–
Boroughs and Urban Districts—						
Carnarvon ...	–	–	1	–	–	–
Llandudno ...	–	1	–	–	–	–
Rural Districts :—						
Gwyrfai ...	–	1	1	–	–	–
Lleyn	–	–	–	–	1	–
DENBIGH ...	–	7	3	–	4	G. 1 M. 1
Boroughs and Urban Districts :—						
†Colwyn Bay and Colwyn	–	1	–	–	–	G. 1
†Wrexham ...	–	–	1	–	–	–
Rural Districts :—						
Llansilin ...	–	–	–	–	1	–
Ruthin	–	–	–	–	3	–
Wrexham ...	–	6	2	–	–	M. 1
FLINT	–	2	3	–	5	C. 1
Boroughs and Urban Districts :—						
Flint	–	–	1	–	–	–
Holywell ...	–	–	–	–	2	–
Prestatyn ...	*	*	*	*	*	*
†Rhyl	–	1	–	–	–	–
Rural Districts :—						
Hawarden ...	–	–	1	–	–	–
Holywell (Holywell Div.)	–	–	1	–	3	–
Holywell (Mold Div.)	–	1	–	–	–	–
Overton ...	–	–	–	–	–	C. 1
GLAMORGAN ...	–	98	33	3	20	C. 2 E. 1 M. 4
Boroughs and Urban Districts :—						
†Aberdare ...	–	22	1	–	3	–
†Barry	–	–	1	–	1	C. 1
Bridgend ...	–	–	–	–	1	–
Briton Ferry	–	2	–	–	3	–
†Caerphilly ...	–	4	2	–	–	–
†Cardiff C.B. ...	–	8	5	–	4	C. 1 M. 2
†Gelligaer ...	–	8	4	2	–	–
†Glyncorwg ...	–	–	1	–	–	–
†Maesteg ...	–	1	1	–	–	–
†Merthyr Tydfil C.B.	–	1	1	–	1	–
†Mountain Ash	–	11	1	–	–	–
†Neath	–	–	1	–	1	–
†Ogmore and Garw	–	7	2	–	1	–
†Pontypridd ...	–	8	–	–	1	–
Porthcawl ...	–	–	1	–	–	–
†Port Talbot ...	–	4	–	–	–	–
†Rhondda ...	–	8	4	–	2	E. 1 M. 1
†Swansea C.B. ...	–	8	7	–	2	M. 1
Rural Districts :—						
Gower	–	2	–	–	–	–
Llandaff and Dinas Powis	*	*	*	*	*	*
Neath	–	1	–	–	–	–
Penybont ...	–	2	–	1	–	–
Pontardawe ...	–	–	1	–	–	–
Swansea ...	–	1	–	–	–	–
MERIONETH ...	–	1	3	–	–	–
Urban Districts :—						
Bala	*	*	*	*	*	*
Festiniog ...	–	–	2	–	–	–
Towyn ...	–	–	1	–	–	–
Rural Districts :—						
Edeirnion ...	–	1	–	–	–	–
Penllyn ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	14	10	2	12	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	2	–	–	–	–
†ABERTILLERY ...	–	1	–	–	3	–
†BEDWELLTY ...	–	1	3	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ...	–	–	1	–	–	–
LLANFRECHFA UPPER	–	–	–	–	1	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
†NEWPORT C.B....	–	3	5	1	5	–
†RHYMNEY ...	–	2	–	–	–	–
†TREDEGAR ...	–	4	1	1	–	–
USK	*	*	*	*	*	*
Rural Districts:—						
PONTYPOOL ...	*	*	*	*	*	*
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	2	2	–	–	M. 1
Rural Districts:—						
FORDEN ...	–	2	–	–	–	M. 1
LLANFYLLIN ...	–	–	2	–	–	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
MILFORD HAVEN	–	–	1	–	–	–
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST	–	1	–	–	–	–
NARBETH ...	–	–	1	–	–	–
PEMBROKE ...	–	–	1	–	–	–
RADNOR... ...	–	–	1	–	–	–
Urban District:—						
LLANDRINDOD WELLS	–	–	1	–	–	–
Total of Part II.	37	1733	665	49	940	C. 45 D. 6 E. 3 F. 1 G. 6 J. 1 L 16 M. 138

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PLYMOUTH ...	–	–	–	–	1	–
PORT OF LONDON	–	–	1	–	–	–
Total of Part III.	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	363	254	5	121	C. 9 D. 2 G. 1 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	37	1733	665	49	940	C. 45 D. 6 E. 3 F. 1 G. 6 J. 1 L. 16 M. 138
Total of Part III.—Port Sanitary Districts ...	–	–	1	–	1	–
Total (*i.e.*, of returns received), England and Wales	37	2096	920	54	1062	C. 54 D. 8 E. 3 F. 1 G. 7 J. 1 L. 16 M. 153

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Thirty-seven cases of Small-pox were notified which appear on pages 510, 513, 514, 517, 521, 522, and 523.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.
LONDON:—													
DEATHS—all ages	1,418	1,636	1,472	1,398	1,239	1,223	1,267	1,417	1,514	1,446	1,406	1,327	1,319
" 0 to 1 year	186	181	183	180	177	150	188	219	228	197	220	159	170
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,908	8,240	8,575	8,199	8,357	8,238	7,683	8,220	7,962	7,250	8,046	8,711	8,491
DEATHS—all ages	6,784	7,192	6,376	5,669	4,955	5,066	5,161	5,626	6,073	5,948	5,637	5,486	5,202
" 0 to 1 year	862	933	844	781	713	733	839	920	1,011	984	906	834	829
ENTERIC FEVER—Cases	17	12	17	21	12	26	4	12	13	20	17	16	23
" Deaths	5	2	1	3	6	5	4	5	3	6	4	5	7
SMALL POX—Cases	1	—	1	8	1	2	13	11	12	14	25	12	19
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,429	1,423	1,373	1,314	1,252	1,322	1,180	1,196	1,227	1,145	1,122	1,081	1,246
" Deaths	22	28	18	26	25	17	17	25	18	20	23	31	17
DIPHTHERIA—Cases	807	782	832	785	740	654	685	654	666	622	560	553	602
" Deaths	75	59	58	73	74	45	37	74	47	49	43	53	38
MEASLES—Deaths	44	61	83	86	89	104	122	160	181	154	158	177	184
INFLUENZA—Deaths	759	670	525	306	201	146	104	111	117	109	93	75	69

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th May 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	66	38	58·3	40·1	13
BRIGHTON	57	40	53·4	41·6	9
PORTSMOUTH	60	39	56·6	42·3	7
NORWICH (EATON).	65	38	57·3	38·1	5
PLYMOUTH	59	37	55·6	43·4	12
BRISTOL (CLIFTON).	63	36	54·1	40·0	12
BIRMINGHAM	63	36	54·0	38·6	24
NOTTINGHAM	63	33	55·6	38·7	13
BIRKENHEAD (BIDSTON).	58	38	52·9	41·3	6
MANCHESTER	62	35	53·9	39·1	10
BURNLEY	59	30	52·3	37·3	10
HUDDERSFIELD	Not received.				
BRADFORD	60	31	52·7	38·1	10
SHEFFIELD	63	36	53·6	39·1	6
YORK (MUSEUM).	62	32	55·3	38·6	1
HULL (PEARSON PARK).	61	33	54·4	37·9	1
TYNEMOUTH	58	31	54·0	38·9	2
CARDIFF	64	37	54·4	41·4	13
EDINBURGH	56·0	36·0	51·3	38·6	15
GLASGOW	54·5	35·4	52·2	39·5	25
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	59·0	35·8	55·2	41·8	5
BELFAST	56·8	31·5	54·3	38·0	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th May 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	30	..	29·674	56·0	38·0	18·0	45·8	− 3·3	37·0	8·8	17·1	3·8	71	103·2	27·0	45·2	NNE & N.	N	1·3	0·0	0·1	189	− 96	0·07
May. Monday	1	Greatest Declination N.	29·590	52·6	37·5	15·1	45·0	− 4·3	38·7	6·3	11·7	2·4	79	110·9	29·5	45·5	Calm & W.	W	3·3	0·0	0·1	217	− 67	0·05
Tuesday	2	..	29·675	55·0	39·7	15·3	45·2	− 4·2	39·6	5·6	16·5	2·1	80	106·9	30·2	45·7	Calm & NNE.	Calm & W.	0·6	0·0	0·0	147	−135	0·01
Wednesday	3	..	29·699	55·5	38·4	17·1	47·6	− 2·2	45·5	2·1	8·6	0·0	92	80·0	29·0	45·8	W & WSW.	WSW & W.	3·1	0·0	0·2	296	+ 16	0·19
Thursday	4	First Quarter	29·701	63·4	44·0	19·4	51·4	+ 1·4	42·7	8·7	19·0	1·0	72	130·0	35·7	45·8	W	W & WNW.	6·1	0·0	0·5	482	+204	0·13
Friday	5	..	29·833	59·3	43·3	16·0	49·6	− 0·7	40·1	9·5	18·5	5·4	70	115·5	35·1	45·8	WSW & WNW.	NW & WNW.	14·0	0·0	0·7	483	+207	0·07
Saturday	6	..	30·240	66·2	39·7	26·5	53·5	+ 3·0	43·9	9·6	17·2	4·1	70	126·5	29·7	46·0	W & WSW.	WSW	2·3	0·0	0·2	281	+ 8	0·00
Means		..	29·773	58·3	40·1	18·2	48·3	− 1·5	41·1	7·2	15·5	2·7	76	110·4	30·9	45·7	W		...	...	...	Sum 2,095	Sum +137	Sum 0·52
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	30	v.P. generally	3·0	14·7	Nearly cloudless till 7h. Very cloudy or nearly overcast till 17h., variably cloudy till 21h.; then nearly cloudless. Hoar frost in morning. Rain and hail about 14h. 30m. Haze and dew at night.
MAY MONDAY -	1	v.P. generally, a little v.N. about 18h.	3·0	14·8	Becoming overcast by 2h., few cloudy intervals during the day. Frequent rain or damping between 16h. 30m. and 20h. 30m.
TUESDAY -	2	v.P. generally	2·2	14·8	Overcast with few cloudy intervals till 21h. 30m., then nearly cloudless. Gloom and slight rain in afternoon. Mist and dew at night.
WEDNESDAY	3	v.P. generally	0·0	14·8	Cloudless till 2h., cloudy to overcast generally by 4h., clearing from 22h., cloudless by midnight. Frequent rain between 10h. and 18h. 30m.
THURSDAY -	4	v.P. generally, a little v.N. at times.	10·7	14·9	Little cloud generally till 9h., but overcast and damping about 1h. Partially cloudy till noon. Overcast intervals with heavy showers. Thunder and brisk wind at times till 21h. Little cloud till 20h. then cloudless.
FRIDAY -	5	s.P. generally, v.P. in early morning.	5·9	15·0	Nearly cloudless till 3h. 30m. becoming overcast generally by 4h., clearing from 11h. 30m. to partially cloudy 12h. 30m. to 18h., then cloudy at times afterwards. Rain or showers between 6h. 30m. and 11h. Brisk wind, 7h. to 15h.
SATURDAY -	6	s.P. generally, w.P. for a time in morning.	12·4	15·0	Nearly cloudless till noon, then cloud variably prevalent till 21h., then nearly cloudless. Hazy generally. Solar halo about 14h. Lunar halo 21h.
			Sum 37·2	Sum 104·0	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·71 in. at the beginning of the week to 29·55 in. by 3h. on May 2; increased to 29·76 in. by 6h. on May 3; decreased to 29·63 in. by 19h. on the same day; increased generally to 29·77 in. by midnight on May 4; decreased to 29·63 in. by 9h. on May 5; and increased to 30·33 in. by midnight on May 6.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 19.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 13TH MAY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH MAY, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the nineteenth week of the year numbered 8,271, and corresponded to an annual rate of 22·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,810 and corresponded to an annual rate of 13·2 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 15·4, 15·0 and 14·3. Infant mortality was 89 per 1,000 births against 112, 96 and 98 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,968 births, corresponding to a rate of 22·7 per 1,000, and 1,210 deaths of civilians, corresponding to a rate of 14·0, as against 16·2, 15·3, and 15·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 15·2 per 1,000. The infant mortality was 82 as against 113, 73, and 84 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 392 in the total deaths last week, the deaths from influenza showing a decrease of 14. In London the number of deaths from all causes fell from 1,319 to 1,210; there was a decrease of 23 in the deaths from pneumonia, and of 17 from bronchitis, while the deaths from measles, which had been 84, 98 and 107 in the preceding three weeks, fell to 91 last week.

---

m (45)17630—3 Wt 30—P 19 2250 5/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 13th May 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,271	4,810	733	2	168	15	96	62	56	55
London	4,514,405*	1,968	1,210	162	2	91	7	29	28	9	12
Towns in Outer Ring:											
Croydon C.B.	191,500	77	49	6	–	2	–	–	–	–	–
Wimbledon	61,700	18	17	1	–	–	–	–	–	–	–
Ealing	67,800	34	10	1	–	–	–	–	–	–	1
Acton	62,000	22	8	3	–	–	–	1	–	1	–
Willesden	167,200	54	33	3	–	4	–	–	2	–	–
Hendon	55,500	13	10	2	–	–	–	–	–	–	–
Hornsey	87,600	22	21	–	–	–	–	–	–	–	–
Wood Green	51,100	18	8	–	–	–	–	–	1	–	–
Tottenham	149,200	64	32	4	–	–	1	–	–	1	–
Edmonton	67,800	35	15	2	–	–	–	1	1	–	–
Enfield	61,400	33	9	3	–	–	–	–	–	–	–
West Ham C.B.	307,000	180	66	14	–	4	–	3	–	–	–
East Ham C.B.	145,500	64	30	3	–	4	–	–	–	–	–
Leyton	130,100	45	21	3	–	2	–	1	–	–	–
Walthamstow	129,800	49	13	–	–	–	–	1	–	–	–
Ilford	85,500	31	15	2	–	–	–	–	1	–	–
Gillingham	48,149*	15	9	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	14	4	1	–	–	–	1	–	–	–
Hastings C.B.	59,500	14	19	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	11	7	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	44	29	1	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	117	54	11	–	–	–	–	2	1	–
Bournemouth C.B.	81,200	27	19	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	64	41	4	–	–	–	–	–	–	1
Reading C.B.	92,600	44	23	4	–	–	–	–	1	–	–
Oxford C.B.	56,400	12	10	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	41	18	3	–	–	–	–	2	1	–
Luton	57,800	24	15	3	–	–	–	–	–	–	–
Cambridge	58,900	16	9	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	28	24	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	29	14	3	–	–	–	1	–	–	–
Great Yarmouth C.B.	56,300	27	9	3	–	–	–	–	–	–	–
Norwich C.B.	122,400	46	23	2	–	–	–	–	–	–	–
Swindon	55,500	17	13	2	–	–	–	–	–	–	2
Exeter C.B.	59,500	22	11	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	85	61	6	–	3	–	–	–	–	–
Bath C.B.	68,300	22	17	3	–	–	–	–	–	–	–
Bristol C.B.	381,700	156	88	7	–	1	–	–	2	1	3
Gloucester C.B.	51,800	23	13	1	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	273,238	154	68	15	–	–	–	4	2	3	1
Burton-upon-Trent C.B.	49,410	31	9	3	–	–	–	–	–	1	–
Wolverhampton C.B.	104,000	48	18	3	–	–	–	–	–	–	–
Walsall C.B.	98,800	48	8	–	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	36	22	8	–	–	–	2	1	–	1
Worcester C.B.	49,160	16	18	1	–	–	–	–	1	–	1
Dudley C.B.	57,100	22	9	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	412	255	50	–	–	–	14	1	5	6
Smethwick C.B.	77,400	37	10	4	–	–	–	1	–	–	–
Coventry C.B.	130,300	51	24	3	–	–	–	–	–	–	–
Leicester C.B.	237,900	102	61	9	–	–	–	–	–	–	–
Lincoln C.B.	66,600	25	21	4	–	–	–	1	–	–	–
Grimsby C.B.	83,600	32	18	3	–	–	–	–	–	–	–
Nottingham C.B.	266,400	120	85	13	–	–	–	3	–	2	–
Derby C.B.	131,800	64	41	6	–	–	–	1	–	–	1
Chesterfield	62,400	40	17	3	–	–	–	–	2	–	–
Stockport C.B.	125,500	39	25	4	–	–	–	–	–	–	–
Chester C.B.	41,030	25	12	–	–	1	–	–	–	–	–
Birkenhead C.B.	147,800	66	33	1	–	–	–	–	1	–	–
Wallasey C.B.	89,600	30	24	1	–	2	–	1	–	–	–
Liverpool C.B.	817,000	462	222	37	–	4	–	4	2	1	1
Bootle C.B.	77,800	41	14	2	–	–	–	–	–	–	–
St. Helens C.B.	104,900	52	20	5	–	6	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	26	17	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	39	22	3	–	2	–	–	–	–	–
Warrington C.B.	78,600	33	15	5	–	–	–	–	–	–	–
Bolton C.B.	182,200	74	44	6	–	–	–	1	–	1	–
Bury C.B.	57,600	22	23	3	–	–	–	–	–	1	1
Manchester C.B.	744,000	323	227	38	–	16	1	4	4	5	–
Salford C.B.	239,100	111	71	13	–	6	2	2	–	3	–
Oldham C.B.	148,300	57	46	7	–	–	–	1	1	1	–
Rochdale C.B.	92,700	21	33	2	–	–	–	2	–	–	1
Burnley C.B.	105,300	48	26	3	–	–	2	–	–	–	2
Blackburn C.B.	129,400	51	43	9	–	–	–	1	2	–	–
Preston C.B.	119,900	54	32	3	–	–	–	–	–	2	2
Blackpool C.B.	73,800	16	21	2	–	–	–	–	–	–	1
Barrow-in-Furness C.B.	75,200	27	14	2	–	–	–	2	–	–	–
Huddersfield C.B.	111,900	32	35	3	–	–	–	–	–	–	2
Halifax C.B.	100,700	30	27	4	–	–	–	–	–	–	–
Bradford C.B.	291,100	85	81	12	–	–	–	1	–	1	–
Leeds C.B.	465,500	190	140	12	–	–	–	1	–	1	4
Dewsbury C.B.	55,100	28	4	–	–	–	–	–	–	–	–
Wakefield C.B.	53,763	23	18	5	–	–	–	–	–	–	–
Barnsley C.B.	68,991	34	20	4	–	–	–	–	–	–	1
Sheffield C.B.	519,239	224	147	30	–	15	–	2	2	3	3
Rotherham C.B.	69,100	33	24	9	–	5	–	–	–	–	–
Doncaster	54,700	24	10	2	–	–	–	–	–	–	1
York C.B.	84,500	30	18	3	–	–	–	1	–	–	–
Hull C.B.	291,800	123	63	9	–	–	–	–	–	–	1
Middlesbrough C.B.	133,400	82	31	8	–	–	–	–	–	1	2
Darlington C.B.	66,400	32	25	9	–	–	–	1	–	1	–
Stockton-on-Tees	65,000	31	22	5	–	–	–	1	–	2	–
West Hartlepool C.B.	69,300	35	12	2	–	–	–	1	–	–	–
Sunderland C.B.	161,100	97	35	8	–	–	–	–	–	–	1
South Shields C.B.	120,376	57	34	5	–	–	–	–	–	3	–
Gateshead C.B.	126,700	47	24	5	–	–	–	–	1	–	1
Newcastle-on-Tyne C.B.	278,400	145	66	13	–	–	–	1	–	–	–
Tynemouth C.B.	63,900	29	28	2	–	–	–	–	–	–	–
Carlisle C.B.	53,200	26	13	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	46	21	4	–	–	–	–	–	1	–
Cardiff C.B.	202,700	82	43	8	–	–	1	1	1	1	–
Rhondda	166,600	75	36	10	–	–	–	2	1	1	–
Merthyr Tydfil C.B.	81,800	34	16	1	–	–	–	–	–	–	–
Aberdare	56,100	30	15	6	–	–	1	–	–	–	1
Swansea C.B.	159,600	87	37	9	–	–	–	2	–	2	–
Greater London	7,523,963*	3,156	1,822	242	2	114	9	39	36	13	16
Outer Ring	3,009,558*	1,188	612	80	–	23	2	10	8	4	4
16 Great Towns in Outer Ring	1,820,700	759	357	47	–	16	1	7	5	2	1
Remainder of Outer Ring	1,188,858*	429	255	33	–	7	1	3	3	2	3
Edinburgh†	420,500	160	97	8	–	6	–	2	–	–	2
Glasgow†	1,037,800	557	341	66	–	37	2	5	–	7	2
Dublin (Registration Area)†	427,000	207	157	33	–	13	1	1	–	7	2
Belfast†	425,000	208	114	15	–	1	–	–	–	3	3

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	May 13	1968	1210	14·0	2	–	91	7	29	28	9	12
Calcutta	896,067	Apr. 8	?	641§	36·7	?	23	–	–	–	–	–	20
Bombay	1,175,914	,, 8	329‖	788§	34·8	3	3	–	–	–	–	41	22
Madras	522,951	,, 8	410	540§	53·7	–	49	12	?	1	–	46	3
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	February 28 days.	491	174	10·0	1	–	–	–	–	–	14	–
Perth (Metropolitan Area).	154,866	Mar. 25	80	49	16·4	–	–	–	–	–	–	5	–
Auckland (Urban Area).	157,757	January 31 days.											
Wellington (Urban Area).	107,488	,, ,,											
Christchurch (Urban Area).	105,670	,, ,,											
Cape Town	101,000	Feb. 18	51	19	9·8	2	–	–	–	–	–	2	–
		,, 25	43	28	14·4	1	–	–	–	–	–	1	–
Johannesburg	149,500	Apr. 1	109	51	17·7	1	–	–	–	–	–	1	10
Durban	48,000	,, 1	43	9	9·7	–	–	–	–	–	–	1	–
Paris	2,906,472	,, 20 (10 days).	1381	1152	14·5	1	–	6	1	6	4	28	1
Antwerp	340,114	Mar. 25	111	73	11·2	–	–	1	2	4	–	6	2
Amsterdam	683,595	Apr. 29	274	148	11·3	–	–	–	1	1	2	–	3
Copenhagen	562,000	,, 29	214	191	17·6	–	–	1	–	1	1	–	7
Stockholm	422,042	,, 29	100	96	11·8	–	–	–	–	1	1	1	3
Gothenburg	228,052	,, 15											
Christiania	260,920	May 6	113	66	13·1	–	–	–	–	–	–	–	–
Berlin	1,965,000	Apr. 15	520	634	16·8	–	?	6	–	2	5	11	12
Breslau	557,000	,, 15	211	209	19·5	–	?	–	–	1	1	8	6
Cologne	677,000	,, 15	268	193	14·8	–	?	–	1	3	1	5	–
Dresden	605,000	,, 15	204	186	16·0	–	?	–	–	–	–	1	11
Frankfort-on-Main	476,000	,, 15	167	107	11·7	–	?	–	–	2	1	2	1
Hamburg	1,053,000	,, 15	365	341	16·8	–	?	–	–	–	1	9	4
Leipzig	673,000	,, 15	249	165	12·8	–	?	1	–	–	–	5	3
Munich	680,000	,, 15	236	162	12·4	–	?	–	–	–	–	5	4
Vienna	1,842,005	Mar. 25	658	676	19·0	1	–	–	1	6	3	13	7
Prague and Suburbs	689,262	,, 25	284	221	16·6	–	–	1	1	2	–	6	–
Budapest	936,000	Feb. 11	421	437	24·3	–	?	6	7	2	1	17	9
Cairo	777,500	,, 18											
Alexandria	456,300	,, 18											
New York	5,839,738	Apr. 8											
Chicago	2,833,288	,, 15	?	631	11·6	–	2	5	7	1	9	31	10
Rio de Janeiro	1,188,422	Mar. 25	692	536	23·5	5	–	3	1	7	3	–	14
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 102 deaths from *Asiatic Cholera* in Calcutta and 1 in Madras, and from *Plague*, 17 in Calcutta and 33 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th May, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1210	162	89	79	37	33	51	75	121	162	195	206
Enteric fever	2	–	–	1	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	91	19	40	32	–	–	–	–	–	–	–	–
Scarlet fever	7	–	1	3	–	1	2	–	–	–	–	–
Whooping cough	29	12	9	8	–	–	–	–	–	–	–	–
Diphtheria	28	4	6	10	7	1	–	–	–	–	–	–
Influenza	12	1	–	–	–	–	–	2	2	4	2	1
Erysipelas	3	–	–	–	–	–	–	–	1	2	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	83	2	–	3	–	15	20	12	14	10	6	1
Tuberculous meningitis	6	–	3	1	1	1	–	–	–	–	–	–
Abdominal tuberculosis	2	1	–	–	–	–	1	–	–	–	–	–
Other tubercle	14	–	–	1	6	1	1	–	3	2	–	–
Venereal diseases	3	2	–	–	–	–	–	–	1	–	–	–
Cancer	121	–	–	–	–	3	1	7	22	39	30	19
Rheumatic fever	2	–	–	–	1	–	–	1	–	–	–	–
Diabetes	8	–	–	–	–	1	1	1	–	3	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	–	1	–	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	–	–	2	–	–	–	6	8	15	19
Epilepsy	6	–	–	–	1	–	1	–	1	1	2	–
"Convulsions" (not puerperal)	7	7	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	28	–	1	1	2	1	1	2	7	5	6	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	7	–	–	–	1	–	3	1	1	–	1	–
Other diseases of heart	145	–	–	1	2	2	2	15	15	22	40	46
Other dis. of circulatory system	41	–	–	–	–	–	–	2	3	8	14	14
Bronchitis	80	5	2	–	–	–	–	4	5	13	18	33
Broncho-pneumonia	72	20	20	13	1	–	1	3	6	2	3	3
Lobar pneumonia	33	3	–	–	–	1	–	7	7	10	3	2
Pneumonia (type not distinguished)	36	7	2	1	–	–	2	2	5	5	9	3
Other diseases of respiratory system	9	1	–	2	–	–	1	–	–	1	1	3
Diarrhœa and enteritis	12	8	1	–	–	–	–	–	1	–	–	2
Appendicitis and typhlitis	8	–	–	–	2	1	1	2	1	1	–	–
Hernia, Intestinal obstruction	14	3	–	–	–	–	–	–	1	2	6	2
Cirrhosis of liver	4	–	–	–	–	–	–	–	–	2	2	–
Other diseases of digestive system	22	2	–	–	2	2	1	4	3	1	3	4
Acute nephritis	3	–	–	–	–	–	1	–	1	1	–	–
Chronic Bright's disease	21	–	–	–	–	1	2	4	1	5	4	4
Other diseases of genito-urinary system.	16	–	–	–	–	–	–	1	3	1	5	6
Puerperal fever, &c.	4	–	–	–	–	–	4	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	1	–	1	–	–	–
Congenital malformations	12	11	1	–	–	–	–	–	–	–	–	–
Premature birth	26	26	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	12	12	–	–	–	–	–	–	–	–	–	–
Old age	42	–	–	–	–	–	–	–	–	–	9	33
Suicide	11	–	–	–	–	1	1	2	3	–	2	2
Burns and scalds	3	–	1	1	1	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	1	1	1
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	–	–	3	–	1	1	–	1	2	–
Other deaths by violence	18	4	1	–	2	–	–	1	3	1	5	1
Other specified causes	40	12	1	–	2	–	1	1	3	11	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th May 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	4	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	15	3	–	9	C. 2 M. 1
†BERMONDSEY ...	–	11	18	–	3	M. 1
†BETHNAL GREEN	–	11	6	–	–	M. 3
†CAMBERWELL ...	–	23	13	–	5	M. 2
†CHELSEA ...	–	4	1	–	–	–
†DEPTFORD ...	–	11	1	–	1	M. 1
†FINSBURY ...	–	8	9	–	3	D. 1 M. 1
†FULHAM ...	–	9	4	–	2	–
†GREENWICH ...	–	13	18	1	2	–
†HACKNEY ...	–	10	20	–	3	–
†HAMMERSMITH	–	9	8	–	7	–
†HAMPSTEAD ...	–	9	5	–	1	–
†HOLBORN ...	–	2	2	–	1	–
†ISLINGTON ...	–	28	32	–	1	M. 2
†KENSINGTON ...	–	14	16	–	–	C. 1
†LAMBETH ...	–	31	11	–	8	M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	13	7	–	2	G. 1
†PADDINGTON ...	–	14	11	–	8	–
†POPLAR... ...	–	5	13	–	12	–
†ST. MARYLEBONE	–	11	4	–	3	M. 1
†ST. PANCRAS ...	–	14	14	–	6	D. 1 M. 2
†SHOREDITCH ...	–	6	7	–	7	M. 1
†SOUTHWARK ...	–	20	8	1	7	M. 3
†STEPNEY ...	–	7	9	1	9	M. 1
†STOKE NEWINGTON	–	–	2	–	–	–
†WANDSWORTH	–	24	12	–	17	C. 3 M. 2
†WESTMINSTER, CITY OF	–	10	4	–	–	M. 1
†WOOLWICH ...	–	10	11	1	5	–
TOTAL OF PART I.	–	342	273	4	122	C. 6 D. 2 G. 1 M. 24

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	2	–	4	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	2	–	–	2	–
KEMPSTON ...	–	–	–	–	1	–
†LUTON	–	1	–	–	–	–
Rural Districts :—						
AMPHILL ...	–	–	2	–	1	–
BEDFORD ...	–	1	–	–	–	–
LUTON	*	*	*	*	*	*
BERKS	–	21	–	–	2	L. 1 M 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	5	–	–	–	–
†NEW WINDSOR	–	3	–	–	–	–
†READING, C.B.	–	3	–	–	1	L. 1
WALLINGFORD ...	–	3	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	3	–	–	–	M. 1
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	14	4	1	4	C. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	4	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
†CHEPPING WYCOMBE	–	1	–	–	1	–
MARLOW ...	–	–	–	–	–	C. 1
†SLOUGH... ...	–	–	2	–	1	–
†WOLVERTON ...	–	1	–		–	–
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	2	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts—*cont.*						
NEWPORT PAGNELL	–	–	2	–	–	–
WING	–	–	–	1	–	–
WYCOMBE ...	–	5	–	–	1	–
CAMBRIDGE...	–	13	1	–	1	C. 1 G. 1 M. 2
Borough :—						
†CAMBRIDGE ...	–	12	1	–	–	C. 1 G. 1 M. 2
Rural District :—						
NEWMARKET ...	–	1	–	–	1	–
CHESTER	–	84	23	5	16	C. 1 M. 3
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	4	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
†BIRKENHEAD C.B.	–	11	1	2	1	M. 1
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	1	1	–
†CHESTER C.B. ...	–	5	2	–	1	–
†CONGLETON ...	–	2	–	–	1	–
†CREWE	–	4	1	–	–	–
†DUKINFIELD ...	–	4	–	–	2	–
HALE	–	–	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	M. 1
HOOLE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
KNUTSFORD ...	–	3	–	–	–	–
LYMM	–	1	–	–	–	–
†MACCLESFIELD...	–	14	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MIDDLEWICH ...	–	–	1	–	–	C. 1
NESTON AND PARKGATE	–	2	–	–	–	–
†RUNCORN ...	–	–	2	–	–	–
†STALYBRIDGE ...	–	–	–	1	–	–
†STOCKPORT, C.B.	–	5	2	–	1	–
†WALLASEY, C.B.	–	3	4	–	4	–
WILMSLOW ...	–	3	–	–	–	–
†WINSFORD ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	4	–	1	–
MACCLESFIELD ...	–	–	2	–	1	–
MALPAS... ...	–	–	1	–	–	–
NANTWICH ...	–	–	1	1	1	M. 1
NORTHWICH ...	–	–	2	–	–	–
RUNCORN ...	–	1	–	–	1	–
WIRRAL... ...	–	11	–	–	–	–
CORNWALL ...	–	11	4	–	1	M. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	–	–	2	–	–	–
PAUL	–	–	1	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. IVES ...	–	2	–	–	–	–
ST. JUST ...	*	*	*	*	*	*
TRURO	–	1	–	–	–	–
WADEBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BODMIN ...	–	6	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	–	–	–	–
SAINT COLUMB MAJOR	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	3	3	1	2	E. 2 M. 1
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	1	1	–	1	M. 1
KESWICK ...	–	–	–	–	–	E. 1
†MARYPORT ...	–	–	1	–	–	–
†WORKINGTON ...	–	2	1	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	1	–
COCKERMOUTH ...	–	–	–	–	–	E. 1
WHITEHAVEN ...	–	–	–	1	–	–
DERBY	14	28	22	1	26	C. 1 M. 4
Boroughs and Urban Districts:—						
†BOLSOVER ...	3	1	–	–	1	–
†BUXTON... ...	–	2	–	–	–	–
†CHESTERFIELD ...	§1	–	3	1	–	M. 1
CLAY CROSS ...	–	1	–	–	–	–
†DERBY C.B. ...	–	8	2	–	11	M. 3
†HEANOR ...	–	–	2	–	1	–
†ILKESTON ...	3	–	–	–	1	C. 1
†LONG EATON ...	–	1	–	–	2	–
MATLOCK ...	–	–	1	–	–	–
†RIPLEY... ...	–	–	1	–	3	–
†SWADLINCOTE DISTRICT	–	2	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	2	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	5	–	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	2	–	–	–
CHESTERFIELD	2	5	5	–	1	–
CLOWNE... ...	–	1	1	–	–	–
CODNOR PARK, &c. (parishes)	–	–	1	–	1	–
HARTSHORNE AND SEALS	–	2	–	–	1	–
NORTON... ...	–	1	1	–	–	–
REPTON	–	–	2	–	–	–
SHARDLOW ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ Notified as Alastrim.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	22	10	1	6	M. 2
Boroughs and Urban Districts:—						
Bideford ...	–	–	1	–	–	–
Brixham ...	–	–	3	–	–	–
†Exeter C.B. ...	–	1	–	–	–	–
†Exmouth ...	–	2	–	–	–	–
Honiton ...	–	1	1	1	–	–
†Plymouth C.B.	–	9	3	–	2	M. 2
Sidmouth ...	–	1	–	–	–	–
†Teignmouth ...	–	1	–	–	–	–
Tiverton ...	–	1	1	–	–	–
†Torquay ...	–	–	1	–	–	–
Rural Districts:—						
Axminster ...	–	–	–	–	1	–
Barnstaple ...	–	1	–	–	1	–
Crediton ...	–	2	–	–	–	–
Culmstock ...	*	*	*	*	*	*
Newton Abbot	–	1	–	–	–	–
Plympton St. Mary	*	*	*	*	*	*
St. Thomas ...	–	1	–	–	–	–
Tavistock ...	–	1	–	–	–	–
Tiverton ...	–	–	–	–	1	–
Torrington ...	–	–	–	–	1	–
DORSET	–	3	1	–	3	C. 1 G. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	–	1	–	–	–
Dorchester ...	–	–	–	–	1	–
†Portland ...	–	1	–	–	–	–
Sherborne ...	–	–	–	–	1	C. 1
Swanage ...	–	–	–	–	–	G. 1
†Weymouth and Melcombe Regis	–	1	–	–	–	–
Rural Districts:—						
Cerne	*	*	*	*	*	*
Sturminster ...	–	1	–	–	–	–
Wimborne and Cranborne	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	51	17	–	37	C. 1 G. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
Benfieldside ...	–	1	1	–	–	–
†Bishop Auckland	–	1	–	–	–	–
†Blaydon ...	–	3	–	–	–	–
†Brandon and Byshottles	–	–	1	–	–	–
†Chester-le-Street	–	2	–	–	–	–
†Darlington C.B.	–	3	–	–	4	–
†Durham ..	–	–	–	–	2	–
†Felling ...	–	1	–	–	2	–
†Gateshead C.B.	–	3	2	–	1	–
†Hetton ...	–	1	1	–	1	–
†Houghton-le-Spring	–	–	–	–	4	–
†Jarrow ...	–	–	1	–	3	–
†Ryton ...	–	2	–	–	–	–
†Shildon ...	–	1	–	–	–	–
†South Shields C.B.	–	3	–	–	4	G. 1
†Southwick-on-Wear	–	2	–	–	1	–
†Spennymoor ...	–	2	2	–	–	–
Stanhope ...	–	–	1	–	–	–
†Stanley ...	–	1	–	–	–	–
†Stockton-on-Tees	–	–	–	–	3	–
†Sunderland C.B.	–	7	–	–	2	C. 1 L. 1 M. 2
†Washington ...	–	1	–	–	–	–
†West Hartlepool C.B	–	3	–	–	2	–
†Whickham ...	–	–	–	–	1	–
Willington ...	–	–	–	–	1	–
Rural Districts:—						
Auckland ...	–	3	1	–	–	–
Chester-le-Street	–	2	1	–	–	–
Darlington ...	–	1	–	–	–	–
Durham ...	–	–	1	–	–	–
Easington ...	–	1	2	–	2	–
Hartlepool ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
Houghton-le-Spring	–	2	1	–	2	–
Lanchester ...	–	2	–	–	–	–
Sedgefield ...	–	1	1	–	–	–
South Shields	–	–	1	–	–	–
Stockton ...	–	1	–	–	–	–
Sunderland ...	–	–	–	–	1	–
Weardale ...	–	1	–	–	–	–
ESSEX	–	74	51	2	16	C. 1 G. 3 M. 3
Boroughs and Urban Districts:—						
†Barking Town	–	–	3	–	1	–
Braintree ...	–	1	–	–	–	–
Brentwood ...	–	–	1	–	–	–
Brightlingsea	–	–	–	–	–	G. 1
Buckhurst Hill	–	–	–	–	1	–
†Chelmsford ...	–	2	–	–	–	–
†Clacton ...	–	1	1	–	–	–
†Colchester ...	–	–	6	–	–	–
†East Ham C.B.	–	8	8	–	–	–
†Grays Thurrock	–	–	1	–	–	–
†Harwich ...	–	–	1	–	–	–
†Ilford	–	7	4	2	–	–
†Leyton... ...	–	7	4	–	–	G. 1
†Romford ...	–	–	1	–	–	–
Saffron Walden	–	1	–	–	–	–
Shoeburyness-on-Sea	–	–	–	–	1	–
†Southend-on-Sea C.B.	–	–	–	–	5	C. 1
†Walthamstow	–	24	2	–	1	M. 2
†Wanstead ...	–	1	–	–	–	–
†West Ham C.B.	–	10	12	–	4	M. 1
†Woodford ...	–	1	–	–	2	–
Rural Districts:—						
Billericay ...	–	2	1	–	–	–
Braintree ...	–	–	–	–	1	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
Dunmow ...	–	–	–	–	–	G. 1
Epping	–	1	–	–	–	–
Halstead ...	–	2	–	–	–	–
Orsett	–	2	1	–	–	–
Rochford ...	–	–	1	–	–	–
Saffron Walden	–	3	–	–	–	–
Stansted ...	–	1	–	–	–	–
Tendring ...	–	–	4	–	–	–
GLOUCESTER ...	–	47	26	2	13	C. 4 D. 2 E. 1 L. 1 M. 5
Boroughs and Urban Districts:—						
†Bristol C.B. ...	–	43	13	1	9	C. 3 D. 1 E. 1 L. 1 M. 4
Charlton Kings	–	–	1	–	–	–
†Cheltenham ...	–	–	2	–	–	–
†Gloucester C.B.	–	–	2	–	–	–
†Kingswood ...	–	2	–	–	–	–
Stroud ...	–	1	1	–	–	–
Rural Districts:—						
Chipping Sodbury	–	–	–	–	1	M. 1
Dursley ...	–	–	–	–	1	–
East Dean and United Parishes	–	1	–	–	2	–
Newent ...	–	–	3	–	–	–
Stroud ...	–	–	3	–	–	–
Tetbury (part)	–	–	1	–	–	–
Warmley ...	–	–	–	1	–	D. 1
West Dean ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	3	1	–	7	C. 1
Boroughs and Urban Districts :—						
†Hereford ...	–	–	–	–	2	C. 1
Ross	–	–	–	–	4	–
Rural Districts :—						
Bromyard ...	–	1	1	–	1	–
Kington ...	–	1	–	–	–	–
Leominster ...	–	1	–	–	–	–
HERTFORD ...	–	16	9	–	7	D. 1 L. 1 M. 1
Boroughs and Urban Districts :—						
†Barnet... ...	–	1	–	–	–	–
Bishop Stortford	–	--	–	–	1	–
†East Barnet Valley	–	1	–	–	–	–
†Hemel Hempstead	–	1	–	–	–	–
†Hertford ...	–	–	–	–	–	D. 1
†Hitchin ...	–	–	1	–	–	M. 1
†Letchworth ...	–	–	–	–	1	–
Royston ...	–	1	–	–	1	–
†St. Albans ...	–	6	–	–	1	–
†Watford ...	–	1	2	–	2	–
Rural Districts :—						
Barnet... ...	–	–	1	–	–	–
Hemel Hempstead	–	3	–	–	–	–
Hitchin ...	–	–	1	–	–	–
St. Albans ...	–	–	1	–	–	–
Ware	–	2	--	–	1	–
Watford ...	–	–	3	–	–	L. 1
KENT	–	55	30	1	14	C. 2 M. 1
Boroughs and Urban Districts :—						
†Ashford ...	–	1	–	–	1	–
†Beckenham ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bexley ...	–	2	–	–	–	–
†Broadstairs and St. Peter's	–	5	–	–	–	–
†Bromley ...	–	3	–	–	2	–
†Chatham ...	–	1	4	–	1	C. 1
Chislehurst ...	–	1	–	–	–	–
†Dartford ...	–	3	–	1	–	–
†Deal	–	1	–	–	–	–
†Dover	–	1	1	–	–	C. 1
†Erith	–	3	1	–	1	–
†Folkestone ...	–	1	1	–	–	–
†Gillingham ...	–	5	–	–	1	M. 1
†Gravesend ...	–	–	1	–	–	–
†Maidstone ...	–	2	1	–	2	–
†Margate ...	–	1	3	–	–	–
Milton Regis...	–	1	–	–	–	–
†Penge	–	–	2	–	–	–
†Ramsgate ...	–	2	1	–	–	–
†Rochester ...	–	1	3	–	–	–
†Royal Tunbridge Wells	–	1	–	–	4	–
†Sittingbourne	–	2	–	–	–	–
Whitstable ...	–	1	–	–	2	–
Rural Districts :—						
Bridge	–	4	–	–	–	–
Bromley ...	–	–	4	–	–	–
Dartford ...	–	5	4	–	–	–
East Ashford	–	1	–	–	–	–
Eastry	–	1	–	–	–	–
Hollingbourne	–	–	1	–	–	–
Isle of Thanet	–	–	1	–	–	–
Malling ...	–	4	–	–	–	–
Milton	–	–	2	–	–	–
Sevenoaks ...	–	1	–	–	–	–
LANCASTER ...	2	356	84	9	171	C. 8 D. 1 G. 1 L. 6 M.25
Boroughs and Urban Districts :—						
Abram	–	–	–	–	1	–
†Accrington ...	–	1	1	–	–	
Adlington ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-IN-MAKERFIELD	–	5	1	–	1	–
†ASHTON-UNDER-LYNE	–	3	–	1	1	M. 1
†ATHERTON ...	–	1	1	–	1	–
†BARROW-IN-FURNESS C.B.	–	6	1	–	–	–
†BLACKBURN C.B.	–	1	2	–	5	–
†BLACKPOOL C.B.	–	4	–	–	–	M 3
BLACKROD ...	–	–	–	–	1	–
†BOLTON C.B. ...	–	8	1	–	15	–
†BOOTLE C.B. ...	–	6	2	–	–	–
†BURNLEY C.B.	–	5	2	–	1	–
†BURY C.B. ...	–	8	–	–	8	–
†CHADDERTON ...	–	5	–	–	–	–
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	1	–	–	3	–
†DARWEN ...	–	4	2	–	–	–
†DENTON ...	–	1	–	–	1	–
†DROYLSDEN ...	–	4	–	–	1	–
†ECCLES ...	–	4	1	–	2	–
†FAILSWORTH ...	–	3	–	–	4	–
†FLEETWOOD ...	–	–	1	–	1	–
GOLBORNE ...	–	–	–	–	–	C. 1
†GREAT HARWOOD	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	5	–
†HINDLEY ...	–	1	–	–	1	–
†HORWICH ...	–	–	3	–	3	–
HURST	–	1	–	–	–	–
HUYTON-WITH-ROBY	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	2	–	1	3	–
IRLAM	–	2	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	4	1	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
LEES	–	1	–	–	–	–
†LEIGH	–	3	1	–	–	M. 1
LEYLAND ...	–	–	1	–	–	–
LITHERLAND	–	1	–	–	–	–
LITTLE HULTON	–	1	–	–	–	–
†LIVERPOOL C.B.	–	56	18	–	24	C. 1 D. 1 M. 12
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANCHESTER C.B.	–	64	14	1	38	C. 5 G. 1 M. 3
†MIDDLETON ...	–	11	–	–	–	–
MILNROW ...	–	2	–	–	1	–
†MORECAMBE ...	–	3	–	–	–	–
†MOSSLEY ...	–	–	–	–	1	–
†NELSON... ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	4	–	–	1	M. 1
NORDEN ...	–	1	–	–	–	–
†OLDHAM C.B.	2	11	1	2	1	–
ORRELL... ...	–	–	–	–	1	–
†OSWALDTWISTLE	–	3	–	–	–	–
†PADIHAM ...	–	7	–	–	–	–
PRESCOT ...	–	3	–	–	–	–
†PRESTON C.B. ...	–	7	2	–	–	C. 1
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	–	–	–	–	M. 1
†RAWTENSTALL ...	–	1	1	1	1	–
RISHTON ...	–	–	–	–	1	–
†ROCHDALE C.B.	–	6	–	–	–	–
†ROYTON... ...	–	2	–	–	3	M. 1
†ST. ANNES-ON-THE-SEA	–	–	1	–	–	–
†ST. HELENS C.B.	–	4	2	–	3	–
†SALFORD C.B. ...	–	28	7	2	5	M. 2
SKELMERSDALE	–	2	–	–	–	–
†SOUTHPORT C.B.	–	7	2	–	1	–
†STRETFORD ...	–	4	2	–	–	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
TOTTINGTON ...	–	1	–	–	1	–
TRAWDEN ...	–	1	–	–	–	–
†TURTON... ...	–	–	2	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	1	–	1	–
UPHOLLAND ...	–	8	–	–	–	–
†WARRINGTON C.B.	–	5	2	–	6	–
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	–	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES ...	–	3	3	–	4	–
†WIGAN C.B. ...	–	8	1	–	2	–
WITHNELL ...	–	–	–	–	1	–
Rural Districts:—						
BLACKBURN ...	–	1	–	1	1	–
BURNLEY ...	–	2	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 5
FYLDE	–	2	–	–	–	–
GARSTANG ...	–	–	1	–	–	–
LIMEHURST ...	–	1	–	–	2	–
SEFTON	–	–	–	–	1	–
ULVERSTON ...	–	–	1	–	–	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON ...	–	1	–	–	1	L. 1
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	13	8	1	8	M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	–	–	–	–
†COALVILLE ...	–	–	–	1	–	–
†LEICESTER C.B.	–	9	3	–	1	M. 1
†LOUGHBOROUGH	–	1	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	2	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	1	–	–	–
BARROW-UPON-SOAR	–	2	–	–	–	–
BLABY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
MARKET BOSWORTH	–	–	–	–	3	–
LINCOLN (parts of Holland).	–	8	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
†SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON... ...	–	2	–	–	–	–
SPALDING ...	–	3	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
STAMFORD ...	*	*	*	*	*	*
Rural District:—						
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	7	3	–	2	E. 1 M. 2
Boroughs and Urban Districts:—						
BROUGHTON ...	–	1	–	–	–	–
†GAINSBOROUGH	–	–	–	–	–	M. 1
†GRIMSBY C.B. ...	–	–	1	–	–	–
†LINCOLN C.B. ...	–	2	1	–	1	–
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	1	E. 1
Rural Districts:—						
GAINSBOROUGH	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts—*cont.*						
Spilsby ...	–	1	–	–	–	–
Welton ...	–	1	–	–	–	–
MIDDLESEX ...	–	93	47	1	29	C. 1 D. 2 L. 2 M. 5
Boroughs and Urban Districts:—						
†Acton	–	5	7	–	–	–
†Chiswick ...	–	6	1	–	–	–
†Ealing ...	–	7	6	–	–	M. 1
†Edmonton ...	–	3	4	–	2	–
†Enfield ...	–	3	–	–	–	D. 1
Feltham ...	–	1	–	–	–	–
†Finchley ...	–	3	–	–	1	–
†Friern Barnet	–	2	1	–	–	L. 1
Greenford ...	–	1	–	–	–	–
†Hampton ...	–	–	1	–	–	–
†Hanwell ...	–	1	–	–	–	–
†Harrow-on-the-Hill	–	–	–	–	–	D. 1
Hayes	–	1	1	–	–	–
†Hendon ...	–	–	1	–	2	–
†Heston and Isleworth	–	3	–	–	7	–
†Hornsey ...	–	5	–	–	1	M. 2
†Southall-Norwood	–	2	–	–	–	L. 1
†Southgate ...	–	12	1	–	–	–
†Teddington ...	–	–	–	–	–	C. 1
†Tottenham ...	–	15	4	1	7	–
†Twickenham ...	–	2	–	–	2	–
†Uxbridge ...	–	–	–	–	–	M. 1
†Wealdstone ...	–	1	–	–	–	–
†Willesden ...	–	10	14	–	7	M. 1
†Wood Green ...	–	5	4	–	–	–
Yiewsley ...	–	1	–	–	–	–
Rural Districts:—						
Hendon ...	–	4	1	–	–	–
Staines ...	–	–	1	–	–	–
NORFOLK ...	–	14	4	–	1	C. 3 L. 1
Boroughs and Urban District:—						
Cromer ...	–	1	–	–	–	–
†Great Yarmouth, C.B.	–	3	–	–	–	–
†King's Lynn ...	–	–	1	–	–	–
North Walsham	–	–	2	–	–	–
†Norwich C.B....	–	6	–	–	1	C. 1
Rural Districts:—						
Aylsham ...	–	1	–	–	–	–
Depwade ...	*	*	*	*	*	*
East and West Flegg	–	3	–	–	–	–
Freebridge Lynn	–	–	–	–	–	C. 1
Marshland ...	–	–	1	–	–	–
St. Faith's ...	–	–	–	–	–	L. 1
Swaffham ...	–	–	–	–	–	C. 1
NORTHAMPTON	–	7	9	–	9	E. 1 M. 1
Boroughs and Urban Districts:—						
Desborough ...	–	–	–	–	–	E. 1
Irthlingborough	–	–	1	–	–	–
†Kettering ...	–	3	1	–	1	–
†Northampton C.B.	–	4	5	–	3	M. 1
Wellingborough	–	–	–	–	2	–
Rural Districts:—						
Daventry ...	–	–	1	–	–	–
Northampton...	–	–	–	–	1	–
Potterspury ...	–	–	–	–	1	–
Towcester ...	–	–	–	–	1	–
Wellingborough	–	–	1	–	–	–
NORTHUMBERLAND.	–	43	8	–	30	M. 5
Boroughs and Urban Districts:—						
Amble	–	1	–	–	–	–
†Ashington ...	–	5	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	–	1	–	–	3	–
†GOSFORTH ...	–	3	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
†LONGBENTON ...	–	3	–	–	–	–
†NEWBURN ...	–	1	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	17	5	–	14	M. 3
SEGHILL ...	*	*	*	*	*	*
†TYNEMOUTH C.B.	–	2	2	–	5	M. 1
†WALLSEND ...	–	6	1	–	–	–
Rural Districts:—						
BELFORD ...	–	1	–	–	2	–
CASTLE WARD ...	–	1	–	–	1	–
GLENDALE ...	–	–	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	2	16	6	1	11	M. 5
Boroughs and Urban Districts:—						
†ARNOLD... ...	–	–	–	–	2	–
†BEESTON ...	–	2	–	–	–	M. 1
†CARLTON ...	–	–	1	–	–	–
†EAST RETFORD	–	–	–	–	3	–
†HUCKNALL ...	–	–	1	–	–	–
†MANSFIELD ...	–	1	2	–	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	1	M. 1
†NOTTINGHAM C.B.	1	9	2	–	2	M. 2
†SUTTON-IN-ASHFIELD	–	–	–	1	–	M. 1
WARSOP ...	–	1	–	–	–	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	2	–	–	1	–
BINGHAM ..	1	–	–	–	–	–
EAST RETFORD	–	–	–	–	1	–
NEWARK ...	–	1	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	6	1	–	1	G. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	2	–	–	–	G. 1
Rural Districts:—						
CULHAM ...	–	1	–	–	–	–
HEADINGTON ...	–	–	1	–	–	–
WITNEY... ...	–	2	–	–	1	–
PETERBOROUGH (Soke of).	–	4	–	–	–	–
Borough:—						
†PETERBOROUGH	–	4	–	–	–	–
RUTLAND ...	–	1	1	–	–	–
Rural Districts:—						
KETTON... ...	–	1	–	–	–	–
UPPINGHAM ...	–	–	1	–	–	–
SALOP	–	8	1	–	7	M. 1
Boroughs and Urban Districts:—						
ELLESMERE ...	–	–	–	–	1	–
LUDLOW ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
NEWPORT ...	–	–	–	–	3	–
†OAKENGATES ...	–	3	–	–	–	–
†SHREWSBURY ...	–	3	–	–	–	–
WELLINGTON ...	–	–	–	–	2	–
Rural Districts:—						
DRAYTON ...	–	–	–	–	1	–
LUDLOW ...	–	–	–	–	–	M. 1
OSWESTRY ...	–	2	–	–	–	–
SOMERSET ...	–	9	6	1	7	M. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	3	1	2	–
†BRIDGWATER ...	–	1	–	–	–	M. 1
MINEHEAD ...	–	1	–	–	–	–
†TAUNTON ...	–	–	1	–	1	–
†WESTON-SUPER-MARE	–	1	1	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	2	–	–	–	–
CLUTTON ...	–	2	–	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	1	–	–	1	–
TAUNTON ...	–	1	–	–	2	–
SOUTHAMPTON...	–	41	38	1	7	C. 1 M. 5
Boroughs and Urban Districts:—						
BOURNEMOUTH C.B.	–	3	–	–	1	–
CHRISTCHURCH...	–	–	2	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	4	–	–	–	–
†FAREHAM ...	–	–	1	–	–	–
FLEET	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSPORT and ALVERSTOKE	–	–	5	–	2	–
†PORTSMOUTH C.B.	–	23	16	–	–	M. 3
†SOUTHAMPTON C.B.	–	5	10	–	2	M. 1
†WINCHESTER ...	–	–	3	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER ...	–	–	1	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	1	–
PETERSFIELD ...	–	1	–	–	–	–
RINGWOOD ...	–	–	–	–	–	C. 1
SOUTH STONEHAM	–	–	–	–	1	–
STOCKBRIDGE ...	–	–	–	1	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	–	55	37	–	51	C. 4 G. 1 M. 7
Boroughs and Urban Districts:—						
†AUDLEY... ...	–	1	1	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON ...	–	–	–	–	2	–
†BROWNHILLS ...	–	–	1	–	3	–
†BURTON-UPON-TRENT C.B.	–	3	1	–	–	–
†CANNOCK ...	–	1	–	–	1	G. 1
†COSELEY ...	–	–	–	–	2	–
†DARLASTON ...	–	–	–	–	1	M. 1
LICHFIELD ...	–	–	1	–	–	–
NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
†ROWLEY REGIS	–	–	–	–	2	C. 1
RUGELEY ...	–	–	–	–	2	–
†SMETHWICK C.B.	–	6	9	–	4	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STAFFORD ...	–	2	4	–	–	–
†STOKE-ON-TRENT C.B.	–	11	4	–	19	M. 4
TAMWORTH ...	–	–	–	–	1	–
TETTENHALL ...	–	1	–	–	–	–
†WALSALL C.B....	–	3	1	–	2	C. 1 M. 2
†WEDNESBURY ...	–	1	–	–	2	–
WEDNESFIELD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	4	6	–	2	–
†WILLENHALL ...	–	1	1	–	3	–
†WOLSTANTON UNITED	–	10	4	–	–	–
†WOLVERHAMPTON C.B.	–	7	–	–	2	C. 2
Rural Districts:—						
CHEADLE ...	–	2	1	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL ...	–	–	1	–	–	–
SUFFOLK, EAST	–	11	1	–	7	–
Boroughs and Urban Districts:—						
†IPSWICH C.B. ...	–	1	1	–	2	–
†LOWESTOFT ...	–	5	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
PLOMESGATE ...	–	1	–	–	–	–
SAMFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	–	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	2	–	–	..	–
SURREY	–	58	24	3	3	C. 1 G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	1	6	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CATERHAM ...	–	–	1	–	–	–
†CHERTSEY ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	1	1	–	–	–
†CROYDON C.B....	–	11	8	1	–	C. 1 M. 1
DORKING ...	–	1	1	–	–	–
†EGHAM	–	–	2	–	–	–
†EPSOM	–	1	–	2	–	–
†ESHER AND THE DITTONS	–	–	–	–	–	G. 1
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON-UPON-THAMES	–	8	–	–	–	–
†MERTON AND MORDEN ...	–	2	1	–	–	–
†MITCHAM ...	–	4	1	–	–	–
†REIGATE ...	–	1	2	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
Walton-upon-Thames	–	2	–	–	–	–
†Wimbledon ...	–	10	–	–	–	–
†Woking ...	–	–	–	–	1	–
Rural Districts:—						
Epsom	–	–	–	–	1	–
Farnham ...	*	*	*	*	*	*
Godstone ...	–	1	–	–	–	–
Guildford ...	–	5	–	–	–	–
Reigate ...	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	24	10	–	1	L. 2
Boroughs and Urban Districts:—						
†Brighton C.B.	–	8	3	–	1	–
†Eastbourne C.B	–	2	–	–	–	–
East Grinstead	–	5	–	–	–	–
†Hastings C.B....	–	1	1	–	–	–
Portslade-by-Sea	–	1	1	–	–	–
Uckfield ...	–	–	1	–	–	–
Rural Districts:—						
East Grinstead	–	2	4	–	–	–
Hailsham ...	–	2	–	–	–	L 2
Uckfield ...	–	3	–	–	–	–
SUSSEX, WEST ...	–	14	1	–	–	–
Boroughs and Urban Districts:—						
†Chichester ...	–	–	1	–	–	–
†Horsham ...	–	4	–	–	–	–
†Worthing ...	–	4	–	–	–	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
Midhurst ...	–	1	–	–	–	–
Steyning West	–	3	–	–	–	–
Thakeham ...	–	2	–	–	–	–
WARWICK ...	–	85	31	–	94	C. 2 M. 19
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	63	26	–	71	C. 2 M. 16
†Coventry C.B.	–	4	1	–	2	M. 1
Kenilworth ...	–	–	–	–	1	–
†Nuneaton ...	–	–	–	–	5	M. 1
†Royal Leamington Spa	–	1	–	–	2	–
Stratford-upon-Avon	–	1	–	–	–	–
Warwick ...	–	–	–	–	1	–
Rural Districts:—						
Atherstone ...	–	2	1	–	1	–
Brailes ...	–	2	–	–	–	–
Coventry ...	–	–	–	–	–	M. 1
Foleshill ...	–	6	–	–	4	–
Meriden ...	–	2	–	–	–	–
Nuneaton ...	–	–	1	–	–	–
Solihull ...	–	2	1	–	1	–
Southam ...	–	–	1	–	3	–
Tamworth (part)	–	2	–	–	–	–
Warwick ...	–	–	–	–	3	–
WESTMORLAND	–	3	–	–	1	–
Rural Districts:—						
East Westmorland	–	1	–	–	–	–
South Westmorland	–	2	–	–	–	–
West Ward ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	3	2	–	1	–
Boroughs and Urban Districts:—						
COWES	–	–	1	–	–	–
EAST COWES ...	–	2	–	–	–	–
†NEWPORT ...	–	1	–	–	–	–
†RYDE	–	–	1	–	–	–
VENTNOR ...	*	*	*	*	*	*
Rural District:—						
ISLE OF WIGHT	–	–	–	–	1	–
WILTS	–	15	3	–	6	–
Boroughs and Urban Districts:—						
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	–	–	–	–
†SWINDON ...	–	1	–	–	4	–
WESTBURY ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	5	–	–	–	–
CALNE	–	–	–	–	1	–
CHIPPENHAM ...	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	2	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
WARMINSTER ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	4	–	–	–	–
WORCESTER ...	–	16	4	–	5	–
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	2	–	–	–	–
†KIDDERMINSTER	–	1	–	–	1	–
†OLDBURY ...	–	5	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDDITCH ...	–	4	–	–	–	–
†STOURBRIDGE ...	–	2	–	–	–	–
†WORCESTER C.B.	–	1	2	–	2	–
Rural Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
HALESOWEN ...	–	–	–	–	1	–
REDMARLEY D'ABITOT AND STAUNTON (Parishes)	–	–	1	–	–	–
TENBURY ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	10	9	–	2	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
FILEY	–	1	–	–	–	–
HORNSEA ...	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	6	7	–	–	M. 2
†YORK C.B. ...	–	3	2	–	–	–
Rural District:—						
SHERBURN ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	14	7	9	–	8	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	3	–	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	11	1	2	–	4	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Northallerton	–	1	–	–	–	–
†Redcar... ...	–	–	–	–	1	–
†Scarborough ...	–	1	3	–	–	–
†Thornaby-on-Tees	–	–	–	–	–	M. 1
†Whitby ...	–	–	2	–	1	–
Rural Districts:—						
Aysgarth ...	–	–	1	–	–	–
Bedale... ...	–	1	–	–	–	–
Easingwold ...	–	1	–	–	–	–
Northallerton	–	–	–	–	1	–
Thirsk	–	1	–	–	–	–
Wath	–	–	1	–	–	–
Whitby ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	6	174	56	7	206	C. 4 E. 1 G. 1 L. 3 M. 10
Boroughs and Urban Districts:—						
†Adwick-le-Street	–	2	1	–	–	–
Altofts ...	–	–	2	–	1	–
Ardsley, East and West	–	–	–	–	2	–
Barkisland ...	–	1	–	–	–	–
†Barnoldswick	–	2	–	–	2	–
†Barnsley C.B.	–	1	–	–	3	M. 1
†Batley... ...	–	1	1	–	6	–
†Bingley ...	–	–	1	–	3	–
†Bolton-upon-Dearne	–	–	–	2	1	–
†Bradford C.B.	–	29	9	–	15	–
Clayton ...	–	1	–	–	–	–
Clayton West	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Darfield ...	–	–	–	–	3	–
†Dewsbury C.B.	–	–	1	–	–	–
†Doncaster ...	–	–	1	–	–	–
Drighlington...	–	–	–	–	1	–
†Elland... ...	–	–	–	–	1	–
†Featherstone	–	1	–	–	–	–
†Golcar ...	1	–	–	–	5	–
†Goole	–	1	–	–	1	–
Greetland ...	–	–	–	–	1	–
†Halifax C.B. ...	–	6	2	–	1	–
†Harrogate ...	–	–	1	1	2	–
Haworth ...	–	1	–	–	–	–
Hebden Bridge	–	3	–	–	1	–
†Hemsworth ...	–	2	–	–	2	–
Hipperholme ...	–	–	–	–	1	–
Holmfirth ...	–	1	–	–	–	–
Horbury ...	–	1	–	–	–	–
†Hoyland Nether	–	1	1	–	2	G. 1
†Huddersfield C.B.	–	1	1	–	4	–
Ilkley ...	–	1	–	–	–	–
†Keighley ...	–	–	1	–	–	–
†Leeds C.B. ...	–	46	5	–	13	C. 1 M. 1
Linthwaite ...	1	–	–	–	–	–
Marsden ...	–	1	2	–	–	–
†Mexborough ...	–	–	–	–	6	–
†Mirfield ...	–	1	–	–	..	–
†Morley ...	–	–	1	–	2	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	–	–	–	4	C. 1
†Pudsey... ...	–	–	1	–	–	–
†Rawmarsh ...	–	2	–	–	1	–
Ripon	–	1	–	–	–	–
†Rotherham C.B.	–	5	4	–	4	–
†Rothwell ...	–	2	1	–	–	–
Royston ...	–	3	–	–	–	–
†Saddleworth...	1	–	–	–	–	–
Selby	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHEFFIELD C.B.	–	24	6	3	93	C. 1 E. 1 M. 7
SHELLEY ...	–	–	–	–	1	–
†SHIPLEY ...	–	2	–	–	–	–
†SKIPTON ...	–	–	1	–	–	–
SLAITHWAITE ...	1	–	–	–	–	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	2	–	–	2	–
STAINLAND WITH OLD LINDLEY	–	2	–	–	–	–
STANLEY ...	–	3	1	–	–	–
STOCKSBRIDGE ...	–	–	–	–	2	–
THURNSCOE ...	*	*	*	*	*	*
†TODMORDEN ...	2	–	–	–	–	–
†WAKEFIELD C.B.	–	1	1	–	6	L. 2
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	2	–	–	2	–
WORSBOROUGH...	–	4	–	–	1	M. 1
Rural Districts:—						
DONCASTER ...	–	–	1	–	3	C. 1
HEMSWORTH ...	–	5	2	–	1	–
HUNSLET ...	–	3	2	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	–	–	1	–	–	–
ROTHERHAM ...	–	–	–	–	2	–
SEDBERGH ...	–	1	–	–	–	–
SELBY	–	–	1	–	–	–
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE ...	–	–	1	–	1	–
WAKEFIELD ...	–	3	1	–	–	–
WETHERBY ...	–	–	2	–	–	–
WHARFEDALE (South)	–	–	–	–	1	L. 1
WORTLEY ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
MENAI BRIDGE	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
LLANWRTHWL (Parish)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	–	–	3	–
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
YSGUBOR-Y-COED (Township)	*	*	*	*	*	*
TREGARON ...	–	–	–	–	1	–
CARMARTHEN ...		16	4	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	1	
†LLANELLY ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN —*cont.*						
Rural Districts :—						
CARMARTHEN ...	–	9	–	–	–	–
LLANDILO FAWR	–	5	1	–	–	–
LLANELLY ...	–	1	–	–	–	–
WHITLAND ...	–	–	1	–	–	–
CARNARVON ...	–	4	3	–	1	–
Boroughs and Urban Districts—						
BETHESDA ...	–	–	2	–	–	–
CARNARVON ...	–	–	1	–	1	–
PWLLHELI ...	–	1	–	–	–	–
Rural Districts :—						
GLASLYN ...	–	1	–	–	–	–
LLEYN	–	2	–	–	–	–
DENBIGH ...	–	1	4	–	1	M. 1
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
†WREXHAM ...	–	–	1	–	–	–
Rural Districts :—						
WREXHAM ...	–	1	3	–	–	M. 1
FLINT	–	2	2	–	4	–
Boroughs and Urban Districts :—						
FLINT	–	–	1	–	–	–
†RHYL	–	2	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	83	37	2	40	C. 2 D. 1 M. 6
Boroughs and Urban Districts :—						
†ABERDARE ...	–	12	–	–	10	–
†BARRY	–	2	3	–	–	–
BRIDGEND ...	–	–	1	–	–	–
BRITON FERRY	–	–	–	–	–	M. 1
†CAERPHILLY ...	–	2	–	–	–	–
†CARDIFF C.B. ...	–	5	6	1	3	M. 2
†GELLIGAER ...	–	–	–	–	–	D. 1
†MAESTEG ...	–	3	–	–	2	–
†MERTHYR TYDFIL C.B.	–	4	2	–	1	–
†MOUNTAIN ASH	–	12	–	–	–	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	5	–	1	3	–
†PONTYPRIDD ...	–	7	1	–	–	–
†RHONDDA ...	–	9	7	–	9	C. 1 M. 2
†SWANSEA C.B. ...	–	7	11	–	3	C. 1 M. 1
Rural Districts :—						
COWBRIDGE ...	–	1	–	–	–	–
GOWER	–	3	–	–	–	–
LLANDAFF and DINAS POWIS	–	5	1	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	2	–	–	–	–
NEATH	–	–	4	–	8	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	3	–	–	–	–
SWANSEA ...	–	–	–	–	1	–
MERIONETH ...	–	–	1	–	–	–
Urban District :—						
FESTINIOG ...	–	–	1	–	–	–
Rural District :—						
PENNAL (parish)	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	17	12	–	10	C. 1 M. 1
Boroughs and Urban Districts :—						
†Abersychan ...	–	1	–	–	–	–
†Abertillery ...	–	2	–	–	2	–
†Bedwas and Machen	–	1	1	–	–	M. 1
†Blaenavon ...	–	4	–	–	1	–
Chepstow ...	–	1	–	–	–	–
†Ebbw Vale ...	*	*	*	*	*	*
†Mynddislwyn...	–	–	1	–	–	–
†Nantyglo and Blaina	–	2	–	–	2	–
†Newport C.B....	–	4	10	–	2	–
†Tredegar ...	–	2	–	–	3	C. 1
MONTGOMERY ...	–	2	–	–	1	–
Boroughs and Urban Districts :—						
Llanidloes ...	–	1	–	–	–	–
Machynlleth ...	*	*	*	*	*	*
Welshpool ...	–	–	–	–	1	–
MONTGOMERY—*cont.*						
Rural Districts :—						
Forden ...	–	1	–	–	–	–
Machynlleth ...	*	*	*	*	*	*
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	–	–	–	–	–
Boroughs and Urban District :—						
†Pembroke ...	*	*	*	*	*	*
RADNOR... ...	–	–	1	–	–	–
Urban District:—						
Llandrindod Wells	–	–	1	–	–	–
Rural District :—						
Rhayader ...	*	*	*	*	*	*
Total of Part II.	38	1678	673	40	890	C. 42 D. 7 E. 6 G. 11 L. 19 M. 126

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple ...	*	*	*	*	*	*
Cardiff ...	–	–	–	–	1	–
Colchester ...	*	*	*	*	*	*
Dover (Deal Division)	–	1	–	–	–	–
Plymouth ...	–	–	–	–	2	L. 2
Weymouth ...	–	–	–	1	–	–
Port of London	–	–	2	–	1	–
Total of Part III.	–	1	2	1	4	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	342	273	4	122	C. 6 D. 2 G. 1 M. 24
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	38	1678	673	40	890	C. 42 D. 7 E. 6 G. 11 L. 19 M. 126
Total of Part III.—Port Sanitary Districts ...	–	)	2	1	4	L. 2
Total (*i.e.*, of returns received), England and Wales	38	2021	948	45	1016	C. 48 D. 9 E. 6 G. 12 L. 21 M. 150

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. The 38 cases of Small-pox include 1 case of Alastrim and appear on pages 540, 544, 547, 551, 552, and 553.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.
LONDON:—													
DEATHS—all ages	1,636	1,472	1,398	1,239	1,223	1,267	1,417	1,514	1,446	1,406	1,327	1,319	1,210
" 0 to 1 year	181	183	180	177	150	188	219	228	197	220	159	170	162
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,240	8,575	8,199	8,357	8,238	7,683	8,220	7,962	7,250	8,046	8,711	8,491	8,271
DEATHS—all ages	7,192	6,376	5,669	4,955	5,066	5,161	5,626	6,072	5,948	5,635	5,486	5,202	4,810
" *0 to 1 year*	933	844	781	713	733	839	920	1,011	984	904	834	829	733
ENTERIC FEVER—Cases	12	17	21	12	26	4	12	13	20	17	16	23	22
" Deaths	2	1	3	6	5	4	5	3	6	4	5	7	2
SMALL POX—Cases	—	1	8	1	2	13	11	12	14	25	12	19	15
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,423	1,373	1,314	1,252	1,322	1,180	1,196	1,227	1,145	1,122	1,081	1,246	1,098
" Deaths	28	18	26	25	17	17	25	18	20	23	31	17	15
DIPHTHERIA—Cases	782	832	785	740	654	685	654	666	622	560	553	602	624
" Deaths	59	58	73	74	45	37	74	47	49	43	53	38	62
MEASLES—Deaths	61	83	86	89	104	122	160	181	154	158	177	184	168
INFLUENZA—Deaths	670	525	306	201	146	104	111	117	109	93	75	69	55

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th May 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	81	35	63·7	42·6	0
BRIGHTON	65	36	59·4	44·2	0
PORTSMOUTH	75	36	62·3	45·3	0
NORWICH (EATON).	77	37	60·0	42·0	3
PLYMOUTH	69	39	63·4	45·3	0
BRISTOL (CLIFTON).	76	35	63·7	45·4	0
BIRMINGHAM	78	35	61·9	42·1	2
NOTTINGHAM	76	36	59·6	42·9	0
BIRKENHEAD (BIDSTON).	68	39	57·1	44·6	0
MANCHESTER	74	35	63·0	43·0	4
BURNLEY	67	28	56·6	39·0	2
HUDDERSFIELD	72	28	58·0	40·6	3

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	69	33	56·1	42·0	1
SHEFFIELD	75	34	59·4	43·0	3
YORK (MUSEUM).	72	32	58·9	41·9	0
HULL (PEARSON PARK).	76	35	58·4	41·9	1
TYNEMOUTH	70	37	56·1	43·0	0
CARDIFF	74	36	63·4	43·1	1
EDINBURGH	61·0	37·0	52·7	41·4	1
GLASGOW	63·0	39·4	55·1	42·7	3
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	70·8	37·0	59·4	46·6	0
BELFAST	65·0	39·0	61·4	44·7	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th May 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	7	In Equator.	30·350	73·8	40·1	33·7	58·6	+ 7·9	42·3	16·3	26·1	3·2	55	135·0	28·1	46·2	Calm & WSW.	SW	1·0	0·0	0·0	180	− 90	0·00
MONDAY	8	Perigee	30·231	81·2	44·2	37·0	64·8	+13·8	44·8	20·0	31·2	2·6	48	138·5	34·2	46·6	Calm & W.	W & WNW.	2·4	0·0	0·1	207	− 57	0·00
TUESDAY	9	..	30·160	71·5	50·3	21·2	59·8	+ 8·6	49·5	10·3	19·4	4·2	69	112·0	39·4	46·9	Calm & NE.	E & SE	1·2	0·0	0·0	158	−101	0·00
WEDNESDAY	10	..	29·999	55·9	42·0	13·9	47·5	− 4·0	40·7	6·8	13·6	4·0	77	103·2	37·2	47·1	E & ESE	SE	2·5	0·0	0·2	252	− 3	0·00
THURSDAY	11	Full	29·790	50·3	41·3	9·0	45·8	− 6·0	37·5	8·3	11·9	5·1	73	68·9	36·4	47·4	SE & S	ESE & E	1·9	0·0	0·2	241	− 12	0·00
FRIDAY	12	..	29·699	54·5	38·6	15·9	45·4	− 6·7	35·1	10·3	18·7	3·9	67	125·5	30·3	47·8	ENE	NE & NNE.	3·8	0·0	0·3	350	+ 94	0·01
SATURDAY	13	..	29·969	57·5	35·5	22·0	45·3	− 7·1	32·6	12·7	23·1	5·9	61	124·5	26·0	47·8	NNE	NE & SW	2·1	0·0	0·1	225	− 37	0·00
MEANS		..	30·028	63·5	41·7	21·8	52·5	+ 0·9	40·4	12·1	20·6	4·1	64	115·4	33·1	47·1	ENE		...	...	...	Sum 1,613	Sum −206	Sum 0·01
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. May 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	7	s.P. generally	12·8	15·1	Nearly cloudless till 4h. Haze and thin cloud prevalent till 6h. Partially cloudy generally afterwards. Hoar frost in morning. Solar halo at noon. Lunar halo towards midnight.
MONDAY -	8	v.P. generally, Loss of register, 10h. to 20h.	12·6	15·1	Fine and partially cloudy throughout. Lunar halo before 2h. and hazy 2h. to 3h. Solar halo in early morning. Nearly cloudless at times.
TUESDAY -	9	v.P. generally	10·2	15·2	Thin cloud variably prevalent throughout. Nearly overcast after sunset. Hazy at times. Lunar halo in early morning. Solar halo in forenoon.
WEDNESDAY	10	v.P. generally, v.N. at times.	0·7	15·2	Overcast with very slight exceptions till 20h. 30m., then variably cloudy.
THURSDAY -	11	v.P. generally	0·0	15·3	Cloudy to overcast by 3h.; slight damping just before 21h.
FRIDAY -	12	v.P. generally	6·1	15·4	Overcast generally till 9h.; variably cloudy with overcast intervals till 20h. 30m.; becoming cloudless generally before 21h. Rain between 2h. and 4h.
SATURDAY -	13	v.P. generally	12·1	15·4	Cloudless till 8h. Variably cloudy till 20h., then nearly cloudless.
			Sum 54·5	Sum 106·7	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·33 in. at the beginning of the week to 30·38 in. by 9h. on 7th; decreased generally to 29·66 in. by 14h. on 12th; and increased to 30·02 in. by midnight on 13th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

1922. No. 20.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 20TH MAY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH MAY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twentieth week of the year numbered 8,279, and corresponded to an annual rate of 22·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,482 and corresponded to an annual rate of 12·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 15·0, 14·3 and 13·2. Infant mortality was 82 per 1,000 births against 96, 98, and 89 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,994 births, corresponding to a rate of 23·0 per 1,000, and 1,038 deaths of civilians, corresponding to a rate of 12·0, as against 15·3, 15·2, and 14·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 14·1 per 1,000. The infant mortality was 63 as against 73, 84, and 82 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 328 in the total deaths last week. In London the number of deaths from all causes fell from 1,210 to 1,038; there was a decrease of 55 in the deaths from pneumonia, while the deaths from measles, which had been 98, 107 and 91 in the preceding three weeks, fell to 51 last week.

---

m (45)17630—4 Wt 30—P 19 2250 5,22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { Births and Deaths registered in the week ended 20th May 1922.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,279	4,482	680	2	123	17	70	45	61	45
London	4,514,405*	1,994	1,038	125	1	51	6	23	21	5	5
Towns in Outer Ring.											
Croydon C.B.	191,500	72	40	2	–	5	–	–	1	–	–
Wimbledon	61,700	8	9	–	–	–	–	–	–	–	–
Ealing	67,800	26	13	1	–	–	–	–	–	–	–
Acton	62,000	28	10	–	–	1	–	–	–	1	1
Willesden	167,200	47	38	4	–	2	–	–	2	–	–
Hendon	55,500	25	6	–	–	–	–	–	–	–	–
Hornsey	87,600	26	17	2	–	–	–	1	–	–	–
Wood Green	51,100	15	8	2	–	–	–	–	–	1	–
Tottenham	149,200	57	35	2	–	1	–	1	–	–	1
Edmonton	67,800	37	16	3	–	–	–	2	–	–	–
Enfield	61,400	18	14	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	167	71	4	–	2	–	–	–	–	1
East Ham C.B.	145,500	68	26	3	–	3	–	–	1	1	–
Leyton	130,100	37	12	1	–	2	–	–	–	1	–
Walthamstow	129,800	41	30	3	–	1	–	–	1	–	–
Ilford	85,500	35	15	4	–	3	–	–	–	–	–
Gillingham	48,149*	27	7	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	18	7	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	19	21	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	22	15	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	50	37	6	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	110	56	5	–	–	1	1	1	1	–
Bournemouth C.B.	81,200	19	16	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	76	29	3	–	–	1	–	1	–	–
Reading C.B.	92,600	33	20	1	–	–	–	1	–	–	–
Oxford C.B.	56,400	22	12	3	–	–	–	–	–	–	–
Northampton C.B.	92,300	40	21	1	–	–	–	–	–	–	–
Luton	57,800	22	11	2	–	–	–	–	–	–	–
Cambridge	58,900	17	11	1	–	–	–	1	–	–	–
Southend-on-Sea C.B.	90,500	32	19	2	–	1	–	–	–	–	–
Ipswich C.B.	80,100	22	12	1	–	–	–	1	–	1	–
Great Yarmouth C.B.	56,300	13	20	3	–	–	–	1	–	–	–
Norwich C.B.	122,400	48	27	4	–	–	–	1	–	–	–
Swindon	55,500	16	9	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	23	2	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	75	44	7	–	2	–	1	–	1	1
Bath C.B.	68,300	21	16	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	172	76	9	–	1	–	–	2	–	–
Gloucester C.B.	51,800	23	15	2	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	273,238	142	62	15	–	–	–	2	–	–	1
Burton-upon-Trent C.B.	49,410	28	9	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	61	29	5	–	–	–	–	–	2	–
Walsall C.B.	98,800	49	24	6	–	1	–	–	–	–	1
West Bromwich C.B.	75,300	35	22	3	–	–	–	–	–	–	–
Worcester C.B.	49,160	25	10	–	–	–	–	–	–	–	1
Dudley C.B.	57,100	33	14	2	–	–	–	1	–	–	–
Birmingham C.B.	936,000	407	234	40	–	3	–	9	–	4	1
Smethwick C.B.	77,400	24	12	3	–	–	–	–	–	–	–
Coventry C.B.	130,300	67	25	4	–	–	–	1	–	–	–
Leicester C.B.	237,900	88	61	14	–	–	–	–	–	5	–
Lincoln C.B.	66,600	24	23	6	–	–	–	–	–	–	–
Grimsby C.B.	83,600	44	15	3	–	–	–	–	–	1	–
Nottingham C.B.	266,400	98	63	7	–	–	–	–	–	–	–
Derby C.B.	131,800	53	33	7	–	–	–	–	–	–	3
Chesterfield	62,400	32	28	6	–	–	–	–	–	–	–
Stockport C.B.	125,500	44	27	4	–	–	–	–	1	1	–
Chester C.B.	41,030	25	7	1	–	–	–	–	–	–	1
Birkenhead C.B.	147,800	76	32	6	–	–	–	–	–	–	–
Wallasey C.B.	89,600	29	12	–	–	1	–	–	–	–	–
Liverpool C.B.	817,000	431	214	39	–	4	3	2	–	8	1
Bootle C.B.	77,800	43	15	3	–	1	–	–	–	–	–
St. Helens C.B.	104,900	53	25	9	–	4	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	20	18	–	–	–	–	–	1	–	–
Wigan C.B.	91,200	46	23	4	–	3	–	–	1	1	–
Warrington C.B.	78,600	46	24	3	–	–	–	–	–	1	–
Bolton C.B.	182,200	65	54	4	–	–	–	1	–	1	1
Bury C.B.	57,600	27	16	3	–	–	–	–	–	–	–
Manchester C.B.	744,000	351	185	42	–	13	1	6	–	6	1
Salford C.B.	239,100	101	67	11	–	2	–	–	1	–	–
Oldham C.B.	148,300	57	40	3	–	–	–	–	–	–	–
Rochdale C.B.	92,700	36	25	3	–	1	–	–	–	–	1
Burnley C.B.	105,300	32	26	2	–	–	–	–	1	–	1
Blackburn C.B.	129,400	29	27	5	–	–	–	–	–	1	–
Preston C.B.	119,900	55	26	4	–	–	–	–	1	–	–
Blackpool C.B.	73,800	26	25	2	–	–	–	–	–	–	1
Barrow-in-Furness C.B.	75,200	33	15	3	–	–	–	2	–	–	–
Huddersfield C.B.	111,900	48	25	4	–	–	–	–	–	1	1
Halifax C.B.	100,700	42	31	2	–	–	–	–	–	–	–
Bradford C.B.	291,100	105	84	10	–	–	2	–	–	1	3
Leeds C.B.	465,500	178	120	15	–	–	–	3	–	–	–
Dewsbury C.B.	55,100	19	25	9	–	–	–	–	–	1	3
Wakefield C.B.	53,763	27	12	2	–	–	–	–	–	1	–
Barnsley C.B.	68,991	30	31	7	–	–	–	–	–	–	3
Sheffield C.B.	519,239	209	137	36	1	11	1	1	3	4	3
Rotherham C.B.	69,100	37	22	2	–	3	–	–	1	–	1
Doncaster	54,700	23	16	2	–	–	–	1	–	–	–
York C.B.	84,500	34	23	2	–	–	–	–	–	–	2
Hull C.B.	291,800	165	65	14	–	–	–	–	–	1	2
Middlesbrough C.B.	133,400	65	33	9	–	–	–	–	–	–	–
Darlington C.B.	66,400	29	21	4	–	–	–	2	–	–	–
Stockton-on-Tees	65,000	40	21	8	–	–	–	–	–	1	1
West Hartlepool C.B.	69,300	34	15	3	–	–	–	1	–	–	–
Sunderland C.B.	161,100	94	35	13	–	–	1	–	–	1	–
South Shields C.B.	120,376	60	22	3	–	–	–	–	–	–	–
Gateshead C.B.	126,700	55	34	7	–	–	–	–	2	2	–
Newcastle-on-Tyne C.B.	278,400	143	48	10	–	–	–	–	–	2	–
Tynemouth C.B.	63,900	33	16	4	–	–	–	–	–	1	–
Carlisle C.B.	53,200	28	11	2	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	46	16	1	–	–	–	1	2	–	–
Cardiff C.B.	202,700	87	47	7	–	1	–	2	–	–	–
Rhondda	166,600	66	26	2	–	–	–	–	–	–	1
Merthyr Tydfil C.B.	81,800	47	15	6	–	–	–	1	1	–	–
Aberdare	56,100	20	9	2	–	–	1	–	–	1	–
Swansea C.B.	159,600	61	33	6	–	–	–	–	–	1	–
Greater London	7,523,963*	3,174	1,623	185	1	79	7	30	28	12	11
Outer Ring	3,009,558*	1,180	585	60	–	28	1	7	7	7	6
16 Great Towns in Outer Ring	1,820,700	707	360	32	–	20	–	4	5	4	3
Remainder of Outer Ring	1,188,858*	473	225	28	–	8	1	3	2	3	3
Edinburgh†	420,500	203	105	17	–	4	2	4	1	2	1
Glasgow†	1,037,800	590	287	64	1	32	–	2	2	8	1
Dublin (Registration Area)†	427,000	229	128	24	1	4	–	1	1	3	1
Belfast†	425,000	212	105	13	–	2	–	–	2	1	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	May 20	1994	1038	12·0	1	–	51	6	23	21	5	5
Calcutta	896,067	Apr. 15	?	557§	31·9	?	25	–	–	–	–	–	12
Bombay	1,175,914	,, 15	275‖	778§	34·4	2	1	1	–	–	–	40	21
Madras	522,951	,, 15	356	500	49·7	3	67	9	?	–	–	47	1
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	February 28 days.											
Perth (Metropolitan Area).	154,866	Mar. 25											
Auckland (Urban Area).	157,757	February 28 days.	239	102	7·8	–	–	–	–	–	–	2	–
Wellington (Urban Area).	107,488	,, ,,	213	73	8·1	–	–	–	–	–	1	2	–
Christchurch (Urban Area).	105,670	,, ,,	171	73	8·3	–	–	–	–	–	–	–	–
Cape Town	101,000	Mar. 4	53	37	19·0	1	–	–	–	–	–	3	–
		,, 11	59	24	12·4	–	–	–	–	–	–	4	–
Johannesburg	149,500	Apr. 8	136	58	20·1	2	–	–	–	–	–	–	3
Durban	48,000	,, 8	31	19	20·6	–	–	–	–	–	–	1	1
Paris	2,906,472	,, 30 (10 days).	1293	1207	15·2	2	–	7	1	1	4	27	2
Antwerp	340,114	Apr. 1	96	80	13·7	1	–	3	3	3	1	4	–
Amsterdam	683,595	May 6	250	135	11·0	–	–	3	–	–	–	1	–
Copenhagen	562,000	,, 6	231	162	15·0	–	–	2	–	1	–	2	7
Stockholm	422,042	,, 6	107	91	11·2	–	–	–	–	1	–	–	1
Gothenburg	228,052	Apr. 22	?	54	12·3	1	–	–	–	–	–	–	1
Christiania	260,920	May 13	97	69	13·7	–	–	–	–	–	–	–	–
Berlin	1,970,000	Apr. 22	493	680	17·9	1	?	4	3	1	3	6	12
Breslau	557,000	,, 22	272	190	17·7	1	?	1	–	2	1	5	3
Cologne	677,000	,, 22	295	164	12·6	–	?	–	–	3	–	2	3
Dresden	605,000	,, 22	189	163	14·0	–	?	–	–	–	2	2	5
Frankfort-on-Main	476,000	,, 22	152	115	12·6	–	?	–	–	–	–	5	1
Hamburg	1,053,000	,, 22	377	355	17·5	–	?	–	3	1	3	7	7
Leipzig	673,000	,, 22	244	197	15·2	1	?	–	–	–	–	7	5
Munich	680,000	,, 22	228	171	13·1	–	?	–	–	–	–	7	3
Vienna	1,842,005	,, 1	691	733	20·7	2	–	1	–	10	–	9	3
Prague and Suburbs	689,262	,, 1	274	205	15·4	2	–	–	–	–	1	8	–
Budapest	936,000	Feb. 18	426	505	28·0	2	?	3	14	2	8	17	9
		,, 25	401	421	23·4	2	?	9	6	–	–	19	16
Cairo	777,500	,, 25	742	397	26·6	3	–	2	–	?	1	18	?
Alexandria	456,300	,, 25	395	239	27·2	–	–	–	–	?	1	12	?
New York	5,839,738	Apr. 8											
Chicago	2,833,288	,, 22	?	692	12·7	–	–	4	4	1	10	31	6
Rio de Janeiro	1,195,961	,, 1	598	486	21·2	4	3	–	–	–	2	–	26
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 73 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 10 in Calcutta and 45 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th May, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1038	125	55	56	30	45	53	69	98	147	189	171
Enteric fever	1	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	51	10	24	17	–	–	–	–	–	–	–	–
Scarlet fever	6	1	1	2	1	–	1	–	–	–	–	–
Whooping cough	23	9	8	5	1	–	–	–	–	–	–	–
Diphtheria	21	2	4	9	5	1	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	2	2	–	–	1	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	1
Acute Poliomyelitis, Polioencephalitis.	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	–	1	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	85	–	–	–	2	15	16	19	16	10	6	1
Tuberculous meningitis	4	–	1	2	1	–	–	–	–	–	–	–
Abdominal tuberculosis	2	1	–	–	–	–	–	–	–	–	1	–
Other tubercle	15	2	1	3	–	4	–	1	3	–	–	1
Venereal diseases	8	6	–	–	–	–	–	–	1	1	–	–
Cancer	105	–	–	–	–	–	1	8	17	37	23	19
Rheumatic fever	6	–	–	–	4	1	–	–	–	–	1	–
Diabetes	11	1	–	–	–	–	1	–	1	3	2	3
Alcoholism	1	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	37	–	–	–	–	–	–	2	3	9	13	10
Epilepsy	7	–	–	–	1	1	1	–	1	1	2	–
"Convulsions" (not puerperal)	7	4	1	2	–	–	–	–	–	–	–	–
Other diseases of nervous system	31	–	–	1	1	4	4	4	4	1	9	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	9	–	–	–	2	4	1	1	–	–	1	–
Other diseases of heart	121	–	–	–	1	2	6	6	13	24	35	34
Other dis. of circulatory system	40	–	–	–	–	1	–	2	3	4	12	18
Bronchitis	80	4	1	1	–	1	–	5	4	13	19	32
Broncho-pneumonia	48	21	8	7	1	–	–	–	1	1	7	2
Lobar pneumonia	21	2	1	–	2	1	2	1	6	4	2	–
Pneumonia (type not distinguished)	17	4	2	–	1	–	–	2	1	4	3	–
Other diseases of respiratory system	8	–	–	1	–	–	–	2	3	–	1	1
Diarrhœa and enteritis	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis and typhlitis	5	–	–	–	1	–	3	–	–	1	–	–
Hernia, Intestinal obstruction	3	1	–	–	1	–	–	–	–	–	1	–
Cirrhosis of liver	5	–	–	–	–	–	–	–	3	1	1	–
Other diseases of digestive system	31	1	–	–	2	3	2	2	5	5	10	1
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	28	–	–	–	–	1	1	3	3	6	9	5
Other diseases of genito-urinary system.	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal fever, &c.	3	–	–	–	–	–	1	2	–	–	–	–
Other causes incident to childbirth	5	–	–	–	–	1	2	2	–	–	–	–
Congenital malformations	10	9	1	–	–	–	–	–	–	–	–	–
Premature birth	30	30	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	40	–	–	–	–	–	–	–	–	–	12	28
Suicide	15	–	–	–	–	1	3	2	1	4	3	1
Burns and scalds	3	–	–	1	–	–	–	–	–	–	1	1
Drowning	1	–	–	–	–	–	–	1	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	14	1	–	1	–	2	2	–	1	5	–	2
Other deaths by violence	11	1	–	–	1	–	–	–	1	1	4	3
Other specified causes	48	3	2	3	1	2	4	2	5	12	9	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th May 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	3	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	15	5	–	5	–
†BERMONDSEY ...	–	11	24	–	7	–
†BETHNAL GREEN	–	13	9	–	1	C. 1 M. 3
†CAMBERWELL ...	–	31	7	–	–	–
†CHELSEA ...	–	4	1	–	–	–
†DEPTFORD ...	–	13	4	–	1	–
†FINSBURY ...	–	11	7	1	3	C. 2
†FULHAM ...	–	11	7	–	7	C. 1 G. 1
†GREENWICH ...	–	15	10	–	4	–
†HACKNEY ...	–	11	16	–	2	M. 1
†HAMMERSMITH	–	7	7	–	3	–
†HAMPSTEAD ...	–	4	2	1	–	–
†HOLBORN ...	–	2	4	–	–	M. 1
†ISLINGTON ...	–	19	20	–	2	M. 5
†KENSINGTON ...	–	16	11	–	4	–
†LAMBETH ...	–	32	14	1	2	M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	18	7	–	3	–
†PADDINGTON ...	–	14	7	–	3	–
†POPLAR... ...	–	5	4	–	10	–
†ST. MARYLEBONE	–	7	7	–	–	C. 1 G. 1 M. 1
†ST. PANCRAS ...	–	14	24	–	16	–
†SHOREDITCH ...	–	9	8	–	7	C. 1 M. 1
†SOUTHWARK ...	–	17	5	–	6	M. 1
†STEPNEY ...	–	12	21	–	6	M. 2
†STOKE NEWINGTON	–	2	–	–	–	–
†WANDSWORTH	–	20	13	–	10	C. 1 M. 1
†WESTMINSTER, CITY OF	–	5	2	1	–	F. 1 M. 1
†WOOLWICH ...	–	13	9	–	6	D. 1 M. 1
TOTAL OF PART I.	–	354	266	4	108	C. 7 D. 1 F. 1 G. 2 M. 19

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	6	–	–	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	3	–	–	–	–
BIGGDESWADE ...	–	1	1	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	1	–	–	–
Rural Districts :—						
AMPHILL ...	–	–	3	–	–	–
BEDFORD ...	–	1	–	–	–	–
BERKS	–	29	7	–	1	C. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	5	–	–	–	–
†NEW WINDSOR	–	2	–	–	–	–
†READING, C.B.	–	3	6	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE ...	–	–	1	–	–	–
Rural Districts :—						
ABINGDON ...	–	3	–	–	–	–
BRADFIELD ...	–	6	–	–	1	–
EASTHAMPSTEAD	–	1	–	–	–	C. 1
NEWBURY ...	–	2	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE ...	–	2	–	–	–	–
WINDSOR ...	–	1	–	–	–	–
BUCKINGHAM	–	8	5	–	5	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	2	–	–	–	–
†CHEPPING WYCOMBE	–	3	1	–	3	–
LINSLADE ...	–	–	1	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
†SLOUGH... ...	–	–	1	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	1	2	–	2	–
CAMBRIDGE ...	–	12	–	–	–	–
Borough :—						
†CAMBRIDGE ...	–	4	–	–	–	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
CHESTERTON ...	–	3	–	–	–	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	3	–	–	–	–
CHESTER	–	71	30	1	26	C. 1 M. 7
Boroughs and Urban Districts :—						
ALSAGER ...	–	–	–	–	–	M. 1
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	M. 1
†BIRKENHEAD C.B.	–	15	5	–	12	M. 1
BOLLINGTON ...	–	–	2	–	–	–
BOWDON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CHESTER C.B. ...	–	2	2	–	3	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	4	1	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	2	–	–	–	–
HOOLE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
†HYDE	–	–	2	–	2	M. 1
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD...	–	9	–	–	1	M. 2
NANTWICH ...	–	1	–	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
†RUNCORN ...	–	–	–	–	1	–
†STALYBRIDGE ...	–	–	–	1	–	–
†STOCKPORT, C.B.	–	5	2	–	–	–
†WALLASEY, C.B.	–	7	3	–	2	M. 1
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...	–	–	–	–	1	C. 1
Rural Districts:—						
BUCKLOW ...	–	2	4	–	1	–
CHESTER ...	–	1	–	–	–	–
MALPAS... ...	–	–	1	–	–	–
NANTWICH ...	–	–	6	–	–	–
NORTHWICH ...	–	1	2	–	–	–
RUNCORN ...	–	9	–	–	–	–
WIRRAL... ...	–	1	–	–	–	–
CORNWALL ...	–	10	1	1	7	G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	–	G. 1
LISKEARD ...	–	2	–	–	1	–
LOOE	–	2	–	–	–	–
REDRUTH ...	–	–	–	–	4	–
ST. IVES ...	–	1	–	1	–	–
TORPOINT ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN ...	–	1	–	–	–	–
CALSTOCK ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts—*cont.*						
HELSTON ...	–	–	1	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	2	–	–	–	–
CUMBERLAND ...	–	3	4	–	7	M. 1
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	–	2	–	3	M. 1
KESWICK ...	*	*	*	*	*	*
†MARYPORT ...	–	–	1	–	2	–
PENRITH ...	–	1	–	–	1	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	–	–	–	1	–
LONGTOWN ...	–	1	1	–	–	–
DERBY	3	26	13	–	57	C. 1 M. 4
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
†BOLSOVER ...	2	–	–	–	4	M. 1
†CHESTERFIELD ...	–	1	2	–	8	–
†DERBY C.B. ...	–	3	3	–	22	C. 1 M. 2
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP ...	–	2	1	–	3	–
†HEANOR ...	–	–	1	–	4	–
†ILKESTON ...	–	–	–	–	1	M. 1
†LONG EATON ...	–	2	–	–	3	–
MATLOCK ...	–	–	1	–	–	–
NEW MILLS ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RIPLEY... ...	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	2	2	–	3	–
Rural Districts:—						
BELPER	–	2	–	–	–	–
BLACKWELL ...	1	3	–	–	1	–
CHESTERFIELD	–	3	–	–	1	–
CLOWNE... ...	–	1	1	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	2	–
NORTON... ...	–	1	–	–	–	–
REPTON... ...	–	2	–	–	–	–
SHARDLOW ...	–	–	2	–	2	–
DEVON	–	20	10	–	11	–
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	1	–
†BARNSTABLE ...	–	1	–	–	–	–
BIDEFORD ...	–	–	–	–	1	–
BRIXHAM ...	–	–	2	–	–	–
NORTHAM ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	11	4	–	3	–
SIDMOUTH ...	–	–	1	–	–	–
†TEIGNMOUTH ...	–	2	–	–	–	–
†TORQUAY ...	–	–	2	–	1	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BARNSTAPLE ...	–	2	–	–	–	–
BIDEFORD ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	1	–
TAVISTOCK ...	–	3	–	–	–	–
TIVERTON ...	–	–	–	–	1	–
TORRINGTON ...	–	–	–	–	1	–
DORSET	–	9	–	–	1	–
Boroughs and Urban Districts:—						
†POOLE	–	5	–	–	–	–
†PORTLAND ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban District—*cont.*						
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	*	*	*	*	*	*
STURMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM... ...	1	69	14	3	47	C. 2 G. 1 M. 8
Boroughs and Urban Districts:—						
† ANNFIELD PLAIN	–	2	1	–	–	G. 1
BENFIELDSIDE ...	–	2	1	–	1	–
†BLAYDON ...	–	1	1	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CROOK	–	–	1	–	–	–
†DARLINGTON C.B.	–	3	–	–	5	–
†DURHAM ..	–	3	–	–	1	–
†FELLING ...	–	–	1	–	2	–
†GATESHEAD C.B.	–	7	2	–	1	M. 2
HARTLEPOOL ...	–	–	–	–	1	M. 1
†HEBBURN ...	–	1	–	–	–	–
†HETTON ...	–	1	–	–	1	–
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	–	1	–	1	M. 1
†SEAHAM HARBOUR	–	–	2	–	–	–
†SOUTH SHIELDS C.B.	–	8	–	–	5	–
†SOUTHWICK-ON-WEAR	–	–	1	–	1	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY ...	–	–	–	–	4	–
†STOCKTON-ON-TEES	–	1	–	–	2	–
†SUNDERLAND C.B.	–	8	–	–	5	M. 3
†TANFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WASHINGTON ...	–	1	–	–	1	–
†WEST HARTLEPOOL C.B.	–	1	–	–	1	C. 1
†WHICKHAM ...	–	2	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	6	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	8	–	1	–	C. 1
DURHAM ...	1	1	–	–	–	–
EASINGTON ...	–	2	–	1	7	–
HOUGHTON-LE-SPRING	–	–	2	–	3	M. 1
LANCHESTER ...	–	2	–	–	1	–
SEDGEFIELD ...	–	1	1	1	–	–
SUNDERLAND ...	–	3	–	–	2	–
ISLE OF ELY ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
MARCH	–	–	1	–	–	–
Rural District:—						
ELY	–	1	–	1	–	–
ESSEX	–	47	40	–	10	C. 1 G. 1 L. 1 M. 4
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	–	–	–	–
†COLCHESTER ...	–	1	1	–	–	G. 1
†EAST HAM C.B.	–	2	5	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
†ILFORD	–	2	7	–	1	L. 1
†LEYTON... ...	–	8	2	–	–	–
SAFFRON WALDEN	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHEND-ON-SEA C.B.	–	5	–	–	–	–
TILBURY ...	–	–	2	–	–	–
†WALTHAMSTOW	–	6	10	–	1	C. 1 M. 2
WALTON-ON-THE-NAZE	–	1	–	–	–	–
†WEST HAM C.B.	–	4	8	–	5	M. 2
†WOODFORD ...	–	3	–	–	3	–
Rural Districts:—						
BELCHAMP ...	*	*	*	*	*	*
BILLERICAY ...	*	*	*	*	*	*
DUNMOW ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON ...	–	2	–	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	–	4	2	–	–	–
ROMFORD ...	–	1	1	–	–	–
SAFFRON WALDEN	–	2	–	–	–	–
STANSTED ...	*	*	*	*	*	*
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	–	57	24	3	12	C. 2 D. 1 M. 5
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	41	13	2	6	C. 1 D. 1 M. 5
†CHELTENHAM ...	–	3	–	–	1	–
CIRENCESTER ...	–	–	1	–	–	–
†GLOUCESTER C.B.	–	–	3	–	1	–
†KINGSWOOD ...	–	4	–	–	–	C. 1
STOW-ON-THE-WOLD	–	2	–	–	–	–
STROUD ...	–	–	4	–	–	–
TETBURY ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY ...	–	2	–	–	3	–
NEWENT ...	–	–	1	–	–	–
STROUD ...	–	1	1	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	2	2	–	7	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	1	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	1	–
DORE	–	–	–	–	1	–
HEREFORD ...	–	–	1	–	–	–
ROSS	–	1	–	–	1	–
WEOBLEY ...	–	–	–	–	3	–
HERTFORD ...	–	18	16	–	4	L. 2
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	–
†BARNET... ...	–	2	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	3	1	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	3	–
†ST. ALBANS ...	–	–	1	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
BARNET... ...	–	–	2	–	–	–
BERKHAMPSTEAD	–	1	–	–	–	–
BUNTINGFORD ...	–	3	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
ST. ALBANS ...	–	3	1	–	–	–
WATFORD ...	–	1	9	–	–	L. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	2	–
RAMSEY ...	–	–	1	–	–	–
Rural Districts:—						
ST. IVES ...	–	2	–	–	–	–
ST. NEOTS, No. 2	*	*	*	*	*	*
KENT	–	56	27	–	17	C. 3 G. 2 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	1	–	–	–	–
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY ...	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	5	–	–	–	–
†BROMLEY ...	–	3	1	–	1	C. 1
†CHATHAM ...	–	1	1	–	2	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	3	3	–	–	–
†DOVER	–	3	1	–	2	M. 1
†ERITH	–	4	1	–	1	–
†FOLKESTONE ...	–	1	1	–	–	C. 1
†GILLINGHAM ...	–	5	1	–	–	–
†GRAVESEND ...	–	2	–	–	–	–
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	–	–	–	–	G. 1
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	3	2	–	2	–
†RAMSGATE ...	–	1	1	–	2	C. 1
†ROCHESTER ...	–	1	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	1	M. 1
SITTINGBOURNE	–	–	1	–	–	–
SOUTHBOROUGH	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BRIDGE	–	–	3	–	–	–
BROMLEY ...	–	1	–	–	1	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	3	2	–	1	–
†DOVER	–	1	2	–	–	–
EAST ASHFORD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
EASTRY	–	6	–	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	1	–	–	–
MALLING ...	–	–	–	–	1	–
MILTON	–	1	1	–	–	–
SEVENOAKS ...	–	–	–	–	–	G. 1
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD	–	–	1	–	–	–
LANCASTER ...	1	374	93	8	185	C. 8 D. 1 L. 5 M. 31
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	3	–
†ACCRINGTON ...	–	4	1	–	1	–
ADLINGTON ...	*	*	*	*	*	*
†ASHTON-IN-MAKERFIELD	–	1	2	–	–	–
†ASHTON-UNDER-LYNE	–	1	–	–	3	M. 1
ASPULL	–	2	–	–	2	–
†ATHERTON ...	–	3	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	6	–	–	1	–
BILLINGE ...	–	1	–	–	–	–
†BLACKBURN C.B.	–	7	2	1	10	–
†BLACKPOOL C.B.	–	4	–	–	–	–
†BOLTON C.B. ...	–	12	–	–	3	M. 1
†BOOTLE C.B. ...	–	5	8	–	1	–
BRIERFIELD ...	*	*	*	*	*	*
†BURNLEY C.B.	–	10	1	–	2	–
†BURY C.B. ...	–	3	1	–	2	–
†CHADDERTON ...	–	4	–	–	1	–
†CHORLEY ...	–	1	–	–	1	–
CLAYTON-LE-MOORS	–	1	–	–	–	–
†COLNE	–	–	1	–	3	–
†CROMPTON ...	–	–	1	–	1	–
†DALTON-IN-FURNESS	–	1	–	–	–	–
†DARWEN ...	–	3	–	–	–	–
†DENTON ...	–	3	–	–	–	–
†DROYLSDEN ...	–	3	–	–	–	–
†ECCLES ...	–	7	–	–	2	–
†FAILSWORTH ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNWORTH ...	–	–	1	–	–	–
†FLEETWOOD ...	–	1	–	–	1	–
FULWOOD ...	–	1	–	–	–	–
GOLBORNE ...	*	*	*	*	*	*
†HASLINGDEN ...	–	2	–	–	–	–
†HAYDOCK ...	–	–	1	–	–	–
HEYSHAM ...	–	2	–	–	–	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY ...	–	3	–	–	1	–
†HORWICH ...	–	6	4	–	1	–
HURST	–	1	–	–	1	–
†INCE-IN-MAKERFIELD	–	1	1	–	2	–
†LANCASTER ...	–	9	–	–	1	–
LEES	–	–	–	–	1	–
†LEIGH	–	2	–	–	–	–
†LITHERLAND ..	–	1	–	–	–	–
LITTLE HULTON	–	–	2	–	–	–
LITTLE LEVER...	–	–	–	–	1	–
†LIVERPOOL C.B.	1	55	13	3	21	C. 1 M. 18
LYTHAM ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	80	13	1	52	C. 4 D. 1 M. 5
†MIDDLETON ...	–	11	1	–	1	–
MILNROW ...	–	4	–	–	1	–
†MORECAMBE ...	–	1	1	–	–	–
†MOSSLEY ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	4	–	–	2	–
†OLDHAM C.B.	–	15	1	1	3	M. 1
ORMSKIRK ...	–	–	2	–	–	–
†OSWALDTWISTLE	–	5	–	–	–	–
†PADIHAM ...	–	3	1	–	–	–
†PRESTON C.B. ...	–	4	4	–	1	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	–	1	–	3	–
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON ...	–	1	1	–	–	–
†ROCHDALE C.B.	–	4	–	–	2	M. 1
†ROYTON... ...	–	–	–	–	1	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. HELENS C.B.	–	1	1	–	6	M. 2
†SALFORD C.B. ...	–	24	7	2	4	–
†SOUTHPORT C.B.	–	2	1	–	–	–
†STRETFORD ...	–	4	2	–	1	M. 1
†SWINTON AND PENDLEBURY	–	–	–	–	8	–
TOTTINGTON ...	–	2	1	–	3	–
TRAWDEN ...	–	–	–	–	–	C. 1
†TURTON... ...	–	–	–	–	–	M. 1
†TYLDESLEY-WITH-SHAKERLEY	–	2	2	–	2	–
ULVERSTON ...	–	–	1	–	–	–
UPHOLLAND ...	–	7	–	–	–	–
†WARRINGTON C.B.	–	8	–	–	10	C. 1
†WATERLOO-WITH-SEAFORTH	–	–	2	–	–	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES ...	–	–	3	–	3	–
†WIGAN C.B. ...	–	4	2	–	2	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	1	–
BURY	–	2	–	–	–	–
CHORLEY ...	–	2	2	–	1	C. 1
CLITHEROE ...	–	–	–	–	–	L. 5
FYLDE	–	6	–	–	–	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	3	–	–	–	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON ...	–	1	–	–	1	–
ULVERSTON ...	–	–	2	–	–	–
WEST LANCASHIRE	–	1	–	–	5	–
LEICESTER ...	–	14	6	–	6	M. 3
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	3	–	–	–	–
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEICESTER C.B.	–	8	2	–	1	M. 2
†LOUGHBOROUGH	–	1	–	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	3	–	–	–
BILLESDON ...	–	1	–	–	–	–
LOUGHBOROUGH	–	–	–	–	2	M. 1
MARKET BOSWORTH	–	–	–	–	3	–
LINCOLN (parts of Holland).	–	4	–	–	1	M. 1
Rural District:—						
BOSTON... ...	–	4	–	–	1	M. 1
LINCOLN (parts of Kesteven).	–	–	1	–	4	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	1	–
SLEAFORD ...	–	–	–	–	2	–
Rural District:—						
BOURNE ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	12	8	1	8	C. 1 M. 1
Boroughs and Urban Districts:—						
BROUGHTON ...	–	4	–	–	–	–
†CLEETHORPES ...	–	1	–	–	2	–
†GRIMSBY C.B. ...	–	2	2	–	–	C. 1
†LINCOLN C.B. ...	–	–	–	–	1	–
LOUTH	–	–	1	1	–	–
MARKET RASEN	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SCUNTHORPE AND FRODINGHAM	–	–	2	–	5	–
Rural Districts:—						
CAISTOR... ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	–	M, 1
SPILSBY ...	–	3	1	–	–	–
MIDDLESEX ...	–	94	57	–	31	C. 3 G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	8	–	–	–
†BRENTFORD ...	–	–	2	–	–	–
†CHISWICK ...	–	6	4	–	2	–
†EALING ...	–	10	4	–	–	C. 1
†EDMONTON ...	–	7	4	–	2	–
†ENFIELD ...	–	4	–	–	3	M. 1
†FINCHLEY ...	–	2	–	–	1	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	1	1	–	–	–
†HANWELL ...	–	4	–	–	–	–
†HARROW-ON-THE-HILL	–	3	–	–	–	–
HAYES	–	–	1	–	–	–
†HENDON ...	–	3	3	–	–	–
†HESTON AND ISLEWORTH	–	2	–	–	2	–
†HORNSEY ...	–	2	3	–	1	–
†SOUTHALL-NORWOOD	–	1	–	–	–	L. 1
†SOUTHGATE ...	–	4	2	–	1	–
STAINES... ...	–	1	–	–	–	–
SUNBURY-ON-THAMES	–	–	2	–	–	–
†TEDDINGTON ...	–	–	2	–	–	–
†TOTTENHAM ...	–	15	8	–	9	–
†TWICKENHAM ...	–	1	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	15	11	–	8	C. 1
†WOOD GREEN ...	–	6	1	–	2	G. 1
YIEWSLEY ...	–	1	–	–	–	–
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON ...	–	1	–	–	–	C. 1
NORFOLK ...	–	16	1	–	10	M. 3
Boroughs and Urban District:—						
†GREAT YARMOUTH C.B.	–	6	1	–	–	–
†NORWICH C.B....	–	9	–	–	–	M. 1
WELLS	–	–	–	–	1	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	–
FOREHOE ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	–	–	–	4	–
HENSTEAD ...	*	*	*	*	*	*
LODDON AND CLAVERING	–	–	–	–	1	–
MITFORD AND LAUNDITCH	–	–	–	–	–	M. 1
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	2	–
WAYLAND ...	–	–	–	–	–	M. 1
NORTHAMPTON	–	7	4	–	7	G. 1 M. 2
Boroughs and Urban Districts:—						
FINEDON ...	–	–	–	–	1	–
†KETTERING ...	–	1	–	–	2	–
†NORTHAMPTON C.B.	–	5	2	–	3	M. 2
OUNDLE... ...	–	–	–	–	–	G. 1
†RUSHDEN ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	1	–	–	–
THRAPSTON (part)	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	43	8	1	27	M. 6
Boroughs and Urban Districts:—						
ALNWICK ...	–	4	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	4	1	–	5	–
†BERWICK-UPON-TWEED	–	1	–	–	1	–
†BLYTH	–	2	1	–	2	M. 1
†LONGBENTON ...	–	2	–	–	–	–
†NEWBURN ...	–	3	1	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	16	5	–	10	M. 1
PRUDHOE ...	*	*	*	*	*	*
SEGHILL ...	–	–	–	–	–	M. 1
†TYNEMOUTH C.B.	–	2	–	1	7	M. 2
†WALLSEND ...	–	1	–	–	2	M. 1
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	4	–	–	–	–
HEXHAM ...	–	1	–	–	–	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	3	26	5	–	18	C. 1 D. 1 M. 4
Boroughs and Urban Districts:—						
†BEESTON ...	–	3	–	–	–	–
†CARLTON ...	–	–	–	–	6	–
†EAST RETFORD	–	–	–	–	3	–
†HUCKNALL ...	–	2	–	–	1	–
†MANSFIELD ...	–	1	–	–	–	C. 1
†MANSFIELD WOODHOUSE	–	–	1	–	–	–
†NEWARK ...	–	2	1	–	–	M. 1
†NOTTINGHAM C.B.	3	12	2	–	6	M. 3
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP ...	–	–	–	–	1	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	–	–	–	1	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
LEAKE	–	–	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	D. 1
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	11	–	–	2	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	3	–	–	2	–
Rural Districts:—						
CULHAM ...	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY... ...	–	5	–	–	–	M. 1
PETERBOROUGH (Soke of).	–	–	–	–	1	M. 1
Borough:—						
†PETERBOROUGH	–	–	–	–	–	M. 1
Rural District:—						
PETERBOROUGH	–	–	–	–	1	–
SALOP	–	17	5	–	12	G. 1 M. 1
Boroughs and Urban Districts:—						
BISHOP'S CASTLE	–	1	–	–	–	–
BRIDGNORTH ...	–	–	2	–	6	–
OSWESTRY ...	–	1	–	–	–	M. 1
†SHREWSBURY ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
WELLINGTON ...	–	–	–	–	–	G. 1
†WENLOCK ...	–	5	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	2	–	–	–	–
BRIGNORTH ...	–	–	–	–	6	–
CLUN	–	1	1	–	–	–
ELLESMERE ...	–	–	1	–	–	–
NEWPORT ...	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WEM	–	3	–	–	–	–
SOMERSET ...	–	9	8	–	11	G. 1 L. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	2	–	1	–
†TAUNTON ...	–	2	–	–	–	–
WATCHET ...	–	–	–	–	1	–
†WESTON-SUPER-MARE	–	1	2	–	–	–
WIVELISCOMBE	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	3	–	3	–
BATH	–	4	–	–	–	–
CHARD	–	1	–	–	–	–
CLUTTON ...	–	–	1	–	2	–
LANGPORT ...	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	1	L. 1
YEOVIL	–	–	–	–	1	G. 1
SOUTHAMPTON...	–	44	32	–	4	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	–
ANDOVER ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOURNEMOUTH C.B.	–	3	2	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	3	–	–	–	–
†FAREHAM ...	*	*	*	*	*	*
†GOSPORT and ALVERSTOKE	–	6	6	–	–	–
†PORTSMOUTH C.B.	–	24	12	–	–	M. 1
†SOUTHAMPTON C.B.	–	3	7	–	1	–
†WINCHESTER ...	–	3	2	–	2	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
NEW FOREST ...	*	*	*	*	*	*
WHITCHURCH ...	–	1	1	–	–	–
STAFFORD ...	–	51	26	1	52	C. 3 M. 14
Boroughs and Urban Districts:—						
†BILSTON ...	–	–	–	–	5	M. 1
†BROWNHILLS ...	–	1	–	–	3	–
†BURTON-UPON-TRENT C.B.	–	–	–	–	1	–
†CANNOCK ...	–	2	–	–	2	–
†COSELEY ...	–	4	–	–	–	–
†HEATH TOWN ...	–	–	–	–	–	M. 1
NEWCASTLE-UNDER-LYME	–	–	1	–	–	M. 1
†ROWLEY REGIS	–	1	–	–	2	–
RUGELEY ...	–	1	1	–	1	–
†SEDGELEY ...	–	–	1	–	1	–
†SMETHWICK C.B.	–	–	5	–	7	–
†STAFFORD ...	–	1	–	–	–	–
†STOKE-ON-TRENT C.B.	–	11	4	–	19	C. 2 M. 9

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
TAMWORTH ...	–	1	–	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	–	–	1	1	–
†WALSALL C.B....	–	3	–	–	4	C. 1 M. 1
†WEDNESBURY ...	–	6	–	–	–	–
WEDNESFIELD ...	*	*	*	*	*	*
†WEST BROMWICH C.B.	–	5	5	–	2	–
†WILLENHALL ...	–	–	1	–	1	M. 1
†WOLSTANTON UNITED	–	2	3	–	1	–
†WOLVERHAMPTON C.B.	–	7	–	–	2	–
Rural Districts:—						
CHEADLE ...	–	1	4	–	–	–
STAFFORD ...	–	2	–	–	–	–
TAMWORTH (part)	–	2	–	–	–	–
WALSALL ...	–	–	1	–	–	–
SUFFOLK, EAST	–	7	6	–	6	M. 2
Boroughs and Urban Districts:—						
†IPSWICH C.B. ...	–	2	1	–	3	–
†LOWESTOFT ...	–	4	3	–	1	M. 1
SAXMUNDHAM ...	*	*	*	*	*	*
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
PLOMESGATE ...	–	–	1	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
WANGFORD ...	–	1	–	–	–	M. 1
WOODBRIDGE ...	–	–	–	–	2	–
SUFFOLK, WEST	–	1	1	–	1	–
Boroughs and Urban Districts:—						
HADLEIGH ...	*	*	*	*	*	*
NEWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
COSFORD ...	–	–	–	–	1	–
MELFORD ...	–	1	–	–	–	–
SURREY	–	60	22	1	4	L. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	6	2	–	2	–
†BEDDINGTON AND WALLINGTON	–	1	2	–	–	–
†CARSHALTON ...	–	5	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	4	–	–	–
†CROYDON C.B....	–	18	7	–	1	M. 1
†EPSOM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	2	–	–	–	–
†GUILDFORD ...	–	3	–	–	–	–
HAM	*	*	*	*	*	*
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	4	–	–	–	–
†MERTON AND MORDEN ...	–	3	1	–	–	–
†MITCHAM ...	–	4	–	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
WALTON-UPON-THAMES	–	–	1	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
†WOKING ...	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING ...	–	1	–	–	–	–
EPSOM	–	–	–	1	–	L. 1
HAMBLEDON ...	–	1	–	–	–	–
REIGATE ...	–	1	1	–	–	–
SUSSEX, EAST ...	–	18	21	1	2	L. 1 M. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
†BRIGHTON C.B.	–	5	4	1	1	M. 1
EAST GRINSTEAD	–	–	–	–	1	–
†HASTINGS C.B....	–	2	3	–	–	–
†HOVE	–	4	1	–	–	–
PORTSLADE-BY-SEA	–	2	–	–	–	–
SEAFORD ...	–	–	11	–	–	–
Rural Districts:—						
HAILSHAM ...	–	–	1	–	–	L. 1
RYE	–	–	1	–	–	–
UCKFIELD ...	–	4	–	–	–	–
SUSSEX, WEST ...	–	20	1	1	2	C. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	1	–	–
†HORSHAM ...	–	12	–	–	–	–
†WORTHING ...	–	1	–	–	–	C. 1
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	2	–	–	1	–
PETWORTH ...	–	–	–	–	1	–
STEYNING WEST	–	2	–	–	–	–
WESTBOURNE ...	–	2	–	–	–	–
WESTHAMPNETT	–	1	1	–	–	–
WARWICK ...	–	88	35	1	92	C. 1 D. 2 M. 18
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	59	32	1	71	C. 1 D. 2 M. 14
†COVENTRY C.B.	–	3	1	–	1	M. 1
†NUNEATON ...	–	2	1	–	5	M. 2
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY... ...	–	–	–	–	2	–
STRATFORD-UPON-AVON	–	2	–	–	–	–
†SUTTON COLFIELD	–	2	–	–	–	–
†WARWICK ...	–	–	–	–	3	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	5	–	–	4	–
BRAILES ...	–	2	–	–	–	–
COVENTRY ...	–	–	–	–	–	M. 1
FOLESHILL ...	–	2	–	–	–	–
MERIDEN ...	–	3	–	–	2	–
RUGBY	–	3	–	–	2	–
SOLIHULL ...	–	–	–	–	1	–
TAMWORTH (part)	–	4	1	–	–	–
WESTMORLAND	–	9	1	–	–	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	1	–	–	–	–
WINDERMERE ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
SOUTH WESTMORLAND	–	1	1	–	–	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ST. HELEN'S ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	19	2	–	5	M. 1
Boroughs and Urban Districts:—						
MARLBOROUGH...	–	–	1	–	–	–
†SWINDON ...	–	8	–	–	1	M. 1
WESTBURY ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–
DEVIZES ...	–	2	–	–	–	–
HIGHWORTH ...	–	1	–	–	1	–
MERE	–	–	1	–	–	–
PEWSEY ...	–	2	–	–	–	–
SALISBURY ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	3	–	–	–	–
WILTON... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	15	3	–	5	G. 2 M. 1
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	3	1	–	–	–
†KIDDERMINSTER	–	5	–	–	–	–
†OLDBURY ...	–	1	–	–	2	–
†REDDITCH ...	–	2	–	–	–	G. 2
†STOURBRIDGE ...	–	1	–	–	2	–
STOURPORT ...	–	2	–	–	–	–
†WORCESTER C.B.	–	–	1	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
DROITWICH ...	*	*	*	*	*	*
HALESOWEN ...	–	–	–	–	1	–
MARTLEY ...	–	–	1	–	–	–
UPTON-UPON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	13	13	–	7	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	*	*	*	*	*	*
FILEY	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	5	9	–	4	M. 1
NORTON... ...	–	1	–	–	–	–
†YORK C.B. ...	–	4	1	–	1	–
Rural Districts:—						
BEVEREEY ...	–	2	–	–	1	–
DRIFFIELD ...	–	–	2	–	–	–
SCULCOATES ...	–	–	–	–	1	–
SHERBURN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	9	14	2	2	5	M. 1
Boroughs and Urban Districts:—						
†ESTON	1	12	–	–	–	–
†MIDDLESBROUGH C.B.	8	1	1	–	3	M. 1
†REDCAR... ...	–	–	–	1	–	–
RICHMOND ...	*	*	*	*	*	*
Rural Districts:—						
BEDALE... ...	–	–	1	–	–	–
EASINGWOLD ...	–	–	–	–	2	–
FLAXTON ...	–	–	–	1	–	–
RICHMOND ...	*	*	*	*	*	*
WHITBY ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	–	167	71	11	222	C. 6 E. 1 G. 3 L. 2 M. 17
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	1	–
ALTOFTS ...	–	–	1	–	–	–
†BARNOLDSWICK	–	1	–	–	–	–
†BARNSLEY C.B.	–	4	4	1	4	M. 1
†BATLEY... ...	–	2	–	–	2	M. 1
†BENTLEY-WITH-ARKSEY	–	–	1	–	–	–
†BINGLEY ...	–	–	–	–	2	–
BIRSTAL ...	–	2	1	–	–	–
†BOLTON-UPON-DEARNE	–	1	–	4	5	–
†BRADFORD C.B.	–	25	8	1	15	C. 1 G. 1
BRIGHOUSE ...	–	4	–	–	–	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	–	1	–	–	–
CLAYTON WEST	–	–	1	–	–	–
†CONISBROUGH ...	–	1	2	–	–	–
DARFIELD ...	–	–	–	–	2	–
†DARTON... ...	–	–	–	–	1	C. 1
†DEWSBURY C.B.	–	1	–	–	3	–
DODWORTH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DONCASTER ...	–	1	1	–	–	M. 1
†ELLAND... ...	–	1	–	–	1	–
GARFORTH ...	–	–	2	–	–	–
GILDERSOME ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	2	M. 1
†HALIFAX C.B. ...	–	6	–	–	–	–
†HARROGATE ...	–	3	1	–	4	G. 1
HAWORTH ...	–	–	–	1	–	–
HEBDEN BRIDGE	–	4	–	–	–	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	–	–	–	2	–
HIPPERHOLME ...	–	1	–	–	3	–
HOLME	–	1	–	–	–	–
HOLMFIRTH ...	–	–	–	–	4	–
HORBURY ...	*	*	*	*	*	*
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	2	1	1	6	–
†KEIGHLEY ...	–	–	–	–	–	M. 1
†LEEDS C.B. ...	–	25	9	–	16	–
METHLEY ...	–	2	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	2	–
†MORLEY ...	–	–	1	–	3	–
†NORMANTON ...	–	–	–	–	1	–
OTLEY	–	–	–	–	1	–
†PUDSEY... ...	–	1	3	–	1	–
†RAWMARSH ...	–	–	–	–	2	–
†ROTHERHAM C.B.	–	11	1	–	12	M. 2
†ROTHWELL ...	–	3	1	–	–	–
†SADDLEWORTH...	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	–	16	16	2	96	C. 2 G. 1 M. 5
SHELLEY ...	–	–	4	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	5	–	1	1	–
SPRINGHEAD ...	*	*	*	*	*	*
STAINLAND WITH OLD LINDLEY	–	1	–	–	1	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag ıe; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY ...	–	2	1	–	3	–
†SWINTON ...	–	–	–	–	2	–
THURNSCOE ...	–	2	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WAKEFIELD C.B.	–	2	2	–	4	M. 1
†WATH-UPON-DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	1	1	–	7	M. 2
†WORSBOROUGH...	–	1	–	–	2	M. 1
YEADON ...	–	1	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	1	1	–	–	C. 1
DONCASTER ...	–	–	–	–	3	–
HEMSWORTH ...	–	2	1	–	2	C. 1
HUNSLET ...	–	1	1	–	–	–
KEIGHLEY ...	–	–	–	–	1	–
PONTEFRACT ...	–	–	–	–	1	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	1	–	–	–	–
SETTLE	–	3	–	–	–	–
TADCASTER ...	–	4	–	–	1	–
THORNE ...	–	1	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	8	–	–	–	–
WETHERBY ...	–	–	1	–	1	–
WHARFEDALE (North)	–	1	–	–	–	–
WHARFEDALE (South)	–	2	2	–	–	L. 2
WORTLEY ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
AMLWCH ...	–	1	–	–	–	–
ANGLESEY—*cont.*						
Rural Districts:—						
TWRCELYN ...	–	–	–	–	–	M. 1
VALLEY ...	–	–	1	–	–	–
BRECKNOCK ...	–	1	–	1	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
LLANWRTHWL (Parish)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	–	–	1	–	–
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWITH (North)	–	–	–	–	1	–
ABERYSTWITH (South)	–	4	–	–	–	–
CARMARTHEN ...	–	12	4	–	7	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡note below).
CARMARTHEN —*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	5	–	–	–	–
LLANDILO FAWR	–	5	–	–	2	–
LLANELLY ...	–	1	3	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
CARNARVON ...	–	3	6	–	2	D. 1
Boroughs and Urban Districts—						
BANGOR... ...	–	–	–	–	–	D. 1
BETHESDA ...	–	–	1	–	–	–
CARNARVON ...	–	–	–	–	2	–
CONWAY ...	–	–	4	–	–	–
Rural Districts:—						
CONWAY ...	–	2	–	–	–	–
GWYRFAI ...	–	1	1	–	–	–
DENBIGH ...	–	7	3	–	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	1	–	–	–
†WREXHAM ...	–	2	–	–	–	–
Rural Districts:—						
LLANSILIN ...	*	*	*	*	*	*
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	4	2	–	1	–
FLINT	–	2	3	1	5	–
Boroughs and Urban Districts:—						
BUCKLEY ...	–	–	2	–	–	–
MOLD	–	–	–	1	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	2	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	3	–
FLINT—*cont.*						
Rural Districts— *cont.*						
HOLYWELL (MOLD DIV.)	–	–	1	–	–	–
OVERTON ...	*	*	*	*	*	*
GLAMORGAN ...	–	82	21	2	23	C. 2 M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	14	1	–	3	–
†BARRY	–	2	5	–	1	–
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	1	1	–	–	–
†CARDIFF C.B. ...	–	7	4	–	4	–
†GELLIGAER ...	–	2	2	–	–	–
†GLYNCORWG ...	–	–	–	–	1	M. 1
†MAESTEG ...	–	2	–	–	–	–
†MERTHYR TYDFIL C.B.	–	2	2	2	–	C. 1
†MOUNTAIN ASH	–	6	1	–	1	–
†OGMORE AND GARW	–	5	–	–	2	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	5	1	–	1	–
†PORT TALBOT	–	3	–	–	3	–
†RHONDDA ...	–	13	1	–	4	–
†SWANSEA C.B. ...	–	5	1	–	1	–
Rural Districts:—						
COWBRIDGE ...	–	3	–	–	–	–
GOWER	*	*	*	*	*	*
LLANDAFF and DINAS POWIS	–	5	–	–	–	–
NEATH	–	2	1	–	1	C. 1
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	3	–	–	1	–
SWANSEA ...	–	–	–	–	–	M. 1
MERIONETH ...	–	1	–	–	–	–
Urban Districts:—						
BALA	*	*	*	*	*	*
DOLGELLEY ...	–	1	–	–	–	–
Rural Districts:—						
PENLLYN ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	29	11	1	14	–
Boroughs and Urban Districts :—						
†Abercarn ...	–	1	–	–	–	–
†Abertillery ...	–	2	2	–	–	–
†Bedwellty ...	–	2	–	–	–	–
†Blaenavon ...	–	5	–	–	–	–
Caerleon ...	–	–	–	1	–	–
†Ebbw Vale ...	–	5	–	–	–	–
Llantarnam ...	–	–	–	–	3	–
†Mynddislwyn...	–	–	1	–	–	–
†Nantyglo and Blaina	–	1	–	–	3	–
†Newport C.B....	–	5	5	–	5	–
Pontypool ...	–	–	3	–	–	–
†Rhymney ...	–	3	–	–	–	–
†Tredegar ...	–	4	–	–	3	–
Rural District :—						
Chepstow ...	–	1	–	–	–	–
MONTGOMERY ...	–	1	1	–	–	C. 1
Boroughs and Urban Districts :—						
Machynlleth ...	–	1	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts :—						
Llanfyllin ...	–	–	1	–	–	–
Machynlleth ...	–	–	–	–	–	C. 1
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	–	1	–	–	–
Boroughs and Urban District :—						
Fishguard ...	*	*	*	*	*	*
†Pembroke ...	*	*	*	*	*	*
Rural District :—						
Narberth ...	–	–	1	–	–	–
RADNOR... ...	–	1	1	–	–	C. 1
Urban District:—						
Llandrindod Wells	*	*	*	*	*	*
Rural Districts :—						
Knighton ...	–	1	–	–	–	–
New Radnor ...	–	–	1	–	–	–
Painscastle ...	–	–	–	–	–	C. 1
Rhayader ...	*	*	*	*	*	*
Total of Part II.	17	1746	685	42	999	C. 39 D. 6 E. 1 G. 14 L. 14 M. 148

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Colchester ...	*	*	*	*	*	*
Hartlepool ...	*	*	*	*	*	*
Liverpool ...	1	1	–	–	–	–
Plymouth ...	–	–	–	–	–	L. 4
Total of Part III.	1	1	–	–	–	L. 4

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	354	266	4	108	C. 7 D. 1 F. 1 G. 2 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	17	1746	685	42	999	C. 39 D. 6 E. 1 G. 14 L. 14 M. 148
Total of Part III.—Port Sanitary Districts ...	1	1	–	–	–	L. 4
Total (*i.e.*, of returns received), England and Wales	18	2101	951	46	1107	C. 46 D. 7 E. 1 F. 1 G. 16 L. 18 M. 167

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week Eighteen cases of Small-pox were notified which appear on pages 570, 571, 572, 574, 577, 582, and 585.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.
LONDON:—													
DEATHS—all ages	1,472	1,398	1,239	1,223	1,267	1,417	1,514	1,446	1,406	1,327	1,319	1,210	1,038
„ 0 to 1 year	183	180	177	150	188	219	228	197	220	159	170	162	125
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,575	8,199	8,357	8,238	7,683	8,220	7,962	7,250	8,046	8,711	8,491	8,271	8,279
DEATHS—all ages	6,376	5,669	4,955	5,066	5,161	5,626	6,072	5,948	5,635	5,486	5,202	4,810	4,482
„ *0* to *1* year	844	781	713	733	839	920	1,011	984	904	834	829	732	680
ENTERIC FEVER—Cases	17	21	12	26	4	12	13	20	17	16	23	22	24
„ Deaths	1	3	6	5	4	5	3	6	4	5	7	2	2
SMALL POX—Cases	1	8	1	2	13	11	12	14	25	12	19	15	12
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,373	1,314	1,252	1,322	1,180	1,196	1,227	1,145	1,122	1,081	1,246	1,098	1,186
„ Deaths	18	26	25	17	17	25	18	20	23	31	17	15	17
DIPHTHERIA—Cases	832	785	740	654	685	654	666	622	560	553	602	624	612
„ Deaths	58	73	74	45	37	74	47	49	43	53	38	62	45
MEASLES—Deaths	83	86	89	104	122	160	181	154	158	177	184	168	123
INFLUENZA—Deaths	525	306	201	146	104	111	117	109	93	75	69	55	45

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th May 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	77	37	68·6	45·0	4
BRIGHTON	63	39	56·4	45·1	10
PORTSMOUTH	65	40	61·1	46·1	7
NORWICH (EATON).	74	36	66·4	44·9	4
PLYMOUTH	62	38	58·0	47·6	25
BRISTOL (CLIFTON).	69	41	61·3	47·3	18
BIRMINGHAM	67	38	62·1	45·1	3
NOTTINGHAM	68	36	63·4	45·6	6
BIRKENHEAD (BIDSTON).	67	41	60·4	47·4	25
MANCHESTER	70	36	61·4	46·9	14
BURNLEY	66	32	58·6	45·1	27
HUDDERSFIELD	—	—	—	—	7
BRADFORD	68	37	59·7	46·1	13
SHEFFIELD	70	40	62·6	46·7	6
YORK (MUSEUM).	70	37	62·6	46·1	28
HULL (PEARSON PARK).	71	38	65·3	45·7	7
TYNEMOUTH	65	43	60·4	47·1	16
CARDIFF	65	38	59·1	46·3	17
EDINBURGH	60·0	41·0	57·3	45·1	9
GLASGOW	59·4	42·8	55·5	45·7	51
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†		Not received.			
BELFAST	64·2	38·8	60·8	47·4	27

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th May 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	14	Greatest Declination S.	30·001	65·3	37·2	28·1	51·6	− 1·0	38·8	12·8	24·2	2·9	62	127·0	22·7	47·8	WSW & W.	SW & WSW.	2·0	0·0	0·1	228	− 43	0·00
MONDAY -	15	..	29·932	69·3	40·0	29·3	55·2	+ 2·4	41·7	13·5	23·5	3·7	61	133·0	24·4	48·0	WSW & W.	W & WNW.	2·0	0·0	0·1	267	− 13	0·00
TUESDAY -	16	..	29·742	69·1	43·0	26·1	55·8	+ 2·8	42·8	13·0	22·3	4·6	62	137·0	29·0	48·0	W & WSW.	WSW	2·8	0·0	0·3	318	+ 32	0·00
WEDNESDAY	17	..	29·558	62·8	47·4	15·4	52·2	− 0·9	51·4	0·8	7·6	0·0	97	105·3	37·0	48·0	WSW & SW	SW & WSW.	3·2	0·0	0·3	306	+ 19	0·16
THURSDAY -	18	Last Quarter	29·802	64·6	48·3	16·3	55·7	+ 2·4	46·3	9·4	17·3	1·9	71	127·0	41·4	48 4	WSW & W.	W	4·4	0·0	0·4	366	+ 82	0·01
FRIDAY -	19	..	29·954	71·9	49·4	22·5	58·1	+ 4·6	51·6	6·5	18·7	2·1	79	137·0	41·5	48·8	W & WSW.	W & WNW.	8·0	0·0	0·6	454	+174	0·00
SATURDAY -	20	Apogee	30·149	77·2	50·5	26·7	62·6	+ 8·8	53·2	9·4	21·8	2·7	71	145·9	39·6	49·0	W	W & WSW.	1·3	0·0	0·1	248	− 27	0·00
MEANS -		..	29·877	68·6	45·1	23·5	55·9	+ 2·7	46·5	9·3	19·3	2·6	72	130·3	33·7	48·3	WSW		...	...	...	Sum 2,187	Sum +224	Sum 0·17
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	14	v.P. throughout	12·6	15·5	Cloudless generally till 10h., variably cloudy till 18h., then cloudless generally. Slight hoar frost in morning.
MONDAY -	15	v.P. generally	13·9	15·5	Fine throughout with little cloud generally. Sky veiled with thin cloud for a considerable time. Dew at night.
TUESDAY -	16	v.P. generally	14·2	15·5	Cloudless or nearly cloudless till 16h. 30m., variable thin cloud till 22h., then cloudless generally.
WEDNESDAY	17	w.P. generally	1·3	15·6	Becoming overcast by 2h., variably cloudy after 16h. Frequent rain or damping from 2h. 30m. to 15h.
THURSDAY -	18	w.P. throughout	4·8	15·6	Nearly overcast generally till 15h. with fine interval 1h. 30m. to 3h. 30m. Cloudy till 21h. then nearly cloudless. Occasional slight rain between 10h. and 15h. Brisk wind in afternoon.
FRIDAY -	19	v.P. generally	6·8	15·7	Becoming overcast generally by 1h. with slight rain between 4h. and 9h. Partially cloudy from 13h., cloudless generally from 18h.
SATURDAY -	20	No Register	14·1	15·8	Thin cloud variably prevalent, cloudless at times. Slight dew at night.
			Sum 67·7	Sum 109·2	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·02 in. at the beginning of the week to 30·04 in. by 7h. on 14th; decreased generally to 29·51 in. by 17h. on 17th; increased generally to 30·19 in. by 9h. on 20th; and decreased to 30·10 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 21.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 27TH MAY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH MAY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-first week of the year numbered 7,714, and corresponded to an annual rate of 21·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,520 and corresponded to an annual rate of 12·4 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 14·3, 13·2 and 12·3. Infant mortality was 92 per 1,000 births against 98, 89, and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,840 births, corresponding to a rate of 21·2 per 1,000, and 1,178 deaths of civilians, corresponding to a rate of 13·6, as against 15·2, 14·0, and 12·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·7 per 1,000. The infant mortality was 97 as against 84, 82, and 63 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 38 in the total deaths last week. In London the number of deaths from all causes rose from 1,038 to 1,178; there was an increase of 25 in the deaths from pneumonia, while the deaths from measles, which had been 107, 91 and 51 in the preceding three weeks, rose to 68 last week.

---

m (45 17630—5 Wt 30—P 19 2550 6/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 27th May 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,029*	7,714	4,520	711	6	128	17	79	43	63	55
London	4,514,405*	1,840	1,178	178	3	68	12	25	24	16	7
Towns in Outer Ring.											
Croydon C.B.	191,500	65	45	7	–	1	–	–	–	–	1
Wimbledon	61,700	18	11	1	–	–	–	–	–	–	–
Ealing	67,800	16	18	–	–	–	–	1	–	–	1
Acton	62,000	22	17	4	–	–	–	–	–	1	–
Willesden	167,200	70	38	5	–	–	–	–	1	–	–
Hendon	55,500	24	7	1	–	–	–	–	–	–	–
Hornsey	87,600	18	17	1	–	–	–	–	–	1	–
Wood Green	51,100	14	13	1	–	1	–	–	–	–	–
Tottenham	149,200	60	35	8	–	2	–	1	–	–	–
Edmonton	67,800	35	14	1	–	1	–	1	–	–	–
Enfield	61,400	19	9	2	–	–	–	–	–	–	–
West Ham C.B.	307,000	151	80	13	–	3	–	3	–	1	2
East Ham C.B.	145,500	60	29	5	–	2	–	–	–	–	–
Leyton	130,100	43	35	4	–	–	–	2	2	–	–
Walthamstow	129,800	58	28	3	–	1	1	–	1	–	–
Ilford	85,500	23	15	5	–	–	–	2	–	–	–
Gillingham	48,149*	32	13	2	–	–	–	1	–	–	–
Canterbury C.B.	23,680	11	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	18	14	–	–	–	–	–	–	–	1
Eastbourne C.B.	53,600	8	10	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	36	33	2	–	–	–	–	–	–	1
Portsmouth C.B.	233,929*	122	55	6	–	–	–	–	1	1	2
Bournemouth C.B.	81,200	27	24	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	45	30	3	–	2	–	–	–	–	–
Reading C.B.	92,600	24	19	3	–	–	–	–	–	–	–
Oxford C.B.	56,400	14	11	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	36	22	3	–	–	–	1	–	–	–
Luton	57,800	21	12	–	–	–	–	–	–	–	–
Cambridge	58,900	15	6	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	33	27	3	–	–	–	–	–	–	–
Ipswich C.B.	80,100	33	14	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	21	10	2	–	–	–	–	–	–	–
Norwich C.B.	122,400	46	32	3	–	–	–	–	–	–	–
Swindon	55,500	23	13	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	24	22	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	69	52	5	–	–	–	1	1	–	–
Bath C.B.	68,300	15	20	3	–	–	–	–	–	–	1
Bristol C.B.	381,700	140	106	21	–	1	–	–	2	1	2
Gloucester C.B.	51,800	26	11	1	–	–	–	2	–	–	–
Stoke-on-Trent, C.B.	273,238	129	51	10	–	–	–	2	–	1	–
Burton-upon-Trent C.B.	49,410	21	12	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	47	17	1	–	–	–	–	–	–	1
Walsall C.B.	98,800	44	20	4	–	–	–	–	–	2	1
West Bromwich C.B.	75,300	36	20	5	–	–	–	–	–	–	–
Worcester C.B.	49,160	13	14	3	–	–	–	1	–	–	–
Dudley C.B.	57,100	29	12	4	–	–	–	–	–	–	–
Birmingham C.B.	936,000	375	185	24	–	2	–	9	1	5	3
Smethwick C.B.	77,400	26	13	4	–	–	–	–	–	–	–
Coventry C.B.	130,300	48	29	3	–	–	–	1	–	–	–
Leicester C.B.	237,900	101	54	5	–	–	–	–	–	–	–
Lincoln C.B.	66,600	35	20	5	–	–	–	1	1	–	2
Grimsby C.B.	83,600	34	16	3	–	–	–	–	–	–	–
Nottingham C.B.	266,400	97	68	11	–	–	–	–	–	–	–
Derby C.B.	131,800	65	24	5	–	–	–	–	2	–	–
Chesterfield	62,400	26	17	6	–	–	–	–	–	–	–
Stockport C.B.	125,500	42	28	4	–	–	–	–	–	–	–
Chester C.B.	41,030	19	10	3	–	–	–	–	–	1	–
Birkenhead C.B.	147,800	59	36	6	–	1	–	3	–	–	1
Wallasey C.B.	89,600	22	12	1	–	–	–	–	–	–	–
Liverpool C.B.	817,000	388	187	23	–	3	–	1	3	4	3
Bootle C.B.	77,800	47	13	2	–	1	–	–	–	–	–
St. Helens C.B.	104,900	44	30	5	–	5	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	20	8	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	34	26	7	–	3	–	–	–	–	–
Warrington C.B.	78,600	32	9	2	–	–	–	1	–	–	–
Bolton C.B.	182,200	52	45	8	–	–	–	–	–	–	–
Bury C.B.	57,600	18	12	2	–	–	–	–	–	–	–
Manchester C.B.	744,000	321	190	36	1	13	–	5	1	8	–
Salford C.B.	239,100	109	60	11	–	5	–	2	–	1	1
Oldham C.B.	148,300	44	35	6	1	–	–	–	–	1	–
Rochdale C.B.	92,700	26	25	2	–	2	–	2	–	–	2
Burnley C.B.	105,300	37	37	6	–	–	–	–	–	–	1
Blackburn C.B.	129,400	32	38	5	–	–	–	–	–	1	
Preston C.B.	119,900	59	21	2	–	–	–	–	–	–	–
Blackpool C.B.	73,800	41	23	4	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	26	19	1	–	–	–	1	–	–	–
Huddersfield C.B.	111,900	30	17	1	–	1	–	–	–	–	1
Halifax C.B.	100,700	31	24	2	–	–	–	–	–	–	1
Bradford C.B.	291,100	98	84	15	–	–	–	3	–	–	4
Leeds C.B.	465,500	191	104	17	–	–	2	3	–	3	3
Dewsbury C.B.	55,100	20	19	–	–	1	–	–	–	–	–
Wakefield C.B.	53,763	22	12	1	–	–	–	–	–	–	–
Barnsley C.B.	68,991	21	18	6	–	–	–	–	–	–	1
Sheffield C.B.	519,239	208	126	26	–	6	1	–	–	1	1
Rotherham C.B.	69,100	42	11	1	–	–	–	–	–	1	–
Doncaster	54,700	17	12	2	–	1	–	–	–	–	1
York C.B.	84,500	33	22	4	–	–	–	–	–	–	1
Hull C.B.	291,800	140	60	12	1	–	–	–	1	2	2
Middlesbrough C.B.	133,400	81	42	12	–	1	–	–	–	1	–
Darlington C.B.	66,400	32	20	5	–	–	–	–	–	–	1
Stockton-on-Tees	65,000	37	18	6	–	–	–	–	–	2	–
West Hartlepool C.B.	69,300	25	10	4	–	–	–	–	–	–	–
Sunderland C.B.	161,100	82	32	5	–	–	–	–	–	1	–
South Shields C.B.	120,376	59	22	8	–	–	1	–	–	2	1
Gateshead C.B.	126,700	50	30	6	–	–	–	–	1	–	2
Newcastle-on-Tyne C.B.	278,400	149	66	9	–	–	–	1	1	–	–
Tynemouth C.B.	63,900	23	15	2	–	–	–	–	–	–	–
Carlisle C.B.	53,200	23	12	2	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	41	15	1	–	–	–	–	–	–	1
Cardiff C.B.	202,700	90	37	8	–	1	–	2	–	–	–
Rhondda	166,600	69	39	10	–	–	–	1	–	3	–
Merthyr Tydfil C.B.	81,800	44	21	5	–	–	–	–	–	–	2
Aberdare	56,100	16	13	3	–	–	–	–	–	–	–
Swansea C.B.	159,600	67	33	6	–	–	–	–	–	1	–
Greater London	7,523,963*	2,910	1,841	268	3	83	13	38	33	21	15
Outer Ring	3,009,558*	1,070	663	90	–	15	1	13	9	5	8
16 Great Towns in Outer Ring	1,820,700	696	411	61	–	11	1	10	4	3	4
Remainder of Outer Ring	1,188,858*	374	252	29	–	4	–	3	5	2	4
Edinburgh†	420,500	140	101	15	–	12	–	4	1	–	1
Glasgow†	1,037,800	551	278	52	–	23	1	3	2	3	1
Dublin (Registration Area)†	427,000	228	116	23	–	5	–	2	1	2	3
Belfast†	425,000	183	99	12	–	–	–	–	1	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. May 27	1840	1178	13·6	3	–	68	12	25	24	16	7
Calcutta	896,067	Apr. 22	?	523§	29·9	?	11	–	–	–	–	–	8
Bombay	1,175,914	„ 22	326‖	827§	36·6	3	3	1	–	2	–	43	18
Madras	522,951	„ 22	425	504	50·0	1	62	6	?	–	–	37	1
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	February 28 days.											
Perth (Metropolitan Area).	154,866	Apr. 1	82	30	10·0	–	–	–	–	–	–	6	–
Auckland (Urban Area).	157,757	March 31 days.	285	110	8·4	1	–	–	–	–	1	3	–
Wellington (Urban Area).	107,488	„ „	220	83	9·2	–	–	–	–	–	–	1	1
Christchurch (Urban Area).	105,670	„ „	213	75	8·5	–	–	–	–	–	–	1	–
Cape Town	101,000	Mar. 18	40	29	14·9	–	–	–	–	–	–	5	–
		„ 25	45	16	8·2	1	–	–	–	–	–	5	–
Johannesburg	149,500	Apr. 15	90	65	22·6	–	–	1	–	–	1	–	–
Durban	48,000	„ 15	29	19	20·6	2	–	–	–	–	–	1	2
Paris	2,906,472	May 10 (10 days).	1249	1165	14·6	1	–	2	–	5	3	35	2
Antwerp	340,114	Apr. 8	105	85	14·5	–	–	5	–	1	–	3	1
Amsterdam	683,836	May 13	279	148	11·3	–	–	4	–	3	–	–	–
Copenhagen	562,000	„ 13	214	149	14·7	–	–	1	–	1	–	3	4
Stockholm	422,042	„ 13	106	77	9·5	–	–	–	1	1	–	–	–
Gothenburg	228,052	Apr. 29	?	46	10·5	–	–	–	–	1	–	1	–
Christiania	260,920	May 20	106	65	13·0	–	–	–	–	1	–	–	–
Berlin	1,970,000	Apr. 29	489	590	15·6	–	?	2	–	1	2	10	5
Breslau	557,000	„ 29	258	259	24·2	–	?	3	–	5	–	9	8
Cologne	677,000	„ 29	308	172	13·2	–	?	–	–	3	1	5	4
Dresden	605,000	„ 29	205	184	15·8	–	?	1	–	1	1	2	9
Frankfort-on-Main	476,000	„ 29	124	98	10·7	–	?	–	–	1	–	–	3
Hamburg	1,053,000	„ 29	336	385	19·0	–	?	–	1	–	1	5	5
Leipzig	673,000	„ 29	225	154	11·9	–	?	–	–	–	–	–	2
Munich	680,000	„ 29	220	210	16·1	–	?	–	–	–	–	2	3
Vienna	1,842,005	„ 8	497	672	19·0	3	–	–	1	8	–	12	10
Prague and Suburbs	689,202	„ 8	372	259	19·5	–	–	4	1	1	–	6	2
Budapest	936,000	Mar. 4	429	430	23·9	–	?	2	8	2	2	20	9
Cairo	777,500	„ 4	807	426	28·5	3	–	3	–	?	4	22	?
Alexandria	456,300	„ 4	420	243§	27·7	1	1	–	–	?	–	15	?
New York	5,839,738	Apr. 8											
Chicago	2,833,288	„ 29	?	721	13·3	1	–	7	2	2	6	25	10
Rio de Janeiro	1,195,961	„ 8	750	479	20·9	3	2	2	–	2	–	–	16
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 73 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 10 in Calcutta, 32 in Bombay and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th May, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1178	178	70	46	47	47	46	82	118	166	183	195
Enteric fever	3	–	–	–	1	1	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	68	26	26	15	1	–	–	–	–	–	–	–
Scarlet fever	12	2	1	3	4	2	–	–	–	–	–	–
Whooping cough	25	13	9	2	1	–	–	–	–	–	–	–
Diphtheria	24	1	4	10	9	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	–	1	1	2	2	–	1
Erysipelas	5	–	–	–	–	–	1	1	–	3	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	1	–	–	1	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	89	–	1	1	4	20	15	14	16	12	4	2
Tuberculous meningitis	8	1	3	–	1	1	1	–	1	–	–	–
Abdominal tuberculosis	1	–	1	–	–	–	–	–	–	–	–	–
Other tubercle	8	–	1	1	1	–	–	3	2	–	–	–
Venereal diseases	6	4	–	–	–	–	–	1	1	–	–	–
Cancer	119	–	–	–	–	1	1	6	19	45	29	18
Rheumatic fever	2	–	–	–	1	–	–	–	1	–	–	–
Diabetes	9	–	–	–	–	–	–	–	1	2	5	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	9	5	1	–	1	1	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	42	–	–	–	–	–	1	1	4	10	17	9
Epilepsy	3	–	–	–	–	1	–	1	–	1	–	–
"Convulsions" (not puerperal)	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	37	3	–	1	1	1	3	6	4	7	10	1
Pericarditis	2	1	–	–	–	–	–	–	–	1	–	–
Acute endocarditis	10	–	–	–	1	1	2	3	1	2	–	–
Other diseases of heart	127	–	–	–	2	2	2	11	11	21	37	41
Other dis. of circulatory system	40	–	–	–	–	1	–	1	2	10	10	16
Bronchitis	56	5	2	–	–	–	–	2	1	7	10	29
Broncho-pneumonia	64	26	11	3	3	–	–	1	4	2	8	6
Lobar pneumonia	22	–	2	–	1	–	2	2	5	5	5	–
Pneumonia (type not distinguished)	25	4	2	2	1	–	2	2	7	4	–	1
Other diseases of respiratory system	14	–	–	2	1	–	2	2	3	–	1	3
Diarrhœa and enteritis	21	15	1	–	–	–	1	–	2	–	1	1
Appendicitis and typhlitis	7	–	–	–	1	1	1	2	1	1	–	–
Hernia, Intestinal obstruction	7	2	–	–	–	1	1	–	2	–	1	–
Cirrhosis of liver	7	–	–	–	–	–	–	–	3	–	3	1
Other diseases of digestive system	30	4	–	4	–	2	1	3	5	4	5	2
Acute nephritis	3	–	–	–	–	1	–	1	1	–	–	–
Chronic Bright's disease	34	–	–	–	2	2	1	–	8	10	7	4
Other diseases of genito-urinary system.	16	1	–	–	–	–	1	1	2	5	2	4
Puerperal fever, &c.	3	–	–	–	–	1	1	1	–	–	–	–
Other causes incident to childbirth	5	–	–	–	–	1	2	2	–	–	–	–
Congenital malformations	9	6	2	–	1	–	–	–	–	–	–	–
Premature birth	33	33	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age	62	–	–	–	–	–	–	–	–	1	14	47
Suicide	9	–	–	–	–	1	1	1	1	3	1	1
Burns and scalds	2	–	1	1	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	1	–	–	3	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	–	–	4	–	1	1	–	–	1	1
Other deaths by violence	17	2	–	–	–	1	1	2	4	2	2	3
Other specified causes	47	10	1	1	4	4	–	5	4	6	9	3
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th May 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	13	8	–	5	–
†BERMONDSEY ...	–	13	20	–	4	–
†BETHNAL GREEN	–	8	13	–	1	–
†CAMBERWELL ...	–	25	16	–	3	–
†CHELSEA ...	–	3	–	1	2	C. 1 D. 1
†DEPTFORD ...	–	9	5	1	1	M. 1
†FINSBURY ...	–	4	4	–	–	–
†FULHAM ...	–	13	8	–	7	C. 1 M. 1
†GREENWICH ...	–	6	7	–	4	D. 1
†HACKNEY ...	–	23	5	–	–	M. 1
†HAMMERSMITH	–	7	9	–	1	–
†HAMPSTEAD ...	–	2	2	–	2	–
†HOLBORN ...	–	3	2	–	–	–
†ISLINGTON ...	–	25	21	–	1	C. 4 G 1 M. 4
†KENSINGTON ...	–	9	16	5	2	G. 1 M. 1
†LAMBETH ...	–	27	20	–	4	M. 5
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	11	5	–	–	M. 1
†PADDINGTON ...	–	15	11	–	5	C. 1
†POPLAR... ...	–	11	13	–	13	M. 2
†ST. MARYLEBONE	–	5	9	1	2	G. 1 M. 1
†ST. PANCRAS ...	–	16	17	–	7	–
†SHOREDITCH ...	–	4	13	1	6	–
†SOUTHWARK ...	–	10	18	–	7	C. 1 M. 1
†STEPNEY ...	–	12	13	–	2	C. 2 M. 1
†STOKE NEWINGTON	–	5	1	–	–	–
†WANDSWORTH	–	27	18	1	6	M. 2
†WESTMINSTER, CITY OF	–	–	3	–	–	–
†WOOLWICH ...	–	14	10	–	4	M. 1
TOTAL OF PART I.	–	320	288	10	89	C. 10 D. 2 G. 3 M. 22

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	8	–	2	G. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD ...	–	4	1	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
†LUTON	–	–	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	3	–	1	–
BEDFORD ...	–	–	1	–	–	G. 1
BIGGLESWADE ...	–	–	1	–	–	–
BERKS	–	18	3	–	1	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	6	–	–	–	–
†READING C.B.	–	3	2	–	1	–
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	5	–	–	–	–
NEWBURY ...	–	1	–	–	–	M. 1
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM	–	12	2	–	4	–
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	6	–	–	1	–
†SLOUGH... ...	–	–	1	–	1	–
WOLVERTON ...	–	1	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	–	1	–	–	–
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	1	–	–	C. 1
Borough :—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts :—						
LINTON... ...	–	–	–	–	–	C. 1
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	59	25	2	15	C. 3 M. 7
Boroughs and Urban Districts :—						
ALSAGER ...	*	*	*	*	*	*
†ALTRINCHAM ...	–	2	3	–	–	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	1	C 1
†BIRKENHEAD C.B.	–	10	2	–	4	M. 5
BOLLINGTON ...	–	1	2	–	–	–
BUGLAWTON ...	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	1	3	–	–	–
†CHESTER C.B. ...	–	2	2	–	–	–
†CONGLETON ...	–	–	–	–	3	–
†CREWE	–	3	–	–	–	–
†DUKINFIELD ...	–	–	–	1	3	–
HALE	–	1	–	–	–	–
HOOLE	–	1	1	–	–	–
KNUTSFORD ...	–	3	1	–	–	–
†MACCLESFIELD...	–	9	–	–	–	–
MIDDLEWICH ...	–	–	1	–	–	–
NANTWICH ...	–	–	1	–	–	–
†SALE	–	1	–	–	–	–
†STOCKPORT C.B.	–	5	1	–	–	C. 1 M. 1
†WALLASEY C.B.	–	2	–	–	2	C. 1
WILMSLOW ...	–	3	–	–	1	–
†WINSFORD ...	–	3	–	–	1	–
Rural Districts :—						
BUCKLOW ...	*	*	*	*	*	*
CONGLETON ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—						
MACCLESFIELD ...	–	1	1	–	–	–
MALPAS... ...	–	1	–	–	–	–
NANTWICH ...	–	–	5	1	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN ...	–	2	–	–	–	–
TARVIN ...	–	1	–	–	–	–
WIRRAL... ...	–	3	–	–	–	–
CORNWALL ...	–	9	4	2	1	M. 1
Boroughs and Urban Districts:—						
BODMIN ...	–	–	–	2	–	–
†CAMBORNE ...	–	–	1	–	–	–
LISKEARD ...	–	–	–	–	1	–
†PENZANCE ...	–	–	1	–	–	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN ...	–	1	–	–	–	–
CALSTOCK ...	–	1	–	–	–	–
CAMELFORD ...	–	2	–	–	–	–
SAINT AUSTELL	–	3	–	–	–	M. 1
SAINT COLUMB MAJOR	–	–	2	–	–	–
SAINT GERMANS	–	1	–	–	–	–
CUMBERLAND ...	–	5	4	–	2	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	1	1	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
KESWICK ...	–	–	–	–	1	–
†MARYPORT ...	–	–	–	–	1	–
PENRITH ...	–	1	–	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE ...	–	–	2	–	–	–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	–	1	–	–	–
DERBY	3	33	17	1	31	M. 3
Boroughs and Urban Districts:—						
ASHBOURNE ...	–	–	1	–	–	–
†BOLSOVER ...	3	1	1	–	–	–
†BUXTON ...	–	–	–	–	–	M. 1
†CHESTERFIELD ...	–	–	1	–	1	–
†DERBY C.B. ...	–	4	3	–	19	–
DRONFIELD ...	–	2	1	–	1	–
†GLOSSOP ...	–	2	–	–	–	–
HEAGE	–	–	–	–	–	M. 1
†HEANOR ...	–	–	–	–	3	M. 1
†ILKESTON ...	–	5	2	–	1	–
†LONG EATON ...	–	2	–	–	–	–
†RIPLEY... ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	2	2	–	2	–
Rural Districts:—						
ASHBOURNE ...	–	–	1	–	1	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
†BLACKWELL ...	–	4	–	–	–	–
CHESTERFIELD	–	9	3	1	–	–
CLOWNE... ...	–	–	1	–	–	–
SHARDLOW ...	–	–	1	–	2	–
DEVON	–	22	7	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
CREDITON ...	–	1	–	–	–	–
†EXETER C.B. ...	–	1	–	–	1	–
NORTHAM ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	10	3	–	–	C. 1
SOUTH MOLTON	–	1	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BIDEFORD ...	–	–	–	–	–	M. 1
BROADWOODWIDGER ...	–	–	–	–	1	–
CREDITON ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	1	–	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	2	–	–	–
TAVISTOCK ...	–	3	–	–	–	–
TIVERTON ...	–	1	1	–	–	–
TORRINGTON ...	–	1	–	–	–	–
DORSET	–	5	1	1	1	–
Boroughs and Urban Districts:—						
BLANDFOLD FORUM	*	*	*	*	*	*
†POOLE	–	1	1	–	–	–
†PORTLAND ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	1	–	–
SHAFTESBURY ...	*	*	*	*	*	*
WIMBORNE AND CRANBORNE	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	80	7	1	36	C. 3 G. 1 J. 1 M. 3
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON ...	–	4	–	–	–	–
†BRANDON AND BYSHOTTLES	–	2	–	–	–	–
†CONSETT ...	–	1	–	–	–	–
†CROOK	–	–	–	–	–	C. 1
†DARLINGTON C.B.	–	6	–	–	6	C. 1
†FELLING ...	–	–	–	–	–	J. 1
†GATESHEAD C.B.	–	9	4	–	4	M. 1
†HARTLEPOOL ...	–	–	–	–	2	–
†HEBBURN ...	–	–	1	–	–	–
†HETTON ...	–	1	–	–	1	–
†HOUGHTON-LE-SPRING	–	–	–	–	2	–
†JARROW ...	–	–	–	–	4	–
†RYTON	–	2	–	–	–	–
†SHILDON ..	–	2	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	–	–	8	M. 1
†STANLEY ...	–	1	–	–	1	–
†SUNDERLAND C.B.	–	13	–	1	–	G. 1
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	3	1	–	–	–
†WEST HARTLEPOOL C.B.	–	6	–	–	3	C. 1
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
CHESTER-LE-STREET	–	12	–	–	2	–
DURHAM ...	–	1	–	–	–	–
EASINGTON ...	–	2	–	–	1	–
HOUGHTON-LE-SPRING	–	3	–	–	–	–
LANCHESTER ...	–	1	–	–	–	M. 1
SUNDERLAND ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	2	–	–	–	–
Rural District:—						
ELY	–	1	–	–	–	–
WISBECH ...	–	1	–	–	–	–
ESSEX	–	59	49	2	27	C. 2 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	–	–	1	–
†CHELMSFORD ...	–	–	1	–	1	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	1	6	–	2	–
†EAST HAM C.B.	–	6	5	1	1	–
†GRAYS THURROCK	–	–	1	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	4	5	–	4	–
†LEYTON... ...	–	9	4	–	1	–
†ROMFORD ...	–	–	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	7	C. 1
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	9	4	–	1	–
†WANSTEAD ...	–	1	1	–	–	–
†WEST HAM C.B.	–	10	15	1	9	M. 2
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	4	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
ORSETT... ...	–	1	1	–	–	–
ROCHFORD ...	–	2	–	–	–	–
ROMFORD ...	–	2	–	–	–	C. 1
TENDRING ...	–	–	3	–	–	–
GLOUCESTER ...	–	53	31	1	8	C. 1 M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	48	15	–	3	C. 1 M. 1
†CHELTENHAM ...	–	–	2	–	–	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
CIRENCESTER ...	–	–	2	–	–	–
†GLOUCESTER C.B.	–	–	3	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
STROUD ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	–	1	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
LYDNEY ...	–	–	1	–	–	–
NEWENT ...	–	–	5	–	–	–
STROUD ...	–	1	–	–	–	–
TETBURY (part)	–	1	1	–	–	–
THORNBURY ...	–	–	–	–	3	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	6	3	1	5	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	1	2	–
Rural Districts:—						
BROMYARD ...	–	1	2	–	–	–
DORE	–	1	–	–	–	–
HEREFORD ...	–	1	–	–	–	–
ROSS	–	–	–	–	2	–
WEOBLEY ...	–	3	–	–	1	–
HERTFORD ...	–	15	7	–	1	–
Boroughs and Urban Districts:—						
BUSHEY... ...	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMEL HEMPSTEAD	–	5	–	–	–	–
†LETCHWORTH ...	–	–	1	–	1	–
SAWBRIDGEWORTH	–	2	–	–	–	–
WARE	–	2	–	–	–	–
†WATFORD ...	–	2	1	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
ST. ALBANS ...	–	1	1	–	–	–
WATFORD ...	–	–	4	–	–	–
HUNTINGDON ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
OLD FLETTON ...	–	1	–	–	2	–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	48	31	2	18	C. 1 M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	5	–	–	1	–
†BEXLEY ...	–	3	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	1	–	–
†CANTERBURY C.B.	–	8	–	–	–	–
†CHATHAM ...	–	2	2	–	–	M. 1
†DOVER	–	1	–	–	2	–
†ERITH	–	1	1	–	–	M. 1
†FOLKESTONE ...	–	–	–	–	4	–
†GILLINGHAM ...	–	1	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	2	–	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
LYDD	–	6	–	–	–	–
†MARGATE ...	–	2	3	–	–	–
†PENGE	–	3	–	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	–	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	4	–	4	–
†SHEERNESS ...	–	1	4	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	2	–	1	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	1	1	–	1	–
EAST ASHFORD	–	3	–	–	–	–
EASTRY	–	3	–	–	–	–
FAVERSHAM ...	–	–	–	–	3	–
ISLE OF THANET	–	1	2	–	–	C. 1
MAIDSTONE ...	–	–	–	–	1	–
TONBRIDGE ...	–	1	–	–	1	–
WEST ASHFORD	–	–	3	–	–	–
LANCASTER ...	1	357	81	9	164	C. 14 E. 1 G. 3 L. 8 M. 44
Boroughs and Urban Districts:—						
†ASHTON-IN-MAKERFIELD	–	2	–	–	–	–
†ASHTON-UNDER-LYNE	–	2	–	–	2	–
†ATHERTON ...	–	–	1	–	4	–
†BARROW-IN-FURNESS C.B.	–	16	–	1	–	–
†BLACKBURN C.B.	–	6	2	–	4	–
†BLACKPOOL C.B.	–	3	–	–	1	M. 1
†BOLTON C.B. ...	–	4	3	–	3	–
†BOOTLE C.B. ...	–	5	3	–	1	M. 1
†BURNLEY C.B.	–	9	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban District—*cont.*						
†BURY C.B. ...	–	4	4	–	3	M. 1
†CHADDERTON ...	–	4	–	–	1	–
†CHORLEY ...	–	2	1	–	–	–
†CLITHEROE ...	–	–	–	–	2	–
†COLNE	–	–	–	–	1	–
†CROMPTON ...	–	–	–	–	1	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	–	–	1	–	–
†DROYLSDEN ...	–	3	–	–	–	–
†ECCLES ...	–	4	–	–	4	M. 1
†FAILSWORTH ...	–	4	1	–	1	–
†FLEETWOOD ...	–	2	1	–	1	G. 1
FORMBY ...	–	–	–	–	–	G. 1
FULWOOD ...	–	–	–	1	–	–
†GREAT CROSBY	–	–	–	–	2	–
†GREAT HARWOOD	–	2	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	–	1	–	–	–
†HEYWOOD ...	–	2	–	–	1	–
†HINDLEY ...	–	1	–	–	3	–
†HORWICH ...	–	1	1	–	3	–
†INCE-IN-MAKERFIELD	–	–	–	–	1	–
IRLAM	–	–	–	–	2	–
†LANCASTER ...	–	7	1	1	1	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	2	2	–	1	M. 2
†LITHERLAND ...	–	1	2	–	–	–
LITTLE LEVER...	–	–	–	–	1	–
†LIVERPOOL C.B.	–	40	15	–	17	C. 2 E. 1 M. 19
†MANCHESTER C.B.	–	129	17	1	46	C. 9 M. 8
†MIDDLETON ...	–	5	1	–	2	M. 1
MILNROW ...	–	4	–	–	–	–
†MORECAMBE ...	–	1	–	–	–	–
NELSON... ...	–	1	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	3	–	–	–	G. 1
†OLDHAM C.B.	1	10	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
ORMSKIRK ...	–	–	1	–	–	–
ORRELL... ...	–	–	3	–	–	–
†OSWALDTWISTLE	–	–	1	–	–	M. 1
†PADIHAM ...	–	1	1	–	–	–
PRESCOT ...	–	1	–	–	–	–
†PRESTON C.B. ...	–	2	1	–	–	–
†PRESTWICH ...	–	4	–	–	–	–
†RADCLIFFE ...	–	–	1	–	2	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	3	–	–	–	–
RISHTON ...	–	–	–	–	1	–
†ROCHDALE C.B.	–	4	2	–	1	–
†ROYTON... ...	–	1	–	–	1	–
†ST. HELENS C.B.	–	–	3	–	2	C. 1 L. 1 M. 3
†SALFORD C.B. ...	–	21	5	2	4	C. 1 M. 2
†SOUTHPORT C.B.	–	–	–	–	–	M. 1
†STRETFORD ...	–	6	–	–	3	–
†SWINTON AND PENDLEBURY	–	2	–	–	8	–
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	1	–	–	3	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
†WARRINGTON C.B.	–	4	–	–	6	M. 2
†WATERLOO-WITH-SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	–	–	2	1	C. 1
WHITEFIELD ...	–	1	–	–	2	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES ...	–	5	2	–	1	–
†WIGAN C.B. ...	–	4	2	–	8	–
Rural Districts:—						
BARTON-UPON-IRWELL	*	*	*	*	*	*
CHORLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	–	–	–	–	–	L. 4
FYLDE	–	1	–	–	–	–
LEIGH	–	2	–	–	–	–
LIMEHURST ...	–	2	–	–	–	–
PRESTON ...	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	2	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	–	–	–	2	M. 1
WHISTON ...	–	1	1	–	–	L. 3
LEICESTER ...	–	13	12	–	6	L. 1 M. 3
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	1	–	–	1	–
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	1	–	–	–
†LEICESTER C.B.	–	8	1	–	1	L. 1 M. 2
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	1	–	3	–
OADBY	–	1	1	–	–	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	1	2	–	–	–
Rural Districts:—						
BARROW-UPON-SOAR	–	1	5	–	–	–
HINCKLEY ...	–	–	–	–	–	M. 1
LINCOLN (parts of Holland).	–	2	2	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
†SPALDING ...	–	1	–	–	–	–
SUTTON BRIDGE	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON... ...	–	–	1	–	–	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
Rural Districts:—						
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	1	–	–	1	–
LINCOLN (parts of Lindsey).	–	6	11	–	7	G. 1 M. 2
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	2	–	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	–	–	–	2	–
†GAINSBOROUGH	–	1	–	–	–	–
†GRIMSBY C.B. ...	–	4	1	–	1	–
HORNCASTLE ...	–	–	–	–	–	M. 1
†LINCOLN C.B. ...	–	–	3	–	2	–
WINTERTON ...	–	–	2	–	–	–
Rural Districts:—						
CAISTOR... ...	–	–	1	–	–	–
GAINSBOROUGH	–	–	–	–	2	–
HORNCASTLE ...	–	–	–	–	–	G. 1
LOUTH	–	–	1	–	–	M. 1
SPILSBY ...	–	1	–	–	–	–
MIDDLESEX ...	–	87	57	3	23	C. 2 G. 1 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	10	–	–	–	–
†BRENTFORD ...	–	–	2	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	–	1	–	–	–
†EALING ...	–	8	3	–	4	–
†EDMONTON ...	–	1	2	–	1	–
†ENFIELD ...	–	1	2	–	1	–
FELTHAM ...	–	–	–	–	–	M. 1
†FINCHLEY ...	–	4	–	–	2	C. 1
†HANWELL ...	–	3	3	–	–	G. 1
†HARROW-ON-THE-HILL	–	1	–	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	–	4	–	–	–
†HESTON AND ISLEWORTH	–	4	–	–	3	C. 1
†HORNSEY ...	–	10	2	1	–	M. 1
RUISLIP-NORTHWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	6	1	–	–	–
†TEDDINGTON ...	–	–	6	–	–	–
†TOTTENHAM ...	–	15	6	1	5	–
†TWICKENHAM ...	–	2	–	–	–	M. 1
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	2	1	–	–	–
†WEMBLEY ...	–	2	–	–	1	–
†WILLESDEN ...	–	10	18	1	1	–
†WOOD GREEN ...	–	4	1	–	2	M. 1
Rural Districts:—						
HENDON ...	–	3	3	–	–	–
STAINES ...	*	*	*	*	*	*
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK ...	–	15	1	–	3	F. 1
Boroughs and Urban District:—						
†GREAT YARMOUTH C.B.	–	4	–	–	1	–
†KING'S LYNN ...	–	1	–	–	–	–
†NORWICH C.B....	–	4	–	–	–	–
WELLS	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM ...	–	–	1	–	–	–
DOWNHAM ...	–	2	–	–	–	–
EAST AND WEST FLEGG	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
KING'S LYNN ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	F. 1
THETFORD ...	–	1	–	–	–	–
NORTHAMPTON	–	9	2	–	8	M. 1
Boroughs and Urban Districts:—						
FINEDON ...	–	–	–	–	1	–
HIGHAM FERRERS	–	1	–	–	–	–
†KETTERING ...	–	1	1	–	–	–
†NORTHAMPTON C.B.	–	7	1	–	2	M. 1
†RUSHDEN ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
EASTON-ON-THE-HILL	–	–	–	–	1	–
OUNDLE (part)	–	–	–	–	1	–
POTTERSPURY ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	35	8	–	41	M. 3
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	M. 2
†BEDLINGTONSHIRE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Berwick-upon-Tweed	–	5	–	–	2	–
†Blyth	–	2	1	–	2	–
†Gosforth ...	–	1	–	–	–	–
Newbiggin-by-the-Sea	*	*	*	*	*	*
†Newburn ...	–	1	–	–	1	–
†Newcastle-upon-Tyne C.B.	–	13	5	–	23	–
Prudhoe ...	–	–	–	–	1	–
Seaton Delaval	–	–	–	–	1	–
†Tynemouth C.B.	–	1	1	–	5	M. 1
†Wallsend ...	–	3	1	–	2	–
†Whitrey and Monkseaton	–	3	–	–	–	–
Rural Districts:—						
Castle Ward ...	–	4	–	–	–	–
Haltwhistle ...	–	1	–	–	–	–
Hexham ...	–	–	–	–	3	–
NOTTINGHAM ...	–	13	10	1	15	C. 1 M. 2
Boroughs and Urban Districts:—						
†Carlton ...	–	–	2	–	2	–
†Hucknall ...	–	–	–	–	3	–
†Kirkby-in-Ashfield	–	–	–	–	–	M. 1
†Mansfield ...	–	–	–	–	1	C. 1
†Mansfield Woodhouse	–	1	2	–	–	–
†Newark ...	–	1	–	–	–	–
†Nottingham C.B.	–	7	5	–	6	M. 1
†Sutton-in-Ashfield	–	–	1	1	1	–
†Worksop ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
Basford ...	–	2	–	–	–	–
Blyth and Cuckney	–	1	–	–	–	–
Stapleford ...	–	1	–	–	1	–
OXFORD	–	5	1	1	1	–
Boroughs and Urban Districts:—						
†Oxford C.B. ...	–	1	–	1	1	–
Rural Districts:—						
Headington ...	–	2	–	–	–	–
Thame	–	2	–	–	–	–
Witney... ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	1	–
Borough:—						
†Peterborough	–	1	–	–	1	–
Rural District:—						
Peterborough	–	1	–	–	–	–
RUTLAND ...	–	–	3	–	–	–
Rural District:—						
Uppingham ...	–	–	3	–	–	–
SALOP	–	8	8	–	5	C. 1
Boroughs and Urban Districts:—						
Newport ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
Oswestry ...	–	–	1	–	–	–
†Shrewsbury ...	–	4	1	–	1	–
Wellington ...	–	–	1	–	1	–
†Wenlock ...	–	–	1	–	–	–
Rural Districts:—						
Atcham ...	–	–	3	–	–	–
Clun	–	–	–	–	–	C. 1
Ellesmere ...	–	3	1	–	–	–
Ludlow ...	–	–	–	–	1	–
Oswestry ...	–	1	–	–	–	–
Wellington ...	–	–	–	–	1	–
SOMERSET ...	–	8	10	–	7	L. 2
Boroughs and Urban Districts:—						
†Bath C.B. ...	–	1	4	–	1	–
Crewkerne ...	*	*	*	*	*	*
†Frome	–	1	–	–	–	–
Street	*	*	*	*	*	*
†Taunton ...	–	1	1	–	1	–
†Weston-super-Mare	–	4	1	–	–	–
Rural Districts:—						
Axbridge ...	–	–	2	–	–	–
Clutton ...	–	–	2	–	–	–
Langport ...	–	–	–	–	1	–
Taunton ...	–	–	–	–	2	L. 2
Wells	–	–	–	–	1	–
Wincanton ...	–	–	–	–	1	–
Yeovil	–	–	–	–	1	–
SOUTHAMPTON...	–	33	24	4	5	C. 1 L. 1 G. 1 M. 5
Boroughs and Urban Districts:—						
†Aldershot ...	–	2	–	–	–	–
Andover ...	–	–	–	–	1	G. 1
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bournemouth C.B.	–	2	–	–	–	–
†Fareham ...	–	–	1	–	–	–
†Gosport and Alverstoke	–	6	2	–	2	–
†Portsmouth C.B.	–	17	15	1	1	L. 1 M. 3
†Southampton C.B.	–	4	3	2	1	M. 2
†Winchester ...	–	–	–	–	–	C. 1
Rural Districts:—						
Andover ...	–	–	1	–	–	–
Havant ...	–	–	–	1	–	–
Hursley ...	–	1	–	–	–	–
New Forest ...	–	1	–	–	–	–
Petersfield ...	–	–	1	–	–	–
Whitchurch ...	–	–	1	–	–	–
STAFFORD ...	–	53	17	–	43	C. 5 G. 1 M. 6
Boroughs and Urban Districts:—						
Audley... ...	–	–	–	–	–	M. 1
†Brownhills ...	–	1	–	–	–	–
†Burton-upon-Trent C.B.	–	2	–	–	–	M. 1
†Cannock ...	–	1	–	–	–	M. 1
†Coseley ...	–	–	–	–	1	–
†Leek	–	3	–	–	–	–
Quarry Bank	–	–	–	–	3	–
†Rowley Regis	–	–	–	–	–	C. 1
†Sedgeley ...	–	–	–	–	2	–
Short Heath ...	–	2	–	–	–	–
†Smethwick C.B.	–	8	4	–	4	C. 1
†Stafford ...	–	2	–	–	–	–
†Stoke-on-Trent C.B.	–	10	5	–	24	C. 1 M. 1

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	1	1	–	–	–
†WALSALL C.B....	–	2	1	–	3	M. 1
†WEDNESBURY ...	–	1	–	–	–	–
†WEST BROMWICH C.B.	–	9	3	–	2	G. 1
†WILLENHALL ...	–	3	–	–	1	C. 1
†WOLSTANTON UNITED	–	–	1	–	1	–
†WOLVERHAMPTON C.B.	–	1	–	–	–	M. 1
Rural Districts:—						
BLYMHILL AND WESTON-UNDER-LIZARD (parishes)	*	*	*	*	*	*
CHEADLE ...	–	2	1	–	–	–
KINGSWINFORD	–	1	–	–	–	–
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	–	1	–	–	C. 1
SEISDON ...	*	*	*	*	*	*
STONE	–	1	–	–	–	–
WALSALL ...	–	–	–	–	2	–
SUFFOLK, EAST	–	2	5	1	11	C. 1
Boroughs and Urban Districts:—						
†IPSWICH C.B. ...	–	–	2	–	2	C. 1
†LOWESTOFT ...	–	2	3	–	4	–
Rural Districts:—						
EAST STOW ...	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	4	–
SAMFORD ...	–	–	–	1	–	–
SUFFOLK, WEST	–	3	1	–	1	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
HADLEIGH ...	*	*	*	*	*	*
NEWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
CLARE	–	1	–	–	–	G. 1
MELFORD ...	–	1	–	–	–	–
THEDWASTRE ...	–	1	–	–	–	–
SURREY	–	39	16	–	6	L. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	3	–	–	–	–
†CARSHALTON ...	–	–	–	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	2	1	–	–	–
†CROYDON C.B....	–	13	9	–	2	M. 1
‡FARNHAM ...	–	1	1	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	2	–	–	–	M. 1
†MITCHAM ...	–	3	1	–	–	–
REIGATE ...	–	1	–	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	–	–	–	1	–
WEYBRIDGE ...	–	–	–	–	1	–
†WIMBLEDON ...	–	5	1	–	–	–
Rural Districts:—						
EPSOM	–	2	–	–	–	–
FARNHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
Godstone ...	–	–	1	–	–	–
Guildford ...	–	–	2	–	–	–
Hambledon ...	–	1	–	–	–	–
Reigate ...	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	20	4	–	6	L. 3 M. 1
Boroughs and Urban Districts:—						
†Bexhill ...	–	2	–	–	–	–
†Brighton C.B.	–	6	–	–	3	M. 1
†Eastbourne C.B.	–	1	1	–	2	–
†Hastings C.B....	–	2	2	–	1	–
†Hove	–	2	–	–	–	–
Portslade-by-Sea	–	2	–	–	–	–
Rural Districts:—						
Chailey ...	–	–	–	–	–	L. 1
Cuckfield ...	–	1	–	–	–	–
East Grinstead	–	1	–	–	–	–
Hailsham ...	–	–	–	–	–	L. 2
Rye	–	2	1	–	–	–
Steyning East	–	1	–	–	–	–
SUSSEX, WEST ...	–	19	–	–	–	C. 2 M. 1
Boroughs and Urban Districts:—						
†Bognor ...	–	1	–	–	–	–
†Chichester ...	–	–	–	–	–	M. 1
†Horsham ...	–	13	–	–	–	C. 1
†Worthing ...	–	–	–	–	–	C. 1
Rural Districts:—						
Horsham ...	–	2	–	–	–	–
Midhurst ...	–	1	–	–	–	–
Steyning West	–	2	–	–	–	–
WARWICK ...	–	75	20	1	60	C. 2 M. 14
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	52	16	1	40	C. 1 M. 13
Bulkington ...	–	1	–	–	–	–
†Coventry C.B.	–	3	2	–	3	–
†Nuneaton ...	–	2	–	–	2	C. 1
†Royal Leamington Spa	–	1	–	–	3	–
†Sutton Coldfield	–	3	–	–	–	M. 1
†Warwick ...	–	1	–	–	–	–
Rural Districts:—						
Atherstone ...	–	–	–	–	9	–
Foleshill ...	–	2	–	–	3	–
Meriden ...	–	7	–	–	–	–
Rugby	–	1	–	–	–	–
Tamworth (part)	–	2	2	–	–	–
WESTMORLAND	–	4	–	–	–	–
Boroughs and Urban Districts:—						
Windermere ...	–	3	–	–	–	–
Rural District:—						
East Westmorland	–	1	–	–	–	–
ISLE OF WIGHT	–	2	–	–	–	G. 1
Boroughs and Urban Districts:—						
Cowes	–	–	–	–	–	G. 1
Sandown ...	–	1	–	–	–	–
Rural District:—						
Isle of Wight	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	18	2	–	9	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
SALISBURY ...	–	–	2	–	–	–
SWINDON ...	–	4	–	–	3	–
Rural Districts:—						
AMESBURY ...	–	2	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	3	–
MARLBOROUGH...	–	4	–	–	1	–
RAMSBURY ...	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
TISBURY ...	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WILTON... ...	–	–	–	–	1	–
WORCESTER ...	–	12	4	–	8	D. 1 M. 3
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	1	–
†DUDLEY C.B. ...	–	3	–	–	–	–
†KIDDERMINSTER	–	4	1	–	–	–
†OLDBURY ...	–	–	1	–	2	–
†REDDITCH ...	–	2	1	–	–	M. 1
†WORCESTER C.B.	–	2	1	–	–	D. 1 M. 2
Rural Districts:—						
HALESOWEN ...	–	–	–	–	4	–
PERSHORE ...	–	–	–	–	1	–
ROCK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	17	13	1	10	C. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
FILEY	–	6	–	–	–	–
GREAT DRIFFIELD	*	*	*	*	*	*
†KINGSTON-UPON-HULL C.B.	–	4	11	1	1	C. 1 L. 1 M. 2
†YORK C.B. ...	–	5	2	–	2	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	4	–
POCKLINGTON ...	–	2	–	–	–	–
SCULCOATES ...	–	–	–	–	2	–
YORKS ... ... (North Riding).	13	12	6	–	5	M. 1
Boroughs and Urban Districts:—						
†ESTON	2	6	1	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	11	–	4	–	3	–
SCARBOROUGH ...	–	1	–	–	1	
Rural Districts:—						
AYSGARTH ...	–	1	–	–	–	–
FLAXTON ...	–	1	–	–	–	–
HELMSLEY ...	–	2	–	–	–	M. 1
MALTON ...	–	1	1	–	–	–
THIRSK	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	3	149	63	10	171	C. 7 D. 1 E. 2 G. 1 L. 5 M. 22
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	1	–
ARDSLEY, EAST AND WEST ...	–	2	–	–	–	–
†BARNSLEY C.B.	–	1	2	1	2	G. 1 M. 1
†BINGLEY ...	–	1	2	–	4	–
†BRADFORD C.B.	–	28	5	2	2	D. 1
CLAYTON ...	–	1	–	–	–	–
CLAYTON WEST	–	–	2	–	–	–
†CONISBROUGH ...	–	–	1	–	–	M. 1
CUDWORTH ...	–	–	–	1	–	–
DARFIELD ...	–	–	–	–	2	–
†DARTON ...	–	–	–	–	2	–
DENBY AND CUMBERWORTH	–	–	1	–	–	–
†DEWSBURY C.B.	–	2	–	–	2	–
†DONCASTER ...	–	1	2	–	–	–
EARBY ...	–	–	–	–	3	–
†ELLAND... ...	–	4	–	–	–	–
†FEATHERSTONE	–	1	–	–	3	–
†GOLCAR ...	2	–	–	–	1	–
†GOOLE	–	–	1	–	–	–
GREETLAND ...	–	1	–	–	–	–
GUISELEY ...	–	–	–	–	–	M. 1
†HALIFAX C.B. ...	–	9	–	–	1	M. 1
†HARROGATE ...	–	–	–	–	1	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	2	–	–	4	–
HOLMFIRTH ...	–	–	–	–	2	–
HORSFORTH ...	–	2	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	1	4	–	3	E. 1 M. 1
ILKLEY	–	2	1	–	–	–
†KEIGHLEY ...	–	–	3	–	–	–
KIRKBURTON ...	–	–	–	–	–	E. 1
KIRKHEATON ...	–	–	1	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNOTTINGLEY ...	–	1	–	–	–	–
†LEEDS C.B. ...	–	36	9	–	7	C. 3 M. 2
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	1	–	–	–	–	–
MARSDEN ...	–	–	2	–	–	–
†MEXBOROUGH ...	–	–	–	–	3	–
†MORLEY ...	–	–	–	–	2	–
NEW MILL ...	–	–	–	–	2	–
†NORMANTON ...	–	–	1	–	8	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	–	1	–	–	–
†PUDSEY... ...	–	1	–	–	–	–
QUEENSBURY ...	–	–	–	1	–	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	1	1	–	10	–
†ROTHWELL ...	–	3	–	–	–	M. 1
ROYSTON ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	14	14	1	67	C. 4 M. 12
SHELLEY ...	–	–	2	–	–	–
†SHIPLEY ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON ...	–	–	–	–	1	–
SPENBOROUGH ...	–	1	–	–	1	M. 1
STAINLAND WITH OLD LINDLEY	–	1	–	–	1	–
†STANLEY ...	–	3	1	–	–	–
STOCKSBRIDGE ...	–	–	–	1	4	–
THURNSCOE ...	–	1	–	–	–	–
†WAKEFIELD C.B.	–	7	1	1	4	–
†WOMBWELL ...	–	1	–	–	2	–
†WORSBOROUGH...	–	1	–	1	–	M. 1
Rural Districts:—						
DONCASTER ...	–	3	–	–	3	–
HALIFAX ...	–	3	–	–	–	–
HEMSWORTH ...	–	–	1	–	11	–
HUNSLET ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
KIVETON PARK	–	–	1	–	–	–
KNARESBOROUGH	–	–	–	–	2	–
PENISTONE ...	*	*	*	*	*	*
PONTEFRACT ...	–	1	1	–	1	–
ROTHERHAM ...	–	–	–	–	2	–
SELBY	–	2	–	–	3	–
TADCASTER ...	–	3	–	1	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	2	–	–	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (South)	–	–	–	–	–	L. 5
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Rural District:—						
VALLEY ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	5	–	–	4	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH	–	5	–	–	–	–
Rural Districts:—						
ABERYSTWITH (North)	–	–	–	–	2	–
LLANDYSSIL ...	–	–	–	–	2	–
CARMARTHEN ...	–	6	1	–	5	M. 1
Boroughs and Urban Districts:—						
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	–	–	–	1	M. 1
Rural Districts:—						
CARMARTHEN ...	–	4	–	–	2	–
LLANDILO FAWR	–	1	1	–	–	–
LLANELLY ...	–	–	–	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–
CARNARVON ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
BANGOR... ...	–	2	–	–	–	–
CARNARVON ...	–	–	2	–	–	–
PWLLHELI ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	5	6	–	4	C. 1
Boroughs and Urban Districts:—						
†Colwyn Bay and Colwyn	–	1	1	–	–	–
†Wrexham ...	–	1	–	–	–	–
Rural Districts:—						
Chirk	–	1	–	–	1	–
Llanrwst ...	–	–	–	–	1	–
Llansilin ...	–	–	1	–	1	–
Wrexham ...	–	2	4	–	1	C. 1
FLINT	–	2	4	–	1	–
Boroughs and Urban Districts:—						
Buckley ...	–	–	1	–	–	–
Holywell ...	–	–	–	–	1	–
†Rhyl	–	–	1	–	–	–
Rural Districts:—						
Hawarden ...	–	1	2	–	–	–
Holywell (Holywell Div.)	*	*	*	*	*	*
Holywell (Mold Div.)	–	1	–	–	–	–
GLAMORGAN ...	–	86	18	1	27	M. 5
Boroughs and Urban Districts:—						
†Aberdare ...	–	13	1	–	5	–
†Barry	–	5	2	–	3	–
†Caerphilly ...	–	–	1	–	–	–
†Cardiff C.B. ...	–	5	1	–	2	M. 1
†Gelligaer ...	–	1	2	–	–	–
†Maesteg ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Merthyr Tydfil C.B.	–	5	2	–	3	–
†Mountain Ash	–	18	–	–	1	M. 2
†Neath	–	–	2	–	2	–
†Ogmore and Garw	–	4	–	1	–	–
†Pontypridd ...	–	2	–	–	3	–
†Port Talbot	–	1	–	–	–	–
†Rhondda ...	–	10	1	–	2	M. 2
†Swansea C.B. ...	–	10	2	–	1	–
Rural Districts:—						
Cowbridge ...	–	1	–	–	–	–
Gower	–	–	2	–	2	–
Llandaff and Dinas Powis	–	1	2	–	–	–
Llantrisant and Llantwit Fardre	–	1	–	–	–	–
Neath	–	1	–	–	3	–
Penybont ...	–	5	–	–	–	–
Pontardawe ...	–	1	–	–	–	–
MERIONETH ...	–	–	–	–	1	–
Rural District:—						
Penllyn ...	–	–	–	–	1	–
MONMOUTH ...	–	24	8	1	8	C. 1 M. 3
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	–	–	–	–
†Abersychan ...	–	–	1	–	–	–
†Bedwellty ...	–	1	1	–	–	–
†Blaenavon ...	–	–	–	–	–	M. 2
Caerleon ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHEPSTOW ...	–	–	1	–	–	M. 1
†EBBW VALE ...	–	5	–	–	–	–
LLANFRECHA UPPER	–	2	–	–	–	–
LLANTARNAM ...	–	–	1	–	–	–
MONMOUTH ...	–	4	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	2	–
†NEWPORT C.B....	–	1	2	–	4	–
†RHYMNEY ...	–	4	–	–	–	–
†RISCA	–	1	1	–	–	–
†TREDEGAR ...	–	3	1	–	2	C. 1
Rural District:—						
CHEPSTOW ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	–	–	–	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	M. 2
Boroughs and Urban District:—						
MILFORD HAVEN	–	–	–	–	–	M.
NEYLAND ...	*	*	*	*	*	*
TENBY	–	1	–	–	–	–
Rural District:—						
HAVERFORDWEST	–	–	–	–	–	M. 1
Total of Part II.	20	1585	620	46	829	C. 51 D. 2 E. F. 1 G. 12 J. 1 L. 22 M. 148

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL ...	–	–	4	–	–	–
WISBECH ...	–	–	1	–	–	–
Total of Part III.	–	–	5	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	320	288	10	89	C. 10 D. 2 G. 3 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	20	1585	620	46	829	C. 51 D. 2 E. 3 F. 1 G. 12 J. 1 L. 22 M. 148
Total of Part III.—Port Sanitary Districts ...	–	–	5	–	–	–
Total (*i.e.*, of returns received), England and Wales	20	1905	913	56	918	C. 61 D. 4 E. 3 F. 1 G. 15 J. 1 L. 22 M. 170

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Twenty cases of Small-pox were notified which appear on pages 600, 604, 611, and 612.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.
LONDON:—													
DEATHS—all ages -	1,398	1,239	1,223	1,267	1,417	1,514	1,446	1,406	1,327	1,319	1,210	1,038	1,178
" 0 to 1 year -	180	177	150	188	219	228	197	220	159	170	162	125	178
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	8,199	8,357	8,238	7,683	8,220	7,962	7,250	8,046	8,711	8,491	8,271	8,279	7,714
DEATHS—all ages -	5,669	4,955	5,066	5,161	5,626	6,072	5,948	5,635	5,486	5,202	4,810	4,482	4,520
" 0 to 1 year -	781	713	733	839	920	1,011	984	904	834	829	732	680	711
ENTERIC FEVER—Cases	21	12	26	4	12	13	20	17	16	23	22	24	31
" Deaths	3	6	5	4	5	3	6	4	5	7	2	2	6
SMALL POX—Cases -	8	1	2	13	11	12	14	25	12	19	15	12	12
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,314	1,252	1,322	1,180	1,196	1,227	1,145	1,122	1,081	1,246	1,098	1,186	1,163
" Deaths	26	25	17	17	25	18	20	23	31	17	15	17	17
DIPHTHERIA—Cases -	785	740	654	685	654	666	622	560	553	602	624	612	608
" Deaths	73	74	45	37	74	47	49	43	53	38	62	45	43
MEASLES—Deaths -	86	89	104	122	160	181	154	158	177	184	168	123	123
INFLUENZA—Deaths -	306	201	146	104	111	117	109	93	75	69	55	45	55

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th May 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	91	51	82·9	55·9	12
BRIGHTON -	77	48	69·5	56·3	0·2
PORTSMOUTH -	79	48	74·1	55·3	1
NORWICH (EATON).	89	49	78·9	54·9	3
PLYMOUTH -	72	46	68·1	51·7	2
BRISTOL (CLIFTON).	84	48	73·7	52·4	1
BIRMINGHAM -	80	49	75·1	53·6	6
NOTTINGHAM -	82	45	75·1	54·6	11
BIRKENHEAD (BIDSTON).	74	47	64·7	51·4	8
MANCHESTER	78	47	71·6	53·4	6
BURNLEY -	74	39	67·6	48·[illegible]	8
HUDDERSFIELD	Not received.				

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	75	46	68·7	51·6	4
SHEFFIELD -	75	50	71·4	54·3	5
YORK (MUSEUM).	76	46	71·4	53·0	3
HULL (PEARSON PARK).	82	45	73·3	51·7	21
TYNEMOUTH	67	45	62·6	50·1	10
CARDIFF -	76	43	70·3	50·7	8
EDINBURGH -	66·0	44·0	62·4	47·0	3
GLASGOW -	66·0	41·1	60·8	47·6	11
DUBLIN (PHŒNIX PARK).	68·8	38·3	63·4	45·6	0·5
FITZWILLIAM SQUARE.†	68·0	46·4	64·0	51·2	0
BELFAST -	73·0	48·5	68·1	51·7	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th May 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	21	In Equator.	29·919	85·6	51·5	34·1	70·2	+ 16·0	55·0	15·2	28·7	1·2	59	146·8	40·1	49·2	Calm & SW.	SW & SSW.	2·2	0·0	0·1	204	− 66	0·00
MONDAY	22	..	29·744	90·2	58·7	31·5	76·1	+21·5	57·1	19·0	31·6	3·0	52	149·5	49·0	49·9	Calm & WSW.	WSW & W & E.	3·0	0·0	0·2	217	− 49	0·00
TUESDAY	23	..	29·732	88·6	58·3	30·3	74·0	+ 19·1	55·3	18·7	31·5	1·5	52	151·0	51·0	50·1	Calm & WSW.	SW & Calm.	1·7	0·0	0·1	161	−102	0·01
WEDNESDAY	24	..	29·813	90·6	58·9	31·7	73·7	+18·4	59·3	14·4	29·6	2·6	61	146·6	48·4	50·8	Calm & ESE.	Variable& Calm.	0·8	0·0	0·0	120	−141	0·00
THURSDAY	25	..	29·955	76·7	57·9	18·8	66·0	+ 10·5	60·0	6·0	16·5	0·0	81	123·4	47·0	51·0	Calm & NE.	SSE Calm & W.	0·9	0·0	0·0	137	−120	0·45
FRIDAY	26	New	30·056	73·7	54·1	19·6	62·5	+ 6·7	54·2	8·3	19·7	2·6	74	135·2	47·4	51·6	W	W, NW & N.	2·0	0·0	0·1	270	+ 16	0·00
SATURDAY	27	..	30·202	73·3	50·1	23·2	62·0	+ 6·0	44·5	17·5	24·5	2·1	53	138·5	38·6	52·0	N, Calm & NNE.	N, NNE & E.	1·0	0·0	0·1	169	− 83	0·00
MEANS		..	29·917	82·7	55·6	27·0	69·2	+14·0	55·1	14·2	26·0	1·9	62	141·6	45·9	50·7	Calm & Variable		...	...	...	Sum 1,278	Sum −545	Sum 0·46
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	21	No Register	14·4	15·8	Nearly cloudless generally. Slight dew at night.
MONDAY -	22	No Register	13·4	15·8	Cloudless till 5h., nearly cloudless till 18h. 30m., becoming nearly overcast by 19h. Partially cloudy from 22h. with lightning. Solar halo 9h.
TUESDAY -	23	No Register	11·5	15·9	Cloudy or overcast till 2h. 30m., nearly cloudless by 3h., variably cloudy 9h. to 12h. 30m., then nearly cloudless with very cloudy intervals 19h. 30m. to 21h. Thunderstorm 1h. Slight rain 12h. 30m. Dew at night.
WEDNESDAY	24	Register imperfect	12·8	15·9	Nearly cloudless generally, few cloudy intervals, hazy in morning.
THURSDAY -	25	v.P. and v.N. in afternoon, Register imperfect.	6·2	16·0	Little cloud till 3h. Lightning from 1h. Thunderstorm about 5h., occasional thunder and rain afterwards till heavy hailstorm about 13h. till 13h. 30m. Very cloudy or overcast till 15h. 30m., then nearly cloudless but hazy.
FRIDAY -	26	v.P. generally	7·3	16·0	Nearly cloudless till 5h. 45m. becoming overcast generally by 6h. 30m. Variably cloudy from 10h. 15m. with overcast intervals, becoming cloudless before midnight.
SATURDAY -	27	v.P. generally	14·4	16·1	Cloudless with slight exceptions. Hazy from 9h. to sunset.
			Sum 80·0	Sum 111·5	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·10 in. at the beginning of the week to 29·71 in. by 17h. on 24th; and increased generally to 30·22 in. by midnight on 27th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 22.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 3RD JUNE, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD JUNE, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-second week of the year numbered 8,119, and corresponded to an annual rate of 22·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,965 and corresponded to an annual rate of 10·9 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 13·2, 12·3 and 12·4. Infant mortality was 69 per 1,000 births against 89, 82, and 92 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,919 births, corresponding to a rate of 22·1 per 1,000, and 944 deaths of civilians, corresponding to a rate of 10·9, as against 14·0, 12·0, and 13·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·6 per 1,000. The infant mortality was 51 as against 82, 63, and 97 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 556 in the total deaths last week. In London the number of deaths from all causes fell from 1,178 to 944; there was a decrease of 33 in the deaths from pneumonia, while the deaths from measles, which had been 91, 51 and 68 in the preceding three weeks, fell to 40 last week.

---

m (45)17873 1 Wt 30—P 19 2250 6,22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 3rd June 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,119	3,965	557	2	97	19	64	44	62	36
London	4,514,405*	1,919	944	97	1	40	6	10	22	12	2
Towns in Outer Ring.											
Croydon C.B.	191,500	77	35	3	–	1	–	–	1		1
Wimbledon	61,700	24	9	1	–	–	–	–	–	1	–
Ealing	67,800	24	11	–	–	–	1	–	–	–	–
Acton	62,000	24	11	2	–	–	–	–	–	2	–
Willesden	167,200	62	26	2	–	3	–	–	2	–	–
Hendon	55,500	13	6	1	–	–	–	–	–	–	–
Hornsey	87,600	28	17	2	–	–	–	–	–	–	1
Wood Green	51,100	16	6	1	–	–	–	–	–	–	–
Tottenham	149,200	58	30	3	–	1	–	1	1	–	–
Edmonton	67,800	43	9	2	–	–	–	–	–	–	–
Enfield	61,400	12	11	2	–	–	–	–	–	1	–
West Ham C.B.	307,000	155	49	11	–	–	–	–	–	1	2
East Ham C.B.	145,500	41	20	2	1	1	–	–	–	–	–
Leyton	130,100	44	30	2	–	–	1	1	–	–	–
Walthamstow	129,800	58	26	5	–	–	–	1	1	–	–
Ilford	85,500	25	13	1	–	–	–	1	–	1	–
Gillingham	48,149*	22	9	5	–	–	–	–	–	–	–
Canterbury C.B.	23,680	10	6	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	12	–	–	–	–	–	–	–	1
Eastbourne C.B.	53,600	19	8	1	–	–	–	1	–	–	–
Brighton C.B.	134,800	49	33	4	–	–	–	1	–	1	1
Portsmouth C.B.	233,929*	127	39	5	–	–	–	–	1	–	–
Bournemouth C.B.	81,200	27	28	3	–	–	–	–	–	–	1
Southampton C.B.	162,200	59	23	1	–	1	–	–	–	–	–
Reading C.B.	92,600	37	14	–	–	–	–	–	1	–	–
Oxford C.B.	56,400	12	12	2	–	1	–	–	–	–	1
Northampton C.B.	92,300	37	7	1	–	–	–	–	–	–	–
Luton	57,800	22	11	1	–	–	–	–	–	–	–
Cambridge	58,900	26	7	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	33	10	–	–	–	–	–	–	–	–
Ipswich C.B.	80,100	31	16	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	29	8	1	–	–	–	1	–	–	–
Norwich C.B.	122,400	40	16	3	–	–	–	1	–	–	–
Swindon	55,500	14	11	1	–	–	–	–	–	1	–
Exeter C.B.	59,500	22	20	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	87	46	3	–	3	–	1	1	–	–
Bath C.B.	68,300	21	15	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	182	74	14	–	1	–	1	1	–	–
Gloucester C.B.	51,800	20	14	4	–	–	–	1	–	1	–
Stoke-on-Trent, C.B.	273,238	139	50	17	–	–	–	5	1	2	–
Burton-upon-Trent C.B.	49,410	23	9	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	46	10	2	–	–	–	–	–	–	–
Walsall C.B.	98,800	45	20	7	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	58	20	7	–	–	–	3	–	–	–
Worcester C.B.	49,160	20	12	2	–	–	–	–	1	–	–
Dudley C.B.	57,100	33	14	2	–	–	–	–	–	1	1
Birmingham C.B.	936,000	383	182	28	–	2	–	6	1	3	5
Smethwick C.B.	77,400	38	12	1	–	–	–	1	–	–	–
Coventry C.B.	130,300	48	17	1	–	–	–	–	–	–	–
Leicester C.B.	237,900	107	49	5	–	1	–	–	–	–	–
Lincoln C.B.	66,600	25	19	4	–	–	–	–	–	1	2
Grimsby C.B.	83,600	36	11	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	102	39	6	–	–	–	–	–	–	–
Derby C.B.	131,800	49	20	5	–	–	–	1	–	–	–
Chesterfield	62,400	48	23	6	–	–	–	–	–	–	–
Stockport C.B.	125,500	40	21	2	–	–	–	–	–	–	1
Chester C.B.	41,030	12	7	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	78	35	6	–	2	–	2	–	–	–
Wallasey C.B.	89,600	42	19	1	–	–	–	–	–	–	–
Liverpool C.B.	817,000	449	194	34	–	–	–	3	1	3	–
Bootle C.B.	77,800	41	19	2	–	–	–	–	–	–	–
St. Helens C.B.	104,900	56	36	4	–	8	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	11	17	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	39	24	4	–	3	–	–	1	–	–
Warrington C.B.	78,600	30	10	–	–	–	–	–	–	–	–
Bolton C.B.	182,200	79	27	7	–	1	–	–	–	1	–
Bury C.B.	57,600	22	15	1	–	–	–	–	–	–	1
Manchester C.B.	744,000	311	191	41	–	16	2	3	3	9	3
Salford C.B.	239,100	107	69	7	–	5	2	1	–	1	1
Oldham C.B.	148,300	44	34	2	–	–	–	–	1	1	–
Rochdale C.B.	92,700	27	24	3	–	–	–	1	–	–	–
Burnley C.B.	105,300	33	27	3	–	–	1	–	–	–	–
Blackburn C.B.	129,400	43	28	3	–	–	–	1	–	1	–
Preston C.B.	119,900	63	25	2	–	–	–	–	–	–	–
Blackpool C.B.	73,800	20	19	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	38	18	3	–	–	–	3	–	–	–
Huddersfield C.B.	111,900	38	27	3	–	–	–	–	–	–	–
Halifax C.B.	100,700	39	17	1	–	–	–	–	–	–	1
Bradford C.B.	291,100	93	82	7	–	–	2	3	–	–	–
Leeds C.B.	465,500	196	113	18	–	–	–	1	–	–	3
Dewsbury C.B.	55,100	20	15	4	–	–	–	1	–	–	1
Wakefield C.B.	53,763	29	14	2	–	–	–	–	–	–	–
Barnsley C.B.	68,991	42	16	3	–	1	–	–	1	–	1
Sheffield C.B.	519,239	207	120	18	–	2	1	–	–	1	2
Rotherham C.B.	69,100	22	20	5	–	4	–	–	–	–	–
Doncaster	54,700	22	11	1	–	–	–	–	1	1	–
York C.B.	84,500	32	16	1	–	–	–	–	–	–	1
Hull C.B.	291,800	148	60	11	–	–	–	1	–	6	–
Middlesbrough C.B.	133,400	80	30	5	–	–	–	1	–	–	2
Darlington C.B.	66,400	23	20	5	–	–	–	1	–	–	1
Stockton-on-Tees	65,000	27	15	1	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	43	11	1	–	–	–	–	–	–	
Sunderland C.B.	161,100	88	40	10	–	–	3	–	–	3	–
South Shields C.B.	120,376	71	22	5	–	–	–	–	–	2	–
Gateshead C.B.	126,700	59	20	2	–	–	–	–	–	–	
Newcastle-on-Tyne C.B.	278,400	144	68	8	–	–	–	–	2	1	–
Tynemouth C.B.	63,900	29	8	–	–	–	–	–	–	1	–
Carlisle C.B.	53,200	31	19	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	36	18	2	–	–	–	–	–	–	–
Cardiff C.B.	202,700	64	34	10	–	–	–	5	–	–	–
Rhondda	166,600	75	29	7	–	–	–	–	–	2	–
Merthyr Tydfil C.B.	81,800	31	20	4	–	–	–	–	–	–	–
Aberdare	56,100	21	13	4	–	–	–	–	–	1	–
Swansea C.B.	159,600	61	29	3	–	–	–	–	–	–	
Greater London	7,523,963*	3,014	1,469	162	2	48	10	15	27	19	6
Outer Ring	3,009,558*	1,095	525	65	1	8	4	5	5	7	4
16 Great Towns in Outer Ring	1,820,700	704	309	40	1	6	2	4	5	6	4
Remainder of Outer Ring	1,188,858*	391	216	25	–	2	2	1	–	1	–
Edinburgh†	420,500	184	111	13	–	8	–	1	–	3	–
Glasgow†	1,037,800	563	261	49	1	9	3	3	–	4	1
Dublin (Registration Area)†	427,000	178	113	12	1	1	1	1	–	2	–
Belfast†	425,000				Not	recei	ved.				

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. June 3	1919	944	10·9	1	–	40	6	10	22	12	2
Calcutta	896,067	Apr. 29	?	611§	34·9	?	14	?	?	?	?	?	11
Bombay	1,175,914	„ 29	364‖	778§	34·4	4	2	–	–	1	–	44	14
Madras	522,951	„ 29	426	453	45·0	2	39	2	?	1	–	36	1
Sydney and Suburbs	926,400	February 28 days.											
Brisbane (Met. Area).	209,699	February 28 days.											
Perth (Metropolitan Area).	154,866	Apr. 8	98	24	8·0	–	–	–	–	–	–	4	–
Auckland (Urban Area).	157,757	March 31 days.											
Wellington (Urban Area).	107,488	„ „											
Christchurch (Urban Area).	105,670	„ „											
Cape Town	101,000	Apr. 1	60	29	14·9	–	–	–	–	–	–	3	–
		„ 8	48	25	12·9	–	–	–	–	–	–	7	–
Johannesburg	149,500	„ 22	157	112	38·9	1	–	1	–	–	1	2	2
Durban	48,000	„ 22	31	6	6·5	–	–	–	–	–	–	1	1
Paris	2,906,472	May 20 (10 days).	1345	1102	13·8	1	–	7	2	6	4	22	4
Antwerp	303,775	Apr. 15	118	99	16·9	–	–	10	–	4	1	3	–
Amsterdam	683,836	May 20	319	131	10·1	–	–	3	–	1	–	–	–
Copenhagen	562,000	„ 20	218	161	15·0	–	–	–	–	–	–	1	4
Stockholm	422,042	„ 20	106	94	11·6	–	–	–	1	1	–	–	1
Gothenburg	228,052	„ 6	?	48	10·9	–	–	–	–	1	–	–	–
Christiania	260,920	„ 27	87	67	13·3	1	–	–	–	2	–	2	–
Berlin	1,970,000	„ 6	521	540	14·3	1	?	11	–	1	1	7	7
Breslau	557,000	„ 6	222	206	19·2	–	?	1	–	3	1	6	3
Cologne	677,000	„ 6	295	140	10·7	–	?	–	–	3	–	2	1
Dresden	605,000	„ 6	206	131	11·3	–	?	–	–	–	–	1	4
Frankfort-on-Main	476,000	„ 6	145	100	10·9	–	?	–	–	–	–	1	2
Hamburg	1,053,000	„ 6	366	270	13·3	1	?	–	3	–	1	6	1
Leipzig	673,000	„ 6	200	189	14·6	1	?	–	–	–	1	6	–
Munich	680,000	„ 6	209	199	15·2	–	?	–	–	1	–	7	–
Vienna	1,842,005	Apr. 15	499	686	19·4	1	–	–	–	4	–	8	6
Prague and Suburbs	689,262	„ 15	288	250	18·8	1	–	4	1	2	–	5	2
Budapest	936,000	Mar. 11	414	373	20·7	3	?	3	6	1	1	2	2
Cairo	777,500	„ 11	762	507	33·9	6	–	2	–	?	2	27	?
Alexandria	456,300	„ 11	400	201	22·9	–	–	–	–	?	–	19	?
New York	5,839,738	Apr. 8											
Chicago	2,833,288	May 6	?	688	12·7	–	–	3	–	3	7	23	7
Rio de Janeiro	1,195,961	Apr. 15	662	437	19·0	2	2	4	–	–	5	–	17
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 79 deaths from *Asiatic Cholera* in Calcutta and 1 in Bombay, and from *Plague*, 13 in Calcutta, and 28 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd June, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	944	97	43	53	51	41	48	66	102	144	151	148
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	40	9	14	15	2	–	–	–	–	–	–	–
Scarlet fever	6	–	1	4	1	–	–	–	–	–	–	–
Whooping cough	10	3	4	3	–	–	–	–	–	–	–	–
Diphtheria	22	–	3	5	12	2	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	2	–	–	–	–	–	–	1	1	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	1	1	–	–	–	–
Meningococcal meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	78	–	1	3	4	15	16	8	15	11	4	1
Tuberculous meningitis	11	–	5	2	2	1	1	–	–	–	–	–
Abdominal tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other tubercle	8	1	–	1	1	1	–	3	–	–	1	–
Venereal diseases	3	2	–	–	–	–	–	–	1	–	–	–
Cancer	109	–	–	–	–	1	1	6	19	29	38	15
Rheumatic fever	5	–	–	–	2	2	1	–	–	–	–	–
Diabetes	12	–	–	–	1	1	–	–	1	3	4	2
Alcoholism	1	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	3	2	–	–	–	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	45	–	–	–	–	–	1	–	7	10	12	15
Epilepsy	4	–	–	–	–	2	1	–	–	1	–	–
"Convulsions" (not puerperal)	4	1	3	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	24	–	–	4	2	1	4	4	2	4	3	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	–	–	–	1	1	–	–	–	–
Other diseases of heart	114	–	–	–	2	–	1	13	11	30	23	34
Other dis. of circulatory system	40	–	–	–	–	–	1	–	2	13	10	14
Bronchitis	45	4	–	1	–	1	1	3	3	4	11	17
Broncho-pneumonia	31	7	10	3	2	–	–	2	4	–	1	2
Lobar pneumonia	25	–	–	–	1	1	4	5	6	4	2	2
Pneumonia (type not distinguished)	22	–	–	1	–	–	1	4	4	4	4	4
Other diseases of respiratory system	10	–	–	–	–	1	1	–	1	4	1	2
Diarrhœa and enteritis	20	12	–	2	–	–	–	–	1	–	1	4
Appendicitis and typhlitis	6	–	–	–	4	–	–	1	–	–	1	–
Hernia, Intestinal obstruction	17	4	–	–	–	1	–	3	3	1	4	1
Cirrhosis of liver	7	–	–	–	–	–	1	1	3	1	1	–
Other diseases of digestive system	20	–	–	1	1	3	–	3	3	6	2	1
Acute nephritis	1	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	25	–	–	–	2	1	2	–	4	7	4	5
Other diseases of genito-urinary system.	12	–	–	–	–	–	–	–	3	4	3	2
Puerperal fever, &c.	2	–	–	–	–	1	–	1	–	–	–	–
Other causes incident to childbirth	4	–	–	–	–	1	1	2	–	–	–	–
Congenital malformations	12	10	–	2	–	–	–	–	–	–	–	–
Premature birth	25	25	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	2	2	–	–	–	–	–	–	–	–	–	–
Old age	29	–	–	–	–	–	–	–	–	–	8	21
Suicide	6	–	–	–	–	–	1	–	1	3	1	–
Burns and scalds	5	–	2	1	–	–	1	–	–	–	1	–
Drowning	6	1	–	–	2	1	2	–	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	1	3	1	–	1	–	1	–	–
Other deaths by violence	17	1	–	–	3	3	2	–	4	–	2	2
Other specified causes	37	13	–	2	3	–	2	1	2	4	6	4
Ill-defined causes	1	–	–	–	–	–	–	–	–	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd June 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	17	4	–	2	M. 1
†BERMONDSEY ...	–	13	16	–	3	M. 1
†BETHNAL GREEN	–	6	9	–	7	M. 1
†CAMBERWELL ...	–	22	12	–	2	–
†CHELSEA ...	–	2	1	–	–	M. 1
†DEPTFORD ...	–	12	9	1	–	M. 1
†FINSBURY ...	–	6	5	–	1	M. 1
†FULHAM ...	–	10	9	1	5	C. 1
†GREENWICH ...	–	5	4	–	3	M. 1
†HACKNEY ...	–	16	17	–	2	C. 1 M. 1
†HAMMERSMITH	–	8	11	–	–	–
†HAMPSTEAD ...	–	5	1	–	1	–
†HOLBORN ...	–	3	2	–	–	–
†ISLINGTON ...	–	26	21	1	1	M. 2
†KENSINGTON ...	–	7	22	–	–	J. 1
†LAMBETH ...	–	14	6	–	3	M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	12	4	–	2	G. 2
†PADDINGTON ...	–	12	5	–	3	–
†POPLAR... ...	–	11	14	–	5	E. 1 M. 3
†ST. MARYLEBONE	–	4	8	–	–	M. 2
†ST. PANCRAS ...	–	15	20	–	5	M. 3
†SHOREDITCH ...	–	8	9	1	2	M. 1
†SOUTHWARK ...	–	8	7	–	8	G. 1
†STEPNEY ...	–	13	10	1	7	D. 1 M. 2
†STOKE NEWINGTON	–	2	1	–	–	C. 1
†WANDSWORTH	–	25	16	–	14	–
†WESTMINSTER, CITY OF	–	7	3	1	1	–
†WOOLWICH ...	–	7	9	–	6	C. 2
TOTAL OF PART I.	–	297	256	6	83	C. 5 D. 1 E. 1 G. 3 J. 1 M. 23

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	6	–	1	M. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	5	–	–	1	–
DUNSTABLE ...	–	–	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	2	–	–	–
BEDFORD ...	–	–	2	–	–	–
EATON SOCON ...	–	–	–	–	–	M. 1
LUTON	–	1	1	–	–	–
BERKS	–	19	10	–	1	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	1	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
†READING C.B.	–	4	2	–	1	M. 1
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	2	6	–	–	–
WANTAGE ...	–	–	1	–	–	–
WINDSOR ...	–	6	–	–	–	–
BUCKINGHAM	–	15	3	–	4	–
Boroughs and Urban Districts :—						
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	5	–	–	–	–
CHESHAM ...	–	–	–	–	1	–
†SLOUGH... ...	–	–	1	–	1	–
†WOLVERTON ...	–	–	1	–	1	–
Rural Districts :—						
ETON	–	3	–	–	–	–
NEWPORT PAGNELL	–	2	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
WYCOMBE ...	–	4	1	–	1	–
CAMBRIDGE ...	–	5	1	1	–	–
Borough :—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts :—						
CHESTERTON ...	–	–	–	1	–	–
MELBOURN ...	–	4	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	39	13	–	27	C. 3 E. 1 M. 6
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	2	1	–	–	–
†BIRKENHEAD C.B.	–	7	7	–	2	C. 1 M. 1
BOLLINGTON ...	–	–	–	–	1	–
†CHESTER C.B. ...	–	–	–	–	11	E. 1 M. 1
†CREWE	–	2	–	–	1	–
†DUKINFIELD ...	–	–	–	–	4	M. 1
†ELLESMERE PORT AND WHITBY	–	–	–	–	–	C. 1
HALE	–	–	1	–	–	–
†HAZLE GROVE BROOMHILL	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–
†HYDE	–	1	–	–	–	M. 1
†MACCLESFIELD...	–	3	1	–	–	–
MARPLE	–	–	–	–	1	–
NESTON AND PARKGATE	–	–	–	–	1	–
†RUNCORN ...	–	–	–	–	1	–
†SALE	–	1	–	–	–	–
†STOCKPORT C.B.	–	6	–	–	1	C. 1
†WALLASEY C.B.	–	3	2	–	–	–
†WINSFORD ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CONGLETON ...	–	1	–	–	1	–
MACCLESFIELD ...	–	4	–	–	–	M. 1
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	2	–	–	1	–
RUNCORN ...	–	4	–	–	1	–
WIRRAL... ...	–	2	–	–	–	–
CORNWALL ...	–	7	6	5	–	C. 1
Boroughs and Urban Districts:—						
BODMIN ...	–	–	–	1	–	–
†FALMOUTH ...	–	–	–	1	–	–
LISKEARD ...	–	1	–	–	–	–
LOOE	–	1	–	–	–	–
LOSTWITHIEL ...	*	*	*	*	*	*
ST. IVES ...	–	2	–	3	–	–
ST. JUST ...	–	–	–	–	–	C. 1
SALTASH ...	–	–	2	–	–	–
Rural Districts:—						
BODMIN ...	–	–	1	–	–	–
REDRUTH ...	–	–	1	–	–	–
SAINT AUSTELL	–	3	–	–	–	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
TRURO	–	–	2	–	–	–
CUMBERLAND ...	–	3	4	2	4	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	1	1	–
†CARLISLE, C.B....	–	–	2	–	1	–
HARRINGTON ...	–	–	–	1	–	–
MILLOM ...	–	–	–	–	1	–
PENRITH ...	–	–	2	–	–	–
WIGTON... ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARRIGILL	–	1	–	–	1	–
BOOTLE	*	*	*	*	*	*
DERBY	3	44	11	1	25	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	C. 1
†BOLSOVER ...	1	–	–	–	–	–
†CHESTERFIELD ...	–	1	1	1	1	–
CLAY CROSS ...	–	2	–	–	–	–
†DERBY C.B. ...	–	4	6	–	13	M. 1
†ILKESTON ...	1	23	3	–	–	–
†LONG EATON ...	–	3	–	–	–	–
†RIPLEY... ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	–	–	5	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	3	–	–	–	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	1	2	–	–	–	–
CHESTERFIELD	–	2	–	–	1	–
REPTON... ...	–	1	–	–	1	–
SHARDLOW ...	–	1	1	–	1	–
DEVON	–	29	13	–	3	M. 1
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	2	–	–	–
†EXETER C.B. ...	–	1	–	–	1	M. 1
HONITON ...	–	–	1	–	–	–
NORTHAM ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	13	3	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTH MOLTON	–	1	–	–	–	–
TAVISTOCK ...	–	3	1	–	–	–
†TEIGNMOUH ...	–	2	–	–	–	–
TIVERTON ...	–	1	1	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
CREDITON ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	1	–	–	–	–
HONITON ...	–	1	–	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	2	4	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	3	1	–	2	D. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	1	–
SHERBORNE ...	–	–	–	–	–	D. 1
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	1	–
DURHAM... ...	–	57	9	1	20	C. 2 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	–	–	–	M. 1
†BLAYDON ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER-LE-STREET	–	–	1	–	–	–
†CROOK	–	1	–	–	–	C. 2
†DARLINGTON C.B.	–	3	1	–	3	M. 1
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	–	–	–	2	–
†GATESHEAD C.B.	–	5	–	–	2	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	1	–	–	M. 1
†HETTON ...	–	1	–	–	–	–
†HOUGHTON-LE-SPRING	–	3	–	–	–	–
†JARROW ...	–	2	–	–	1	–
†RYTON	–	–	–	1	–	–
†SEAHAM HARBOUR	–	1	2	–	–	–
†SHILDON ..	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	8	–	–	3	M. 1
†SOUTHWICK-ON-WEAR	–	–	1	–	1	–
†SPENNYMOOR	–	–	1	–	–	–
†STOCKTON-ON-TEES	–	–	–	–	–	M. 1
†SUNDERLAND C.B.	–	5	–	–	2	–
†TANFIELD ...	–	–	–	–	–	M. 1
†WASHINGTON ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B.	–	1	–	–	1	–
†WHICKHAM ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	6	–	–	–	M. 1
CHESTER-LE-STREET	–	4	–	–	–	–
DURHAM ...	–	2	–	–	–	–
EASINGTON ...	–	1	–	–	3	–
HOUGHTON-LE-SPRING	–	1	–	–	–	–
LANCHESTER ...	–	1	–	–	1	–
SEDGEFIELD ...	–	5	–	–	–	–
SUNDERLAND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
ESSEX	–	49	29	1	17	C. 3 L. 1 M. 5
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	–	–	1	–
CHINGFORD ...	–	–	1	–	1	–
†CLACTON ...	–	–	1	–	–	–
†COLCHESTER ...	–	–	2	1	–	–
†EAST HAM C.B.	–	13	1	–	3	–
†GRAYS THURROCK	–	–	1	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	6	1	–	1	L. 1
†LEYTON... ...	–	5	2	–	2	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS-ON-SEA	–	–	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	1	–	–	2	M. 1
TILBURY ...	–	–	–	–	–	M. 1
†WALTHAMSTOW	–	7	7	–	–	–
†WANSTEAD ...	–	2	–	–	–	–
†WEST HAM C.B.	–	7	11	–	5	C. 1 M. 1
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
DUNMOW ...		–	–	–	–	M. 1
HALSTEAD ...	–	–	–	–	–	C. 1
ROMFORD ...	–	–	1	–	–	M. 1
SAFFRON WALDEN	–	1	–	–	–	C. 1
STANSTED ...	–	–	1	–	–	–
GLOUCESTER ...	–	35	35	1	8	M. 4
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	29	22	1	6	M. 3
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOUCESTER C.B.	–	–	1	–	2	–
†KINGSWOOD ...	–	–	1	–	–	–
STOW-ON-THE-WOLD	*	*	*	*	*	*
STROUD ...	–	–	1	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
DURSLEY ...	–	1	–	–	–	–
GLOUCESTER ...	–	1	2	–	–	–
NEWENT ...	–	–	1	–	–	–
STROUD ...	–	–	4	–	–	M. 1
TETBURY (part)	–	–	1	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	1	–	–	–
WARMLEY ...	–	1	1	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
LEDBURY ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	2	1	–	1	–
HEREFORD ...	–	1	–	–	1	–
LEOMINSTER ...	–	–	–	–	1	–
HERTFORD ...	–	11	5	1	2	C. 1
Boroughs and Urban Districts:—						
†HEMEL HEMPSTEAD	–	3	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
STEVENAGE ...	–	–	1	–	–	–
†WATFORD ...	–	2	–	1	2	–
Rural Districts:—						
BERKHAMPSTEAD	–	2	–	–	–	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	–	3	–	–	C. 1
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	1	–	–	–	–
Rural District:—						
HUNTINGDON ...	*	*	*	*	*	*
KENT	–	43	33	–	17	M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	2	–	1	–
†BECKENHAM ...	–	–	2	–	–	–
†BEXLEY ...	–	1	3	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	–	–	–	–	M. 1
†CANTERBURY C.B.	–	2	–	–	–	–
†CHATHAM ...	–	1	1	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	2	–	–	–
†DARTFORD ...	–	1	–	–	1	–
†DOVER	–	1	2	–	1	–
†ERITH	–	2	1	–	–	–
†GILLINGHAM ...	–	2	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	3	3	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	8	–
†SHEERNESS ...	–	3	2	–	–	–
SITTINGBOURNE	–	–	–	–	1	–
†TONBRIDGE ...	–	5	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	4	–	–	–	–
BRIDGE	–	2	–	–	–	–
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	2	–	–	–	–
DARTFORD ...	–	3	–	–	1	–
EAST ASHFORD	–	2	4	–	–	–
TONBRIDGE ...	–	–	1	–	–	–
WEST ASHFORD	–	–	6	–	–	–
LANCASTER ...	7	392	72	6	139	C. 8 D. 2 G. 1 L. 1 M. 42
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	–	1	–	–	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	3	1	–	–	–
†ASHTON-UNDER-LYNE	–	6	–	–	2	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	2	–
†BARROW-IN-FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	5	–	–	2	–
†BLACKPOOL C.B.	–	2	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban District—*cont.*						
BLACKROD ...	–	2	–	–	–	–
†BOLTON C.B. ...	–	9	3	–	3	M. 2
†BOOTLE C.B. ...	–	4	1	–	–	–
BRIERFIELD ...	–	–	–	–	1	–
†BURNLEY C.B.	–	9	2	–	2	M. 1
†BURY C.B. ...	–	9	–	–	1	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY ...	–	3	–	–	3	M. 1
†COLNE	–	5	–	–	2	–
†CROMPTON ...	–	–	1	–	–	–
†DARWEN ...	–	2	–	–	–	–
†DENTON ...	–	4	–	–	–	–
†ECCLES ...	–	2	1	–	1	–
†FAILSWORTH ...	–	4	–	–	2	–
†FARNWORTH ...	–	–	–	–	3	–
†FLEETWOOD ...	–	–	–	–	1	–
FULWOOD ...	–	1	–	–	–	–
†GREAT CROSBY	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	–	–	1	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	–	–	–	–	M. 1
†HINDLEY ...	–	–	1	–	2	–
†HORWICH ...	–	3	3	1	1	–
HURST	–	1	–	–	–	–
HUYTON-WITH-ROBY	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	1	–	–	1	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	2	1	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–	1	–
†LEIGH	–	2	–	–	–	M. 2
†LITHERLAND ...	–	1	1	–	–	–
LITTLE HULTON	–	–	1	–	–	–
LITTLE LEVER...	–	1	–	–	–	–
†LIVERPOOL C.B.	–	34	16	–	21	M. 19
†MANCHESTER C.B.	–	164	12	–	36	C. 6 D. 2 M. 10
†MIDDLETON ...	–	6	–	–	1	–
MILNROW ...	–	10	–	–	–	–
†MORECAMBE ...	–	2	2	–	–	–
†MOSSLEY ...	–	2	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON-IN-MAKERFIELD	–	3	–	–	1	–
†OLDHAM C.B.	7	12	2	–	–	–
ORRELL... ...	–	–	1	–	–	–
†PADIHAM ...	–	1	–	–	–	–
†PRESTON C.B. ...	–	3	3	–	–	M. 1
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	–	–	–	3	–
†RAMSBOTTOM ...	–	–	–	–	1	C. 2
†RAWTENSTALL ...	–	2	–	–	1	–
RISHTON ...	–	–	–	–	2	–
†ROCHDALE C.B.	–	3	1	–	1	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	G. 1
†ST. HELENS C.B.	–	3	1	–	6	L. 1
†SALFORD C.B. ...	–	9	3	2	5	M. 2
†SOUTHPORT C.B.	–	–	–	–	1	–
†STRETFORD ...	–	11	–	1	–	–
†SWINTON AND PENDLEBURY	–	3	–	–	5	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON... ...	–	–	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
URMSTON ...	–	1	–	1	–	–
WALTON-LE-DALE	–	1	–	–	–	–
WARDLE ...	–	1	–	–	–	–
†WARRINGTON C.B.	–	6	–	–	2	–
†WATERLOO-WITH-SEAFORTH	–	–	3	–	1	–
†WESTHOUGHTON	–	–	2	–	1	–
WHITWORTH ...	–	1	–	–	1	–
†WIDNES ...	–	1	1	–	3	–
†WIGAN C.B. ...	–	3	2	–	4	–
†WORSLEY ...	–	–	1	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	M. 1
BURNLEY ...	–	–	1	–	–	–
CHORLEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	–	–	–	–	1	–
GARSTANG ...	–	1	–	–	–	–
LANCASTER ...	–	2	–	–	–	–
LEIGH	–	2	–	–	–	–
LIMEHURST ...	–	1	–	–	1	M. 1
PRESTON ...	–	3	–	–	–	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WHISTON ...	–	2	–	–	–	–
LEICESTER ...	–	10	8	–	4	M. 3
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
ASHBY WOULDS	–	1	–	–	–	–
†COALVILLE ...	–	–	2	–	–	–
†LEICESTER C.B.	–	6	1	–	4	M. 3
MARKET HARBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
SHEPSHED ...	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	2	–	–	–
HINCKLEY ...	–	2	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	1	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
EAST ELLOE ...	–	–	–	–	1	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BOURNE ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	3	1	–	7	F. 2 M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
CROWLE ...	–	–	–	–	–	M. 1
†GRIMSBY C.B. ...	–	1	–	–	–	–
LOUTH	–	–	1	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	2	–
Rural Districts:—						
CAISTOR... ...	–	1	–	–	–	–
GAINSBOROUGH	–	1	–	–	2	–
GLANFORD BRIGG	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	–	F. 2
MIDDLESEX ...	–	75	51	–	21	C. 4 G. 1 L 3 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	3	–	–	–
†BRENTFORD ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	3	2	–	–	–
†EALING ...	–	3	6	–	1	M 1
†EDMONTON ...	–	6	2	–	1	G. 1
†ENFIELD ...	–	6	1	–	2	–
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	–	–	–	–	–	L. 1
†HAMPTON ...	–	–	1	–	–	–
†HANWELL ...	–	3	2	–	–	–
†HENDON ...	–	1	3	–	–	–
†HESTON AND ISLEWORTH	–	3	–	–	–	C. 2
†HORNSEY ...	–	6	3	–	7	–
KINGSBURY ...	*	*	*	*	*	*
†SOUTHALL-NORWOOD	–	3	–	–	–	L. 2
†SOUTHGATE ...	–	2	–	–	–	–
†TEDDINGTON ...	–	1	4	–	–	–
†TOTTENHAM ...	–	15	10	–	5	C. 1
†TWICKENHAM ...	–	1	–	–	–	C. 1
†UXBRIDGE ...	*	*	*	*	*	*
†WEMBLEY ...	–	2	–	–	1	–
†WILLESDEN ...	–	9	11	–	3	M. 1
†WOOD GREEN ...	–	4	–	–	1	–
Rural Districts:—						
HENDON ...	–	2	2	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK ...	–	18	9	3	2	–
Boroughs and Urban District:—						
CROMER... ...	–	1	–	–	–	–
†GREAT YARMOUTH C.B.	–	4	–	–	–	–
NEW HUNSTANTON	–	–	1	–	–	–
†NORWICH C.B....	–	9	5	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
THETFORD ...	*	*	*	*	*	*
WELLS	–	–	–	–	1	–
Rural Districts:—						
ERPINGHAM ...	–	–	–	1	–	–
FOREHOE ...	–	2	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
MARSHLAND ...	–	–	1	1	–	–
SWAFFHAM ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	1	–	–	–
WAYLAND ...	–	2	–	–	–	–
NORTHAMPTON	–	5	5	–	6	C. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	1	–	–	C. 1
†NORTHAMPTON C.B.	–	4	2	–	4	–
Rural Districts:—						
HARDINGSTONE	*	*	*	*	*	*
NORTHAMPTON ...	*	*	*	*	*	*
POTTERSBURY ...	–	–	1	–	1	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	1	–	–	–
NORTHUMBERLAND.	–	25	15	–	24	C. 1 G. 1 M. 4
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	3	1	–	–	C. 1
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	–	–	1	–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSFORTH ...	–	1	–	–	–	–
NEWBIGGIN-BY-THE-SEA	–	1	–	–	1	–
†NEWBURN ...	–	–	2	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	8	9	–	7	G. 1 M. 2
PRUDHOE ...	–	–	–	–	1	–
SEATON DELAVAL	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	4	–	–	5	M. 1
†WALLSEND ...	–	3	1	–	1	M. 1
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	–	–	–	1	–
HALTWHISTLE ...	–	3	–	–	–	–
HEXHAM ...	–	–	1	–	–	–
NOTTINGHAM ...	5	14	11	–	9	–
Boroughs and Urban Districts:—						
†ARNOLD ...	–	1	–	–	1	–
†BEESTON ...	–	1	–	–	–	–
†CARLTON ...	–	–	1	–	–	–
†EAST RETFORD	–	–	1	–	1	–
†EASTWOOD ...	5	–	–	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY-IN-ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	2	–	–	1	–
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†NEWARK ...	–	–	1	–	–	–
†NOTTINGHAM C.B.	–	5	7	–	3	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	–	1	–	–	–
BINGHAM ...	*	*	*	*	*	*
BLYTH AND CUCKNEY	–	1	–	–	–	–
NEWARK ...	–	1	–	–	–	–
SKEGBY... ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	13	5	9	1	C. 1
Boroughs and Urban Districts:—						
†OXFORD C.B. ...	–	7	1	9	1	–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
BICESTER ...	–	–	–	–	–	C. 1
CHIPPING NORTON	–	2	–	–	–	–
CROWMARSH ...	–	2	–	–	–	–
GORING	–	–	1	–	–	–
THAME	–	2	–	–	–	–
WITNEY... ...	–	–	2	–	–	–
PETERBOROUGH (Soke of).	–	–	1	–	1	–
Borough:—						
†PETERBOROUGH	–	–	1	–	1	–
RUTLAND ...	–	1	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	7	2	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	2	G. 1
WHITCHURCH ...	–	2	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	–	–	–	C. 1
ELLESMERE ...	–	–	1	–	–	–
LUDLOW ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
SOMERSET ...	–	3	6	–	1	–
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	2	–	1	–
†TAUNTON ...	–	2	1	–	–	–
†WESTON-SUPER-MARE	–	–	1	–	–	–
Rural Districts:—						
CLUTTON ...	–	1	1	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
SOUTHAMPTON...	–	24	22	2	3	E. 1 K. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	2	–	–	–
†BOURNEMOUTH C.B.	–	–	–	–	–	K. 1
†FAREHAM ...	–	–	–	1	–	–
†GOSPORT and ALVERSTOKE	–	2	4	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	12	11	1	2	E. 1 M. 1
ROMSEY ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHAMPTON C.B.	–	2	3	–	1	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
ALTON	–	–	1	–	–	–
ANDOVER ...	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY ...	–	1	–	–	–	–
ROMSEY ...	*	*	*	*	*	*
WHITCHURCH ...	–	1	1	–	–	–
STAFFORD ...	–	72	19	1	50	C. 1 M. 8
Boroughs and Urban Districts:—						
†BILSTON ...	–	–	–	–	5	–
†BRIERLEY HILL	–	–	–	–	1	–
†BROWNHILLS ...	–	1	–	–	6	–
†BURTON-UPON-TRENT C.B.	–	1	3	–	1	M. 2
†CANNOCK ...	–	1	–	–	–	–
†COSELEY ...	–	–	–	–	1	–
†DARLASTON ...	–	1	–	–	–	–
†HEATH TOWN ...	–	–	–	–	1	–
†LEEK	–	1	–	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	–	–	–	1	–
RUGELEY ...	–	1	–	–	–	–
SHORT HEATH ...	–	2	–	–	–	–
†SMETHWICK C.B.	–	7	7	–	3	M. 1
†STAFFORD ...	–	–	1	–	–	–
†STOKE-ON-TRENT C.B.	–	11	2	1	17	M. 4
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	2	–	–	–	–
†WALSALL C.B....	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEDNESBURY ...	–	14	–	–	1	–
†WEST BROMWICH C.B.	–	10	–	–	1	–
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	1	2	–	1	–
†WOLVERHAMPTON C.B.	–	6	1	–	4	C. 1
Rural Districts:—						
BLORE HEATH ...	–	–	1	–	–	–
CANNOCK ...	–	1	–	–	–	–
KINGSWINFORD	–	2	–	–	–	–
LEEK	–	–	1	–	–	–
LICHFIELD ...	–	1	–	–	1	M. 1
TAMWORTH (part)	–	–	1	–	–	–
WALSALL ...	–	–	–	–	5	–
SUFFOLK, EAST	–	9	6	–	9	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
BUNGAY ...	–	–	1	–	–	–
†FELIXSTOWE ...	–	2	–	–	–	–
†IPSWICH C.B. ...	–	–	2	–	7	–
†LOWESTOFT ...	–	2	3	–	1	–
Rural Districts:—						
BLYTHING ...	–	5	–	–	–	–
SUFFOLK, WEST	–	7	–	–	1	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	–	–	–	1	–
SUFFOLK, WEST—*cont.*						
Rural Districts:—						
CLARE	–	1	–	–	–	–
COSFORD	–	2	–	–	–	–
MELFORD ...	–	3	–	–	–	–
THEDWASTRE ...	–	1	–	–	–	–
SURREY	–	46	21	2	2	L. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	–	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	1	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	3	–	–	–	–
†CROYDON C.B....	–	13	3	–	–	–
†EGHAM	–	1	–	–	1	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	3	–	–	–
HAM	–	–	1	–	–	–
†KINGSTON-UPON-THAMES	–	1	2	–	–	–
†MERTON AND MORDEN	–	3	–	–	–	–
†MITCHAM ...	–	4	2	–	–	–
†SURBITON ...	–	2	–	2	–	–
†SUTTON	–	–	–	–	1	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	9	5	–	–	–
Rural Districts:—						
DORKING ...	–	–	2	–	–	–
EPSOM	–	2	–	–	–	L. 1
HAMBLEDON ...	–	2	–	–	–	–
REIGATE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	32	5	–	7	M. 2
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
†BEXHILL ...	–	–	1	–	–	–
†BRIGHTON C.B.	–	17	–	–	2	M. 1
BURGESS HILL	–	–	1	–	1	–
†EASTBOURNE C.B.	–	1	2	–	1	–
EAST GRINSTEAD	–	–	–	–	1	–
†HASTINGS C.B....	–	1	–	–	–	M. 1
†HOVE	–	3	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
Rural Districts:—						
CHAILEY ...	–	1	–	–	1	–
EAST GRINSTEAD	–	2	–	–	–	–
TICEHURST ...	–	–	–	–	1	–
UCKFIELD ...	–	6	–	–	–	–
SUSSEX, WEST ...	–	13	–	–	1	G. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	9	–	–	–	–
SOUTHWICK ...	–	2	–	–	–	–
Rural Districts:—						
EAST PRESTON...	–	1	–	–	–	G. 1
STEYNING WEST	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	1	–
WARWICK ...	–	69	15	–	63	C. 3 D. 1 G. 1 M. 12
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	56	12	–	46	C. 3 D. 1 M. 9
†COVENTRY C.B.	–	3	1	–	–	M. 1
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
KENILWORTH ...	–	–	–	–	8	–
†NUNEATON ...	–	1	2	–	3	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1
†RUGBY	–	–	–	–	2	G. 1
†SUTTON COLDFIELD	–	–	–	–	–	M. 1
Rural Districts:—						
ATHERSTONE ...	–	4	–	–	2	–
FOLESHILL ...	*	*	*	*	*	*
MERIDEN ...	–	–	–	–	2	–
NUNEATON ...	*	*	*	*	*	*
TAMWORTH (part)	–	5	–	–	–	–
WESTMORLAND	–	–	1	–	2	–
Boroughs and Urban District:—						
†KENDAL ...	–	–	–	–	1	–
Rural District:—						
SOUTH WESTMORLAND	–	–	1	–	–	–
WEST WARD ...	–	–	–	–	1	–
ISLE OF WIGHT	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	–	–	–	3	–
†RYDE	–	1	–	–	–	–
SHANKLIN ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	6	4	–	8	–
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	1	–	–	–
CHIPPENHAM ...	–	–	–	–	1	–
MARLBOROUGH...	–	–	1	–	–	–
SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	2	–	–	6	–
†TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
MERE	–	–	1	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	15	6	1	2	M. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
†KIDDERMINSTER	–	2	2	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY ...	–	1	3	–	1	M. 1
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	–	–
†WORCESTER C.B.	–	6	1	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
HALESOWEN ...	–	–	–	1	–	–
PERSHORE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	17	11	–	9	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	2	–	2	–
†BRIDLINGTON ...	–	–	1	–	–	–
FILEY	–	3	–	–	1	–
GREAT DRIFFIELD	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	10	4	–	3	C. 1 M. 1
WITHERNSEA ...	–	–	1	–	–	–
†YORK C.B. ...	–	2	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	2	–	–	–
ESCRICK ...	*	*	*	*	*	*
PATRINGTON ...	–	–	–	–	2	–
POCKLINGTON ...	–	1	–	–	–	–
RICCALL ...	–	1	–	–	–	–
SHERBURN ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	5	13	4	–	2	M. 1
Boroughs and Urban Districts:—						
†ESTON	1	8	–	–	–	–
†MIDDLESBROUGH C.B.	4	2	1	–	1	–
SCARBOROUGH ...	–	–	–	–	–	M. 1
Rural Districts:—						
AYSGARTH ...	–	1	–	–	–	–
EASINGWOLD ...	–	1	–	–	1	–
FLAXTON ...	*	*	*	*	*	*
KIRKBY MOORSIDE	–	–	1	–	–	–
NORTHALLERTON	*	*	*	*	*	*
SCARBOROUGH ...	*	*	*	*	*	*
STARTFORTH ...	–	1	–	–	–	–
STOKESLEY ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	7	159	63	2	115	C. 3 E. 1 L. 5 M. 20
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	1	–
ALTOFTS ...	–	–	–	–	3	–
ARDSLEY, EAST AND WEST ...	–	1	–	–	–	–
BAILDON ...	–	2	–	–	–	–
†BARNSLEY C.B.	–	–	2	–	3	–
†BATLEY ...	–	–	–	–	7	–
†BENTLEY-WITH-ARKSEY	–	1	–	–	–	–
†BINGLEY ...	–	–	–	–	4	–
†BOLTON-UPON-DEARNE	–	–	–	–	1	–
†BRADFORD C.B.	–	33	7	–	7	M. 1
†BRIGHOUSE ...	–	1	–	–	–	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON WEST	–	1	–	–	–	–
†CONISBROUGH ...	–	–	–	–	–	M. 1
CUDWORTH ...	–	–	–	–	–	M. 1
†DARTON ...	–	–	–	–	–	M. 1
†DEWSBURY C.B.	–	1	–	–	–	–
†DONCASTER ...	–	1	2	–	2	–
†ELLAND... ...	–	3	–	–	1	–
FARSLEY ...	–	–	1	–	–	–
†FEATHERSTONE	–	2	–	–	2	–
GILDERSOME ...	–	–	–	–	1	–
†GOLCAR ...	–	1	–	–	1	–
†GOOLE	–	2	4	–	1	–
†HALIFAX C.B. ...	–	4	2	–	–	M. 1
†HARROGATE ...	–	–	1	–	1	–
HEBDEN BRIDGE	–	4	–	–	1	–
†HEMSWORTH ...	–	1	–	–	3	–
HIPPERHOLME ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	–	1	–	1	–
†KEIGHLEY ...	–	–	–	–	1	M. 1
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEEDS C.B. ...	–	35	12	–	8	C. 2
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	4	–	–	–	–	–
MELTHAM ...	–	1	–	–	–	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	1	–	3	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY ...	–	–	1	–	1	–
†NORMANTON ...	–	–	–	–	2	–
†OSSETT	–	2	–	–	–	–
†PONTEFRACT ...	*	*	*	*	*	*
†RAWMARSH ...	–	3	–	–	–	M. 1
†ROTHERHAM C.B.	–	3	–	–	3	M. 5
†ROTHWELL ...	–	1	–	–	–	–
ROYSTON ...	–	2	–	–	–	–
†SADDLEWORTH	1	–	–	–	1	–
SELBY	–	1	–	–	1	–
†SHEFFIELD C.B.	2	25	20	1	42	C. 1 E. 1 M. 8
SHELLEY ...	–	–	4	–	–	–
†SHIPLEY ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	3	–	–	–
†SKIPTON ...	–	–	–	–	1	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	1	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY ...	–	1	–	–	–	–
†SWINTON ...	–	–	1	–	1	–
THURSTONLAND	–	–	–	–	–	L. 1
TICKHILL ...	–	–	–	–	1	–
†WAKEFIELD C.B.	–	3	–	–	–	L. 1
WHITWOOD ...	–	1	–	–	–	–
Rural Districts:—						
BISHOPTHORPE	*	*	*	*	*	*
DONCASTER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Great Ouseburn	*	*	*	*	*	*
Halifax ...	–	1	–	–	–	–
Hemsworth ...	–	6	1	–	–	–
Hunslet ...	–	1	–	–	–	–
Keighley ...	–	–	–	1	–	–
Kiveton Park	–	1	–	–	–	–
Knaresborough	–	1	–	–	–	–
Pontefract ...	–	–	–	–	1	–
Skipton ...	–	1	–	–	–	–
Thorne... ...	–	–	–	–	1	–
Todmorden ...	–	1	–	–	–	–
Wakefield ...	–	–	–	–	1	–
Wharfedale (South)	–	–	–	–	1	L. 3
WALES.						
ANGLESEY ...	–	–	2	–	–	–
Boroughs and Urban District:—						
Menai Bridge	–	–	2	–	–	–
BRECKNOCK ...	–	1	–	1	7	–
Boroughs and Urban Districts:—						
Brynmawr ...	–	–	–	1	5	–
Hay	–	1	–	–	–	–
Llanwrtyd ...	*	*	*	*	*	*
Rural Districts:—						
Brecknock Merthyr Cynog	*	*	*	*	*	*
Ystradgynlais	–	–	–	–	2	–
CARDIGAN ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†Aberystwyth	–	1	–	–	–	–
Rural Districts:—						
Aberayon ...	–	–	–	–	1	–
Aberystwith (North)	–	–	–	–	1	–
Llandyssil ...	–	–	–	–	1	–
CARMARTHEN ...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
Ammanford ...	*	*	*	*	*	*
Cwmamman ...	–	–	–	–	1	–
Kidwelly ...	–	–	1	–	–	–
†Llanelly ...	–	–	–	–	3	–
Rural Districts:—						
Llandilo Fawr	–	1	–	–	–	–
CARNARVON ...	–	3	4	–	–	–
Boroughs and Urban Districts:—						
Bangor... ...	–	–	2	–	–	–
Conway ...	–	–	1	–	–	–
Rural Districts:—						
Conway ...	–	2	–	–	–	–
Gwyrfai ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	3	2	–	2	–
Rural Districts:—						
Llangollen ...	–	1	–	–	–	–
Uwchaled ...	–	–	–	–	1	–
Wrexham ...	–	2	2	–	1	–
FLINT	–	5	–	1	–	–
Boroughs and Urban Districts:—						
Flint	–	–	–	1	–	–
†Rhyl	–	2	–	–	–	–
Rural Districts:—						
Hawarden ...	–	1	–	–	–	–
Holywell (Holywell Div.)	*	*	*	*	*	*
Holywell (Mold Div.)	–	1	–	–	–	–
Overton ...	–	1	–	–	–	–
GLAMORGAN ...	–	67	27	–	14	G. 1 M. 5
Boroughs and Urban Districts:—						
†Aberdare ...	–	10	1	–	2	–
†Barry	–	–	4	–	1	–
†Caerphilly ...	–	3	–	–	–	–
†Cardiff C.B. ...	–	8	3	–	2	M. 2
†Gelligaer ...	–	3	2	–	–	–
†Glyncorwg ...	–	1	–	–	–	–
†Maesteg ...	–	2	–	–	–	–
†Merthyr Tydfil C.B.	–	–	–	–	–	G. 1 M. 1
†Mountain Ash	–	10	1	–	1	–
†Neath	–	–	2	–	–	–
†Ogmore and Garw	–	8	–	–	2	–
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Port Talbot	–	1	1	–	–	–
†Rhondda ...	–	11	5	–	4	M. 2
†Swansea C.B. ...	–	1	5	–	1	–
Rural Districts:—						
Cowbridge ...	–	1	–	–	–	–
Gower	–	–	1	–	–	–
Llandaff and Dinas Powis	–	3	2	–	–	–
Neath	–	–	–	–	1	–
Penybont ...	–	3	–	–	–	–
Pontardawe ...	–	1	–	–	–	–
Swansea ...	–	1	–	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban District:—						
Festiniog ...	–	–	1	–	–	–
MONMOUTH ...	–	16	12	1	5	–
Boroughs and Urban Districts:—						
†Abercarn ...	*	*	*	*	*	*
†Abersychan ...	–	1	1	–	–	–
†Abertillery ...	–	1	1	–	1	–
†Ebbw Vale ...	–	3	1	–	–	–
Llantarnam ...	–	–	2	–	–	–
Monmouth ...	–	2	–	–	–	–
†Mynddislwyn	–	1	–	–	–	–
†Nantyglo and Blaina	–	–	–	1	2	–
†Newport C.B....	–	3	2	–	1	–
†Panteg... ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RHYMNEY ...	–	1	2	–	–	–
†TREDEGAR ...	–	–	3	–	1	–
Rural Districts:—						
MONMOUTH ...	–	1	–	–	–	–
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	5	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	2	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	3	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE ...	–	3	–	–	–	C. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORDWEST	–	2	–	–	–	–
MILFORD HAVEN	–	1	–	–	–	C. 1
Rural District:—						
NARBERTH ...	*	*	*	*	*	*
RADNOR... ...	–	2	–	–	–	–
Rural Districts:—						
KNIGHTON ...	–	2	–	–	–	–
Total of Part II.	27	1524	594	42	671	C. 36 D. 4 E. 3 F. 2 G. 7 K. 1 L. 11 M. 130

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HARWICH ...	–	1	–	–	–	–
LIVERPOOL ...	–	–	2	–	–	–
SOUTHAMPTON ...	–	–	1	–	–	–
TEES (River) ...	–	–	–	1	1	–
PORT OF LONDON	–	–	1	1	–	–
Total of Part III.	–	1	4	2	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	297	256	6	83	C. 5 D. 1 E. 1 G. 3 J. 1 M. 23
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	27	1524	594	42	671	C. 36 D. 4 E. 3 F. 2 G. 7 K. 1 L. 11 M. 130
Total of Part III.—Port Sanitary Districts ...	–	1	4	2	1	–
Total (*i.e.*, of returns received), England and Wales	27	1822	854	50	755	C. 41 D. 5 E. 4 F. 2 G. 10 J. 1 K. 1 L. 11 M. 153

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week Twenty-seven cases of Small-pox were notified which appear on pages 630, 634, 637, 641, and 642.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.
LONDON:—													
DEATHS—all ages	1,239	1,223	1,267	1,417	1,514	1,446	1,406	1,327	1,319	1,210	1,038	1,178	944
" 0 to 1 year	177	150	188	219	228	197	220	159	170	162	125	178	97
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,357	8,238	7,683	8,220	7,962	7,250	8,046	8,711	8,491	8,271	8,279	7,714	8,119
DEATHS—all ages	4,955	5,066	5,161	5,626	6,072	5,948	5,635	5,486	5,202	4,810	4,482	4,521	3,965
" 0 to 1 year	713	733	839	920	1,011	984	904	834	829	732	680	711	557
ENTERIC FEVER—Cases	12	26	4	12	13	20	17	16	23	22	24	31	23
" Deaths	6	5	4	5	3	6	4	5	7	2	2	6	2
SMALL POX—Cases	1	2	13	11	12	14	25	12	19	15	12	12	13
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,252	1,322	1,180	1,196	1,227	1,145	1,122	1,081	1,246	1,098	1,186	1,163	1,120
" Deaths	25	17	17	25	18	20	23	31	17	15	17	17	19
DIPHTHERIA—Cases	740	654	685	654	666	622	560	553	602	624	612	608	558
" Deaths	74	45	37	74	47	49	43	53	38	62	45	43	44
MEASLES—Deaths	89	104	122	160	181	154	158	177	184	168	122	123	97
INFLUENZA—Deaths	201	146	104	111	117	109	93	75	69	55	45	55	36

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd June 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	83	45	78·4	51·0	0
BRIGHTON	77	50	69·6	55·2	0
PORTSMOUTH	78	50	73·0	54·7	1
NORWICH (EATON).	82	42	75·1	51·0	5
PLYMOUTH	78	49	72·6	53·6	0
BRISTOL (CLIFTON).	84	50	77·1	55·0	1
BIRMINGHAM	83	45	75·9	53·1	0
NOTTINGHAM	85	48	77·6	52·3	0
BIRKENHEAD (BIDSTON).	82	48	69·9	53·9	0·3
MANCHESTER	86	43	76·4	50·7	0
BURNLEY	82	37	72·0	44·0	0
HUDDERSFIELD	Not received.				
BRADFORD	Not received.				
SHEFFIELD	82	46	75·3	51·7	0
YORK (MUSEUM).	83	45	75·4	49·4	0
HULL (PEARSON PARK).	82	46	74·4	49·9	0
TYNEMOUTH	81	43	68·3	50·0	0
CARDIFF	81	47	75·0	52·7	0
EDINBURGH	76·0	43·0	66·7	47·6	0
GLASGOW	75·5	43·4	66·1	48·9	2
DUBLIN (PHŒNIX PARK).	80·2	41·0	70·1	45·0	0
FITZWILLIAM SQUARE.†	78·3	46·6	69·8	53·2	0
BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7. – METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd June 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	28	Greatest Declination N.	30·226	72·7	46·3	26·4	59·6	+ 3·4	43·6	16·0	23·8	2·1	56	141·0	36·3	52·2	E Calm & SSE.	SE & Calm.	0·8	0·0	0·0	141	−110	0·00
MONDAY	29	..	30·236	78·9	45·3	33·6	64·0	+ 7·6	45·3	18·7	27·5	2·2	51	148·5	34·0	52·8	Calm	SE, E & Calm.	1·0	0·0	0·0	106	−144	0·00
TUESDAY	30	..	30·187	79·0	48·7	30·3	66·8	+ 10·1	50·6	16·2	24·1	0·0	56	127·0	37·8	52·9	Calm	SE, SW & Calm.	0·5	0·0	0·0	118	−131	0·00
WEDNESDAY	31	..	29·989	81·9	54·1	27·8	68·9	+11·8	52·2	16·7	26·0	2·4	55	131·4	43·4	53·0	Calm & WSW.	E & Calm.	0·8	0·0	0·0	127	−122	0 00
JUNE. THURSDAY	1	..	29·788	82·8	52·7	30·1	69·2	+ 11·8	48·0	21·2	32·6	1·4	47	147·2	40·8	53·2	Calm & SE.	SE	2·2	0·0	0·1	177	− 72	0·00
FRIDAY	2	First Quarter	29·654	81·6	53·2	28·4	68·0	+10·2	56·5	11·5	22·7	3·0	67	130·1	41·3	53·4	SSE & Calm.	SW Calm & N.	1·9	0·0	0·0	121	−129	0·00
SATURDAY	3	Perigee. In Equator.	29·808	71·0	53·2	17·8	60·7	+ 2·6	45·6	15·1	24·5	9·4	58	141·5	40·5	53·8	N & NNE.	NNE	2·1	0·0	0·3	287	+ 35	0·00
MEANS		..	29·997	78·3	50·5	27·8	65·3	+ 8·2	48·8	16·5	25·9	2·9	56	138·1	39·2	53·0	Calm & Variable		...	...	...	Sum 1,077	Sum −673	Sum 0·00
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	28	w.P. generally, v.P. at times.	14·8	16·1	Cloudless or nearly cloudless throughout.
MONDAY -	29	v.P. generally	14·6	16·1	Nearly cloudless generally, partially cloudy about noon. Haze and slight dew at night.
TUESDAY -	30	w.P. throughout	10·5	16·1	Thin cloud variably prevalent, overcast at times, hazy generally.
WEDNESDAY	31	v.P. throughout	7·8	16·2	Variably cloudy till 19h. 30m. with nearly overcast period about noon, nearly cloudless by 20h. Hazy generally. Solar halo at 10h.
JUNE. THURSDAY -	1	v.P. throughout	14·2	16·2	Nearly cloudless throughout. Slight mist in early morning.
FRIDAY -	2	v.P. throughout	0·2	16·3	Cloudless till 2h. becoming cloudy to overcast by 5h. Small breaks after about 15h. Slight rain about 7h.
SATURDAY -	3	v.P. throughout	7·4	16·3	Overcast generally till 10h., then variably cloudy.
			Sum 69·5	Sum 113·3	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·22 in. at the beginning of the week to 30·26 in. by 10h. on May 28; decreased generally to 29·62 in. by 16h. on June 2, and increased to 30·04 in. by midnight on June 3.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 23.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND F

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 10TH JUNE, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH JUNE, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-third week of the year numbered 7,141, and corresponded to an annual rate of 19·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,667 and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 12·3, 12·4 and 10·9. Infant mortality was 70 per 1,000 births against 82, 92, and 69 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,823 births, corresponding to a rate of 21·0 per 1,000, and 878 deaths of civilians, corresponding to a rate of 10·1, as against 12·0, 13·6, and 10·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·7 per 1,000. The infant mortality was 53 as against 63, 97, and 51 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 298 in the total deaths last week. In London the number of deaths from all causes fell from 944 to 878; while the deaths from measles, which had been 51, 68 and 40 in the preceding three weeks, were again 40 last week.

---

m (45)17873—2 Wt 30—P 19 2250 6/22 E & S A:

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 10th June 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,141	3,667	503	2	96	20	55	43	58	26
London	4,514,405*	1,823	878	97	–	40	3	17	17	17	3
Towns in Outer Ring.											
Croydon C.B.	191,500	73	36	8	–	1	–	–	–	1	–
Wimbledon	61,700	19	6	1	–	–	–	–	–	–	–
Ealing	67,800	31	10	–	–	–	1	–	–	–	–
Acton	62,000	22	15	4	–	–	–	–	–	–	–
Willesden	167,200	51	25	5	–	–	1	–	2	–	–
Hendon	55,500	21	10	–	–	1	–	–	–	–	1
Hornsey	87,600	32	20	1	–	–	–	–	–	–	–
Wood Green	51,100	13	9	–	–	–	–	–	–	–	–
Tottenham	149,200	68	28	–	–	–	–	–	–	–	–
Edmonton	67,800	24	9	1	–	–	–	–	1	–	–
Enfield	61,400	21	4	1	–	1	–	–	–	–	–
West Ham C.B.	307,000	159	49	10	–	–	–	2	1	1	–
East Ham C.B.	145,500	42	18	2	–	–	–	1	–	–	2
Leyton	130,100	50	22	1	–	–	1	–	–	–	–
Walthamstow	129,800	33	11	2	–	–	–	1	–	–	–
Ilford	85,500	22	16	4	–	–	–	2	–	1	–
Gillingham	48,149*	29	9	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	6	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	10	23	2	–	1	–	–	–	1	–
Eastbourne C.B.	53,600	17	3	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	49	25	5	–	–	–	–	–	1	1
Portsmouth C.B.	233,929*	107	40	5	–	–	–	–	3	–	–
Bournemouth C.B.	81,200	25	21	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	63	27	4	–	–	–	–	–	–	–
Reading C.B.	92,600	40	14	2	–	–	–	–	–	–	–
Oxford C.B.	56,400	13	7	1	–	–	–	–	1	–	–
Northampton C.B.	92,300	41	19	3	–	–	–	–	–	1	–
Luton	57,800	18	7	–	–	–	–	–	–	–	–
Cambridge	58,900	20	6	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	26	19	–	–	–	–	1	–	–	–
Ipswich C.B.	80,100	36	20	2	–	–	–	1	–	1	–
Great Yarmouth C.B.	56,300	22	14	2	–	–	–	–	–	–	–
Norwich C.B.	122,400	49	20	3	–	–	–	–	–	2	–
Swindon	55,500	22	9	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	17	12	–	–	–	–	1	–	–	–
Plymouth C.B.	199,869*	86	41	6	–	6	–	1	–	–	–
Bath C.B.	68,300	25	12	–	–	–	–	–	1	–	–
Bristol C.B.	381,700	114	71	14	–	2	–	–	2	1	–
Gloucester C.B.	51,800	22	8	–	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	273,238	118	53	6	1	1	–	2	–	1	–
Burton-upon-Trent C.B.	49,410	18	9	4	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	45	20	4	–	–	–	–	1	–	–
Walsall C.B.	98,800	52	11	6	–	–	–	–	1	–	–
West Bromwich C.B.	75,300	30	17	3	–	–	–	1	–	–	2
Worcester C.B.	49,160	14	12	–	–	–	–	–	–	–	1
Dudley C.B.	57,100	21	5	2	–	–	–	–	–	1	–
Birmingham C.B.	936,000	310	172	31	–	3	–	4	1	5	–
Smethwick C.B.	77,400	22	20	5	–	–	–	–	–	1	–
Coventry C.B.	130,300	45	19	–	–	–	–	–	–	–	–
Leicester C.B.	237,900	96	34	3	–	–	–	–	1	1	–
Lincoln C.B.	66,600	27	16	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	36	11	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	99	61	4	–	–	–	2	–	–	1
Derby C.B.	131,800	51	26	2	–	1	–	1	–	–	–
Chesterfield	62,400	24	14	1	–	1	–	–	1	–	–
Stockport C.B.	125,500	36	26	4	–	–	–	–	–	–	–
Chester C.B.	41,030	17	7	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	51	28	1	–	–	1	1	–	–	–
Wallasey C.B.	89,600	32	10	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	366	158	22	–	–	1	2	–	6	2
Bootle C.B.	77,800	48	13	1	–	1	1	–	–	1	–
St. Helens C.B.	104,900	39	18	3	–	2	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	12	19	-	-	-	-	-	-	-	-
Wigan C.B.	91,200	38	19	7	-	2	-	-	-	-	-
Warrington C.B.	78,600	36	15	4	-	-	-	-	-	-	-
Bolton C.B.	182,200	73	46	9	-	1	-	-	-	-	3
Bury C.B.	57,600	12	9	2	-	-	-	1	-	-	-
Manchester C.B.	744,000	229	169	20	-	17	-	3	1	2	1
Salford C.B.	239,100	61	54	12	-	10	1	-	-	-	-
Oldham C.B.	148,300	36	34	3	1	-	1	-	-	1	1
Rochdale C.B.	92,700	21	24	5	-	-	-	-	-	-	1
Burnley C.B.	105,300	23	22	1	-	-	-	-	-	-	-
Blackburn C.B.	129,400	32	36	3	-	-	-	-	-	-	-
Preston C.B.	119,900	25	22	4	-	-	-	1	-	-	-
Blackpool C.B.	73,800	28	10	-	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	75,200	20	18	4	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	24	21	2	-	-	-	-	-	-	-
Halifax C.B.	100,700	19	23	3	-	-	-	-	-	-	-
Bradford C.B.	291,100	90	60	6	-	1	3	1	2	-	-
Leeds C.B.	465,500	175	115	18	-	-	-	1	-	2	2
Dewsbury C.B.	55,100	17	10	1	-	-	-	-	-	-	-
Wakefield C.B.	53,763	22	7	-	-	-	-	-	-	-	-
Barnsley C.B.	68,991	20	14	4	-	-	-	-	-	-	-
Sheffield C.B.	519,239	180	99	12	-	3	2	1	1	1	2
Rotherham C.B.	69,100	30	18	1	-	1	-	-	-	-	-
Doncaster	54,700	14	5	-	-	-	-	-	1	1	-
York C.B.	84,500	28	15	1	-	-	-	-	-	-	-
Hull C.B.	291,800	120	58	14	-	-	-	3	-	3	-
Middlesbrough C.B.	133,400	63	32	6	-	-	-	-	3	1	-
Darlington C.B.	66,400	25	14	3	-	-	-	1	-	-	-
Stockton-on-Tees	65,000	22	15	2	-	-	-	-	-	-	-
West Hartlepool C.B.	69,300	40	13	4	-	-	-	-	-	-	-
Sunderland C.B.	161,100	84	26	7	-	-	-	-	1	-	-
South Shields C.B.	120,376	42	19	2	-	-	-	-	-	1	-
Gateshead C.B.	126,700	45	16	2	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	278,400	154	56	7	-	-	-	-	-	-	-
Tynemouth C.B.	63,900	32	14	2	-	-	-	-	-	-	-
Carlisle C.B.	53,200	24	10	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	93,700	33	19	2	-	-	-	-	-	-	-
Cardiff C.B.	202,700	93	42	9	-	-	1	-	1	1	-
Rhondda	166,600	59	43	8	-	-	2	3	-	1	-
Merthyr Tydfil C.B.	81,800	25	17	6	-	-	-	-	-	-	-
Aberdare	56,100	9	12	4	-	-	1	-	-	-	1
Swansea C.B.	159,600	48	22	4	-	-	-	-	-	-	-
Greater London	7,523,963*	2,947	1,376	152	-	46	6	27	22	20	6
Outer Ring	3,009,558*	1,124	498	55	-	6	3	10	5	3	3
16 Great Towns in Outer Ring	1,820,700	681	288	40	-	3	3	6	4	3	3
Remainder of Outer Ring	1,188,858*	443	210	15	-	3	-	4	1	-	-
Edinburgh†	420,500	190	121	13	-	8	-	-	-	1	-
Glasgow†	1,037,800	584	249	50	-	5	-	5	-	7	-
Dublin (Registration Area)†	427,000	188	115	19	-	5	-	2	-	2	-
Belfast†	425,000	239	106	15	-	1	-	-	1	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	June 10	1823	878	10·1	–	–	40	3	17	17	17	3
Calcutta	896,067	May 6	?	569§	32·6	?	24	?	?	?	?	?	15
Bombay	1,175,914	„ 6	385‖	732§	32·4	3	2	–	–	–	–	44	15
Madras	522,951	„ 6	398	474	47·1	–	42	3	?	–	–	49	1
Sydney and Suburbs	926,400	March 28 days.	1873	689	8·9	4	–	–	–	2	8	30	5
Brisbane (Met. Area).	210,032	March 31 days.	511	215	12·2	1	–	–	–	–	2	12	–
Perth (Metropolitan Area).	154,866	Apr. 15	73	38	12·8	–	–	–	–	–	1	3	3
Auckland (Urban Area).	157,757	March 31 days.											
Wellington (Urban Area).	107,488	„ „											
Christchurch (Urban Area).	105,670	„ „											
Cape Town	101,000	Apr. 15	49	35	18·2	–	–	–	–	–	–	7	–
		„ 22	64	21	10·8	–	–	–	–	–	–	1	–
Johannesburg	149,500	„ 29	91	61	21·2	–	–	–	–	–	–	5	1
Durban	48,000	„ 29	36	15	16·2	1	–	–	–	–	–	–	2
Paris	2,906,472	May 20											
Antwerp	303,775	Apr. 22	99	85	14·5	1	–	–	–	2	–	1	2
		„ 29	109	56	9·6	1	–	2	–	1	2	1	1
Amsterdam	683,836	May 27	313	148	11·2	–	–	2	–	1	1	8	–
Copenhagen	562,000	„ 27	204	153	14·2	–	–	2	–	–	1	–	3
Stockholm	422,042	„ 27	137	84	10·4	–	–	–	–	–	1	–	–
Gothenburg	228,052	„ 13	?	49	11·2	–	–	–	–	–	–	–	–
Christiania	258,933	June 3	75	59	11·8	–	–	–	–	–	1	2	–
Berlin	1,970,000	May 13	458	565	14·9	–	?	4	–	2	3	6	7
Breslau	557,000	„ 13	224	194	18·1	–	?	1	–	2	2	4	4
Cologne	677,000	„ 13	299	160	12·3	–	?	–	–	2	–	3	2
Dresden	605,000	„ 13	207	181	15·6	–	?	–	–	1	1	1	4
Frankfort-on-Main	476,000	„ 13	145	87	9·5	–	?	–	–	1	–	1	–
Hamburg	1,053,000	„ 13	301	291	14·4	–	?	–	2	1	1	8	3
Leipzig	673,000	„ 13	241	170	13·1	–	?	–	–	–	–	5	2
Munich	680,000	„ 6											
Vienna	1,842,005	Apr. 22	658	666	18·8	2	–	–	1	10	–	16	3
Prague and Suburbs	689,262	„ 22	357	194	14·6	–	–	3	2	1	2	6	1
Budapest	936,000	Mar. 18	330	492	27·3	2	?	5	5	2	1	24	6
		„ 25	320	430	23·9	–	?	3	1	2	3	8	4
Cairo	777,500	„ 18	698	508	34·0	2	–	1	–	?	–	50	?
Alexandria	456,800	„ 18	402	204§	23·2	–	–	–	–	?	–	16	?
New York	5,839,738	May 6	2285	1508	13·4	2	1	61	5	4	34	25	7
Chicago	2,833,288	„ 13	?	675	12·4	–	–	5	1	1	8	21	5
Rio de Janeiro	1,195,961	Apr. 22	662	505	22·0	4	2	3	–	4	1	–	24
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 107 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 16 in Calcutta, 32 in Bombay and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th June, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	878	97	51	41	30	36	50	72	103	135	139	124
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	40	5	20	11	4	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	1	–	–	–	–	–	–	–
Whooping cough	17	5	10	2	–	–	–	–	–	–	–	–
Diphtheria	17	–	4	8	4	1	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	1	1	–	1
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	1	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	76	–	–	–	4	18	16	11	14	9	3	1
Tuberculous meningitis	6	–	2	2	1	–	1	–	–	–	–	–
Abdominal tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other tubercle	4	1	1	–	–	–	1	–	1	–	–	–
Venereal diseases	2	1	–	–	–	–	–	1	–	–	–	–
Cancer	120	–	–	–	1	–	5	9	22	27	30	26
Rheumatic fever	8	–	–	–	5	3	–	–	–	–	–	–
Diabetes	7	–	–	–	–	–	1	2	1	2	1	–
Alcoholism	1	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	2	1	–	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	32	–	–	–	–	–	–	1	6	9	12	4
Epilepsy	1	–	–	–	–	–	–	–	1	–	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	20	–	–	2	–	1	1	2	4	6	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	1	3	1	–	–	–	–
Other diseases of heart	115	–	–	1	2	1	2	7	10	31	36	25
Other dis. of circulatory system	40	–	1	–	–	–	1	2	4	7	14	11
Bronchitis	26	7	1	1	–	–	–	4	–	1	3	9
Broncho-pneumonia	42	16	7	9	2	–	–	1	–	2	2	3
Lobar pneumonia	23	–	–	–	–	3	3	3	5	8	1	–
Pneumonia (type not distinguished)	12	–	–	–	–	–	–	1	8	1	1	1
Other diseases of respiratory system	6	–	–	–	–	–	–	1	1	1	1	2
Diarrhœa and enteritis	19	14	3	–	–	–	–	–	1	–	1	–
Appendicitis and typhlitis	7	–	–	–	–	–	2	1	3	1	–	–
Hernia, Intestinal obstruction	10	1	–	–	–	1	–	2	2	2	2	–
Cirrhosis of liver	4	–	–	–	–	–	–	1	2	1	–	–
Other diseases of digestive system	29	1	1	1	2	1	4	7	2	7	2	1
Acute nephritis	3	–	–	–	2	–	–	1	–	–	–	–
Chronic Bright's disease	16	–	–	–	–	–	–	–	3	–	8	5
Other diseases of genito-urinary system.	19	1	–	–	–	–	2	2	1	5	2	6
Puerperal fever, &c.	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth	4	–	–	–	–	–	1	3	–	–	–	–
Congenital malformations	10	10	–	–	–	–	–	–	–	–	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	4	4	–	–	–	–	–	–	–	–	–	–
Old age	30	–	–	–	–	–	–	–	–	–	8	22
Suicide	10	–	–	–	–	–	2	3	2	2	1	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	1	1	2	–	1	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	1	1	1	–	–	2	1	–
Other deaths by violence	14	–	–	–	–	2	2	1	3	2	2	2
Other specified causes	29	4	–	–	–	1	2	3	3	7	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th June 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	12	12	–	9	–
†BERMONDSEY ...	–	10	23	–	1	–
†BETHNAL GREEN	–	6	5	–	–	M. 2
†CAMBERWELL ...	–	16	17	1	–	M. 1
†CHELSEA ...	–	–	1	–	–	–
†DEPTFORD ...	–	11	10	–	–	M. 1
†FINSBURY ...	–	15	8	–	–	–
†FULHAM ...	–	10	6	–	3	C. 1
†GREENWICH ...	–	8	7	–	1	–
†HACKNEY ...	–	8	11	–	–	C. 1 M. 1
†HAMMERSMITH	–	2	8	–	1	M. 1
†HAMPSTEAD ...	–	3	5	–	–	–
†HOLBORN ...	–	3	7	–	–	–
†ISLINGTON ...	–	28	26	–	–	M. 3
†KENSINGTON ...	–	2	7	2	1	M. 1
†LAMBETH ...	–	19	8	1	1	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	12	8	–	–	–
†PADDINGTON ...	–	13	10	–	–	G. 1
†POPLAR... ...	–	9	16	–	9	M. 1
†ST. MARYLEBONE	–	2	13	–	1	–
†ST. PANCRAS ...	–	16	15	1	8	M. 1
†SHOREDITCH ...	–	6	5	1	4	–
†SOUTHWARK ...	–	16	14	–	2	–
†STEPNEY ...	–	8	17	1	2	C. 1 M. 1
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH	–	19	13	–	6	L. 1
†WESTMINSTER, CITY OF	–	5	9	–	–	–
†WOOLWICH ...	–	9	10	–	4	–
TOTAL OF PART I.	–	269	293	7	53	C. 3 G. 1 L. 1 M. 13

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	12	3	–	–	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	10	–	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	1	–	–	–	–
LUTON	–	1	–	–	–	–
BERKS	–	15	7	–	4	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	2	–	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR	–	–	1	–	–	–
†READING C.B.	–	4	2	–	4	–
WALLINGFORD	–	2	–	–	–	–
Rural Districts :—						
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	1	2	–	–	–
NEWBURY ...	–	1	1	–	–	–
WANTAGE ...	–	2	1	–	–	–
WINDSOR ...	–	1	–	–	–	–
BUCKINGHAM	–	22	1	–	–	–
Boroughs and Urban Districts :—						
†AYLESBUBY ...	–	5	–	–	–	–
†CHEPPING WYCOMBE	–	1	–	–	–	–
Rural Districts :—						
AYLESBURY ...	–	2	–	–	–	–
ETON	–	8	–	–	–	–
LONG CRENDON	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
WING..... ...	–	–	1	–	–	–
WYCOMBE ...	–	6	–	–	–	–
CAMBRIDGE ...	–	3	8	–	2	–
Borough :—						
†CAMBRIDGE ...	–	–	1	–	1	–
Rural Districts :—						
CHESTERTON ...	–	–	1	–	–	–
MELBOURN ...	–	3	–	–	1	–
NEWMARKET ...	–	–	6	–	–	–
CHESTER	–	64	26	2	23	M. 7
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	2	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	2	–
†BIRKENHEAD C.B.	–	10	2	–	6	M. 1
BOLLINGTON ...	–	–	3	–	1	–
†CHEADLE AND GATLEY	*	*	*	*	*	*
†CHESTER C.B. ...	–	3	4	–	1	–
†CONGLETON ...	–	1	1	–	1	M. 1
†CREWE	–	3	1	–	–	–
†DUKINFIELD ...	–	2	–	1	1	M. 2
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	M. 1
HALE	–	1	–	–	–	–
HOOLE	–	1	–	–	–	–
†HYDE	–	7	–	–	1	–
†MACCLESFIELD...	–	10	2	–	–	–
MIDDLEWICH ...	–	–	1	–	–	–
NANTWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	*	*	*	*	*	*
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	–	–	1	–
†SALE	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Polioyemlitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	4	3	–	2	M. 1
†WALLASEY C.B.	–	3	1	–	2	–
†WINSFORD ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	4	–	–	–	–
CHESTER ...	–	–	–	–	1	–
CONGLETON ...	–	1	1	–	1	–
DISLEY	–	2	–	–	–	–
MACCLESFIELD ...	–	3	1	–	–	–
NANTWICH ...	–	–	2	1	–	–
RUNCORN ...	–	1	–	–	1	–
TARVIN	–	–	1	–	–	–
WIRRAL... ...	–	2	1	–	–	–
CORNWALL ...	–	8	1	–	1	E. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	1	–	–	–
FOWEY	*	*	*	*	*	*
LISKEARD ...	–	1	–	–	–	–
LOSTWITHIEL ...	*	*	*	*	*	*
NEWQUAY ...	–	1	–	–	–	–
ST. IVES ...	*	*	*	*	*	*
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
BODMIN ...	–	1	–	–	–	–
CALSTOCK ...	–	1	–	–	–	–
SAINT AUSTELL	–	3	–	–	–	–
SAINT COLUMB MAJOR	–	–	–	–	–	E. 1
TRURO	*	*	*	*	*	*
CUMBERLAND ...	–	8	3	–	3	M. 3
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	–	2	–	1	M. 3
KESWICK ...	–	1	–	–	–	–
MILLOM ...	–	1	–	–	2	–
PENRITH ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
LONGTOWN ...	–	4	–	–	–	–
DERBY	10	19	11	1	19	–
Boroughs and Urban Districts:—						
†BELPER	–	–	1	–	–	–
†BOLSOVER ...	1	–	–	–	–	–
†BUXTON... ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	–	1	1	–	–
†DERBY C.B. ...	–	3	2	–	11	–
†HEANOR... ...	–	1	–	–	–	–
†ILKESTON ...	8	4	–	–	2	–
MATLOCK ...	–	1	–	–	–	–
†RIPLEY... ...	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	3	–	–	–	–
BELPER	–	–	–	–	2	–
BLACKWELL ...	–	1	–	–	1	–
CHAPEL-EN-LE-FRITH	–	–	4	–	–	–
CHESTERFIELD	–	2	2	–	1	–
CLOWNE... ...	§1	–	–	–	–	–
REPTON... ...	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	15	20	1	9	C. 1
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	2	–	–	1	C. 1
†EXMOUTH ...	–	–	–	–	2	–
HONITON ...	–	–	1	–	–	–
NORTHAM ...	*	*	*	*	*	*
†PAIGNTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ Notified as Alastrim.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Plymouth C.B.	–	6	5	–	1	–
†Teignmouth ...	–	1	–	–	–	–
Tiverton ...	–	1	11	–	–	–
†Torquay ...	–	–	1	–	–	–
Rural Districts:—						
Barnstaple ...	–	–	–	–	3	–
Broadwood-widger	–	–	–	–	1	–
Crediton ...	–	2	–	1	–	–
Honiton ...	–	1	–	–	–	–
South Molton	–	1	–	–	–	–
Tavistock ...	–	1	–	–	–	–
Torrington ...	–	–	–	–	1	–
DORSET	–	–	1	–	1	–
Boroughs and Urban Districts:—						
Lyme Regis ...	*	*	*	*	*	*
†Poole	–	–	1	–	1	–
DURHAM... ...	–	55	18	4	30	M. 6
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	–	–	1	–
Benfieldside ...	–	1	–	–	–	–
†Blaydon ...	–	1	–	–	1	–
†Brandon and Byshottles	–	–	–	–	1	–
†Chester-le-Street	–	2	–	–	–	–
†Darlington C.B.	–	2	3	–	3	–
†Durham ...	–	2	–	–	1	–
†Felling ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Gateshead C.B.	–	3	2	–	–	M. 1
†Hartlepool ...	–	1	–	–	2	–
†Hebburn ...	–	1	–	–	1	M. 1
†Hetton ...	–	–	–	1	1	–
†Houghton-le-Spring	–	–	–	–	–	M. 1
†Jarrow ...	–	1	–	–	2	–
†Ryton	–	–	–	1	–	–
†South Shields C.B.	–	8	–	–	–	–
†Spennymoor	–	–	2	–	–	–
Stanhope ...	–	–	–	1	–	–
†Stanley ...	–	–	2	–	1	–
†Stockton-on-Tees	–	–	–	–	6	M. 1
†Sunderland C.B.	–	7	1	–	3	M. 2
†Washington ...	–	–	–	–	2	–
†West Hartlepool C.B.	–	1	–	–	1	–
†Whickham ...	–	–	–	–	1	–
Rural Districts:—						
Auckland ...	–	3	–	1	–	–
Chester-le-Street	–	7	2	–	1	–
Durham ...	–	2	1	–	–	–
Easington ...	–	1	2	–	–	–
Houghton-le-Spring	–	1	1	–	–	–
Sedgefield ...	–	7	–	–	–	–
South Shields	–	2	–	–	–	–
Sunderland ...	–	–	–	–	1	–
Weardale ...	–	1	2	–	–	–
ISLE OF ELY ...	–	–	–	1	1	–
Boroughs and Urban Districts:—						
Chatteris ...	*	*	*	*	*	*
Ely	–	–	–	1	–	–
Whittlesey ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	56	30	–	16	L. 1 M. 5
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	–	2	M. 1
BRAINTREE ...	–	1	–	–	–	–
BRIGHTLINGSEA	*	*	*	*	*	*
†CHELMSFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	1	–	–	2	–
†EAST HAM C.B.	–	4	5	–	–	–
†GRAYS THURROCK	*	*	*	*	*	*
†ILFORD	–	3	3	–	2	L. 1
†LEYTON... ...	–	7	2	–	–	–
MALDON ...	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	1	1	–	1	M. 3
†WALTHAMSTOW	–	11	4	–	–	–
WALTON-ON-THE-NAZE ...	–	–	–	–	1	–
†WANSTEAD ...	–	–	1	–	–	–
†WEST HAM C.B.	–	7	8	–	3	M. 1
Rural Districts:—						
BILLERICAY ...	–	–	2	–	2	–
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	–	1	–	–	–
EPPING	*	*	*	*	*	*
LEXDEN AND WINSTREE	–	–	1	–	–	–
MALDON ...	–	5	–	–	–	–
ORSETT	–	3	–	–	–	–
ROCHFORD ...	–	9	1	–	1	–
ROMFORD ...	–	–	1	–	–	–
SAFFRON WALDEN	–	2	–	–	–	–
GLOUCESTER ...	–	38	23	–	8	C. 1 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	32	10	–	3	M. 2
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	1	–	–	–	C. 1
GLOUCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†GLOUCESTER C.B.	–	–	3	–	4	–
STROUD ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY ...	–	–	–	–	1	–
GLOUCESTER ...	–	1	1	–	–	–
STROUD ...	–	–	4	–	–	M. 1
TETBURY (part)	–	2	1	–	–	–
WEST DEAN ...	–	1	2	–	–	–
HEREFORD ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	1	–	–	–
KINGTON ...	–	1	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
DORE	–	1	–	–	–	–
KINGTON ...	–	1	–	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	11	7	–	3	M. 1
Boroughs and Urban Districts:—						
†BARNET... ...	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. ALBANS ...	–	2	–	–	–	–
†WATFORD ...	–	–	5	–	1	M. 1
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
WARE	–	2	–	–	–	–
WATFORD ...	–	–	1	–	2	–
HUNTINGDON ...	–	1	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. IVES ...	–	1	1	–	–	–
ST. NEOTS, No. 2	*	*	*	*	*	*
KENT	–	33	18	1	14	M. 4
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY ...	–	3	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	2	–	–	–	–
†CANTERBURY C.B.	–	2	1	–	1	–
†CHATHAM ...	–	3	1	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	1	–	1	M. 1
†ERITH	–	2	2	–	–	–
†GILLINGHAM ...	–	–	1	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	3	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PENGE	–	3	–	–	2	–
†RAMSGATE ...	–	1	1	–	–	–
†ROCHESTER ...	–	–	2	–	–	M. 1
†SHEERNESS ...	–	1	3	–	1	–
†TONBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
BLEAN	–	–	–	1	–	–
CRANBROOK ...	–	2	1	–	–	–
DARTFORD ...	–	3	–	–	–	–
EAST ASHFORD	–	1	–	–	–	–
ELHAM ...	–	–	–	–	1	–
ISLE OF THANET	–	1	1	–	–	–
MALLING ...	–	1	–	–	–	–
SEVENOAKS ...	–	–	–	–	2	M. 1
SHEPPEY ...	–	–	–	–	2	–
STROOD ...	–	–	–	–	–	M. 1
LANCASTER ...	3	272	64	8	142	C. 6 G. 1 L. 1 M. 34
Boroughs and Urban Districts:—						
†ASHTON-IN-MAKERFIELD	–	–	1	–	2	–
†ASHTON-UNDER-LYNE	–	1	–	1	1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	1	–	2	M. 1
†BACUP	–	–	1	–	2	–
†BARROW-IN-FURNESS C.B.	–	2	1	–	1	–
BILLINGE ...	–	–	2	–	–	–
†BLACKBURN C.B.	–	2	–	–	4	–
†BLACKPOOL C.B.	–	3	–	–	1	–
BLACKROD ...	–	–	–	–	2	–
†BOLTON C.B. ...	–	7	–	–	5	G. 1 M. 1
†BOOTLE C.B. ...	–	8	2	–	–	M. 1
BRIERFIELD ...	–	–	–	–	1	–
†BURNLEY C.B.	–	3	–	–	–	M. 1
†BURY C.B. ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban District—*cont.*						
†CHADDERTON ...	–	–	–	–	2	–
CHORLEY ...	–	1	–	–	–	–
CHURCH ...	–	1	–	–	–	–
†COLNE	–	1	–	–	3	M. 1
†DALTON-IN-FURNESS	–	2	–	–	–	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	2	–	–	–	–
†DROYLSDEN ...	–	3	–	–	–	–
†ECCLES ...	–	5	–	–	1	–
†FAILSWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	–	1	–	2	–
FORMBY ...	–	1	–	–	–	–
FULWOOD ...	*	*	*	*	*	*
†GREAT HARWOOD	–	1	–	–	–	M. 1
†HASLINGDEN ...	–	–	–	–	–	M. 1
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	–	1	–	–
†HINDLEY ...	–	2	–	–	2	–
†HORWICH ...	–	1	1	–	1	–
HUYTON-WITH-ROBY	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	5	–	–	–	–
†LANCASTER ...	–	1	–	–	–	–
†LEIGH	–	3	–	–	1	M. 1
†LITHERLAND ..	–	1	–	–	–	–
LITTLE HULTON	–	1	–	–	1	–
†LIVERPOOL C.B.	–	46	12	1	15	M. 13
†MANCHESTER C.B.	–	68	15	1	40	C. 3 M. 4
†MIDDLETON ...	–	13	–	–	2	–
MILNROW ...	–	6	–	–	1	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON ...	–	–	–	1	–	–
†NEWTON-IN-MAKERFIELD	–	–	2	–	1	–
NORDEN ...	–	–	–	–	2	–
†OLDHAM C.B.	3	6	2	–	3	M. 2
ORMSKIRK ...	–	–	–	–	1	–
†OSWALDTWISTLE	–	–	–	–	–	M. 1
POULTON-LE-FYLDE	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	4	3	–	–	C. 1 M. 1
†PRESTWICH ...	–	–	–	–	–	M. 1
†RADCLIFFE ...	–	–	–	–	3	–
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	4	–	–	–	–
†ROCHDALE C.B.	–	7	1	–	1	–
†ROYTON ...	–	1	–	–	1	C. 1
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	1	–	–	5	M. 1
†SALFORD C.B. ...	–	7	3	–	2	C. 1 M. 2
SKELMERSDALE	–	1	–	–	1	–
†SOUTHPORT C.B.	–	–	–	–	1	–
STANDISH-WITH-LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	5	1	–	–	–
†SWINTON AND PENDLEBURY	–	–	–	–	6	–
THORNTON ...	–	–	1	–	–	–
TOTTINGTON ...	–	–	–	–	3	–
†TURTON... ...	–	2	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	1	–
UPHOLLAND ...	–	3	1	–	–	–
†WARRINGTON C.B.	–	7	3	–	3	–
†WATERLOO-WITH-SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	–	–	1	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES ...	–	–	3	–	1	–
†WIGAN C.B. ...	–	4	1	1	6	–
WITHNELL ...	–	–	–	–	1	–
†WORSLEY ...	–	1	1	1	2	–
Rural Districts:—						
BURNLEY ...	–	1	–	–	–	–
BURY	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CHORLEY ...	–	2	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 1
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	2	–	–	1	–
LUNESDALE ...	*	*	*	*	*	*
PRESTON ...	–	3	–	–	–	–
ULVERSTON ...	–	–	1	–	–	–
WARRINGTON ...	–	1	–	–	–	M. 1
WHISTON ...	–	1	–	–	1	–
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	10	16	1	3	M 1
Boroughs and Urban Districts:—						
†LEICESTER C.B.	–	5	6	–	1	M. 1
†LOUGHBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
QUORNDON ...	–	–	1	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	2	–	–	–
BARROW-UPON-SOAR	–	–	2	–	–	–
HINCKLEY ...	–	3	2	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	1	1	–	–
LINCOLN (parts of Kesteven).	–	–	–	2	2	–
Boroughs and Urban Districts:—						
BOURNE ...	–	–	–	–	1	–
†GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	1	–	–
Rural Districts:—						
SLEAFORD ...	–	–	–	1	–	–
LINCOLN (parts of Lindsey).	–	2	4	–	1	C. 1
Boroughs and Urban Districts:—						
†GRIMSBY C.B. ...	–	1	1	–	–	–
†LINCOLN, C.B. ...	–	1	1	–	–	–
ROXBY-CUM-RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	–
Rural Districts:—						
CAISTOR... ...	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	–	C. 1
SPILSBY... ...	–	–	1	–	–	–
MIDDLESEX ...	–	69	55	3	13	C. 3 G. 1 M 2
Boroughs and Urban Districts:—						
†ACTON	–	3	2	–	1	–
†BRENTFORD ...	–	–	2	–	1	–
†CHISWICK ...	–	2	–	–	1	–
†EALING ...	–	8	10	–	–	G. 1
†EDMONTON ...	–	7	1	–	1	–
†ENFIELD ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	3	2	–	1	–
†FRIERN BARNET	–	2	–	1	–	–
†HANWELL ...	–	–	5	–	–	–
†HARROW-ON-THE-HILL	–	–	1	–	–	–
†HENDON ...	–	2	1	2	–	–
†HESTON AND ISLEWORTH	–	5	–	–	1	C. 2
†HORNSEY ...	–	7	1	–	–	–
†SOUTHALL-NORWOOD	–	7	–	–	–	–
†SOUTHGATE ...	–	1	1	–	–	–
SUNBURY-ON-THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	1	–	–	–
†TOTTENHAM ...	–	8	7	–	2	–
†TWICKENHAM ...	–	–	–	–	–	C. 1
†WEALDSTONE ...	–	1	–	–	2	–
†WEMBLEY ...	–	–	2	–	–	–
†WILLESDEN ...	–	4	11	–	2	M. 2
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON ...	–	1	2	–	–	–
STAINES ...	–	3	4	–	–	–
NORFOLK ...	–	17	19	–	6	M 2
Boroughs and Urban District:—						
DOWNHAM MARKET	–	–	1	–	–	–
†GREAT YARMOUTH C.B.	–	2	–	–	2	M. 1
†KING'S LYNN	–	2	–	–	–	–
†NORWICH C.B....	–	11	9	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM ...	–	–	1	–	–	–
DEPWADE ...	–	–	–	–	1	–
DOCKING ...	–	–	1	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	–	1	–	–	–
MARSHLAND ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	–	1	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
SWAFFHAM ...	–	–	1	–	–	–
WAYLAND ...	–	–	3	–	–	–
NORTHAMPTON	–	4	3	–	6	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	1	2	–	6	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
NORTHAMPTON ...	–	–	1	–	–	–
POTTERSBURY ...	*	*	*	*	*	*
NORTHUMBERLAND.	–	29	7	–	29	M. 3
Boroughs and Urban Districts:—						
ALNWICK ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	4	–
†BERWICK-UPON-TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSFORTH ...	–	4	–	–	–	–
†LONGBENTON ...	–	2	–	–	–	–
†NEWBURN ...	–	1	1	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	11	5	–	11	M. 3
†TYNEMOUTH C.B.	–	4	1	–	3	–
†WALLSEND ...	–	1	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	–	–	3	–
MORPETH ...	–	–	–	–	1	–
NOTTINGHAM ...	4	14	6	1	9	M. 2
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	2	–
†CARLTON ...	–	–	1	–	–	–
†EAST RETFORD	–	–	–	–	2	–
EASTWOOD ...	1	–	–	–	–	–
†KIRKBY-IN-ASHFIELD	–	1	–	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	1	–
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	4	4	1	2	M. 2
†SUTTON-IN-ASHFIELD	–	2	–	–	–	–
WARSOP... ...	–	–	1	–	–	–
†WORKSOP ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	3	2	–	–	–	–
BINGHAM ...	*	*	*	*	*	*
EAST RETFORD	–	–	–	–	1	–
MISTERTON ...	*	*	*	*	*	*
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	14	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
CROWMARSH ...	–	10	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
HENLEY ...	–	–	–	–	–	M. 1
PETERBOROUGH (Soke of).	–	–	–	–	2	M. 2
Borough:—						
†PETERBOROUGH	–	–	–	–	2	M. 2
SALOP	–	3	6	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
ELLESMERE ...	–	–	–	–	–	G. 1
MARKET DRAYTON	–	–	2	–	–	–
†SHREWSBURY ...	–	1	–	–	1	–
WELLINGTON ...	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM ...	–	–	1	–	1	–
CHIRBURY ...	–	–	1	–	–	–
ELLESMERE ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	–	1	–	–	–
SOMERSET ...	–	6	7	–	4	–
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	1	–	–	–
†BRIDGWATER ...	–	–	–	–	1	–
GLASTONBURY ...	–	–	2	–	–	–
†TAUNTON ...	–	1	1	–	–	–
†WESTON-SUPER-MARE	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
CHARD	–	–	–	–	1	–
CLUTTON ...	–	1	–	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
TAUNTON ...	–	–	1	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON...	–	27	13	1	3	C. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	1	2	–	–	–
†FAREHAM ...	–	4	1	–	–	–
FLEET	*	*	*	*	*	*
†GOSPORT and ALVERSTOKE	–	–	1	–	–	–
†PORTSMOUTH C.B.	–	10	6	–	–	C. 1
ROMSEY ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHAMPTON C.B.	–	1	1	–	2	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
CHRISTCHURCH...	–	–	1	–	–	–
DROXFORD ...	–	–	–	1	–	–
FORDINGBRIDGE	–	1	–	–	–	–
HAVANT ...	–	3	–	–	–	–
HURSLEY ...	–	–	–	–	1	–
NEW FOREST ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD ...	–	56	28	5	33	M. 10
Boroughs and Urban Districts:—						
†BILSTON ...	–	2	–	–	7	–
†BRIERLEY HILL	–	1	–	–	–	–
†BROWNHILLS ...	–	3	–	–	3	–
†BURTON-UPON-TRENT C.B.	–	–	2	–	–	–
†COSELEY ...	–	2	–	–	–	–
†DARLASTON ...	–	1	–	–	–	M. 1
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	2	–	–	–	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS	–	–	1	–	1	–
†SEDGLEY ...	–	2	–	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†SMETHWICK C.B.	–	5	4	–	1	–
†STAFFORD ...	–	1	–	–	–	–
†STOKE-ON-TRENT C.B.	–	9	5	3	12	M. 5
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	–	2	–	2	M. 2

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEDNESBURY ...	–	1	1	–	–	M. 1
†WEST BROMWICH C.B.	–	11	1	–	3	–
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	1	10	1	–	–
†WOLVERHAMPTON C.B.	–	3	1	–	1	M. 1
Rural Districts:—						
CANNOCK ...	*	*	*	*	*	*
CHEADLE ...	–	4	–	–	–	–
KINGSWINFORD	–	1	–	–	–	–
SEISDON ...	–	1	–	–	–	–
STONE	–	–	–	1	–	–
SUFFOLK, EAST	–	9	4	–	8	–
Boroughs and Urban Districts:—						
BUNGAY ...	–	1	–	–	–	–
EYE	–	–	–	–	2	–
†IPSWICH C.B. ...	–	–	1	–	3	–
†LOWESTOFT ...	–	8	1	–	2	–
SAXMUNDHAM ...	*	*	*	*	*	*
STOWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	1	–	–	–
EAST STOW ...	–	–	–	–	1	–
SUFFOLK, WEST	–	3	2	–	1	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	1	–
SUDBURY ...	–	–	1	–	–	–
SUFFOLK, WEST—*cont.*						
Rural Districts:—						
BRANDON ...	–	–	1	–	–	–
MELFORD ...	–	2	–	–	–	–
SURREY	–	43	21	–	2	C. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†BARNES ...	–	2	–	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	3	–	–	1	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†CROYDON C.B....	–	14	4	–	–	–
DORKING ...	–	–	1	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EPSOM	–	1	–	–	–	L. 1
†GUILDFORD ...	–	1	1	–	–	–
†HASLEMERE ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	2	2	–	–	M. 1
†MERTON AND MORDEN	–	5	–	–	–	–
†MITCHAM ...	–	2	5	–	–	–
†RICHMOND ...	–	–	1	–	1	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	4	5	–	–	M. 1
Rural Districts:—						
CHERTSEY ...	–	–	–	–	–	M. 1
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	1	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE ...	–	1	–	–	–	C 1
SUSSEX, EAST ...	–	24	2	1	8	L. 1 M. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
†BRIGHTON C.B.	–	12	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EASTBOURNE C.B.	–	1	–	1	2	–
EAST GRINSTEAD	–	–	–	–	–	M. 1
†HASTINGS C.B.	–	–	–	–	1	–
†HOVE	–	2	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE-BY-SEA	–	3	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	*	*	*	*	*	*
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	1	–	–	L. 1
UCKFIELD ...	–	4	–	–	1	–
SUSSEX, WEST ...	–	10	–	–	–	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	–	–	–	–
Rural Districts:—						
MIDHURST ...	–	4	–	–	–	–
STEYNING WEST	–	3	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	72	26	–	54	C. 1 D. 1 M. 8
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	52	20	–	36	C. 1 D. 1 M. 8
†COVENTRY C.B.	–	–	1	–	–	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	2	1	–	6	–
†ROYAL LEAMINGTON SPA	–	–	–	–	2	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	2	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	6	2	–	3	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	4	–	–	–	–
MERIDEN ...	–	2	–	–	–	–
RUGBY	–	1	–	–	2	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM ...	–	–	2	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
WARWICK ...	–	1	–	–	1	–
WESTMORLAND	–	1	1	1	2	–
Boroughs and Urban District:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL ...	–	–	1	–	–	–
SHAP	–	1	–	–	–	–
WINDERMERE ...	–	–	–	1	–	–
Rural District:—						
WEST WARD ...	–	–	–	–	1	–
ISLE OF WIGHT	–	2	–	–	–	G. 1
Boroughs and Urban Districts:—						
SHANKLIN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT *cont.*						
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	G. 1
WILTS	–	15	2	–	–	M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	1	1	–	–	–
†SWINDON ...	–	8	–	–	–	M. 1
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
BRADFORD-ON-AVON	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	11	2	–	7	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	–	–	–	M. 1
†DUDLEY, C.B. ...	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY ...	–	2	1	–	3	–
†REDDITCH ...	–	4	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	1	–	3	–
WORCESTER— *cont.*						
Rural District:—						
HALESOWEN ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	8	11	–	6	C. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	3	–
FILEY	–	1	1	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	1	9	–	2	C. 1 M. 2
†YORK C.B. ...	–	5	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
DRIFFIELD ...	*	*	*	*	*	*
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	1	7	6	–	7	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	1	–	2	–	4	–
NORTHALLERTON	*	*	*	*	*	*
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON ...	–	–	–	–	1	–
†THORNABY-ON-TEES	*	*	*	*	*	*
†WHITBY ...	–	–	4	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
BEDALE... ...	*	*	*	*	*	*
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding).	3	142	49	9	134	C. 5 D. 1 F. 1 G. 3 L. 1 M. 15
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	2	–
ALTOFTS ...	–	1	–	–	1	–
†BARNOLDSWICK	–	–	–	1	1	–
†BARNSLEY C.B.	–	2	–	–	4	–
†BATLEY ...	–	–	–	–	2	–
†BENTLEY-WITH-ARKSEY	–	2	–	–	–	–
†BINGLEY ...	–	1	–	–	5	–
†BOLTON-UPON-DEARNE	–	–	–	2	–	–
†BRADFORD C.B.	–	25	6	–	3	C. 3 D. 1 G. 1 M. 1
†BRIGHOUSE ...	–	1	1	–	1	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	1	–
†CONISBROUGH ...	–	2	2	–	–	M. 2
DARFIELD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTON ...	–	–	–	1	–	–
†DEWSBURY C.B.	–	3	–	–	–	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	1	1	1	–
DRIGHLINGTON	–	–	2	–	1	–
†ELLAND... ...	–	1	–	–	–	–
†GOLCAR ...	1	–	–	–	1	–
†GOOLE	–	–	1	–	4	M. 1
†HALIFAX C.B. ...	–	5	1	–	–	M. 1
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	2	–	–	2	–
†HOLMFIRTH ...	–	1	–	–	3	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	–	4	–	1	F. 1 M. 1
ILKLEY	–	–	1	–	–	G. 1
†KEIGHLEY ...	–	2	–	–	–	–
†LEEDS C.B. ...	–	37	7	–	11	C. 1 M. 1
†MEXBOROUGH ...	–	–	–	–	2	–
†MORLEY ...	–	–	–	–	1	–
†NORMANTON ...	*	*	*	*	*	*
OTLEY	–	1	1	–	–	–
PENISTONE ...	*	*	*	*	*	*
†PUDSEY... ...	–	–	–	–	1	–
QUEENSBURY ...	–	1	3	–	–	–
†RAWMARSH ...	–	1	–	–	1	–
†ROTHERHAM C.B.	–	5	1	–	6	–
†ROTHWELL ...	–	3	–	–	–	–
ROYSTON ...	–	1	–	–	–	G. 1
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	2	19	10	2	59	C. 1 M. 5
SKELMANTHORPE	–	–	4	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; [illegible] encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SPENBOROUGH ...	–	2	–	–	–	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY ...	–	3	1	–	–	–
STOCKSBRIDGE ...	–	–	1	–	1	–
THURSTONLAND	–	–	–	–	–	L. 1
†TODMORDEN ...	–	1	–	1	1	–
†WAKEFIELD C.B.	–	3	1	–	2	–
†WOMBWELL ...	–	–	–	–	3	–
†WORSBOROUGH...	–	–	–	–	2	M. 1
Rural Districts:—						
DONCASTER ...	–	–	–	–	2	–
HEMSWORTH ...	–	2	–	–	3	–
HUNSLET ...	–	3	–	–	–	–
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	–	–	–	1	–
TADCASTER ...	–	1	–	–	–	–
THORNE... ...	–	–	–	–	1	–
WAKEFIELD ...	–	1	–	–	–	M. 1
WHARFEDALE (South)	–	–	1	1	–	–
WORTLEY ...	–	–	–	–	1	M. 1
WALES.						
ANGLESEY ...	–	1	–	–	2	–
Boroughs and Urban District:—						
AMLWCH ...	–	1	–	–	1	–
Rural District:—						
TYRCELYN ...	–	–	–	–	1	–
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban District:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	–	–	1	–
CARMARTHEN ...	–	1	2	–	2	–
Boroughs and Urban District:—						
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	1	1	–	1	–
LLANELLY ...	–	–	1	–	–	–
CARNARVON ...	–	3	–	–	–	–
Boroughs and Urban District:—						
BANGOR... ...	–	1	–	–	–	–
Rural District:—						
CONWAY ...	–	2	–	–	–	–
DENBIGH ...	–	2	–	–	4	M. 1
Boroughs and Urban Districts:—						
WREXHAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
RUTHIN	–	–	–	–	1	–
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	–	–	–	3	M. 1
FLINT	–	4	1	–	1	–
Boroughs and Urban Districts :—						
CONNAH'S QUAY	–	–	1	–	–	–
HOLYWELL ...	–	–	–	–	1	–
Rural Districts :—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	*	*	*	*	*	*
OVERTON ...	–	3	–	–	–	–
GLAMORGAN ...	–	79	27	–	21	C. 1 M. 3
Boroughs and Urban Districts :—						
†ABERDARE ...	–	13	–	–	3	–
†BARRY	–	4	2	–	1	–
†CAERPHILLY ...	–	–	3	–	–	–
†CARDIFF C.B. ...	–	10	9	–	2	M. 2
†GELLIGAER ...	–	4	1	–	–	–
†MAESTEG ...	–	3	–	–	–	–
†MERTHYR TYDFIL C.B.	–	–	1	–	–	M. 1
†MOUNTAIN ASH	–	8	1	–	–	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	5	–	–	5	–
†PONTYPRIDD ...	–	3	–	–	–	–
†RHONDDA ...	–	14	2	–	6	–
†SWANSEA C.B. ...	–	8	4	–	1	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts :—						
GOWER	–	–	1	–	–	–
LLANDAFF and DINAS POWIS	–	2	–	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	3	–	–	–	–
NEATH	–	1	1	–	1	–
PONTARDAWE ...	–	1	–	–	2	–
MERIONETH ...	–	1	–	–	–	–
Rural Districts :—						
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	16	3	–	3	C. 1 M. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	–	1	–	–	–	C. 1
†ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	1	–	–	–	–
†EBBW VALE ...	–	3	–	–	–	M. 1
MONMOUTH ...	–	1	–	–	–	–
†NEWPORT C.B....	–	4	2	–	2	–
†PANTEG... ...	–	3	–	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	1	1	–	–	–
MONTGOMERY ...	–	–	–	–	1	–
Boroughs and Urban Districts :—						
WELSHPOOL ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	2	1	–	–	–
Boroughs and Urban District:—						
HAVERFORDWEST	–	1	–	–	–	–
Rural Districts:—						
LLANFYRNACH ...	–	–	1	–	–	–
PEMBROKE ...	–	1	–	–	–	–
RADNOR... ...	–	2	–	–	1	–
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
PRESTEIGNE ...	–	1	–	–	–	–
Rural Districts:—						
KNIGHTON ...	–	1	–	–	–	–
RHAYADER ...	–	–	–	–	1	–
Total of Part II.	21	1347	568	42	656	C. 23 D. 2 E. 1 F. 1 G. 7 L. 5 M. 124

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEAUMARIS ...	*	*	*	*	*	*
BRISTOL ...	–	–	–	–	–	L. 1
DOVER (Deal Division)	–	1	–	–	–	–
LIVERPOOL ...	–	–	–	–	1	–
PLYMOUTH ...	–	–	–	–	3	–
Total of Part III.	–	1	–	–	4	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	269	293	7	53	C. 3 G. 1 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	21	1347	568	42	656	C. 23 D. 2 E. 1 F. 1 G. 7 L. 5 M. 124
Total of Part III.—Port Sanitary Districts ...	–	1	–	–	4	L. 1
Total (*i.e.*, of returns received), England and Wales	21	1617	861	49	713	C. 26 D. 2 E. 1 F. 1 G. 8 L. 7 M. 137

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. The twenty-one cases of Small-pox include 1 case of Alastrim, and appear on pages 660, 664, 667, 671, and 672.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.
LONDON:—													
DEATHS—all ages	1,223	1,267	1,417	1,514	1,446	1,406	1,327	1,319	1,210	1,038	1,178	944	878
" 0 to 1 year	150	188	219	228	197	220	159	170	162	125	178	97	97
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,238	7,683	8,220	7,962	7,250	8,046	8,711	8,491	8,271	8,279	7,714	8,119	7,141
DEATHS—all ages	5,066	5,161	5,626	6,072	5,948	5,635	5,486	5,202	4,810	4,482	4,521	3,965	3,667
" *0 to 1 year*	733	839	920	1,011	984	904	834	829	732	680	711	557	503
ENTERIC FEVER—Cases	26	4	12	13	20	17	16	23	22	24	31	23	21*
" Deaths	5	4	5	3	6	4	5	7	2	2	6	2	2
SMALL POX—Cases	2	13	11	12	14	25	12	19	15	12	12	13	6*
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,322	1,180	1,196	1,227	1,145	1,122	1,081	1,246	1,098	1,186	1,163	1,120	937*
" Deaths	17	17	25	18	20	23	31	17	16	17	18	19	20
DIPHTHERIA—Cases	654	685	654	666	622	560	553	602	624	612	608	558	595*
" Deaths	45	37	74	47	49	43	53	38	62	45	43	44	43
MEASLES—Deaths	104	122	160	181	154	158	177	184	168	122	130	97	96
INFLUENZA—Deaths	146	104	111	117	109	93	75	69	55	45	55	36	26

* Excluding figures for Bury C.B. Return not yet received.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th June 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	79	44	73·9	48·6	0
BRIGHTON	79	47	69·6	52·7	3
PORTSMOUTH	76	50	70·4	53·3	1
NORWICH (EATON).	73	42	69·7	47·6	2
PLYMOUTH	73	46	69·3	53·1	6
BRISTOL (CLIFTON).	77	46	72·6	51·0	1
BIRMINGHAM	77	45	71·0	49·0	2
NOTTINGHAM	79	43	71·0	46·6	0
BIRKENHEAD (BIDSTON).	78	48	67·3	51·9	0
MANCHESTER	82	42	72·3	49·1	1
BURNLEY	76	37	67·0	44·1	3
HUDDERSFIELD	79	41	68·6	47·0	1

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	72	40	66·1	46·7	0·4
SHEFFIELD	76	45	69·7	48·3	0
YORK (MUSEUM).	77	43	69·4	47·4	2
HULL (PEARSON PARK).	70	44	67·3	46·4	1
TYNEMOUTH	72	44	64·6	46·6	3
CARDIFF	74	42	69·6	49·4	1
EDINBURGH	76·0	41·0	64·6	47·0	0
GLASGOW	75·1	47·1	64·4	51·1	3
DUBLIN (PHŒNIX PARK).	70·0	38·3	64·1	44·6	3
FITZWILLIAM SQUARE.†	66·0	46·0	63·3	51·3	4
BELFAST	73·0	51·0	67·8	53·9	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th June 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	4	..	30·046	72·1	46·3	25·8	59·0	+ 0·7	43·9	15·1	27·1	5·5	57	135·6	30·0	53·7	NE. & Calm.	Calm & SSW.	0·9	0·0	0·0	131	−123	0·00
MONDAY	5	..	29·993	76·4	43·9	32·5	61·3	+ 2·9	45·0	16·3	28·4	3·9	55	141·0	29·6	54·0	Calm & E.	Calm & ESE.	0·8	0·0	0·0	116	−142	0·00
TUESDAY	6	..	29·929	74·2	48·2	26·0	62·2	+ 3·9	46·2	16·0	25·8	2·7	56	145·0	35·8	54·0	Calm & ESE.	SE	2·7	0·0	0·2	206	− 53	0·00
WEDNESDAY	7	..	29·841	74·2	46·5	27·7	61·2	+ 3·0	44·2	17·0	30·1	1·9	54	144·7	31·1	54·1	ESE	ESE & SE.	4·0	0·0	0·3	283	+ 24	0·00
THURSDAY	8	..	29·759	68·0	49·2	18·8	58·2	+ 0·1	48·5	9·7	14·6	1·9	71	127·7	37·9	54·2	ENE & E.	E & ESE	3·0	0·0	0·2	287	+ 30	0·00
FRIDAY	9	Full	29·701	78·6	54·1	24·5	64·2	+ 6·2	52·1	12·1	25·4	1·9	65	142·3	47·0	54·6	Calm & SW.	WSW. SW & W.	1·8	0·0	0·1	190	− 65	0·00
SATURDAY	10	Greatest Declination S.	29·701	76·0	52·1	23·9	63·2	+ 5·1	48·6	14·6	24·1	5·5	59	136·0	41·1	54·7	W NW & N.	NNW & N.	2·9	0·0	0·2	282	+ 30	0·00
MEANS		..	29·853	74·2	48·6	25·6	61·3	+ 3·1	46·9	14·4	25·1	3·3	60	138·9	36·1	54·2	ESE		...	...	...	Sum 1,495	Sum −299	Sum 0·00
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. June 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	4	v.P. throughout	11·1	16·3	Nearly cloudless till 9h., variably cloudy till 9h. 30m.; then nearly cloudless.
MONDAY -	5	v.P. throughout	13·7	16·3	Nearly cloudless till 17h., variably thin cloud prevalent afterwards.
TUESDAY -	6	w.P. generally	13·8	16·4	Nearly cloudless generally. Thin cloud prevalent between 7h. and 8h.
WEDNESDAY	7	v.P. throughout	14·9	16·4	Nearly cloudless or cloudless throughout.
THURSDAY -	8	v.P. generally a little v.N.	4·1	16·4	Nearly cloudless till 8h. 30m., then becoming overcast with few exceptions; very slight rain in afternoon.
FRIDAY -	9	v.P. throughout	9·1	16·4	Overcast till 10h. 30m., variably cloudy afterwards, thin cloud generally, damping at 3h. 30m.
SATURDAY -	10	v.P. throughout	10·2	16·5	Partially cloudy till 11h. with very fine intervals, cloudy generally afterwards. Parhelion 5h. 30m. Hazy in forenoon.
			Sum 76·9	Sum 114·7	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·04 in. at the beginning of the week to 30·09 in. by 7h. on 4th; decreased generally to 29·66 in. by 17h. on 9th, and increased to 29·79 in. by midnight on 10th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 24.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 17TH JUNE, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH JUNE, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fourth week of the year numbered 9,025, and corresponded to an annual rate of 24·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,600 and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 12·4, 10·9 and 10·0. Infant mortality was 56 per 1,000 births against 92, 69, and 70 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,056 births, corresponding to a rate of 23·7 per 1,000, and 795 deaths of civilians, corresponding to a rate of 9·2, as against 13·6, 10·9, and 10·1 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·0 per 1,000. The infant mortality was 51 as against 97, 51, and 53 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 67 in the total deaths last week. In London the number of deaths from all causes fell from 878 to 795; while the deaths from measles, which had been 68, 40 and 40 in the preceding three weeks, fell to 18 last week.

---

m (45)17873—3 Wt 30—P 19 2250 6/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 17th June 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	9,025	3,600	503	4	79	9	56	44	49	27
London	4,514,405*	2,056	795	104	2	18	6	12	22	7	5
Towns in Outer Ring.											
Croydon C.B.	191,500	88	34	5	–	–	–	–	2	–	–
Wimbledon	61,700	19	10	–	–	–	–	–	–	–	–
Ealing	67,800	23	15	4	–	–	–	–	3	–	–
Acton	62,000	25	11	1	–	1	–	1	1	–	–
Willesden	167,200	58	21	3	–	2	–	–	–	–	–
Hendon	55,500	24	11	1	–	–	–	–	–	–	–
Hornsey	87,600	22	16	3	–	2	–	–	–	–	–
Wood Green	51,100	19	8	–	–	1	–	–	1	–	–
Tottenham	149,200	60	33	5	–	–	–	–	–	–	–
Edmonton	67,800	51	8	1	–	–	–	–	–	1	–
Enfield	61,400	29	3	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	142	53	7	–	1	–	–	1	1	–
East Ham C.B.	145,500	65	30	3	–	–	–	–	–	1	–
Leyton	130,100	39	16	2	–	–	–	1	–	–	–
Walthamstow	129,800	57	22	1	–	–	–	–	–	–	–
Ilford	85,500	25	11	1	–	–	–	1	–	–	–
Gillingham	48,149*	21	3	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	11	3	1	–	–	–	–	–	1	–
Hastings C.B.	59,500	26	13	3	–	–	–	1	–	–	–
Eastbourne C.B.	53,600	26	7	2	–	–	–	–	–	–	–
Brighton C.B.	134,800	48	22	1	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	117	32	3	–	1	–	–	–	–	–
Bournemouth C.B.	81,200	28	17	3	–	–	–	–	–	–	–
Southampton C.B.	162,200	77	35	7	–	–	–	–	2	1	–
Reading C.B.	92,600	35	22	1	–	–	–	1	–	–	–
Oxford C.B.	56,400	25	5	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	39	18	1	–	–	–	–	–	–	–
Luton	57,800	17	11	2	–	–	–	–	–	–	–
Cambridge	58,900	25	11	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	31	11	2	–	–	–	1	–	–	–
Ipswich C.B.	80,100	24	18	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	28	10	1	–	–	–	–	–	–	1
Norwich C.B.	122,400	35	27	1	–	–	–	1	–	–	1
Swindon	55,500	22	4	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	14	–	–	–	–	1	–	–	–
Plymouth C.B.	199,869*	90	44	3	–	2	–	–	–	1	–
Bath C.B.	68,300	26	13	2	–	–	–	–	–	–	–
Bristol C.B.	381,700	185	81	10	–	1	–	–	1	–	–
Gloucester C.B.	51,800	18	11	1	–	–	–	–	–	1	–
Stoke-on-Trent, C.B.	273,238	153	61	13	1	2	–	2	–	1	3
Burton-upon-Trent C.B.	49,410	32	7	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	64	18	1	–	–	–	1		–	–
Walsall C.B.	98,800	53	12	2	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	39	17	5	–	–	–	–	–	–	–
Worcester C.B.	49,160	21	8	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	33	9	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	485	168	31	–	1	–	9	2	1	2
Smethwick C.B.	77,400	33	8	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	43	18	2	–	1	–	–	–	–	–
Leicester C.B.	237,900	111	39	5	–	–	–	–	–	1	–
Lincoln C.B.	66,600	26	18	2	–	–	–	1	–	–	–
Grimsby C.B.	83,600	38	17	2	–	–	–	–	–	1	–
Nottingham C.B.	266,400	117	44	9	–	–	–	1	–	1	–
Derby C.B.	131,800	71	20	5	–	–	–	–	–	1	–
Chesterfield	62,400	31	13	3	–	–	–	1	–	–	1
Stockport C.B.	125,500	46	25	3	–	–	–	1	–	–	–
Chester C.B.	41,030	22	4	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	70	25	7	–	–	–	–	–	1	–
Wallasey C.B.	89,600	31	22	2	–	–	–	1	–	–	–
Liverpool C.B.	817,000	498	180	31	–	–	–	3	3	6	–
Bootle C.B.	77,800	54	15	2	–	–	–	2	–	–	–
St. Helens C.B.	104,900	65	17	6	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	19	15	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	40	22	1	–	3	–	–	–	–	–
Warrington C.B.	78,600	43	13	4	–	–	–	–	–	–	–
Bolton C.B.	182,200	58	38	4	–	1	1	–	–	–	1
Bury C.B.	57,600	17	8	1	–	–	–	–	–	1	–
Manchester C.B.	744,000	385	176	19	–	24	–	1	1	1	2
Salford C.B.	239,100	151	57	9	1	11	–	1	–	4	–
Oldham C.B.	148,300	46	38	4	–	–	1	–	–	2	–
Rochdale C.B.	92,700	26	16	2	–	–	–	–	–	–	–
Burnley C.B.	105,300	42	24	4	–	–	–	–	–	–	–
Blackburn C.B.	129,400	57	23	2	–	–	–	–	–	–	–
Preston C.B.	119,900	76	32	7	–	–	–	–	–	1	1
Blackpool C.B.	73,800	20	15	2	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	37	14	1	–	–	–	–	–	–	1
Huddersfield C.B.	111,900	34	21	2	–	2	–	1	1	1	–
Halifax C.B.	100,700	46	23	3	–	–	–	–	–	–	–
Bradford C.B.	291,100	115	61	3	–	–	–	–	–	–	–
Leeds C.B.	465,500	203	99	15	–	–	–	–	1	1	–
Dewsbury C.B.	55,100	25	17	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	21	13	2	–	–	–	–	–	2	–
Barnsley C.B.	68,991	38	15	2	–	–	–	1	–	–	–
Sheffield C.B.	519,239	237	108	16	–	1	1	1	2	–	1
Rotherham C.B.	69,100	33	15	3	–	1	–	–	–	–	2
Doncaster	54,700	28	5	1	–	–	–	–	–	–	1
York C.B.	84,500	46	16	3	–	–	–	1	–	1	–
Hull C.B.	291,800	189	56	13	–	–	–	4	–	1	–
Middlesbrough C.B.	133,400	91	29	6	–	–	–	–	–	1	–
Darlington C.B.	66,400	41	18	1	–	–	–	1	–	–	1
Stockton-on-Tees	65,000	43	16	4	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	43	11	4	–	2	–	1	–	–	–
Sunderland C.B.	161,100	117	30	6	–	–	–	–	–	1	–
South Shields C.B.	120,376	77	21	2	–	–	–	–	–	–	–
Gateshead C.B.	126,700	78	23	4	–	–	–	–	–	1	1
Newcastle-on-Tyne C.B.	278,400	180	57	8	–	–	–	–	–	1	–
Tynemouth C.B.	63,900	36	14	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	22	6	–	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	57	14	2	–	–	–	–	1	–	1
Cardiff C.B.	202,700	87	47	6	–	–	–	1	–	1	1
Rhondda	166,600	73	23	4	–	–	–	1	–	1	–
Merthyr Tydfil C.B.	81,800	25	19	4	–	–	–	–	–	–	–
Aberdare	56,100	31	10	3	–	–	–	–	–	–	–
Swansea C.B.	159,600	79	28	4	–	1	–	–	–	1	1
Greater London	7,523,963*	3,217	1,273	163	2	26	7	16	30	11	5
Outer Ring	3,009,558*	1,161	478	59	–	8	1	4	8	4	–
16 Great Towns in Outer Ring	1,820,700	746	302	37	–	7	–	3	8	3	–
Remainder of Outer Ring	1,188,858*	415	176	22	–	1	1	1	–	1	–
Edinburgh†	420,500	191	126	12	1	6	–	1	3	3	–
Glasgow†	1,037,800	543	238	40	–	5	–	1	1	4	1
Dublin (Registration Area)†	427,000	227	113	17	–	2	–	2	–	1	–
Belfast†	425,000	260	103	15	–	1	–	–	–	3	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. June 17	2056	795	9·2	2	–	18	6	12	22	7	5
Calcutta	896,067	May 13	?	566§	32·4	?	10	?	?	?	?	?	10
Bombay	1,175,914	„ 13	320‖	637§	28·2	–	2	–	–	–	–	37	14
Madras	522,951	„ 13	394	408	40·5	1	34	2	?	–	–	43	–
Sydney and Suburbs	926,400	April 30 days.	1662	606	7·9	5	–	–	–	–	14	24	–
Brisbane (Met. Area).	210,032	March 31 days.											
Perth (Metropolitan Area).	154,866	Apr. 22	85	48	16·1	–	–	–	–	–	1	3	–
Auckland (Urban Area).	157,757	March 31 days.											
Wellington (Urban Area).	107,488	„ „											
Christchurch (Urban Area).	105,670	„ „											
Cape Town	101,000	Apr. 29	45	16	8·2	4	–	–	–	–	–	1	–
Johannesburg	149,500	May 6	73	33	11·5	–	–	–	–	–	–	1	–
Durban	48,000	„ 6	26	3	3·2	–	–	–	–	–	–	–	–
Paris	2,906,472	„ 31	1575	1331	18·4	1	–	5	2	6	7	51	1
Antwerp	303,775	11 days. „ 6	86	73	12·5	1	–	–	–	1	–	2	3
Amsterdam	689,415	June 3	238	109	8·2	–	–	4	–	1	1	–	–
Copenhagen	562,000	„ 3	219	162	15·0	–	–	2	–	2	2	1	3
Stockholm	422,042	„ 3	129	88	10·8	–	–	–	–	–	–	1	–
Gothenburg	228,052	May 20	?	44	10·0	–	–	–	–	–	–	–	–
Christiania	258,933	June 10	91	71	14·2	–	–	–	–	1	–	–	–
Berlin	1,970,000	May 20	490	546	14·4	–	?	4	–	–	–	9	3
Breslau	557,000	„ 20	263	195	18·2	–	?	1	–	1	1	6	2
Cologne	677,000	„ 20	298	149	11·4	1	?	–	–	4	2	4	–
Dresden	605,000	„ 20	188	151	13·0	–	?	–	–	1	–	1	1
Frankfort-on-Main	476,000	„ 20	141	91	9·9	1	?	–	–	–	1	2	2
Hamburg	1,053,000	„ 20	363	268	13·2	–	?	–	1	–	1	2	1
Leipzig	673,000	„ 20	197	156	12·1	–	?	1	–	–	–	1	4
Munich	680,000	„ 13	209	162	12·4	–	?	–	–	–	–	7	1
		„ 20	202	192	14·7	–	?	–	–	–	–	3	2
Vienna	1,842,005	Apr. 29	640	702	19·8	–	–	–	2	6	2	12	3
Prague and Suburbs	689,262	„ 29	292	196	14·7	2	–	2	1	1	–	3	–
Budapest	936,000	„ 1	439	368	20·4	1	?	6	5	1	5	10	3
		„ 8	443	408	22·7	5	?	11	8	–	3	11	2
Cairo	777,500	Mar. 25	765	468	31·3	6	–	2	–	?	2	31	?
Alexandria	456,300	„ 25	402	192	21·9	–	–	–	–	?	–	12	?
New York	5,839,738	May 6											
Chicago	2,833,288	„ 20	?	613	11·3	–	–	3	5	2	15	21	2
Rio de Janeiro	1,195,961	Apr. 29	647	470	20·4	8	3	2	–	5	–	–	19
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 103 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 14 in Calcutta, and 16 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th June, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	795	104	31	27	37	42	37	73	91	101	115	134
Enteric fever	2	–	–	–	–	–	1	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	7	6	4	1	–	–	–	–	–	–	–
Scarlet fever	6	–	–	1	2	3	–	–	–	–	–	–
Whooping cough	12	5	4	3	–	–	–	–	–	–	–	–
Diphtheria	22	1	1	6	13	–	–	1	–	–	–	–
Influenza	5	–	–	–	–	–	–	1	3	–	–	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	1	–	1	–	–
Meningococcal meningitis	3	2	–	–	–	1	–	–	–	–	–	–
Tuberculosis of respiratory system	66	–	–	–	3	17	10	17	7	10	2	–
Tuberculous meningitis	10	2	2	2	4	–	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	1	–	1	–	–	–	–	–	–
Other tubercle	5	2	1	–	–	1	–	1	–	–	–	–
Venereal diseases	4	2	1	–	–	–	–	–	–	1	–	–
Cancer	85	–	–	–	–	–	2	6	27	22	18	10
Rheumatic fever	3	–	–	–	–	1	–	–	1	1	–	–
Diabetes	9	–	–	–	1	1	1	1	1	–	3	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	2	1	2	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	40	–	–	–	–	–	–	–	3	13	12	12
Epilepsy	5	1	–	–	–	2	–	1	–	1	–	–
"Convulsions" (not puerperal)	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	27	–	1	1	–	–	1	6	8	5	1	4
Pericarditis	2	–	1	–	–	–	–	–	1	–	–	–
Acute endocarditis	5	–	–	–	1	–	2	–	1	1	–	–
Other diseases of heart	93	–	–	–	–	5	2	10	10	11	31	24
Other dis. of circulatory system	44	–	–	1	1	1	1	3	1	8	10	18
Bronchitis	34	4	–	1	–	–	–	–	4	3	9	13
Broncho-pneumonia	28	10	6	2	–	–	–	1	1	1	4	3
Lobar pneumonia	17	1	2	–	–	1	1	7	3	1	–	1
Pneumonia (type not distinguished)	14	–	1	1	–	–	1	2	3	4	2	–
Other diseases of respiratory system	2	–	–	–	–	–	–	–	–	–	–	2
Diarrhœa and enteritis	8	5	2	–	–	–	–	–	–	1	–	–
Appendicitis and typhlitis	5	–	–	–	1	1	–	–	1	1	1	–
Hernia, Intestinal obstruction	11	1	1	–	1	1	2	–	–	3	1	1
Cirrhosis of liver	10	–	–	–	–	–	–	5	1	1	2	1
Other diseases of digestive system	15	1	–	–	1	1	2	1	2	3	3	1
Acute nephritis	2	–	–	–	–	1	–	–	–	1	–	–
Chronic Bright's disease	13	–	–	–	–	–	–	1	1	4	6	1
Other diseases of genito-urinary system.	5	–	1	–	–	–	1	–	1	1	–	1
Puerperal fever, &c.	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	7	7	–	–	–	–	–	–	–	–	–	–
Premature birth	26	26	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	11	11	–	–	–	–	–	–	–	–	–	–
Old age	36	–	–	–	–	–	–	–	–	–	5	31
Suicide	10	–	–	–	–	–	1	3	3	2	1	–
Burns and scalds	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	8	1	–	–	2	–	4	1	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	4	–	–	1	1	1	1	1
Other deaths by violence	12	1	–	–	1	–	–	1	2	1	–	6
Other specified causes	28	8	–	1	1	4	3	1	4	2	2	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th June 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	12	8	–	6	M. 1
†BERMONDSEY ...	–	8	21	–	1	–
†BETHNAL GREEN	–	2	4	1	1	C. 1
†CAMBERWELL ...	–	13	14	1	–	–
†CHELSEA ...	–	5	1	–	–	–
†DEPTFORD ...	–	7	5	–	–	M. 1
†FINSBURY ...	–	5	8	1	–	M. 1
†FULHAM ...	–	9	7	–	4	M. 1
†GREENWICH ...	–	9	13	–	2	M. 2
†HACKNEY ...	–	13	5	–	–	–
†HAMMERSMITH	–	3	5	–	3	–
†HAMPSTEAD ...	–	3	3	–	1	C. 1
†HOLBORN ...	–	3	3	–	–	–
†ISLINGTON ...	–	27	25	1	1	M. 5
†KENSINGTON ...	–	9	12	–	2	C. 1 G. 1 M. 1
†LAMBETH ...	–	25	9	–	2	C. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	11	3	1	–	G. 1
†PADDINGTON ...	–	9	4	–	4	M. 2
†POPLAR... ...	–	9	7	1	4	C. M. 1
†ST. MARYLEBONE	–	9	7	–	–	M.
†ST. PANCRAS ...	–	20	12	1	9	M. 1
†SHOREDITCH ...	–	8	11	–	3	M. 4
†SOUTHWARK ...	–	15	11	–	10	C. 1
†STEPNEY ...	–	23	18	–	4	C. 1 M. 1
†STOKE NEWINGTON	–	3	–	–	–	–
†WANDSWORTH	–	16	18	–	6	–
†WESTMINSTER, CITY OF	–	7	8	–	2	–
†WOOLWICH ...	–	10	21	–	3	G. 1
TOTAL OF PART I.	–	294	263	7	68	C. 7 G. 3 M. 22

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	27	7	2	4	M. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	20	2	–	2	–
KEMPSTON ...	–	1	–	–	2	–
†LUTON	–	–	1	–	–	M. 1
Rural Districts :—						
AMPTHILL ...	–	–	–	1	–	–
BEDFORD ...	–	5	3	–	–	–
LUTON	–	1	1	1	–	–
BERKS	–	13	4	–	–	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	5	–	–	–	–
†READING C.B.	–	5	3	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
NEWBURY ...	–	–	1	–	–	–
WALLINGFORD ...	–	–	–	–	–	M. 1
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	13	1	1	1	M. 1
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	1	–	–	–	–
CHESHAM ...	–	–	–	–	1	–
†SLOUGH... ...	–	–	–	–	–	M. 1
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	2	–	–	–	–
AYLESBURY ...	–	1	–	1	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
ETON	–	5	1	–	–	–
WYCOMBE ...	–	3	–	–	–	–
CAMBRIDGE ...	–	2	–	–	–	–
Rural Districts :—						
NEWMARKET ...	–	2	–	–	–	–
CHESTER	–	44	26	2	25	C. 2 M. 3
Boroughs and Urban Districts :—						
ALSAGER ...	*	*	*	*	*	*
†ALTRINCHAM ...	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	10	2	–	7	C. 1
BOLLINGTON ...	–	1	1	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	–	–
†CHESTER C.B. ...	–	–	9	–	3	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	4	4	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
HALE	–	–	–	–	2	–
†HYDE	–	6	1	–	1	M. 2
KNUTSFORD ...	–	1	–	–	–	–
LYMM	–	–	1	–	–	–
†MACCLESFIELD...	–	2	–	1	–	–
NANTWICH ...	–	–	–	–	1	–
†RUNCORN ...	–	4	–	–	3	–
†STOCKPORT C.B.	–	1	1	–	1	M. 1
†WALLASEY C.B.	–	5	1	–	2	C. 1
WILMSLOW ...	–	1	1	–	–	–
†WINSFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
Bucklow ...	–	1	1	–	2	–
Macclesfield ...	–	1	–	–	–	–
Nantwich ...	–	–	3	–	–	–
Northwich ...	–	1	–	–	–	–
Runcorn ...	–	–	–	1	1	–
Wirral... ...	–	1	–	–	–	–
CORNWALL ...	–	5	5	–	1	–
Boroughs and Urban Districts:—						
†Camborne ...	–	1	1	–	–	–
Redruth ...	*	*	*	*	*	*
St. Ives ...	–	1	2	–	–	–
Torpoint ...	–	–	–	–	1	–
Wadebridge ...	–	1	–	–	–	–
Rural Districts:—						
Helston ...	–	–	1	–	–	–
Redruth ...	–	–	1	–	–	–
Saint Austell	–	2	–	–	–	–
CUMBERLAND ...	–	4	–	–	3	M. 2
Boroughs and Urban Districts:—						
†Carlisle, C.B....	–	2	–	–	1	–
Millom ...	–	–	–	–	2	–
Penrith ...	*	*	*	*	*	*
†Whitehaven ...	–	–	–	–	–	M. 2
Rural Districts:—						
Brampton ...	*	*	*	*	*	*
Cockermouth ...	–	1	–	–	–	–
Penrith ...	*	*	*	*	*	*
Whitehaven ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	2	27	13	–	14	G. 1 M. 3
Boroughs and Urban Districts:—						
Bakewell ...	–	–	–	–	–	G. 1
†Buxton... ...	–	1	–	–	–	–
†Chesterfield ...	–	1	–	–	–	–
Clay Cross ...	1	–	–	–	–	–
†Derby C.B. ...	–	8	5	–	1	–
†Heanor... ...	1	–	–	–	1	–
†Ilkeston ...	–	4	–	–	–	–
†Long Eaton ...	–	–	–	–	1	–
New Mills ...	–	–	1	–	1	–
†Ripley... ...	–	–	1	–	2	–
†Swadlincote District	–	4	2	–	–	–
Rural Districts:—						
Bakewell ...	–	3	–	–	1	–
Blackwell ...	–	2	1	–	1	–
Chapel-en-le-Frith	–	–	2	–	–	–
Chesterfield ...	–	4	1	–	2	–
Clowne... ...	–	–	–	–	–	M. 1
Hartshorne and Seals	*	*	*	*	*	*
Hayfield ...	–	–	–	–	3	–
Shardlow ...	–	–	–	–	1	M. 2
DEVON	–	8	22	2	2	G. 1
Boroughs and Urban Districts:—						
Brixham ...	–	–	1	–	–	–
Budleigh Salterton	–	–	–	1	–	–
†Exeter C.B. ...	–	4	1	–	–	–
Honiton ...	–	–	3	–	–	–
†Paignton ...	–	–	1	–	–	–
†Plymouth C.B.	–	2	3	–	2	–
Tavistock ...	–	–	1	–	–	–
†Teignmouth ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; § Notified as Alastrim.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
TIVERTON ...	–	–	7	–	–	G. 1
Rural Districts:—						
NEWTON ABBOT	–	–	1	–	–	–
OKEHAMPTON ...	–	–	2	–	–	–
SOUTH MOLTON	–	1	–	–	–	–
TIVERTON ...	–	1	2	–	–	–
DORSET	–	5	4	–	2	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	–	2	–	2	–
Rural Districts:—						
POOLE	–	1	1	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	2	–	–	–	–
WIMBORNE AED CRANBORNE	–	1	–	–	–	–
DURHAM... ...	–	52	4	2	33	C. 1 M. 11
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BLAYDON ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	2	–	–	–	–
†CHESTER-LE-STREET	–	1	–	–	1	–
†CROOK	–	2	–	–	1	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLINGTON C.B.	–	–	–	–	3	M. 1
†DURHAM ...	–	1	–	–	–	M. 1
†FELLING ...	–	–	–	–	2	–
†GATESHEAD C.B.	–	7	1	–	7	–
†HEBBURN ...	–	2	–	–	2	C. 1
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	2	–	–	1	–
†RYTON	–	1	–	–	1	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	–	–	5	–
†SOUTHWICK-ON-WEAR	–	1	–	–	–	–
†STANLEY ...	–	1	1	–	–	–
†STOCKTON-ON-TEES	–	1	–	–	–	–
†SUNDERLAND C.B.	–	9	–	–	2	M. 2
†TANFIELD ...	–	1	–	–	–	–
TOW LAW ...	*	*	*	*	*	*
†WASHINGTON ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B.	–	1	–	–	3	M. 3
†WHICKHAM ...	–	–	–	1	–	–
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	5	1	–	–	M. 1
CHESTER-LE-STREET	–	1	–	–	–	–
DURHAM ...	–	1	–	1	–	–
HOUGHTON-LE-SPRING	–	1	–	–	1	M. 2
LANCHESTER ...	*	*	*	*	*	*
SEDGEFIELD ...	–	2	–	–	–	M. 1
SOUTH SHIELDS	–	–	1	–	–	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	1	–	–	2	–
WEARDALE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
Chatteris ...	–	–	–	–	1	–
Rural Districts:—						
Ely	–	–	–	–	1	–
North Witchford	–	1	–	–	–	–
ESSEX	–	54	40	1	24	L. 2
Boroughs and Urban Districts:—						
†Barking Town	–	–	–	–	1	–
†Chelmsford ...	–	–	–	–	1	–
Chingford ...	–	–	1	–	–	–
†Clacton ...	–	1	–	–	–	–
†Colchester ...	–	3	5	–	1	–
†East Ham C.B.	–	6	3	–	1	–
†Grays Thurrock	–	1	–	–	–	–
†Harwich ...	–	1	1	–	–	–
†Ilford	–	3	2	–	–	L. 2
†Leyton... ...	–	4	2	–	1	–
Saffron Walden	–	1	–	–	–	–
†Southend-on-Sea C.B.	–	2	1	–	1	–
†Walthamstow	–	15	5	–	4	–
Walton-on-the-Naze ...	–	–	–	–	1	–
†Wanstead ...	–	1	4	–	1	–
†West Ham C.B.	–	6	12	1	9	–
†Woodford ...	–	–	–	–	3	–
Rural Districts:—						
Billericay ...	–	1	1	–	–	–
Lexden and Winstree	–	1	–	–	–	–
Maldon ...	–	2	1	–	–	–
Ongar	–	1	–	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
Orsett	–	2	–	–	–	–
Rochford ...	–	3	–	–	–	–
Romford ...	–	–	2	–	–	–
GLOUCESTER ...	–	44	21	1	5	C. 2 M. 5
Boroughs and Urban Districts:—						
†Bristol C.B. ...	–	32	16	1	2	C. 1 M. 4
Charlton Kings	–	–	–	–	1	–
†Cheltenham ...	–	1	1	–	2	–
†Gloucester C.B.	–	–	1	–	–	M. 1
Stroud ...	–	–	1	–	–	–
Tewkesbury ...	–	1	–	–	–	–
Rural Districts:—						
Lydney ...	–	–	1	–	–	–
Newent ...	–	–	–	–	–	C. 1
Stow-on-the-Wold (part)	*	*	*	*	*	*
Stroud ...	–	1	–	–	–	–
Tetbury (part)	–	–	1	–	–	–
Tewkesbury (part)	–	1	–	–	–	–
Warmley ...	–	2	–	–	–	–
West Dean ...	–	6	–	–	–	–
HEREFORD ...	–	4	4	–	3	–
Rural Districts:—						
Bredwardine...	–	–	–	–	1	–
Bromyard ...	–	2	–	–	2	–
Dore	–	2	–	–	–	–
Hereford ...	–	–	2	–	–	–
Weobley ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	14	13	2	1	L. 1
Boroughs and Urban Districts:—						
BISHOPS STORTFORD	–	–	1	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	3	–	–	–	–
†HERTFORD ...	–	–	–	–	1	–
†HITCHIN ...	–	3	–	–	–	–
†LETCHWORTH ...	–	1	1	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
TRING	–	–	–	1	–	–
†WATFORD ...	–	3	7	1	–	–
Rural Districts:—						
BARNET ...	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
WARE	–	2	–	–	–	–
WATFORD ...	–	–	1	–	–	L. 1
WELWYN ...	–	–	1	–	–	–
HUNTINGDON ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	*	*	*	*	*	*
RAMSEY ...	–	–	1	–	–	–
ST. NEOTS ...	–	–	–	–	1	–
Rural District:—						
ST. NEOTS, No. 2	*	*	*	*	*	*
KENT	–	44	26	4	11	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	2	–	–	–
†BECKENHAM ...	–	2	2	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEXLEY ...	–	3	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	6	–	–	1	–
†CHATHAM ...	–	4	1	–	–	M. 1
†DARTFORD ...	–	2	1	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	2	1	–	–	–
†ERITH	–	3	1	–	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	1	2	–	–	C. 1
†GRAVESEND ...	–	3	–	–	–	–
†MAIDSTONE ...	–	–	–	1	–	–
†MARGATE ...	–	1	1	–	–	–
MILTON REGIS	–	–	–	–	1	–
†NORTHFLEET ...	–	–	–	–	2	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	2	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	1	–	1	–
SEVENOAKS ...	–	–	1	–	–	–
†SHEERNESS ...	–	–	3	–	–	–
SITTINGBOURNE	–	–	–	–	3	–
†TONBRIDGE ...	–	1	–	–	–	–
WROTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	3	1	–	–	–
DOVER	–	1	–	–	–	–
EAST ASHFORD	–	–	1	–	–	–
HOLLINGBOURNE	–	–	1	–	–	–
ISLE OF THANET	–	1	1	–	–	–
MALLING ...	–	–	1	–	–	–
MILTON ...	–	2	–	–	–	–
SEVENOAKS ...	–	–	–	–	1	–
SHEPPEY ...	–	–	–	2	–	–
TONBRIDGE ...	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	252	62	12	126	C. 13 D. 2 G. 2 L. 3 M. 36
Boroughs and Urban Districts:—						
†ASHTON-IN-MAKERFIELD	–	1	1	–	4	–
†ASHTON-UNDER-LYNE	–	3	–	1	3	–
ASPULL	–	2	–	–	–	–
†ATHERTON ...	–	1	–	–	4	–
†BACUP	–	–	1	–	–	–
†BARROW-IN-FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	4	–	–	1	C. 1 G. 1 M. 1
†BLACKPOOL C.B.	–	1	1	–	–	M. 2
BLACKROD ...	–	–	–	–	1	–
†BOLTON C.B. ...	–	4	–	–	1	–
†BOOTLE C.B. ...	–	8	3	–	1	M. 1
†BURNLEY C.B.	–	5	2	–	2	–
†BURY C.B. ...	–	4	–	–	2	C. 1
†CHADDERTON ...	1	2	–	–	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	3	–	–	1	–
†DARWEN ...	–	6	–	–	–	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES ...	–	3	–	–	2	–
†FAILSWORTH ...	–	4	–	–	1	–
†FARNWORTH ...	–	1	–	–	1	–
†FLEETWOOD ...	–	–	–	–	2	–
FULWOOD ...	–	–	–	–	–	M. 1
†GREAT CROSBY...	–	–	–	–	–	G. 1
†HASLINGDEN ...	–	1	–	–	–	M. 1
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	1	3	–
†HINDLEY ...	–	–	1	–	–	–
†HORWICH ...	–	2	–	–	2	–
HURST	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	3	–	1	1	–
†LANCASTER ...	–	2	1	–	1	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	2	1	1	2	D. 1
LEYLAND ...	–	–	–	–	1	–
LITTLE HULTON	–	1	1	–	–	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†LIVERPOOL C.B.	–	30	15	1	10	C. 2 M. 15
†LYTHAM ...	–	1	–	–	–	–
†MANCHESTER C.B.	–	65	15	1	44	C. 3 D. 1 M. 11
†MIDDLETON ...	–	5	–	–	–	–
MILNROW ...	–	3	–	–	1	–
†MORECAMBE ...	–	–	3	–	–	–
†NELSON ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	2	1	3	1	–
†OLDHAM C.B.	–	9	1	–	3	M. 3
ORRELL ...	–	1	–	–	–	–
†PADIHAM ...	–	2	1	–	–	–
†PRESTON C.B. ...	–	5	3	–	–	C. 2
†RADCLIFFE ...	–	–	–	–	4	C. 1
†RAMSBOTTOM ...	–	1	–	–	–	–
†RISHTON ...	–	1	–	–	1	–
†ROCHDALE C.B.	–	11	–	–	–	M. 1
†ROYTON ...	–	1	–	–	–	–
†ST. ANNES-ON-THE-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	2	1	–	2	–
†SALFORD C.B. ...	–	14	3	3	7	–
†SOUTHPORT C.B.	–	2	–	–	–	–
STANDISH-WITH-LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	4	–	–	–	C. 1
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
†TURTON... ...	–	1	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	2	–
†ULVESTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	2	1	–	–	–
†WARRINGTON C.B.	–	4	1	–	4	C. 1
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES ...	–	2	–	–	1	–
†WIGAN C.B. ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY ...	–	–	–	–	–	C. 1
CLITHEROE ...	–	1	–	–	–	L. 2
LEIGH	–	–	–	–	1	–
LIMEHURST ...	*	*	*	*	*	*
SEFTON	*	*	*	*	*	*
ULVERSTON ...	–	–	1	–	–	–
WARRINGTON ...	–	3	–	–	–	–
WHISTON ...	–	2	2	–	1	L. 1
LEICESTER ...	–	9	17	–	7	D. 1 M. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS	*	*	*	*	*	*
†LEICESTER C.B.	–	5	4	–	5	–
†LOUGHBOROUGH	–	–	1	–	–	–
QUORNDON ...	–	–	1	–	–	–
THURMASTON ...	–	1	1	–	–	–
WIGSTON MAGNA	–	1	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	2	–	–	–
BARROW-UPON-SOAR	–	1	–	–	–	–
BLABY	–	–	5	–	–	–
CASTLE DONINGTON	–	–	1	–	2	–
HALLATON ...	–	–	–	–	–	D. 1
HINCKLEY ...	–	1	–	–	–	–
LUTTERWORTH...	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	–	M. 2
LINCOLN (parts of Holland).	–	1	1	–	–	–
Boroughs and Urban Districts:—						
SUTTON BRIDGE	–	–	1	–	–	–
LINCOLN (parts of Holland)—*cont.*						
Rural Districts—						
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	2	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	–	–
Rural Districts:—						
BOURNE ...	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	3	6	1	3	M. 1
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER ...	–	1	1	–	–	–
†CLEETHORPES ...	–	–	1	–	1	–
†GRIMSBY C.B. ...	–	–	2	1	1	–
MABLETHORPE	–	1	–	–	–	–
MARKET RASEN	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	1	M. 1
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH	*	*	*	*	*	*
MIDDLESEX ...	–	98	52	3	25	M. 1
Boroughs and Urban Districts:—						
†ACTON	–	6	2	–	–	–
†BRENTFORD ...	–	1	4	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	3	2	–	–	–
†EALING ...	–	22	25	–	2	–
†EDMONTON ...	–	6	1	–	–	–
†ENFIELD ...	–	2	1	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	3	–	–	4	–
†FRIERN BARNET	–	1	–	–	1	–
†HAMPTON ...	–	–	1	–	–	–
†HENDON ...	–	2	3	–	3	–
†HESTON AND ISLEWORTH	–	3	–	–	3	–
†HORNSEY ...	–	5	3	–	2	–
†SOUTHALL-NORWOOD	–	5	–	–	–	–
†SOUTHGATE ...	–	3	–	–	–	–
STAINES ...	–	3	–	–	–	–
SUNBURY-ON-THAMES	–	2	–	–	–	–
†TEDDINGTON ...	–	1	1	–	–	–
†TOTTENHAM ...	–	4	2	–	6	–
†TWICKENHAM ...	–	1	–	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	5	–	–	–	–
†WEMBLEY ...	–	1	1	–	–	–
†WILLESDEN ...	–	11	6	3	2	M. 1
†WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON ...	–	3	–	–	–	–
STAINES ...	–	1	–	–	–	–
NORFOLK ...	–	6	8	–	4	–
Boroughs and Urban District:—						
CROMER... ...	–	1	–	–	–	–
DOWNHAM MARKET	–	–	2	–	–	–
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†KING'S LYNN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban District—*cont.*						
NEW HUNSTANTON	–	–	–	–	2	–
†NORWICH C.B....	–	2	4	–	1	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
MARSHLAND ...	–	–	1	–	–	–
SWAFFHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	3	2	–	11	M. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	2	1	–	9	–
†RUSHDEN ...	–	–	–	–	1	–
Rural Districts:—						
POTTERSBURY ...	–	–	–	–	–	M. 1
THRAPSTON (part)	–	–	1	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	36	14	–	28	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	2	–
†BEDLINGTONSHIRE	–	3	–	–	–	–
†BLYTH	–	2	–	–	–	–
CRAMLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSFORTH ...	–	9	1	–	–	–
†LONGBENTON ...	–	1	–	–	1	–
†NEWBURN ...	–	–	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	11	6	–	13	–
†TYNEMOUTH C.B.	–	–	–	–	5	M. 1
†WALLSEND ...	–	2	4	–	2	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
ALNWICK ...	–	–	1	–	–	–
BELFORD ...	–	–	–	–	2	–
CASTLE WARD ...	–	2	2	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM ...	–	1	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	1	14	3	1	13	M. 3
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	–	–	5	–
†EAST RETFORD	*	*	*	*	*	*
EASTWOOD ...	1	–	–	–	–	–
†KIRKBY-IN-ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	7	3	–	3	M. 2
†SUTTON-IN-ASHFIELD	–	2	–	1	2	M. 1
WARSOP... ...	–	1	–	–	–	–
†WORKSOP ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	2	–	–	1	–
EAST RETFORD	–	–	–	–	1	–
OXFORD	–	8	2	1	–	–
Boroughs and Urban Districts:—						
HENLEY-UPON-THAMES	–	1	–	–	–	–
†OXFORD C.B. ...	–	–	–	1	–	–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
BICESTER ...	–	2	–	–	–	–
CROWMARSH ...	–	4	–	–	–	–
WITNEY ...	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	2	–
Borough:—						
†PETERBOROUGH	–	–	–	–	2	–
Rural District:—						
PETERBOROUGH	–	1	–	–	–	–
SALOP	–	14	5	–	2	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
DAWLEY ...	–	1	–	–	–	–
LUDLOW ...	–	4	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
†WENLOCK ...	–	5	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM ...	–	1	–	–	–	–
BRIDGNORTH ...	–	–	–	–	1	–
ELLESMERE ...	–	1	3	–	–	–
SOMERSET ...	–	2	11	–	5	C. 1 F. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	2	–	1	–
†WESTON-SUPER-MARE	–	–	4	–	1	–
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
BATH	–	–	1	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CLUTTON ...	–	–	2	–	2	C. 1 F. 1
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	1	–	–	–
TAUNTON ...	–	1	–	–	–	–
SOUTHAMPTON...	1	29	20	1	2	H. 1 M. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ALTON	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	3	1	–	–	M. 2
†GOSPORT and ALVERSTOKE	–	2	3	–	–	–
†PORTSMOUTH C.B.	–	12	10	1	2	–
†SOUTHAMPTON C.B.	1	2	5	–	–	§H. 1 M. 1
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON —*cont.*						
Rural Districts— *cont.*						
FAREHAM ...	–	–	1	–	–	–
HAVANT ...	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	3	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
STAFFORD ...	–	61	23	–	43	C. 2 G. 1 M. 8
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	1	–	–	–	–
BIDDULPH ...	–	–	2	–	–	–
†BILSTON ...	–	2	–	–	4	–
†BRIERLEY HILL	–	1	–	–	–	C. 1
†BROWNHILLS ...	–	–	–	–	7	–
†BURTON-UPON-TRENT C.B.	–	2	1	–	–	M 2
†CANNOCK ...	–	–	–	–	–	M. 1
†DARLASTON ...	–	1	–	–	–	–
†LEEK	–	3	–	–	–	–
QUARRY BANK	–	1	–	–	2	–
†ROWLEY REGIS	–	–	–	–	1	–
†SEDGLEY ...	–	–	–	–	1	–
†SMETHWICK C.B.	–	5	2	–	2	–
†STOKE-ON-TRENT C.B.	–	8	11	–	18	M 1
TETTENHALL ...	–	–	–	–	1	M. 1
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	4	3	–	1	M. 2
†WEDNESBURY ...	–	1	–	–	1	–
WEDNESFIELD ...	–	–	–	–	–	M. 1
†WEST BROMWICH C.B.	–	15	1	–	1	–
†WILLENHALL ...	–	2	–	–	1	–
†WOLSTANTON UNITED	–	–	2	–	–	–
†WOLVERHAMPTON C.B.	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; § Imported.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK ...	–	–	–	–	–	G. 1
CHEADLE ...	–	1	–	–	–	–
KINGSWINFORD	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
MAYFIELD ...		1	–	–	–	–
SEISDON ...	–	3	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	–	–	–	–	C. 1
UTTOXETER ...	–	3	–	–	–	–
WALLSALL ...	–	–	–	–	2	–
SUFFOLK, EAST	–	12	1	–	4	C. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
BUNGAY ...	–	3	–	–	–	–
†IPSWICH C.B. ...	–	–	–	–	2	C. 1
LEISTON-CUM-SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	8	–	–	–	–
Rural Districts:—						
HARTISMERE ...	*	*	*	*	*	*
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
WANGFORD ...	–	1	–	–	–	–
SUFFOLK, WEST	–	3	–	–	–	C. 2
Boroughs and Urban Districts:—						
NEWMARKET ...	–	2	–	–	–	C. 1
Rural District:—						
CLARE	–	–	–	–	–	C. 1
MELFORD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	46	16	1	6	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	5	1	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	1	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	1	–	1	M. 1
†COULSDON AND PURLEY	–	–	–	–	1	–
†CROYDON C.B....	–	15	2	–	–	C. 1
†EGHAM	–	–	2	–	–	–
†EPSOM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	1	1	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
†GUILDFORD ...	–	2	1	–	–	–
HASLEMERE ...	–	–	1	–	–	–
†KINGSTON-UPON-THAMES	–	6	–	–	–	–
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM ...	–	2	1	–	–	–
†RICHMOND ...	–	–	2	–	–	–
SUTTON	–	1	–	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
WEYBRIDGE ...	*	*	*	*	*	*
†WIMBLEDON ...	–	5	2	1	–	G. 1
Rural Districts:—						
EPSOM	–	–	1	–	–	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	*	*	*	*	*	*
HAMBLEDON ...	–	–	–	–	–	M. 1
SUSSEX, EAST ...	–	23	6	–	4	L. 18
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	7	–	–	2	–
†EASTBOURNE C.B.	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST GRINSTEAD	–	1	–	–	–	–
†HASTINGS C.B.	–	2	–	–	1	–
HAYWARD'S HEATH	–	1	–	–	–	–
†HOVE	–	5	–	–	–	–
PORTSLADE-BY-SEA	–	2	–	–	–	–
SEAFORD ...	–	–	6	–	–	–
Rural Districts:—						
CHAILEY ...	–	2	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 18
UCKFIELD ...	–	2	–	–	–	–
SUSSEX, WEST ...	–	13	1	–	–	M. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	4	–	–	–	–
†WORTHING ...	–	2	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	1	–	–	–	–
PETWORTH ...	–	1	–	–	–	–
STEYNING WEST	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	–	M. 1
WESTHAMPNETT	–	3	–	–	–	–
WARWICK ...	–	116	24	–	50	C. 3 M. 10
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	78	17	–	40	C. 3 M. 9
†COVENTRY C.B.	–	3	2	–	–	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NUNEATON ...	–	3	–	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	2	–
†RUGBY	–	1	2	–	1	–
†SUTTON COLDFIELD	–	3	1	–	1	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	20	–	–	–	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN ...	–	1	–	–	–	–
RUGBY	–	–	–	–	2	–
SOUTHAM ...	–	–	1	–	1	M. 1
TAMWORTH (part)	–	3	1	–	–	–
WESTMORLAND	–	4	–	–	–	–
Boroughs and Urban Districts:—						
KIRBY LONSDALE	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	1	4	–	1	–
Boroughs and Urban Districts:—						
SHANKLIN ...	*	*	*	*	*	*
VENTNOR ...	–	–	3	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT *cont.*						
Rural District:—						
ISLE OF WIGHT	–	1	1	–	–	–
WILTS	–	13	2	1	3	M. 1
Boroughs and Urban Districts:—						
CALNE	–	–	–	1	–	–
DEVIZES ...	–	1	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	4	–	–	3	–
WARMINSTER ...	–	2	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CALNE	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
MALMESBURY ...	–	1	–	–	–	–
RAMSBURY ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	M. 1
WORCESTER ...	–	10	9	1	6	–
Boroughs and Urban Districts:—						
†DUDLEY, C.B. ...	–	–	1	1	–	–
†KIDDERMINSTER	–	2	3	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	–	5	–	2	–
†REDDITCH ...	–	2	–	–	–	–
STOURPORT ...	–	1	–	–	–	–
WORCESTER— *cont.*						
Rural District:—						
†WORCESTER C.B.	–	2	–	–	2	–
PERSHORE ...	–	1	–	–	1	–
STOW-ON-THE-WOLD (part)	*	*	*	*	*	*
TENBURY ...	–	1	–	–	–	–
WINCHCOMB (part)	*	*	*	*	*	*
YORKS ... ... (East Riding).	–	20	13	–	8	C. 1 L. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
HESSLE	–	–	1	–	–	–
†KINGSTON-UPON-HULL C.B.	–	7	7	–	8	C. 1 L. 1
WITHERNSEA ...	–	2	–	–	–	–
†YORK C.B. ...	–	8	3	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN ...	–	1	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	8	1	6	1	9	–
Boroughs and Urban Districts:—						
GUISBOROUGH ...	–	–	–	–	3	–
LOFTUS	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	8	–	–	1	2	–
PICKERING ...	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Richmond ...	*	*	*	*	*	*
†Scarborough ...	–	–	1	–	–	–
†Skelton and Brotton ...	–	–	1	–	–	–
†Whitby ...	–	–	–	–	3	–
Rural Districts:—						
Bedale... ...	*	*	*	*	*	*
Richmond ...	*	*	*	*	*	*
Stokesley ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	2	163	49	2	95	C. 3 D. 1 E. 2 L. 2 M. 13
Boroughs and Urban Districts:—						
†Adwick-le-Street	–	–	2	–	2	–
†Parnoldswick	–	2	–	–	–	–
†Barnsley C.B.	–	1	3	–	3	–
†Batley ...	–	1	–	–	–	M. 1
†Bentley-with-Arksey	–	2	–	–	2	–
†Bingley ...	–	3	–	–	–	–
Birstal ...	–	–	1	–	–	–
†Bolton-upon-Dearne	–	–	–	–	1	–
†Bradford C.B.	–	25	3	1	4	D. 1 M. 1
†Brighouse ...	–	1	–	–	–	–
†Castleford ...	–	2	–	–	2	–
†Conisbrough ...	–	–	1	–	–	–
Cudworth ...	–	1	–	–	–	–
Darfield ...	–	–	–	–	–	M. 1
†Darton ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Dewsbury C.B.	–	5	–	–	–	M. 1
†Doncaster ...	–	1	2	–	–	–
†Featherstone	–	2	–	–	–	–
Gildersome ...	–	–	1	–	–	–
†Halifax C.B. ...	–	8	–	–	–	–
Hebden Bridge	1	2	–	–	–	–
Heckmondwike	–	–	–	–	–	M. 2
†Hemsworth ...	–	–	–	–	5	–
Horsforth ...	–	–	–	–	–	M. 1
†Hoyland Nether	*	*	*	*	*	*
†Huddersfield C.B.	–	1	3	–	5	C. 1
Ilkley	–	1	2	–	–	–
†Keighley ...	–	1	–	–	–	–
†Leeds C.B. ...	–	49	9	–	12	M. 1
Lepton ...	–	–	–	–	1	–
Meltham ...	*	*	*	*	*	*
†Mexborough ...	–	–	–	–	2	–
†Morley ...	–	–	–	–	1	–
†Normanton ...	*	*	*	*	*	*
Otley	–	–	–	–	2	–
Pontefract ...	–	–	1	–	–	–
Queensbury ...	–	–	2	–	–	–
†Rotherham C.B.	–	2	1	–	3	–
†Rothwell ...	–	5	–	–	–	–
†Sheffield C.B.	1	20	11	–	36	C. 2 M. 4
Shepley ...	–	–	1	–	–	–
†Shipley ...	–	1	–	–	–	–
†Spenborough ...	–	–	–	–	–	E. 1
†Stanley ...	–	5	1	–	–	–
Stocksbridge ...	–	–	–	–	1	–
Thurnscoe ...	–	3	–	–	–	–
†Todmorden ...	–	2	–	–	1	–
†Wakefield C.B.	–	–	2	–	2	M. 1
†Wath-upon-Dearne	–	–	1	–	–	–
†Wombwell ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BARNSLEY ...	–	–	1	–	–	–
DONCASTER ...	–	1	–	–	–	E. 1
HEMSWORTH ...	–	3	–	–	2	–
HUNSLET ...	–	1	–	–	–	–
ROTHERHAM ...	–	5	–	1	2	–
SELBY	–	–	–	–	1	–
SKIPTON ...	–	1	–	–	–	–
TADCASTER ...	–	5	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WETHERBY ...	–	–	–	–	2	–
WHARFEDALE (South)	–	–	1	–	–	L. 2
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban District:—						
BEAUMARIS ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	1	–	–	–
LLANWRTYD ...	–	–	–	–	1	–
Rural District:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH	–	3	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	1	–
LLANDYSSIL ...	–	1	–	–	–	–
CARMARTHEN ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
BURY PORT ...	–	–	1	–	–	–
†LLANELLY ...	–	1	1	–	–	–
CARNARVON ...	–	12	1	–	–	–
Boroughs and Urban Districts:—						
BETHESDA ...	–	2	–	–	–	–
BETTWS-Y-COED	–	–	1	–	–	–
CONWAY ...	–	1	–	–	–	–
LLANDUDNO ...	–	1	–	–	–	–
Rural District:—						
CONWAY ...	–	8	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	4	4	–	3	–
Boroughs and Urban Districts:—						
†Colwyn Bay and Colwyn	–	1	–	–	–	–
Denbigh ...	–	1	–	–	–	–
Ruthin... ...	–	–	–	–	1	–
†Wrexham ...	–	1	–	–	–	–
Rural Districts:—						
Glan Conway (parish)	–	1	–	–	–	–
Ruthin	–	–	–	–	2	–
Uwchaled ...	–	–	1	–	–	–
Wrexham ...	–	–	3	–	–	–
FLINT	–	3	2	–	2	–
Boroughs and Urban Districts:—						
Buckley ...	–	–	1	–	–	–
Flint	–	–	1	–	–	–
Mold	–	2	–	–	–	–
†Rhyl	–	1	–	–	–	–
Rural Districts:—						
Hawarden ...	–	–	–	–	2	–
Holywell (Holywell Div.)	*	*	*	*	*	*
GLAMORGAN ...	–	71	34	2	31	C. 2 G. 1 M. 6
Boroughs and Urban Districts:—						
†Aberdare ...	–	8	–	–	6	–
†Barry	–	3	7	1	7	M. 1
†Caerphilly ...	–	2	1	–	–	–
†Cardiff C.B. ...	–	4	3	–	1	C. 2 M. 1
†Gelligaer ...	–	1	4	–	–	–
†Glyncorwg ...	–	1	1	–	1	–
†Maesteg ...	–	–	1	–	2	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Merthyr Tydfil C.B.	–	1	1	–	4	–
†Mountain Ash	–	9	1	1	–	–
†Neath	–	–	–	–	1	G. 1
†Ogmore and Garw	–	3	3	–	–	M. 1
†Pontypridd ...	–	5	–	–	–	–
Port Talbot ...	–	–	2	–	–	M. 1
†Rhondda ...	–	8	1	–	6	M. 1
†Swansea C.B. ...	–	12	7	–	2	M. 1
Rural Districts:—						
Cowbridge ...	–	3	–	–	–	–
Llandaff and Dinas Powis	–	2	1	–	–	–
Llantrisant and Llantwit Fardre	–	5	–	–	–	–
Neath	–	1	1	–	1	–
Penybont ...	–	2	–	–	–	–
Pontardawe ...	–	1	–	–	–	–
MONMOUTH ...	–	14	9	1	4	M. 1
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	1	–	–	–
†Abertillery ...	–	–	1	–	1	M. 1
Bedwas and Machen	–	1	–	–	–	–
†Bedwellty ...	–	1	4	–	–	–
Caerleon ...	–	–	–	1	–	–
†Ebbw Vale ...	–	1	–	–	–	–
Llanfrechfa Upper	–	2	–	–	–	–
Monmouth ...	–	1	–	–	–	–
†Newport C.B....	–	3	2	–	3	–
†Rhymney ...	–	5	–	–	–	–
†Tredegar ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban District:—						
Fishguard ...	*	*	*	*	*	*
Milford Haven	–	1	–	–	–	–
†Pembroke ...	–	1	–	–	–	–
Rural Districts:—						
St. Dogmells ...	*	*	*	*	*	*
RADNOR... ...	–	2	–	–	1	–
Urban Districts:—						
Llandrindod Wells	*	*	*	*	*	*
Rural Districts:—						
Knighton ...	–	2	–	–	1	–
Total of Part II.	15	1437	604	45	635	C. 35 D. 4 E. 2 F. 1 G. 7 H. 1 L. 27 M. 118

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff ...	–	–	–	–	1	–
Dover (Deal Division)	–	1	–	–	–	–
Liverpool ...	–	1	1	–	–	–
Plymouth ...	–	–	–	–	4	L. 4
Wisbech ...	–	–	1	–	–	–
Total of Part III.	–	2	2	–	5	L. 4

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	294	263	7	68	C. 7 G. 3 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	15	1437	604	45	635	C. 35 D. 4 E. 2 F. 1 G. 7 H. 1 L. 27 M. 118
Total of Part III.—Port Sanitary Districts ...	–	2	2	–	5	L. 4
Total (*i.e.*, of returns received), England and Wales	15	1733	869	52	708	C. 42 D. 4 E. 2 F. 1 G. 10 H. 1 L. 31 M. 140

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week Fifteen cases of Small-pox were notified, which appear on pages 690, 694, 697, 698, 701, and 702.

One case of Typhus Fever was notified which appears on page 698.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.
LONDON:—													
DEATHS—all ages	1,267	1,417	1,514	1,446	1,406	1,327	1,319	1,210	1,038	1,178	944	878	795
" 0 to 1 year	188	219	228	197	220	159	170	162	125	178	97	97	104
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,683	8,220	7,962	7,250	8,046	8,711	8,491	8,271	8,279	7,714	8,119	7,141	9,025
DEATHS—all ages	5,161	5,626	6,072	5,948	5,635	5,486	5,202	4,810	4,482	4,521	3,965	3,667	3,600
" 0 to 1 year	839	920	1,011	984	904	834	829	732	680	711	557	503	503
ENTERIC FEVER—Cases	4	12	13	20	17	16	23	22	24	31	23	22	24
" Deaths	4	5	3	6	4	5	7	2	2	6	2	2	4
SMALL POX—Cases	13	11	12	14	25	12	19	15	12	12	13	6	10
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,180	1,196	1,227	1,145	1,122	1,081	1,246	1,098	1,186	1,163	1,120	940	1016
" Deaths	17	25	18	20	23	31	17	16	17	18	19	20	9
DIPHTHERIA—Cases	685	654	666	622	560	553	602	624	612	608	558	598	560
" Deaths	37	74	47	49	43	53	38	62	45	43	44	43	44
MEASLES—Deaths	122	160	181	154	158	177	184	168	122	130	97	96	79
INFLUENZA—Deaths	104	111	117	109	93	75	69	55	45	55	36	26	27

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th June 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	79	46	68·1	48·9	14
BRIGHTON	73	48	64·3	50·9	5
PORTSMOUTH	74	45	65·9	50·4	9
NORWICH (EATON).	72	42	63·7	49·1	15
PLYMOUTH	71	46	65·6	49·4	1
BRISTOL (CLIFTON).	72	46	66·4	50·1	5
BIRMINGHAM	77	42	66·3	45·1	4
NOTTINGHAM	77	40	66·1	46·1	6
BIRKENHEAD (BIDSTON).	68	45	60·3	48·4	5
MANCHESTER	75	44	65·9	46·7	5
BURNLEY	71	33	61·6	42·0	4
HUDDERSFIELD	Not received.				13
BRADFORD	73	42	62·7	45·0	9
SHEFFIELD	76	43	65·0	45·3	8
YORK (MUSEUM).	76	40	66·3	45·1	9
HULL (PEARSON PARK).	75	41	64·4	44·7	7
TYNEMOUTH	66	42	58·7	46·1	12
CARDIFF	70	45	66·1	47·4	2
EDINBURGH	67·0	41·0	59·7	44·9	12
GLASGOW	67·4	42·1	59·4	46·6	8
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	71·0	43·7	63·2	49·7	5
BELFAST	70·0	52·2	67·7	54·1	6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 17th June 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
June.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	11	..	29·936	72·2	48·1	24·1	60·2	+ 2·0	42·3	17·9	28·5	2·7	52	141·9	35·0	54·7	N & NNE.	NNE & SE.	2·1	0·0	0·2	238	− 12	0·00
Monday	12	..	29·963	78·8	46·7	32·1	62·7	+ 4·3	44·6	18·1	33·3	2·7	52	138·0	32·5	54·9	Calm W & N.	N & E	0·8	0·0	0·0	158	− 90	0·00
Tuesday	13	..	29·840	76·0	47·1	28·9	56·7	− 1·8	51·3	5·4	21·0	0·0	82	140·2	38·0	55·0	Calm WNW & N.	N & NNE	4·0	0·0	0·3	323	+ 75	0·05
Wednesday	14	..	29·837	52·5	47·1	5·4	49·1	− 9·6	43·9	5·2	9·2	0·0	82	60·0	46·2	54·9	NNE	NE	5·0	0·0	0·5	450	+203	0·02
Thursday	15	..	29·807	56·6	46·9	9·7	51·1	− 7·7	48·0	3·1	8·1	1·2	89	64·5	43·0	55·0	NE & ENE.	ENE	1·6	0·0	0·2	311	+ 66	0·51
Friday	16	Apogee	29·890	73·0	45·6	27·4	59·1	+ 0·2	46·8	12·3	24·5	5·4	64	139·5	38·8	55·0	ENE	NE & SE.	0·7	0·0	0·0	165	− 79	0·00
Saturday	17	Last Quarter In Equator.	29·902	64·0	51·4	12·6	56·0	− 3·0	40·7	15·3	21·2	12·1	57	130·2	41·4	54·9	No trace till 9 h. then N.	N	3·1	0·0	0·3	359	+116	0·00
Means		..	29·883	67·6	47·6	20·0	56·4	− 2·2	45·4	11·0	20·8	3·4	68	116·3	39·3	54·9	N		...	...	...	Sum 2,004	Sum +279	Sum 0·58
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. June 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	11	v.P. throughout	15·2	16·5	Cloudless or nearly cloudless throughout.
MONDAY -	12	v.P. throughout	13·1	16·5	Hazy throughout, little cloud till 6h., very cloudy 6h. to 10h. 30m., afterwards cloudless generally.
TUESDAY -	13	w.P. generally, v.P. between 6h. and 13h.	3·8	16·5	Nearly cloudless but hazy till 7h., cloudy generally till noon and then overcast with slight exceptions. Rain 13h. 15m. to 14h. 30m. and occasional damping till 23h. Brisk wind from 20h.
WEDNESDAY	14	w.P. throughout	0·0	16·5	Overcast throughout. Damping or fine rain 4h. to 15h. 30m. Brisk wind till noon.
THURSDAY -	15	w.P. throughout	0·0	16·5	Overcast until 21h., then becoming variably cloudy. Rain from 0h. 30m. to 9h., then frequent damping or slight rain till 12h. Mist in morning.
FRIDAY -	16	w.P. till 8h., then v.P. to 14h., s.P. till 18h., then w.P.	11·1	16·5	Cloudless or nearly cloudless till 13h., then clouding up. Very cloudy 14h. till 21h., then overcast.
SATURDAY -	17	w.P. till 7h., afterwards m.P.	9·6	16·5	Overcast till 6h., then overcast generally but becoming partially cloudy after 9h. Variably cloudy later.
			Sum 52·8	Sum 115·5	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·79 in. at the beginning of the week to 30·02 in. by 4h. on 12th; decreased generally to 29·74 in. by 4h. on 15th, then increased generally and was 29·96 in. by midnight on 17th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 25.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 24TH JUNE, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH JUNE, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fourth week of the year numbered 8,296, and corresponded to an annual rate of 22·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,502 and corresponded to an annual rate of 9·6 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 10·9, 10·0 and 9·9. Infant mortality was 55 per 1,000 births against 69, 70, and 56 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,930 births, corresponding to a rate of 22·2 per 1,000, and 842 deaths of civilians, corresponding to a rate of 9·7, as against 10·9, 10·1, and 9·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·0 per 1,000. The infant mortality was 44 as against 51, 53, and 51 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 100 in the total deaths last week. In London the number of deaths from all causes rose from 795 to 842; while the deaths from measles, which had been 40, 40, and 18 in the preceding three weeks, fell to 12 last week.

---

m (45)17873—4 Wt 30—P 19 2250 6/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 24th June 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,296	3,502	453	4	56	14	37	32	33	18
London	4,514,405*	1,930	842	85	1	12	5	12	16	5	2
Towns in Outer Ring.											
Croydon C.B.	191,500	87	32	6	–	–	–	–	–	–	–
Wimbledon	61,700	20	8	1	–	1	–	–	–	–	–
Ealing	67,800	32	10	3	–	–	–	–	1	–	–
Acton	62,000	27	11	4	–	–	–	–	–	–	–
Willesden	167,200	55	17	1	–	–	–	1	–	–	–
Hendon	55,500	18	5	–	–	–	–	–	–	–	–
Hornsey	87,600	31	19	3	–	–	–	–	–	–	–
Wood Green	51,100	16	5	–	–	–	–	–	–	–	–
Tottenham	149,200	58	29	4	–	–	1	1	–	–	–
Edmonton	67,800	49	5	1	–	1	–	–	–	–	–
Enfield	61,400	29	5	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	171	40	4	–	1	–	–	1	–	–
East Ham C.B.	145,500	57	17	1	–	–	–	–	–	–	–
Leyton	130,100	42	20	1	–	–	–	–	1	–	–
Walthamstow	129,800	53	16	2	–	–	–	–	–	–	–
Ilford	85,500	36	9	–	–	–	–	–	–	–	–
Gillingham	48,149*	22	7	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	9	4	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	8	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	12	12	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	56	20	4	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	121	29	3	–	–	–	–	1	–	–
Bournemouth C.B.	81,200	22	16	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	77	25	7	–	–	–	–	–	2	–
Reading C.B.	92,600	39	19	4	–	–	–	–	–	1	–
Oxford C.B.	56,400	21	12	1	–	–	–	1	–	–	–
Northampton C.B.	92,300	39	25	2	–	–	1	–	–	–	–
Luton	57,800	27	9	3	–	–	–	–	–	–	–
Cambridge	58,900	24	8	1	–	–	–	–	–	–	2
Southend-on-Sea C.B.	90,500	31	13	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	20	21	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	25	7	1	–	–	–	1	–	–	–
Norwich C.B.	122,400	52	28	2	–	–	–	–	2	1	–
Swindon	55,500	21	8	–	–	2	–	–	–	–	–
Exeter C.B.	59,500	27	13	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	85	38	1	–	2	–	–	1	–	–
Bath C.B.	68,300	13	14	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	182	73	6	–	1	–	–	2	–	
Gloucester C.B.	51,800	30	7	1	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	126	63	12	–	3	–	–	–	2	–
Burton-upon-Trent C.B.	49,410	21	9	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	34	16	2	–	–	1	–	–	–	–
Walsall C.B.	98,800	71	24	2	–	1	–	–	–	1	–
West Bromwich C.B.	75,300	39	17	4	–	–	–	–	–	–	–
Worcester C.B.	49,160	18	8	1	–	–	–	–	–	–	–
Dudley C.B.	57,100	27	12	–	–	–	–	–	–	–	–
Birmingham C.B.	936,000	403	148	18	–	1	–	1	–	3	1
Smethwick C.B.	77,400	31	13	–	–	–	–	–	–	–	–
Coventry C.B.	130,300	44	21	5	–	1	–	–	–	1	–
Leicester C.B.	237,900	100	40	3	–	–	–	–	–	–	–
Lincoln C.B.	66,600	28	14	1	–	–	–	–	–	1	–
Grimsby C.B.	83,600	33	23	3	–	–	–	–	–	–	–
Nottingham C.B.	266,400	104	54	8	–	–	–	–	–	1	–
Derby C.B.	131,800	48	23	3	–	–	–	–	–	1	–
Chesterfield	62,400	35	6	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	57	22	2	–	–	–	–	–	–	1
Chester C.B.	41,030	18	3	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	52	32	7	–	2	–	1	–	–	–
Wallasey C.B.	89,600	46	16	1	–	–	–	–	–	–	–
Liverpool C.B.	817,000	403	154	18	–	–	–	3	2	4	2
Bootle C.B.	77,800	49	20	2	–	–	–	1	–	–	–
St. Helens C.B.	104,900	69	21	6	–	3	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	19	8	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	32	20	6	–	3	–	–	–	1	–
Warrington C.B.	78,600	40	11	3	–	–	1	1	–	–	–
Bolton C.B.	182,200	62	30	5	–	3	–	1	–	–	1
Bury C.B.	57,600	13	6	–	–	–	–	–	–	–	–
Manchester C.B.	744,000	354	191	29	–	11	–	1	2	1	1
Salford C.B.	239,100	115	48	8	1	2	–	2	–	–	–
Oldham C.B.	148,300	68	32	6	–	3	–	1	–	–	–
Rochdale C.B.	92,700	24	19	3	–	–	1	–	–	–	1
Burnley C.B.	105,300	35	15	3	–	–	–	–	–	–	–
Blackburn C.B.	129,400	40	21	2	–	–	–	–	–	–	1
Preston C.B.	119,900	64	32	7	–	–	–	–	–	–	–
Blackpool C.B.	73,800	23	13	3	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	35	4	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	30	23	1	–	–	–	–	–	–	1
Halifax C.B.	100,700	36	25	5	–	–	–	–	–	–	–
Bradford C.B.	291,100	111	61	8	1	–	1	–	–	–	–
Leeds C.B.	465,500	213	94	17	1	–	1	1	–	–	2
Dewsbury C.B.	55,100	13	7	–	–	–	–	–	–	–	–
Wakefield C.B.	53,763	28	7	1	–	–	–	–	–	–	–
Barnsley C.B.	68,991	27	14	3	–	1	–	–	–	–	–
Sheffield C.B.	519,239	224	98	11	–	2	–	–	1	1	–
Rotherham C.B.	69,100	31	13	4	–	–	–	–	–	–	–
Doncaster	54,700	35	5	–	–	–	–	–	–	–	–
York C.B.	84,500	41	21	1	–	–	–	–	–	–	–
Hull C.B.	291,800	143	58	10	–	–	–	2	1	2	–
Middlesbrough C.B.	133,400	92	22	6	–	–	–	–	–	1	–
Darlington C.B.	66,400	33	17	4	–	–	–	1	–	–	–
Stockton-on-Tees	65,000	22	17	4	–	–	–	2	–	1	–
West Hartlepool C.B.	69,300	44	16	5	–	–	–	1	–	–	–
Sunderland C.B.	161,100	91	33	2	–	–	1	–	–	1	–
South Shields C.B.	120,376	58	17	1	–	–	–	–	–	–	1
Gateshead C.B.	126,700	61	23	1	–	–	1	–	–	1	–
Newcastle-on-Tyne C.B.	278,400	137	48	9	–	–	–	–	–	–	–
Tynemouth C.B.	63,900	29	12	2	–	–	–	–	–	–	–
Carlisle C.B.	53,200	21	6	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	35	17	2	–	–	–	–	–	–	1
Cardiff C.B.	202,700	77	41	3	–	–	–	1	–	–	1
Rhondda	166,600	79	33	9	–	–	–	1	–	1	–
Merthyr Tydfil C.B.	81,800	39	16	5	–	–	–	–	–	–	–
Aberdare	56,100	23	8	1	–	–	–	–	–	–	–
Swansea C.B.	159,600	63	35	3	–	–	–	–	1	–	–
Greater London	7,523,963*	3,174	1,301	142	1	19	7	19	23	5	2
Outer Ring	3,009,558*	1,244	459	57	–	7	2	7	7	–	–
16 Great Towns in Outer Ring	1,820,700	781	248	32	–	3	1	2	3	–	–
Remainder of Outer Ring	1,188,858*	463	211	25	–	4	1	5	4	–	–
Edinburgh†	420,500	178	100	10	–	1	1	2	–	1	2
Glasgow†	1,037,800	552	212	33	–	5	–	3	1	6	1
Dublin (Registration Area)†	427,000	198	105	17	–	5	2	1	–	2	–
Belfast†	425,000	171	109	17	–	1	–	–	1	2	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	June 24	1930	842	9·7	1	–	12	5	12	16	5	2
Calcutta	896,067	May 20	?	518§	29·6	?	13	?	?	?	?	?	7
Bombay	1,175,914	„ 13											
Madras	522,951	„ 13											
Sydney and Suburbs	926,400	April 30 days.											
Brisbane (Met. Area).	210,032	March 31 days.											
Perth (Metropolitan Area).	154,866	Apr. 29	74	23	7·7	–	–	–	–	–	–	3	–
Auckland (Urban Area).	157,757	March 31 days.											
Wellington (Urban Area).	107,488	„ „											
Christchurch (Urban Area).	105,670	„ „											
Cape Town	101,000	May 6	52	17	8·8	–	–	–	–	–	–	2	–
Johannesburg	149,500	„ 13	89	39	13·6	–	–	–	–	–	–	1	1
Durban	48,000	„ 13	30	12	13·0	–	–	–	–	–	–	1	1
Paris	2,906,472	June 10	1349	1024	12·9	1	1	6	2	12	4	33	1
Antwerp	303,414	10 days. May 13	123	50	8·5	–	–	–	–	–	–	–	1
Amsterdam	689,415	June 10	298	107	8·1	1	–	2	–	–	–	2	1
Copenhagen	562,000	„ 10	199	147	13·6	–	–	1	–	–	–	3	–
Stockholm	422,042	„ 10	131	77	9·5	–	–	–	–	–	–	–	–
Gothenburg	228,052	May 27	?	41	9·3	–	–	–	–	–	–	–	–
Christiania	258,933	June 17	86	45	9·0	–	–	–	–	–	–	–	–
Berlin	1,970,000	May 27	496	557	14·7	1	?	2	–	4	3	5	5
Breslau	557,000	„ 27	239	195	18·2	–	?	2	–	–	–	6	2
Cologne	677,000	„ 27	283	195	15·0	–	?	1	–	3	–	10	–
Dresden	605,000	„ 27	215	166	14·3	–	?	1	–	–	–	4	5
Frankfort-on-Main	476,000	„ 27	131	91	9·9	1	?	–	–	1	–	2	1
Hamburg	1,053,000	„ 27	309	292	14·4	–	?	–	1	–	4	8	2
Leipzig	673,000	„ 27	206	169	13·1	–	?	–	1	–	1	6	–
Munich	680,000	„ 27	216	197	15·1	–	?	–	–	–	3	4	4
Vienna	1,842,005	„ 6	636	608	17·1	–	–	–	–	5	–	20	2
Prague and Suburbs	689,262	„ 6	265	221	16·6	–	–	5	1	2	1	7	–
		„ 13	317	253	19·1	1	–	11	1	1	–	6	1
Budapest	936,000	Apr. 15	367	444	24·7	3	?	17	8	2	1	16	4
Cairo	777,500	„ 1	775	449	30·0	3	–	2	1	?	1	39	?
Alexandria	456,300	„ 1	407	181	20·6	1	–	–	–	?	–	17	?
New York	5,839,738	May 6											
Chicago	2,833,288	„ 27	?	577	10·6	–	–	8	–	–	11	17	1
Rio de Janeiro	1,195,961	„ 6	727	469	20·4	4	5	3	–	–	2	–	27
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 77 deaths from *Asiatic Cholera*, and 12 from *Plague*.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th June, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	842	85	24	24	34	50	36	67	115	132	151	124
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	3	5	3	1	–	–	–	–	–	–	–
Scarlet fever	5	1	–	2	2	–	–	–	–	–	–	–
Whooping cough	12	3	5	4	–	–	–	–	–	–	–	–
Diphtheria	16	–	2	6	7	–	–	–	1	–	–	–
Influenza	2	–	–	–	–	–	–	1	–	–	1	–
Erysipelas	4	1	–	–	–	–	1	–	–	1	–	1
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	84	–	–	2	2	22	13	15	17	8	4	1
Tuberculous meningitis	7	1	3	2	–	–	1	–	–	–	–	–
Abdominal tuberculosis	2	–	–	–	1	–	–	–	–	–	1	–
Other tubercle	10	1	–	–	–	4	2	1	2	–	–	–
Venereal diseases	5	2	1	–	–	–	–	1	1	–	–	–
Cancer	101	–	–	–	–	1	2	7	22	33	26	10
Rheumatic fever	3	–	–	–	–	–	–	1	1	–	1	–
Diabetes	6	–	–	–	–	–	1	2	–	–	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	–	–	–	–	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	40	–	–	–	1	–	–	–	7	9	12	11
Epilepsy	3	–	–	–	–	2	–	–	–	1	–	–
"Convulsions" (not puerperal)	3	2	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	28	–	–	–	3	2	3	7	3	2	5	3
Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	8	–	–	–	–	–	1	4	1	–	1	1
Other diseases of heart	97	–	–	–	1	6	–	2	12	22	30	24
Other dis. of circulatory system	31	–	–	–	–	–	–	3	6	6	9	7
Bronchitis	36	4	–	1	–	–	–	2	5	5	7	12
Broncho-pneumonia	18	5	2	1	2	–	1	1	1	1	2	2
Lobar pneumonia	27	1	–	1	2	–	2	3	6	5	5	2
Pneumonia (type not distinguished)	12	–	–	–	–	1	–	1	4	2	3	1
Other diseases of respiratory system	16	2	–	–	–	2	–	–	–	3	4	5
Diarrhœa and enteritis	7	5	–	–	–	–	1	–	–	–	–	1
Appendicitis and typhlitis	1	–	–	–	–	–	–	–	1	–	–	–
Hernia, Intestinal obstruction	7	1	–	–	1	–	–	–	1	1	1	2
Cirrhosis of liver	4	–	–	–	–	–	–	1	1	1	1	–
Other diseases of digestive system	16	–	–	–	1	1	1	2	5	2	2	2
Acute nephritis	2	–	1	–	1	–	–	–	–	–	–	–
Chronic Bright's disease	29	–	–	–	1	–	–	3	4	5	9	7
Other diseases of genito-urinary system.	16	1	–	–	–	2	–	–	3	3	4	3
Puerperal fever, &c.	2	–	–	–	–	–	–	2	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	–	2	–	–	–	–
Congenital malformations	11	10	1	–	–	–	–	–	–	–	–	–
Premature birth	30	30	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	4	4	–	–	–	–	–	–	–	–	–	–
Old age	32	–	–	–	–	–	–	–	–	1	6	25
Suicide	13	–	–	–	–	1	1	3	4	4	–	–
Burns and scalds	2	–	–	–	1	–	–	–	–	–	1	–
Drowning	2	–	–	–	1	–	–	–	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	1	–	2	2	–	–	–	3	–	–
Other deaths by violence	14	–	–	–	–	1	1	1	3	3	3	2
Other specified causes	47	8	1	2	2	3	5	1	4	9	11	1
Ill-defined causes	2	–	1	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th June 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	17	18	–	7	–
†BERMONDSEY ...	–	22	27	–	1	–
†BETHNAL GREEN	–	9	7	–	1	C. 1
†CAMBERWELL ...	–	19	17	–	–	M. 1
†CHELSEA ...	–	4	1	–	–	–
†DEPTFORD ...	–	7	3	–	1	C. 1
†FINSBURY ...	–	11	14	1	–	–
†FULHAM ...	–	11	5	–	8	C. 1
†GREENWICH ...	–	10	7	–	1	M. 1
†HACKNEY ...	–	8	7	–	–	M. 2
†HAMMERSMITH	–	8	13	4	–	–
†HAMPSTEAD ...	–	2	5	–	1	M. 1
†HOLBORN ...	–	1	1	–	–	–
†ISLINGTON ...	–	37	18	–	1	M. 3
†KENSINGTON ...	–	9	10	–	2	–
†LAMBETH ...	–	25	10	1	1	C. 1 G. 1 L. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	16	9	–	1	M. 1
†PADDINGTON ...	–	4	4	–	2	–
†POPLAR... ...	–	4	10	–	4	M. 3
†ST. MARYLEBONE	–	8	19	1	1	–
†ST. PANCRAS ...	–	27	13	–	1	D. 1 M. 2
†SHOREDITCH ...	–	3	5	–	–	M. 2
†SOUTHWARK ...	–	11	17	–	2	–
†STEPNEY ...	–	12	14	–	9	C. 1 D. 1 M. 2
†STOKE NEWINGTON	–	2	2	–	–	–
†WANDSWORTH	–	24	26	–	7	G. 1
†WESTMINSTER, CITY OF	–	1	9	–	1	–
†WOOLWICH ...	–	6	13	–	4	–
TOTAL OF PART I.	–	318	305	7	56	C. 5 D. 2 G. 2 L. 1 M. 19

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	14	4	–	1	C. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	9	2	–	–	–
KEMPSTON ...	–	1	–	–	–	–
†LUTON	–	1	–	–	–	C. 1
Rural Districts :—						
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	1	–	–	1	–
LUTON	–	–	2	–	–	–
BERKS	–	28	5	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	–	–	–	–
†READING C.B....	–	11	3	–	–	–
WANTAGE ...	–	1	1	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	3	–	–	–	–
FARINGDON (part)	–	4	1	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR ...	–	2	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	14	1	1	1	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	2	–	–	–	–
BUCKINGHAM ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	3	–	–	–	–
†SLOUGH... ...	–	–	1	–	–	–
†WOLVERTON ...	–	1	–	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts :—						
ETON	–	3	–	–	–	–
WYCOMBE ...	–	4	–	–	–	–
CAMBRIDGE ...	–	2	3	–	1	–
Borough :—						
†CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts :—						
CHESTERTON ...	–	–	–	–	1	–
NEWMARKET ...	–	–	2	–	–	–
CHESTER	–	54	17	–	14	M. 6
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	1	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	M. 2
†BIRKENHEAD C.B.	–	8	3	–	3	–
BOLLINGTON ...	*	*	*	*	*	*
BREDBURY AND ROMILY	–	–	–	–	1	–
†CHESTER C.B. ...	–	4	3	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	3	1	–	2	–
†CREWE	–	3	–	–	–	–
†DUKINFIELD ...	–	–	–	–	2	–
HALE	–	–	1	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HYDE	–	6	1	–	1	–
KNUTSFORD ...	–	3	–	–	–	–
†MACCLESFIELD...	–	3	–	–	–	M. 1
NORTHWICH ...	–	1	1	–	–	–
†RUNCORN ...	–	4	–	–	1	–
†SALE	–	1	1	–	–	–
†STOCKPORT C.B.	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Wallasey C.B.	–	4	1	–	–	–
Wilmslow ...	–	2	–	–	–	–
†Winsford ...	–	3	–	–	–	–
Rural Districts:—						
Bucklow ...	–	1	1	–	–	–
Congleton ...	–	1	–	–	–	–
Macclesfield ...	–	2	–	–	–	M. 1
Nantwich ...	–	–	2	–	–	–
Runcorn ...	–	2	–	–	–	–
Tarvin	–	–	–	–	–	M. 1
Wirral... ...	–	1	–	–	–	–
CORNWALL ...	–	4	4	2	–	–
Boroughs and Urban Districts:—						
†Camborne ...	–	1	–	–	–	–
Newquay ...	*	*	*	*	*	*
Redruth ...	–	1	2	–	–	–
St. Ives ...	–	–	–	1	–	–
Rural Districts:—						
Launceston ...	–	–	–	1	–	–
Redruth ...	–	1	2	–	–	–
Stratton ...	*	*	*	*	*	*
Truro	–	1	–	–	–	–
CUMBERLAND ...	–	9	2	–	1	M. 1
Boroughs and Urban Districts:—						
†Carlisle, C.B....	–	2	–	–	1	–
Holme Cultram	–	–	1	–	–	–
†Maryport ...	–	1	–	–	–	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Millom ...	–	1	–	–	–	–
†Whitehaven ...	–	–	–	–	–	M. 1
†Workington ...	–	3	–	–	–	–
Rural Districts:—						
Alston-with-Garrigill	–	1	–	–	–	–
Brampton ...	–	1	–	–	–	–
Cockermouth ...	–	–	1	–	–	–
DERBY	–	30	9	–	9	C. 1 M. 2
Boroughs and Urban Districts:—						
†Alfreton ...	–	–	1	–	–	–
Ashbourne ...	–	–	–	–	1	–
†Chesterfield ...	–	–	1	–	–	–
†Derby C.B. ...	–	11	3	–	3	C. 1
†Glossop ...	–	1	–	–	2	–
†Ilkeston ...	–	1	–	–	–	M. 1
New Mills ...	–	–	1	–	–	–
†Ripley... ...	–	–	–	–	1	–
†Swadlincote District	–	5	–	–	–	–
Rural Districts:—						
Ashbourne ...	–	–	–	–	1	–
Bakewell ...	–	2	–	–	–	–
Blackwell ...	–	–	–	–	1	–
Chapel-en-le-Frith	–	–	3	–	–	–
Chesterfield ...	–	4	–	–	–	–
Clowne... ...	–	1	–	–	–	–
Hartshorne and Seals	–	1	–	–	–	–
Shardlow ...	–	4	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	16	13	1	4	E. 1 M. 1
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	3	–	–	–
†EXETER C.B. ...	–	1	–	–	–	–
HONITON ...	–	1	1	–	–	–
†PAIGNTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	5	5	–	–	M. 1
SOUTH MOLTON	–	1	–	–	–	–
TIVERTON ...	–	1	2	–	–	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BARNSTABLE ...	–	–	–	–	2	–
CREDITON ...	–	1	–	–	–	–
HONITON ...	–	1	–	–	–	–
NEWTON ABBOT	–	–	–	1	–	–
OKEHAMPTON ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	1	–
TAVISTOCK ...	–	2	–	–	–	–
TIVERTON ...	–	1	–	–	–	E. 1
TORRINGTON ...	–	–	–	–	1	–
DORSET	–	3	2	1	3	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	2	1	–	3	–
†WEYMOUTH AND MELTON REGIS	–	–	–	–	–	M. 1
Rural Districts:—						
DORCHESTER ...	–	–	–	1	–	–
POOLE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	52	19	–	26	C. 1 F. 1 G. 1 L. 1 M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	M. 1
†BLAYDON ...	–	–	1	–	–	–
†CHESTER-LE-STREET	–	–	–	–	1	–
†CONSETT ...	–	–	1	–	–	–
†CROOK	–	–	1	–	1	M. 1
†DARLINGTON C.B.	–	1	1	–	2	M. 1
†DURHAM ...	–	2	–	–	–	M. 1
†FELLING ...	–	–	1	–	–	–
†GATESHEAD C.B.	–	9	–	–	2	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	–	1	–	1	–
†HETTON... ...	–	1	–	–	–	–
†JARROW ...	–	1	–	–	5	–
†SEAHAM HARBOUR	–	2	–	–	–	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	5	–	–	2	L. 1
STANHOPE ...	–	–	1	–	–	–
†STANLEY ...	–	1	4	–	–	–
†STOCKTON-ON-TEES	–	–	4	–	1	–
†SUNDERLAND C.B.	–	14	–	–	3	F. 1 M. 2
†WEST HARTLEPOOL C.B.	–	1	–	–	3	M. 1
†WHICKHAM ...	–	1	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	3	–	–	–	–
CHESTER-LE-STREET	–	1	–	–	1	M. 1
DARLINGTON ...	–	2	–	–	–	–
DURHAM ...	–	–	–	–	–	G. 1
EASINGTON ...	–	–	–	–	1	–
HOUGHTON-LE-SPRING	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
Lanchester ...	*	*	*	*	*	*
Sedgefield ...	–	2	–	–	–	C. 1
South Shields	–	1	–	–	–	–
Sunderland ...	–	–	–	–	1	–
Weardale ...	–	–	1	–	–	–
ISLE OF ELY ...	–	1	–	–	–	–
Rural Districts:—						
Ely	–	1	–	–	–	–
ESSEX	–	69	41	2	16	C. 2 M. 1
Boroughs and Urban Districts:—						
†Barking Town	–	–	1	–	–	–
Brentwood ...	–	1	–	–	–	–
Chingford ...	–	1	–	–	1	–
†Colchester ...	–	1	2	–	–	–
†East Ham C.B.	–	8	2	–	4	–
†Grays Thurrock	–	1	–	–	–	–
Halstead ...	–	–	–	–	1	–
†Harwich ...	–	1	–	–	–	–
†Ilford	–	5	1	–	–	–
†Leyton... ...	–	7	5	–	–	–
†Romford ...	–	–	–	–	–	C. 1
†Southend-on-Sea C.B.	–	3	2	–	2	M. 1
Tilbury ...	–	–	2	–	–	–
†Walthamstow	–	12	8	–	1	–
†Wanstead ...	–	2	5	–	–	–
†West Ham C.B.	–	22	9	1	5	C. 1
Witham ...	–	–	–	1	–	–
†Woodford ...	–	–	–	–	1	–
Rural Districts:—						
Billericay ...	–	–	1	–	–	–
Halstead ...	–	2	–	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
Lexden and Winstree	–	–	–	–	1	–
Maldon ...	–	–	1	–	–	–
Ongar	–	2	1	–	–	–
Orsett	*	*	*	*	*	*
Rochford ...	–	1	–	–	–	–
Romford ...	–	–	1	–	–	–
GLOUCESTER ...	–	22	24	1	7	M. 4
Boroughs and Urban Districts:—						
†Bristol C.B. ...	–	18	19	1	4	M. 3
†Cheltenham ...	–	–	–	–	1	M. 1
†Gloucester C.B.	–	–	1	–	1	–
†Kingswood ...	–	1	–	–	–	–
Tetbury ...	–	–	1	–	–	–
Rural Districts:—						
Chipping Sodbury	–	1	–	–	–	–
Cirencester ...	–	–	1	–	–	–
East Dean and United Parishes	–	–	–	–	1	–
Newent ...	–	–	1	–	–	–
West Dean ...	–	2	1	–	–	–
HEREFORD ...	–	3	3	–	2	M. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
HEREFORD ...	–	1	–	–	–	–
LEDBURY ...	–	2	–	–	–	–
WEOBLEY ...	–	–	–	–	–	M. 1
HERTFORD ...	–	16	2	1	3	D. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
†EAST BARNET VALLEY	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	7	–	–	–	–
†HERTFORD ...	–	–	–	1	1	–
HODDESDON ...	–	–	–	–	–	D. 1§
†LETCHWORTH ...	–	1	–	–	1	–
ROYSTON ...	–	–	–	–	–	M. 1
†ST. ALBANS ...	–	2	–	–	–	–
TRING	–	–	–	–	–	E. 1
WARE	–	–	1	–	–	–
†WATFORD ...	–	3	–	–	1	–
Rural Districts:—						
HADHAM ...	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	–
WELWYN ...	–	–	1	–	–	–
HUNTINGDON ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	2	–	–	–	–
OLD FLETTON ...	*	*	*	*	*	*
ST. NEOTS ...	*	*	*	*	*	*
Rural District:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. NEOTS, No. 1	*	*	*	*	*	*
,, ,, No. 2	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	41	28	9	4	L. 1 M. 6
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	–	1	–	–
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY ...	–	1	–	–	–	L. 1
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	–	–
†BROMLEY ...	–	2	–	–	–	–
†CANTERBURY C.B.	–	1	–	–	–	M. 2
†CHATHAM ...	–	1	1	–	–	–
CHISLEHURST ...	–	–	–	–	–	M. 1
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	1	3	–	–	–
†DOVER	–	–	–	–	1	M. 1
†ERITH	–	3	6	–	–	–
†GILLINGHAM ...	–	1	1	1	–	–
†GRAVESEND ...	–	4	–	–	–	–
HYTHE	–	1	–	–	–	–
†MARGATE ...	–	2	–	1	–	–
†NORTHFLEET ...	–	4	–	–	–	–
†PENGE	–	1	1	–	1	–
†RAMSGATE ...	–	1	3	3	–	–
†ROCHESTER ...	–	–	–	1	–	–
†ROYAL TUNBRIDGE WELLS	–	–	4	1	–	–
†SHEERNESS ...	–	–	4	–	–	–
SOUTHBOROUGH	–	–	1	–	–	M. 1
†TONBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
CRANBROOK ...	–	4	–	–	–	–
DARTFORD ...	–	3	–	–	–	–
EAST ASHFORD	–	–	–	–	1	–
ELHAM	–	–	–	–	1	–
FAVERSHAM ...	–	–	1	–	–	–
ISLE OF THANET	–	2	–	–	–	–
MAIDSTONE ...	–	–	–	–	–	M. 1
MILTON ...	–	1	–	–	–	–
TENTERDEN ...	–	–	–	1	–	–
TONBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000. § Doubtful case.
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	4	262	67	5	127	C. 7 D. 1 E. 2 L. 1 M. 28
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	–	–
†ACCRINGTON ...	–	1	–	–	–	C. 1
†ASHTON-UNDER-LYNE	–	1	–	–	5	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	1	–	–	1	–
AUDENSHAW ...	–	–	–	–	–	M. 1
†BARROW-IN-FURNESS C.B.	–	1	–	–	–	–
BILLINGE ...	–	1	–	–	–	–
†BLACKBURN C.B.	–	4	–	–	3	M. 1
†BLACKPOOL C.B.	–	3	1	–	–	–
BLACKROD ...	–	–	–	–	1	–
†BOLTON C.B. ...	–	5	–	1	3	M. 1
†BOOTLE C.B. ...	–	16	–	–	–	–
†BURNLEY C.B.	–	5	3	1	4	E. 1
†BURY C.B. ...	–	–	–	–	3	M. 1
†CHORLEY ...	–	–	–	–	–	M. 1
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	3	–	–	–	–
†DARWEN ...	–	2	–	–	–	–
†DENTON... ...	–	1	–	–	–	M. 1
†DROYLSDEN ...	–	4	–	–	–	–
†ECCLES ...	–	5	–	–	–	M. 1
†FAILSWORTH ...	–	–	–	–	3	–
†FARNWORTH ...	–	–	–	–	1	–
FORMBY ...	–	–	1	–	–	–
FULWOOD ...	–	1	–	–	–	–
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY ...	–	1	–	–	2	–
†HORWICH ...	–	1	1	–	–	–
HURST	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	4	–	–	1	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	4	4	–	1	M. 2
LITTLE HULTON	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LIVERPOOL C.B.	–	31	17	–	13	D. 1 E. 1 M. 7
†MANCHESTER C.B.	–	62	11	1	43	C. 5 M. 9
†MIDDLETON ...	–	4	–	–	–	–
MILNROW ...	–	4	–	–	–	–
†MORECAMBE ...	–	1	1	1	–	–
†MOSSLEY ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	3	–	–	3	–
†OLDHAM C.B.	3	4	–	–	–	M. 1
ORRELL ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	2	–	–	–	–
†PRESTON C.B. ...	–	2	1	–	–	C. 1
†PRESTWICH ...	–	1	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	2	1	–	–	–
†RISHTON ...	–	1	–	–	–	–
†ROCHDALE C.B.	–	6	1	1	3	–
†ROYTON ...	1	–	–	–	1	–
†ST. HELENS C.B.	–	4	5	–	4	M. 1
†SALFORD C.B. ...	–	21	3	–	8	–
SKELMERSDALE	–	–	–	–	1	–
†SOUTHPORT C.B.	–	1	3	–	–	–
STANDISH-WITH-LANGTREE	–	2	–	–	2	–
†STRETFORD ...	–	2	1	–	1	–
†SWINTON AND PENDLEBURY	–	2	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	1	–
UPHOLLAND ...	–	4	–	–	–	–
†WALTON-LE-DALE	–	1	–	–	1	–
†WARRINGTON C.B.	–	8	1	–	4	M. 1
†WATERLOO-WITH-SEAFORTH	–	1	1	–	–	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES ...	–	4	1	–	5	–
†WIGAN C.B. ...	–	4	1	–	1	–
†WORSLEY ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts:—						
Blackburn ...	–	1	–	–	–	–
Burnley ...	–	1	–	–	–	–
Bury	–	–	–	–	3	–
Clitheroe ...	–	–	–	–	–	L. 1
Lancaster ...	–	–	1	–	–	–
Leigh	–	1	–	–	–	–
Limehurst ...	–	2	–	–	–	–
Warrington ...	–	1	1	–	–	–
West Lancashire	–	–	2	–	–	–
Wigan	–	–	–	–	2	–
LEICESTER ...	–	22	9	–	5	M. 1
Boroughs and Urban Districts:—						
Ashby Woulds	–	2	1	–	–	–
†Coalville ...	–	1	–	–	–	–
†Leicester C.B.	–	8	2	–	1	M. 1
Market Harborough	–	–	1	–	–	–
Melton Mowbray	–	–	1	–	2	–
Quorndon ...	–	–	2	–	–	–
Wigston Magna	–	1	–	–	–	–
Rural Districts:—						
Ashby-de-la Zouch	–	2	2	–	–	–
Castle Donington	–	1	–	–	2	–
Hinckley ...	–	4	–	–	–	–
Market Bosworth	–	2	–	–	–	–
Market Harborough	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	–	–	–	–
Rural Districts—						
Boston ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	2	1	1	D. 1
Boroughs and Urban Districts:—						
Bourne ...	–	1	–	–	–	–
†Grantham ...	–	–	–	–	1	–
Stamford ...	–	–	2	–	–	–
Rural Districts:—						
Bourne ...	–	1	–	–	–	D. 1
Grantham ...	–	–	–	1	–	–
Sleaford ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	1	8	1	1	G. 1
Boroughs and Urban Districts:—						
†Gainsborough	–	–	2	1	–	–
†Grimsby C.B. ...	–	1	2	–	–	G. 1
†Lincoln C.B.	–	–	1	–	–	–
Market Rasen	–	–	1	–	–	–
†Scunthorpe and Frodingham	–	–	–	–	1	–
Rural Districts:—						
Caistor ...	–	–	2	–	–	–
MIDDLESEX ...	–	107	58	1	16	C. 1 M. 5
Boroughs and Urban Districts:—						
†Acton	–	13	3	–	–	M. 1
†Brentford ...	–	1	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	6	2	–	1	–
†EALING ...	–	21	19	–	–	–
†EDMONTON ...	–	5	1	–	3	–
†ENFIELD ...	–	3	–	–	–	–
†FINCHLEY ...	–	3	–	–	1	–
†FRIERN BARNET	–	–	–	1	–	–
†HAMPTON ...	–	–	–	–	2	–
HAMPTON WICK	–	–	–	–	1	–
†HANWELL ...	–	6	2	–	–	–
†HARROW-ON-THE-HILL	–	1	2	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	3	4	–	1	C. 1
†HESTON AND ISLEWORTH	–	4	1	–	2	–
†HORNSEY ...	–	–	1	–	1	M. 1
†SOUTHALL-NORWOOD	–	1	–	–	–	M. 1
†SOUTHGATE ...	–	5	1	–	–	–
STAINES ...	–	–	1	–	–	–
SUNBURY-ON-THAMES	–	2	1	–	–	–
†TOTTENHAM ...	–	11	4	–	2	M. 1
†TWICKENHAM ...	–	2	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	*	*	*	*	*	*
†WILLESDEN ...	–	10	11	–	2	–
†WOOD GREEN ...	–	2	–	–	–	–
YIEWSLEY ...	–	–	1	–	–	M. 1
Rural Districts:—						
HENDON ...	–	2	–	–	–	–
STAINES ...	–	4	1	–	–	–
NORFOLK ...	–	23	13	–	3	D. 2 M. 2
Boroughs and Urban District:—						
DOWNHAM MARKET	–	–	1	–	–	–
†GREAT YARMOUTH C.B.	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORWICH C.B....	–	9	10	–	–	M. 2
WELLS	–	–	–	–	2	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
BLOFIELD ...	–	–	–	–	–	D. 1
DEPWADE ...	–	–	1	–	–	D. 1
EAST AND WEST FLEGG	–	1	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	1	1	–	–	–
SMALLBURGH ...	–	2	–	–	–	–
WAYLAND ...	–	3	–	–	1	–
NORTHAMPTON	–	7	8	–	6	–
Boroughs and Urban Districts:—						
FINEDON ...	*	*	*	*	*	*
†NORTHAMPTON C.B.	–	7	5	–	4	–
OUNDLE ...	*	*	*	*	*	*
†WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
THRAPSTON (part)	–	–	–	–	1	–
WELLINGBOROUGH	–	–	2	–	–	–
NORTHUMBERLAND.	–	35	2	–	20	M. 3
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	–	–	2	–
‡BERWICK-UPON-TWEED	–	1	–	–	–	–
†BLYTH	–	2	1	–	1	M. 1
CRAMLINGTON ...	–	5	–	–	–	–
†EARSDON ...	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	14	–	–	7	M. 1
PRUDHOE ...	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	1	–	–	4	M. 1
†WALLSEND ...	–	4	1	–	1	–
†WHITLEY AND MONKSEATON	*	*	*	*	*	*
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	–	–	2	–
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	–	5	4	–	8	L. 11 M. 2
Boroughs and Urban Districts:—						
†ARNOLD... ...	–	–	–	–	1	–
†EAST RETFORD	–	–	–	–	3	L. 11
†MANSFIELD ...	–	–	1	–	1	–
†NEWARK ...	–	–	1	–	–	–
†NOTTINGHAM C.B.	–	1	1	–	1	M. 2
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP ...	–	2	–	–	1	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	–	1	–	–	–	–
BLYTH AND CUCKNEY	–	–	1	–	–	–
EAST RETFORD	–	–	–	–	1	–
OXFORD	–	13	2	1	3	C. 1 M. 1
Boroughs and Urban Districts:—						
BANBURY ...	–	4	–	1	–	–
†OXFORD C.B. ...	–	1	–	–	2	C. 1
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	3	–	–	–	–
CULHAM ...	–	2	–	–	–	–
HEADINGTON ...	–	2	1	–	–	M. 1
WITNEY ...	–	–	1	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	2	–
Borough:—						
†PETERBOROUGH	–	–	–	–	1	–
Rural District:—						
PETERBOROUGH	–	–	–	–	1	–
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
OAKHAM ...	–	–	1	–	–	–
SALOP	–	8	4	2	5	C. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
DAWLEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
Market Drayton	–	–	1	–	1	–
†Oakengates ...	–	1	–	–	–	–
Oswestry ...	–	2	1	–	–	–
†Shrewsbury ...	–	–	–	–	2	–
Wellington ...	–	1	–	–	–	–
Wem	–	–	–	–	–	C. 1
†Wenlock ...	–	2	–	–	–	–
Rural Districts:—						
Ellesmere ...	–	–	–	–	1	–
Oswestry ...	–	1	–	1	–	–
Wellington ...	–	–	2	1	–	–
SOMERSET ...	–	5	4	–	2	D. 1 M. 3
Boroughs and Urban Districts:—						
†Bath C.B. ...	–	1	1	–	–	–
Shepton Mallet	–	–	–	–	–	M. 1
Street	*	*	*	*	*	*
†Taunton ...	–	2	–	–	–	D. 1
†Weston-super-Mare	–	–	1	–	–	–
Rural Districts:—						
Axbridge ...	–	–	1	–	1	–
Bath	–	–	–	–	–	M. 1
Chard	–	–	–	–	1	–
Clutton ...	–	–	–	–	–	M. 1
Dulverton ...	*	*	*	*	*	*
Taunton ...	–	2	–	–	–	–
Yeovil	–	–	1	–	–	–
SOUTHAMPTON...	2	29	27	1	3	E. 1 M. 3
Boroughs and Urban Districts:—						
†Aldershot ...	–	3	2	–	–	–
Andover ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bournemouth C.B.	–	4	3	–	–	–
†Eastleigh and Bishopstoke	–	–	1	–	1	–
†Fareham ...	–	–	–	1	–	–
†Gosport and Alverstoke	–	1	5	–	1	–
Havant ...	–	–	1	–	–	–
†Portsmouth C.B.	–	17	10	–	–	M. 2
†Southampton C.B.	2	2	4	–	–	E. 1
†Winchester ...	–	–	1	–	–	–
Rural Districts:—						
Andover ...	–	1	–	–	–	–
Fareham ...	–	–	–	–	1	–
Petersfield ...	–	1	–	–	–	–
STAFFORD ...	–	89	30	–	29	C. 1 M. 10
Boroughs and Urban Districts:—						
†Bilston ...	–	–	–	–	4	M. 1
†Brownhills ...	–	5	–	–	2	–
†Burton-upon-Trent C.B.	–	3	1	–	5	M. 1
†Cannock ...	–	1	–	–	–	M. 1
†Coseley ...	–	2	–	–	–	–
†Darlaston ...	–	1	–	–	–	–
†Heath Town ...	–	1	–	–	–	–
Kidsgrove ...	–	1	–	–	–	–
†Leek	–	1	–	–	–	–
Quarry Bank	–	1	–	–	–	–
†Rowley Regis	–	–	–	–	1	–
Rugeley ...	–	–	–	–	–	M. 1
†Sedgley ...	–	2	–	–	–	–
†Smethwick C.B.	–	10	2	–	–	–
Stafford ...	–	2	–	–	–	C. 1
†Stoke-on-Trent C.B.	–	7	4	–	12	M. 6

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
UTTOXETER ...	–	1	–	–	–	–
†WALSALL C.B....	–	1	–	–	–	–
†WEDNESBURY ...	–	1	–	–	1	–
†WEST BROMWICH C.B.	–	21	–	–	–	–
†WILLENHALL ...	–	2	–	–	1	–
†WOLSTANTON UNITED	–	2	20	–	–	–
†WOLVERHAMPTON C.B.	–	9	1	–	2	–
Rural Districts:—						
CANNOCK ...	–	1	–	–	–	–
CHEADLE ...	–	4	1	–	–	–
LEEK	–	7	1	–	–	–
LICHFIELD ...	–	1	–	–	1	–
SEISDON ...	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
SUFFOLK, EAST	–	3	8	–	5	F. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	2	–
BUNGAY ...	–	1	–	–	–	–
†IPSWICH C.B. ...	–	1	5	–	3	–
†LOWESTOFT ...	–	1	2	–	–	–
STOWMARKET ...	–	–	–	–	–	F. 1
Rural Districts:—						
PLOMESGATE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	45	23	3	3	C. 1 L. 5
Boroughs and Urban Districts:—						
†BARNES ...	–	3	–	–	–	–
†CARSHALTON ...	–	3	2	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	1	2	–	1	–
†CROYDON C.B....	–	9	3	–	1	–
†EGHAM	–	–	1	–	–	–
†EPSOM	–	–	–	1	–	–
†FRIMLEY ...	–	2	–	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
HAM	–	4	–	–	–	–
†KINGSTON-UPON-THAMES	–	1	–	–	–	–
LEATHERHEAD ...	–	2	–	–	–	–
†MERTON AND MORDEN	–	4	7	–	–	–
†MITCHAM ...	–	2	1	–	–	–
†REIGATE ...	–	–	–	–	–	L. 5
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	5	–	–	–
SUTTON	–	2	–	1	–	–
†WALTON-UPON-THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	4	2	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING ...	–	–	–	–	–	C. 1
GODSTONE ...	–	2	–	1	–	–
SUSSEX, EAST ...	–	15	–	1	–	L. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	8	–	–	–	–
†EASTBOURNE C.B.	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOVE	–	3	–	–	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	–	–	1	–	L. 1
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	5	3	1	–	M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	2	–	–	–
†HORSHAM ...	–	2	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	1	–	–
WESTHAMPNETT	–	1	1	–	–	M. 1
WARWICK ...	–	87	24	–	50	C. 1 M. 10
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	55	19	–	25	C. 1 M. 8
†COVENTRY C.B.	–	6	1	–	8	–
†NUNEATON ...	–	–	1	–	1	M. 1
†ROYAL LEAMINGTON SPA	–	–	–	–	3	–
†RUGBY	–	2	–	–	1	–
†SUTTON COLDFIELD	–	2	1	–	–	–
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	11	–	–	4	–
FOLESHILL ...	–	5	–	–	2	–
MERIDEN ...	–	2	–	–	1	–
SOLIHULL ...	–	1	1	–	3	M. 1
TAMWORTH (part)	–	3	1	–	–	–
WARWICK ...	–	–	–	–	2	–
WESTMORLAND	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	1	–
ISLE OF WIGHT	–	6	4	–	–	–
Boroughs and Urban Districts:—						
COWES	–	–	1	–	–	–
†NEWPORT ...	–	1	–	–	–	–
†RYDE	–	3	–	–	–	–
SHANKLIN ...	–	–	1	–	–	–
VENTNOR ...	–	–	1	–	–	–
Rural District:—						
ISLE OF WIGHT	–	2	1	–	–	–
WILTS	–	25	3	–	–	–
Boroughs and Urban Districts:—						
DEVIZES ...	–	1	3	–	–	–
†SWINDON ...	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Trowbridge ...	–	1	–	–	–	–
Warminster ...	*	*	*	*	*	*
Rural Districts:—						
Bradford-on-Avon	–	1	–	–	–	–
Chippenham ...	–	2	–	–	–	–
Cricklade and Wootton Bassett	–	3	–	–	–	–
Highworth ...	–	1	–	–	–	–
Malmesbury ...	–	6	–	–	–	–
Ramsbury ...	–	2	–	–	–	–
Warminster ...	*	*	*	*	*	*
Westbury and Whorwellsdown	–	3	–	–	–	–
WORCESTER ...	–	18	9	–	3	C. 1 G. 1
Boroughs and Urban Districts:—						
Evesham ...	–	1	–	–	–	–
†Kidderminster	–	5	1	–	1	–
†Malvern ...	–	–	–	–	–	G. 1
North Bromsgrove	–	–	1	–	–	–
†Oldbury ...	–	2	5	–	1	–
†Redditch ...	–	8	–	–	–	–
†Stourbridge ...	–	–	–	–	1	–
†Worcester C.B.	–	1	1	–	–	–
Rural Districts:—						
Evesham ...	–	–	1	–	–	C. 1
Tewkesbury (part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	6	9	1	4	M. 3
Boroughs and Urban Districts:—						
†Beverley ...	–	–	–	–	1	–
†Bridlington ...	–	–	1	–	–	–
Cottingham ...	*	*	*	*	*	*
†Kingston-upon-Hull C.B.	–	3	6	1	1	M. 3
†York C.B. ...	–	2	–	–	–	–
Rural Districts:—						
Beverley ...	–	–	–	–	2	–
Driffield ...	–	–	1	–	–	–
Howden ...	–	1	–	–	–	–
Patrington ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	5	10	1	1	8	–
Boroughs and Urban Districts:—						
†Eston	–	2	–	–	–	–
Malton... ...	–	–	–	1	–	–
†Middlesbrough C.B.	5	1	–	–	8	–
†Redcar... ...	–	2	–	–	–	–
†Scarborough ...	–	–	1	–	–	–
Rural Districts:—						
Aysgarth ...	*	*	*	*	*	*
Leyburn ...	–	5	–	–	–	–
YORKS ... ... (West Riding).	–	174	64	6	98	C. 4 E. 2 L. 1 M. 17
Boroughs and Urban Districts:—						
†Adwick-le-Street	–	–	–	–	1	–
Ardsley, East and West	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Barnsley C.B.	–	4	1	–	7	–
†Batley ...	–	1	–	1	1	–
†Bentley-with-Arksey	–	–	–	–	–	M. 1
†Bingley ...	–	1	–	–	1	–
†Bolton-upon-Dearne	–	–	–	1	–	–
†Bradford C.B.	–	24	4	1	5	M. 3
†Castleford ...	–	2	–	–	1	–
Clayton West	–	1	1	–	–	–
†Conisbrough ...	–	–	1	–	–	M. 1
Darfield ...	–	–	1	–	–	–
†Dewsbury C.B.	–	4	–	–	–	–
†Doncaster ...	–	–	1	–	4	–
Drighlington...	–	–	1	–	–	–
†Elland... ...	–	1	–	–	–	–
Farsley ...	–	–	1	–	–	–
†Featherstone	*	*	*	*	*	*
†Goole	–	1	4	–	1	–
Greetland ...	–	–	1	–	–	–
†Halifax C.B. ...	–	5	–	–	–	–
†Harrogate ...	–	–	1	–	–	C. 1
Hebden Bridge	–	1	–	–	–	–
Horbury ...	–	1	–	–	–	–
†Hoyland Nether	–	–	–	1	1	–
†Huddersfield C.B.	–	3	6	–	–	–
†Keighley ...	–	–	1	–	–	–
†Leeds C.B. ...	–	55	8	1	5	M. 3
Methley ...	–	2	–	–	–	–
†Mexborough ...	–	1	–	–	1	–
†Morley ...	–	–	–	–	1	M. 1
Mytholmroyd	–	–	1	–	–	–
†Normanton ...	–	1	–	–	1	–
†Ossett... ...	–	–	1	–	–	–
Penistone ...	*	*	*	*	*	*
†Pontefract ...	–	2	–	–	–	–
†Pudsey... ...	–	1	–	–	–	–
†Rawmarsh ...	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Rotherham C.B.	–	1	2	–	5	–
†Rothwell ...	–	1	3	–	3	–
Selby	–	4	–	–	–	–
†Sheffield C.B.	–	15	12	–	45	C. 1 E. 2 M. 6
†Shipley ...	–	1	–	–	–	–
†Skelmanthorpe	–	–	2	–	–	–
Slaithwaite ...	–	–	–	–	–	C. 1
†Spenborough ...	–	2	–	–	1	–
†Stanley ...	–	3	–	–	2	–
Stocksbridge ...	–	–	–	–	1	–
Thurlstone ...	–	1	–	–	–	–
Thurnscoe ...	–	2	–	–	–	–
†Todmorden ...	–	1	–	1	–	–
†Wakefield C.B.	–	10	1	–	4	C. 1
†Wath-upon-Dearne	–	–	1	–	1	–
Whitwood ...	–	2	–	–	–	–
†Wombwell ...	–	–	–	–	1	–
†Worsborough...	–	–	–	–	1	–
Rural Districts:—						
Doncaster ...	–	–	3	–	–	–
Goole	–	1	–	–	–	–
Halifax ...	*	*	*	*	*	*
Hemsworth ...	–	2	1	–	1	M. 1
Hunslet ...	–	1	–	–	–	–
Kiveton Park	–	1	–	–	–	–
Pateley Bridge	–	1	–	–	–	–
Rotherham ...	–	–	1	–	2	–
Settle	–	4	–	–	–	–
Skipton ...	–	1	–	–	–	–
Tadcasier ...	–	1	–	–	–	–
Todmorden ...	–	1	–	–	–	–
Wakefield ...	–	4	1	–	–	–
Wetherby ...	–	1	–	–	–	–
Wharfedale (South)	–	–	2	–	–	L. 1
Wortley ...	–	1	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Rural District:—						
VALLEY... ...	*	*	*	*	*	*
BRECKNOCK ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
Rural District:—						
BRECKNOCK LLANGORSE	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	1	–	1	–
CARDIGAN ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
NEW QUAY ...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWYTH (North)	–	–	–	–	1	–
CARMARTHEN ...	–	3	2	1	5	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	1	–
CYMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–	–	–	1	–	–
CARMARTHEN —*cont.*						
Boroughs and Urban Districts—*cont.*						
†LLANELLY ...	–	–	2	–	2	–
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural District:—						
LLANDILO FAWR	–	1	–	–	1	–
LLANELLY ...	–	1	–	–	–	–
NEWCASTLE-IN-EMLYN	*	*	*	*	*	*
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	1	8	–	–	C. 1
Boroughs and Urban Districts:—						
BANGOR... ...	–	–	–	–	–	C. 1
BETHESDA ...	–	–	1	–	–	–
CARNARVON ...	–	–	2	–	–	–
LLANDUDNO ...	–	1	–	–	–	–
Rural District:—						
GLASLYN ...	–	–	1	–	–	–
GWYREFAI ...	–	–	2	–	–	–
LLEYN	–	–	2	–	–	–
DENBIGH ...	–	5	4	–	7	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	–	–	–	1	–
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
DENBIGH ...	–	–	1	–	–	–
†WREXHAM ...	–	–	2	–	–	–
Rural Districts:—						
GLAN CONWAY (parish)	–	3	–	–	–	–
LLANSILIN ...	–	–	–	–	2	–
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	2	4	–	7	C. 1
Boroughs and Urban Districts:—						
Holywell ...	–	–	–	–	1	–
†Rhyl	–	1	1	–	1	–
Rural Districts:—						
Hawarden ...	–	–	–	–	4	–
Holywell (Holywell Div.)	–	–	2	–	1	C. 1
Overton ...	–	–	1	–	–	–
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	–	88	54	1	13	C. 2 M. 6
Boroughs and Urban Districts:—						
†Aberdare ...	–	13	1	–	4	–
†Barry	–	2	12	–	–	–
†Caerphilly ...	–	3	2	–	–	–
†Cardiff C.B. ...	–	7	9	–	–	C. 1 M. 3
†Gelligaer ...	–	–	2	–	–	–
†Glyncorwg ...	–	3	–	–	–	–
†Maesteg ...	–	–	2	–	1	M. 1
†Merthyr Tydfil C.B.	–	4	1	–	–	M. 1
†Mountain Ash	–	6	1	–	1	M. 1
†Neath	–	–	1	–	1	–
†Ogmore and Garw	–	10	1	–	–	–
†Pontypridd ...	–	5	1	1	–	–
Porthcawl ...	–	–	1	–	–	–
†Port Talbot ...	–	2	8	–	–	–
†Rhondda ...	–	7	3	–	4	C. 1
†Swansea C.B. ...	–	13	5	–	2	–
Rural Districts:—						
Cowbridge ...	–	2	–	–	–	–
Gower ...	–	–	3	–	–	–
Llandaff and Dinas Powis	–	4	–	–	–	–
GLAMORGAN— *cont.*						
Rural Districts— *cont.*						
Llantrisant and Llantwit Fardre	–	1	–	–	–	–
Neath	–	1	1	–	–	–
Penybont ...	–	3	–	–	–	–
Pontardawe ...	–	1	–	–	–	–
Swansea ...	–	1	–	–	–	–
MERIONETH ...	–	1	1	–	–	–
Rural Districts:—						
Dolgelley ...	–	–	1	–	–	–
Penllyn ...	–	1	–	–	–	–
MONMOUTH ...	–	17	12	–	6	M. 2
Boroughs and Urban Districts:—						
†Abertillery ...	–	–	3	–	–	M. 1
Bedwas and Machen	–	–	2	–	–	–
†Bedwellty ...	–	2	–	–	–	–
†Blaennon ...	–	2	–	–	–	–
†Ebbw Vale ...	–	2	–	–	–	–
Llanfrechfa Upper	–	1	–	–	–	–
Monmouth ...	–	3	–	–	–	–
†Mynddislwyn	–	4	–	–	–	–
†Nantyglo and Blaina	–	–	–	–	1	M. 1
†Newport C.B....	–	1	2	–	4	–
Pontypool ...	–	1	–	–	–	–
†Tredegar ...	–	–	4	–	1	–
Rural Districts:—						
Magor	–	–	1	–	–	–
Monmouth ...	–	1	–	–	–	–
MONTGOMERY ...	–	4	1	–	2	–
Rural Districts—						
Llanfyllin ...	–	4	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	1	3	–	–	–
Rural Districts:—						
Haverfordwest	–	–	3	–	–	–
Narberth ...	*	*	*	*	*	*
St. Dogmells ...	–	1	–	–	–	–
RADNOR... ...	–	1	–	–	–	–
Rural Districts:—						
New Radnor ...	–	1	–	–	–	–
Total of Part II.	11	1513	654	45	537	C. 27 D. 6 E. 7 F. 2 G. 3 L. 21 M. 129

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple ...	*	*	*	*	*	*
Liverpool ...	–	1	–	–	–	–
Port of London	–	–	1	–	–	L. 1
Total of Part III.	–	1	1	–	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

———	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	318	305	7	56	C. 5 D. 2 G. 2 L. 1 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	11	1513	654	45	537	C. 27 D. 6 E. 7 F. 2 G. 3 L. 21 M. 129
Total of Part III.—Port Sanitary Districts ...	–	1	1	–	–	L. 1
Total (*i.e.*, of returns received), England and Wales	11	1832	960	52	593	C. 32 D. 8 E. 7 F. 2 G. 5 L. 23 M. 148

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eleven cases of Small-pox were notified, which appear on pages 724, 728, and 731.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Apr. 1.	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.
LONDON:—													
DEATHS—all ages	1,417	1,514	1,446	1,406	1,327	1,319	1,210	1,038	1,178	944	878	795	842
" 0 to 1 year	219	228	197	220	159	170	162	125	178	97	97	104	85
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,220	7,962	7,250	8,046	8,711	8,491	8,271	8,279	7,714	8,119	7,141	9,024	8,296
DEATHS—all ages	5,626	6,072	5,948	5,635	5,486	5,202	4,810	4,482	4,521	3,965	3,667	3,602	3,502
" 0 to 1 year	920	1,011	984	904	834	829	732	680	711	557	503	503	453
ENTERIC FEVER—Cases	12	13	20	17	16	23	22	24	31	23	22	24	17
" Deaths	5	3	6	4	5	7	2	2	6	2	2	5	4
SMALL POX—Cases	11	12	14	25	12	19	15	12	12	13	6	10	10
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,196	1,227	1,145	1,122	1,081	1,246	1,098	1,186	1,163	1,120	940	1016	1102
" Deaths	25	18	20	23	31	17	16	17	18	19	20	9	14
DIPHTHERIA—Cases	654	666	622	560	553	602	624	612	608	558	598	560	609
" Deaths	74	47	49	43	53	38	62	45	43	44	43	44	32
MEASLES—Deaths	160	181	154	158	177	184	168	122	130	97	96	79	56
INFLUENZA—Deaths	111	117	109	93	75	69	55	45	55	36	26	27	18

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th June 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	80	46	72·1	51·9	4
BRIGHTON	66	48	62·6	53·1	4
PORTSMOUTH	75	48	66·0	53·3	2
NORWICH (EATON).	70	46	66·3	50·9	9
PLYMOUTH	68	46	64·1	51·3	10
BRISTOL (CLIFTON).	66	49	62·3	51·6	21
BIRMINGHAM	73	46	63·6	49·7	5
NOTTINGHAM	69	43	65·0	50·3	4
BIRKENHEAD (BIDSTON).	65	48	60·0	50·7	19
MANCHESTER	67	46	61·1	51·6	32
BURNLEY	63	41	59·0	48·6	31
HUDDERSFIELD	66	47	61·3	50·4	27
BRADFORD	64	47	60·0	50·4	16
SHEFFIELD	67	46	61·9	50·3	8
YORK (MUSEUM).	65	45	62·7	50·0	17
HULL (PEARSON PARK).	72	46	66·6	50·1	8
TYNEMOUTH	68	45	62·7	50·3	9
CARDIFF	69	46	63·3	50·1	11
EDINBURGH	63·0	45·0	58·6	47·7	19
GLASGOW	60·8	45·8	58·2	48·5	23
DUBLIN (PHŒNIX PARK).	65·5	41·1	63·1	48·1	5
FITZWILLIAM SQUARE.†	65·3	46·1	62·8	51·4	3
BELFAST	67·2	49·8	64·5	51·8	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 24th June 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	18	..	30·015	69·2	50·5	18·7	57·1	− 2·1	45·0	12·1	24·0	7·6	64	116·6	39·8	54·9	NNW & N.	N: NW & W.	1·9	0·0	0·2	266	+ 23	0·00
MONDAY	19	..	30·024	80·2	56·9	23·3	67·5	+ 8·0	55·6	11·9	20·8	7·6	66	140·2	48·7	54·9	W & NW	WNW & W.	1·6	0·0	0·1	269	+ 25	0·00
TUESDAY	20	..	30·037	73·8	53·2	20·6	60·9	+ 1·0	51·5	9·4	22·3	3·6	71	144·9	42·9	54·9	W	W & WSW.	2·5	0·0	0·2	326	+ 80	0·00
WEDNESDAY	21	..	30·020	75·0	54·7	20·3	62·9	+ 2·6	45·5	17·4	27·3	3·9	53	146·3	46·0	55·0	W & Calm	W: NW & N.	2·4	0·0	0·1	227	− 20	0 00
THURSDAY	22	..	29·913	71·0	45·8	25·2	57·9	− 2·7	48·4	9·5	22·5	0·0	71	149·4	31·0	55 1	WNW & W.	WSW.	2·6	0·0	0·2	269	+ 20	0·01
FRIDAY	23	..	29·656	70·2	52·2	18·0	59·1	− 1·8	48·3	10·8	21·2	2·6	68	141·1	45·3	55·1	WSW & W.	W & WNW.	3·4	0·0	0·4	421	+171	0·06
SATURDAY	24	Greatest Declination N.	29·692	65·8	50·9	14·9	56·8	− 4·2	48·7	8·1	16·8	1·2	74	123·8	43·9	55·2	W & WSW.	SW & WSW.	4·1	0·0	0·3	366	+114	0·07
MEANS		..	29·908	72·2	52·0	20·1	60·3	+ 0·1	49·0	11·3	22·1	3·8	67	137·5	42·5	55·0	W		...	...	...	Sum 2,144	Sum +413	Sum 0·14
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	18	v.P. throughout	3·7	16·6	Nearly overcast till 14h. and after 18h. Variably cloudy in the interval.
MONDAY -	19	v.P. throughout	7·3	16·6	Nearly overcast till 9h., very cloudy generally till 16h., becoming nearly cloudless by 17h. Hazy in evening. Slight rain in early morning.
TUESDAY -	20	v.P. throughout	8·2	16·6	Cloudless till 5h., overcast by 5h. 30m., cloudy from 11h. 30m. Nearly cloudless at times.
WEDNESDAY	21	v.P. throughout	10·7	16·6	Cloudy generally, becoming nearly cloudless by 22h. Solar halo in morning and afternoon.
THURSDAY -	22	w.P. generally, v.P. in afternoon.	6·1	16·6	Nearly cloudless till 7h., partially cloudy till 10h., very cloudy to overcast about noon, occasional rain from 16h.
FRIDAY -	23	v.P. generally	6·1	16·6	Very cloudy or nearly overcast till 19h. 30m., becoming nearly cloudless by 20h. Frequent rain till 7h. and slight rain about 19h. 30m. Brisk wind about noon.
SATURDAY -	24	w.P. till 6h., v.P. till 17h., w.P. afterwards	4·2	16·6	Few thin clouds generally till 7h. with overcast interval 2h. to 3h. Nearly overcast 8h. to 20h. and after 22h., cloudy interval 20h. to 22h. Brisk wind 13h. to 17h. Intermittent rain 14h. 30m. to 20h. 30m.
			Sum 46·3	Sum 116·2	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·95 in. at the beginning of the week to 30·07 in. by 7h. on 21st; decreased generally to 29·61 in. by 6h. on 23rd, increased to 29·78 in. by 7h. on 24th, and decreased to 29·57 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 26.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 1ST JULY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st JULY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-sixth week of the year numbered 8,044, and corresponded to an annual rate of 22·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,544 and corresponded to an annual rate of 9·7 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 10·0, 9·9 and 9·6. Infant mortality was 51 per 1,000 births against 70, 56, and 55 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,889 births, corresponding to a rate of 21·8 per 1,000, and 852 deaths of civilians, corresponding to a rate of 9·8, as against 10·1, 9·2, and 9·7 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·7 per 1,000. The infant mortality was 42 as against 53, 51, and 44 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 42 in the total deaths last week. In London the number of deaths from all causes rose from 842 to 852; while the deaths from measles, which had been 40, 18, and 12 in the preceding three weeks, rose to 16 last week.

---

m (45)18097—1 Wt 30—P 19 2250 7/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 1st July 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,044	3,544	407	1	59	9	35	50	38	25
London	4,514,405*	1,889	852	79	–	16	1	5	25	12	5
Towns in Outer Ring.											
Croydon C.B.	191,500	69	36	3	–	–	–	1	–	–	1
Wimbledon	61,700	13	8	–	–	–	–	–	–	–	–
Ealing	67,800	25	8	–	–	–	–	–	1	–	–
Acton	62,000	25	13	–	–	–	–	–	2	–	–
Willesden	167,200	62	20	2	–	–	–	–	1	–	–
Hendon	55,500	17	7	–	–	–	–	–	–	–	–
Hornsey	87,600	30	21	1	–	–	–	1	–	–	–
Wood Green	51,100	23	9	1	–	–	–	–	–	–	–
Tottenham	149,200	70	20	1	–	–	–	–	–	–	–
Edmonton	67,800	38	10	4	–	1	–	–	–	–	1
Enfield	61,400	29	9	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	141	57	6	–	1	–	1	–	1	–
East Ham C.B.	145,500	65	16	2	–	–	–	–	–	–	–
Leyton	130,100	38	13	2	–	–	–	–	–	–	–
Walthamstow	129,800	42	17	3	–	–	–	–	–	–	–
Ilford	85,500	27	12	–	–	–	–	–	–	–	–
Gillingham	48,149*	15	10	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	7	3	1	–	–	–	1	–	–	–
Hastings C.B.	59,500	28	10	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	16	6	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	48	33	4	–	–	–	–	–	1	–
Portsmouth C.B.	233,929*	111	47	4	–	–	–	1	–	–	2
Bournemouth C.B.	81,200	31	17	–	–	–	–	–	1	–	1
Southampton C.B.	162,200	67	22	3	1	1	–	–	–	1	–
Reading C.B.	92,600	39	17	3	–	–	–	1	1	–	–
Oxford C.B.	56,400	22	9	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	25	22	3	–	–	–	–	–	1	1
Luton	57,800	17	7	2	–	–	–	–	–	–	–
Cambridge	58,900	17	11	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	25	21	1	–	–	–	–	1	–	–
Ipswich C.B.	80,100	32	14	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	16	11	2	–	–	–	–	–	1	–
Norwich C.B.	122,400	57	25	2	–	–	–	–	–	–	–
Swindon	55,500	17	9	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	14	11	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	77	33	3	–	3	–	–	1	1	–
Bath C.B.	68,300	12	11	2	–	–	–	–	–	–	–
Bristol C.B.	381,700	152	70	12	–	1	–	–	–	–	2
Gloucester C.B.	51,800	16	4	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	130	47	9	–	1	–	1	1	1	–
Burton-upon-Trent C.B.	49,410	17	12	3	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	37	10	1	–	–	–	–	–	–	–
Walsall C.B.	98,800	36	22	10	–	–	–	1	–	1	–
West Bromwich C.B.	75,300	46	14	3	–	–	–	–	1	–	–
Worcester C.B.	49,160	15	10	3	–	–	–	1	1	–	–
Dudley C.B.	57,100	15	8	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	407	146	18	–	2	1	4	–	1	–
Smethwick C.B.	77,400	37	10	1	–	–	–	1	–	–	–
Coventry C.B.	130,300	44	18	2	–	1	–	1	–	–	–
Leicester C.B.	237,900	87	30	2	–	–	–	–	–	–	–
Lincoln C.B.	66,600	23	17	3	–	–	–	–	–	–	–
Grimsby C.B.	83,600	39	18	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	89	39	3	–	–	–	–	–	–	–
Derby C.B.	131,800	63	20	2	–	–	–	–	–	–	–
Chesterfield	62,400	28	15	3	–	–	–	–	–	–	1
Stockport C.B.	125,500	46	29	1	–	1	–	–	–	1	–
Chester C.B.	41,030	11	11	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	71	32	6	–	–	1	4	1	–	–
Wallasey C.B.	89,600	28	17	3	–	–	–	1	–	–	–
Liverpool C.B.	817,000	450	172	22	–	1	–	2	2	3	–
Bootle C.B.	77,800	45	12	1	–	–	1	–	–	1	–
St. Helens C.B.	104,900	46	21	3	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	26	14	3	–	–	–	–	–	–	–
Wigan C.B.	91,200	50	21	3	–	1	–	–	–	–	1
Warrington C.B.	73,600	30	19	5	–	–	–	–	–	1	–
Bolton C.B.	182,200	74	33	4	–	1	–	–	–	–	–
Bury C.B.	57,600	21	20	3	–	–	–	–	–	1	1
Manchester C.B.	744,000	327	178	14	–	18	2	1	2	1	3
Salford C.B.	239,100	109	49	8	–	4	–	–	–	1	1
Oldham C.B.	148,300	61	25	3	–	–	–	–	–	–	1
Rochdale C.B.	92,700	24	17	1	–	–	–	–	–	–	–
Burnley C.B.	105,300	49	19	3	–	–	–	–	–	–	–
Blackburn C.B.	129,400	38	29	1	–	–	–	–	–	–	1
Preston C.B.	119,900	45	26	3	–	–	–	–	–	–	–
Blackpool C.B.	73,800	17	18	–	–	–	–	1	–	–	–
Barrow-in-Furness C.B.	75,200	22	4	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	36	27	2	–	–	–	–	2	–	–
Halifax C.B.	100,700	29	17	–	–	–	–	–	–	–	–
Bradford C.B.	291,100	103	64	5	–	–	2	–	1	–	–
Leeds C.B.	465,500	181	95	15	–	–	–	2	1	–	–
Dewsbury C.B.	55,100	20	15	1	–	–	–	–	–	1	–
Wakefield C.B.	53,763	25	7	2	–	1	–	–	–	–	–
Barnsley C.B.	68,991	32	13	4	–	–	–	–	–	–	–
Sheffield C.B.	519,239	256	91	14	–	3	–	–	1	2	–
Rotherham C.B.	69,100	32	11	3	–	1	–	–	–	1	–
Doncaster	54,700	32	13	2	–	–	–	–	–	–	–
York C.B.	84,500	33	21	3	–	–	–	–	–	1	–
Hull C.B.	291,800	151	50	7	–	–	–	1	2	1	–
Middlesbrough C.B.	133,400	87	26	1	–	–	–	–	–	–	–
Darlington C.B.	66,400	22	5	–	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	51	15	3	–	–	–	2	–	–	–
West Hartlepool C.B.	69,300	30	18	1	–	–	–	–	–	–	–
Sunderland C.B.	161,100	88	27	5	–	–	–	–	–	1	1
South Shields C.B.	120,376	68	22	3	–	–	–	–	–	–	–
Gateshead C.B.	126,700	65	28	4	–	–	–	–	–	2	–
Newcastle-on-Tyne C.B.	278,400	159	46	6	–	–	–	–	–	–	–
Tynemouth C.B.	63,900	29	17	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	15	11	2	–	–	–	–	–	–	1
Newport (Mon.) C.B.	93,700	50	18	4	–	–	–	1	–	–	–
Cardiff C.B.	202,700	86	40	2	–	–	–	–	1	–	–
Rhondda	166,600	83	34	5	–	–	1	–	–	–	–
Merthyr Tydfil C.B.	81,800	37	14	2	–	–	–	–	1	–	–
Aberdare	56,100	22	10	2	–	–	–	–	–	–	–
Swansea C.B.	159,600	55	36	3	–	1	–	–	–	–	1
Greater London	7,523,963*	3,014	1,306	117	1	19	1	10	31	15	7
Outer Ring	3,009,558*	1,125	454	38	1	3	–	5	6	3	2
16 Great Towns in Outer Ring	1,820,700	714	276	25	–	2	–	3	4	1	2
Remainder of Outer Ring	1,188,858*	411	178	13	1	1	–	2	2	2	–
Edinburgh†	420,500	179	90	9	–	2	–	–	1	4	–
Glasgow†	1,037,800	526	262	58	–	2	2	4	2	5	–
Dublin (Registration Area)†	427,000				Not	recei	ved.				
Belfast†	425,000	188	102	17	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	July 1	1889	852	9·8	–	–	16	1	5	25	12	5
Calcutta	896,067	May 27	?	478§	27·1	?	10	?	?	?	?	?	9
Bombay	1,175,914	„ 20	296‖	630§	27·8	3	2	–	–	1	–	38	13
Madras	522,951	„ 20	479	421	41·9	2	18	3	?	2	–	46	1
Sydney and Suburbs	926,400	April 30 days.											
Brisbane (Met. Area).	210,032	March 31 days.											
Perth (Metropolitan Area).	154,866	May 6	99	37	12·4	–	–	–	–	–	–	3	–
Auckland (Urban Area).	157,757	March 31 days.											
Wellington (Urban Area).	107,488	„ „											
Christchurch (Urban Area).	105,670	„ „											
Cape Town	101,000	May 13	45	23	11·8	1	–	–	–	–	–	1	1
Johannesburg	149,500	„ 20	98	46	16·0	1	–	–	–	–	2	1	1
Durban	48,000	„ 20	23	31	33·6	1	–	–	–	–	1	1	3
Paris	2,906,472	June 20 (10 days).	1,245	964	12·1	2	–	4	–	5	3	26	–
Antwerp	303,414	May 20	127	52	8·9	–	–	–	–	–	–	3	–
Amsterdam	690,109	June 17	265	122	9·2	1	–	2	–	–	–	5	1
Copenhagen	562,000	„ 17	233	118	10·9	–	–	–	–	–	–	1	–
Stockholm	422,042	„ 17	128	98	12·1	–	–	–	–	2	–	2	–
Gothenburg	228,052	„ 3	?	49	11·2	–	–	–	–	1	–	1	–
Christiania	258,933	„ 24	85	49	9·8	–	–	–	–	–	–	–	–
Berlin	1,970,000	„ 3	450	531	14·0	–	?	3	–	4	4	4	6
Breslau	557,000	„ 3	250	166	15·5	–	?	–	–	2	–	7	–
Cologne	677,000	„ 3	316	133	10·2	–	?	1	–	1	–	6	–
Dresden	605,000	„ 3	196	141	12·1	1	?	–	1	1	–	3	2
Frankfort-on-Main	476,000	„ 3	159	91	9·9	–	?	–	–	–	–	2	1
Hamburg	1,053,000	„ 3	310	254	12·5	–	?	–	–	1	2	4	2
Leipzig	673,000	„ 3	229	155	12·0	–	?	–	–	1	–	3	2
Munich	680,000	„ 3	219	160	12·2	–	?	–	1	–	–	7	–
Vienna	1,842,005	May 13	444	626	17·7	–	–	1	1	5	–	10	3
Prague and Suburbs	689,262	„ 20	264	204	15·4	1	–	4	1	1	–	8	–
		„ 27	277	213	16·0	–	–	2	1	–	–	8	–
Budapest	936,000	Apr. 22	431	443	24·6	–	?	9	5	3	3	11	1
Cairo	777,500	„ 8	769	415	27·8	1	–	5	–	?	–	37	?
Alexandria	456,300	„ 8	437	182§	20·7	1	–	–	–	?	–	10	?
New York	5,839,738	May 6											
Chicago	2,833,288	June 3	?	538	9·9	–	–	6	2	4	13	15	1
Rio de Janeiro	1,195,961	May 13	724	463	20·2	4	1	3	–	2	–	–	17
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 48 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 5 in Calcutta, 13 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st July, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	852	79	27	24	49	50	36	65	112	142	139	129
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	16	3	9	3	1	–	–	–	–	–	–	–
Scarlet fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping cough	5	1	4	–	–	–	–	–	–	–	–	–
Diphtheria	25	–	3	9	13	–	–	–	–	–	–	–
Influenza	5	1	–	–	–	1	–	–	3	–	–	–
Erysipelas	1	–	–	–	–	–	–	1	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	2	1	–	1	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	95	–	–	–	3	30	11	11	18	19	3	–
Tuberculous meningitis	12	–	2	1	7	–	–	1	1	–	–	–
Abdominal tuberculosis	4	–	–	1	1	–	1	–	–	1	–	–
Other tubercle	11	–	2	2	3	2	–	–	–	1	1	–
Venereal diseases	3	–	–	–	–	–	1	2	–	–	–	–
Cancer	117	–	1	1	–	–	1	15	21	30	29	19
Rheumatic fever	5	–	–	–	4	–	–	–	–	–	–	1
Diabetes	12	–	–	–	–	–	1	–	2	3	4	2
Alcoholism	2	–	–	–	–	–	1	–	–	1	–	–
Simple meningitis	2	1	–	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	–	–	–	1	–	1	4	14	18	12
Epilepsy	4	–	–	–	–	–	2	–	1	1	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	25	1	–	–	3	1	2	5	6	3	1	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	6	–	–	–	–	–	2	3	1	–	–	–
Other diseases of heart	100	–	–	–	4	3	3	7	15	18	30	20
Other dis. of circulatory system	31	–	–	–	–	–	–	1	3	8	7	12
Bronchitis	34	3	2	–	–	–	–	1	1	4	8	15
Broncho-pneumonia	16	7	3	1	–	1	–	–	1	1	1	1
Lobar pneumonia	9	–	–	–	–	–	–	2	1	2	4	–
Pneumonia (type not distinguished)	9	2	–	1	–	–	–	–	2	1	1	2
Other diseases of respiratory system	16	–	–	–	–	–	1	–	2	5	4	4
Diarrhœa and enteritis	17	12	–	–	1	–	1	–	1	1	–	1
Appendicitis and typhlitis	6	–	–	–	1	–	1	–	3	1	–	–
Hernia, Intestinal obstruction	15	–	–	–	1	1	1	3	1	4	3	1
Cirrhosis of liver	3	–	–	–	–	–	–	1	1	1	–	–
Other diseases of digestive system	14	–	–	1	–	–	1	3	5	2	2	–
Acute nephritis	2	–	–	–	–	1	–	–	1	–	–	–
Chronic Bright's disease	25	–	–	–	–	–	1	2	4	7	4	7
Other diseases of genito-urinary system.	16	1	–	–	–	1	1	1	4	2	3	3
Puerperal fever, &c.	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	1	–	–	–	–	–	–
Congenital malformations	12	10	1	–	–	–	–	–	1	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	28	–	–	–	–	–	–	–	–	1	7	20
Suicide	8	–	–	–	1	1	1	–	5	–	–	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	1	–	–	–	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	–	–	1	3	4	1	2	1	1	–	–
Other deaths by violence	16	1	–	–	–	1	1	2	2	2	4	3
Other specified causes	23	4	–	–	2	1	–	–	1	7	5	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st July 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	18	8	–	5	–
†BERMONDSEY ...	–	19	18	1	–	–
†BETHNAL GREEN	–	9	6	–	2	M. 2
†CAMBERWELL ...	–	11	16	1	1	–
†CHELSEA ...	–	2	2	–	–	–
†DEPTFORD ...	–	6	4	–	1	–
†FINSBURY ...	–	17	13	–	–	–
†FULHAM ...	–	8	4	–	1	M. 1
†GREENWICH ...	–	11	10	–	1	–
†HACKNEY ...	–	17	5	–	–	–
†HAMMERSMITH	–	4	4	3	1	D. 1 M. 1
†HAMPSTEAD ...	–	–	6	–	–	–
†HOLBORN ...	–	2	1	–	–	–
†ISLINGTON ...	–	26	25	1	1	M. 1
†KENSINGTON ...	–	6	2	–	1	–
†LAMBETH ...	–	20	7	1	1	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	7	6	–	1	–
†PADDINGTON ...	–	7	8	–	2	M. 1
†POPLAR... ...	–	4	15	1	1	C. 1
†ST. MARYLEBONE	–	9	4	–	3	–
†ST. PANCRAS ...	–	16	10	–	–	G. 1 M. 1
†SHOREDITCH ...	–	1	5	–	3	M. 1
†SOUTHWARK ...	–	14	14	–	4	C. 1
†STEPNEY ...	–	16	18	–	5	–
†STOKE NEWINGTON	–	4	1	–	–	–
†WANDSWORTH	–	17	20	1	3	D. 1
†WESTMINSTER, CITY OF	–	6	4	–	1	–
†WOOLWICH ...	–	4	7	–	3	–
TOTAL OF PART I.	–	282	244	9	41	C. 2 D. 2 G. 1 M. 8

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	3	1	1	C. 1 M 1.
Boroughs and Urban Districts :—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD ...	–	3	2	–	1	C. 1 M. 1
Rural Districts :—						
BEDFORD ...	–	1	1	–	–	–
BIGGLESWADE ...	–	1	–	1	–	–
BERKS	–	29	17	1	2	D. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	–	1	–	1	–
†MAIDENHEAD ...	–	2	–	1	–	–
NEW WINDSOR	–	–	1	–	–	–
†READING C.B....	–	5	2	–	1	–
WALLINGFORD ...	–	–	–	–	–	D. 1
Rural Districts :—						
ABINGDON ...	–	1	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	8	8	–	–	–
FARINGDON (part)	–	–	2	–	–	–
NEWBURY ...	–	1	2	–	–	–
WINDSOR ...	–	11	–	–	–	–
BUCKINGHAM	–	11	2	–	2	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	1	–
CHESHAM ...	–	–	–	–	1	–
†WOLVERTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts :—						
AMERSHAM ...	–	3	–	–	–	–
ETON	–	4	–	–	–	–
WYCOMBE ...	–	3	–	–	–	–
CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts :—						
LINTON	–	1	–	–	–	–
CHESTER	–	43	30	2	19	C. 1 M. 3
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
†BIRKENHEAD C.B.	–	6	5	–	6	M. 1
BOLLINGTON ...	–	–	2	–	–	–
BREDBURY AND ROMILY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	–	–
†CHESTER C.B. ...	–	4	4	–	2	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	4	2	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	–	M. 1
†HYDE	–	–	3	–	1	–
KNUTSFORD ...	–	3	2	–	–	–
LYMM	–	1	–	–	–	–
†MACCLESFIELD...	–	4	–	–	–	C. 1
MOTTRAM IN LONGDENDALE	–	1	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	–	2	1	–
†SALE	–	–	1	–	–	M 1.
†STOCKPORT C.B.	–	3	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLASEY C.B.	–	3	2	–	2	–
†WINSFORD ...	–	–	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CHESTER ...	–	1	1	–	–	–
CONGLETON ...	–	2	1	–	–	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
MALPAS ...	–	–	1	–	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN ...	–	1	–	–	–	–
WIRRAL... ...	–	2	–	–	1	–
CORNWALL ...	–	1	2	1	2	–
Boroughs and Urban Districts:—						
PAUL	–	–	–	1	–	–
REDRUTH ...	–	–	1	–	–	–
ST. JUST ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN ...	–	–	1	–	–	–
HELSTON ...	–	1	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ...	–	3	2	2	2	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	1	–	–	1	–
KESWICK ...	–	1	–	–	–	–
†MARYPORT ...	–	–	–	2	–	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
MILLOM ...	–	–	–	–	1	–
†WHITEHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
LONGTOWN ...	–	–	1	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–
DERBY	1	24	13	–	11	F. 1 L. 2 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	3	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	3	–	–	–
CLAY CROSS ...	–	–	1	–	–	–
†DERBY C.B. ...	–	9	6	–	2	F. 1 L. 1 M. 1
DRONFIELD ...	–	–	–	–	1	–
†HEANOR ...	1	–	–	–	–	–
†ILKESTON ...	–	1	–	–	–	–
†RIPLEY... ...	–	2	–	–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	–
BELPER ...	–	1	–	–	1	–
BLACKWELL ...	–	–	1	–	2	–
CHESTERFIELD ...	–	2	–	–	–	L. 1
HARTSHORNE AND SEALS	–	1	–	–	1	–
REPTON... ...	–	1	1	–	–	–
SHARDLOW ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	16	33	–	7	–
Boroughs and Urban Districts:—						
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM ...	–	–	6	–	1	–
DARTMOUTH ...	–	–	–	–	1	–
†EXETER C.B. ...	–	1	–	–	–	–
HONITON ...	–	–	11	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	5	8	–	1	–
SALCOMBE ...	–	–	1	–	–	–
SOUTH MOLTON	–	5	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	–	5	–	–	–
TOTNES	–	–	–	–	1	–
Rural Districts:—						
CULMSTOCK ...	*	*	*	*	*	*
KINGSBRIDGE ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	1	–	–	–
ST. THOMAS ...	–	4	–	–	1	–
DORSET	–	3	4	–	1	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	2	–	–	M. 1
†POOLE	–	1	2	–	1	–
†PORTLAND ...	–	1	–	–	–	–
SWANAGE ...	–	1	–	–	–	–
Rural Districts:—						
SHAFTESBURY ...	*	*	*	*	*	*
DURHAM... ...	–	50	10	2	21	E. 2 M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAYDON ...	–	4	–	–	–	–
†BRANDON AND BYSHOTTLES	–	–	1	–	1	–
†CHESTER-LE-STREET	–	1	–	–	–	–
†CONSETT ...	–	1	–	–	–	M. 1
†DARLINGTON C.B.	–	3	–	1	–	–
†DURHAM ...	–	2	–	–	1	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	2	1	–	1	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON... ...	–	–	–	–	–	E. 1
†HOUGHTON-LE-SPRING	–	1	–	–	–	–
†JARROW ...	–	1	1	–	3	–
†RYTON... ...	–	3	–	–	–	–
†SEAHAM HARBOUR	–	2	–	–	–	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	1	–	–	2	M. 2
†SOUTHWICK-ON-WEAR	–	3	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STOCKTON-ON-TEES	–	2	–	–	2	–
†SUNDERLAND C.B.	–	5	1	–	1	–
†WEST HARTLEPOOL C.B.	–	–	–	–	2	M. 1
Rural Districts:—						
AUCKLAND ...	–	6	1	1	–	–
CHESTER-LE-STREET	–	–	–	–	1	M. 2
DARLINGTON ...	–	–	1	–	–	–
DURHAM ...	–	4	–	–	–	–
EASINGTON ...	–	3	1	–	1	–
LANCHESTER ...	–	–	1	–	–	–
SEDGEFIELD ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	2	E. 1 M. 2
WEARDALE ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	–	–	–	–	–
Rural Districts:—						
WHITTLESEY ...	*	*	*	*	*	*
ESSEX	–	79	41	1	8	C. 1 L. 1 M. 4
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	1	–	1	–
CHINGFORD ...	–	2	–	–	–	–
†CLACTON ...	–	–	1	–	–	–
†COLCHESTER ...	–	3	–	–	–	L. 1
†EAST HAM C.B.	–	7	2	–	1	M. 1
†GRAYS THURROCK	–	–	1	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	7	–	–	2	C. 1 M. 1
†LEYTON... ...	–	2	2	1	–	–
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	1	2	–	–	–
SHOEBURYNESS-ON-SEA	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	1	–	1	–
TILBURY ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	16	14	–	–	M. 2
†WANSTEAD ...	–	2	3	–	–	–
†WEST HAM C.B.	–	13	12	–	3	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
BRAINTREE ...	–	1	–	–	–	–
HALSTEAD ...	–	2	–	–	–	–
LEXDEN AND WINSTREE	–	2	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	2	–	–	–	–
ROMFORD ...	–	6	1	–	–	–
STANSTED ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	25	19	–	3	C. 2 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	17	11	–	2	C. 1 M. 2
†CHELTENHAM ...	–	–	2	–	–	–
†GLOUCESTER C.B.	–	–	–	–	1	C. 1 M. 1
†KINGSWOOD ...	–	1	–	–	–	–
NEWNHAM ...	–	1	–	–	–	–
STROUD	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
DURSLEY ...	–	–	1	–	–	–
NEWENT ...	–	–	2	–	–	–
WEST DEAN ...	–	6	1	–	–	–
HEREFORD ...	–	3	2	–	1	–
Rural Districts:—						
HEREFORD ...	–	–	2	–	–	–
LEDBURY ...	–	3	–	–	–	–
ROSS	–	–	–	–	1	–
HERTFORD ...	–	17	6	–	3	–
Boroughs and Urban Districts:—						
BUSHEY ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
HARPENDEN ...	–	2	1	–	–	–
†HEMEL HEMPSTEAD	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HERTFORD ...	–	–	1	–	1	–
HODDESDON ...	–	–	1	–	–	–
†LETCHWORTH ...	–	–	1	–	–	–
†ST. ALBANS ...	–	4	–	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	3	1	–	–	–
Rural Districts:—						
ASHWELL ...	–	2	–	–	1	–
HERTFORD ...	*	*	*	*	*	*
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	50	27	4	10	C. 3 M. 3
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	1	–	–	–
†BEXLEY ...	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	3	–	1	–	–
†BROMLEY ...	–	1	–	–	3	–
†CANTERBURY C.B.	–	4	1	–	–	M. 1
†CHATHAM ...	–	1	1	–	–	–
†GRAYFORD ...	–	1	1	–	–	–
†DARTFORD ...	–	1	1	–	1	C. 1
†DEAL	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DOVER	–	–	1	–	–	–
†ERITH	–	3	1	–	–	–
†FAVERSHAM ...	–	1	1	–	2	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	2	1	–	–	–
†GRAVESEND ...	–	2	2	–	–	–
HYTHE	–	2	–	–	–	–
†MAIDSTONE ...	–	–	–	1	–	–
†MARGATE ...	–	9	–	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	1	–	–	–	C. 1 M. 1
†ROCHESTER ...	–	–	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	3	–
SEVENOAKS ...	–	1	1	–	–	–
†SHEERNESS ...	–	1	1	–	–	M. 1
SIDCUP	–	–	1	–	–	–
SOUTHBOROUGH	–	–	1	–	–	–
Rural Districts:—						
BRIDGE... ...	–	1	–	1	–	–
BROMLEY ...	–	1	2	–	–	–
DARTFORD ...	–	2	2	–	–	–
DOVER	–	3	–	–	–	–
EAST ASHFORD	–	–	2	–	–	–
MAIDSTONE ...	–	–	–	1	1	–
MALLING ...	–	2	–	–	–	C. 1
MILTON ...	–	1	2	–	–	–
STROOD ...	–	–	2	–	–	–
LANCASTER ...	–	278	59	5	125	C. 6 D. 1 L. 1 M. 32
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
ADLINGTON ...	–	3	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	2	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashton-under-Lyne	–	1	–	–	2	M. 1
Aspull	–	1	–	–	–	–
†Atherton ...	–	1	1	–	1	–
Audenshaw ...	*	*	*	*	*	*
†Barrow-in-Furness C.B.	–	8	–	–	–	–
†Blackburn C.B.	–	5	–	–	4	–
†Blackpool C.B.	–	4	–	–	–	–
Blackrod ...	–	–	–	–	1	–
†Bolton C.B. ...	–	3	–	–	2	M. 1
†Bootle C.B. ...	–	9	–	–	3	M. 2
†Burnley C.B.	–	8	–	–	1	M. 1
†Bury C.B. ...	–	2	–	–	1	–
†Chorley ...	–	1	–	–	–	–
Clitheroe ...	–	1	–	–	–	–
†Colne	–	–	–	–	2	–
†Crompton ...	–	1	1	–	–	–
†Darwen ...	–	7	–	1	–	–
†Denton... ...	–	2	–	–	–	–
†Droylsden ...	–	2	–	–	–	–
†Eccles ...	–	1	–	–	1	–
†Failsworth ...	–	7	–	–	–	L. 1
†Fleetwood ...	–	1	2	–	1	–
†Haydock ...	–	1	–	–	–	–
Heysham ...	–	1	–	–	–	–
†Hindley ...	–	3	–	–	4	–
†Horwich ...	–	–	2	–	1	–
Hurst	–	–	–	1	2	–
†Ince-in-Makerfield	–	2	–	–	–	–
Irlam	–	–	1	–	1	–
Kearsley ...	–	1	–	–	–	–
†Lancaster ...	–	1	1	–	–	–
†Leigh	–	1	1	–	1	–
†Litherland ...	–	1	–	–	–	D. 1
Little Hulton	–	2	3	–	1	–
†Liverpool C.B.	–	39	13	–	16	C. 3 M. 14
†Manchester C.B.	–	67	12	–	47	C. 1 M. 8
†Middleton ...	–	2	2	–	–	–
Milnrow ...	–	2	1	–	–	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Morecambe ...	–	1	–	–	–	–
†Mossley ...	–	–	–	–	1	–
†Nelson	–	–	–	–	–	M. 1
†Newton-in-Makerfield	–	1	–	–	1	–
†Oldham C.B.	–	11	–	–	2	C. 1 M. 1
Orrell ...	–	1	–	–	–	–
†Padiham ...	–	1	–	–	–	–
†Prestwich ...	–	1	–	–	1	–
†Radcliffe ...	–	–	2	–	–	–
Rainford ...	–	–	–	–	1	–
†Rawtenstall ...	–	4	–	–	–	–
Rishton ...	–	–	–	–	1	–
†Rochdale C.B.	–	6	1	2	1	–
†Royton ...	–	2	–	–	–	–
†St. Helens C.B.	–	1	–	–	1	M. 1
†Salford C.B. ...	–	21	2	1	4	M. 2
Skelmersdale	–	1	1	–	–	–
†Southport C.B.	–	3	2	–	1	–
†Stretford ...	–	3	1	–	–	C. 1
†Swinton and Pendlebury	–	1	–	–	4	–
Tottington ...	–	3	–	–	–	–
†Tyldesley-with-Shakerley	–	2	–	–	1	–
†Walton-le-Dale	–	1	–	–	–	–
†Warrington C.B.	–	5	1	–	3	–
†Waterloo-with-Seaforth	–	1	1	–	–	–
Westhoughton	–	1	–	–	2	–
†Widnes ...	–	4	2	–	2	–
†Wigan C.B. ...	–	1	–	–	3	–
†Worsley ...	–	1	–	–	–	–
Rural Districts:—						
Barton-upon-Irwell	–	–	–	–	1	–
Garstang ...	–	3	–	–	1	–
Leigh	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
PRESTON ...	–	2	2	–	–	–
WEST LANCASHIRE	–	–	–	–	2	–
LEICESTER ...	–	14	11	1	4	C. 1 M. 3
Boroughs and Urban Districts :—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
ASHBY WOULDS	–	1	–	–	–	–
†COALVILLE ...	–	–	–	–	–	C. 1
†LEICESTER C.B.	–	10	3	1	2	M. 3
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts :—						
ASHBY-DE-LA ZOUCH	–	1	2	–	–	–
BLABY	–	1	4	–	1	–
CASTLE DONINGTON	–	1	–	–	1	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	9	–	–	–	–
Boroughs and Urban Districts :—						
†BOSTON ...	–	1	–	–	–	–
Rural Districts—						
EAST ELLOE ...	–	8	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	–	3	–
Boroughs and Urban Districts :—						
†GRANTHAM ...	–	–	–	–	1	–
STAMFORD ...	–	–	1	–	–	–
Rural Districts :—						
BOURNE ...	–	–	–	–	2	–
LINCOLN (parts of Lindsey).	–	4	3	1	2	M. 1
Boroughs and Urban Districts :—						
BROUGHTON ...	–	–	–	–	1	–
†GRIMSBY C.B. ...	–	3	1	–	–	–
†LINCOLN C.B.	–	1	–	–	1	–
MARKET RASEN	*	*	*	*	*	*
SKEGNESS ...	*	*	*	*	*	*
Rural Districts :—						
CAISTOR ...	–	–	2	–	–	–
SIBSEY	–	–	–	–	–	M. 1
SPILSBY ...	–	–	–	1	–	–
MIDDLESEX ...	–	88	59	3	11	G. 1 L. 1 M. 3
Boroughs and Urban Districts :—						
†ACTON	–	12	10	1	1	–
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	1	2	–	–	–
†EALING ...	–	14	3	–	1	–
†EDMONTON ...	–	–	6	–	1	–
†ENFIELD ...	–	2	3	1	1	–
FELTHAM ...	–	–	–	1	–	M. 1
†FINCHLEY ...	–	–	–	–	1	M. 1
GREENFORD ...	*	*	*	*	*	*
†HAMPTON ...	–	–	2	–	–	–
†HANWELL ...	–	7	1	–	–	–
†HARROW-ON-THE-HILL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAYES	–	1	–	–	–	–
†HENDON ...	–	2	3	–	–	–
†HESTON AND ISLEWORTH	–	4	1	–	–	–
†HORNSEY ...	–	2	2	–	1	–
KINGSBURY ...	*	*	*	*	*	*
†SOUTHALL-NORWOOD	–	2	–	–	–	L. 1
†SOUTHGATE ...	–	1	–	–	–	–
STAINES ...	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	19	6	–	4	–
†TWICKENHAM ...	–	–	2	–	–	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	13	6	–	1	M. 1
†WOOD GREEN ...	–	3	–	–	–	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
STAINES ...	–	2	–	–	–	G. 1
UXBRIDGE ...	–	1	6	–	–	–
NORFOLK ...	–	19	12	1	4	M. 2
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	1	–	–	–	M. 2
†NORWICH C.B....	–	11	6	–	2	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
AYLSHAM ...	–	–	1	–	–	–
BLOFIELD ...	–	–	1	–	–	–
DOCKING ...	–	1	–	–	–	–
DOWNHAM ...	–	1	1	–	–	–
ERPINGHAM ...	–	2	–	1	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
FOREHOE ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	–		–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
WALSINGHAM ...	–	–	2	–	–	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON	–	9	3	–	6	–
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	8	2	–	2	–
†RUSHDEN ...	–	–	–	–	3	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
NORTHAMPTON...	–	–	1	–	–	–
NORTHUMBERLAND.	–	36	9	–	24	M 4
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	1	1	–	2	–
†BERWICK-UPON-TWEED	–	–	1	–	–	–
†BLYTH	–	5	–	–	–	–
CRAMLINGTON ...	–	4	–	–	1	–
†GOSFORTH ...	–	4	–	–	–	–
HEXHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
MORPETH ...	–	–	–	–	–	M. 1
†NEWCASTLE-UPON-TYNE C.B.	–	10	3	–	12	–
†TYNEMOUTH C.B.	–	1	–	–	3	M. 2
†WALLSEND ...	–	2	4	–	1	M. 1
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	4	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
NOTTINGHAM ...	2	10	8	2	4	L. 1 M. 1
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	2	–	–	–
†EAST RETFORD	–	–	–	–	–	L. 1
†HUCKNALL ...	1	–	–	–	–	–
†KIRKBY-IN-ASHFIELD	–	–	–	1	–	–
†MANSFIELD ...	–	3	1	–	1	M. 1
†NOTTINGHAM C.B.	–	3	5	1	1	–
†SUTTON-IN-ASHFIELD	–	–	–	–	1	–
†WEST BRIDGFORD	–	3	–	–	–	–
Rural Districts:—						
BASFORD ...	1	–	–	–	–	–
EAST RETFORD	–	–	–	–	1	–
SOUTHWELL ...	–	1	–	–	–	–
OXFORD	–	2	1	1	1	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	1	–	–
Rural Districts:—						
HEADINGTON ...	–	1	1	–	–	–
WITNEY ...	–	–	–	–	1	–
PETERBOROUGH (Soke of).	–	1	1	–	–	M. 1
Borough:—						
†PETERBOROUGH	–	1	1	–	–	M. 1
SALOP	–	8	2	1	3	M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	2	–
LUDLOW ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	–	–	M. 1
†WENLOCK ...	–	4	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	1	–	–	–
CLEOBURY MORTIMER	–	1	1	–	–	–
OSWESTRY ...	–	–	–	1	–	–
SHIFNAL ...	–	–	–	–	–	M. 1
WEM	–	1	–	–	–	–
SOMERSET ...	–	10	5	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	2	–	–	–
†BRIDGWATER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTISHEAD ...	*	*	*	*	*	*
†TAUNTON ...	–	1	–	–	–	–
†WESTON-SUPER-MARE	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	–	–
BRIDGWATER ...	–	–	–	–	–	C. 1
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	5	–	–	2	–
WINCANTON ...	–	–	1	–	–	–
YEOVIL	–	–	–	–	–	M. 1
SOUTHAMPTON...	–	32	20	2	2	L. 1 M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	3	2	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT and ALVERSTOKE	–	–	2	–	–	–
PETERSFIELD ...	–	–	3	–	–	–
†PORTSMOUTH C.B.	–	10	8	1	–	M. 1
†SOUTHAMPTON C.B.	–	8	5	1	–	–
†WINCHESTER ...	–	–	–	–	1	L. 1
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ALTON	–	1	–	–	–	–
FORDINGBRIDGE	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Rural Districts—*cont.*						
PETERSFIELD ...	–	2	–	–	–	–
ROMSEY ...	–	–	–	–	1	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	–	–	–	–	M. 1
STAFFORD ...	–	117	34	5	38	C. 3 D. 1 M. 6
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	1	–	–	–
†BILSTON ...	–	4	–	–	3	–
†BRIERLEY HILL	–	–	–	–	–	M. 1
†BROWNHILLS ...	–	4	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	4	3	–	–	M. 1
†CANNOCK ...	–	–	–	–	1	–
†COSELEY ...	–	1	1	–	–	–
†DARLASTON ...	–	1	–	–	1	–
†HEATH TOWN ...	–	2	–	1	–	–
†LEEK	–	4	1	–	–	–
*NEWCASTLE-UNDER-LYME	–	1	–	–	–	–
QUARRY BANK	–	–	–	–	4	–
†ROWLEY REGIS	–	–	–	–	5	–
†SMETHWICK C.B.	–	9	–	–	3	C. 1
†STAFFORD ...	–	1	2	–	–	–
†STOKE-ON-TRENT C.B.	–	10	8	–	13	D. 1 M 3
†TIPTON	–	1	–	2	1	–
†WALSALL C.B....	–	1	–	–	1	–
†WEDNESBURY ...	–	1	1	–	–	–
†WEST BROMWICH C.B.	–	48	2	–	1	C 1
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	2	11	–	–	–
†WOLVERHAMPTON C.B.	–	8	2	2	3	M. 1

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK ...	–	4	–	–	–	–
CHEADLE ...	–	1	1	–	–	–
GNOSALL ...	–	–	–	–	1	–
LEEK	–	1	1	–	–	–
LICHFIELD ...	–	–	–	–	–	C. 1
NEWCASTLE-UNDER-LYME	–	–	–	–	1	–
STAFFORD ...	–	4	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
SUFFOLK, EAST	–	4	7	–	4	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
BUNGAY ...	–	–	–	–	1	–
†FELIXSTOW ...	–	1	–	–	–	–
†IPSWICH C.B. ...	–	1	4	–	2	–
†LOWESTOFT ...	–	2	2	–	–	–
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
BOSMERE AND CLAYDON	–	–	1	–	–	–
SUFFOLK, WEST	–	2	–	1	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	1	1	–
Rural District:—						
COSFORD ...	–	2	–	–	–	–
SURREY	–	42	28	4	5	C. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	3	–	–	–	C 1
†BEDDINGTON AND WALLINGTON	–	4	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARSHALTON ...	–	1	2	–	–	–
†COULSDON AND PURLEY	–	1	4	–	1	–
†CROYDON C.B....	–	12	6	–	–	C. 1
†EGHAM	–	–	1	–	–	–
†EPSOM	–	–	–	1	–	–
†FARNHAM ...	–	1	1	–	–	–
†FRIMLEY ...	–	3	–	–	–	–
GODALMING ...	–	2	–	–	–	–
†GUILDFORD ...	–	–	1	–	1	–
†KINGSTON-UPON-THAMES	–	1	–	–	–	–
LEATHERHEAD ...	–	–	–	1	–	–
†MERTON AND MORDEN	–	2	1	–	–	–
†MITCHAM ...	–	–	1	–	–	–
†RICHMOND ...	–	1	2	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	1	–	1	1	–
†THE MALDENS AND COOMBE	–	–	2	–	–	–
†WALTON-UPON-THAMES	–	–	1	1	–	–
†WIMBLEDON ...	–	6	3	–	–	–
†WOKING ...	–	–	–	–	1	–
Rural Districts:—						
FARNHAM ...	–	2	1	–	–	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	1	–	–	–
REIGATE ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	12	–	1	L. 3
Boroughs and Urban Districts:—						
BATTLE ...	–	–	1	–	–	–
†BEXHILL ...	–	–	2	–	–	–
†BRIGHTON C.B.	–	3	1	–	1	–
BURGESS HILL...	–	–	1	–	–	–
†EASTBOURNE C.B.	–	2	1	–	–	–
EAST GRINSTEAD	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAYWARDS HEATH	–	1	–	–	–	–
†HOVE	–	4	1	–	–	–
SEAFORD ...	–	–	1	–	–	–
Rural Districts:—						
BATTLE	–	–	1	–	–	–
CHAILEY ...	–	–	1	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 3
TICEHURST ...	–	2	–	–	–	–
UCKFIELD ...	–	1	1	–	–	–
SUSSEX, WEST ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
†BOGNOR... ...	–	1	–	–	–	–
†HORSHAM ...	–	2	–	–	–	–
†LITTLEHAMPTON	–	–	1	–	–	–
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
STEYNING WEST	–	1	–	–	–	–
WARWICK ...	–	66	23	–	38	M. 7
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	48	20	–	26	M. 6
†COVENTRY C.B.	–	2	1	–	3	–
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	4	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	1	–	–	–
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
FOLESHILL ...	–	4	–	–	3	–
MERIDEN ...	–	1	–	–	3	–
RUGBY... ...	–	–	–	–	1	–
SOLIHULL ...	–	–	–	–	1	M. 1
SOUTHAM ...	–	1	–	–	–	–
TAMWORTH (part)	–	2	1	–	–	–
WESTMORLAND	–	2	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	1	5	–	–	–
Boroughs and Urban Districts:—						
COWES	–	–	1	–	–	–
SANDOWN ...	–	–	3	–	–	–
VENTNOR ...	–	–	1	–	–	–
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	20	3	–	3	M. 1
Boroughs and Urban Districts:—						
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts— *cont.*						
†Swindon ...	–	8	–	–	2	–
†Trowbridge ...	–	1	–	–	–	–
Westbury ...	–	1	–	–	–	–
Rural Districts:—						
Bradford-on-Avon	–	–	1	–	–	–
Calne	–	–	1	–	–	–
Cricklade and Wootton Bassett	–	1	–	–	–	–
Devizes ...	–	–	1	–	–	–
Highworth ...	–	–	–	–	–	M. 1
Marlborough	–	1	–	–	–	–
Melksham ...	*	*	*	*	*	*
Mere	–	1	–	–	–	–
Salisbury ...	–	–	–	–	1	–
Westbury and Whorwellsdown	–	6	–	–	–	–
WORCESTER ...	–	19	11	–	3	E. 1
Boroughs and Urban Districts:—						
†Dudley C.B. ...	–	1	–	–	–	–
Evesham ...	–	–	–	–	–	E. 1
†Kidderminster	–	4	–	–	–	–
†Oldbury ...	–	3	7	–	–	–
†Redditch ...	–	5	–	–	–	–
†Stourbridge ...	–	–	–	–	2	–
†Worcester C.B.	–	5	–	–	1	–
Rural Districts:—						
Martley ...	–	–	3	–	–	–
Rock	–	1	–	–	–	–
Upton-upon-Severn	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	10	4	–	3	C. 2 M. 1
Boroughs and Urban Districts:—						
†Beverley ...	–	–	–	–	1	–
†Kingston-upon-Hull C.B.	–	5	3	–	2	C. 2
†York C.B. ...	–	3	1	–	–	M. 1
Rural Districts:—						
Pocklington ...	–	2	–	–	–	–
YORKS ... ... (North Riding).	4	11	7	1	5	–
Boroughs and Urban Districts:—						
†Eston	–	3	–	–	–	–
Guisborough ...	–	2	1	–	1	–
Loftus	–	–	–	–	1	–
Malton... ...	–	–	–	1	–	–
†Middlesbrough C.B.	4	2	1	–	1	–
Scalby	–	1	–	–	–	–
†Scarborough ...	–	–	–	–	1	–
†Skelton and Brotton	–	1	3	–	–	–
†Thornaby-on-Tees	–	–	1	–	–	–
†Whitby ...	–	–	–	–	1	–
Rural Districts:—						
Thirsk	–	1	–	–	–	–
Wath	–	1	–	–	–	–
Whitby ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	4	197	45	3	75	C. 2 E. 3 M. 11
Boroughs and Urban Districts :—						
†ADWICK-LE-STREET	–	–	–	–	1	M. 1
BAILDON ...	–	1	–	–	–	–
†BARNSLEY C.B.	–	1	1	–	4	M. 1
†BATLEY ...	–	2	1	1	1	–
†BOLTON-UPON-DEARNE	–	1	–	–	–	–
†BRADFORD C.B.	–	45	5	–	7	E 1 M. 1
†BRIGHOUSE ...	–	–	–	–	1	–
†CASTLEFORD ...	–	2	–	–	–	–
CLAYTON ...	–	1	–	–	–	–
CLAYTON WEST	*	*	*	*	*	*
CUDWORTH ...	–	2	–	–	1	–
DARFIELD ...	–	–	1	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DEWSBURY C.B.	–	5	–	–	–	–
†DONCASTER ...	–	1	1	–	–	–
FARSLEY ...	–	–	2	–	–	–
†FEATHERSTONE	–	1	–	–	–	–
GARFORTH ...	–	2	–	–	–	–
†GOLCAR... ...	2	–	–	–	–	–
†GOOLE	–	–	–	–	–	M. 1
GREETLAND ...	–	–	–	1	–	–
†HALIFAX C.B. ...	–	2	2	–	–	–
†HARROGATE ...	–	–	–	–	–	M. 1
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	–	1	–	–	2	–
†HUDDERSFIELD C.B.	–	–	1	–	–	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	1	1	–	1	–
KNARESBOROUGH	–	1	–	–	–	–
†LEEDS C.B. ...	–	38	10	–	3	C. 1 E. 1 M. 3
†MEXBOROUGH ...	–	1	–	–	–	–
†MORLEY ...	–	–	–	1	1	–
†NORMANTON ...	*	*	*	*	*	*
†PONTEFRACT ...	–	5	–	–	–	–
†PUDSEY... ...	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROTHERHAM C.B.	–	7	1	–	3	–
†SHEFFIELD C.B.	–	30	11	–	35	C. 1 E. 1 M. 3
SHELLEY ...	–	–	1	–	2	–
†SHIPLEY ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
STAINLAND WITH OLD LINDLEY	–	2	–	–	–	–
†STANLEY ...	–	–	1	–	1	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON ...	–	1	–	–	1	–
THURLSTONE ...	–	3	–	–	–	–
THURNSCOE ...	–	2	–	–	–	–
†TODMORDEN ...	–	1	1	–	–	–
†WAKEFIELD C.B.	–	4	–	–	–	–
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	2	–	–	–	–
†WOMBWELL ...	–	–	–	–	3	–
YEADON ...	–	1	–	–	–	–
Rural Districts :—						
BARNSLEY ...	2	–	–	–	–	–
DONCASTER ...	–	1	–	–	2	–
HEMSWORTH ...	–	3	2	–	2	–
KIVETON PARK	–	3	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	4	–	–	–	–
SELBY	–	2	–	–	–	–
SETTLE	–	4	–	–	–	–
TADCASTER ...	–	2	1	–	–	–
WAKEFIELD ...	–	2	–	–	1	–
WHARFEDALE (South)	–	–	1	–	–	–
WALES.						
ANGLESEY ...	–	1	–	–	–	–
Boroughs and ban Districts :—						
AMLWCH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera ; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban Districts :—						
LLANWRTYD ...	–	–	–	–	1	–
Rural Districts:—						
BRECKNOCK LLANGORSE ...	*	*	*	*	*	*
BRECKNOCK LLANGORSE	*	*	*	*	*	*
LLANWRTHWL (Parish)	*	*	*	*	*	*
CARDIGAN ...	–	4	2	–	–	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH...	–	4	2	–	–	–
CARMARTHEN ...	–	1	2	1	1	–
Boroughs and Urban Districts :—						
†LLANELLY ...	–	–	–	–	1	–
Rural District :—						
LLANELLY ...	–	–	2	–	–	–
LLANYBYTHER ...	–	–	–	1	–	–
NEWCASTLE-IN-EMLYN	–	1	–	–	–	–
CARNARVON ...	–	2	3	–	–	E. 1
Boroughs and Urban Districts:—						
BANGOR... ...	–	–	–	–	–	E. 1
CARNARVON ...	–	–	1	–	–	–
CARNARVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
CONWAY ...	–	–	1	–	–	–
LLANDUDNO ...	–	1	1	–	–	–
Rural Districts :—						
CONWAY ...	–	1	–	–	–	–
DENBIGH ...	–	5	6	1	2	–
Boroughs and Urban Districts :—						
†WREXHAM ...	–	–	1	–	–	–
Rural Districts :—						
GLAN CONWAY (parish)	–	1	–	–	–	–
WREXHAM ...	–	4	5	1	2	–
FLINT	–	5	2	–	1	–
Boroughs and Urban Districts :—						
BUCKLEY ...	–	1	1	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts :—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts—*cont.*						
HOLYWELL (MOLD DIV.)	–	3	–	–	–	–
OVERTON ...	–	–	1	–	–	–
GLAMORGAN ...	–	84	39	2	16	C. 1 M. 4
Boroughs and Urban Districts:—						
†ABERDARE ...	–	12	1	1	1	–
†BARRY	–	8	7	1	–	–
BRITON FERRY...	–	–	–	–	1	–
†CAERPHILLY ...	–	–	1	–	–	M. 1
†CARDIFF C.B. ...	–	4	7	–	–	C. 1
†GELLIGAER ...	–	2	1	–	1	–
†MERTHYR TYDFIL C.B.	–	1	2	–	1	–
†MOUNTAIN ASH	–	10	–	–	1	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	10	1	–	2	M. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	3	1	–	1	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ...	–	11	1	–	4	M. 2
†SWANSEA C.B. ...	–	7	9	–	2	–
Rural Districts:—						
COWBRIDGE ...	–	2	1	–	–	–
GOWER ...	–	–	2	–	–	–
LLANDAFF and DINAS POWIS	–	4	–	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	2	–	–	–	–
NEATH	–	4	1	–	–	–
PENYBONT ...	–	2	–	–	1	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA ...	–	–	–	–	1	–
MERIONETH ...	–	–	1	–	–	M. 1
Urban District:—						
BALA	–	–	–	–	–	M. 1
Rural Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	29	9	1	6	M. 2
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	2	–	–	M. 2
†BEDWELLTY ...	–	–	3	1	–	–
†BLAENAVON ...	*	*	*	*	*	*
MONMOUTH ...	–	3	–	–	–	–
†MYNDDISLWYN	–	5	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†NEWPORT C.B....	–	4	1	–	1	–
†PANTEG ...	–	1	1	–	–	–
†RHYMNEY ...	–	3	–	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	4	1	–	4	–
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
MONMOUTH ...	–	3	–	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
MONTGOMERY ...	–	–	–	–	2	–
Boroughs and Urban District:—						
LLANIDLOES ...	*	*	*	*	*	*
Rural Districts—						
LLANFYLLIN ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
†Pembroke ...	–	1	–	–	–	–
Rural District:—						
Narberth ...	–	–	4	–	–	–
RADNOR... ...	–	–	–	–	–	–
Urban District:—						
Llandrindod Wells	*	*	*	*	*	*
RADNOR—*cont.*						
Rural Districts:—						
Rhayader ...	*	*	*	*	*	*
Total of Part II.	11	1523	654	50	490	C. 26 D. 3 E. 7 F. 1 G. 1 L. 10 M. 109

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Dover (Deal Division)	–	2	–	–	–	–
Liverpool ...	–	1	1	–	–	–
Port of London	–	1	–	–	–	J. 1
Total of Part III.	–	4	1	–	–	J. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

———	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	282	244	9	41	C. 2 D. 2 G. 1 M. 8
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	11	1523	654	50	490	C. 26 D. 3 E. 7 F. 1 G. 1 L. 10 M. 109
Total of Part III.—Port Sanitary Districts ...	–	4	1	–	–	J. 1
Total (*i.e.*, of returns received), England and Wales	11	1809	899	59	531	C. 28 D. 5 E. 7 F. 1 G. 2 J. 1 L. 10 M. 117

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eleven cases of Small-pox were notified, which appear on pages 750, 757, 761, and 762.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Apr. 8.	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.
LONDON:—													
DEATHS—all ages	1,514	1,446	1,406	1,327	1,319	1,210	1,038	1,178	944	878	795	842	852
" 0 to 1 year	228	197	220	159	170	162	125	178	97	97	104	85	79
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,962	7,250	8,046	8,711	8,491	8,271	8,279	7,714	8,119	7,141	9,024	8,296	8044
DEATHS—all ages	6,072	5,948	5,635	5,486	5,202	4,810	4,482	4,521	3,965	3,667	3,602	3,502	3544
" *0 to 1* year	1,011	984	904	834	829	732	680	711	557	503	503	451	407
ENTERIC FEVER—Cases	13	20	17	16	23	22	24	31	23	22	24	17	23
" Deaths	3	6	4	5	7	2	2	6	2	2	5	4	1
SMALL POX—Cases	12	14	25	12	19	15	12	12	13	6	10	10	4
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,227	1,145	1,122	1,081	1,246	1,098	1,186	1,163	1,120	940	1016	1102	1074
" Deaths	18	20	23	31	17	16	17	18	19	20	9	14	9
DIPHTHERIA—Cases	666	622	560	553	602	624	612	608	558	598	560	609	537
" Deaths	47	49	43	53	38	62	45	43	44	43	44	32	50
MEASLES—Deaths	181	154	158	177	184	168	122	130	97	96	79	56	59
INFLUENZA—Deaths	117	109	93	75	69	55	45	55	36	26	27	18	25

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st July 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	71	45	65·7	50·4	18
BRIGHTON	61	48	60·1	53·2	22
PORTSMOUTH	64	47	62·6	52·4	30
NORWICH (SOUTHWELL LODGE).	66	43	62·8	48·7	14
PLYMOUTH	62	48	60·0	51·7	34
BRISTOL (CLIFTON).	64	47	59·7	50·4	29
BIRMINGHAM	63	45	59·7	47·3	14
NOTTINGHAM	65	45	61·6	49·6	13
BIRKENHEAD (BIDSTON).	64	47	58·6	49·3	15
MANCHESTER	62	46	58·6	49·6	15
BURNLEY	63	45	56·9	47·3	36
HUDDERSFIELD	63	44	59·1	46·3	14
BRADFORD	61	46	58·0	47·6	12
SHEFFIELD	61	45	58·7	48·1	20
YORK (MUSEUM).	63	46	60·3	49·3	9
HULL (PEARSON PARK).	64	40	62·1	47·1	13
TYNEMOUTH	64	46	62·1	47·7	9
CARDIFF	62	45	58·9	48·9	35
EDINBURGH	63·0	44·0	59·7	45·3	16
GLASGOW	59·8	45·0	58·6	46·9	12
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†		Not received.			
BELFAST	67·0	48·0	63·5	49·6	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 1st July 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	25	New	29·523	64·0	49·8	14·2	55·4	− 6·0	42·7	12·7	20·1	5·9	62	130·0	42·4	55·3	WSW W & WNW.	WNW & W.	6·0	0·0	0·7	527	+274	0·01
MONDAY	26	..	29·453	62·6	47·4	15·2	55·1	− 6·4	53·1	2·0	7·0	0·0	93	92·6	39·4	55·1	W & WSW.	SW & W	1·8	0·0	0·2	304	+ 52	0·05
TUESDAY	27	..	29·604	70·8	53·7	17·1	59·6	− 2·0	51·9	7·7	16·5	0·0	76	141·7	51·0	55·2	W	WSW	3·8	0·0	0·5	435	+183	0·00
WEDNESDAY	28	..	29·531	64·9	50·6	14·3	57·5	− 4·1	54·1	3·4	9·1	0·0	89	90·6	47·7	55·3	WSW	WSW & N	4·0	0·0	0·4	380	+129	0·44
THURSDAY	29	Perigee.	29·763	64·0	45·2	18·8	54·3	− 7·3	43·9	10·4	17·4	2·2	68	128·3	38·0	55·2	WNW & W.	W & WNW.	5·7	0·0	0·4	375	+126	0·15
FRIDAY	30	..	29·916	67·1	47·4	19·7	57·1	− 4·4	45·8	11·3	16·3	2·1	66	133·5	38·6	55·2	W	W	3·7	0·0	0·3	340	+ 92	0·02
JULY. SATURDAY	1	In Equator First Quarter	29·790	66·0	52·2	13·8	57·9	− 3·6	46·5	11·4	18·1	4·2	66	121·1	46·0	55·2	WSW & SW.	SW & SSW.	4·6	0·0	0·4	341	+ 93	0·01
MEANS		..	29·654	65·6	49·5	16·2	56·7	− 4·8	48·3	8·4	14·9	2·1	74	119·7	43·3	55·2	WSW		...	...	...	Sum 2,702	Sum +949	Sum 0·68
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. June 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	25	w.P. generally, v.P. and v.N. at times in afternoon.	13·1	16·5	Overcast till 3h. then cloudy generally with overcast intervals. Brisk wind 6h. to 21h. Thunder about 10h., occasional slight rain in afternoon.
MONDAY -	26	w.P. throughout	0·2	16·5	Nearly cloudless till 4h. becoming overcast about 5h. 30m. with very slight exceptions. Slight rain at times from 6h. 30m. to 17h.
TUESDAY -	27	w.P. generally, v.P. in afternoon.	5·6	16·5	Nearly overcast generally. Cloudy period about 6h. and again between 14h. and 19h. Brisk wind at times and occasional slight rain.
WEDNESDAY	28	w.P. throughout	0·1	16·5	Overcast with slight exceptions. Frequent slight rain from noon to 18h. and heavier rain till 22h.
THURSDAY -	29	w.P. till 6h., v.P. and v.N. till 8h. v.P. afterwards.	11·2	16·5	Nearly cloudless by 1h. 30m., little cloud till 8h. 30m., then alternately overcast and fine. Variably cloudy from 16h. 30m. Nearly cloudless from 19h. 30m. Thunderstorms and rain at times between noon and 16h. Brisk wind in afternoon.
FRIDAY -	30	v.P. generally a little v.N. in afternoon.	6·9	16·5	Cloudless till 1h., nearly overcast by 2h., partially cloudy 5h. to 9h., then very cloudy and nearly overcast generally. Slight showers about midday.
JULY. SATURDAY -	1	v.P. throughout	0·6	16·5	Overcast or nearly overcast throughout with occasional slight rain or damping.
			Sum 37·7	Sum 115·5	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·57 in. at the beginning of the week to 29·40in. by 15h. on June 26; increased to 29·62 in. by noon on June 27; decreased to 29·49 in. by 19h. on June 28; increased to 29·95 in. by 10h. on June 30, and decreased generally to 29·60 in. by midnight on July 1.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 27

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 8TH JULY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from EASON AND SON, LTD., 40 and 41, LOWER SACKVILLE STREET, DUBLIN.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH JULY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-seventh week of the year numbered 7,858, and corresponded to an annual rate of 21·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,466 and corresponded to an annual rate of 9·5 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·9, 9·6 and 9·7. Infant mortality was 61 per 1,000 births against 56, 55, and 51 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,817 births, corresponding to a rate of 20·9 per 1,000, and 795 deaths of civilians, corresponding to a rate of 9·2, as against 9·2, 9·7, and 9·8 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·5 per 1,000. The infant mortality was 48 as against 51, 44, and 42 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 78 in the total deaths last week. In London the number of deaths from all causes fell from 852 to 795; while the deaths from measles, which had been 18, 12, and 16 in the preceding three weeks, fell to 12 last week.

---

m (45)18097—2 Wt 30—P 19 2250 7 22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 8th July 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,858	3,466	482	4	59	13	40	39	41	22
London	4,514,405*	1,817	795	88	2	12	3	12	24	8	3
Towns in Outer Ring:											
Croydon C.B.	191,500	62	37	3	–	1	–	–	–	–	–
Wimbledon	61,700	17	5	1	–	–	–	–	–	–	–
Ealing	67,800	20	9	1	–	–	–	–	–	1	–
Acton	62,000	18	14	2	–	–	1	–	–	–	1
Willesden	167,200	39	24	3	–	1	–	1	–	–	1
Hendon	55,500	23	11	1	–	–	–	–	–	–	–
Hornsey	87,600	21	9	–	–	–	–	–	–	–	–
Wood Green	51,100	14	11	–	–	–	1	–	–	–	–
Tottenham	149,200	40	18	4	–	–	–	–	1	–	–
Edmonton	67,800	40	14	2	–	–	–	–	–	–	1
Enfield	61,400	20	4	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	153	59	6	–	–	–	–	–	–	–
East Ham C.B.	145,500	60	17	2	–	–	–	–	–	–	–
Leyton	130,100	34	16	–	–	–	–	–	–	–	–
Walthamstow	129,800	43	18	–	–	–	–	–	1	–	–
Ilford	85,500	18	13	2	–	–	–	–	–	–	–
Gillingham	48,149*	30	9	2	–	–	–	–	–	–	1
Canterbury C.B.	23,680	15	5	–	–	–	–	1	–	–	–
Hastings C.B.	59,500	32	15	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	14	8	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	41	24	1	–	–	–	–	2	–	–
Portsmouth C.B.	233,929*	114	40	7	–	1	–	–	1	–	–
Bournemouth C.B.	81,200	16	18	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	63	23	2	–	–	–	1	1	–	–
Reading C.B.	92,600	21	14	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	20	10	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	26	17	1	–	–	–	–	–	–	–
Luton	57,800	21	3	–	–	–	–	–	–	–	–
Cambridge	58,900	28	7	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	42	10	–	–	–	–	–	–	–	–
Ipswich C.B.	80,100	39	16	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	19	8	–	–	–	–	–	–	–	–
Norwich C.B.	122,400	36	19	4	–	–	–	–	–	–	–
Swindon	55,500	20	10	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	26	13	–	–	–	–	–	–	–	1
Plymouth C.B.	199,869*	89	42	5	–	–	–	1	–	–	–
Bath C.B.	68,300	22	13	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	144	51	10	–	–	–	1	1	1	–
Gloucester C.B.	51,800	17	13	2	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	128	51	6	–	1	–	–	–	–	–
Burton-upon-Trent C.B.	49,410	18	13	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	55	14	2	–	–	–	1	–	–	–
Walsall C.B.	98,800	35	13	3	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	33	16	2	–	–	–	–	–	–	–
Worcester C.B.	49,160	26	7	3	–	–	–	–	–	–	–
Dudley C.B.	57,100	25	6	–	–	–	–	–	–	–	–
Birmingham C.B.	936,000	385	150	25	–	3	–	3	3	1	1
Smethwick C.B.	77,400	31	5	–	–	–	–	–	–	–	–
Coventry C.B.	130,300	43	18	1	–	–	–	–	–	–	–
Leicester C.B.	237,900	74	29	1	–	–	1	–	–	–	–
Lincoln C.B.	66,600	27	10	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	43	15	5	–	–	–	–	–	1	–
Nottingham C.B.	266,400	114	43	10	–	–	–	–	–	2	–
Derby C.B.	131,800	53	15	2	–	–	–	–	–	1	1
Chesterfield	62,400	32	14	3	–	–	–	1	–	–	–
Stockport C.B.	125,500	46	20	2	–	–	–	–	–	–	–
Chester C.B.	41,030	15	8	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	67	24	5	–	–	–	1	–	–	–
Wallasey C.B.	89,600	36	26	2	–	–	1	–	–	1	–
Liverpool C.B.	817,000	422	164	27	–	3	3	2	–	2	–
Bootle C.B.	77,800	51	15	2	–	–	–	–	–	–	–
St. Helens C.B.	104,900	38	29	5	–	2	–	1	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	14	14	1	–	–	–	–	–	–	–
Wigan C.B.	91,200	42	19	2	–	2	–	–	–	–	–
Warrington C.B.	78,600	47	16	4	–	–	–	–	–	–	–
Bolton C.B.	182,200	28	47	3	–	1	–	2	–	–	–
Bury C.B.	57,600	16	13	–	–	–	–	1	–	–	–
Manchester C.B.	744,000	325	152	20	–	19	1	4	–	2	–
Salford C.B.	239,100	109	55	11	–	6	–	–	–	1	2
Oldham C.B.	148,300	57	35	8	–	3	–	–	–	–	1
Rochdale C.B.	92,700	34	28	2	–	–	–	–	1	1	2
Burnley C.B.	105,300	47	17	2	1	–	–	–	–	–	–
Blackburn C.B.	129,400	47	31	5	–	–	–	–	–	–	1
Preston C.B.	119,900	47	22	4	–	–	–	–	–	–	–
Blackpool C.B.	73,800	26	16	2	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	25	16	2	–	–	–	1	–	1	–
Huddersfield C.B.	111,900	51	25	4	–	–	–	–	–	–	–
Halifax C.B.	100,700	23	17	1	–	–	1	–	–	–	–
Bradford C.B.	291,100	116	66	9	–	1	1	–	–	–	–
Leeds C.B.	465,500	186	86	16	–	–	–	–	–	2	–
Dewsbury C.B.	55,100	18	10	2	–	–	–	–	–	–	–
Wakefield C.B.	53,763	30	13	1	–	1	–	–	–	–	–
Barnsley C.B.	68,991	49	16	6	–	–	–	–	–	1	1
Sheffield C.B.	519,239	261	101	13	–	–	–	–	–	1	–
Rotherham C.B.	69,100	29	11	3	–	–	–	–	–	–	–
Doncaster	54,700	22	15	3	–	1	–	–	–	–	1
York C.B.	84,500	24	17	3	–	–	–	–	–	1	–
Hull C.B.	291,800	141	61	16	–	–	–	1	–	4	–
Middlesbrough C.B.	133,400	69	26	7	–	–	–	–	–	–	1
Darlington C.B.	66,400	33	9	–	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	40	14	4	–	–	–	2	–	–	–
West Hartlepool C.B.	69,300	36	19	2	–	1	–	1	–	–	1
Sunderland C.B.	161,100	73	42	8	–	–	–	–	–	2	–
South Shields C.B.	120,376	87	22	6	–	–	–	–	–	1	–
Gateshead C.B.	126,700	64	38	10	–	–	–	–	–	3	1
Newcastle-on-Tyne C.B.	278,400	119	51	9	–	–	–	–	–	–	–
Tynemouth C.B.	63,900	36	20	4	1	–	–	–	1	–	–
Carlisle C.B.	53,200	23	14	3	–	–	–	1	–	1	–
Newport (Mon.) C.B.	93,700	48	22	2	–	–	–	–	2	–	1
Cardiff C.B.	202,700	98	25	4	–	–	–	–	–	1	–
Rhondda	166,600	82	24	5	–	–	–	1	1	–	–
Merthyr Tydfil C.B.	81,800	32	13	–	–	–	–	–	–	–	–
Aberdare	56,100	17	12	5	–	–	–	–	–	–	–
Swansea C.B.	159,600	56	29	2	–	–	–	–	–	1	–
Greater London	7,523,963*	2,880	1,262	132	2	15	6	14	31	9	7
Outer Ring	3,009,558*	1,063	467	44	–	3	3	2	7	1	4
16 Great Towns in Outer Ring	1,820,700	622	279	27	–	2	2	1	2	1	3
Remainder of Outer Ring	1,188,858*	441	188	17	–	1	1	1	5	–	1
Edinburgh†	420,500	176	103	9	–	3	1	3	–	2	–
Glasgow†	1,037,800	540	243	29	–	4	–	1	1	8	–
Dublin (Registration Area)†	427,000	133	134	11	–	–	–	1	1	2	–
Belfast†	425,000			Not	rece	ived					

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhoeal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	July 8	1817	795	9·2	2	–	12	3	12	24	8	3
Calcutta	896,067	June 3	?	396§	22·7	?	4	?	?	?	?	?	5
Bombay	1,175,914	May 27	334‖	643§	28·4	2	1	1	–	–	–	46	14
Madras	522,951	„ 27	360	407	40·5	1	20	4	?	1	–	36	–
Sydney and Suburbs	926,400	April 30 days.											
Brisbane (Met. Area).	210,032	April 30 days.	467	155	8·9	1	–	–	–	–	–	8	–
Perth (Metropolitan Area).	154,866	May 13	62	33	11·1	1	–	–	–	–	–	4	–
Auckland (Urban Area).	157,757	April 30 days.	238	128	9·7	11	–	–	–	–	–	3	2
Wellington (Urban Area).	107,488	„ „	173	69	7·7	1	–	–	–	–	1	1	–
Christchurch (Urban Area).	105,670	„ „	147	77	8·7	–	–	–	1	–	1	2	–
Cape Town	101,000	May 20	48	19	9·8	–	–	–	–	–	1	4	–
Johannesburg	149,500	„ 27	98	53	18·4	–	–	–	–	–	–	1	12
Durban	48,000	„ 27	25	4	4·3	–	–	–	–	–	–	1	1
Paris	2,906,472	June 20											
Antwerp	303,414	May 27	138	73	12·5	–	–	–	–	4	–	5	–
Amsterdam	690,109	June 24	290	98	7·1	1	–	5	–	3	1	2	1
Copenhagen	562,000	„ 24	236	121	11·2	–	–	1	–	–	–	–	–
Stockholm	422,042	„ 24	97	77	9·5	–	–	–	–	–	–	–	1
Gothenburg	228,052	„ 10	?	37	8·4	–	–	–	–	–	–	–	–
Christiania	258,933	July 1	94	39	7·8	–	–	–	–	–	–	2	–
Berlin	1,970,000	June 10	447	485	12·8	2	?	8	–	1	1	9	3
Breslau	557,000	„ 10	236	171	16·0	–	?	2	–	2	–	5	2
Cologne	677,000	„ 10	273	162	12·4	–	?	1	–	10	1	2	–
Dresden	605,000	„ 10	195	127	10·9	–	?	–	–	–	–	–	3
Frankfort-on-Main	476,000	„ 10	124	82	9·0	–	?	1	–	–	–	1	–
Hamburg	1,053,000	„ 10	363	222	11·0	1	?	–	1	1	–	2	1
Leipzig	673,000	„ 10	238	162	12·5	1	?	1	–	–	1	1	3
Munich	680,000	„ 10	195	190	14·5	–	?	–	–	1	–	4	–
Vienna	1,842,005	May 13											
Prague and Suburbs	689,262	June 3	293	200	15·1	–	–	2	–	–	–	5	–
Budapest	936,000	Apr. 29	392	415	23·0	1	?	10	3	3	2	18	2
Cairo	777,500	„ 15	725	466	31·2	6	–	5	–	?	2	60	?
Alexandria	456,300	„ 15	419	186	21·2	–	–	–	–	?	–	21	?
New York	5,839,738	June 3	2,515	1,324	11·8	2	–	44	2	6	17	28	2
Chicago	2,833,288	„ 10	?	560	10·3	–	–	7	1	–	3	12	2
Rio de Janeiro	1,195,961	May 20	708	469	20·4	3	2	2	–	2	3	–	12
Montevideo	358,196	Jan. 28											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 28 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 4 in Calcutta, and 13 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th July, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	795	88	32	24	32	49	45	53	94	133	127	118
Enteric fever	2	–	–	–	–	2	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	4	3	5	–	–	–	–	–	–	–	–
Scarlet fever	3	–	–	–	2	–	1	–	–	–	–	–
Whooping cough	12	6	6	–	–	–	–	–	–	–	–	–
Diphtheria	24	1	6	6	9	1	1	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	1	1	–	–	1
Erysipelas	3	1	–	–	–	–	–	–	–	–	1	1
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	3	1	1	–	–	1	–	–	–	–	–	–
Tuberculosis of respiratory system	84	1	–	–	1	23	13	14	15	13	3	1
Tuberculous meningitis	9	–	3	4	2	–	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	–	–	–	–	1	1	–	–	–
Other tubercle	9	–	–	–	3	2	2	–	1	–	1	–
Venereal diseases	4	2	–	–	–	–	1	–	1	–	–	–
Cancer	111	1	–	–	1	–	2	6	17	30	35	19
Rheumatic fever	2	–	–	–	1	–	–	–	1	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	3	3	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	2	–	1	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	38	–	–	–	–	1	1	–	2	14	9	11
Epilepsy	4	–	–	–	1	–	–	–	–	–	2	1
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	24	–	1	–	–	2	2	6	6	3	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	–	2	1	–	1	–	–
Other diseases of heart	113	–	–	–	3	5	4	7	14	23	28	29
Other dis. of circulatory system	27	–	–	–	–	–	–	2	1	4	10	10
Bronchitis	28	4	–	–	–	–	–	2	3	4	5	10
Broncho-pneumonia	29	8	8	4	1	–	–	1	3	1	2	1
Lobar pneumonia	13	2	1	1	–	–	3	2	1	2	1	–
Pneumonia (type not distinguished)	8	1	–	–	–	1	–	–	3	3	–	–
Other diseases of respiratory system	9	–	–	–	1	–	–	1	2	2	2	1
Diarrhœa and enteritis	11	6	2	1	–	–	–	1	–	–	–	1
Appendicitis and typhlitis	3	–	–	–	1	–	–	–	1	1	–	–
Hernia, Intestinal obstruction	6	1	–	–	–	–	–	–	1	–	1	3
Cirrhosis of liver	7	–	–	–	–	–	–	1	1	3	2	–
Other diseases of digestive system	14	–	–	–	–	1	4	1	4	2	2	–
Acute nephritis	2	–	–	–	–	–	–	–	–	2	–	–
Chronic Bright's disease	24	–	–	–	–	2	1	1	1	9	4	6
Other diseases of genito-urinary system.	12	–	–	–	–	1	2	2	1	1	–	5
Puerperal fever, &c.	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth	4	–	–	–	–	1	2	1	–	–	–	–
Congenital malformations	7	7	–	–	–	–	–	–	–	–	–	–
Premature birth	22	22	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age	16	–	–	–	–	–	–	–	–	–	5	11
Suicide	9	–	–	–	–	2	–	–	3	3	1	–
Burns and scalds	2	1	1	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	1	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	1	2	2	–	–	–	–	–	2
Other deaths by violence	19	2	–	1	1	1	3	1	2	3	4	1
Other specified causes	24	3	–	–	2	1	1	1	6	5	2	3
Ill-defined causes	2	–	–	–	–	–	–	–	1	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th July 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	19	11	1	5	C. 1 M. 4
†BERMONDSEY ...	–	12	20	–	3	–
†BETHNAL GREEN	–	7	8	–	2	–
†CAMBERWELL ...	–	18	18	–	2	–
†CHELSEA ...	–	3	8	–	–	–
†DEPTFORD ...	–	9	11	1	–	–
†FINSBURY ...	–	8	12	–	–	D. 1
†FULHAM ...	–	18	2	–	4	–
†GREENWICH ...	–	8	6	–	2	–
†HACKNEY ...	–	10	15	–	–	M. 1
†HAMMERSMITH	–	9	6	1	1	M 1
†HAMPSTEAD ...	–	5	3	–	1	–
†HOLBORN ...	–	3	3	–	–	–
†ISLINGTON ...	–	36	30	1	–	M. 4
†KENSINGTON ...	–	5	6	2	1	M. 2
†LAMBETH ...	–	34	15	1	1	C. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	12	4	–	2	–
†PADDINGTON ...	–	8	17	–	6	–
†POPLAR... ...	–	4	15	–	7	–
†ST. MARYLEBONE	–	7	10	–	2	–
†ST. PANCRAS ...	–	18	14	–	4	D. 1 M. 1
†SHOREDITCH ...	–	6	4	–	1	–
†SOUTHWARK ...	–	18	23	–	3	C. 1
†STEPNEY ...	–	18	12	–	4	M. 2
†STOKE NEWINGTON	–	4	3	–	–	–
†WANDSWORTH	–	18	29	1	6	C. 2
†WESTMINSTER, CITY OF	–	5	9	1	–	–
†WOOLWICH ...	–	10	15	–	1	–
TOTAL OF PART I.	–	333	329	9	58	C. 5 D. 2 M. 16

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	2	–	–	C. 1 M 1.
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	2	1	–	–	–
DUNSTABLE ...	–	1	–	–	–	-
†LUTON	–	–	–	–	–	M. 1
Rural Districts :—						
BIGGLESWADE ...	–	1	–	–	–	C. 1
BERKS	–	25	5	–	–	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	1	–	–	–	–
†READING C.B....	–	14	3	–	–	–
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
BRADFIELD ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	3	2	–	–	M. 1
FARINGDON (part)	–	2	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
BUCKINGHAM	–	16	3	–	2	–
Boroughs and Urban Districts :—						
BUCKINGHAM ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	1	–
CHESHAM ...	–	1	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
†WOLVERTON ...	–	–	–	–	1	–
Rural Districts :—						
AMERSHAM ...	–	9	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
ETON	–	1	1	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
WYCOMBE ...	–	2	1	–	–	–
CAMBRIDGE ...	–	2	3	–	1	–
Borough :—						
†CAMBRIDGE ...	–	2	2	–	–	–
Rural Districts :—						
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	43	22	3	10	M. 3
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
†BIRKENHEAD C.B.	–	11	1	–	3	M. 1
BOLLINGTON ...	*	*	*	*	*	*
BREDBURY AND ROMILY	–	–	2	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CHESTER C.B. ...	–	1	1	–	–	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	6	1	–	–	–
†DUKINFIELD ...	–	–	2	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	4	1	–	–	–
KNUTSFORD ...	–	–	3	–	–	–
†MACCLESFIELD...	–	2	–	–	–	M. 1
MARPLE... ...	*	*	*	*	*	*
MIDDLEWICH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MOTTRAM IN LONGDENDALE	–	1	–	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	1	1	–	1	–
†STALYBRIDGE ...	–	–	1	–	–	–
†STOCKPORT C.B.	–	2	1	1	–	–
†WALLASEY C.B.	–	3	3	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	2	–	1	–	–
CHESTER ...	–	2	–	–	1	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	–	–	–	–	M. 1
MALPAS ...	–	–	1	–	–	–
RUNCORN ...	–	1	1	1	–	–
TARVIN	–	–	1	–	–	–
WIRRAL... ...	–	1	–	–	1	–
CORNWALL ...	–	5	1	1	6	–
Boroughs and Urban Districts:—						
LISKEARD ...	–	2	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. IVES ...	–	1	–	1	–	–
SALTASH ...	–	1	–	–	–	–
†TRURO	*	*	*	*	*	*
Rural Districts:—						
REDRUTH ...	–	–	1	–	1	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	–	–	–	4	–
CUMBERLAND ...	–	9	1	–	2	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	1	–	–	2	–
PENRITH ...	–	1	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	1	–	–	–
CARLISLE ...	–	3	–	–	–	–
LONGTOWN ...	–	1	–	–	–	–
WHITEHAVEN ...	–	2	–	–	–	–
WIGTON ...	–	1	–	–	–	–
DERBY	1	29	6	–	10	C. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	–
†BELPER... ...	–	–	1	–	–	–
†BOLSOVER ...	–	–	1	–	–	C. 1
†CHESTERFIELD ...	–	3	1	–	–	–
†DERBY C.B. ...	–	9	–	–	4	M. 1
†GLOSSOP ...	–	1	–	–	1	–
†HEANOR ...	1	1	–	–	–	–
†ILKESTON ...	–	–	–	–	–	M. 1
†RIPLEY... ...	–	1	–	–	–	–
SOUTH DARLEY	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	4	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	*	*	*	*	*	*
BELPER ...	–	2	–	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHESTERFIELD ...	–	2	1	–	1	E. 1
CLOWNE ...	–	1	–	–	–	–
HAYFIELD ...	–	–	–	–	2	–
REPTON... ...	–	1	–	–	–	–
SHARDLOW ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	18	14	2	3	M. 1
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	4	–	–	–
†EXETER C.B. ...	–	1	1	1	–	M. 1
†EXMOUTH ...	–	1	–	–	–	–
†PLYMOUTH C.B.	–	7	1	–	1	–
SOUTH MOLTON	–	4	–	–	1	–
TAVISTOCK ...	–	1	1	–	–	–
TIVERTON ...	–	–	6	–	–	–
Rural Districts:—						
HONITON ...	–	2	–	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON	–	–	–	1	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	–	2	–	1	M. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	–	M. 1
SWANAGE ...	–	–	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	1	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM... ...	1	54	16	3	25	C. 1 M. 12
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	4	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†BLAYDON ...	–	–	1	–	–	–
†CROOK	–	–	1	–	–	–
†DARLINGTON C.B.	–	2	–	–	1	–
†DURHAM ...	–	–	–	–	–	M. 1
†GATESHEAD C.B.	–	8	1	–	2	M. 1
†HARTLEPOOL ...	–	–	–	–	–	M. 1
†HEBBURN ...	–	1	–	1	1	–
†HETTON... ...	–	1	–	–	–	–
†JARROW ...	–	3	–	–	2	M. 1
†RYTON... ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	M. 1
†SHILDON ...	–	2	–	–	–	–
†SOUTH SHIELDS C.B.	–	5	–	–	5	M. 1
†SOUTHWICK-ON-WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	–	–	–	–	–	M. 1
†STANLEY ...	1	2	1	–	1	–
†STOCKTON-ON-TEES	–	1	1	–	–	–
†SUNDERLAND C.B.	–	9	1	1	1	M 3.
†TANFIELD ...	–	1	–	–	1	–
†WASHINGTON ...	–	–	–	–	1	–
†WEST HARTLEPOOL C.B.	–	–	–	–	2	C. 1 M. 1
†WHICKHAM ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	6	1	–	–	–
CHESTER-LE-STREET	–	–	3	–	–	–
DURHAM ...	–	1	–	–	–	–
EASINGTON ...	–	3	–	–	4	–
†HOUGHTON-LE-SPRING	–	2	–	–	–	M. 1
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	1	1	1	–	–
STOCKTON ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH ...	–	2	–	–	–	–
Rural Districts:—						
WISBECH ...	–	2	–	–	–	–
ESSEX	–	81	35	–	11	L. 2 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	2	–	–	–
BRAINTREE ...	–	1	–	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†CLACTON ...	–	1	1	–	–	–
†EAST HAM C.B.	–	9	4	–	1	–
EPPING	–	–	2	–	–	M. 1
†GRAYS THURROCK	–	–	1	–	–	–
†ILFORD	–	9	3	–	–	L. 2
†LEYTON... ...	–	6	1	–	2	–
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	1	–	–	–	–
SAFFRON WALDEN	–	3	–	–	–	–
SHOEBURYNESS-ON-SEA	–	1	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	8	–	–	1	–
†WALTHAMSTOW	–	9	12	–	–	M. 2
†WEST HAM C.B.	–	14	7	–	5	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
CHELMSFORD ...	–	–	1	–	–	–
DUNMOW ...	–	1	–	–	–	–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	4	–	–	–	–
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	3	–	–	–	–
ROMFORD ...	–	2	–	–	–	–
SAFFRON WALDEN	–	5	–	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	–	43	17	1	4	C. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	35	10	1	1	C. 1
†CIRENCESTER ...	–	–	2	–	–	–
†GLOUCESTER C.B.	–	1	2	–	2	–
†KINGSWOOD ...	–	3	1	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	2	–	–	–	–
DURSLEY ...	–	–	–	–	1	–
PEBWORTH ...	*	*	*	*	*	*
STROUD ...	–	1	1	–	–	–
WINCHCOMBE (part)	–	–	1	–	–	–
HEREFORD ...	–	1	5	–	5	–
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	–	–	–	4	–
Rural Districts:—						
LEDBURY ...	–	1	5	–	–	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	20	5	2	–	L. 1
Boroughs and Urban Districts:—						
BALDOCK ...	*	*	*	*	*	*
†BARNET... ...	–	–	–	1	–	–
†CHESHUNT ...	–	–	1	1	–	–
HARPENDEN ...	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	3	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HITCHIN ...	–	2	1	–	–	–
†ST. ALBANS ...	–	5	2	–	–	–
WARE	–	3	–	–	–	–
Rural Districts:—						
BARNET... ...	–	2	–	–	–	–
ST. ALBANS ...	–	2	–	–	–	–
WATFORD ...	–	1	–	–	–	L. 1
HUNTINGDON ...	–	–	–	–	1	–
Rural District:—						
NORMAN CROSS	–	–	–	–	1	–
KENT	–	36	25	5	6	G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	2	–	–	–
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	1	–	–	–
†CHATHAM ...	–	1	1	–	–	M. 1
CHISLEHURST ...	–	4	–	–	–	–
†DARTFORD ...	–	2	–	–	1	L. 1
†DEAL	–	–	–	–	–	G. 1
†DOVER	–	–	–	–	1	–
†ERITH	–	6	2	1	–	–
†FAVERSHAM ...	–	–	2	1	–	–
†GILLINGHAM ...	–	3	1	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	–	1	–	1	–
†MARGATE ...	–	2	–	1	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	6	–	–	1	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	2	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SIDCUP	–	1	–	–	–	–
Rural Districts:—						
BRIDGE... ...	–	–	1	–	–	–
BROMLEY ...	–	1	3	–	–	–
RANBROOK ...	–	–	–	1	–	–
EAST ASHFORD	–	–	1	–	–	–
EASTRY ...	–	–	–	1	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	2	–	–	1	–
HOO	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MILTON ...	–	1	–	–	–	–
SEVENOAKS ...	–	1	2	–	–	–
STROOD ...	–	–	1	–	–	–
LANCASTER ...	–	255	80	8	108	C. 8 E. 1 L. 1 M. 42
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	1	–	M. 1
†ASHTON-IN-MAKERFIELD	–	–	1	–	2	–
†ASHTON-UNDER-LYNE	–	2	–	1	2	–
†ATHERTON ...	–	–	–	–	2	–
†BACUP	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	2	2	–	–	–
BILLINGE ...	–	1	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	4	M. 2
†BLACKPOOL C.B.	–	4	–	–	1	M. 1
BLACKROD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLTON C.B. ...	–	7	–	–	2	–
†BOOTLE C.B. ...	–	8	3	–	–	M. 1
†BURNLEY C.B.	–	7	1	–	1	M. 1
†BURY C.B. ...	–	2	–	–	4	–
†CHADDERTON ...	–	4	1	–	1	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	2	–	–	1	–
†DARWEN ...	–	3	–	–	–	–
†DENTON... ...	–	3	–	–	1	M. 1
†DROYLSDEN ...	–	3	1	–	–	–
†ECCLES ...	–	3	1	–	–	–
†FAILSWORTH ...	–	1	–	–	–	M 1.
†FARNWORTH ...	–	–	–	–	–	C. 1
FORMBY ...	–	–	2	–	–	–
†HASLINGDEN ...	–	–	1	–	–	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY ...	–	–	4	–	3	–
†HORWICH ...	–	1	3	–	–	–
HURST... ...	–	2	–	–	–	–
†INCE-IN-MAKERFIELD	–	3	–	–	2	–
IRLAM	–	–	1	–	2	–
†LANCASTER ...	–	1	1	–	–	–
†LEIGH	–	–	2	–	–	–
LEYLAND ...	–	1	–	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
LITTLE CROSBY	*	*	*	*	*	*
LITTLE HULTON	*	*	*	*	*	*
†LIVERPOOL C.B.	–	36	10	–	10	C. 2 L. 1 M. 18
LONGRIDGE ...	–	–	2	–	–	–
†MANCHESTER C.B.	–	59	24	3	37	C. 4 M. 8
†MIDDLETON ...	–	–	–	–	–	M. 1
†MORECAMBE ...	–	1	–	–	–	–
†NELSON	–	1	–	–	–	–
†OLDHAM C.B.	–	10	2	–	2	M. 2
†OSWALDTWISTLE	–	4	–	–	–	M. 1
†PADIHAM ...	–	1	–	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	3	3	2	1	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	2	–	2	–
†RAMSBOTTOM ...	–	4	–	–	–	–
†RAWTENSTALL ...	–	3	–	–	1	–
RISHTON ...	–	2	–	–	1	–
†ROCHDALE C.B.	–	4	1	–	–	–
†ROYTON ...	–	2	–	–	–	–
ST. ANNES-ON-SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	2	1	–	7	M. 1
†SALFORD C.B. ...	–	20	1	1	3	C. 1
†SOUTHPORT C.B.	–	1	–	–	–	–
†STRETFORD ...	–	1	–	–	–	–
†SWINTON AND PENDLEBURY	–	4	–	–	1	M. 1
THORNTON ...	–	–	1	–	–	–
†TURTON... ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	2	M. 1
†WALTON-LE-DALE	–	–	1	–	–	–
†WARRINGTON C.B.	–	10	–	–	5	–
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	M. 1
WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES ...	–	2	2	–	2	–
†WIGAN C.B. ...	–	3	1	–	1	–
†WORSLEY ...	–	1	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	–	–	–	1	
BURNLEY ...	–	–	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY ...	–	2	–	–	–	–
LEIGH	*	*	*	*	*	*
PRESTON ...	–	1	1	–	–	–
WEST LANCASHIRE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WHISTON ...	–	1	1	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	18	9	–	4	M. 1
Boroughs and Urban Districts :—						
†COALVILLE ...	–	–	1	–	–	–
†LEICESTER C.B.	–	9	2	–	2	M. 1
MELTON MOWBRAY	–	1	–	–	–	–
QUORNDON ...	–	–	1	–	–	–
Rural Districts :—						
ASHBY-DE-LA ZOUCH	–	–	1	–	–	–
BLABY	–	1	4	–	1	–
HINCKLEY ...	–	1	–	–	–	–
MARKET HARBOROUGH	–	6	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	–	–	–	–	–
Boroughs and Urban Districts :—						
†BOSTON ...	*	*	*	*	*	*
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts—						
SPALDING ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	–	1	–	4	–
Boroughs and Urban Districts :—						
BOURNE ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	–	2	–
STAMFORD ...	–	–	–	–	1	–
Rural Districts :—						
GRANTHAM ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	7	9	–	3	E. 1
Boroughs and Urban Districts :—						
†GAINSBOROUGH...	–	1	1	–	–	–
†GRIMSBY C.B. ...	–	4	5	–	–	E. 1
†LINCOLN C.B.	–	–	1	–	–	–
SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	–
Rural Districts :—						
CAISTOR ...	–	–	1	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY ...	–	1	–	–	1	–
LOUTH	–	1	–	–	–	–
SIBSEY	*	*	*	*	*	*
SPILSBY ...	–	–	–	–	1	–
MIDDLESEX ...	–	96	65	–	12	E. 1 G. 1 M. 5
Boroughs and Urban Districts :—						
†ACTON	–	5	5	–	–	–
†BRENTFORD ...	–	–	1	–	1	–
†CHISWICK ...	–	1	1	–	–	–
†EALING ...	–	17	11	–	1	M. 1
†EDMONTON ...	–	2	2	–	1	–
†ENFIELD ...	–	1	3	–	–	M. 1
FELTHAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	–	1	–	–	–
†HAMPTON ...	–	2	1	–	–	–
†HANWELL ...	–	6	2	–	–	–
†HARROW-ON-THE-HILL	–	1	2	–	–	–
†HENDON ...	–	8	4	–	–	E. 1 M. 1
†HESTON AND ISLEWORTH	–	2	1	–	1	–
†HORNSEY ...	–	6	–	–	3	–
KINGSBURY ...	*	*	*	*	*	*
†SOUTHALL-NORWOOD	–	3	–	–	–	–
†SOUTHGATE ...	–	–	–	–	1	–
STAINES ...	–	1	–	–	–	–
SUNBURY-ON-THAMES	–	1	–	–	–	–
†TOTTENHAM ...	–	15	11	–	2	G. 1 M. 1
†WEMBLEY ...	–	2	–	–	–	M. 1
†WILLESDEN ...	–	14	14	–	1	–
†WOOD GREEN ...	–	4	–	–	–	–
Rural Districts:—						
STAINES ...	–	2	5	–	–	–
UXBRIDGE ...	–	1	1	–	1	–
NORFOLK ...	–	20	7	–	–	–
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–
†NORWICH C.B....	–	12	3	–	–	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
DOCKING ...	–	1	–	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
EAST AND WEST FLEGG	–	1	1	–	–	–
LODDON AND CLAVERING	–	–	2	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
WALSINGHAM ...	*	*	*	*	*	*
WAYLAND ...	–	3	–	–	–	–
NORTHAMPTON	–	8	2	1	6	–
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	1	–	–	2	–
†NORTHAMPTON C.B.	–	3	–	1	1	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
HARDINGSTONE	*	*	*	*	*	*
NORTHAMPTON...	*	*	*	*	*	*
POTTERSPURY ...	–	3	–	–	–	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	2	–	–	–
NORTHUMBERLAND.	–	43	8	–	22	D. 1 M
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	7	1	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	2	–
†BLYTH	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Cramlington ...	–	1	–	–	–	–
†Gosforth ...	–	2	–	–	–	–
Morpeth ...	–	2	1	–	–	–
†Newburn ...	–	3	–	–	2	–
†Newcastle-upon-Tyne C.B.	–	12	2	–	11	D. 1 M. 1
Prudhoe ...	–	–	–	–	1	–
Seaton Delaval	–	1	–	–	1	–
Seghill ...	–	–	–	–	1	–
†Tynemouth C.B.	–	1	1	–	2	M. 3
†Wallsend ...	–	3	–	–	1	–
Weetslade ...	–	–	2	–	–	–
†Whitley and Monkseaton	–	2	–	–	–	–
Rural Districts:—						
Castle Ward ...	–	1	–	–	–	–
Haltwhistle ...	–	6	–	–	–	–
Hexham ...	–	1	–	–	–	–
Morpeth ...	–	1	1	–	–	–
NOTTINGHAM ...	–	19	7	3	9	C. 1 D. 2 M. 3
Boroughs and Urban Districts:—						
†Beeston ...	–	1	–	–	–	–
†East Retford	–	–	1	–	–	M. 1
†Hucknall ...	–	–	–	–	1	–
†Mansfield ...	–	3	–	–	–	–
†Mansfield Woodhouse	–	1	–	–	–	–
†Newark ...	–	1	–	–	–	–
†Nottingham C.B.	–	9	3	–	–	C. 1 D. 2
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Sutton-in-Ashfield	–	–	–	3	3	M. 2
†West Bridgford	–	1	–	–	–	–
†Worksop ...	–	–	–	–	3	–
Rural Districts:—						
Basford ...	–	3	1	–	1	–
East Retford	–	–	1	–	1	–
Misterton ...	–	–	1	–	–	–
OXFORD	–	6	1	–	–	–
Boroughs and Urban Districts:—						
Banbury ...	–	2	–	–	–	–
Oxford, C.B.	–	1	–	–	–	–
Witney ...	–	1	–	–	–	–
Rural Districts:—						
Crowmarsh ...	–	1	–	–	–	–
Culham ...	–	1	–	–	–	–
Witney ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	1	–
Borough:—						
†Peterborough	–	1	–	–	1	–
SALOP	–	9	2	2	5	M. 3
Boroughs and Urban Districts:—						
Newport ...	–	–	–	–	1	–
Oswestry ...	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHREWSBURY ...	–	3	1	–	3	M. 1
WELLINGTON ...	–	–	–	–	–	M. 1
†WENLOCK ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	–	–
BRIDGNORTH ...	–	1	–	–	–	–
ELLESMERE ...	–	–	1	–	1	–
NEWPORT ...	–	1	–	–	–	–
SHIFNAL ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	2	–	–
SOMERSET ...	–	13	5	–	4	G. 1 M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	2	1	–	–	G. 1
CLEVEDON ...	*	*	*	*	*	*
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	–	–	–	1	–
†TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON-SUPER-MARE	–	1	1	–	–	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	1	–
BATH	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON ...	–	2	–	–	–	–
KEYNSHAM ...	*	*	*	*	*	*
LONG ASHTON ...	–	4	1	–	–	–
WINCANTON ...	–	–	1	–	–	–
SOUTHAMPTON...	–	28	21	3	1	M. 4
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	1	–	–	–	–
ANDOVER ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BASINGSTOKE ...	–	6	–	–	–	–
†BOURNEMOUTH C.B.	–	–	1	–	–	–
CHRISTCHURCH...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	1	–	–
†GOSPORT and ALVERSTOKE	–	4	1	–	–	–
LYMINGTON ...	–	1	–	–	–	–
PETERSFIELD ...	–	–	1	–	–	–
†PORTSMOUTH C.B.	–	8	7	1	–	–
ROMSEY ...	–	–	2	–	–	M. 1
†SOUTHAMPTON C.B.	–	2	5	1	–	M. 2
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
ALRESFORD ...	–	–	1	–	–	–
FAREHAM ...	–	–	–	–	1	–
HAVANT ...	–	–	1	–	–	–
NEW FOREST ...	–	3	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
STAFFORD ...	–	87	45	2	36	C. 2 M. 13
Boroughs and Urban Districts:—						
†BILSTON ...	–	1	1	–	7	M. 1
†BRIERLEY HILL	–	2	–	–	–	–
†BROWNHILLS ...	–	4	–	–	2	–
†BURTON-UPON-TRENT C.B.	–	3	2	–	1	M. 1
†CANNOCK ...	–	3	–	–	–	C. 1
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEATH TOWN ...	–	1	–	–	–	–
†LEEK	–	1	1	–	–	M. 1
*NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
QUARRY BANK	–	2	1	–	1	–
†ROWLEY REGIS	–	–	2	–	–	C. 1
†SEDGLEY ...	–	2	2	–	–	–
†SMETHWICK C.B.	–	2	–	–	3	–
†STAFFORD ...	–	–	1	–	–	–
†STOKE-ON-TRENT C.B.	–	14	8	1	13	M. 7
STONE	–	2	–	–	–	–
TAMWORTH ...	–	3	–	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	2	1	–	–	–
UTTOXETER ...	–	3	–	–	–	–
†WALSALL C.B....	–	2	1	–	1	–
†WEDNESBURY ...	–	2	1	1	–	–
WEDNESFIELD ...	*	*	*	*	*	*
†WEST BROMWICH C.B.	–	21	8	–	–	–
†WILLENHALL ...	–	4	–	–	1	–
†WOLSTANTON UNITED	–	–	11	–	–	–
†WOLVERHAMPTON C.B.	–	1	–	–	2	M. 3
Rural Districts:—						
CANNOCK ...	–	–	1	–	–	–
CHEADLE ...	–	4	–	–	–	–
GNOSALL ...	–	2	–	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	*	*	*	*	*	*
SEISDON ...	–	–	–	–	1	–
STONE	–	1	2	–	–	–
WALSALL ...	–	2	1	–	–	–
SUFFOLK, EAST	–	6	4	–	4	M. 1
Boroughs and Urban Districts:—						
BECCLES ...	*	*	*	*	*	*
†IPSWICH C.B. ...	–	1	–	–	2	M. 1
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LOWESTOFT ...	–	4	1	–	1	–
SOUTHWOLD ...	–	–	2	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HOXNE	–	–	1	–	–	–
PLOMESGATE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	–	–
Rural District:—						
COSFORD ...	–	1	–	–	–	–
THINGOE ...	–	1	–	–	–	–
SURREY	–	42	27	1	5	C. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	–	2	–	1	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	2	–	1	–
†CROYDON C.B....	–	5	8	–	–	M. 2
DORKING ...	–	2	–	–	–	–
†EGHAM	–	1	2	–	–	–
†EPSOM	–	1	–	–	–	C. 1 L. 1
†FARNHAM ...	–	–	1	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
HAM	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts— *cont.*						
†KINGSTON-UPON-THAMES	–	7	1	–	–	–
†MERTON AND MORDEN	–	8	–	–	–	–
†MITCHAM ...	–	–	2	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	1	1	–	–	–
†WALTON-UPON-THAMES	–	3	–	–	–	–
†WIMBLEDON ...	–	3	4	–	–	–
†WOKING ...	–	–	–	1	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
DORKING ...	–	1	–	–	–	–
EPSOM	–	–	–	–	3	–
FARNHAM ...	–	1	1	–	–	–
GODSTONE ...	–	2	–	–	–	–
REIGATE ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	11	11	1	3	C 2 L. 6
Boroughs and Urban Districts:—						
BATTLE ...	–	1	4	–	–	–
†BRIGHTON C.B.	–	5	1	–	1	C. 1
†EASTBOURNE C B.	–	1	–	–	–	–
†HASTINGS, C.B.	–	1	–	1	–	–
†HOVE	–	3	–	–	2	–
Rural Districts:—						
HAILSHAM ...	–	–	3	–	–	L. 6
HASTINGS ...	–	–	1	–	–	–
UCKFIELD ...	–	–	2	–	–	C. 1
SUSSEX, WEST ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	3	–	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
MIDHURST ...	–	2	–	–	–	–
WARWICK ...	–	105	27	–	26	C. 5 M. 11
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	75	22	–	16	C. 5 M 10
†COVENTRY C.B.	–	7	1	–	–	M. 1
†NUNEATON ...	–	3	–	–	3	–
†ROYAL LEAMINGTON SPA	–	1	1	–	–	–
†RUGBY	–	1	–	–	1	–
STRATFORD-UPON-AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	2	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	1	–	–	–
ATHERSTONE ...	–	3	–	–	1	–
FOLESHILL ...	–	7	–	–	3	–
MERIDEN ...	–	1	–	–	–	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM ...	–	–	–	–	1	–
TAMWORTH (part)	–	4	1	–	–	–
WESTMORLAND	–	5	–	–	2	–
Boroughs and Urban District:—						
AMBLESIDE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	5	–	–	–	–
ISLE OF WIGHT	–	1	1	–	1	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
†NEWPORT ...	–	–	–	–	1	–
SANDOWN ...	–	–	1	–	–	–
WILTS	–	9	2	1	1	C. 1 M. 4
Boroughs and Urban Districts:—						
CALNE	–	–	1	–	–	–
†SWINDON ...	–	4	–	1	–	C. 1 M. 4
Rural Districts:—						
AMESBURY ...	–	2	–	–	–	–
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	–	–	–	1	–
MARLBOROUGH	–	1	–	–	–	–
PEWSEY ...	–	–	1	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	33	5	1	2	M. 2
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†DUDLEY C.B. ...	–	–	–	1	–	–
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†KIDDERMINSTER	–	10	–	–	–	–
†LYE AND WOLLESCOTE	–	3	–	–	–	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	3	1	–	2	–
†REDDITCH ...	–	6	–	–	–	M. 1
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	5	2	–	–	–
Rural Districts:—						
DROITWICH ...	–	–	1	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	–	1	–	–	M. 1
UPTON-UPON-SEVERN	–	2	–	–	–	–
YORKS ... ... (East Riding).	–	12	13	–	7	C. 2 G. 5 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	3	–
GREAT DRIFFIELD	–	–	–	–	–	G. 5
HESSLE... ...	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	8	9	–	2	C. 2 M. 1
†YORK C.B. ...	–	1	1	–	1	–
Rural Districts:—						
BRIDLINGTON ...	–	2	1	–	–	–
DRIFFIELD ...	–	–	2	–	–	–
SCULCOATES ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J. Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	12	8	4	–	6	C. 1 D. 2
Boroughs and Urban Districts:—						
†ESTON	–	2	1	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†MIDDLESBROUGH C.B.	12	3	–	–	1	–
†REDCAR... ...	–	–	1	–	–	-
RICHMOND ...	–	–	–	–	–	D. 1
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	2	–	–	–	–
†THORNABY-ON-TEES	–	–	–	–	1	C. 1
Rural Districts:—						
FLAXTON ...	–	–	1	–	–	D. 1
PICKERING ...	–	–	–	–	1	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding).	11	190	48	3	75	C. 3 E. 1 M. 12
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	1	M. 1
†BARNOLDSWICK	–	1	–	–	2	–
†BARNSLEY C.B.	–	–	1	–	1	C. 1 M. 1
†BATLEY ...	–	–	3	–	–	–
†BINGLEY ...	–	–	1	–	1	–
†BRADFORD C.B.	–	21	4	–	2	M. 1
†BRIGHOUSE ...	–	–	–	–	1	–
†CASTLEFORD ...	–	2	–	–	–	–
CLAYTON WEST	*	*	*	*	*	*
†CONISBROUGH ...	–	1	–	–	–	M. 1
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	1	–	–	–	–
†DARTON ...	–	–	–	–	1	–
†DEWSBURY C.B.	–	5	–	–	–	–
†DONCASTER ...	–	1	1	–	2	–
EARBY	–	–	–	–	2	–
FARSLEY ...	–	1	–	–	–	–
†FEATHERSTONE	*	*	*	*	*	*
GARFORTH ...	–	1	–	2	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOOLE	–	1	2	–	–	–
GREASBROUGH ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	5	–	–	–	–
†HARROGATE ...	–	–	–	–	3	–
HEBDEN BRIDGE	–	2	–	–	1	–
†HEMSWORTH ...	–	2	–	–	–	–
†HUDDERSFIELD C.B.	–	2	3	–	–	C. 2
†KEIGHLEY ...	–	–	–	–	1	–
KIRKBURTON ...	–	–	2	–	–	–
†LEEDS C.B. ...	1	59	7	–	2	–
MARSDEN ...	–	1	1	–	–	–
†MEXBOROUGH ...	–	1	–	–	–	–
†MIRFIELD ...	–	2	–	–	–	–
†MORLEY ...	–	–	–	–	1	M. 1
†NORMANTON ...	–	1	1	–	1	M. 1
†OSSETT	–	–	–	1	–	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	1	1	–	–	–
†PUDSEY... ...	–	–	–	–	1	–
†ROTHERHAM C.B.	–	9	–	–	5	M. 1
†ROTHWELL ...	–	1	2	–	–	–
SELBY	–	–	–	–	–	E. 1
†SHEFFIELD C.B.	–	32	14	–	30	M. 3
SKELMANTHORPE	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	2	–	–	–	–
†STANLEY ...	–	–	1	–	1	–
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON ...	–	3	–	–	–	–
THURNSCOE ...	–	–	–	–	3	–
†WAKEFIELD C.B.	–	8	–	–	2	–
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITLEY UPPER	–	–	–	–	1	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	–	M. 1
†WORSBOROUGH...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BARNSLEY ...	10	–	–	–	–	–
DONCASTER ...	–	2	–	–	2	–
HEMSWORTH ...	–	4	–	–	1	–
HUNSLET ...	–	1	–	–	–	–
KEIGHLEY ...	–	1	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
SETTLE	–	2	–	–	–	–
TADCASIER ...	–	1	–	–	1	–
WAKEFIELD ...	–	1	–	–	–	M. 1
WETHERBY ...	–	–	1	–	–	–
WHARFEDALE (North)	–	1	–	–	–	–
WHARFEDALE (South)	–	2	1	–	–	–
WORTLEY ...	–	1	1	–	1	–
WALES.						
BRECKNOCK ...	–	–	–	–	1	C. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	–	C. 1
CARDIGAN ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	6	2	–	–	–
Rural District:—						
CARMARTHEN ...	–	1	1	–	–	–
LLANDILO FAWR	–	5	–	–	–	–
LLANELLY ...	–	–	1	–	–	–
CARNARVON ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
LLANDUDNO ...	–	1	1	–	–	–
PORTMADOC ...	–	1	–	–	–	–
Rural Districts:—						
CONWAY ...	–	1	–	–	–	–
DENBIGH ...	–	7	3	–	4	M. 1
Boroughs and Urban Districts:—						
LLANRWST ...	–	1	–	–	–	–
†WREXHAM ...	–	1	2	–	2	–
Rural Districts:—						
LLANRWST ...	–	1	–	–	–	–
LLANSILIN ...	–	–	–	–	1	–
WREXHAM ...	–	4	1	–	1	M. 1
FLINT	–	4	6	–	2	–
Boroughs and Urban Districts:—						
†RHYL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	2	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	2	–
HOLYWELL (MOLD DIV.)	–	1	5	–	–	–
GLAMORGAN ...	–	101	29	–	21	C. 2 M. 4
Boroughs and Urban Districts:—						
†ABERDARE ...	–	23	–	–	4	–
†BARRY	–	4	5	–	–	–
†CAERPHILLY ...	–	3	1	–	–	–
†CARDIFF C.B. ...	–	6	6	–	1	C. 1 M. 4
†GELLIGAER ...	–	2	1	–	–	–
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	–	–	–	1	–
†MERTHYR TYDFIL C.B.	–	1	–	–	1	–
†MOUNTAIN ASH	–	12	1	–	2	–
†OGMORE AND GARW	–	11	2	–	3	–
†PONTYPRIDD ...	–	6	1	–	–	–
†RHONDDA ...	–	3	2	–	3	C. 1
†SWANSEA C.B. ...	–	11	6	–	2	–
Rural Districts:—						
COWBRIDGE ...	–	4	1	–	–	–
GOWER ...	–	–	1	–	–	–
LLANDAFF and DINAS POWIS	–	2	–	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	8	2	–	–	–
NEATH	–	3	–	–	2	–
PENYBONT ...	–	1	–	–	–	–
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA ...	–	–	–	–	1	–
MERIONETH ...	–	–	1	–	1	–
Urban District:—						
FESTINIOG ...	–	–	1	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	–	–	1	–
MONMOUTH ...	–	17	11	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	2	–	–	–	–
†ABERTILLERY ...	–	1	2	–	–	–
†BEDWELLTY ...	–	1	1	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	–	3	–	–	–	–
†NEWPORT C.B....	–	1	6	–	2	–
†PANTEG ...	–	2	–	–	–	–
†RHYMNEY ...	–	3	–	–	–	–
†RISCA	–	–	1	–		–
†TREDEGAR ...	–	1	–	–	–	–
Rural Districts:—						
MAGOR	–	–	1	–	–	–
MONMOUTH ...	–	1	–	–	–	–
MONTGOMERY ...	–	1	2	–	2	–
Rural Districts—						
LLANFYLLIN ...	–	1	2	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	–	–	3	–
TENBY	–	2	–	–	–	
Rural District:—						
PEMBROKE ...	–	1	–	–	–	–
Total of Part II.	25	1577	622	43	471	C. 33 D. 5 E. 5 G. 8 L. 12 M. 140

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BOSTON	*	*	*	*	*	*
CARDIFF ...	1	–	–	–	–	L. 1
HARTLEPOOL ...	*	*	*	*	*	*
LIVERPOOL ...	–	6	–	–	–	–
PLYMOUTH ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	–	–	1	–	–
Total of Part III.	1	7	–	1	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	333	329	9	58	C. 5 D. 2 M. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	25	1577	622	43	471	C. 33 D. 5 E. 5 G. 8 L. 12 M. 140
Total of Part III.—Port Sanitary Districts ...	1	7	–	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales	26	1917	951	53	529	C. 38 D. 7 E. 5 G. 8 L. 13 M. 156

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Twenty-six cases of Small-pox were notified, which appear on pages 780, 781, 792, 793, and 795.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.
LONDON:—													
DEATHS—all ages -	1,446	1,406	1,327	1,319	1,210	1,038	1,178	944	878	795	842	852	795
„ 0 to 1 year -	197	220	159	170	162	125	178	97	97	104	85	79	88
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	7,250	8,046	8,711	8,491	8,271	8,279	7,714	8,119	7,141	9,024	8,296	8044	7,858
DEATHS—all ages -	5,948	5,635	5,486	5,202	4,810	4,481	4,521	3,965	3,667	3,602	3,502	3544	3,466
„ *0 to 1* year -	984	904	834	829	732	680	711	557	503	503	451	407	482
ENTERIC FEVER—Cases	20	17	16	23	22	24	31	23	22	24	17	23	26
„ Deaths	6	4	5	7	2	2	6	2	2	5	4	1	4
SMALL POX—Cases -	14	25	12	19	15	12	12	13	6	10	10	4	13
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,145	1,122	1,081	1,246	1,098	1,186	1,163	1,120	940	1016	1102	1085	1,142
„ Deaths	20	23	31	17	16	17	18	19	20	9	14	9	13
DIPHTHERIA—Cases -	622	560	553	602	624	612	608	558	598	560	609	537	633
„ Deaths	49	43	53	38	62	45	43	44	43	44	32	50	39
MEASLES—Deaths -	154	158	177	184	168	122	130	97	96	79	56	60	59
INFLUENZA—Deaths -	109	93	75	69	55	45	55	36	26	27	18	25	22

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th July 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	70	45	66·3	50·1	38
BRIGHTON -	62	53	60·8	55·5	32
PORTSMOUTH -	65	52	62·1	54·0	55
NORWICH (EATON).	68	47	64·9	50·3	28
PLYMOUTH -	65	50	61·0	52·0	39
BRISTOL (CLIFTON).	64	49	60·6	51·0	60 (?)
BIRMINGHAM -	65	45	61·0	47·4	63
NOTTINGHAM -	65	45	61·9	48·6	64
BIRKENHEAD (BIDSTON).	64	49	59·4	49·9	55
MANCHESTER	65	46	61·9	49·4	66
BURNLEY -	63	46	58·4	48·1	56
HUDDERSFIELD	65	47	60·7	49·0	69

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	64	43	59·0	48·4	70
SHEFFIELD -	66	47	61·3	48·3	61
YORK (MUSEUM).	67	46	62·0	48·6	62
HULL (PEARSON PARK).	67	42	63·3	48·0	58
TYNEMOUTH	66	46	61·4	49·1	59
CARDIFF -	62	48	59·7	51·0	67
EDINBURGH -	61·0	45·0	58·1	47·3	47
GLASGOW -	61·4	47·2	59·0	48·7	21
DUBLIN (PHŒNIX PARK).	64·5	45·0	61·0	47·6	24
FITZWILLIAM SQUARE.†	65·0	47·2	60·2	50·1	31
BELFAST -	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 8th July 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	2	..	29·640	68·6	54·0	14·6	60·0	− 1·6	48·3	11·7	18·9	4·6	65	138·0	48·0	55·2	SW: W & WSW.	SW & WSW.	5·6	0·0	0·6	431	+183	0·02
MONDAY	3	..	29·673	69·9	50·7	19·2	58·1	− 3·7	54·1	4·0	12·0	0·0	87	128·5	41·4	55·4	SW & SSW.	WSW: NW & W.	4·0	0·0	0·4	336	+ 86	0·10
TUESDAY	4	..	29·654	62·5	45·5	17·0	54·2	− 7·9	52·2	2·0	9·2	0·0	93	87·0	37·1	55·3	WSW & SW.	SW & WSW.	3·7	0·0	0·3	307	+ 55	0·13
WEDNESDAY	5	..	29·467	64·2	49·5	14·7	56·4	− 5·9	51·6	4·8	12·0	0·0	84	111·0	43·0	55·3	WSW & SW.	SW: SE & S.	6·4	0·0	0·3	312	+ 59	0·40
THURSDAY	6	..	29·201	64·0	50·7	13·3	55·0	− 7·4	49·1	5·9	10·6	2·2	81	103·0	43·6	55·4	SW & WSW.	W & WSW.	16·0	0·0	1·3	581	+326	0·44
FRIDAY	7	Greatest Declination S.	29·871	66·4	48·2	18·2	55·8	− 6·6	48·2	7·6	15·5	0·0	76	141·0	40·3	55·4	WSW & W.	WSW & WNW.	4·0	0·0	0·3	300	+ 45	0·26
SATURDAY	8	..	29·563	69·1	50·4	18·7	58·7	− 3·7	49·1	9·6	16·6	1·4	71	132·6	42·5	55·6	SSW SSE & S.	SW	10·7	0·0	0·7	370	+116	0·05
MEANS		..	29·581	66·4	49·9	16·5	56·9	− 5·3	50·4	6·5	13·5	1·2	70	120·2	42·3	55·4	SW		...	...	...	Sum 2,637	Sum +870	Sum 1·40
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	2	v.P. generally	8·0	16·5	Overcast till 3h., then variably cloudy with fine intervals and occasional rain.
MONDAY -	3	w.P. generally, v.P. in afternoon.	4·1	16·5	Nearly cloudless till 2h., becoming nearly overcast by 3h. with frequent rain till about noon. Very cloudy noon to 18h., becoming nearly cloudless with slight dew from 20h. Lunar halo 23h.
TUESDAY -	4	w.P. throughout	0·6	16·4	Partially cloudy at first. Overcast by 6h. 30m. Clearing from 18h. 30m., little cloud generally from 20h. Rain or damping 9h. to 17h. 30m.
WEDNESDAY	5	w.P. generally v.P. about noon.	3·1	16·4	Nearly cloudless till 6h., becoming overcast by 9h. Solar halo 6h. 30m. to 8h., rain generally from about noon. Brisk wind after 20h.
THURSDAY -	6	w.P. generally	2·0	16·4	Overcast generally with cloudy intervals. Rain till 3h. and at times till 21h. Brisk wind till 18h. Lunar halo about 21h. 30m.
FRIDAY -	7	w.P. generally, v.P. and v.N. 10h. to 16h.	8·5	16·4	Fine and partially cloudy generally till 11h., then very cloudy with overcast intervals, cloud diminishing from 21h. Frequent rain between noon and 18h.
SATURDAY -	8	w.P. generally, v.P. in afternoon.	3·0	16·3	Nearly overcast generally. Occasional rain especially between 15h. and 17h. Brisk wind at times.
			Sum 29·3	Sum 114·9	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·60 in. at the beginning of the week to 29·55 in. by 3h. on 2nd; increased to 29·72 in. by 1h. on 3rd; decreased to 29·62 in. by 13h. on the same day; increased to 29·79 in. by 23h. on the same day; decreased to 28·87 in. by 3h. on 6th; increased to 29·91 in. by 21h. on 7th, and decreased to 29·39 in. by midnight on 8h.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 28.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 15TH JULY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH JULY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-eighth week of the year numbered 8,376, and corresponded to an annual rate of 22·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,531 and corresponded to an annual rate of 9·7 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·6, 9·7 and 9·5. Infant mortality was 53 per 1,000 births against 55, 51, and 61 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,900 births, corresponding to a rate of 21·9 per 1,000, and 844 deaths of civilians, corresponding to a rate of 9·7, as against 9·7, 9·8, and 9·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·6 per 1,000. The infant mortality was 41 as against 44, 42, and 48 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 65 in the total deaths last week. In London the number of deaths from all causes rose from 795 to 844; while the deaths from measles, which had been 12, 16, and 12 in the preceding three weeks, fell to 3 last week.

---

m (45)1809?—3 Wt 30—P 19 2250 7/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 15th July 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,376	3,531	442	3	62	12	37	31	35	24
London	4,514,405*	1,900	844	78	2	3	5	7	15	6	3
Towns in Outer Ring.											
Croydon C.B.	191,500	82	40	6	–	3	–	–	–	–	–
Wimbledon	61,700	24	8	–	–	–	–	–	–	–	–
Ealing	67,800	20	11	–	–	–	–	–	1	–	–
Acton	62,000	22	9	1	–	–	–	–	–	–	–
Willesden	167,200	63	25	3	–	–	–	1	–	1	–
Hendon	55,500	14	6	–	–	–	–	–	–	–	–
Hornsey	87,600	22	12	1	–	–	–	–	–	–	–
Wood Green	51,100	23	5	–	–	–	–	–	–	–	–
Tottenham	149,200	72	14	–	–	1	–	–	–	–	–
Edmonton	67,800	36	3	–	–	–	1	–	–	–	–
Enfield	61,400	31	3	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	182	52	10	–	–	–	–	–	2	2
East Ham C.B.	145,500	55	21	1	–	–	–	–	–	–	–
Leyton	130,100	40	20	1	–	–	–	1	–	–	1
Walthamstow	129,800	51	15	1	–	–	–	–	1	1	–
Ilford	85,500	40	9	1	–	–	–	–	1	–	–
Gillingham	48,149*	32	2	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	6	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	23	15	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	18	11	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	43	34	2	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	119	41	2	–	–	1	–	1	–	1
Bournemouth C.B.	81,200	20	20	2	–	–	–	–	–	–	–
Southampton C.B.	162,200	63	22	6	–	–	–	1	–	1	–
Reading C.B.	92,600	35	22	4	–	–	–	–	–	–	–
Oxford C.B.	56,400	16	2	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	35	14	–	–	–	–	–	–	–	–
Luton	57,800	16	4	1	–	–	–	–	–	–	–
Cambridge	58,900	23	17	4	–	–	–	–	–	–	1
Southend-on-Sea C.B.	90,500	37	12	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	34	8	1	–	–	–	1	–	–	–
Great Yarmouth C.B.	56,300	20	9	–	–	–	–	–	–	–	–
Norwich C.B.	122,400	51	22	1	–	–	–	–	1	–	1
Swindon	55,500	18	10	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	27	15	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	85	45	4	–	3	1	–	–	–	–
Bath C.B.	68,300	20	13	2	–	–	–	–	–	–	–
Bristol C.B.	381,700	156	63	6	–	–	–	–	3	–	1
Gloucester C.B.	51,800	21	9	1	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	141	54	12	–	1	–	2	–	1	–
Burton-upon-Trent C.B.	49,410	19	5	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	42	24	2	–	–	–	–	–	1	–
Walsall C.B.	98,800	52	21	6	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	34	15	2	–	–	–	–	2	1	–
Worcester C.B.	49,160	25	10	3	–	–	–	–	–	–	–
Dudley C.B.	57,100	26	5	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	443	169	26	–	4	–	4	–	2	–
Smethwick C.B.	77,400	32	7	–	–	–	–	–	–	–	–
Coventry C.B.	130,300	60	30	5	–	–	–	1	–	–	–
Leicester C.B.	237,900	102	33	8	–	–	1	–	–	1	1
Lincoln C.B.	66,600	25	14	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	39	13	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	148	57	10	–	–	–	2	–	1	–
Derby C.B.	131,800	48	16	–	–	1	–	–	–	–	–
Chesterfield	62,400	24	9	2	–	–	–	1	–	–	–
Stockport C.B.	125,500	41	27	2	–	2	–	–	–	1	–
Chester C.B.	41,030	20	9	1	–	1	–	–	–	–	–
Birkenhead C.B.	147,800	61	29	4	–	–	–	–	–	–	–
Wallasey C.B.	89,600	36	21	1	–	–	–	–	–	1	–
Liverpool C.B.	817,000	426	168	25	–	1	–	2	–	3	1
Bootle C.B.	77,800	32	14	–	–	–	1	–	–	–	–
St. Helens C.B.	104,900	66	19	4	–	1	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	23	13	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	59	13	3	–	–	–	–	–	1	–
Warrington C.B.	78,600	33	14	1	–	–	–	–	–	1	1
Bolton C.B.	182,200	89	40	3	–	2	–	–	1	–	–
Bury C.B.	57,600	33	10	–	–	–	–	–	–	–	–
Manchester C.B.	744,000	331	161	28	–	17	–	2	–	3	1
Salford C.B.	239,100	112	68	14	–	11	–	2	–	–	–
Oldham C.B.	148,300	63	27	3	–	4	–	–	–	–	–
Rochdale C.B.	92,700	29	27	4	–	1	–	–	–	–	–
Burnley C.B.	105,300	33	31	6	–	–	–	–	1	–	–
Blackburn C.B.	129,400	49	26	4	–	–	–	–	–	–	–
Preston C.B.	119,900	52	20	4	–	–	–	–	–	–	–
Blackpool C.B.	73,800	25	11	–	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	37	11	2	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	35	20	2	–	–	–	–	–	–	–
Halifax C.B.	100,700	36	28	2	–	–	–	2	–	–	1
Bradford C.B.	291,100	88	61	2	–	–	1	–	–	–	–
Leeds C.B.	465,500	202	92	9	–	–	–	2	1	–	3
Dewsbury C.B.	55,100	25	15	3	–	–	–	–	–	1	–
Wakefield C.B.	53,763	19	14	5	–	–	–	–	–	–	–
Barnsley C.B.	68,991	39	10	3	–	–	–	–	–	–	–
Sheffield C.B.	519,239	230	82	7	–	–	–	1	1	–	1
Rotherham C.B.	69,100	28	14	1	–	–	–	–	–	–	1
Doncaster	54,700	21	6	2	–	2	–	–	–	–	–
York C.B.	84,500	27	14	3	–	–	–	–	–	–	–
Hull C.B.	291,800	153	52	8	–	–	–	1	–	1	–
Middlesbrough C.B.	133,400	72	23	3	–	–	–	–	–	–	–
Darlington C.B.	66,400	25	13	4	1	–	–	2	–	–	–
Stockton-on-Tees	65,000	41	14	2	–	–	–	1	–	–	–
West Hartlepool C.B.	69,300	40	16	3	–	2	–	–	–	–	–
Sunderland C.B.	161,100	86	30	4	–	–	–	–	–	–	–
South Shields C.B.	120,376	69	24	4	–	–	–	–	–	–	–
Gateshead C.B.	126,700	54	19	7	–	–	–	–	–	1	–
Newcastle-on-Tyne C.B.	278,400	147	47	7	–	–	–	–	1	–	1
Tynemouth C.B.	63,900	45	18	3	–	–	–	–	–	–	–
Carlisle C.B.	53,200	21	9	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	46	21	2	–	1	–	–	–	1	1
Cardiff C.B.	202,700	108	37	6	–	–	–	–	–	1	–
Rhondda	166,600	79	30	7	–	–	1	1	–	–	–
Merthyr Tydfil C.B.	81,800	30	16	2	–	–	–	–	1	–	–
Aberdare	56,100	24	19	2	–	–	–	–	–	–	2
Swansea C.B.	159,600	81	34	6	–	1	–	–	–	1	–
Greater London	7,523,963*	3,127	1,282	129	2	11	6	12	21	14	7
Outer Ring	3,009,558*	1,227	438	51	–	8	1	5	6	8	4
16 Great Towns in Outer Ring	1,820,700	777	253	26	–	4	1	2	3	4	3
Remainder of Outer Ring	1,188,858*	450	185	25	–	4	–	3	3	4	1
Edinburgh†	420,500	194	85	10	–	2	–	1	–	–	–
Glasgow†	1,037,800	526	184	27	1	4	–	1	2	5	2
Dublin (Registration Area)†	427,000	238	145	18	–	–	1	1	–	6	1
Belfast†	425,000	144	126	23	–	1	1	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
LONDON‡	4,514,405	July 15	1900	844	9·7	2	–	3	5	7	15	6	3
CALCUTTA	896,067	June 10	?	403§	23·0	?	7	?	?	?	?	?	6
BOMBAY	1,175,914	,, 3	348‖	635§	28·1	4	3	–	–	1	–	30	6
MADRAS	522,951	,, 3	300	324	32·2	2	16	1	?	1	–	28	–
SYDNEY AND SUBURBS	926,400												
BRISBANE (Met. Area).	210,032												
PERTH (Metropolitan Area).	154,866	May 20	72	24	8·1	1	–	–	–	–	–	1	–
AUCKLAND (Urban Area).	157,757												
WELLINGTON (Urban Area).	107,488												
CHRISTCHURCH (Urban Area).	105,670												
CAPE TOWN	101,000	May 27	37	26	13·4	2	–	–	–	–	–	5	–
JOHANNESBURG	149,500	June 3	64	63	21·9	–	–	–	–	–	1	–	9
DURBAN	48,000	,, 3	31	18	19·5	–	–	–	–	–	1	–	3
PARIS	2,906,472	,, 30	1342	911	11·4	1	–	4	1	6	3	20	3
ANTWERP	303,414	10 days. June 3	118	47	8·0	1	–	–	–	1	–	1	–
AMSTERDAM	690,051	July 1	277	92	7·0	–	–	4	–	2	1	2	–
COPENHAGEN	562,000	,, 1	216	119	10·9	–	–	–	–	–	–	1	–
STOCKHOLM	422,042	,, 1	117	112	13·8	–	–	1	–	3	–	1	–
GOTHENBURG	228,052	June 17	?	55	12·5	–	–	–	–	–	–	–	–
CHRISTIANIA	258,933	July 8	84	53	10·6	–	–	–	–	–	–	–	1
BERLIN	1,970,000												
BRESLAU	557,000												
COLOGNE	677,000												
DRESDEN	605,000												
FRANKFORT-ON-MAIN	476,000												
HAMBURG	1,053,000												
LEIPZIG	673,000												
MUNICH	680,000												
VIENNA	1,842,005	June 10	618	547	15·4	1	–	–	–	5	2	21	1
PRAGUE AND SUBURBS	689,262	,, 10	246	197	14·8	–	–	1	1	2	1	10	–
BUDAPEST	936,000	May 6	397	416	23·1	3	?	4	1	3	1	7	–
CAIRO	777,500	Apr. 22	776	452	30·2	6	1	4	–	?	3	55	?
ALEXANDRIA	456,300	,, 22	401	228§	26·0	1	–	1	–	?	–	38	?
NEW YORK	5,839,738	June 10	2,552	1,284	11·5	–	–	38	6	4	25	22	2
CHICAGO	2,833,288	,, 17	?	561	10·3	–	–	4	2	1	13	21	4
RIO DE JANEIRO	1,195,961	May 27	789	453	19·7	5	4	6	–	4	2	–	22
MONTEVIDEO	358,196												

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 22 deaths from *Asiatic Cholera* in Calcutta, and 2 in Bombay, and from *Plague*, 2 in Calcutta, 6 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th July, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	844	78	16	35	33	51	44	65	118	149	123	132
Enteric fever	2	–	–	–	–	1	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	3	–	–	–	–	–	–	–	–	–
Scarlet fever	5	–	1	–	2	2	–	–	–	–	–	–
Whooping cough	7	1	2	4	–	–	–	–	–	–	–	–
Diphtheria	15	1	2	9	3	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	2	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	100	–	1	1	5	26	19	18	16	10	3	1
Tuberculous meningitis	7	2	–	1	3	1	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	1	–	–	–	–	–	–	–	–
Other tubercle	6	–	1	–	–	3	1	–	–	–	1	–
Venereal diseases	3	3	–	–	–	–	–	–	–	–	–	–
Cancer	132	–	–	–	1	–	3	8	33	39	38	10
Rheumatic fever	2	–	–	–	1	–	–	1	–	–	–	–
Diabetes	9	–	–	–	–	–	–	2	3	3	–	1
Alcoholism	2	–	–	–	–	–	–	1	–	1	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	41	–	–	–	–	–	–	1	6	12	5	17
Epilepsy	2	–	–	–	–	–	–	1	1	–	–	–
"Convulsions" (not puerperal)	5	4	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	25	1	–	–	4	2	3	1	5	5	3	1
Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–
Acute endocarditis	5	–	–	–	–	1	–	1	1	1	–	1
Other diseases of heart	112	–	–	–	1	5	1	7	16	22	26	34
Other dis. of circulatory system	37	–	–	–	1	–	–	2	1	6	15	12
Bronchitis	32	1	1	1	2	–	–	3	1	4	6	13
Broncho-pneumonia	18	4	2	3	–	–	–	–	2	3	4	–
Lobar pneumonia	15	–	–	2	1	1	1	2	3	5	–	–
Pneumonia (type not distinguished)	7	1	–	1	–	–	1	–	1	1	–	2
Other diseases of respiratory system	5	–	1	–	–	–	–	–	–	1	2	1
Diarrhœa and enteritis	9	6	–	–	–	–	1	–	1	–	1	–
Appendicitis and typhlitis	8	–	–	1	3	1	–	1	–	–	1	1
Hernia, Intestinal obstruction	8	2	–	–	–	1	–	1	–	3	–	1
Cirrhosis of liver	6	–	–	–	–	–	–	2	1	2	–	1
Other diseases of digestive system	23	3	1	3	2	–	–	1	5	6	1	1
Acute nephritis	2	–	–	–	–	–	–	–	1	–	1	–
Chronic Bright's disease	26	–	–	–	–	–	–	2	10	7	4	3
Other diseases of genito-urinary system.	10	–	–	–	–	1	2	–	1	2	2	2
Puerperal fever, &c.	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	2	–	–	–	–	–
Congenital malformations	6	5	–	1	–	–	–	–	–	–	–	–
Premature birth	27	27	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	28	–	–	–	–	–	–	–	–	–	2	26
Suicide	16	–	–	–	–	2	3	1	4	5	1	–
Burns and scalds	4	–	–	4	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	1	–	2	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	1	–	1	3	2	1	–	1	2	1	–
Other deaths by violence	6	–	–	1	–	1	–	2	1	1	–	–
Other specified causes	36	9	–	1	1	1	5	4	2	4	6	3
Ill-defined causes	1	–	–	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th July 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	12	12	–	3	–
†BERMONDSEY ...	–	9	30	–	–	–
†BETHNAL GREEN	–	11	4	–	–	–
†CAMBERWELL ...	–	20	19	–	3	C. 1 L. 1
†CHELSEA ...	–	5	1	–	–	–
†DEPTFORD ...	–	3	8	–	1	–
†FINSBURY ...	–	12	5	–	–	–
†FULHAM ...	–	17	6	–	4	D. 1 M. 1
†GREENWICH ...	–	7	16	–	–	C. 1
†HACKNEY ...	–	12	9	–	1	–
†HAMMERSMITH	–	8	9	1	–	M. 1
†HAMPSTEAD ...	–	3	2	–	–	–
†HOLBORN ...	–	1	1	–	–	–
†ISLINGTON ...	–	22	20	–	–	M. 1
†KENSINGTON ...	–	10	9	–	1	–
†LAMBETH ...	–	23	14	2	2	C. 2 M 4
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	12	4	1	4	C. 2
†PADDINGTON ...	–	9	10	–	4	–
†POPLAR... ...	–	12	11	–	10	–
†ST. MARYLEBONE	–	15	7	1	–	–
†ST. PANCRAS ...	–	24	14	–	2	M. 1
†SHOREDITCH ...	–	4	5	–	5	–
†SOUTHWARK ...	–	14	19	–	3	D. 1 L. 1
†STEPNEY ...	–	18	11	2	2	C. 2
†STOKE NEWINGTON	–	4	–	–	–	–
†WANDSWORTH	–	24	21	[illegible]	4	–
†WESTMINSTER, CITY OF	–	6	10	–	1	M. 3
†WOOLWICH ...	–	13	9	–	1	C. 1
TOTAL OF PART I.	–	330	287	10	51	C. 9 D. 2 L. 2 M. 11

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	3	–	1	C. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	2	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
Rural Districts :—						
BIGGLESWADE ...	–	2	–	–	–	C. 1
BERKS	–	16	3	–	–	–
Boroughs and Urban Districts :—						
ALINGDON ...	–	2	–	–	–	–
†READING C.B....	–	5	3	–	–	–
Rural Districts :—						
ABINGDON ...	–	4	–	–	–	–
EASTHAMPSTEAD	–	3	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	6	4	–	1	M. 1
Boroughs and Urban Districts :—						
BLETCHLEY ...	–	–	1	–	–	–
Rural Districts :—						
AMERSHAM ...	–	3	–	–	1	–
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
ETON	–	–	–	–	–	M. 1
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
NEWPORT PAGNELL	–	–	3	–	–	–
WYCOMBE ...	–	2	–	–	–	–
CAMBRIDGE ...	–	2	3	–	–	–
Borough :—						
†CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts :—						
LINTON	–	–	2	–	–	–
CHESTER	–	68	18	–	13	C. 2 M. 3
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	13	–	–	6	–
BREDBURY AND ROMILY	–	1	–	–	–	–
†CHESTER C.B. ...	–	–	–	–	–	C. 1
†CONGLETON ...	–	2	1	–	1	–
†CREWE	–	1	2	–	–	–
†DUKINFIELD ...	–	1	2	–	2	M. 1
†ELLESMERE PORT AND WHITBY	–	3	–	–	–	–
HALE	–	2	–	–	–	–
HOOLE	–	2	–	–	–	–
†HYDE	–	4	1	–	1	M. 1
KNUTSFORD ...	–	5	1	–	–	–
†MACCLESFIELD...	–	5	–	–	–	–
MARPLE... ...	*	*	*	*	*	*
MIDDLEWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	3	1	–	–	M. 1
†WALLASEY C.B.	–	7	3	–	1	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	4	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	1	–
CONGLETON ...	–	1	–	–	–	–
DISLEY	–	–	1	–	–	–
MACCLESFIELD ...	–	–	1	–	–	C. 1
NANTWICH ...	–	–	2	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	1	–	–	1	–
CORNWALL ...	–	4	3	–	2	–
Boroughs and Urban Districts:—						
LOOE	–	1	–	–	–	–
PHILLACK ...	–	–	–	–	1	–
†TRURO	–	1	–	–	–	–
Rural Districts:—						
BODMIN... ...	*	*	*	*	*	*
CALSTOCK ...	–	–	3	–	–	–
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. GERMANS ...	–	1	–	–	–	–
CUMBERLAND ...	–	8	1	–	3	–
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	3	–	–	1	–
HARRINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
MILLOM	–	–	–	–	1	–
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	1	–	–	–	–
COCKERMOUTH ...	–	2	–	–	1	–
DERBY	4	40	8	–	9	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	2	–
†BELPER... ...	–	1	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON... ...	–	3	–	–	–	–
†CHESTERFIELD ...	–	4	1	–	–	–
†DERBY C.B. ...	–	9	3	–	–	M. 2
DRONFIELD ...	*	*	*	*	*	*
†HEANOR ...	–	–	1	–	–	–
†ILKESTON ...	4	–	–	–	1	–
†LONG EATON ...	–	1	–	–	–	–
NEW MILLS ...	–	1	1	–	–	–
†RIPLEY... ...	–	–	–	–	3	–
†SWADLINCOTE DISTRICT	–	5	–	–	1	–
Rural Districts:—						
BELPER ...	–	1	–	–	–	–
BLACKWELL ...	–	1	2	–	2	–
CHAPEL-EN-LE-FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	5	–	–	–	–
CLOWNE ...	–	3	–	–	–	–
REPTON... ...	–	2	–	–	–	–
SHARDLOW ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	36	8	1	4	–
Boroughs and Urban Districts:—						
†Barnstaple ...	–	–	–	–	1	–
Bideford ...	*	*	*	*	*	*
Dartmouth ...	–	–	1	–	–	–
†Exeter C.B. ...	–	3	–	–	–	–
†Ilfracombe ...	–	1	–	–	–	–
Ivybridge ...	–	–	1	–	–	–
Kingsbridge ...	–	–	1	–	–	–
†Plymouth C.B.	–	13	1	–	1	–
South Molton	–	9	–	–	–	–
†Teignmouth ...	–	–	1	–	–	–
Tiverton ...	–	1	1	–	–	–
†Torquay ... –	–	–	1	–	–	–
Rural Districts:—						
Newton Abbot	–	2	–	–	–	–
Plympton St. Mary	–	1	–	1	1	–
St. Thomas ...	–	5	–	–	–	–
Tavistock ...	–	1	–	–	–	–
Tiverton ...	–	–	1	–	–	–
Torrington ...	–	–	–	–	1	–
DORSET	–	2	1	–	1	L. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	1	–	–	–	–
†Poole	–	–	1	–	–	–
Shaftesbury ...	*	*	*	*	*	*
Rural Districts:—						
Bridport ...	*	*	*	*	*	*
Sturminster ...	–	1	–	–	–	–
Weymouth ...	–	–	–	–	1	L. 1
Wimborne and Cranborne	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	56	19	–	28	C. 1 D. 1 M. 12
Boroughs and Urban Districts:—						
Barnard Castle	–	1	–	–	–	–
Benfieldside ...	–	–	–	–	–	M. 1
†Bishop Auckland	–	1	–	–	–	–
†Blaydon ...	–	4	2	–	–	M. 1
†Chester-le-Street	–	–	1	–	–	–
†Consett ...	–	1	2	–	–	–
†Crook	–	–	–	–	1	–
†Darlington C.B.	–	5	3	–	2	–
†Durham ...	–	1	–	–	–	–
†Gateshead C.B.	–	6	1	–	2	–
†Hebburn ...	–	2	1	–	–	–
†Hetton... ...	–	2	1	–	–	–
†Jarrow ...	–	–	–	–	7	–
†Shildon ...	–	3	–	–	–	–
†South Shields C.B.	–	3	–	–	3	–
†Southwick-on-Wear	–	–	–	–	–	M. 1
Stanhope ...	–	–	1	–	–	–
†Stanley ...	–	1	–	–	3	–
†Stockton-on-Tees	–	–	1	–	2	–
†Sunderland C.B.	–	9	1	–	2	C. 1 M. 3
†Tanfield ...	–	3	1	–	–	–
†Washington ...	–	–	1	–	–	–
†West Hartlepool C.B.	–	1	–	–	2	M. 1
†Whickham ...	–	–	–	–	–	M. 1
Willington ...	–	–	–	–	–	M. 1
Rural Districts:—						
Auckland ...	–	1	1	–	–	–
Chester-le-Street	–	2	1	–	–	–
Durham ...	–	1	–	–	1	–
Easington ...	–	4	–	–	1	M. 3
Lanchester ...	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
SEDGEFIELD ...	–	3	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	D. 1
ISLE OF ELY ...	–	–	–	–	–	–
Rural Districts:—						
WISBECH ...	*	*	*	*	*	*
ESSEX	–	69	29	3	3	C. 2 G. 1 L. 1 M. 7
Boroughs and Urban Districts:—						
BRENTWOOD ...	–	1	–	–	–	–
BUCKHURST HILL	–	1	–	–	–	–
CHINGFORD ...	–	3	1	–	–	–
†CLACTON ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	2	–	–	–
†EAST HAM C.B.	–	7	1	–	1	M. 2
EPPING	–	–	1	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
HALSTEAD ...	–	2	–	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	9	–	1	–	L. 1
†LEYTON... ...	–	3	4	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	3	–	1	M. 1
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	6	5	–	–	–
WALTON-ON-THE NAZE	–	2	–	–	–	–
†WANSTEAD ...	–	1	–	–	–	–
†WEST HAM C.B.	–	16	8	2	–	C. 1 M. 3
WITHAM ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
CHELMSFORD ...	–	2	–	–	–	G. 1
ESSEX—*cont.*						
Rural Districts—*cont.*						
DUNMOW ...	–	3	–	–	–	–
EPPING	–	2	–	–	–	–
ORSETT	–	–	2	–	–	–
ROMFORD ...	–	1	–	–	–	C. 1 M. 1
SAFFRON WALDEN	–	1	–	–	–	–
STANSTED ...	–	1	1	–	–	–
GLOUCESTER ...	–	50	12	–	6	M. 4
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	44	6	–	3	M. 3
†CHELTENHAM ...	–	–	–	–	3	–
CIRENCESTER ...	–	–	1	–	–	–
†GLOUCESTER C.B.	–	–	–	–	–	M 1.
†KINGSWOOD ...	–	–	1	–	–	–
NEWNHAM ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	2	1	–	–	–
GLOUCESTER ...	–	2	–	–	–	–
STROUD ...	–	–	1	–	–	–
TEWKESBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	–	1	–	–	–
WEST DEAN ...	*	*	*	*	*	*
HEREFORD ...	–	3	2	–	4	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	1	–
LEDBURY ...	*	*	*	*	*	*
LEOMINSTER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
BROMYARD ...	–	3	–	–	–	–
LEDBURY ...	–	–	–	–	1	–
LEOMINSTER ...	–	–	–	–	1	–
WEOBLEY ...	–	–	1	–	–	–
HERTFORD ...	–	34	5	1	1	C. 1
Boroughs and Urban Districts:—						
†EAST BARNET VALLEY	–	9	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	–	1	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	7	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†ST. ALBANS ...	–	8	1	–	–	–
†WATFORD ...	–	–	1	–	–	C. 1
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HADHAM ...	–	4	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
ST. ALBANS ...	–	2	1	–	–	–
WATFORD ...	–	–	2	–	1	–
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	34	17	3	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	1	3	–	–	–
†BECKENHAM ...	–	1	2	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEXLEY ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	–	–
†BROMLEY ...	–	–	–	–	–	C. 1
CHISLEHURST ...	–	2	1	–	–	–
†CRAYFORD ...	–	1	–	1	–	–
†DARTFORD ...	–	2	–	–	–	–
†ERITH	–	3	1	1	–	–
†GRAVESEND ...	–	–	–	–	–	M. 1
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	–	1	–	–	–
†MARGATE ...	–	3	–	–	–	–
†PENGE	–	2	2	–	–	–
†RAMSGATE ...	–	3	–	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	2	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	2	–	–	–
DARTFORD ...	–	2	1	–	–	–
EAST ASHFORD	–	–	1	–	–	–
FAVERSHAM ...	–	1	1	–	1	–
HOLLINGBOURNE	–	1	–	–	1	–
HOO	*	*	*	*	*	*
MAIDSTONE ...	–	–	–	1	–	–
SEVENOAKS ...	–	1	–	–	–	–
LANCASTER ...	2	296	64	4	95	C. 3 D. 2 E. 1 M. 40
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–
†ACCRINGTON ...	–	1	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	–	1	–	1	–
†ASHTON-UNDER-LYNE	–	2	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Aspull	–	1	–	1	–	–
†Atherton ...	–	1	–	–	1	–
†Bacup	–	–	1	–	–	–
†Barrow-in-Furness C.B.	–	8	1	–	–	–
†Blackburn C.B.	–	2	–	–	4	M. 2
†Blackpool C.B.	–	1	2	–	–	M. 1
†Bolton C.B. ...	–	9	2	–	5	M. 1
†Bootle C.B. ...	–	8	1	–	–	M. 2
Brierfield ...	–	1	–	–	–	–
†Burnley C.B.	–	5	–	–	2	–
†Bury C.B. ...	–	2	–	–	4	–
†Chadderton ...	–	1	1	–	1	–
†Chorley ...	–	1	–	–	1	–
Church ...	–	–	1	–	–	–
†Colne	–	–	1	–	2	–
†Dalton-in-Furness	–	–	1	–	–	–
†Darwen ...	–	1	–	–	–	–
†Droylsden ...	–	1	–	–	–	–
†Eccles ...	–	1	1	–	1	–
†Failsworth ...	–	2	–	–	2	–
†Farnworth ...	–	2	–	–	–	–
†Fleetwood ...	–	–	–	–	1	–
Golborne ...	–	1	–	–	–	–
†Great Harwood	–	1	–	–	–	–
†Haslingden ...	–	–	–	–	1	–
†Haydock ...	–	1	1	–	–	–
Heysham ...	–	1	–	–	–	–
†Heywood ...	–	1	–	–	–	–
†Hindley ...	–	3	1	–	4	–
†Horwich ...	–	3	–	–	3	–
Hurst... ...	–	1	–	1	–	–
†Ince-in-Makerfield	–	3	–	–	1	–
Irlam	–	–	–	–	1	D. 1
†Lancaster ...	–	1	1	–	1	M. 1
Lees	–	–	–	–	–	M. 1
Leyland ...	–	1	–	–	–	–
†Litherland ...	–	1	–	–	–	–
†Liverpool C.B.	–	48	17	–	14	D. 1 M. 15
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Manchester C.B.	–	70	8	1	17	M. 11
†Middleton ...	–	–	–	–	1	–
Milnrow ...	–	–	–	–	1	–
†Morecambe ...	–	1	–	–	–	–
†Mossley ...	–	1	–	–	–	–
†Nelson	–	1	–	–	–	–
†Newton-in-Makerfield	–	1	1	–	1	–
†Oldham C.B.	2	6	2	–	3	C. 1
Orrell... ...	–	–	–	–	–	E. 1
Prescot ...	–	2	–	–	–	–
†Preston C.B. ...	–	7	2	–	–	–
†Prestwich ...	–	1	–	–	–	–
†Radcliffe ...	–	–	–	–	2	–
†Rawtenstall ...	–	4	–	–	1	–
Rishton ...	–	–	–	–	2	–
†Rochdale C.B.	–	11	2	–	–	M. 1
St. Annes-on-Sea	–	2	–	–	1	–
†St. Helens C.B.	–	4	3	–	4	M. 3
†Salford C.B. ...	–	26	4	1	3	M. 1
†Southport C.B.	–	5	1	–	1	C. 1
†Stretford ...	–	4	–	–	1	–
†Swinton and Pendlebury	–	1	–	–	1	–
Trawden ...	–	1	–	–	–	–
†Turton... ...	–	–	1	–	–	–
Upholland ...	–	6	–	–	–	–
†Walton-le-Dale	–	1	–	–	–	–
†Warrington C.B.	–	12	–	–	2	–
†Westhoughton	–	1	–	–	–	–
Whitefield ...	*	*	*	*	*	*
Whitworth ...	–	1	–	–	–	–
†Widnes ...	–	1	2	–	1	–
†Wigan C.B. ...	–	1	–	–	1	C. 1
Rural Districts:—						
Chorley ...	–	1	–	–	–	–
Leigh	–	–	3	–	1	–
Limehurst ...	–	1	–	–	–	–
Preston ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON ...	–	2	1	–	–	–
LEICESTER ...	–	11	10	–	5	M. 3
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†LEICESTER C.B.	–	8	3	–	2	M. 2
†LOUGHBOROUGH	–	1	–	–	1	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	3	–	–	–
BARROW-UPON-SOAR	–	–	1	–	–	M. 1
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	2	1	–	1	–
LINCOLN (parts of Holland).	–	–	2	–	1	–
Boroughs and Urban Districts:—						
BOSTON ...	–	–	1	–	–	–
HOLBEACH ...	–	–	–	–	1	–
Rural Districts—						
SPALDING ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	–	–	1	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	1	–	–
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	–	10	–	1	C. 1
Boroughs and Urban Districts:—						
†GAINSBOROUGH...	–	–	1	–	–	–
†GRIMSBY C.B. ...	–	–	6	–	–	–
†LINCOLN C.B.	–	–	–	–	–	C. 1
SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY ...	–	–	1	–	–	–
LOUTH	–	–	1	–	–	–
MIDDLESEX ...	–	115	57	4	4	C. 2 L. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	6	3	–	–	–
†BRENTFORD ...	–	1	1	–	–	–
†CHISWICK ...	–	1	6	–	–	–
†EALING ...	–	13	9	1	–	–
†EDMONTON ...	–	4	5	–	–	–
†ENFIELD ...	–	3	3	–	–	–
FELTHAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Finchley ...	–	2	3	1	–	–
†Friern Barnet	–	1	–	–	–	–
†Hampton ...	–	1	–	–	–	–
†Hanwell ...	–	1	1	–	–	–
Hayes	–	3	–	–	–	–
†Hendon ...	–	4	4	–	1	–
†Heston and Isleworth	–	5	–	–	1	–
†Hornsey ...	–	9	–	–	–	C. 1
†Southall-Norwood	–	5	–	–	–	L. 2
†Southgate ...	–	3	–	–	1	–
†Tottenham ...	–	24	8	2	1	M. 1
†Twickenham ...	–	2	–	–	–	–
†Uxbridge ...	–	1	–	–	–	–
†Wembley ...	–	–	1	–	–	–
†Willesden ...	–	16	11	–	–	C. 1
†Wood Green ...	–	6	–	–	–	–
Rural Districts:—						
Staines ...	–	1	1	–	–	–
Uxbridge ...	–	1	1	–	–	–
NORFOLK ...	–	29	27	2	1	–
Boroughs and Urban Districts:—						
Cromer ...	–	1	–	–	–	–
†Great Yarmouth C.B.	–	2	–	–	–	–
†King's Lynn ...	–	1	–	–	–	–
†Norwich C.B....	–	20	9	–	–	–
Swaffham ...	*	*	*	*	*	*
Walsoken ...	–	–	–	1	–	–
Rural Districts:—						
Aylsham ...	–	–	§16	–	–	–
Depwade ...	–	–	–	1	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
East and West Flegg	–	–	1	–	–	–
Frebridge Lynn	–	–	–	–	1	–
Henstead ...	–	1	–	–	–	–
Loddon and Clavering	*	*	*	*	*	*
Mitford and Launditch	–	1	–	–	–	–
St. Faith's ...	–	1	–	–	–	–
Smallburgh ...	–	1	1	–	–	–
Walsingham ...	–	1	–	–	–	–
NORTHAMPTON	–	8	2	–	1	C. 1
Boroughs and Urban Districts:—						
Irthlingborough	–	–	–	–	–	C. 1
†Kettering ...	–	1	–	–	–	–
†Northampton C.B.	–	5	–	–	1	–
Oundle ...	*	*	*	*	*	*
†Wellingborough	–	1	–	–	–	–
Rural Districts:—						
Brackley ...	–	1	–	–	–	–
Daventry ...	–	–	1	–	–	–
Northampton ...	–	–	1	–	–	–
NORTHUMBERLAND.	–	30	7	3	27	C. 1 M. 5
Boroughs and Urban Districts:—						
†Ashington ...	–	5	–	–	–	–
†Bedlingtonshire	–	2	–	1	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ All in a School.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK-UPON-TWEED	–	–	–	–	1	–
†BLYTH	–	3	–	–	4	–
†EARSDON ...	–	–	–	–	–	M. 1
†GOSFORTH ...	–	2	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	7	1	2	17	C. 1 M. 1
PRUDHOE ...	–	–	–	–	1	–
SEATON DELAVAL	–	–	1	–	1	–
†TYNEMOUTH C.B.	–	1	1	–	3	M. 1
†WALLSEND ...	–	2	4	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	–	M. 1
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	3	–	–	–	–
HEXHAM ...	–	3	–	–	–	–
NOTTINGHAM ...	–	16	6	2	6	C. 1 D. 1 M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	2	–
†CARLTON ...	–	2	–	–	–	D. 1
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	2	1	–	–	M. 1
†NEWARK ...	–	2	1	–	–	–
†NOTTINGHAM C.B.	–	9	1	–	2	C. 1
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON-IN-ASHFIELD	–	1	–	1	–	–
Rural Districts:—						
BLYTH AND CUCKNEY	–	–	–	1	–	–
EAST RETFORD	–	–	2	–	–	–
LEAKE	–	–	1	–	–	–
OXFORD	–	12	1	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	4	–	–	–	–
WITNEY ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER ...	–	2	–	–	–	–
CROWMARSH ...	–	5	–	–	–	–
WITNEY ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	3	–
Borough:—						
†PETERBOROUGH	–	1	–	–	3	–
RUTLAND ...	–	–	–	–	–	M. 1
Rural District:—						
UPPINGHAM ...	–	–	–	–	–	M. 1
SALOP	–	11	3	–	4	C. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	C. 1

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHREWSBURY ...	–	2	1	–	1	–
†WENLOCK ...	–	2	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	2	–
BRIDGNORTH ...	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	4	1	–	–	–
SOMERSET ...	–	11	3	–	1	–
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	4	1	–	–	–
†BRIDGWATER ...	–	1	–	–	–	–
CLEVEDON ...	*	*	*	*	*	*
†FROME	–	1	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
CLUTTON ...	–	1	–	–	–	–
DULVERTON ...	*	*	*	*	*	*
LANGPORT ...	–	–	1	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
SOUTHAMPTON...	–	36	11	–	2	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†BASINGSTOKE ...	–	9	–	–	–	–
†BOURNEMOUTH C.B.	–	3	3	–	–	–
CHRISTCHURCH...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSPORT and ALVERSTOKE	–	2	1	–	–	–
†PORTSMOUTH C.B.	–	12	4	–	1	M. 1
†SOUTHAMPTON C.B.	–	2	–	–	1	–
†WINCHESTER ...	–	1	1	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
HARTLEY WITNEY	–	1	–	–	–	–
LYMINGTON ...	*	*	*	*	*	*
PETERSFIELD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	2	–	–	–
STAFFORD ...	–	94	38	2	33	C. 5 D. 1 M. 26
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	2	–	–	M. 1
†BILSTON ...	–	3	–	–	2	–
†BRIERLEY HILL	–	1	–	–	–	M. 1
†BROWNHILLS ...	–	6	1	–	–	–
†BURTON-UPON-TRENT C.B.	–	5	3	–	–	–
†CANNOCK ...	–	–	–	–	1	–
†COSELEY ...	–	1	–	–	1	–
†DARLASTON ...	–	–	–	–	1	–
†LEEK	–	5	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	–	4	–	–	C. 1
†ROWLEY REGIS	–	–	–	–	4	–
†SEDGLEY ...	–	–	–	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†SMETHWICK C.B.	–	8	5	–	1	C. 1 M. 1

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOKE-ON-TRENT C.B.	–	18	8	2	9	C. 2 D. 1 M. 20
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	4	1	–	–	–
†WEDNESBURY ...	–	1	–	–	–	–
†WEST BROMWICH C.B.	–	21	10	–	1	–
†WILLENHALL ...	–	1	–	–	3	–
†WOLSTANTON UNITED	–	1	2	–	–	M. 2
†WOLVERHAMPTON C.B.	–	4	–	–	1	C. 1
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	–	M. 1
GNOSALL ...	–	5	–	–	–	–
KINGSWINFORD	–	2	–	–	–	–
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–
MAYFIELD ...	–	–	–	–	1	–
SEISDON ...	–	–	–	–	1	–
STONE	–	1	1	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
UTTOXETER ...	–	–	–	–	5	–
WALSALL ...	–	1	–	–	–	–
SUFFOLK, EAST	–	16	3	–	3	–
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	1	–	–	–
†FELIXSTOWE ...	–	10	–	–	–	–
†IPSWICH C.B. ...	–	–	1	–	1	–
†LOWESTOFT ...	–	1	1	–	–	–
SAXMUNDHAM ...	*	*	*	*	*	*
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	*	*	*	*	*	*
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	3	–	–	–	–
SUFFOLK, WEST	–	3	–	–	–	–
Rural District:—						
MELFORD ...	–	3	–	–	–	–
SURREY	–	52	27	–	7	M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	–	3	–	–	–
†BEDDINGTON AND WALLINGTON	–	3	1	–	–	–
†CARSHALTON ...	–	1	2	–	–	–
†CATERHAM ...	–	–	–	–	1	–
†COULSDON AND PURLEY	–	–	2	–	1	–
†CROYDON C.B....	–	15	9	–	–	M. 1
DORKING ...	–	1	–	–	–	–
†EGHAM	–	1	1	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	3	1	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM ...	–	2	1	–	–	–
†REIGATE ...	–	–	–	–	2	–
†RICHMOND ...	–	1	–	–	–	–
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON-UPON-THAMES	–	4	–	–	–	–
†WIMBLEDON ...	–	5	5	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
DORKING ...	–	2	–	–	–	–
EPSOM	–	–	–	–	1	–
FARNHAM ...	–	2	1	–	–	–
GODSTONE ...	–	4	–	–	–	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	8	8	1	5	L. 1
Boroughs and Urban Districts:—						
BATTLE ...	–	–	2	–	–	–
†BRIGHTON C.B.	–	2	1	–	5	–
EAST GRINSTEAD	–	–	1	–	–	–
†HOVE	–	4	1	–	–	–
PORTSLADE-BY-SEA	–	2	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1
NEWHAVEN ...	–	–	–	1	–	–
TICEHURST ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	3	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
WARWICK ...	–	86	28	1	27	C. 9 D. 1 M. 11
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	65	20	–	17	C. 8 M. 8
BULKINGTON ...	–	–	–	–	1	–
†COVENTRY C.B.	–	3	–	–	–	D. 1 M. 2
†NUNEATON ...	–	5	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	1	–	–	–
†RUGBY	–	–	–	–	1	–
STRATFORD-UPON-AVON	–	–	–	–	1	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	1	–
FOLESHILL ...	–	6	–	–	1	M. 1
MERIDEN ...	–	1	–	–	–	–
NUNEATON ...	*	*	*	*	*	*
RUGBY	–	1	4	–	1	–
SOLIHULL ...	–	–	–	–	4	C. 1
SOUTHAM ...	–	–	2	1	–	–
TAMWORTH (part)	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	5	–	–	–	–
Boroughs and Urban Districts:—						
APPLEBY ...	–	2	–	–	–	–
SHAP	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
ISLE OF WIGHT	–	1	2	–	–	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
SHANKLIN ...	–	–	1	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	–	1	–	–	–
WILTS	–	16	2	–	–	M. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
MARLBOROUGH	–	1	–	–	–	–
†SALISBURY ...	–	–	2	–	–	–
†SWINDON ...	–	6	–	–	–	M. 2
Rural Districts:—						
AMESBURY ...	–	4	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
MARLBOROUGH	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	23	4	–	3	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
DROITWICH ...	–	–	1	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	2	–	–	–	–
†OLDBURY ...	–	2	1	–	1	–
†REDDITCH ...	–	8	–	–	–	–
†STOURBRIDGE ...	–	–	1	–	–	
†WORCESTER C.B.	–	3	1	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	3	–	–	–	–
MARTLEY ...	–	–	–	–	1	–
UPTON-UPON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	13	17	–	4	C. 1 M. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	1	–	–	–
GREATDRIFFIELD	–	–	1	–	–	–
HESSLE... ...	–	–	1	–	1	–
†KINGSTON-UPON-HULL C.B.	–	2	12	–	2	C. 1 M. 1
WITHERNSEA ...	–	–	–	–	1	–
†YORK C.B. ...	–	7	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	2	–	–	–	M. 1
DRIFFIELD ...	–	–	1	–	–	–
NORTON ...	–	–	1	–	–	–
PATRINGTON ...	*	*	*	*	*	*
POCKLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	4	5	6	2	5	–
Boroughs and Urban Districts:—						
†ESTON	1	–	1	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
MALTON... ...	–	–	–	1	–	–
†MIDDLESBROUGH C.B.	3	–	1	–	4	–
†SCARBOROUGH ...	–	2	–	–	–	–
†SKELTON AND BROTTON	–	1	2	–	–	–
†THORNABY-ON-TEES	–	–	1	–	–	–
Rural Districts:—						
BEDALE... ...	–	1	–	–	–	
CROFT	*	*	*	*	*	*
EASINGWOLD ...	–	–	1	–	–	–
FLAXTON ...	–	–	–	1	–	–
LEYBURN ...	–	1	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
YORKS ... ... (West Riding).	3	195	52	7	72	C. 1 E. 1 M. 12
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	1	1	–	–
ALTOFTS ...	–	1	1	–	1	–
†BARNOLDSWICK	–	–	1	–	–	–
†BARNSLEY C.B.	–	–	2	–	2	–
†BATLEY ...	–	1	–	1	–	–
†BENTLEY-WITH-ARKSEY	–	–	–	–	1	–
†BINGLEY ...	–	3	–	–	2	M. 1
BIRSTAL ...	–	1	–	–	–	–
†BOLTON-UPON-DEARNE	–	1	–	–	1	–
†BRADFORD C.B.	–	28	7	–	4	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIGHOUSE ...	–	–	–	–	1	–
CALVERLEY ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DEWSBURY C.B.	–	9	–	1	1	–
†DONCASTER ...	–	–	1	–	–	–
DRIGHLINGTON...	–	–	–	–	1	–
EARBY	–	–	1	–	–	–
†ELLAND... ...	–	1	–	–	1	–
†GOLCAR... ...	1	–	–	–	–	–
GREETLAND ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	5	–	1	–	–
†HARROGATE ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	1	–	1	–
†HUDDERSFIELD C.B.	–	2	2	1	2	–
ILKLEY	–	2	–	–	–	–
†KEIGHLEY ...	–	1	–	–	–	–
KIRKHEATON ...	–	–	–	1	–	–
†LEEDS C.B. ...	–	53	9	–	4	M. 1
LINTHWAITE ...	–	–	–	–	1	–
MARSDEN ...	–	–	2	–	–	–
†MEXBOROUGH ...	–	–	–	–	2	–
†MIRFIELD ...	–	1	–	–	–	–
MYTHOLMROYD	–	1	–	–	–	–
†NORMANTON ...	–	1	–	–	1	–
OTLEY	–	1	–	–	–	M. 1
†PONTEFRACT ...	–	3	–	–	–	–
RIPON	–	1	–	–	–	–
†ROTHERHAM C.B.	–	11	–	–	4	M. 2
†SHEFFIELD C.B.	–	31	16	–	29	C. 1 E. 1 M. 5
†SHIPLEY ...	–	2	–	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
SOUTH CROSLAND	–	–	–	–	–	M. 1
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in 2hich they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SPRINGHEAD ...	-	-	-	-	1	-
†STANLEY ...	-	6	-	-	-	-
STOCKSBRIDGE ...	-	-	-	-	1	-
THURNSCOE ...	-	1	-	-	2	-
†TODMORDEN ...	-	2	-	1	1	-
†WAKEFIELD C.B.	-	5	-	-	-	-
WHITWOOD ...	-	1	-	-	-	-
†WOMBWELL ...	-	-	-	-	2	-
†WORSBOROUGH...	-	-	-	-	3	-
Rural Districts:—						
BARNSLEY ...	1	-	-	-	-	-
DONCASTER ...	-	-	-	-	1	-
GREAT OUSEBURN	-	1	-	-	-	-
HEMSWORTH ...	-	3	2	-	2	-
KIVETON PARK	1	-	-	-	-	-
PONTEFRACT ...	-	1	1	-	-	-
TADCASTER ...	-	1	-	-	-	-
TODMORDEN ...	-	1	-	-	-	-
WAKEFIELD ...	-	2	-	-	-	-
WETHERBY ...	-	1	2	-	-	-
WHARFEDALE (North)	-	1	-	-	-	-
WHARFEDALE (South)	-	1	-	-	-	-
WALES.						
ANGLESEY ...	-	1	-	-	-	-
Boroughs and Urban Districts:—						
†HOLYHEAD ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	-	3	-	2	1	-
Rural Districts:—						
BRECKNOCK MERTHYR CYNOG	*	*	*	*	*	*
CRICKHOWELL ...	-	-	-	2	1	-
YSTRADGYNLAIS	-	3	-	-	-	-
CARDIGAN ...	-	4	-	-	2	M. 1
Boroughs and Urban Districts:—						
ABERAYRON ...	*	*	*	*	*	*
†ABERYSTWYTH...	-	2	-	-	-	M. 1
Rural Districts:—						
ABERYSTWITH (North)	-	-	-	-	2	-
TREGARON ...	-	2	-	-	-	-
CARMARTHEN ...	-	7	7	-	-	-
Boroughs and Urban Districts:—						
BURRY PORT ...	-	-	1	-	-	-
CWMAMMAN ...	*	*	*	*	*	*
†LLANELLY ...	-	-	2	-	-	-
Rural District:—						
CARMARTHEN ...	-	-	1	-	-	-
LLANDILO FAWR	-	7	3	-	-	-
CARNARVON ...	-	2	1	-	-	-
Boroughs and Urban Districts:—						
CARNARVON ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench F .er L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON—*cont.*						
Rural Districts:—						
CONWAY ...	–	1	–	–	–	
GWYRFAI ...	–	1	–	–	–	–
DENBIGH ...	–	2	1	–	1	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	1	–	–	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
WREXHAM ...	–	1	–	–	1	M. 1
FLINT	–	10	4	–	1	–
Boroughs and Urban Districts:—						
HOLYWELL ...	*	*	*	*	*	*
PRESTATYN ...	–	2	–	–	–	–
†RHYL	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	4	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	4	–	1	–
HOLYWELL (MOLD DIV)	–	2	–	–	–	–
GLAMORGAN ...	–	98	36	1	17	C. 2 F. 1 M. 5
Boroughs and Urban Districts:—						
†ABERDARE ...	–	15	2	–	8	–
†BARRY	–	3	7	–	–	–
BRIDGEND ...	–	1	–	–	–	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	1	2	–	–	–
†CARDIFF C.B. ...	–	11	7	–	1	M. 2
†GELLIGAER ...	–	2	4	–	1	C. 1
†GLYNCORWG ...	–	1	–	–	–	C. 1
†MAESTEG ...	–	3	–	–	–	–
†MERTHYR TYDFIL C.B.	–	1	1	–	–	–
†MOUNTAIN ASH	–	5	1	–	1	–
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	–	7	2	–	1	M. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	7	–	–	1	–
PORTCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	16	4	–	4	M. 1
†SWANSEA C.B. ...	–	8	1	1	–	F. 1 M. 1
Rural Districts:—						
LLANDAFF and DINAS POWIS	–	2	1	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	6	–	–	–	–
PENYBONT ...	–	3	–	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA ...	–	2	–	–	–	–
MERIONETH ...	–	8	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	8	–	–	–	–
MONMOUTH ...	–	12	5	1	6	M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	–	–	–	M. 1
BEDWAS AND MACHEN	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EBBW VALE ...	–	2	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNDDISLWYN	–	2	1	–	–	–
†NEWPORT C.B....	–	–	–	1	2	–
†RHYMNEY ...	–	1	–	–	–	–
†TREDEGAR ...	–	–	2	–	4	–
Rural Districts:—						
ABERGAVENNY...	–	–	1	–	–	–
MAGOR	–	1	–	–	–	–
MONMOUTH ...	–	2	–	–	–	–
MONTGOMERY ...	–	–	–	3	–	–
Rural Districts—						
LLANFYLLIN ...	–	–	–	3	–	–
PEMBROKE ...	–	2	3	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	1	2	–	–	–
†PEMBROKE ...	–	1	–	–	–	–
Rural District:—						
HAVERFORDWEST	–	–	1	–	–	–
RADNOR... ...	–	–	1	–	–	–
Rural Districts:—						
KNIGHTON ...	–	–	1	–	–	–
Total of Part II.	13	1680	584	44	418	C. 36 D. 6 E. 2 F. 1 G. 1 L. 5 M. 144

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL ...	–	4	1	–	–	–
SOUTHAMPTON ...	–	1	–	–	1	–
TYNE (River) ...	–	–	–	2	–	–
PORT ON LONDON	–	1	3	1	–	–
Total of Part III.	–	6	4	3	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	330	287	10	51	C. 9 D. 2 L. 2 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	13	1680	584	44	418	C. 36 D. 6 E. 2 F. 1 G. 1 L. 5 M. 144
Total of Part III.—Port Sanitary Districts ...	–	6	4	3	1	–
Total (*i.e.*, of returns received), England and Wales	13	2016	875	57	470	C. 45 D. 8 E. 2 F. 1 G. 1 L. 7 M. 155

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Thirteen cases of Small-pox were notified, which appear on pages 810, 814, 822, and 823.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.
LONDON:—													
DEATHS—all ages	1,406	1,327	1,319	1,210	1,038	1,178	944	878	795	842	852	795	844
„ 0 to 1 year	220	159	170	162	125	178	97	97	104	85	79	88	78
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,046	8,711	8,491	8,271	8,279	7,714	8,119	7,141	9,024	8,296	8044	7,858	8,376
DEATHS—all ages	5,635	5,486	5,202	4,810	4,481	4,521	3,965	3,667	3,602	3,502	3544	3,466	3,531
„ *0 to 1* year	904	834	829	732	680	711	557	503	503	451	407	482	442
ENTERIC FEVER—Cases	17	16	23	22	24	31	23	22	24	17	23	26	27
„ Deaths	4	5	7	2	2	6	2	2	5	4	1	4	3
SMALL POX—Cases	25	12	19	15	12	12	13	6	10	10	4	13	5
„ Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,122	1,081	1,246	1,098	1,186	1,163	1,120	940	1016	1102	1085	1,142	1,250
„ Deaths	23	31	17	16	17	18	19	20	9	14	9	13	12
DIPHTHERIA—Cases	560	553	602	624	612	608	558	598	560	609	537	633	581
„ Deaths	43	53	38	62	45	43	44	43	44	32	50	39	31
MEASLES—Deaths	158	177	184	168	122	130	97	96	79	56	60	59	62
INFLUENZA—Deaths	93	75	69	55	45	55	36	26	27	18	25	22	24

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th July 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	76	46	68·4	49·3	23
BRIGHTON	65	48	61·3	51·8	31
PORTSMOUTH	71	50	65·3	52·3	13
NORWICH (SOUTHWELL LODGE).	71	44	64·9	49·6	74
PLYMOUTH	65	44	62·0	50·7	11
BRISTOL (CLIFTON).	71	47	65·6	50·7	6
BIRMINGHAM	71	45	63·3	48·7	9
NOTTINGHAM	72	44	65·0	48·4	3
BIRKENHEAD (BIDSTON).	68	48	60·7	50·4	12
MANCHESTER	70	41	63·1	46·1	12
BURNLEY	66	38	60·9	45·1	14
HUDDERSFIELD	68	47	62·0	49·6	7
BRADFORD	63	44	61·1	47·7	17
SHEFFIELD	71	43	63·1	48·9	3
YORK (MUSEUM).	69	45	63·7	49·1	24
HULL (PEARSON PARK).	75	43	65·0	49·4	39
TYNEMOUTH	64	45	60·3	49·3	33
CARDIFF	70	46	64·6	49·6	4
EDINBURGH	64·0	46·0	60·4	47·9	28
GLASGOW	65·0	43·0	60·9	48·3	9
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†	67·3	45·4	62·6	48·9	6
BELFAST	68·0	49·5	65·5	52·1	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 15th July 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	9	Full	29·568	61·0	51·2	9·8	54·8	− 7·6	48·9	5·9	11·0	3·6	80	109·2	45·5	55·3	SW & W.	W	6·8	0·0	0·9	558	+305	0·26
MONDAY -	10	..	29·940	72·9	47·3	25·6	58·3	− 4·2	48·0	10·3	23·7	2·3	69	155·0	40·0	55·7	W	WSW & SW.	1·7	0·0	0·1	232	− 19	0·00
TUESDAY -	11	..	30·079	71·4	46·8	24·6	58·6	− 4·1	47·4	11·2	22·2	1·1	67	125·0	37·6	55·4	Calm & S.	Calm: ESE & SE.	0·5	0·0	0·0	114	−134	0·00
WEDNESDAY	12	..	30·015	76·1	45·7	30·4	62·6	− 0·3	46·3	16·3	25·7	1·9	55	130·0	34·9	55·8	Calm	W & SW.	1·4	0·0	0·0	133	−112	0·00
THURSDAY -	13	..	29·642	65·9	52·3	13·6	58·2	− 4·9	51·9	6·3	12·9	3·8	80	121·7	44·3	55·8	Calm & SW.	SW	1·9	0·0	0·1	207	− 36	0·03
FRIDAY -	14	Apogee	29·448	64·3	53·1	11·2	56·9	− 6·4	56·1	0·8	4·9	0·0	97	93·0	46·4	55·7	WSW. Calm & S.	SSW: Calm & N.	0·6	0·0	0·0	145	− 97	0·45
SATURDAY -	15	In Equator.	29·477	67·3	48·8	18·5	56·3	− 7·1	46·6	9·7	20·3	1·2	70	133·8	44·3	55·6	N: WNW & NNW.	NW: NNW & W.	2·4	0·0	0·2	269	+ 26	0·28
MEANS -		..	29·738	68·4	49·3	19·1	58·0	− 4·9	49·3	8·6	17·2	2·0	74	124·0	41·9	55·6	WSW		...	...	...	Sum 1,658	Sum − 67	Sum 1·02
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	9	w.P. throughout	3·0	16·3	Overcast or nearly overcast generally till 17h., then very cloudy. Brisk wind till 22h. Frequent rain from 5h. 30m. to 15h.
MONDAY -	10	v.P. throughout	11·6	16·3	Very little cloud till 10h., afterwards variably cloudy. Solar halo in afternoon, dew in evening.
TUESDAY -	11	w.P. generally, v.P. between 9h. and 16h.	6·0	16·3	Nearly cloudless with dew and slight mist till 9h. Cloudy to overcast by 10h., clearing gradually from 13h. 30m. to 17h., then partially cloudy, nearly cloudless at times.
WEDNESDAY	12	w.P. till 6h., v.P. afterwards.	11·5	16·2	Fine with little cloud generally till noon, then variably cloudy with overcast intervals. Few clouds after 20h. Hazy generally.
THURSDAY -	13	v.P. generally a little v.N. about noon.	0·3	16·2	Overcast with very slight exceptions. Lunar halo at 1h. Damping about 3h. and slight rain at times between 9h. and 15h.
FRIDAY -	14	w.P. generally	0·8	16·2	Overcast generally till 19h. 30m., then cloudy with cloudless intervals. Frequent rain till 17h.
SATURDAY -	15	w.P. till 9h., then v.P. generally with a little v.N. at times.	2·7	16·1	Overcast generally till noon, few cloudy periods afterwards. Rain generally 1h. 30m. to 7h., and at times till 17h. 30m., clearing after 23h. Solar halo in morning.
			Sum 35·9	Sum 113·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·39 in. at the beginning of the week to 29·30 in. by 6h. on 9th; increased to 30·10 in. by 22h. on 11th; decreased to 29·39 in. by 2h. on 15th, and increased to 29·55 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 29.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 22ND JULY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND JULY, 1922.

Births and Deaths

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-ninth week of the year numbered 8,168, and corresponded to an annual rate of 22·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,372 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·7, 9·5 and 9·7. Infant mortality was 53 per 1,000 births against 51, 61, and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,908 births, corresponding to a rate of 22·0 per 1,000, and 785 deaths of civilians, corresponding to a rate of 9·1, as against 9·8, 9·2, and 9·7 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·5 per 1,000. The infant mortality was 36 as against 42, 48, and 41 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 159 in the total deaths last week. In London the number of deaths from all causes fell from 844 to 785; while the deaths from diphtheria, which had been 25, 24, and 15 in the preceding three weeks, rose to 16 last week.

---

m (45)18097—4 Wt 30—P 19 2250 7/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 22nd July 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,168	3,372	433	2	61	12	27	33	44	18
London	4,514,405*	1,908	785	68	–	9	5	5	16	11	2
Towns in Outer Ring.											
Croydon C.B.	191,500	65	35	2	–	–	–	–	–	–	–
Wimbledon	61,700	21	8	1	–	–	–	–	–	–	–
Ealing	67,800	41	7	–	–	–	–	–	–	–	–
Acton	62,000	16	10	1	–	–	–	–	–	–	–
Willesden	167,200	67	29	4	–	–	–	–	–	1	–
Hendon	55,500	22	6	–	–	–	1	–	–	–	–
Hornsey	87,600	24	11	–	–	–	–	–	–	–	–
Wood Green	51,100	19	8	–	–	–	–	–	–	–	–
Tottenham	149,200	55	21	4	–	1	–	–	–	–	–
Edmonton	67,800	27	8	–	–	–	–	–	–	–	–
Enfield	61,400	33	9	2	–	–	–	–	–	–	–
West Ham C.B.	307,000	173	58	11	–	1	–	1	1	–	–
East Ham C.B.	145,500	65	22	2	–	–	–	2	–	–	–
Leyton	130,100	54	17	2	–	–	–	–	–	–	–
Walthamstow	129,800	46	13	2	–	–	1	–	–	1	–
Ilford	85,500	37	13	1	–	–	–	–	–	–	1
Gillingham	48,149*	26	9	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	7	4	–	–	–	–	1	–	–	–
Hastings C.B.	59,500	20	12	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	13	5	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	62	21	–	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	118	44	8	–	–	–	1	–	–	1
Bournemouth C.B.	81,200	26	13	2	–	–	–	–	–	–	–
Southampton C.B.	162,200	60	32	1	–	1	–	–	–	–	1
Reading C.B.	92,600	42	18	1	–	–	–	–	2	–	–
Oxford C.B.	56,400	18	9	1	–	1	–	–	–	–	–
Northampton C.B.	92,300	30	17	1	–	–	–	–	–	–	–
Luton	57,800	17	7	1	–	–	–	–	–	–	–
Cambridge	58,900	20	13	1	–	–	–	–	–	1	–
Southend-on-Sea C.B.	90,500	33	15	2	–	–	–	–	–	1	–
Ipswich C.B.	80,100	36	13	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	26	10	3	–	–	–	–	–	–	–
Norwich C.B.	122,400	66	28	2	–	–	–	1	–	–	–
Swindon	55,500	31	9	–	–	–	–	–	–	–	1
Exeter C.B.	59,500	16	9	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	69	34	7	–	2	–	–	–	–	–
Bath C.B.	68,300	21	14	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	159	67	6	–	–	1	1	1	–	–
Gloucester C.B.	51,800	22	4	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	129	55	11	–	3	–	1	2	3	–
Burton-upon-Trent C.B.	49,410	14	10	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	51	19	6	–	1	–	–	–	–	–
Walsall C.B.	98,800	44	21	7	–	–	1	–	–	–	–
West Bromwich C.B.	75,300	39	13	1	–	–	–	–	2	–	–
Worcester C.B.	49,160	24	12	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	19	11	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	449	134	15	–	2	–	2	–	–	–
Smethwick C.B.	77,400	28	3	1	–	–	–	1	1	–	–
Coventry C.B.	130,300	48	19	1	–	–	–	–	–	–	1
Leicester C.B.	237,900	88	37	7	–	–	–	1	–	1	–
Lincoln C.B.	66,600	16	12	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	36	13	3	–	–	–	–	–	–	–
Nottingham C.B.	266,400	107	53	5	–	2	–	–	1	1	–
Derby C.B.	131,800	51	26	2	–	1	–	–	–	–	–
Chesterfield	62,400	25	7	–	–	–	–	–	–	–	–
Stockport C.B.	125,500	37	25	–	–	–	–	–	–	–	–
Chester C.B.	41,030	16	7	–	–	–	–	–	–	1	–
Birkenhead C.B.	147,800	67	23	1	–	–	–	1	–	–	–
Wallasey C.B.	89,600	25	16	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	386	173	30	–	1	1	3	–	6	3
Bootle C.B.	77,800	40	13	1	–	–	–	–	–	–	–
St. Helens C.B.	104,900	59	19	4	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	22	11		–	–	–	–	–	–	–
Wigan C.B.	91,200	43	18	8	–	–	–	–	1	1	–
Warrington C.B.	78,600	43	10	1	–	–	–	–	–	–	–
Bolton C.B.	182,200	78	37	5	–	2	–	–	–	–	–
Bury C.B.	57,600	14	7	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	323	165	27	–	19	1	2	2	3	2
Salford C.B.	239,100	134	55	9	–	7	–	–	–	1	–
Oldham C.B.	148,300	58	34	6	–	2	–	–	1	1	–
Rochdale C.B.	92,700	21	31	5	–	–	–	1	–	1	–
Burnley C.B.	105,300	49	14	1	–	–	–	–	–	–	–
Blackburn C.B.	129,400	19	24	1	–	–	–	–	–	–	1
Preston C.B.	119,900	61	23	6	1	–	–	–	–	1	1
Blackpool C.B.	73,800	26	12	–	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	28	7	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	44	19	2	–	1	–	–	–	–	–
Halifax C.B.	100,700	35	19	4	–	–	–	–	–	–	–
Bradford C.B.	291,100	106	52	4	–	–	–	1	–	–	–
Leeds C.B.	465,500	213	104	12	–	1	1	–	–	1	–
Dewsbury C.B.	55,100	13	12	4	–	1	–	–	–	2	–
Wakefield C.B.	53,763	26	9	1	–	–	–	–	–	–	–
Barnsley C.B.	68,991	48	16	4	–	–	–	–	–	–	–
Sheffield C.B.	519,239	206	82	13	–	2	–	–	–	–	1
Rotherham C.B.	69,100	34	18	5	–	–	–	1	–	–	–
Doncaster	54,700	21	7	1	–	–	–	–	1	1	–
York C.B.	84,500	23	9	2	–	–	–	–	–	–	1
Hull C.B.	291,800	130	57	11	–	–	–	–	2	–	–
Middlesbrough C.B.	133,400	74	20	2	–	–	–	–	–	–	–
Darlington C.B.	66,400	39	13	4	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	22	7	2	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	44	13	3	–	–	–	–	–	1	–
Sunderland C.B.	161,100	98	33	4	–	–	–	1	–	2	–
South Shields C.B.	120,376	64	21	2	–	–	–	–	–	–	1
Gateshead C.B.	126,700	60	20	4	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	147	49	6	–	–	–	–	–	1	–
Tynemouth C.B.	63,900	19	9	3	–	–	–	–	–	–	–
Carlisle C.B.	53,200	22	9	2	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	41	21	3	–	–	–	–	–	–	–
Cardiff C.B.	202,700	83	29	6	–	1	–	–	–	–	1
Rhondda	166,600	86	35	10	–	–	–	–	–	1	–
Merthyr Tydfil C.B.	81,800	33	14	5	–	–	–	–	–	–	–
Aberdare	56,100	33	8	2	–	–	–	–	–	–	–
Swansea C.B.	159,600	76	31	1	1	–	–	–	–	–	–
Greater London	7,523,963*	3,099	1,239	123	–	14	8	9	20	13	3
Outer Ring	3,009,558*	1,191	454	55	–	5	3	4	4	2	1
16 Great Towns in Outer Ring	1,820,700	765	275	32	–	2	2	3	1	2	1
Remainder of Outer Ring	1,188,858*	426	179	23	–	3	1	1	3	–	–
Edinburgh†	420,500	177	98	14	–	4	1	1	1	2	–
Glasgow†	1,037,800	563	224	34	–	3	–	6	–	7	–
Dublin (Registration Area)†	427,000	276	96	17	1	1	–	–	–	–	–
Belfast†	425,000	225	83	14	–	1	–	–	1	2	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
LONDON‡	4,514,405	July 22	1908	785	9·1	–	–	9	5	5	16	11	2
CALCUTTA	896,067	June 17	?	376§	21·4	?	5	?	?	?	?	?	6
BOMBAY	1,175,914	„ 10	332‖	620§	27·4	3	2	2	–	–	–	56	5
MADRAS	522,951	„ 10	462	430	42·8	2	14	3	?	1	–	34	1
SYDNEY AND SUBURBS	926,400	May 31 days.	1854	742	9·6	4	–	–	2	–	13	48	6
BRISBANE (Met. Area).	210,032												
PERTH (Metropolitan Area).	154,866	May 27	65	32	10·7	–	–	1	–	–	–	2	–
AUCKLAND (Urban Area).	157,757												
WELLINGTON (Urban Area).	107,488												
CHRISTCHURCH (Urban Area).	105,670												
CAPE TOWN	101,000	June 3	44	21	10·8	2	–	–	–	–	1	2	–
JOHANNESBURG	149,500	„ 10	89	64	22·2	–	–	–	2	–	–	1	7
DURBAN	48,000	„ 10	30	8	8·7	1	–	–	–	–	1	1	3
PARIS	2,906,472	July 10 10 days.	1352	889	10·2	3	–	6	–	2	4	26	–
ANTWERP	303,421	June 10	110	63	10·8	–	–	1	–	2	–	5	–
AMSTERDAM	690,877	July 8	271	91	7·2	–	–	1	–	2	–	1	–
COPENHAGEN	562,000	„ 8	210	126	11·6	–	–	–	–	–	–	1	1
STOCKHOLM	422,042	„ 8	106	82	10·1	–	–	–	–	–	–	1	–
GOTHENBURG	228,052	June 24	?	30	6·8	–	–	–	–	3	–	–	–
CHRISTIANIA	258,933	July 15	100	48	9·6	–	–	–	–	–	–	–	–
BERLIN	1,970,000												
BRESLAU	557,000												
COLOGNE	677,000												
DRESDEN	605,000												
FRANKFORT-ON-MAIN	476,000												
HAMBURG	1,053,000												
LEIPZIG	673,000												
MUNICH	680,000												
VIENNA	1,842,005	June 17	661	577	16·3	–	–	–	–	5	–	20	–
PRAGUE AND SUBURBS	689,262												
BUDAPEST	936,000	May 13	320	429	23·8	2	?	6	6	1	2	15	2
CAIRO	777,500	Apr. 29	745	506	33·8	4	–	6	–	?	–	80	?
ALEXANDRIA	456,300	„ 29	410	206§	23·5	–	–	1	–	?	–	18	?
NEW YORK	5,839,738	June 17	2,645	1,255	11·2	4	–	40	3	3	22	31	2
CHICAGO	2,833,288	„ 24	?	465	8·5	–	–	2	–	1	4	13	1
RIO DE JANEIRO	1,197,504	„ 3	597	462	20·1	2	1	5	–	2	1	–	14
MONTEVIDEO	356,740	Feb. 4	209	130	21·7	1	–	–	–	–	–	7	–
		„ 11	189	123	21·1	4	–	–	–	–	2	9	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 12 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 2 in Calcutta, 7 in Bombay, and 4 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd July, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	785	68	26	37	23	34	30	68	92	113	137	157
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	1	6	1	1	–	–	–	–	–	–	–
Scarlet fever	5	–	–	4	1	–	–	–	–	–	–	–
Whooping cough	5	1	1	3	–	–	–	–	–	–	–	–
Diphtheria	16	1	2	9	3	–	–	1	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	1	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	1	–	–	1	–	–	–
Meningococcal meningitis	4	1	1	–	2	–	–	–	–	–	–	–
Tuberculosis of respiratory system	63	1	–	–	1	13	14	8	11	8	7	–
Tuberculous meningitis	12	4	2	4	2	–	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	1	–	–	–	–	–	–	–
Other tubercle	6	–	–	3	1	1	–	–	1	–	–	–
Venereal diseases	2	1	–	–	–	–	–	–	1	–	–	–
Cancer	119	–	–	–	–	1	3	13	24	34	26	18
Rheumatic fever	1	–	–	–	–	–	1	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	2	1	5	–
Alcoholism	2	–	–	–	–	–	–	2	–	–	–	–
Simple meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	37	–	–	–	–	–	–	2	2	11	10	12
Epilepsy	1	–	–	–	–	1	–	–	–	–	–	–
"Convulsions" (not puerperal)	4	3	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	31	–	2	1	2	–	2	5	9	3	7	–
Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	–	–	1	–	–	–	1	–	–
Other diseases of heart	95	–	–	–	–	3	2	5	9	17	23	36
Other dis. of circulatory system	45	–	–	–	–	–	–	3	5	7	15	15
Bronchitis	30	1	–	–	–	–	–	–	3	3	6	17
Broncho-pneumonia	21	5	4	6	–	–	–	1	1	2	–	2
Lobar pneumonia	15	–	1	–	3	2	1	4	2	–	1	1
Pneumonia (type not distinguished)	9	1	–	1	–	–	–	–	3	1	2	1
Other diseases of respiratory system	5	–	1	1	–	1	–	–	1	1	–	–
Diarrhœa and enteritis	14	6	5	–	–	–	–	1	–	–	1	1
Appendicitis and typhlitis	10	–	–	1	1	3	–	–	2	2	–	1
Hernia, Intestinal obstruction	11	2	–	–	–	–	–	1	1	2	2	3
Cirrhosis of liver	6	–	–	–	–	–	1	–	4	1	–	–
Other diseases of digestive system	20	1	–	1	1	–	–	–	1	6	7	3
Acute nephritis	2	–	–	–	1	–	–	–	–	1	–	–
Chronic Bright's disease	17	–	–	–	–	–	3	2	2	2	5	3
Other diseases of genito-urinary system.	10	–	–	–	–	–	1	1	–	1	4	3
Puerperal fever, &c.	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	–	3	–	–	–	–
Congenital malformations	10	9	–	–	–	1	–	–	–	–	–	–
Premature birth	19	19	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	43	–	–	–	–	–	–	–	–	–	7	36
Suicide	7	–	–	–	–	1	–	4	–	2	–	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	1	–	–	1	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	1	1	–	2	1	1	2	1
Other deaths by violence	15	1	–	1	–	1	1	5	2	–	3	1
Other specified causes	25	5	–	–	–	2	1	3	4	5	3	2
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd July 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	3	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	20	–	3	–
†BERMONDSEY ...	–	19	24	–	–	–
†BETHNAL GREEN	–	10	4	–	1	M. 1
†CAMBERWELL ...	–	21	19	–	1	–
†CHELSEA ...	–	4	1	–	–	–
†DEPTFORD ...	–	8	6	–	2	M. 1
†FINSBURY ...	–	5	8	–	2	M. 1
†FULHAM ...	–	16	8	1	4	M 2
†GREENWICH ...	–	12	23	–	3	–
†HACKNEY ...	–	9	11	–	1	M. 1
†HAMMERSMITH	–	15	15	–	2	–
†HAMPSTEAD ...	–	3	3	–	–	–
†HOLBORN ...	–	5	2	–	–	–
†ISLINGTON ...	–	32	23	–	2	C. 1 M. 4
†KENSINGTON ...	–	13	4	–	–	–
†LAMBETH ...	–	28	15	–	3	M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	10	3	–	1	–
†PADDINGTON ...	–	13	11	–	1	–
†POPLAR... ...	–	8	12	–	2	–
†ST. MARYLEBONE	–	8	7	–	1	–
†ST. PANCRAS ...	–	22	15	1	6	M. 2
†SHOREDITCH ...	–	4	10	–	2	–
†SOUTHWARK ...	–	11	15	–	4	C. 1 M. 2
†STEPNEY ...	–	11	22	–	3	G. 1
†STOKE NEWINGTON	–	4	2	–	–	M. 1
†WANDSWORTH	–	19	19	1	7	–
†WESTMINSTER, CITY OF	–	6	14	1	–	M. 1
†WOOLWICH ...	–	7	10	–	–	–
TOTAL OF PART I.	–	332	329	4	51	C. 2 G. 1 M. 17

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	6	3	–	–	M. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	1	–	–	–	M. 1
BIGGLESWADE ...	–	–	1	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts :—						
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	3	–	–	–	–
BERKS	–	22	8	1	1	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	–	–	–	–
†MAIDENHEAD ...	–	1	–	1	–	–
†NEWBURY ...	–	–	1	–	–	–
†READING C.B....	–	6	4	–	1	M. 1
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	3	1	–	–	–
FARINGDON (part)	–	3	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	7	5	–	4	–
Boroughs and Urban Districts :—						
BLETCHLEY ...	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHIPPING WYCOMBE	–	1	–	–	1	–
†SLOUGH... ...	–	–	1	–	–	–
†WOLVERTON ...	–	–	–	–	1	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
AMERSHAM ...	–	4	4	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	–	–	–	2	–
CAMBRIDGE ...	–	5	4	–	1	–
Borough :—						
†CAMBRIDGE ...	–	4	1	–	–	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	–	1	–	–	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	–	2	–	–	–
CHESTER	–	61	22	2	20	C. 1 L. 1 M. 5
Boroughs and Urban Districts :—						
ASHTON-UPON-MERSEY ...	–	2	–	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	M. 1
†BIRKENHEAD C.B.	–	6	3	–	3	C. 1 M. 1
BOLLINGTON ...	–	–	1	–	–	–
BUGLAWTON ...	–	–	1	–	–	–
†CHESTER C.B. ...	–	–	1	–	4	M. 1
†CONGLETON ...	–	–	–	–	2	–
†CREWE	–	5	1	–	–	–
†DUKINFIELD ...	–	5	–	–	1	L. 1
HALE	–	1	1	–	1	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hyde	–	2	2	–	1	–
Knutsford ...	–	10	4	–	1	–
†Macclesfield...	–	3	–	–	–	–
Marple... ...	–	3	–	–	–	–
Middlewich ...	–	–	2	–	–	–
†Northwich ...	–	1	–	–	–	–
†Runcorn ...	–	8	1	1	–	–
†Stalybridge ...	–	–	–	–	1	–
†Stockport C.B.	–	–	2	–	1	–
†Wallasey C.B.	–	2	1	–	1	–
†Winsford ...	–	3	–	–	2	–
Rural Districts:—						
Bucklow ...	–	4	1	–	–	–
Congleton ...	–	–	–	1	–	–
Macclesfield ...	–	1	–	–	–	–
Nantwich ...	–	1	1	–	–	–
Northwich ...	–	1	–	–	–	–
Runcorn ...	–	1	–	–	–	–
Wirral... ...	–	1	–	–	–	M. 1
CORNWALL ...	–	3	1	1	3	–
Boroughs and Urban Districts:—						
Helston ...	*	*	*	*	*	*
Looe	*	*	*	*	*	*
Redruth ...	–	–	–	–	1	–
St. Ives	–	–	–	1	–	–
Saltash ...	–	1	–	–	–	–
Torpoint ...	–	–	–	–	2	–
Rural Districts:—						
Calstock ...	–	1	1	–	–	–
St. Germans ...	–	1	–	–	–	–
CUMBERLAND ...	–	2	5	–	1	C. 1
Boroughs and Urban Districts:—						
†Carlisle, C.B....	–	2	–	–	–	C. 1
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Whitehaven ...	–	–	3	–	–	–
†Workington ...	–	–	2	–	–	–
Rural Districts:—						
Brampton ...	*	*	*	*	*	*
Longtown ...	–	–	–	–	1	–
DERBY	5	22	11	–	12	M. 6
Boroughs and Urban Districts:—						
Ashbourne ...	*	*	*	*	*	*
†Chesterfield ...	–	–	1	–	–	M. 1
Clay Cross ...	–	2	–	–	–	–
†Derby C.B. ...	–	6	7	–	2	M. 3
Dronfield ...	*	*	*	*	*	*
†Glossop ...	–	1	–	–	–	–
†Heanor ...	–	–	2	–	–	–
†Ilkeston ...	5	1	–	–	1	M. 1
New Mills ...	–	1	–	–	1	–
†Swadlincote District	–	7	–	–	4	–
Rural Districts:—						
Chesterfield ...	–	–	–	–	2	–
Clowne ...	–	1	–	–	–	–
Repton... ...	–	1	1	–	–	–
Shardlow ...	–	2	–	–	2	M. 1
DEVON	–	30	10	–	2	C. 1 D. 1
Boroughs and Urban Districts:—						
†Exeter C.B. ...	–	3	–	–	1	–
Kingsbridge ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTHAM ...	–	–	1	–	–	–
OKEHAMPTON ...	–	2	–	–	–	–
†PLYMOUTH C.B.	–	7	6	–	1	–
SOUTH MOLTON	–	3	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	–	2	–	–	–
TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	–	D. 1
CREDITON ...	–	1	–	–	–	C. 1
CULMSTOCK ...	*	*	*	*	*	*
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT	–	5	–	–	–	–
ST. THOMAS ...	–	2	–	–	–	–
TAVISTOCK ...	–	4	–	–	–	–
DORSET	–	8	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
WAREHAM AND PURBECK	–	7	–	–	–	–
DURHAM... ...	–	50	19	1	26	C. 7 D 1 G. 1 M. 6
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
†BLAYDON ...	–	–	–	–	–	D. 1
†CONSETT ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLINGTON C.B.	–	2	–	–	–	–
†DURHAM ...	–	2	1	–	–	–
†FELLING ...	–	1	–	–	–	–
†GATESHEAD C.B.	–	6	–	–	2	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON... ...	–	–	–	–	1	–
†JARROW ...	–	2	1	–	5	–
LEADGATE ...	–	–	1	–	–	–
†RYTON	–	1	–	–	–	M. 1
†SEAHAM HARBOUR ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	1	–	1	2	–
†SOUTHWICK-ON-WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY ...	–	–	2	–	1	–
†STOCKTON-ON-TEES	–	1	1	–	1	C. 1 G. 1
†SUNDERLAND C.B.	–	6	1	–	4	C. 5 M. 2
†TANFIELD ...	–	1	3	–	–	–
†WEST HARTLEPOOL C.B	–	1	–	–	2	–
†WHICKHAM ...	–	2	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	6	1	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	–	–	–	–	M. 1
DURHAM ...	–	2	–	–	–	–
EASINGTON ...	–	6	–	–	2	–
HOUGHTON-LE-SPRING	–	1	1	–	3	C. 1 M. 2
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	2	2	–	–	–
WEARDALE ...	–	1	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	2	–	–	2	L. 1
Boroughs and Urban Districts:—						
Chatteris ...	–	1	–	–	–	L. 1
Ely	–	–	–	–	1	–
March	–	1	–	–	–	–
Rural Districts:—						
Ely	–	–	–	–	1	–
North Witchford	*	*	*	*	*	*
ESSEX	–	48	41	–	8	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†Barking Town	–	–	1	–	–	–
†Chelmsford ...	–	–	–	–	1	–
†Clacton ...	–	1	1	–	–	–
†Colchester ...	–	3	–	–	1	–
†East Ham C.B.	–	2	2	–	–	–
Epping	–	–	1	–	–	C. 1
Halstead ...	–	1	–	–	–	–
†Ilford	–	3	3	–	–	–
†Leyton... ...	–	5	4	–	1	–
Loughton ...	*	*	*	*	*	*
Shoeburyness-on-Sea	–	1	–	–	1	–
†Southend-on-Sea C.B.	–	3	2	–	–	M. 1
Waltham Holy Cross	–	2	–	–	–	–
†Walthamstow	–	2	8	–	–	M. 1
Walton-on-the Naze	*	*	*	*	*	*
†Wanstead ...	–	1	–	–	–	–
†West Ham C.B.	–	20	17	–	3	–
Wivenhoe ...	–	–	–	–	1	–
†Woodford ...	–	1	1	–	–	–
Rural Districts:—						
Billericay ...	–	1	–	–	–	G. 1
ESSEX—*cont.*						
Rural Districts—*cont.*						
Halstead ...	–	1	–	–	–	–
Ongar	*	*	*	*	*	*
Orsett	–	–	1	–	–	–
Stansted ...	–	1	–	–	–	–
GLOUCESTER ...	–	45	19	1	4	C. 1 M. 2
Boroughs and Urban Districts:—						
†Bristol C.B. ...	–	36	16	1	2	M. 2
†Cheltenham ...	–	2	2	–	–	–
†Gloucester C.B.	–	1	–	–	–	–
Rural Districts:—						
Chipping Sodbury	–	–	1	–	–	–
Cirencester ...	–	1	–	–	–	–
East Dean and United Parishes	–	–	–	–	1	C. 1
Northleach	*	*	*	*	*	*
Tewkesbury (part)	–	1	–	–	–	–
Thornbury ...	–	–	–	–	1	–
Warmley ...	–	1	–	–	–	–
West Dean ...	–	2	–	–	–	–
Winchcomb (part)	–	1	–	–	–	–
HEREFORD ...	–	12	–	–	1	M. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	6	–	–	–	–
Ledbury ...	*	*	*	*	*	*
Leominster ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
DORE	–	2	–	–	–	–
HEREFORD ...	–	1	–	–	–	–
LEDBURY ...	–	3	–	–	–	–
WIGMORE ...	–	–	–	–	–	M. 1
HERTFORD ...	–	24	4	–	–	L. 1
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	2	–	–	–	–
CHORLEYWOOD...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	6	1	–	–	–
HODDESDON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	6	1	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
Rural Districts:—						
HADHAM ...	–	2	–	–	–	–
HERTFORD ...	–	2	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	L. 1
HUNTINGDON ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
ST. IVES ...	–	–	1	–	–	–
KENT	–	38	28	4	7	D. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY ...	–	1	–	–	–	–
†BROMLEY ...	–	5	–	–	1	–
†CHATHAM ...	–	1	1	–	–	–
CHISLEHURST ...	–	3	–	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†DOVER	–	2	2	–	–	–
†ERITH	–	3	3	–	–	D. 1
†FAVERSHAM ...	–	1	–	–	1	–
†FOLKESTONE ...	–	3	1	–	–	–
†GILLINGHAM ...	–	–	1	–	–	M. 1
†GRAVESEND ...	–	3	1	–	–	–
†MARGATE ...	–	3	–	3	1	–
†NORTHFLEET ...	–	2	2	–	–	–
QUEENBOROUGH	–	–	1	–	–	–
†RAMSGATE ...	–	1	–	1	–	–
†ROCHESTER ...	–	–	–	–	–	M. 1
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SOUTHBOROUGH	–	–	1	–	–	–
WALMER ...	*	*	*	*	*	*
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	3	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	2	2	–	–	–
EAST ASHFORD	–	–	9	–	–	–
FAVERSHAM ...	–	–	–	–	1	–
ISLE OF THANET	–	–	1	–	1	–
LANCASTER ...	1	277	86	4	116	C. 6 D. 3 M. 33
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	2	–	1	M. 1
†ASHTON-IN-MAKERFIELD	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-UNDER-LYNE	–	5	–	–	1	–
†ATHERTON ...	–	–	–	–	2	M. 1
†BACUP	–	–	–	–	2	–
†BARROW-IN-FURNESS C.B.	–	4	–	–	1	–
†BLACKBURN C.B.	–	7	1	–	3	–
†BLACKPOOL C.B.	–	3	1	–	–	–
†BOLTON C.B. ...	–	14	1	–	2	–
†BOOTLE C.B. ...	–	4	–	–	2	C. 1
†BURNLEY C.B.	–	3	–	–	1	–
†BURY C.B. ...	–	–	2	–	1	C. 1
†CHADDERTON ...	–	1	–	–	2	M. 1
†CHORLEY ...	–	1	–	–	–	–
†COLNE	–	–	–	–	–	M. 1
†CROMPTON ...	–	–	–	–	2	–
†DALTON-IN-FURNESS	–	–	1	–	–	–
†DARWEN ...	–	1	–	–	–	–
†DENTON ...	–	1	–	–	–	–
†ECCLES ...	–	3	–	–	2	–
†FAILSWORTH ...	–	–	1	–	–	–
†FARNWORTH ...	–	2	–	–	–	–
†GREAT CROSBY...	–	–	2	1	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY ...	–	–	2	–	3	–
†HORWICH ...	–	2	2	–	1	–
†INCE-IN-MAKERFIELD	–	3	–	–	2	–
†LANCASTER ...	–	2	–	–	2	–
LATHOM AND BERSCOUGH	–	1	–	–	–	–
†LEIGH	–	1	–	1	1	M. 1
†LITHERLAND ...	–	1	–	–	–	–
LITTLE CROSBY	–	1	–	–	–	–
LITTLE HULTON	–	1	6	–	–	–
LITTLE LEVER	–	1	–	–	–	–
†LIVERPOOL C.B.	–	41	21	–	15	C. 1 D. 2 M. 10
LONGRIDGE ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANCHESTER C.B.	–	64	14	1	31	C. 3 M. 7
†MIDDLETON ...	–	–	–	–	1	–
MILNROW ...	–	–	1	–	–	–
†MORECAMBE ...	–	2	–	–	–	–
†NELSON	–	–	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	2	–	–	1	–
†OLDHAM C.B.	1	13	3	–	6	M. 2
ORMSKIRK ...	–	–	–	–	–	M. 1
ORRELL	*	*	*	*	*	*
†PADIHAM ...	–	1	–	–	–	–
PRESCOT ...	–	3	–	–	–	M. 1
†PRESTON C.B. ...	–	1	–	–	–	–
†PRESTWICH ...	–	3	–	–	–	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	1	–	–	1	M. 1
†ROCHDALE C.B.	–	14	–	–	4	–
†ROYTON... ...	–	1	–	–	1	M. 1
†ST. ANNES-ON-SEA	–	1	1	–	–	–
†ST. HELENS C.B.	–	–	2	–	5	–
†SALFORD C.B. ...	–	23	9	–	1	D. 1 M. 3
†SOUTHPORT C.B.	–	4	1	–	1	–
†STRETFORD ...	–	3	–	–	–	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	2	–
†WALTON-LE-DALE	–	1	–	–	–	–
†WARRINGTON C.B.	–	9	1	1	4	M. 1
†WATERLOO-WITH-SEAFORTH	–	1	1	–	–	–
†WIDNES ...	–	4	3	–	2	M. 1
†WIGAN C.B. ...	–	2	2	–	1	–
†WORSLEY ...	–	–	–	–	1	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURNLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CHORLEY ...	–	2	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
LEIGH	–	1	–	–	1	–
LIMEHURST ...	–	1	–	–	1	–
PRESTON ...	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	3	–	–	1	–
WHISTON ...	–	1	1	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	9	2	–	2	M. 1
Boroughs and Urban Districts:—						
†LEICESTER C.B.	–	7	1	–	1	M. 1
MARKET HARBOROUGH	*	*	*	*	*	*
MELTON MOWBRAY	–	–	–	–	1	–
WIGSTON MAGNA	–	1	1	–	–	–
Rural Districts:—						
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	–	–		–
Rural Districts—						
EAST ELLOE ...	–	5	–	–	–	–
SPALDING ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	2	1	1	–	–
Rural District:—						
BOURNE ...	*	*	*	*	*	*
CLAYPOLE ...	–	–	1	–	–	–
GRANTHAM ...	–	–	–	1	–	–
SLEAFORD ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	–	5	8	–	2	E. 1
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	1	–	–	–	–
†CLEETHORPES ..	–	1	1	–	–	–
†GAINSBOROUGH...	–	–	3	–	–	–
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN C.B.	–	–	2	–	1	–
Rural Districts:—						
CAISTOR ...	–	–	–	–	1	–
GAINSBOROUGH	–	1	–	–	–	–
GRIMSBY ...	*	*	*	*	*	*
SPILSBY	–	–	1	–	–	E. 1
MIDDLESEX ...	–	105	46	1	7	C. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	2	–	1	–
†BRENTFORD ...	–	1	1	–	–	–
†CHISWICK ...	–	5	3	–	–	–
†EALING ...	–	6	7	–	–	–
†EDMONTON ...	–	5	3	–	–	–
†ENFIELD ...	–	3	1	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	3	–	1	–	–
†HANWELL ...	–	2	1	–	–	–
HAYES	–	3	–	–	–	–
†HENDON ...	–	3	5	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	6	–	–	–	–
†HORNSEY ...	–	6	–	–	–	–
†SOUTHALL-NORWOOD	–	4	–	–	–	–
†SOUTHGATE ...	–	5	–	–	–	–
SUNBURY-ON-THAMES	–	1	2	–	–	–
†TEDDINGTON ...	–	2	1	–	–	–
†TOTTENHAM ...	–	16	6	–	2	–
†TWICKENHAM ...	–	3	–	–	–	–
†WEMBLEY ...	–	4	1	–	–	–
†WILLESDEN ...	–	13	8	–	–	C. 1
†WOOD GREEN ...	–	5	1	–	–	–
Rural Districts:—						
HENDON ...	–	2	–	–	1	–
STAINES ...	–	3	4	–	1	–
NORFOLK ...	–	22	14	1	1	D. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	5	3	–	1	–
†KING'S LYNN ...	–	–	2	–	–	–
†NORWICH C.B....	–	9	3	–	–	–
Rural Districts:—						
AYLSHAM ...	–	–	5	–	–	–
FOREHOE ...	–	–	1	–	–	–
FREBRIDGE LYNN	*	*	*	*	*	*
HENSTEAD ...	–	4	–	–	–	–
KINGS LYNN ...	–	1	–	–	–	–
MARSHLAND ...	–	1	–	–	–	D. 1
MITFORD AND LAUNDITCH	–	–	–	1	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	1	–	–	–	–
NORTHAMPTON	–	13	2	–	5	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	4	2	–	4	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	2	–	–	–	–
HARDINGSTONE	–	2	–	–	–	–
NORTHAMPTON ...	–	1	–	–	–	–
OXENDON ...	*	*	*	*	*	*
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	43	9	5	27	M. 7
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	10	–	–	1	M. 1
†BEDLINGTONSHIRE	–	2	–	1	1	–
†BERWICK-UPON-TWEED	–	2	–	–	–	–
†BLYTH	–	1	–	–	2	M. 1
†GOSFORTH ...	–	2	–	–	–	–
†NEWBURN ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWCASTLE-UPON-TYNE C.B.	–	10	3	2	13	M. 3
SEATON DELAVAL	–	–	1	–	1	–
†TYNEMOUTH C.B.	–	2	1	–	7	M. 2
†WALLSEND ...	–	1	2	1	–	–
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	1	–	–
Rural Districts:—						
ALNWICK ...	*	*	*	*	*	*
CASTLE WARD ...	–	2	1	–	1	–
HALTWHISTLE ...	–	6	–	–	–	–
HEXHAM ...	–	1	–	–	–	–
MORPETH ...	–	–	–	–	1	–
NOTTINGHAM ...	–	17	6	–	6	M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†BEESTON ...	–	–	1	–	–	–
†CARLTON ...	–	2	1	–	–	–
†EAST RETFORD...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	5	3	–	2	M. 1
†SUTTON-IN-ASHFIELD	–	2	–	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WORKSOP ...	*	*	*	*	*	*
Rural Districts:—						
BASFORD ...	–	3	1	–	–	–
EAST RETFORD	–	1	–	–	–	–
NEWARK ...	–	1	–	–	–	–
OXFORD	–	15	–	–	1	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	3	–	–	1	–
Rural Districts:—						
BANBURY ...	–	2	–	–	–	–
BICESTER ...	–	1	–	–	–	–
CROWMARSH ...	–	3	–	–	–	–
CUDHAM ...	–	3	–	–	–	–
THAME	–	1	–	–	–	–
WITNEY ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	4	–
Borough:—						
†PETERBOROUGH	–	1	–	–	4	–

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	6	1	1	4	C. 1 D. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	–	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	1	–	C. 1
Rural Districts:—						
DRAYTON ...	–	–	–	–	1	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WEM	–	–	–	–	2	D. 1
SOMERSET ...	–	13	7	–	7	C. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	3	–	2	–
†BRIDGWATER ...	–	2	–	–	–	–
CLEVEDON ...	*	*	*	*	*	*
MIDSOMER NORTON	–	2	–	–	–	–
MINEHEAD ...	–	1	–	–	–	–
RADSTOCK ...	–	–	–	–	2	–
†TAUNTON ...	–	2	–	–	–	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	–	–
CLUTTON ...	–	1	–	–	–	–
FROME	–	–	–	–	2	–
KEYNSHAM ...	–	2	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	–	C. 1
TAUNTON ...	–	–	2	–	–	–
SOUTHAMPTON...	–	39	21	1	1	M. 4
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	3	–	–	–	–
†BOURNEMOUTH C.B.	–	4	1	–	–	–
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
FLEET	*	*	*	*	*	*
†GOSPORT and ALVERSTOKE	–	1	2	–	–	–
HAVANT ...	*	*	*	*	*	*
†PORTSMOUTH C.B.	–	17	7	–	1	M. 2
†SOUTHAMPTON C.B.	–	3	7	1	–	M. 2
†WINCHESTER ...	–	4	2	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER ...	–	–	1	–	–	–
FORDINGBRIDGE	–	2	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
PETERSFIELD ...	–	4	–	–	–	–
STAFFORD ...	–	89	32	1	36	C. 1 D. 1 E. 1 M. 8
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY ...	–	1	1	–	–	–
BIDDULPH ...	–	3	–	–	–	–
†BILSTON ...	–	2	–	–	3	–
†BRIERLEY HILL	*	*	*	*	*	*
†BROWNHILLS ...	–	5	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	7	1	–	1	–
†COSELEY ...	–	2	–	–	2	–
†DARLASTON ...	–	1	–	–	–	–
†LEEK	–	1	2	–	–	–
LICHFIELD ...	–	–	–	–	–	M. 1
†NEWCASTLE-UNDER-LYME	–	–	2	–	–	–
RUGELEY ...	–	–	2	–	1	–
†SEDGLEY ...	–	–	–	–	1	–
†SMETHWICK C.B.		15	2	–	2	D. 1

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STAFFORD ...	–	1	1	–	–	–
†STOKE-ON-TRENT C.B.	–	12	7	1	11	E. 1 M. 5
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	1	1	–	1	–
UTTOXETER ...	–	–	–	–	–	C. 1
†WALSALL C.B....	–	4	2	–	5	–
†WEDNESBURY ...	–	4	–	–	–	–
WEDNESFIELD ...	–	2	–	–	–	–
†WEST BROMWICH C.B.	–	8	7	–	1	–
†WILLENHALL ...	–	1	–	–	6	–
†WOLSTANTON UNITED	–	2	2	–	–	–
†WOLVERHAMPTON C.B.	–	6	–	–	2	M. 1
Rural Districts:—						
CANNOCK ...	–	1	–	–	–	M. 1
KINGSWINFORD	–	2	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON ...	–	–	1	–	–	–
TAMWORTH (part)	–	3	1	–	–	
UTTOXETER ...	–	2	–	–	–	–
WALSALL ...	–	1	–	–	–	–
SUFFOLK, EAST	–	19	6	–	8	M. 1
Boroughs and Urban Districts:—						
BECCLES ...	–	–	1	–	–	–
†FELIXSTOWE ...	–	5	–	–	–	–
†IPSWICH C.B. ...	–	2	2	–	4	–
†LOWESTOFT ...	–	5	3	–	–	M. 1
Rural Districts:—						
HARTISMERE ...	–	2	–	–	3	–
HOXNE	–	5	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, WEST	–	3	10	–	3	–
Boroughs and Urban Districts,—						
HADLEIGH ...	–	–	–	–	3	–
NEWMARKET ...	–	3	–	–	–	–
Rural District:—						
BRANDON ...	–	–	10	–	–	–
SURREY	–	48	20	1	1	G. 1 L. 3 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	5	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	2	2	–	–	–
†COULSDON AND PURLEY	–	–	3	–	–	–
†CROYDON C.B....	–	11	4	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	–	3	–	–	–
†EPSOM	–	1	–	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
HAM	–	–	1	–	–	–
†KINGSTON-UPON-THAMES	–	5	1	–	–	–
†MERTON AND MORDEN	–	–	–	–	1	–
†MITCHAM ...	–	5	–	–	–	–
†REIGATE ...	–	–	2	–	–	–
†RICHMOND ...	–	1	–	–	–	M. 1
†SURBITON ...	–	2	1	–	–	M. 1
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON-UPON-THAMES	–	2	1	–	–	–
†WIMBLEDON ...	–	3	–	1	–	–
Rural Districts:—						
DORKING ...	–	1	–	–	–	–
EPSOM	–	1	–	–	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
Farnham ...	–	–	1	–	–	–
Godstone ...	–	1	–	–	–	G. 1
Hambledon ...	–	2	–	–	–	–
Reigate ...	–	–	–	–	–	L. 2
SUSSEX, EAST ...	–	14	5	–	2	C. 1 L. 1
Boroughs and Urban Districts:—						
Battle ...	–	–	1	–	–	–
†Brighton C.B.	–	5	1	–	2	–
†Eastbourne C.B.	–	–	1	–	–	–
East Grinstead	–	2	–	–	–	–
Haywards Heath	–	1	–	–	–	–
†Hove	–	1	–	–	–	–
Seaford ...	–	2	–	–	–	–
Rural Districts:—						
East Grinstead	–	2	–	–	–	–
Hailsham ...	–	–	1	–	–	L. 1
Ticehurst ...	–	1	–	–	–	–
Uckfield ...	–	–	1	–	–	C. 1
SUSSEX, WEST ...	–	3	1	1	–	C. 1
Boroughs and Urban Districts:—						
†Chichester ...	–	–	–	1	–	C. 1
†Horsham ...	–	1	–	–	–	–
†Worthing ...	–	–	1	–	–	–
Rural Districts:—						
East Preston	–	1	–	–	–	–
Midhurst ...	–	1	–	–	–	–
WARWICK ...	–	98	21	–	42	C. 2 D. 1 E. 1 M. 14
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	69	14	–	35	C. 2 D. 1 E. 1 M. 11
†Coventry C.B.	–	8	1	–	–	M. 2
†Nuneaton ...	–	1	–	–	5	–
†Royal Leamington Spa	–	–	2	–	–	–
Stratford-upon-Avon	–	–	1	–	–	–
†Sutton Coldfield ...	–	–	–	–	2	M. 1
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	3	–	–	–	–
Foleshill ...	–	5	–	–	–	–
Meriden ...	–	2	–	–	–	–
Monks Kirby...	–	1	–	–	–	–
Nuneaton ...	*	*	*	*	*	*
Solihull ...	–	–	2	–	–	–
Tamworth (part)	–	8	1	–	–	–
WESTMORLAND	–	3	–	–	1	–
Boroughs and Urban Districts:—						
Appleby ...	–	1	–	–	–	–
Rural Districts:—						
East Westmorland	–	2	–	–	–	–
West Ward ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF WIGHT	–	1	2	–	2	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	–	–	–	2	–
†RYDE	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	–	2	–	–	–
WILTS	–	12	3	–	–	–
Boroughs and Urban Districts:—						
DEVIZES ...	–	2	–	–	–	–
†SALISBURY ...	–	–	2	–	–	–
†SWINDON ...	–	4	1	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–
PEWSEY ...	–	2	–	–	–	–
WORCESTER ...	–	28	4	–	1	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	8	–	–	–	–
†MALVERN ...	–	2	–	–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY ...	–	1	2	–	1	–
†REDDITCH ...	–	5	–	–	–	–
†STOURBRIDGE ...	–	–	1	–	–	–
†WORCESTER C.B.	–	6	–	–	–	–
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
FECKENHAM ...	–	4	–	–	–	–
HALESOWEN ...	–	2	–	–	–	–
KIDDERMINSTER	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	17	18	7	6	C. 1 M. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	1	5	–	–
†KINGSTON-UPON-HULL C.B.	–	7	14	–	4	C. 1 M. 2
WITHERNSEA ...	–	–	1	–	1	–
†YORK C.B. ...	–	9	1	–	1	–
Rural Districts:—						
HOWDEN ...	–	–	–	2	–	–
SOULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	11	14	8	1	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	1	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
HINDERWELL ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	11	5	3	–	1	C. 1 M. 1
NORTHALLERTON	–	–	1	–	–	–
†REDCAR... ...	–	–	1	–	–	–
†SCARBOROUGH ...	–	–	1	1	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
BEDALE... ...	–	3	–	–	–	–
NORTHALLERTON	*	*	*	*	*	*
SCARBOROUGH ...	*	*	*	*	*	*
THIRSK	–	4	1	–	–	–
YORKS ... ... (West Riding).	4	228	74	9	75	C. 3 D. 1 E. 2 M. 14
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	–	D. 1
ALTOFTS ...	–	–	1	–	–	M. 1
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
†BARNOLDSWICK	–	–	1	–	1	–
†BARNSLEY C.B.	–	2	1	–	2	–
†BATLEY ...	–	–	–	2	–	–
†BENTLEY-WITH-ARKSEY	–	–	–	–	1	–
†BINGLEY ...	–	1	1	–	–	–
†BOLTON-UPON-DEARNE	–	1	–	–	–	–
†BRADFORD C.B.	–	46	10	–	2	–
†BRIGHOUSE ...	–	1	–	–	1	–
CLAYTON WEST	–	–	2	–	–	–
†DEWSBURY C.B.	–	19	–	1	1	–
†ELLAND... ...	*	*	*	*	*	*
GARFORTH ...	–	1	–	–	–	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	4	1	–	2	–
†HALIFAX C.B. ...	–	2	1	–	–	M. 1
†HARROGATE ...	–	1	1	–	–	–
HEBDEN BRIDGE	–	3	–	–	–	–
†HEMSWORTH ...	–	–	1	1	4	C. 1
†HUDDERSFIELD C.B.	–	1	1	–	–	–
†KEIGHLEY ...	–	–	1	–	–	–
KIRKHEATON ...	–	–	–	1	–	–
KNOTTINGLEY ...	–	–	–	–	1	–
†LEEDS C.B. ...	–	58	10	–	4	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARSDEN ...	–	–	1	–	–	–
†MIRFIELD ...	–	3	–	–	–	–
†MORLEY ...	–	–	1	–	–	–
†NORMANTON ...	–	1	1	–	–	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	1	–	–	–
QUEENSBURY ...	–	–	2	–	–	–
RAWDON ...	–	1	2	–	–	–
†ROTHERHAM C.B.	–	7	–	–	2	–
†ROTHWELL ...	–	1	2	–	–	–
†SHEFFIELD C.B.	–	30	21	1	39	C. 1 E. 1 M. 12
SHELF	–	1	–	–	–	–
SHELLEY ...	–	–	–	1	–	–
†SHIPLEY ...	–	5	–	–	–	–
†SKIPTON ...	–	–	2	–	–	–
SOUTH CROSLAND	*	*	*	*	*	*
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	5	–	–	–	–
†STANLEY ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON ...	–	1	–	1	1	–
†TODMORDEN ...	–	2	–	–	1	–
†WAKEFIELD C.B.	–	4	2	1	–	–
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	4	–
†WORSBOROUGH...	–	1	–	–	–	–
Rural Districts:—						
BARNSLEY ...	4	1	–	–	–	–
BOWLAND ...	–	1	–	–	–	–
GREAT OUSEBURN	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
HALIFAX ...	–	2	–	–	–	–
HEMSWORTH ...	–	1	2	–	3	–
HUNSLET ...	–	2	–	–	–	–
PONTEFRACT ...	–	2	1	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	3	1	–	–	E. 1
SELBY	–	1	–	–	–	–
SETTLE	–	2	–	–	–	–
THORNE... ...	–	1	2	–	–	–
TODMORDEN ...	–	–	–	–	1	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (North)	–	1	–	–	–	–
WHARFEDALE (South)	–	1	–	–	1	–
WALES.						
ANGLESEY ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	1	–	–	–	–
Rural Districts—						
VALLEY ...	–	–	–	–	1	–
BRECKNOCK ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	2	–
CARDIGAN ...	–	1	–	–	2	C. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN—*cont.*						
Rural Districts:—						
ABERYSTWITH (North)	–	–	–	–	1	–
LAMPETER ...	–	–	–	–	1	–
LLANDYSSIL ...	–	–	–	–	–	C. 1
CARMARTHEN ...	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	–	–
†LLANELLY ...	–	–	–	–	–	G. 1
Rural District:—						
LLANELLY ...	–	2	–	–	–	–
CARNARVON ...	–	4	4	–	3	–
Boroughs and Urban Districts:—						
BANGOR... ...	–	–	–	–	1	–
CARNARVON ...	–	–	1	–	1	–
LLANDUDNO ...	–	1	–	–	–	–
PENMAENMAWR	–	–	1	–	–	–
Rural Districts:—						
CONWAY ...	–	–	1	–	–	–
GWYRFAI ...	–	–	1	–	–	–
LLEYN	–	3	–	–	1	–
DENBIGH ...	–	5	5	–	3	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	2	–	–	–
DENBIGH ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
CHIRK	–	1	–	–	–	–
GLAN CONWAY (parish)	–	–	1	–	–	–
RUTHIN... ...	–	–	–	–	3	–
WREXHAM ...	–	4	–	–	–	–
FLINT	–	7	2	–	2	–
Boroughs and Urban Districts :—						
MOLD	–	1	–	–	–	–
PRESTATYN ...	–	2	–	–	–	–
†RHYL	–	1	1	–	–	–
Rural Districts :—						
HAWARDEN ...	–	2	1	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	98	24	1	23	C. 3 E. 1 M. 4
Boroughs and Urban Districts :—						
†ABERDARE ...	–	14	–	–	6	E. 1
†BARRY	–	1	4	–	1	C. 1
†CAERPHILLY ...	–	3	1	–	–	–
†CARDIFF C.B. ...	–	4	6	–	5	C. 1 M. 1
†GELLIGAER ...	–	1	1	–	–	–
†MAESTEG ...	–	1	2	–	–	–
†MERTHYR TYDFIL C.B.	–	2	–	–	1	–
†MOUNTAIN ASH	–	11	–	–	–	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	3	–	–	3	–
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	4	–	–	–	–
PORTHCAWL ...	–	–	–	1	–	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RHONDDA ...	–	20	1	–	7	M. 1
†SWANSEA C.B. ...	–	11	6	–	–	C. 1 M. 2
Rural Districts :—						
COWBRIDGE ...	–	1	–	–	–	–
LLANDAFF and DINAS POWIS	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	–	1	–	–	–
NEATH	–	12	–	–	–	–
PENYBONT ...	–	2	1	–	–	–
PONTARDAWE ...	–	4	–	–	–	–
SWANSEA ...	–	1	–	–	–	–
MERIONETH ...	–	1	1	–	–	–
Urban District:—						
BALA...	–	1	–	–	–	–
Rural Districts :—						
DOLGELLY ...	–	–	1	–	–	–
MONMOUTH ...	–	33	8	2	–	M. 3
Boroughs and Urban Districts :—						
†ABERTILLERY ...	–	5	3	–	–	M. 2
BEDWELLTY ...	–	1	1	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
LLANFRECHFA UPPER	–	1	–	–	–	–
MONMOUTH ...	–	3	–	–	–	–
†MYNDDISLWYN	–	3	1	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†NEWPORT C.B....	–	5	3	1	–	M. 1
†PANTEG... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
Pontypool ...	–	1	–	1	–	–
†Rhymney ...	–	2	–	–	–	–
Rural Districts:—						
Chepstow ...	–	2	–	–	–	–
Monmouth ...	–	5	–	–	–	–
Saint Mellons	–	2	–	–	–	–
MONTGOMERY ...	–	1	2	2	–	–
Boroughs and Urban District:—						
Welshpool ...	–	–	–	1	–	–
Rural Districts—						
Llanfyllin ...	–	1	–	1	–	–
Machynlleth ...	–	–	1	–	–	–
Newtown and Llanidloes	–	–	1	–	–	–
PEMBROKE ...	–	3	2	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
Haverfordwest	–	–	1	–	–	–
†Pembroke ...	–	1	–	–	–	–
Rural District:—						
Haverfordwest	–	2	1	–	–	C. 1
Narberth ...	–	–	–	–	–	M. 1
RADNOR	–	3	–	–	–	–
Rural Districts:—						
Rhayader ...	–	3	–	–	–	–
Total of Part II.	21	1697	636	49	492	C. 36 D. 11 E. 6 G. 4 L. 7 M. 122

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Beaumaris ...	*	*	*	*	*	*
Hull and Goole	–	–	–	–	1	–
Liverpool ...	–	1	–	1	–	–
Plymouth ...	–	–	–	2	–	–
Southampton ...	–	–	–	–	1	–
Total of Part III.	–	1	–	3	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	332	329	4	51	C. 2 G. 1 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	21	1697	636	49	492	C. 36 D. 11 E. 6 G. 4 L. 7 M. 122
Total of Part III.—Port Sanitary Districts ...	–	1	–	3	2	–
Total (*i.e.*, of returns received), England and Wales	21	2030	965	56	545	C. 38 D. 11 E. 6 G. 5 L. 7 M. 139

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Twenty-one cases of Small-pox were notified, which appear on pages 840, 844, 851, and 852.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.
LONDON:—													
DEATHS—all ages	1,327	1,319	1,210	1,038	1,178	944	878	795	842	852	795	844	785
" 0 to 1 year	159	170	162	125	178	97	97	104	85	79	88	78	68
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,711	8,491	8,271	8,279	7,714	8,119	7,141	9,023	8,296	8044	7,858	8,376	8,168
DEATHS—all ages	5,486	5,202	4,810	4,481	4,521	3,965	3,667	3,602	3,502	3544	3,466	3,531	3,372
" *0* to *1* year	834	829	732	680	711	557	503	503	451	407	482	442	433
ENTERIC FEVER—Cases	16	23	22	24	31	23	22	24	17	23	26	27	17
" Deaths	5	7	2	2	6	2	2	5	4	1	4	3	2
SMALL POX—Cases	12	19	15	12	12	13	6	10	10	4	13	5	12
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,081	1,246	1,098	1,186	1,163	1,120	940	1016	1102	1085	1,142	1,250	1,201
" Deaths	31	17	16	17	18	19	20	9	14	9	13	12	12
DIPHTHERIA—Cases	553	602	624	612	608	558	598	560	609	537	633	581	662
" Deaths	53	38	62	45	43	44	43	44	32	50	39	31	33
MEASLES—Deaths	177	184	168	122	130	97	96	79	56	60	59	62	61
INFLUENZA—Deaths	75	69	55	45	55	36	26	27	18	25	22	24	18

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd July 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	79	46	69·6	51·0	5
BRIGHTON	67	48	64·7	52·5	11
PORTSMOUTH	69	49	66·6	52·9	1
NORWICH (SOUTHWELL LODGE).	74	45	64·7	49·7	59
PLYMOUTH	68	49	63·4	52·0	7
BRISTOL (CLIFTON).	67	49	63·7	53·0	9
BIRMINGHAM	67	46	63·3	50·3	32
NOTTINGHAM	68	45	63·9	50·6	19
BIRKENHEAD (BIDSTON).	70	50	61·4	51·7	9
MANCHESTER	72	42	63·7	50·0	15
BURNLEY	69	43	61·7	48·6	12
HUDDERSFIELD	70	?	65·6	?	7

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	68	45	62·7	50·5	7
SHEFFIELD	69	48	63·7	50·7	7
YORK (MUSEUM).	70	46	66·6	50·1	6
HULL (PEARSON PARK).	73	46	66·1	49·6	17
TYNEMOUTH	68	48	63·1	51·6	8
CARDIFF	66	47	63·6	50·9	11
EDINBURGH	65·0	46·0	62·3	49·6	8
GLASGOW	64·3	47·7	62·4	50·9	7
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	70·2	45·9	64·3	50·9	6
BELFAST	69·0	50·0	66·3	52·5	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 22nd July 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	16	..	29·600	60·3	46·1	14·2	53·5	− 9·9	44·7	8·8	14·4	2·1	72	103·8	39·9	55·6	W & WNW	WNW	6·1	0·0	0·7	496	+252	0·07
MONDAY	17	Last Quarter	29·814	68·0	52·8	15·2	58·2	− 5·2	48·9	9·3	16·8	5·0	71	113·0	43·7	55·8	WNW & NW.	W & WNW.	3·9	0·0	0·3	310	+ 65	0·00
TUESDAY	18	..	29·767	62·5	50·2	12·3	53·3	−10·0	49·5	3·8	12·1	2·7	87	101·4	42·5	55·6	WSW & NNW.	NNW & NW.	3·9	0·0	0·3	275	+ 30	0·09
WEDNESDAY	19	..	29·951	72·3	48·0	24·3	59·9	− 3·	48·4	11·5	20·3	2·7	66	131·0	40·8	55·8	W & NNW.	NW: WNW & W.	2·9	0·0	0·3	299	+ 53	0·00
THURSDAY	20	..	29·908	74·4	49·0	25·4	61·5	− 1·7	51·3	10·2	18·5	2·3	69	142·0	38·0	55·8	WSW	WSW	1·7	0·0	0·1	233	− 14	0·00
FRIDAY	21	..	29·745	79·2	54·8	24·4	65·8	+ 2·6	55·8	10·0	22·5	1·8	70	142·2	47·1	55·9	WSW & SW.	SW & W	2·6	0·0	0·1	224	− 25	0·01
SATURDAY	22	Greatest Declination N.	29·655	71·1	55·7	15·4	61·0	− 2·1	56·9	4·1	10·7	0·0	86	132·0	45·9	55·9	Calm	SW	1·2	0·0	0·0	113	−139	0·02
MEANS		..	29·777	69·7	50·9	18·7	59·0	− 4·2	50·8	8·2	16·5	2·4	74	123·6	42·6	55·8	W		...	...	...	Sum 1,950	Sum +222	Sum 0·19
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	16	w.P. generally, a little v.P. and v.N. in afternoon.	3·5	16·1	Few clouds till 6h., nearly overcast by 7h., overcast generally by 9h. Brisk wind generally between 8h. and 20h., frequent slight rain between 9h. and 22h.
MONDAY -	17	v.P. generally	3·0	16·1	Nearly overcast generally, few cloudy intervals, rain from about 23h.
TUESDAY -	18	w.P. till noon, v.P. afterwards.	1·4	16·0	Overcast with slight exceptions till 19h. 30m., becoming cloudless generally by 20h. Frequent rain till 15h.
WEDNESDAY	19	v.P. generally	13·2	16·0	Nearly cloudless till 8h., variably cloudy till 20h. 30m., then nearly cloudless.
THURSDAY -	20	v.P. generally	13·5	15·9	Cloudless generally till 6h. 30m., partially cloudy till 19h., then nearly cloudless.
FRIDAY -	21	v.P. generally, a little v.N. about 18h.	8·0	15·9	Becoming overcast by 2h., very cloudy generally from 9h., fine interval 22h. Solar halo in afternoon. Shower at 17h. 30m.
SATURDAY -	22	w.P. generally v.P. about noon.	0·2	15·9	Little cloud till 1h., becoming overcast by 3h., slight break about noon, occasional light rain between 8h. and 17h.
		26	Sum 42·8	Sum 111·9	
No. of Col. -			27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·55 in. at the beginning of the week to 29·84 in. by 21h. on 17th; decreased to 29·67 in. by 7h. on 18th; increased to 29·98 in. by midnight on 19h., and decreased generally to 29·60 in. by midnight on 22nd.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 30.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 29TH JULY, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz. :—A, Cholera: B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH JULY, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirtieth week of the year numbered 8,139, and corresponded to an annual rate of 22·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,355 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·5, 9·7 and 9·2. Infant mortality was 48 per 1,000 births against 61, 53, and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,874 births, corresponding to a rate of 21·6 per 1,000, and 782 deaths of civilians, corresponding to a rate of 9·0, as against 9·2, 9·7, and 9·1 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·3 per 1,000. The infant mortality was 49 as against 48, 41, and 36 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 17 in the total deaths last week. In London the number of deaths from all causes fell from 785 to 782; while the deaths from diphtheria, which had been 24, 15, and 16 in the preceding three weeks, rose to 19 last week.

---

m (4f)18307—1 Wt 30—P 19 2250 8/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 29th July 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,139	3,355	387	2	67	11	26	38	38	22
London	4,514,405*	1,874	782	92	1	9	5	6	19	9	5
Towns in Outer Ring.											
Croydon C.B.	191,500	88	25	2	–	–	–	1	–	–	–
Wimbledon	61,700	14	9	–	–	–	–	–	–	–	–
Ealing	67,800	24	15	1	–	–	–	–	1	1	–
Acton	62,000	20	9	–	–	–	–	–	1	–	–
Willesden	167,200	76	20	3	–	–	–	–	1	–	–
Hendon	55,500	17	3	–	–	1	–	–	–	–	–
Hornsey	87,600	20	17	–	–	–	–	–	–	–	–
Wood Green	51,100	19	9	–	–	–	–	–	–	–	1
Tottenham	149,200	44	29	2	–	1	–	–	1	–	–
Edmonton	67,800	47	18	2	–	–	–	–	2	–	–
Enfield	61,400	29	6	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	155	34	5	–	–	–	–	–	–	1
East Ham C.B.	145,500	51	25	1	–	1	–	–	–	–	–
Leyton	130,100	50	17	–	–	–	–	–	–	–	–
Walthamstow	129,800	40	24	2	–	–	–	–	–	–	–
Ilford	85,500	34	8	1	–	–	–	–	–	–	–
Gillingham	48,149*	35	8	2	–	–	–	–	1	–	–
Canterbury C.B.	23,680	10	3	–	–	–	–	1	–	–	–
Hastings C.B.	59,500	17	15	2	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	15	5	–	–	1	–	–	–	–	–
Brighton C.B.	134,800	50	26	1	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	112	44	1	–	–	–	–	3	–	–
Bournemouth C.B.	81,200	21	17	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	73	15	–	–	–	–	–	1	–	–
Reading C.B.	92,600	39	22	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	13	3	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	38	12	–	–	–	–	–	–	–	–
Luton	57,800	13	4	–	–	–	–	–	–	–	–
Cambridge	58,900	18	8	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	33	14	1	–	–	–	–	–	–	1
Ipswich C.B.	80,100	31	14	1	–	1	–	–	–	–	–
Great Yarmouth C.B.	56,300	14	11	1	–	–	–	–	–	–	–
Norwich C.B.	122,400	47	12	1	–	–	–	–	–	–	–
Swindon	55,500	23	6	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	14	14	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	82	37	5	–	–	–	–	1	1	–
Bath C.B.	68,300	18	11	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	145	51	6	–	1	–	–	–	1	1
Gloucester C.B.	51,800	19	10	1	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	149	57	12	–	2	1	1	–	–	1
Burton-upon-Trent C.B.	49,410	19	10	1	–	–	–	–	–	–	1
Wolverhampton C.B.	104,000	39	18	3	–	1	–	–	–	–	–
Walsall C.B.	98,800	47	21	4	–	–	–	–	–	1	–
West Bromwich C.B.	75,300	34	14	–	–	–	–	–	–	–	–
Worcester C.B.	49,160	24	4	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	22	11	–	–	–	–	–	–	–	–
Birmingham C.B.	936,000	392	145	22	–	6	–	2	2	–	1
Smethwick C.B.	77,400	29	12	–	–	–	–	1	1	–	–
Coventry C.B.	130,300	51	21	2	–	–	–	–	–	–	–
Leicester C.B.	237,900	95	38	7	–	–	–	–	1	1	–
Lincoln C.B.	66,600	30	13	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	41	16	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	117	47	5	–	–	–	–	–	1	–
Derby C.B.	131,800	60	19	1	–	–	1	–	–	–	–
Chesterfield	62,400	38	12	2	–	–	–	1	–	–	–
Stockport C.B.	125,500	61	23	2	–	–	–	–	–	–	–
Chester C.B.	41,030	22	1	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	62	27	3	–	–	–	1	–	1	–
Wallasey C.B.	89,600	30	25	–	1	–	–	1	–	–	–
Liverpool C.B.	817,000	475	150	31	–	–	1	4	–	5	–
Bootle C.B.	77,800	44	12	1	–	–	–	–	–	–	–
St. Helens C.B.	104,900	50	18	4	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	19	22	3	–	1	–	–	–	–	–
Wigan C.B.	91,200	31	20	2	–	–	–	–	–	1	–
Warrington C.B.	78,600	30	19	3	–	–	–	–	–	–	–
Bolton C.B.	182,200	65	39	4	–	2	–	–	–	–	–
Bury C.B.	57,600	21	11	–	–	1	–	–	–	–	–
Manchester C.B.	744,000	337	149	29	–	23	1	1	–	5	2
Salford C.B.	239,100	86	48	7	–	6	–	–	–	1	–
Oldham C.B.	148,300	39	29	2	–	4	–	1	–	–	–
Rochdale C.B.	92,700	23	21	1	–	–	1	–	–	–	–
Burnley C.B.	105,300	45	25	2	–	–	–	–	–	–	–
Blackburn C.B.	129,400	67	23	2	–	–	–	–	–	–	–
Preston C.B.	119,900	61	22	–	–	–	–	–	–	–	–
Blackpool C.B.	73,800	19	15	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	24	13	–	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	27	23	3	–	–	–	–	1	–	–
Halifax C.B.	100,700	32	23	4	–	–	–	–	–	–	1
Bradford C.B.	291,100	104	54	5	–	–	–	–	–	–	–
Leeds C.B.	465,500	200	97	11	–	1	–	–	–	1	3
Dewsbury C.B.	55,100	16	11	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	20	9	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	29	13	1	–	1	–	–	–	–	–
Sheffield C.B.	519,239	204	90	10	–	1	1	–	1	1	–
Rotherham C.B.	69,100	28	16	3	–	–	–	–	–	1	–
Doncaster	54,700	27	13	1	–	–	–	–	–	1	–
York C.B.	84,500	38	11	1	–	–	–	–	–	–	–
Hull C.B.	291,800	137	58	9	–	–	–	4	1	2	–
Middlesbrough C.B.	133,400	92	25	5	–	–	–	–	–	–	–
Darlington C.B.	66,400	39	11	2	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	36	14	2	–	–	–	1	–	–	–
West Hartlepool C.B.	69,300	31	11	1	–	1	–	–	–	–	
Sunderland C.B.	161,100	84	24	4	–	–	–	–	–	–	–
South Shields C.B.	120,376	59	32	5	–	–	–	–	–	2	–
Gateshead C.B.	126,700	88	19	3	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	167	42	4	–	–	–	–	–	1	1
Tynemouth C.B.	63,900	31	5	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	28	18	–	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	47	11	–	–	–	–	–	–	–	–
Cardiff C.B.	202,700	93	40	1	–	–	–	–	–	–	1
Rhondda	166,600	68	36	5	–	–	–	–	–	1	1
Merthyr Tydfil C.B.	81,800	33	18	2	–	–	–	–	–	–	–
Aberdare	56,100	20	8	–	–	–	–	–	–	–	–
Swansea C.B.	159,600	81	36	6	–	2	–	–	–	–	–
Greater London	7,523,963*	3,022	1,225	130	1	15	5	8	26	11	9
Outer Ring	3,009,558*	1,148	443	38	–	6	–	2	7	2	4
16 Great Towns in Outer Ring	1,820,700	728	268	20	–	3	–	1	6	1	2
Remainder of Outer Ring	1,188,858*	420	175	18	–	3	–	1	1	1	2
Edinburgh†	420,500	184	96	10	–	2	–	3	2	–	–
Glasgow†	1,037,800	530	221	37	–	1	1	1	2	6	–
Dublin (Registration Area)†	427,000	185	91	13	–	–	–	2	1	1	1
Belfast†	425,000	217	98	19	–	–	1	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. July 29	1874	782	9·0	1	–	9	5	6	19	9	5
Calcutta	896,067	June 24	?	383§	21·9	?	4	?	?	?	?	?	3
Bombay	1,175,914	„ 17	358‖	571§	25·2	2	1	–	–	–	1	50	5
Madras	522,951	„ 17	491	442§	44·0	–	26	1	?	–	–	41	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	210,032												
Perth (Metropolitan Area).	154,866	June 3	75	31	10·4	–	–	–	–	–	–	–	1
Auckland (Urban Area).	157,757	May 31 days.	277	147	11·2	12	–	–	–	–	2	2	1
Wellington (Urban Area).	107,488	„ „	224	65	7·2	1	–	–	–	–	–	–	1
Christchurch (Urban Area).	105,670	„ „	194	95	10·8	–	–	–	–	–	–	–	–
Cape Town	101,000	June 10	48	26	13·4	–	–	–	–	–	–	2	–
Johannesburg	149,500	„ 17	91	43	14·9	–	–	–	–	–	–	–	6
Durban	48,000	„ 17	26	20	21·7	–	–	–	–	–	–	1	3
Paris	2,906,472												
Antwerp	303,421	June 17	113	62	10·6	–	–	–	–	1	–	2	–
Amsterdam	690,877												
Copenhagen	562,000	July 15	235	94	8·9	–	–	1	1	–	–	1	–
Stockholm	422,042	„ 15	110	72	8·9	–	–	–	–	–	–	–	–
Gothenburg	228,052												
Christiania	258,933	July 22	110	52	10·4	–	–	–	–	1	–	–	–
Berlin	1,970,000												
Breslau	557,000												
Cologne	677,000												
Dresden	605,000												
Frankfort-on-Main	476,000												
Hamburg	1,053,000												
Leipzig	673,000												
Munich	680,000												
Vienna	1,842,005	June 24	619	480	13·5	1	–	–	–	6	1	12	–
Prague and Suburbs	689,262												
Budapest	940,000	May 20	403	314	17·4	–	?	1	1	–	1	7	1
Cairo	777,500	„ 6	786	528	35·3	1	2	12	–	?	1	86	?
Alexandria	456,300	„ 6	499	216§	24·6	3	–	1	–	?	–	30	?
New York	5,839,738	June 24	2,482	1,044	9·3	–	–	20	4	5	10	21	4
Chicago	2,833,288	July 1	?	530	9·8	–	–	6	1	–	6	17	2
Rio de Janeiro	1,197,504	June 10	662	444	19·3	2	1	3	–	3	–	–	15
Montevideo	356,740	Feb. 18	213	129	20·7	3	–	–	–	–	1	12	2
		„ 25	86	123	20·4	4	–	–	–	1	–	8	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 9 deaths from *Asiatic Cholera* in Calcutta, 2 in Bombay and 1 in Madras, and from *Plague*, 2 in Calcutta, 3 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th July, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	782	92	23	26	24	43	31	65	97	147	128	106
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	4	3	2	–	–	–	–	–	–	–	–
Scarlet fever	5	–	–	3	1	1	–	–	–	–	–	–
Whooping cough	6	3	1	2	–	–	–	–	–	–	–	–
Diphtheria	19	–	5	7	7	–	–	–	–	–	–	–
Influenza	5	1	–	–	–	–	1	–	–	3	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculosis of respiratory system	61	–	1	–	2	15	11	12	8	9	2	1
Tuberculous meningitis	7	–	1	6	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other tubercle	10	1	–	1	1	3	–	1	2	1	–	–
Venereal diseases	2	1	–	–	–	–	1	–	–	–	–	–
Cancer	134	–	–	–	1	–	1	10	32	44	30	16
Rheumatic fever	2	–	–	–	1	–	–	–	1	–	–	–
Diabetes	9	–	–	–	–	–	1	–	–	6	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	–	–	–	–	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	33	–	–	–	–	–	–	1	3	7	11	11
Epilepsy	2	–	–	–	–	1	1	–	–	–	–	–
"Convulsions" (not puerperal)	5	3	2	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	21	1	–	1	–	–	1	6	4	7	–	1
Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	5	–	–	–	–	1	1	3	–	–	–	–
Other diseases of heart	96	–	–	–	2	3	2	5	12	21	32	19
Other dis. of circulatory system	37	–	–	–	–	–	–	2	–	8	15	12
Bronchitis	30	2	–	–	–	–	–	1	1	7	5	14
Broncho-pneumonia	22	9	5	1	1	1	–	–	3	1	–	1
Lobar pneumonia	13	–	–	–	2	3	–	1	5	1	1	–
Pneumonia (type not distinguished)	13	–	1	–	–	1	–	1	2	3	4	1
Other diseases of respiratory system	9	–	1	–	–	–	–	2	4	–	1	1
Diarrhœa and enteritis	12	8	1	1	–	–	–	–	1	–	–	1
Appendicitis and typhlitis	8	–	–	1	–	3	–	1	2	1	–	–
Hernia, Intestinal obstruction	4	–	–	–	–	–	–	–	–	3	–	1
Cirrhosis of liver	7	–	–	–	–	–	–	2	–	3	2	–
Other diseases of digestive system	24	4	–	–	1	–	4	2	3	4	4	2
Acute nephritis	2	–	–	1	–	–	1	–	–	–	–	–
Chronic Bright's disease	27	–	–	–	–	2	2	2	3	8	4	6
Other diseases of genito-urinary system.	8	–	–	–	–	1	–	1	–	2	4	–
Puerperal fever, &c.	4	–	–	–	–	–	3	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	–	3	–	–	–	–
Congenital malformations	7	7	–	–	–	–	–	–	–	–	–	–
Premature birth	33	33	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age	16	–	–	–	–	–	–	–	–	–	3	13
Suicide	9	–	–	–	–	–	–	1	3	2	3	–
Burns and scalds	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	1	–	1	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	3	4	–	1	1	–	–	–
Other deaths by violence	8	1	–	–	–	–	1	–	1	3	–	2
Other specified causes	28	6	1	–	1	1	–	5	4	3	4	3
Ill-defined causes	1	–	–	–	–	1	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th July 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	10	16	1	1	–
†BERMONDSEY ...	–	17	13	–	–	D. 1
†BETHNAL GREEN	–	4	3	–	–	–
†CAMBERWELL ...	–	14	15	–	3	C. 1 M. 1
†CHELSEA ...	–	6	7	–	–	–
†DEPTFORD ...	–	8	7	–	–	–
†FINSBURY ...	–	3	11	–	–	D. 1 M. 1
†FULHAM ...	–	14	7	1	2	M. 1
†GREENWICH ...	–	4	16	–	–	C. 1
†HACKNEY ...	–	12	9	–	1	C. 1 M. 1
†HAMMERSMITH	–	5	8	–	1	M. 3
†HAMPSTEAD ...	–	2	2	–	–	–
†HOLBORN ...	–	4	3	–	–	–
†ISLINGTON ...	–	20	20	–	–	M. 4
†KENSINGTON ...	–	9	6	–	1	–
†LAMBETH ...	–	26	14	–	4	C. 1 D. 1 G. 1 M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	4	3	–	1	–
†PADDINGTON ...	–	7	11	1	2	M. 1
†POPLAR... ...	–	6	12	–	5	M. 1
†ST. MARYLEBONE	–	13	6	1	–	M. 1
†ST. PANCRAS ...	1	26	20	–	6	–
†SHOREDITCH ...	–	2	9	–	3	M. 1
†SOUTHWARK ...	–	11	20	–	5	D. 1 M. 2
†STEPNEY ...	–	7	20	2	2	C. 1 D. 1
†STOKE NEWINGTON	–	4	3	–	–	M. 1
†WANDSWORTH	–	26	13	–	5	L. 1 M. 1
†WESTMINSTER, CITY OF	–	4	10	1	1	C. 1 M. 1
†WOOLWICH ...	–	9	8	–	1	–
TOTAL OF PART I.	1	277	293	7	44	C. 6 D. 5 G. 1 L. 1 M. 22

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	10	1	3	M. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	3	–	–	2	M. 1
KEMPSTON ...	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	1	8	–	1	–
BIGGLESWADE ...	–	2	2	1	–	–
BERKS	–	29	4	–	1	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
†READING C.B....	–	9	–	–	1	–
WANTAGE ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	3	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	4	1	–	–	–
FARINGDON (part)	–	1	2	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	1	–	–	–
BUCKINGHAM	–	4	1	–	3	M. 1
Boroughs and Urban Districts :—						
BUCKINGHAM ...	–	–	–	–	1	–
†CHIPPING WYCOMBE	–	–	1	–	–	–
CHESHAM ...	–	–	–	–	1	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
AMERSHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	1	–	–	1	–
WYCOMBE ...	–	1	–	–	–	M. 1
CAMBRIDGE ...	–	4	–	–	2	E. 1
Borough :—						
†CAMBRIDGE ...	–	2	–	–	–	E. 1
Rural Districts :—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	–	–
CHESTER	–	39	18	2	20	C. 1 M. 1
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	3	–
†BIRKENHEAD C.B.	–	6	1	–	9	M. 1
BOLLINGTON ...	–	–	1	–	–	–
†CHESTER C.B. ...	–	3	3	–	–	–
†CONGLETON ...	–	1	–	–	2	–
†CREWE	–	–	2	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
HALE	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–
†HYDE	–	–	1	–	–	–
KNUTSFORD ...	–	2	1	–	–	–
†MACCLESFIELD...	–	4	–	–	–	C. 1
MARPLE... ...	–	1	–	–	–	–
†RUNCORN ...	–	4	–	–	2	–
†SALE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Polioyemlitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKPORT C.B.	–	3	2	1	–	–
†WALLASEY C.B.	–	4	–	–	1	–
†WINSFORD ...	–	1	1	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	–	1	–	–
CONGLETON ...	–	1	1	–	–	–
DISLEY	–	1	–	–	–	–
MALPAS ...	–	–	1	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	–	1	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL... ...	–	2	1	–	–	–
CORNWALL ...	–	6	1	–	2	M. 2
Boroughs and Urban Districts:—						
CALLINGTON ...	–	1	–	–	–	–
HELSTON ...	*	*	*	*	*	*
LISKEARD ...	–	1	–	–	–	–
LOOE	–	2	–	–	–	–
REDRUTH ...	–	–	1	–	1	M. 1
ST. JUST ...	–	–	–	–	–	M. 1
†TRURO	–	1	–	–	–	–
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
CUMBERLAND ...	–	7	–	–	2	D. 1
Boroughs and Urban Districts:—						
†CARLISLE, C.B....	–	4	–	–	1	D. 1
HOLME CULTRAM	–	1	–	–	–	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRITH ...	*	*	*	*	*	*
†WHITEHAVEN ...	–	–	–	–	1	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
PENRITH ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	–	25	14	1	14	E. 3 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
ALVASTON AND BOULTON	–	–	1	–	–	–
ASHBOURNE ...	–	–	–	–	–	E. 1
†BELPER ...	–	1	–	–	1	–
†BOLSOVER ...	–	–	1	–	–	–
†BUXTON... ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	–	1	1	–	–
†DERBY, C.B. ...	–	9	6	–	4	–
DRONFIELD ...	–	–	–	–	1	–
†HEANOR ...	–	1	–	–	–	–
†ILKESTON ...	*	*	*	*	*	*
†LONG EATON ...	–	–	–	–	–	E. 2
NEW MILLS ...	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	5	–	–	1	–
Rural Districts:—						
CHAPEL-EN-LE-FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	5	1	–	6	–
CLOWNE ...	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON... ...	–	2	–	–	–	–
SHARDLOW ...	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	16	7	1	2	G. 1
Boroughs and Urban Districts:—						
†EXETER C.B. ...	–	1	–	–	1	G 1
NORTHAM ...	–	–	–	1	–	–
†PAIGNTON ...	–	1	2	–	–	–
†PLYMOUTH C.B.	–	9	3	–	–	–
SOUTH MOLTON	–	3	–	–	–	–
†TEIGNMOUTH ...	–	–	1	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
CULMSTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	1	1	–	–	–
DORSET	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
†POOLE	–	1	–	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
DURHAM... ...	–	40	13	2	27	C. 2 M. 9
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	M. 2
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER-LE-STREET	–	1	–	–	–	–
†CONSETT ...	–	–	–	–	–	M. 1
†DARLINGTON C.B.	–	3	1	–	4	–
†GATESHEAD C.B.	–	4	–	–	3	M. 1
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEBBURN ...	–	1	2	–	3	–
†HETTON... ...	–	1	–	–	–	–
†HOUGHTON-LE-SPRING	–	–	–	–	–	M. 1
†JARROW ...	–	1	–	–	3	–
LEADGATE ...	–	–	1	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR ...	–	1	1	–	1	–
†SOUTH SHIELDS C.B.	–	1	–	–	2	–
†SOUTHWICK-ON-WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	–	1	–	–	–	–
STANHOPE ...	–	–	1	–	–	–
†STANLEY ...	–	1	1	–	–	–
†STOCKTON-ON-TEES	–	1	1	–	2	–
†SUNDERLAND C.B.	–	3	–	–	2	C. 2 M. 2
†WEST HARTLEPOOL C.B	–	–	–	–	2	–
†WHICKHAM ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	5	–	1	–	–
CHESTER-LE-STREET	–	3	–	–	1	–
DURHAM ...	–	3	1	–	–	–
EASINGTON ...	–	5	1	–	–	–
HARTLEPOOL ...	–	–	–	–	1	–
LANCHESTER ...	–	1	2	–	–	–
SEDGEFIELD ...	–	1	–	1	–	M. 1
SUNDERLAND ...	–	1	–	–	1	M. 1
ISLE OF ELY ...	–	1	–	–	–	–
Rural District:—						
NORTH WITCHFORD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	1	87	37	1	10	G. 1 M. 6
Boroughs and Urban Districts :—						
†BARKING TOWN	–	–	2	–	1	–
†CHELMSFORD ...	–	–	–	–	1	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON ...	–	2	–	–	–	–
†COLCHESTER ...	–	–	1	–	3	–
†EAST HAM C.B.	–	10	5	–	–	M. 2
†GRAYS THURROCK	–	–	2	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HARWICH ...	–	2	–	–	–	–
†ILFORD	–	3	5	1	–	M. 2
†LEYTON... ...	–	9	3	–	–	–
SAFFRON WALDEN	–	3	–	–	–	–
SHOEBURYNESS-ON-SEA	–	1	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	6	–	–	1	M. 1
†WALTHAMSTOW	–	5	4	–	–	–
†WANSTEAD ...	–	–	1	–	–	G. 1
†WEST HAM C.B.	1	25	10	–	2	M. 1
WIVENHOE ...	–	–	–	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts :—						
BILLERICAY ...	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW ...	–	3	–	–	–	–
HALSTEAD ...	–	2	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON ...	–	1	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD ...	–	4	3	–	–	–
SAFFRON WALDEN	–	3	–	–	–	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	–	47	11	2	10	M. 1
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	39	9	1	9	M. 1
COLEFORD ...	–	1	–	–	–	–
†GLOUCESTER C.B.	–	1	–	–	–	–
GLOUCESTER— *cont.*						
Rural Districts :—						
CHIPPING SODBURY	–	2	–	–	1	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	1	–	–
NORTHLEACH	–	–	1	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ...	–	3	1	–	–	–
Boroughs and Urban Districts :—						
LEDBURY ...	*	*	*	*	*	*
Rural Districts :—						
DORE	–	1	1	–	–	–
HEREFORD ...	–	1	–	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	17	5	–	1	C. 1 M. 1 L. 2
Boroughs and Urban Districts :—						
†BARNET... ...	–	1	–	–	–	–
†CHESHUNT ...	–	1	1	–	–	–
†EAST BARNET VALLEY	–	1	1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	C. 1 M. 1
†ST. ALBANS ...	–	10	2	–	–	–
†WATFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	2	–	–	–	–
WATFORD ...	–	–	–	–	–	L. 2
HUNTINGDON ...	–	1	–	–	–	G 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
OLD FLETTON ...	*	*	*	*	*	*
RAMSEY ...	–	–	–	–	–	G. 1
Rural Districts:—						
ST. NEOTS, No. 4	*	*	*	*	*	*
KENT	–	41	23	2	9	M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	–	1	–	–	–
†BEXLEY ...	–	3	–	–	–	M. 1
†BROADSTAIRS AND ST. PETERS	–	3	–	–	–	–
†BROMLEY ...	–	2	1	–	3	–
†CHATHAM ...	–	–	1	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	–	1	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	3	–	–	–	–
†GILLINGHAM ...	–	4	5	1	–	–
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	–	2	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	–	2	–	1	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARGATE ...	–	1	–	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	3	–	1	1	M. 1
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	2	–
SEVENOAKS ...	–	2	–	–	–	–
†SHEERNESS ...	–	–	2	–	–	–
SIDCUP	–	1	–	–	–	–
SOUTHBOROUGH	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	4	4	–	1	–
EAST ASHFORD	–	1	–	–	–	–
MAIDSTONE ...	–	1	1	–	–	–
MALLING ...	–	1	–	–	–	–
LANCASTER ...	1	214	60	6	105	C. 6 G. 1 L. 2 M. 31
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	1	–	–	–	–
†ATHERTON ...	–	2	–	–	–	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	–
†BLACKBURN C.B.	–	5	–	–	1	M. 1
†BLACKPOOL C.B.	–	2	1	–	2	–
†BOLTON C.B. ...	–	7	–	1	2	–
†BOOTLE C.B. ...	–	5	2	–	1	–
†BURNLEY C.B.	–	6	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bury C.B. ...	–	2	1	–	1	–
†Chadderton ...	–	2	–	–	1	–
†Colne	–	–	–	–	1	–
†Darwen ...	–	4	–	1	–	–
†Denton ...	–	2	–	–	–	–
†Droylsden ...	–	1	–	–	–	–
†Eccles ...	–	2	–	–	–	–
†Failsworth ...	–	1	–	–	1	–
†Farnworth ...	–	1	–	–	–	–
†Fleetwood ...	–	1	–	–	–	–
Golborne ...	–	–	–	–	–	C. 1
†Haslingden ...	–	–	–	–	1	–
†Heywood ...	–	–	–	–	1	–
†Hindley ...	–	2	–	–	3	–
†Horwich ...	–	–	1	–	1	–
Hurst	–	–	–	–	1	–
†Ince-in-Makerfield	–	2	–	–	1	–
Irlam	–	–	–	–	2	–
†Lancaster ...	–	2	1	–	1	–
Lathom and Burscough	–	2	–	–	–	–
†Leigh	–	1	–	–	–	M. 1
†Litherland ...	–	–	–	–	–	M. 1
Little Hulton	–	–	5	–	–	–
†Liverpool C.B.	–	33	19	1	6	M. 11
†Manchester C.B.	–	46	7	1	34	C. 3 M. 11
†Middleton ...	1	–	–	–	–	–
Milnrow ...	–	1	–	–	–	–
†Nelson	–	–	–	1	–	–
†Newton-in-Makerfield	–	–	1	–	1	–
Norden	–	–	–	–	1	–
†Oldham C.B.	–	3	1	–	2	–
†Oswaldtwistle	–	–	–	–	1	–
†Padiham ...	–	1	–	–	–	–
Prescot ...	–	3	–	–	–	–
†Preston C.B. ...	–	1	4	–	1	M. 1
†Prestwich ...	–	2	–	–	–	–
†Ramsbottom ...	–	1	–	–	–	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Rochdale C.B.	–	8	2	–	–	M. 1
†Royton... ...	–	–	–	–	1	–
†St. Annes-on-Sea	–	–	4	1	–	–
†St. Helens C.B.	–	3	2	–	1	C. 1 M. 2
†Salford C.B. ...	–	14	4	–	14	C. 1 L. 1 M. 2
Skelmersdale	–	2	–	–	–	–
†Southport C.B.	–	2	1	–	–	–
†Stretford ...	–	1	–	–	1	G. 1
†Swinton and Pendlebury	–	1	–	–	2	–
Thornton ...	–	1	–	–	–	–
Tottington ...	–	3	1	–	–	–
†Tyldesley-with-Shakerley	–	1	–	–	2	–
†Ulverston ...	–	1	–	–	–	–
†Warrington C.B.	–	10	–	–	5	–
†Waterloo-with-Seaforth	–	–	1	–	–	–
Whitworth ...	–	–	–	–	1	–
†Widnes ...	–	4	1	–	–	–
†Wigan C.B. ...	–	5	1	–	3	–
Rural Districts:—						
Barton-upon-Irwell	–	–	–	–	1	–
Clitheroe ...	–	–	–	–	2	L. 1
Leigh	–	1	–	–	–	–
Limehurst ...	–	1	–	–	–	–
Ulverston ...	–	1	–	–	–	–
West Lancashire	–	–	–	–	1	–
Whiston ...	–	1	–	–	–	–
Wigan	–	1	–	–	–	–
LEICESTER ...	–	15	11	–	2	E. 1
Boroughs and Urban Districts:—						
†Leicester C.B.	–	13	4	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
BARROW-UPON-SOAR	–	1	2	–	2	–
BLABY	–	–	2	–	–	–
MARKET BOSWORTH	–	1	3	–	–	–
LINCOLN (parts of Holland).	–	4	3	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	2	–	–	–
SUTTON BRIDGE	–	2	–	–	–	–
Rural Districts—						
BOSTON ...	–	1	–	–	–	–
SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	M. 1
RUSKINGTON ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	4	4	1	1	–
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	2	–	–	–
†CLEETHORPES ...	–	–	1	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GAINSBOROUGH...	–	1	–	–	–	–
†GRIMSBY C.B. ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	1	–	–
Rural Districts:—						
GAINSBOROUGH	–	1	–	–	–	–
SIBSEY	–	1	–	–	–	–
MIDDLESEX ...	–	83	71	–	11	C. 1 D. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	3	9	–	–	M. 1
†BRENTFORD ...	–	1	3	–	1	–
†CHISWICK ...	–	4	8	–	–	–
†EALING ...	–	9	5	–	–	–
†EDMONTON ...	–	8	4	–	–	–
†ENFIELD ...	–	3	1	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	1	1	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HAMPTON ...	–	3	2	–	–	–
†HANWELL ...	–	1	2	–	–	–
†HARROW-ON-THE-HILL	–	1	–	–	–	–
†HENDON ...	–	5	5	–	–	–
†HESTON AND ISLEWORTH	–	8	1	–	–	–
†HORNSEY ...	–	3	1	–	1	–
†SOUTHALL-NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	3	–	–	1	–
STAINES ...	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	C. 1
†TOTTENHAM ...	–	10	4	–	3	M. 1
†TWICKENHAM ...	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	3	–	–	–	–
†WILLESDEN ...	–	9	18	–	2	D. 1
†WOOD GREEN ...	–	2	–	–	2	–
Rural Districts:—						
STAINES ...	–	–	2	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK ...	–	33	8	1	2	L. 1
Boroughs and Urban Districts:—						
CROMER ...	–	2	–	–	–	–
†GREAT YARMOUTH C.B.	–	7	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–
NORTH WALSHAM	*	*	*	*	*	*
†NORWICH C.B....	–	17	7	–	–	–
SHERINGHAM ...	–	–	–	–	2	–
THETFORD ...	*	*	*	*	*	*
WALSOKEN ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	1	–	–
ST. FAITH'S ...	–	–	–	–	–	L. 1
WALSINGHAM ...	–	1	–	–	–	–
WAYLAND ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	10	4	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	–	M. 1
†KETTERING ...	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	4	2	–	2	C. 1
†WELLINGBOROUGH	–	1	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	2	–	–	–
NORTHAMPTON ...	–	3	–	–	–	–
POTTERSPURY ...	–	1	–	–	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	18	8	6	15	C. 1 M. 4
Boroughs and Urban Districts:—						
ALNWICK ...	*	*	*	*	*	*
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	3	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	1	1	–
†BERWICK-UPON-TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	1	1	–
†GOSFORTH ...	–	3	–	–	–	–
†LONGBENTON ...	*	*	*	*	*	*
NEWBIGGIN-BY-THE-SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	1	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	3	3	3	9	M. 1
PRUDHOE ...	–	1	–	–	1	–
†TYNEMOUTH C.B.	–	1	2	1	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLSEND ...	–	–	1	–	–	M. 2
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	1	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM ...	–	–	–	–	1	C. 1
NOTTINGHAM ...	–	20	8	–	9	C. 1 E. 2 M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†BEESTON ...	*	*	*	*	*	*
†CARLTON ...	–	1	–	–	1	C. 1 M. 1
†EAST RETFORD...	–	–	–	–	3	–
†HUCKNALL ...	–	1	–	–	–	–
†KIRKBY-IN ASHFIELD	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	9	4	–	2	E. 2
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP ...	–	3	–	–	2	–
Rural Districts:—						
BASFORD ...	–	4	–	–	–	–
MISTERTON ...	–	–	2	–	–	–
SOUTHWELL ...	–	–	1	–	–	–
STAPLEFORD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	9	1	1	1	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	1	–	–
†OXFORD C.B. ...	–	1	–	–	1	M. 1
Rural Districts:—						
CHIPPING NORTON	–	5	–	–	–	–
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	2	1	–	–	M. 1
Borough:—						
†PETERBOROUGH	–	2	1	–	–	–
Rural Districts:—						
PETERBOROUGH	–	–	–	–	–	M. 1
RUTLAND ...	–	2	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	2	–	–	–	–
SALOP	–	8	–	–	1	M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
†WENLOCK ...	–	2	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	M. 1
WEM	–	–	–	–	1	–

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	8	3	–	3	M. 2
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	1	–	–	2	M. 1
MIDSOMER NORTON	–	–	–	–	1	–
MINEHEAD ...	–	1	–	–	–	–
†WESTON-SUPER-MARE	–	1	–	–	–	–
Rural Districts:—						
KEYNSHAM ...	–	1	1	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	1	–	–	–
TAUNTON ...	–	–	–	–	–	M. 1
WILLINGTON ...	–	2	–	–	–	–
YEOVIL	–	1	1	–	–	–
SOUTHAMPTON...	–	26	23	1	1	C. 1 D. 1 G. 1 M. 6
Boroughs and Urban Districts:—						
ANDOVER ...	–	–	–	–	–	M. 1
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT AND ALVERSTOKE	–	1	3	–	–	–
HAVANT ...	–	1	–	–	–	–
PETERSFIELD ...	–	–	2	–	–	–
†PORTSMOUTH C.B.	–	9	12	–	–	M. 2
†SOUTHAMPTON C.B.	–	6	5	1	–	D. 1 G. 1 M. 1
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ALRESFORD ...	–	–	–	–	–	C. 1
CATHERINGTON...	–	1	–	–	–	–
CHRISTCHURCH...	–	–	–	–	–	M. 1
HURSLEY ...	–	–	–	–	1	–
RINGWOOD ...	–	–	–	–	–	M. 1
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	4	–	–	–	–
STAFFORD ...	–	51	32	1	42	C. 1 E. 1 M. 6
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	2	–	–	–	–
†AUDLEY ...	–	1	1	–	–	–
BIDDULPH ...	–	–	4	–	–	–
†BILSTON ...	–	5	–	–	6	–
†BRIERLEY HILL	–	1	–	–	–	–
†BROWNHILLS ...	–	1	1	–	1	–
†BURTON-UPON-TRENT C.B.	–	1	1	–	1	–
†CANNOCK ...	–	1	–	–	–	–
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	–	–	–	2	–
†HEATH TOWN ...	–	1	–	–	1	–
†LEEK	–	2	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	2	2	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	–	1	–	2	–
RUGELEY ...	–	1	–	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†SMETHWICK C.B.	–	5	1	–	2	M. 1
†STAFFORD ...	–	–	–	–	–	M. 1
†STOKE-ON-TRENT C.B.	–	6	6	1	14	M. 2
TAMWORTH ...	–	1	1	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	–	–	–	5	M. 2
†WEDNESBURY ...	–	3	–	–	1	–
WEDNESFIELD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BROMWICH C.B.	–	9	11	–	1	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	–	1	–	–	–
†WOLVERHAMPTON C.B.	–	1	–	–	2	–
Rural Districts:—						
CANNOCK ...	*	*	*	*	*	*
LEEK	–	3	–	–	1	C. 1
LICHFIELD ...	–	1	–	–	–	E. 1
STONE	–	–	1	–	–	–
SUFFOLK, EAST	–	6	11	–	5	M. 1
Boroughs and Urban Districts:—						
†IPSWICH C.B. ...	–	3	8	–	4	–
†LOWESTOFT ...	–	2	1	–	1	–
WOODBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	1	–	–	–
EAST STOW ...	–	–	1	–	–	–
HOXNE	–	1	–	–	–	–
SUFFOLK, WEST	–	3	2	–	2	–
Boroughs and Urban Districts,—						
NEWMARKET ...	–	3	–	–	2	–
SUFFOLK, WEST—*cont.*						
Rural District:—						
BRANDON ...	–	–	2	–	–	–
SURREY	–	35	14	2	5	C. 1 L. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	2	1	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CATERHAM ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	–	3	–	1	–
†CROYDON C.B....	–	6	2	–	1	–
†EPSOM	–	–	–	–	–	C. 1
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FRIMLEY ...	–	2	–	–	–	–
†KINGSTON-UPON-THAMES	–	1	–	–	–	–
LEATHERHEAD ...	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	1	–	–	–
†MITCHAM ...	–	3	–	–	–	–
†REIGATE ...	–	–	1	–	–	–
†RICHMOND ...	–	4	–	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	5	–	–	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WIMBLEDON ...	–	4	1	–	–	–
†WOKING ...	–	–	–	–	–	L. 1
Rural Districts:—						
DORKING ...	–	1	–	2	–	–
HAMBLEDON ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	10	4	–	2	C. 2 L. 4
Boroughs and Urban Districts:—						
†Brighton C.B.	–	2	1	–	1	C. 1
†Hastings C.B.	–	1	–	–	1	–
†Hove	–	5	2	–	–	–
Newhaven ...	*	*	*	*	*	*
Rural Districts:—						
Chailey ...	–	2	–	–	–	–
Hailsham ...	–	–	–	–	–	L. 4
Uckfield ...	–	–	1	–	–	C. 1
SUSSEX, WEST ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†Chichester ...	–	–	–	–	1	–
†Horsham ...	–	2	–	–	–	–
Rural Districts:—						
Westhampnett	–	2	–	–	–	–
WARWICK ...	–	90	29	1	31	C. 3 M. 12
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	70	20	1	27	C. 2 M. 8
†Coventry C.B.	–	7	–	–	1	M. 1
†Nuneaton ...	–	4	–	–	–	C. 1
†Royal Leamington Spa	–	–	2	–	–	–
†Rugby	–	–	–	–	1	–
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	–	–	–	–	M. 1
WARWICK—*cont.*						
Rural Districts—*cont.*						
Foleshill ...	–	6	2	–	–	M. 1
Monks Kirby...	–	1	–	–	–	–
Nuneaton ...	*	*	*	*	*	*
Rugby	–	–	–	–	1	–
Solihull ...	–	1	–	–	1	–
Tamworth (part)	–	–	5	–	–	M. 1
Warwick ...	*	*	*	*	*	*
ISLE OF WIGHT	–	2	3	–	–	–
Boroughs and Urban Districts:—						
Cowes	–	–	3	–	–	–
†Ryde	–	1	–	–	–	–
Rural Districts:—						
Isle of Wight	–	1	–	–	–	–
WILTS	–	12	5	–	–	M. 4
Boroughs and Urban Districts:—						
Devizes ...	–	–	1	–	–	–
†Salisbury ...	–	–	–	–	–	M. 1
†Swindon ...	–	3	2	–	–	M. 1
Westbury ...	–	1	–	–	–	–
Rural Districts:—						
Chippenham ...	–	1	–	–	–	–
Cricklade and Wootton Bassett	–	1	–	–	–	–
Devizes ...	–	2	–	–	–	–
Malmesbury ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
PEWSEY ...	–	2	–	–	–	–
TISBURY ...	–	–	1	–	–	M 1
WARMINSTER ...	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WORCESTER ...	–	17	6	1	3	M. 1
Boroughs and Urban Districts:—						
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	6	–	–	–	–
†OLDBURY ...	–	3	3	–	–	–
†REDDITCH ...	–	6	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
†WORCESTER C.B.	–	1	–	–	2	–
Rural Districts:—						
DROITWICH ...	–	–	–	1	–	–
HALESOWEN ...	–	–	2	–	–	–
KIDDERMINSTER	–	–	1	–	1	–
YORKS ... ... (East Riding).	–	10	7	–	2	C. 2 M. 2
Boroughs and Urban Districts:—						
†KINGSTON-UPON-HULL C.B.	–	5	5	–	2	C. 1 M. 2
WITHERNSEA ...	–	–	1	–	–	–
†YORK C.B. ...	–	5	–	–	–	C. 1
YORKS ... ... (East Riding)—*cont.*						
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	13	9	2	1	4	E 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
†MIDDLESBROUGH C.B.	13	2	1	–	2	–
†REDCAR ...	–	1	–	–	1	–
†SCARBOROUGH ...	–	2	–	–	–	–
†WHITBY ...	–	–	–	–	1	–
Rural Districts:—						
BEDALE... ...	–	1	–	–	–	–
EASINGWOLD ...	–	–	–	–	–	M. 1
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	–	1	–	–	E. 1
NORTHALLERTON	–	–	–	1	–	–
YORKS ... ... (West Riding).	–	184	47	8	79	C. 2 D. 1 E. 1 L. 1 M. 6
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	2	–	–	–
ALTOFTS ...	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNSLEY C.B.	–	–	1	–	2	–
†BATLEY ...	–	–	1	–	–	
†BENTLEY-WITH-ARKSEY	–	–	1	–	–	–
†BOLTON-UPON-DEARNE	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bradford C.B.	–	31	6	–	2	D. 1
†Brighouse ...	–	–	1	–	1	–
†Castleford ...	–	–	–	1	–	–
†Conisbrough ...	–	1	–	–	–	–
†Darton... ...	–	1	–	–	–	–
†Dewsbury C.B.	–	6	–	1	–	M. 1
†Doncaster ...	–	–	–	–	8	–
†Elland... ...	–	–	–	–	2	–
Farsley ...	–	1	–	–	–	–
Flockton ...	–	–	–	–	1	–
†Golcar... ...	–	–	1	–	–	–
†Goole	–	1	1	–	–	M. 1
†Halifax C.B. ...	–	2	–	1	–	–
†Harrogate ...	–	–	–	–	1	–
Hebden Bridge	–	1	–	–	–	–
†Hemsworth ...	–	1	–	1	2	–
†Hoyland Nether	–	–	–	–	1	–
†Huddersfield C.B.	–	–	3	1	1	–
†Keighley ...	–	2	1	–	1	–
Kirkheaton ...	–	–	–	2	–	–
Knottingley ...	–	1	–	–	–	–
†Leeds C.B. ...	–	61	11	–	9	–
Linthwaite ...	–	1	–	–	–	–
†Mexborough ...	–	–	–	–	1	–
†Morley ...	–	–	–	–	2	–
Mythoimroyd	–	1	–	–	–	–
†Normanton ...	–	–	1	–	–	–
†Ossett	–	1	–	–	–	–
†Pontefract ...	–	2	–	–	–	–
†Pudsey... ...	–	2	–	–	–	–
†Rawmarsh ...	–	–	1	–	3	M. 2
†Rotherham C.B.	–	4	2	–	3	–
†Rothwell ...	–	2	–	–	–	–
†Saddleworth...	–	1	–	–	–	–
†Sheffield C.B.	–	28	8	1	32	C. 2 M. 1
†Spenborough ...	–	2	–	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Stainland with Old Lindley	–	1	–	–	–	–
†Stanley ...	–	2	–	–	–	–
Stocksbridge ...	–	–	–	–	1	–
Thurstonland	–	1	–	–	–	–
†Todmorden ...	–	2	–	–	–	–
†Wakefield C.B.	–	5	–	–	–	–
Whitwood ...	–	1	–	–	–	–
†Worsborough...	–	–	–	–	–	M. 1
Rural Districts:—						
Bowland ...	–	1	–	–	–	–
Doncaster ...	–	1	–	–	1	–
Halifax ...	–	–	–	–	1	–
Hemsworth ...	–	4	3	–	1	–
Hunslet ...	–	1	–	–	–	–
Kiveton Park	–	–	2	–	–	–
Knares-borough	*	*	*	*	*	*
Pontefract ...	–	2	–	–	–	–
Rotherham ...	–	–	1	–	–	E. 1
Skipton ...	–	1	–	–	–	–
Tadcaster ...	–	4	–	–	–	–
Wakefield ...	–	2	–	–	–	–
Wharfedale (South)	–	–	–	–	–	L. 1
Wortley ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	1	–	–	–	–
Rural Districts—						
Aethwy	–	1	–	–	–	–
Valley ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in 2hich they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	–	1	2	–
Boroughs and Urban Districts:—						
Brynmawr ...	–	–	–	1	–	–
Rural Districts—						
Vaynor and Penderyn	–	1	–	–	–	–
Ystradgynlais	–	–	–	–	2	–
CARDIGAN ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†Aberystwyth ...	–	2	–	–	–	–
Lampeter ...	*	*	*	*	*	*
Rural Districts:—						
Aberystwith (North)	–	1	–	–	–	–
CARMARTHEN ...	–	5	13	–	1	–
Boroughs and Urban Districts:—						
Ammanford ...	–	1	–	–	–	–
Kidwelly ...	–	1	2	–	–	–
†Llanelly ...	–	–	3	–	–	–
Rural District:—						
Carmarthen ...	–	–	1	–	–	–
Llandilo Fawr	–	3	1	–	–	–
Llanelly ...	–	–	6	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
Carnarvon ...	–	–	1	–	–	–
Llandudno ...	–	1	–	–	–	–
Rural Districts:—						
Glaslyn ...	–	–	1	–	–	–
Gwyrfai ...	–	–	2	–	–	–
Lleyn	–	1	–	–	–	–
DENBIGH ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
†Colwyn Bay and Colwyn	–	1	–	–	–	–
Llanrwst ...	–	1	–	–	–	–
†Wrexham ...	–	1	–	–	–	–
Rural Districts:—						
Llansilin ...	–	–	–	–	1	–
Ruthin... ...	–	–	–	–	1	–
St. Asaph (Denbigh)	*	*	*	*	*	*
Wrexham ...	–	4	–	–	–	–
FLINT	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†Rhyl	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
Hawarden ...	–	1	1	–	–	–
Holywell (Mold Div.)	–	2	–	–	–	–
St. Asaph (Flint)	*	*	*	*	*	*
GLAMORGAN ...	–	81	19	1	15	M. 8
Boroughs and Urban Districts:—						
†Aberdare ...	–	14	1	–	2	–
†Barry	–	1	4	–	1	–
Bridgend ...	–	–	1	–	–	–
†Caerphilly ...	–	–	2	–	–	–
†Cardiff C.B. ...	–	6	2	1	2	M. 4
†Gelligaer ...	–	1	2	–	–	–
†Glyncorwg ...	–	1	–	–	–	–
†Maesteg ...	–	–	1	–	–	–
†Merthyr Tydfil C.B.	–	5	1	–	–	–
†Mountain Ash	–	13	–	–	–	–
†Neath	–	1	3	–	–	–
†Ogmore and Garw	–	3	–	–	–	–
†Pontypridd ...	–	3	–	–	1	–
†Port Talbot ...	–	2	–	–	–	–
†Rhondda ...	–	12	–	–	7	M. 4
†Swansea C.B. ...	–	10	–	–	1	–
Rural Districts:—						
Cowbridge ...	–	2	–	–	–	–
Llandaff and Dinas Powis	–	–	1	–	–	–
Llantrisant and Llantwit Fardre	–	3	–	–	–	–
Penybont ...	–	3	–	–	–	–
Pontardawe ...	–	–	1	–	1	–
Swansea ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	22	10	1	6	M. 3
Boroughs and Urban Districts:—						
†Abercarn ...	–	2	–	–	–	–
†Abersychan ...	–	1	1	–	–	–
†Abertillery ...	–	3	2	–	–	–
Bedwellty ...	–	1	1	–	–	–
†Ebbw Vale ...	–	7	–	–	–	M. 1
†Nantyglo and Blaina	–	–	–	–	2	M. 1
†Newport C.B....	–	1	2	1	1	M. 1
†Panteg... ...	–	1	–	–	–	–
†Rhymney ...	–	1	–	–	–	–
†Risca	–	–	1	–	–	–
†Tredegar ...	–	–	–	–	3	–
Rural Districts:—						
Chepstow ...	–	4	–	–	–	–
Magor	–	–	1	–	–	–
Monmouth ...	–	1	2	–	–	–
MONTGOMERY ...	–	–	–	–	–	–
Boroughs and Urban District:—						
Llanidloes ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Haverfordwest	–	1	–	–	–	–
Milford Haven	–	–	1	–	–	–
†Pembroke ...	–	1	–	–	–	–
Rural District:—						
Llanfyrnach ...	*	*	*	*	*	*
RADNOR	–	1	–	–	–	–
Rural Districts:—						
Rhayader ...	–	1	–	–	–	–
Total of Part II.	15	1394	561	45	466	C. 26 D. 4 E. 10 G. 5 L. 11 M. 120

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barry	–	–	1	–	–	–
Cardiff ...	–	–	–	1	–	–
Hartlepool ...	*	*	*	*	*	*
Newhaven ...	*	*	*	*	*	*
Plymouth ...	–	–	–	–	1	–
Southampton ...	–	1	–	–	–	–
Wisbech ...	–	2	–	–	–	–
Total of Part III.	–	3	1	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	277	293	7	44	C. 6 D. 5 G. 1 L 1 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	15	1394	561	45	466	C. 26 D. 4 E. 10 G. 5 L. 11 M. 120
Total of Part III.—Port Sanitary Districts ...	–	3	1	1	1	–
Total (*i.e.*, of returns received), England and Wales	16	1674	855	53	511	C. 32 D. 9 E. 10 G. 6 L. 12 M. 142

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Sixteen cases of Small-pox were notified, which appear on pages 868, 872, 874, and 881.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.
LONDON:—													
DEATHS—all ages -	1,319	1,210	1,038	1,178	944	878	795	842	852	795	844	785	782
" 0 to 1 year -	170	162	125	178	97	97	104	85	79	88	78	68	92
GREAT TOWNS, aggregate (including London):—													
BIRTHS - - -	8,491	8,271	8,279	7,714	8,119	7,141	9,023	8,296	8044	7,858	8,376	8,168	8,139
DEATHS—all ages -	5,202	4,810	4,481	4,521	3,965	3,667	3,602	3,502	3544	3,466	3,531	3,372	3,355
" 0 to 1 year -	829	732	680	711	557	503	503	451	407	482	442	433	387
ENTERIC FEVER—Cases	23	22	24	31	23	22	24	17	23	26	27	17	28
" Deaths	7	2	2	6	2	2	5	4	1	4	3	2	2
SMALL POX—Cases -	19	15	12	12	13	6	10	10	4	13	5	12	15
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,246	1,098	1,186	1,163	1,120	940	1016	1102	1085	1,142	1,250	1,201	1,040
" Deaths	17	16	17	18	19	20	9	14	9	13	12	12	11
DIPHTHERIA—Cases -	602	624	612	608	558	598	560	609	537	633	581	662	597
" Deaths	38	62	45	43	44	43	44	32	50	39	31	33	38
MEASLES—Deaths -	184	168	122	130	97	96	79	56	60	59	62	61	67
INFLUENZA—Deaths -	69	55	45	55	36	26	27	18	25	22	24	18	22

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th July 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	77	48	71·6	52·1	6
BRIGHTON -	66	48	63·4	55·0	9
PORTSMOUTH -	70	50	66·3	54·7	7
NORWICH (SOUTHWELL LODGE).	75	42	65·7	50·2	11
PLYMOUTH -	69	48	65·0	52·4	8
BRISTOL (CLIFTON).	71	50	67·1	53·0	9
BIRMINGHAM -	71	46	64·6	50·1	36
NOTTINGHAM -	74	47	64·9	50·9	10
BIRKENHEAD (BIDSTON).	68	49	62·0	52·7	13
MANCHESTER	70	46	63·7	50·7	14
BURNLEY -	64	44	61·1	48·3	31
HUDDERSFIELD					

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	67	48	61·9	50·3	11
SHEFFIELD -	74	49	63·6	50·6	7
YORK (MUSEUM).	69	48	63·9	49·9	20
HULL (PEARSON PARK).	73	47	65·3	49·6	10
TYNEMOUTH	70	46	62·0	49·1	9
CARDIFF -	68	49	65·7	52·3	12
EDINBURGH -	68·0	46·0	60·9	47·9	7
GLASGOW -	64·0	48·1	60·9	49·8	18
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†	70·1	48·7	65·9	53·2	11
BELFAST -	70·0	49·0	66·3	52·1	32

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 29th July 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	23	..	29·497	70·7	55·6	15·1	60·7	− 2·3	55·7	5·0	14·3	0·0	84	144·5	49·5	56·0	Calm & SW.	W : Calm & N.	1·0	0·0	0·0	146	−108	0·00
MONDAY	24	New	29·762	61·3	47·7	13·6	52·3	−10·6	47·9	4·4	12·0	0·0	85	91·2	35·6	56·1	E : NE & NNE.	NNE & Calm.	2·7	0·0	0·2	268	+ 14	0·11
TUESDAY	25	..	29·968	72·1	49·3	22·8	61·0	− 1·7	48·3	12·7	21·2	3·7	63	128·6	38·3	56·2	W & WNW.	NW : N & Calm.	2·0	0·0	0·1	214	− 38	0·00
WEDNESDAY	26	Perigee.	29·933	72·6	51·9	20·7	60·5	− 2·0	53·0	7·5	18·6	0·0	77	147·8	38·2	56·3	Calm & W.	WSW	2·8	0·0	0·2	282	+ 32	0·07
THURSDAY	27	..	29·919	71·9	55·7	16·2	61·8	− 0·6	52·5	9·3	17·4	1·4	72	125·0	48·4	56·4	WSW & W.	NNE : NE & Calm.	1·4	0·0	0·1	195	− 51	0·01
FRIDAY	28	In Equator.	30·004	73·1	52·5	20·6	60·9	− 1·4	47·1	13·8	23·6	1·0	61	130·0	38·7	56·5	Calm & NNE.	N : NW & Calm.	0·6	0·0	0·0	139	−103	0·00
SATURDAY	29	..	29·854	77·0	48·7	28·3	63·2	+ 0·9	55·4	7·8	18·9	1·3	76	142·5	35·0	56·5	Calm & W.	W	5·0	0·0	0 3	299	+ 59	0·00
MEANS		..	29·848	71·2	51·6	19·6	60·1	− 2·5	51·4	8·6	18·0	1·1	74	129·9	40·5	56·3	W		...	...	...	Sum 1,543	Sum −195	Sum 0·19
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. July 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	23	w.P. generally	0·5	15·8	Overcast with slight exceptions. Frequent damping or fine rain.
MONDAY -	24	w.P. till 10h., v.P. generally afterwards.	1·1	15·8	Overcast with slight exceptions till 19h., becoming cloudless by 20h. Damping from 1h. 30m., rain generally from 3h. to 10h.
TUESDAY -	25	w.P. till 6 h., v.P. afterwards.	7·1	15·7	Overcast till 2h., nearly overcast till noon, variably cloudy till 19h., nearly overcast generally afterwards. Slight shower 4h. Hazy in morning. Solar halo about 18h.
WEDNESDAY	26	v.P. till 18h., w.P. afterwards.	5·5	15·7	Overcast generally with very cloudy intervals. Damping or rain generally after 6h. 30m.
THURSDAY -	27	w.P. till noon, v.P. afterwards.	3·8	15·6	Nearly overcast generally with very cloudy intervals. Slight rain 1h. and 3h.
FRIDAY -	28	v.P. generally	10·5	15·6	Nearly overcast till 3h., variably cloudy afterwards. Hazy until 15h.
SATURDAY -	29	w.P. generally v.P. in afternoon.	8·2	15·5	Nearly cloudless till 6h., partially cloudy till 11h., then overcast generally. Cloudy intervals till 18h. 30m.
			Sum 36·7	Sum 119·7	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·60 in. at the beginning of the week to 29·48 in. by 16h. on 23rd; increased to 30·00 in. by 23h. on 25th; decreased to 29·88 in. by 4h. on 27th; increased to 30·01 in. by noon on 28th., and decreased to 29·79 in. by midnight on 29th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 31.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 5TH AUGUST, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH AUGUST, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-first week of the year numbered 8,108, and corresponded to an annual rate of 22·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,410 and corresponded to an annual rate of 9·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·7, 9·2 and 9·2. Infant mortality was 53 per 1,000 births against 53, 53, and 48 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,934 births, corresponding to a rate of 22·3 per 1,000, and 797 deaths of civilians, corresponding to a rate of 9·2, as against 9·7, 9·1, and 9·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·3 per 1,000. The infant mortality was 41 as against 41, 36, and 49 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 55 in the total deaths last week. In London the number of deaths from all causes rose from 782 to 797; while the deaths from diphtheria, which had been 15, 16, and 19 in the preceding three weeks, fell to 15 last week. Two deaths from small-pox were registered last week in the great towns; one belonged to the Metropolitan Borough of St. Pancras and one to the County Borough of West Ham.

---

m (45)18307—2 Wt 30—P 19 2250 8/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 5th August 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,108	3,410	426	1	62	8	35	33	34	19
London	4,514,405*	1,934	797	79	-	8	2	5	15	5	4
Towns in Outer Ring.											
Croydon C.B.	191,500	67	36	2	-	-	-	-	-	-	-
Wimbledon	61,700	10	13	-	-	-	-	-	-	-	-
Ealing	67,800	24	13	2	-	-	-	-	-	-	-
Acton	62,000	22	3	1	-	-	-	-	-	-	-
Willesden	167,200	75	23	2	-	-	-	-	2	-	-
Hendon	55,500	22	6	2	-	-	-	-	-	-	-
Hornsey	87,600	37	9	1	-	-	-	-	-	-	-
Wood Green	51,100	17	7	-	-	-	-	-	-	-	-
Tottenham	149,200	44	27	1	-	-	-	-	1	-	-
Edmonton	67,800	40	13	2	-	-	-	1	-	-	-
Enfield	61,400	20	8	-	-	-	-	-	-	-	-
West Ham C.B.	307,000	160	38	5	-	2	1	1	-	-	-
East Ham C.B.	145,500	45	15	1	-	-	-	-	-	-	-
Leyton	130,100	36	12	2	-	-	-	-	-	-	-
Walthamstow	129,800	49	14	3	-	-	-	-	-	-	-
Ilford	85,500	31	7	-	-	-	-	-	-	-	-
Gillingham	48,149*	19	12	2	-	-	-	-	1	-	-
Canterbury C.B.	23,680	3	4	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	15	13	2	-	1	-	-	-	-	-
Eastbourne C.B.	53,600	8	9	2	-	-	-	1	-	-	-
Brighton C.B.	134,800	37	24	1	-	-	-	-	-	-	-
Portsmouth C.B.	233,929*	115	46	6	-	1	-	-	2	-	1
Bournemouth C.B.	81,200	15	13	-	-	-	-	-	-	-	-
Southampton C.B.	162,200	56	42	2	-	-	-	-	-	-	-
Reading C.B.	92,600	39	16	-	-	-	-	-	-	-	1
Oxford C.B.	56,400	31	11	1	-	1	-	-	-	-	-
Northampton C.B.	92,300	28	14	1	-	-	-	-	-	-	-
Luton	57,800	26	9	-	-	-	-	-	-	-	1
Cambridge	58,900	16	10	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	90,500	31	16	3	-	-	-	-	-	-	1
Ipswich C.B.	80,100	30	17	1	-	-	-	-	1	-	-
Great Yarmouth C.B.	56,300	27	4	-	-	-	-	-	-	-	-
Norwich C.B.	122,400	53	22	1	-	-	-	-	-	-	-
Swindon	55,500	24	11	1	-	-	-	-	1	-	-
Exeter C.B.	59,500	23	14	2	-	-	-	-	-	-	-
Plymouth C.B.	199,869*	75	44	2	-	1	-	-	-	-	-
Bath C.B.	68,300	30	18	2	-	-	-	-	-	-	-
Bristol C.B.	381,700	167	60	8	1	-	1	-	2	-	-
Gloucester C.B.	51,800	17	12	-	-	-	-	-	-	-	1
Stoke-on-Trent, C.B.	273,238	157	59	11	-	1	-	2	-	1	-
Burton-upon-Trent C.B.	49,410	27	10	2	-	-	-	-	-	-	-
Wolverhampton C.B.	104,000	54	21	7	-	-	-	-	-	-	-
Walsall C.B.	98,800	52	21	3	-	-	1	-	-	-	-
West Bromwich C.B.	75,300	27	10	-	-	-	-	-	-	-	-
Worcester C.B.	49,160	10	9	-	-	-	-	-	-	-	-
Dudley C.B.	57,100	26	15	5	-	-	-	1	-	1	-
Birmingham C.B.	936,000	436	132	17	-	2	-	2	-	2	3
Smethwick C.B.	77,400	30	9	1	-	-	-	-	-	-	-
Coventry C.B.	130,300	48	12	4	-	-	-	-	-	-	1
Leicester C.B.	237,900	105	33	4	-	-	-	-	1	1	-
Lincoln C.B.	66,600	22	12	1	-	-	-	-	-	-	-
Grimsby C.B.	83,600	39	11	-	-	1	-	-	-	1	-
Nottingham C.B.	266,400	120	59	10	-	-	-	1	-	1	-
Derby C.B.	131,800	44	36	4	-	1	-	-	-	-	-
Chesterfield	62,400	32	4	-	-	-	-	-	-	-	-
Stockport C.B.	125,500	31	28	4	-	3	-	-	-	-	-
Chester C.B.	41,030	19	7	1	-	-	-	-	-	-	-
Birkenhead C.B.	147,800	60	24	4	-	-	-	-	-	1	-
Wallasey C.B.	89,600	28	9	1	-	-	-	-	-	-	-
Liverpool C.B.	817,000	439	168	29	-	-	-	2	2	2	-
Bootle C.B.	77,800	34	9	-	-	-	-	-	-	-	-
St. Helens C.B.	104,900	46	17	7	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	28	9	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	56	14	2	–	–	–	–	–	–	–
Warrington C.B.	78,600	34	17	2	–	–	–	3	–	–	–
Bolton C.B.	182,200	72	36	5	–	–	–	–	–	–	1
Bury C.B.	57,600	12	12	–	–	–	–	–	–	–	–
Manchester C.B.	744,000	329	152	24	–	12	–	1	2	2	1
Salford C.B.	239,100	101	53	10	–	9	–	1	–	2	–
Oldham C.B.	148,300	60	34	2	–	11	–	–	–	–	–
Rochdale C.B.	92,700	32	22	2	–	1	–	–	–	–	–
Burnley C.B.	105,300	27	25	1	–	–	–	1	1	–	–
Blackburn C.B.	129,400	46	31	2	–	–	–	–	–	–	–
Preston C.B.	119,900	41	17	4	–	–	–	–	–	–	–
Blackpool C.B.	73,800	18	18	4	–	–	–	1	–	1	–
Barrow-in-Furness C.B.	75,200	26	15	2	–	–	–	–	–	1	–
Huddersfield C.B.	111,900	30	21	1	–	–	–	1	–	–	–
Halifax C.B.	100,700	36	28	2	–	–	–	–	–	–	–
Bradford C.B.	291,100	95	55	2	–	–	1	–	–	–	–
Leeds C.B.	465,500	165	91	14	–	–	2	1	1	2	1
Dewsbury C.B.	55,100	21	12	1	–	–	–	–	–	–	1
Wakefield C.B.	53,763	19	12	2	–	–	–	–	–	–	–
Barnsley C.B.	68,991	43	17	5	–	–	–	–	–	2	–
Sheffield C.B.	519,239	203	80	7	–	–	–	1	–	–	–
Rotherham C.B.	69,100	29	12	1	–	1	–	–	–	–	–
Doncaster	54,700	34	15	1	–	1	–	1	–	1	1
York C.B.	84,500	45	16	3	–	–	–	–	1	–	–
Hull C.B.	291,800	147	70	11	–	1	–	3	–	–	–
Middlesbrough C.B.	133,400	81	27	6	–	–	–	–	–	1	–
Darlington C.B.	66,400	28	10	–	–	–	–	–	–	–	1
Stockton-on-Tees	65,000	41	10	3	–	–	–	1	–	1	–
West Hartlepool C.B.	69,300	47	16	5	–	3	–	–	–	1	–
Sunderland C.B.	161,100	80	46	2	–	–	–	1	–	1	–
South Shields C.B.	120,376	69	22	5	–	–	–	–	–	–	–
Gateshead C.B.	126,700	66	20	11	–	–	–	2	–	2	–
Newcastle-on-Tyne C.B.	278,400	134	38	4	–	–	–	–	–	–	–
Tynemouth C.B.	63,900	39	10	2	–	–	–	–	–	–	–
Carlisle C.B.	53,200	21	8	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	44	16	5	–	–	–	–	–	–	–
Cardiff C.B.	202,700	89	31	4	–	1	–	1	–	–	–
Rhondda	166,600	98	30	5	–	–	–	–	–	–	–
Merthyr Tydfil C.B.	81,800	41	15	4	–	–	–	–	–	1	–
Aberdare	56,100	16	8	2	–	–	–	–	–	–	–
Swansea C.B.	159,600	61	22	2	–	–	–	–	–	1	–
Greater London	7,523,963*	3,049	1,237	117		10	4	10	20	7	5
Outer Ring	3,009,558*	1,115	440	38	–	2	2	5	5	2	1
16 Great Towns in Outer Ring	1,820,700	699	244	24	–	2	1	2	3	–	–
Remainder of Outer Ring	1,188,858*	416	196	14	–	–	1	3	2	2	1
Edinburgh†	420,500	165	74	10	–	2	–	1	–	–	1
Glasgow†	1,037,800	528	225	39	–	4	–	3	3	6	1
Dublin (Registration Area)†	427,000	212	84	11	–	1	–	–	2	3	–
Belfast†	425,000	194	102	23	–	–	1	1	2	–	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,514,405	1922. Aug. 5	1934	797	9·2	–	1	8	2	5	15	5	4
CALCUTTA	896,067	July 1	?	394§	22·5	?	4	?	?	?	?	?	5
BOMBAY	1,175,914	June 24	337‖	547§	24·2	–	–	1	–	–	–	44	8
MADRAS	522,951	„ 24	425	365	36·3	2	20	4	?	1	–	37	1
SYDNEY AND SUBURBS	926,400												
BRISBANE (Met. Area).	210,032	May 31 days.	522	180	10·3	1	–	–	–	–	3	3	3
PERTH (Metropolitan Area).	154,866	June 10	94	26	8·7	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	157,757												
WELLINGTON (Urban Area).	107,488												
CHRISTCHURCH (Urban Area).	105,670												
CAPE TOWN	101,000	June 17	62	45	23·2	2	–	–	–	–	1	2	1
JOHANNESBURG	149,500	„ 24	70	47	16·3	1	–	–	–	–	–	–	5
DURBAN	48,000	„ 24	26	12	13·0	–	–	–	–	–	–	1	1
PARIS	2,906,472	July 20 10 days.	1360	838	10·5	3	–	2	–	3	–	22	2
ANTWERP	303,421	June 24	116	62	10·6	–	–	2	–	2	3	1	–
AMSTERDAM	690,877	July 15	301	100	7·5	–	–	2	–	1	–	–	–
COPENHAGEN	562,000	„ 22	202	92	8·5	–	–	1	–	–	–	–	–
STOCKHOLM	422,042	„ 22	110	72	8·9	–	–	–	–	–	1	1	–
GOTHENBURG	228,052												
CHRISTIANIA	258,933	July 29	93	49	9·8	–	–	–	–	1	–	–	–
BERLIN	1,970,000	June 17	461	458	12·1	2	?	5	2	2	2	4	1
BRESLAU	557,000	„ 17	203	143	13·4	1	?	–	–	–	–	3	1
COLOGNE	677,000	„ 17	282	156	12·0	–	?	–	–	9	–	5	1
DRESDEN	605,000	„ 17	184	129	11·1	–	?	–	–	–	–	–	–
FRANKFORT-ON-MAIN	476,000	„ 17	100	88	9·6	–	?	–	–	2	–	2	2
HAMBURG	1,053,000	„ 17	338	267	13·2	–	?	–	2	–	–	3	1
LEIPZIG	673,000	„ 17	225	170	13·1	–	?	–	1	–	–	2	1
MUNICH	680,000	„ 17	232	157	12·0	–	?	–	–	–	–	6	2
VIENNA	1,842,005	July 1	448	494	13·9	1	–	–	1	3	–	17	1
PRAGUE AND SUBURBS	689,262	June 17	292	179	13·5	1	–	2	–	1	1	8	–
BUDAPEST	940,000												
CAIRO	777,500	May 13	714	543	36·3	3	–	8	–	?	3	95	?
ALEXANDRIA	456,300	„ 13	378	213§	24·3	1	–	–	–	?	–	26	?
NEW YORK	5,839,738	July 1	2498	1079	9·6	3	–	12	3	2	11	25	–
CHICAGO	2,833,288	„ 8	?	458	8·4	1	–	4	1	2	6	29	1
RIO DE JANEIRO	1,197,504	June 17	654	484	21·1	4	3	8	–	1	1	–	30
MONTEVIDEO	350,476	March 4	216	82	19·6	3	–	–	–	–	1	4	–
		„ 11	176	104	19·4	9	–	–	–	1	–	6	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 10 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 3 in Calcutta, 8 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 5th August, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	797	79	14	31	22	36	45	66	91	131	149	133
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	1	–	–	–	–	–	1	–	–	–	–	–
Measles	8	1	4	3	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	5	4	–	1	–	–	–	–	–	–	–	–
Diphtheria	15	–	2	8	5	–	–	–	–	–	–	–
Influenza	4	–	1	1	–	–	–	–	1	–	–	1
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	78	–	–	–	3	16	15	19	10	9	4	2
Tuberculous meningitis	3	1	1	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	8	1	1	2	–	–	2	–	–	1	–	1
Venereal diseases	2	1	–	–	–	–	–	–	–	1	–	–
Cancer	121	–	–	–	–	–	4	10	25	38	27	17
Rheumatic fever	3	–	–	1	1	–	–	1	–	–	–	–
Diabetes	9	–	–	–	–	–	–	–	1	–	8	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	1	–	–	2	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	48	–	–	–	–	1	1	1	3	15	15	12
Epilepsy	2	–	–	–	–	1	–	1	–	–	–	–
"Convulsions" (not puerperal)	3	2	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	21	1	–	2	1	1	1	4	4	2	4	1
Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	8	–	–	–	–	4	1	1	–	1	1	–
Other diseases of heart	118	–	–	–	1	4	6	9	16	19	34	29
Other dis. of circulatory system	23	–	–	–	–	–	–	–	3	6	7	7
Bronchitis	42	5	2	–	–	–	–	1	2	6	8	18
Broncho-pneumonia	20	7	1	3	–	–	–	–	1	3	3	2
Lobar pneumonia	17	1	–	1	–	–	2	–	7	5	1	–
Pneumonia (type not distinguished)	6	2	–	–	–	–	–	–	1	–	2	1
Other diseases of respiratory system	10	1	–	–	1	–	–	3	1	–	2	2
Diarrhœa and enteritis	7	5	–	1	–	–	–	–	–	–	–	1
Appendicitis and typhlitis	4	–	–	–	1	–	1	–	1	–	1	–
Hernia, Intestinal obstruction	10	1	–	1	–	–	–	2	2	–	2	2
Cirrhosis of liver	4	–	–	–	–	–	1	–	1	1	1	–
Other diseases of digestive system	16	–	–	–	1	1	1	1	3	5	1	3
Acute nephritis	1	–	–	–	–	–	1	–	–	–	–	–
Chronic Bright's disease	23	–	–	–	–	3	2	1	1	6	8	2
Other diseases of genito-urinary system.	17	–	–	–	–	–	–	1	1	5	4	6
Puerperal fever, &c.	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth	4	–	–	–	–	1	2	1	–	–	–	–
Congenital malformations	7	6	–	1	–	–	–	–	–	–	–	–
Premature birth	18	18	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	20	–	–	–	–	–	–	–	–	–	6	14
Suicide	6	–	–	–	–	–	1	2	2	–	1	–
Burns and scalds	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	1	3	1	–	1	1	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	–	1	2	2	2	–	–	–	1	3
Other deaths by violence	16	2	–	–	–	1	1	1	–	3	3	5
Other specified causes	35	10	1	–	–	–	–	6	4	5	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th August 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	†Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	24	–	4	C. 3 M. 2
†BERMONDSEY ...	–	24	28	–	2	–
†BETHNAL GREEN	–	10	10	–	2	M. 1
†CAMBERWELL ...	–	14	14	–	1	–
†CHELSEA ...	–	2	6	–	–	–
†DEPTFORD ...	–	12	4	–	–	–
†FINSBURY ...	–	5	6	–	1	–
†FULHAM ...	–	7	5	3	6	–
†GREENWICH ...	–	10	13	–	–	–
†HACKNEY ...	–	11	5	–	–	–
†HAMMERSMITH	–	7	4	1	1	D. 1 M. 1
†HAMPSTEAD ...	–	4	3	–	–	M. 1
†HOLBORN ...	–	2	1	–	1	–
†ISLINGTON ...	–	16	20	–	–	M. 1
†KENSINGTON ...	–	7	3	–	–	–
†LAMBETH ...	–	18	7	–	2	M. 3
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	9	3	–	1	–
†PADDINGTON ...	–	3	4	2	3	C. 1 M. 1
†POPLAR... ...	–	12	20	–	5	–
†ST. MARYLEBONE	–	8	–	–	2	M. 1
†ST. PANCRAS ...	–	13	10	–	1	–
†SHOREDITCH ...	–	6	12	–	4	M. 1
†SOUTHWARK ...	–	20	7	–	1	M. 1
†STEPNEY ...	1	11	8	–	3	M. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH	–	20	12	–	4	C. 1 M. 6
†WESTMINSTER, CITY OF	–	3	9	1	–	–
†WOOLWICH ...	–	8	10	–	1	–
TOTAL OF PART I.	1	272	250	7	45	C. 5 D. 1 M. 20

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	5	–	1	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	3	–	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts :—						
BEDFORD ...	–	–	–	–	1	–
BIGGLESWADE ...	–	1	2	–	–	–
BERKS	–	18	7	–	–	C. 1
Boroughs and Urban Districts :—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR	–	–	–	–	–	C. 1
†READING C.B....	–	6	2	–	–	–
WALLINGFORD ...	–	3	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	3	–	–	–
BRADFIELD ...	–	–	1	–	–	–
COOKHAM ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	4	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM	–	3	–	–	2	–
Boroughs and Urban Districts :—						
†CHIPPING WYCOMBE	–	–	–	–	2	–
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
WYCOMBE ...	–	2	–	–	–	–
CAMBRIDGE ...	–	4	2	–	–	–
Borough :—						
†CAMBRIDGE ...	–	3	2	–	–	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
CHESTER	–	43	22	–	15	C. 2 M. 5
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
ALSAGER ...	*	*	*	*	*	*
†ALTRINCHAM ...	–	2	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	1	–	1	–
†BIRKENHEAD C.B.	–	3	4	–	4	M. 1
BOLLINGTON ...	–	–	–	–	1	–
BOWDON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	1	–
†CHESTER C.B. ...	–	2	1	–	–	–
†CONGLETON ...	–	–	2	–	1	M. 1
†CREWE	–	1	–	–	1	–
†DUKINFIELD ...	–	–	–	–	2	M. 1
†ELLESMERE PORT AND WHITBY	–	1	–	–	1	–
HALE	–	2	–	–	–	–
†HYDE	–	4	1	–	–	–
KNUTSFORD ...	–	4	3	–	–	–
†MACCLESFIELD...	–	2	–	–	1	–
†NORTHWICH ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poli yemlitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUNCORN ...	–	4	–	–	–	–
†STOCKPORT C.B.	–	3	2	–	–	C. 1
†WALLASEY C.B.	–	2	1	–	–	M. 1
†WINSFORD ...	–	1	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER ...	–	1	–	–	–	–
MACCLESFIELD ...	–	–	1	–	–	C. 1
MALPAS ...	–	1	–	–	–	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	1	1	–	–	–
WIRRAL... ...	–	2	1	–	–	M. 1
CORNWALL ...	–	1	3	–	3	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	–
ST. JUST ...	–	–	2	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–	–	–	1	–
CAMELFORD ...	*	*	*	*	*	*
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT COLUMB MAJOR	–	–	1	–	–	–
CUMBERLAND ...	–	4	5	–	1	E. 2 M. 2
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	1	–	–	–	M. 1
COCKERMOUTH ...	–	1	–	–	–	–
EGREMONT ...	–	–	1	–	–	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRITH ...	–	–	–	–	1	M. 1
†WORKINGTON ...	–	1	1	–	–	E. 2
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON... ...	–	–	3	–	–	–
DERBY	1	36	8	–	10	C. 2 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	2	2	–	–	C. 1
†DERBY C.B. ...	–	13	2	–	3	C. 1 M. 2
†GLOSSOP ...	–	1	–	–	–	–
†ILKESTON ...	1	–	–	–	–	–
MATLOCK ...	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	4	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	2	–	–	–	–
BELPER ...	–	1	–	–	1	–
BLACKWELL ...	–	4	2	–	1	–
CHESTERFIELD ...	–	1	1	–	4	–
REPTON... ...	–	5	–	–	–	–
SHARDLOW ...	–	–	1	–	–	–
DEVON	–	10	5	1	4	M. 2
Boroughs and Urban Districts:—						
BUCKFASTLEIGH	*	*	*	*	*	*
DAWLISH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Exeter C.B. ...	–	1	–	–	1	–
†Plymouth C.B.	–	5	3	1	1	M. 2
†Teignmouth ...	–	1	–	–	–	–
Rural Districts:—						
Plympton St. Mary	–	–	1	–	–	–
St. Thomas ...	–	1	–	–	–	–
Tavistock ...	–	2	–	–	–	–
Tiverton ...	–	–	–	–	1	–
Torrington ...	–	–	–	–	1	–
DORSET	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†Poole	–	1	–	–	–	–
Rural Districts:—						
Dorchester ...	–	–	1	–	–	–
Poole	–	2	–	–	–	–
Wimborne and Cranborne	–	–	1	–	–	–
DURHAM... ...	–	41	14	–	14	C. 1 F. 1 M. 7
Boroughs and Urban Districts:—						
†Annfield Plain	–	–	1	–	–	–
Benfieldside ...	–	1	–	–	–	M. 1
†Chester-le-Street	–	1	–	–	–	–
†Consett ...	–	–	1	–	1	M. 1
Crook	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Darlington C.B.	–	4	3	–	–	–
†Durham ...	–	1	–	–	–	–
†Felling ...	–	2	–	–	–	–
†Gateshead C.B.	–	5	3	–	2	M. 1
†Hetton... ...	–	–	–	–	1	–
Leadgate ...	–	1	–	–	–	–
†Ryton	–	1	–	–	–	–
†Shildon ...	–	–	1	–	–	–
†South Shields C.B.	–	4	–	–	1	–
†Southwick-on-Wear	–	1	–	–	–	M. 1
Stanhope ...	*	*	*	*	*	*
†Stanley ...	–	–	1	–	–	M. 1
†Stockton-on-Tees	–	–	–	–	1	–
†Sunderland C.B.	–	4	–	–	2	C. 1 F. 1 M. 1
†Tanfield ...	–	–	2	–	–	–
†West Hartlepool C.B	–	–	–	–	1	–
Rural Districts:—						
Auckland ...	–	5	1	–	–	–
Chester-le-Street	–	2	1	–	–	–
Durham ...	–	1	–	–	–	–
Easington ...	–	3	–	–	2	–
Houghton-le-Spring	–	–	–	–	1	M. 1
Sedgefield ...	–	3	–	–	–	–
Stockton ...	–	–	–	–	2	–
Sunderland ...	–	1	–	–	–	–
ISLE OF ELY ...	–	1	–	–	–	–
Rural District:—						
Wisbech ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	2	62	33	3	9	C. 2 E. 1 L. 1 M. 2
Boroughs and Urban Districts :—						
BUCKHURST HILL	–	–	1	–	1	L. 1
CHINGFORD ...	–	–	1	–	–	–
†COLCHESTER ...	–	–	–	–	–	M. 1
†EAST HAM C.B.	–	7	–	1	3	–
†HARWICH ...	–	1	2	–	–	–
†ILFORD	–	5	9	–	–	C. 1
†LEYTON... ...	–	7	1	1	1	–
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	–	1	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS-ON-SEA	–	2	–	–	–	–
†SOUTHEND-ON-SEA C.B.	1	4	–	–	–	C. 1
†WALTHAMSTOW	–	6	4	–	2	E. 1
†WEST HAM C.B.	1	17	8	1	2	M. 1
WITHAM ...	–	–	1	–	–	–
†WOODFORD ...	–	1	1	–	–	–
Rural Districts :—						
BRAINTREE ...	–	1	1	–	–	–
CHELMSFORD ...	–	–	1	–	–	–
DUNMOW ...	–	1	–	–	–	–
MALDON ...	–	3	–	–	–	–
ORSETT	–	2	–	–	–	–
ROMFORD ...	–	1	2	–	–	–
STANSTED ...	–	2	–	–	–	–
GLOUCESTER ...	–	38	12	1	11	E. 1 M. 1
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	30	9	–	7	E. 1
†CHELTENHAM ...	–	–	–	–	–	M. 1
CIRENCESTER ...	–	1	–	–	–	–
†GLOUCESTER C.B.	–	1	1	–	–	–
TETBURY ...	–	–	1	–	–	–
Rural Districts :—						
CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
DURSLEY ...	–	2	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	–
GLOUCESTER ...	–	–	–	1	–	–
NORTHLEACH	–	1	–	–	–	–
STROUD	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	5	–	–	1	–
Boroughs and Urban Districts :—						
†HEREFORD ...	–	2	–	–	–	–
Rural Districts :—						
DORE	–	2	–	–	–	–
HEREFORD ...	–	–	–	–	1	–
LEDBURY ...	–	1	–	–	–	–
HERTFORD ...	–	13	7	–	2	M. 1
Boroughs and Urban Districts :—						
BALDOCK ...	–	–	–	–	–	M. 1
BISHOP STORTFORD	–	–	–	–	1	–
BUSHEY ...	–	2	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
ROYSTON ...	–	–	–	–	1	–
†ST. ALBANS ...	–	5	2	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
†WATFORD ...	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
HADHAM ...	–	1	1	–	–	–
HERTFORD ...	–	–	1	–	–	–
HITCHIN ...	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	–	–
KENT	–	26	20	7	4	M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY ...	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETERS	–	1	–	–	–	–
†BROMLEY ...	–	2	1	–	–	–
†CRAYFORD ...	–	2	–	1	–	–
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	–	1	–	–	–
†ERITH	–	–	–	2	–	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	–	–	1	1	–
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	1	1	–	–	M. 1
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	1	1	2	–	–
MILTON REGIS...	–	–	–	–	1	M. 1
†NORTHFLEET ...	–	5	–	–	–	–
†RAMSGATE ...	–	1	6	1	–	–
†SHEERNESS ...	–	–	1	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
CRANBROOK ...	–	1	1	–	–	–
DARTFORD ...	–	3	1	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
ISLE OF THANET	–	1	1	–	–	–
MALLING ...	–	1	–	–	–	
STROOD... ...	–	–	1	–	–	–
LANCASTER ...	–	228	61	2	100	C. 4 E. 1 G. 3 M. 25
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	1	1	–	–	–
†ASHTON-UNDER-LYNE	–	1	–	–	–	–
ASPULL	–	1	–	–	–	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	2	–
BARROWFORD ...	*	*	*	*	*	*
†BARROW-IN-FURNESS C.B.	–	6	–	–	–	–
BILLINGE ...	–	1	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	2	–
†BLACKPOOL C.B.	–	5	3	–	2	–
†BOLTON C.B. ...	–	4	–	–	3	–
†BOOTLE C.B. ...	–	3	1	–	–	M 4
†BURNLEY C.B.	–	9	4	–	2	C. 1
†CHADDERTON ...	–	–	–	–	–	M 2.
†COLNE	–	2	1	–	1	–
†CROMPTON ...	–	–	1	–	–	E. 1
†DARWEN ...	–	3	–	–	–	–
†DENTON ...	–	–	1	–	1	–
†DROYLSDEN ...	–	–	–	–	2	–
†ECCLES ...	–	3	1	–	2	–
†FAILSWORTH ...	–	2	–	–	2	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	1	–	–	4	–
†GREAT CROSBY...	–	1	–	–	–	–
†HASLINGDEN ...	–	–	–	–	3	–
†HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	1	–	–	–
†HINDLEY ...	–	3	1	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Horwich ...	–	–	1	–	–	–
†Ince-in-Makerfield	–	2	–	–	1	–
Irlam	–	–	1	–	–	–
†Lancaster ...	–	–	1	1	3	–
Lees	–	–	–	1	–	–
†Leigh	–	3	2	–	1	M. 1
Leyland ...	–	1	–	–	–	–
Little Hulton	*	*	*	*	*	*
†Liverpool C.B.	–	36	11	–	9	G. 1
†Manchester C.B.	–	40	8	–	32	C. 1 G. 2 M. 12
†Middleton ...	–	2	–	–	–	–
Milnrow ...	–	5	–	–	–	–
†Morecambe ...	–	–	1	–	–	–
†Nelson	–	1	–	–	–	–
†Newton-in-Makerfield	–	1	–	–	1	–
†Oldham C.B.	–	6	3	–	4	M. 1
Ormskirk ...	–	–	1	–	–	–
†Oswaldtwistle	–	–	–	–	1	–
Prescot ...	–	1	–	–	–	–
†Preston C.B. ...	–	5	–	–	1	M. 1
†Prestwich ...	–	–	1	–	–	–
†Radcliffe ...	–	2	–	–	–	–
†Ramsbottom ...	–	1	–	–	–	–
†Rawtenstall ...	–	3	2	–	1	M. 1
†Rochdale C.B.	–	14	–	–	1	–
†Royton... ...	*	*	*	*	*	*
†St. Annes-on-the-Sea ...	–	2	–	–	–	–
†St. Helens C.B.	–	–	1	–	–	M. 1
†Salford C.B. ...	–	22	4	–	8	M. 1
†Southport C.B.	–	1	–	–	–	–
Standish-with-Langtree	–	–	–	–	–	M. 1
†Stretford ...	–	3	1	–	1	–
†Swinton and Pendlebury	–	1	2	–	2	–
†Turton... ...	–	–	–	–	–	C. 1
†Tyldesley-with-Shakerley	–	1	–	–	–	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†Warrington C.B.	–	4	–	–	3	–
†Waterloo-with-Seaforth	–	–	–	–	1	–
Whitefield ...	–	–	–	–	1	–
†Widnes ...	–	7	1	–	1	–
†Wigan C.B. ...	–	1	2	–	–	–
†Worsley ...	–	–	1	–	–	–
Rural Districts:—						
Bury	–	1	–	–	–	–
Chorley ...	–	3	–	–	–	–
Clitheroe ...	–	–	1	–	–	–
Leigh	–	1	–	–	–	–
Limehurst ...	–	1	–	–	–	–
Lunesdale ...	–	–	1	–	–	–
Warrington ...	–	2	–	–	–	–
Whiston ...	–	1	–	–	–	–
LEICESTER ...	–	21	5	–	2	M. 1
Boroughs and Urban Districts:—						
Ashby-de-la-Zouch	–	2	–	–	–	–
†Coalville ...	*	*	*	*	*	*
†Hinckley ...	–	–	1	–	–	–
†Leicester C.B.	–	16	3	–	1	M. 1
Rural Districts:—						
Barrow-upon-Soar	–	–	–	–	1	–
Billesdon ...	–	1	–	–	–	–
Blaby	–	–	1	–	–	–
Lutterworth ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	–	–	–	–
Rural Districts—						
BOSTON ...	–	–	2	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	2	M. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	2	–
Rural District:—						
BOURNE ...	–	1	–	–	–	–
CLAYPOLE ...	–	1	–	–	–	–
GRANTHAM ...	–	–	–	–	–	M. 1
LINCOLN (parts of Lindsey).	–	3	6	2	1	–
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	–	1	–	–
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH...	–	–	2	–	–	–
†GRIMSBY C.B. ...	–	–	2	–	–	–
LOUTH	–	–	–	1	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	1	–
SKEGNESS ...	–	2	1	–	–	–
MIDDLESEX ...	–	59	47	–	7	C 1 G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	5	–	–	–
†EALING ...	–	8	3	–	–	–
†ENFIELD ...	–	1	1	–	–	–
FELTHAM ...	–	3	1	–	–	–
†FINCHLEY ...	–	1	–	–	1	–
†FRIERN BARNET	–	–	–	–	–	C. 1
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	3	–	–	–	–
†HARROW-ON-THE-HILL	–	–	2	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	2	8	–	–	–
†HESTON AND ISLEWORTH	–	6	–	–	–	–
†HORNSEY ...	–	2	2	–	–	–
†SOUTHALL-NORWOOD	–	–	–	–	–	L. 1
†SOUTHGATE ...	–	1	–	–	–	M. 1
STAINES ...	*	*	*	*	*	*
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	14	6	–	4	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	2	–	–	–	–
†WILLESDEN ...	–	6	13	–	2	G. 1
†WOOD GREEN ...	–	5	–	–	–	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
STAINES ...	–	–	3	–	–	–
NORFOLK ...	–	27	3	1	2	–
Boroughs and Urban Districts:—						
CROMER ...	–	1	–	–	–	–
†GREAT YARMOUTH C.B.	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORWICH C.B....	–	16	2	1	1	–
SWAFFHAM ...	–	2	–	–	–	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
FREBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	3	–	–	–	–
NORTHAMPTON	–	6	4	–	2	D. 1 E. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	1	–	–	E. 1
†NORTHAMPTON C.B.	–	5	1	–	2	D. 1
Rural Districts:—						
DAVENTRY ...	–	–	2	–	–	–
HARDINGSTONE	–	1	–	–	–	–
NORTHUMBERLAND.	–	22	11	–	17	C. 2 E. 1 M. 4
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	M. 1
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	–	–	–	2	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	1	–	–	–
†BLYTH	–	–	–	–	1	–
†GOSFORTH ...	–	1	1	–	–	–
HEXHAM ...	–	1	–	–	1	–
MORPETH ...	–	–	–	–	–	C. 1
†NEWBURN ...	–	3	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	6	5	–	12	C 1 E. 1 M. 2
SEATON DELAVAL	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	3	–	–	1	M. 1
†WALLSEND ...	–	3	2	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	–	1	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	1	–	–	–
NOTTINGHAM ...	–	17	2	1	9	E. 1 M. 3
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	–	M. 1
†CARLTON ...	–	1	–	–	–	–
†EAST RETFORD...	–	–	–	–	4	–
†KIRKBY-IN ASHFIELD	–	–	–	1	–	–
†MANSFIELD ...	–	1	–	–	–	M. 1
†MANSFIELD WOODHOUSE	–	–	–	–	3	–
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	8	1	–	2	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON-IN-ASHFIELD	–	–	–	–	–	M. 1
WARSOP ...	*	*	*	*	*	*
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP ...	–	1	–	–	–	–
Rural Districts:—						
BLYTH AND CUCKNEY	–	1	–	–	–	–
NEWARK ...	–	2	–	–	–	–
SOUTHWELL ...	–	1	1	–	–	–
OXFORD	–	9	1	2	1	–
Boroughs and Urban Districts:—						
†OXFORD C.B. ...	–	4	–	–	1	–
Rural Districts:—						
CROWMARSH ...	–	1	–	2	–	–
HEADINGTON ...	–	2	–	–	–	–
THAME	–	1	–	–	–	–
WITNEY ...	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	3	–
Borough:—						
†PETERBOROUGH	–	2	–	–	2	–
Rural Districts:—						
PETERBOROUGH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	–	1	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	11	4	–	2	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	–	1	–	–	M. 1
NEWPORT ...	–	–	–	–	1	–
†OAKENGATES ...	–	–	1	–	–	G. 1
OSWESTRY ...	–	1	–	–	–	–
†WENLOCK ...	–	5	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	1	–	–	–
LUDLOW ...	–	–	1	–	–	C. 1
OSWESTRY ...	–	5	–	–	–	–
WEM	–	–	–	–	1	–
SOMERSET ...	–	8	5	1	4	M. 3
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	3	–	–	–	M. 1
†BRIDGWATER ...	–	1	–	–	–	–
BURNHAM-ON-SEA	–	1	–	–	–	–
CLEVEDON ...	–	–	–	1	–	–
ILMINSTER ...	*	*	*	*	*	*
†YEOVIL	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	–	–
BATH	–	–	–	–	1	–
CHARD	*	*	*	*	*	*
CLUTTON ...	–	–	–	–	1	–
DULVERTON ...	–	–	–	–	1	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	–	1	–	1	–
SHEPTON MALLET	–	–	3	–	–	–
TAUNTON ...	–	–	–	–	–	M. 1
SOUTHAMPTON...	–	24	22	–	2	M. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	2	1	–	–	–
CHRISTCHURCH...	–	1	–	–	1	–
†FARNBOROUGH...	–	1	–	–	–	–
PETERSFIELD ...	–	–	2	–	–	–
†PORTSMOUTH C.B.	–	7	11	–	–	–
†SOUTHAMPTON C.B.	–	10	7	–	–	M. 1
Rural Districts:—						
CATHERINGTON...	*	*	*	*	*	*
CHRISTCHURCH ...	–	–	–	–	1	–
FAREHAM ...	–	–	1	–	–	–
HAVANT ...	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
STAFFORD ...	–	74	21	–	34	C. 1 D. 1 G. 1 L. 2 M. 14
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	2	–	–	–
†BILSTON ...	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	1	1	–	–	–
†BURTON-UPON-TRENT C.B.	–	5	–	–	–	M. 1
†CANNOCK ...	–	1	1	–	–	–
†COSELEY ...	–	4	–	–	–	M. 1
†HEATH TOWN ...	–	1	–	–	1	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	1	–	–	–	M. 1
LICHFIELD ...	–	–	–	–	–	M. 1
QUARRY BANK	–	3	–	–	–	–
†ROWLEY REGIS	–	–	–	–	1	–
SHORT HEATH ...	–	–	–	–	2	–
†SMETHWICK C.B.	–	14	3	–	1	–
†STOKE-ON-TRENT C.B.	–	12	4	–	18	D. 1 M. 7
STONE	–	–	1	–	–	–
TAMWORTH ...	–	1	–	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	1	–	–	–	C. 1
†WALSALL C.B....	–	2	1	–	1	–
†WEDNESBURY ...	–	6	–	–	1	M. 2
WEDNESFIELD ...	–	–	1	–	–	–
†WEST BROMWICH C.B.	–	11	3	–	1	–
†WILLENHALL ...	–	–	–	–	4	–
†WOLSTANTON UNITED	–	1	–	–	–	–
†WOLVERHAMPTON C.B.	–	1	–	–	–	G 1 M. 1
Rural Districts:—						
CANNOCK ...	–	1	–	–	–	–
CHEADLE ...	–	–	1	–	–	L. 2
LEEK	–	2	–	–	1	–
LICHFIELD ...	–	1	1	–	–	–
STONE	–	–	1	–	1	–
UTTOXETER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	8	2	–	3	M. 2
Boroughs and Urban Districts :—						
BECCLES ...	*	*	*	*	*	*
EYE	–	1	1	–	–	–
†FELIXSTOWE ...	–	2	–	–	–	–
†IPSWICH C.B. ...	–	–	1	–	–	M. 2
†LOWESTOFT ...	–	4	–	–	–	–
STOWMARKET ...	–	–	–	–	1	–
Rural Districts :—						
HARTISMERE ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	2	–
SUFFOLK, WEST	–	2	–	–	1	–
Boroughs and Urban Districts :—						
HADLEIGH ...	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	–	–
SURREY	–	39	22	–	3	L. 3
Boroughs and Urban Districts :—						
†BARNES ...	–	–	2	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	*	*	*	*	*	*
†CATERHAM ...	–	–	–	–	1	–
†CROYDON C.B....	–	5	5	–	–	–
DORKING ...	*	*	*	*	*	*
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	1	–	–	–	–
†EPSOM	*	*	*	*	*	*
†ESHER AND THE DITTONS	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY ...	–	4	–	–	–	–
†KINGSTON-UPON-THAMES	–	5	2	–	–	–
LEATHERHEAD ...	*	*	*	*	*	*
†MERTON AND MORDEN	–	7	–	–	–	–
†MITCHAM ...	–	4	–	–	–	–
†REIGATE ...	–	–	1	–	–	L. 3
†RICHMOND ...	–	1	3	–	–	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	–	–	–	1	–
†WALTON-UPON-THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	3	1	–	–	–
WINDLESHAM ...	–	–	1	–	–	–
Rural Districts :—						
DORKING ...	*	*	*	*	*	*
EPSOM	*	*	*	*	*	*
FARNHAM ...	–	–	4	–	–	–
GODSTONE ...	–	3	–	–	–	–
REIGATE ...	–	–	2	–	–	–
SUSSEX, EAST ...	–	20	4	1	4	L. 1
Boroughs and Urban Districts :—						
†BEXHILL ...	–	1	–	–	–	–
†BRIGHTON C.B.	–	6	2	–	1	–
†EASTBOURNE C.B.	–	2	–	1	2	–
†HASTINGS C.B.	–	1	–	–	–	–
HAYWARDS HEATH	–	2	–	–	–	–
†HOVE	–	4	1	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE-BY-SEA	–	2	–	–	–	–
SEAFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1
RYE	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	2	2	–	C. 1 G 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	1	–	–	–	C. 1
SHOREHAM-BY-SEA	–	–	–	1	–	G. 1
†WORTHING ...	–	1	2	1	–	–
Rural District:—						
THAKEHAM ...	–	1	–	–	–	–
WARWICK ...	–	81	27	1	24	C. 2 M. 15
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	67	19	–	18	C. 2 M. 13
†COVENTRY C.B.	–	3	1	–	1	–
†NUNEATON ...	–	–	–	–	1	–
†ROYAL LEAMINGTON SPA	–	–	1	–	–	–
†RUGBY	–	–	–	–	1	–
STRATFORD-UPON-AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	–	–	–	–	M. 1
WARWICK—*cont.*						
Rural Districts—*cont.*						
FOLESHILL ...	–	3	1	–	1	M. 1
MERIDEN ...	–	4	–	–	–	–
NUNEATON ...	–	–	–	1	1	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	–	2	–	–	–
SOUTHAM ...	–	–	1	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
WESTMORLAND	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	–	1	–	–	–
Boroughs and Urban District:—						
SHANKLIN ...	–	–	1	–	–	–
WILTS	–	21	6	–	2	M. 2
Boroughs and Urban Districts:—						
CALNE	–	–	1	–	–	–
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES ...	–	1	–	–	–	–
†SWINDON ...	–	3	1	–	–	M. 2
†TROWBRIDGE ...	–	–	1	–	–	–
WESTBURY ...	–	2	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	4	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
DEVIZES ...	–	2	–	–	–	–
HIGHWORTH ...	–	3	–	–	–	–
MARLBOROUGH	–	–	1	–	–	–
MERE	–	–	–	–	2	–
PEWSEY ...	–	1	–	–	–	–
RAMSBURY ...	–	1	–	–	–	–
TETBURY (part)	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–	–	–	–
WORCESTER ...	–	24	9	–	–	M. 1
Boroughs and Urban Districts:—						
†DUDLEY C B. ...	–	2	–	–	–	–
†KIDDERMINSTER	–	1	1	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	8	–	–	–	–
†OLDBURY ...	–	1	2	–	–	–
†REDDITCH ...	–	6	–	–	–	–
†STOURBRIDGE ...	*	*	*	*	*	*
†WORCESTER C.B.	–	1	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	2	1	–	–	–
FECKENHAM ...	–	2	–	–	–	–
PERSHORE ...	–	–	5	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	11	8	–	–	M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	*	*	*	*	*	*
†KINGSTON-UPON-HULL C.B.	–	5	6	–	–	M. 2
WITHERNSEA ...	–	1	–	–	–	–
†YORK C.B. ...	–	5	1	–	–	–
Rural Districts:—						
ESCRICK ...	–	–	–	–	–	M. 1
HOWDEN ...	*	*	*	*	*	*
NORTON... ...	*	*	*	*	*	*
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	4	2	4	–	4	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
LOFTUS	–	–	–	–	–	M. 1
MALTON... ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	4	–	–	–	2	–
†SCARBOROUGH ...	–	1	2	–	1	C. 1
†SKELTON AND BROTTON	–	–	–	–	–	E. 1
†WHITBY ...	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
MALTON ...	*	*	*	*	*	*
PICKERING ...	–	–	1	–	–	–
STARTFORTH ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	–	197	50	6	56	C.2 D. 1 E. 1 G. 2 L. 1 M. 8
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	–	–	1	–
ALTOFTS ...	–	1	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BARNSLEY C.B.	–	4	1	–	1	M. 1
†BATLEY ...	–	–	1	–	–	–
†BENTLEY-WITH-ARKSEY	–	2	–	–	–	–
†BINGLEY ...	–	–	–	–	–	G. 1
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON-UPON-DEARNE	–	1	–	–	1	–
†BRADFORD C.B.	–	28	3	–	1	D. 1
†BRIGHOUSE ...	–	1	–	–	–	–
BURLEY-IN-WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	1	–	–
†CONISBROUGH ...	–	–	–	–	1	–
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	–	1	–	1	–
†DARTON... ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	2	–	–	–	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	1	–	12	–
†ELLAND... ...	–	–	1	–	–	–
FARSLEY ...	–	1	–	–	–	–
FEATHERSTONE	–	1	–	–	–	–
GARFORTH ...	–	1	–	–	–	–
†GOOLE	–	4	–	–	2	G. 1 M. 1
GREASBOROUGH	–	–	1	–	–	–
†HALIFAX C.B. ...	–	2	1	–	–	–
HARROGATE ...	–	–	1	–	1	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	2	1	–	–	–
†HOLMFIRTH ...	–	–	1	–	–	–
HORSFORTH ...	–	2	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	M. 1
†HUDDERSFIELD C.B.	–	1	–	1	1	–
ILKLEY	–	1	–	–	–	–
KIRKBURTON ...	–	–	3	–	–	–
†LEEDS C.B. ...	–	65	6	1	6	C. 1 M. 1
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MELTHAM ...	–	1	–	–	–	–
METHLEY ...	–	1	–	–	–	–
†MORLEY ...	–	2	–	–	–	–
MYTHOLMROYD	–	1	1	–	–	–
†NORMANTON ...	–	–	–	–	1	–
†OSSETT	–	1	1	–	–	–
†PUDSEY... ...	–	3	–	–	–	–
†RAWMARSH ...	–	1	–	1	1	–
†ROTHERHAM C.B.	–	4	1	–	2	–
†ROTHWELL ...	–	3	1	–	–	–
ROYSTON ...	–	–	–	–	1	–
†SHEFFIELD C.B.	–	17	13	1	16	C. 1 E. 1 M. 1
†SHIPLEY ...	–	3	–	–	–	–
SILSDEN ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	–	M. 2
†STANLEY ...	–	1	–	–	–	–
†SWINTON ...	–	1	–	–	–	–
THURSTONLAND	–	–	–	–	–	L. 1
†TODMORDEN ...	–	3	–	–	1	–
†WAKEFIELD C.B.	–	5	–	–	–	–
WHITWOOD ...	–	3	–	–	–	–
†WOMBWELL ...	–	1	–	–	3	–
†WORSBOROUGH...	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	4	–	–	–	–
HEMSWORTH ...	–	2	2	1	–	–
HUNSLET ...	–	1	–	–	–	–
KIVETON PARK	–	3	–	–	–	–
PONTEFRACT ...	–	–	1	–	–	–
ROTHERHAM ...	–	–	3	–	–	–
TADCASTER ...	–	2	–	–	–	–
WAKEFIELD ...	–	2	–	–	–	–
WETHERBY ...	–	2	2	–	–	–
WHARFEDALE (South)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Rural Districts—						
VALLEY ...	*	*	*	*	*	*
BRECKNOCK ...	–	2	1	–	1	–
Boroughs and Urban Districts :—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	*	*	*	*	*	*
Rural Districts—						
YSTRADGYNLAIS	–	2	–	–	1	–
CARDIGAN ...	–	3	–	–	–	–
Rural Districts :—						
ABERYSTWITH (North)	–	3	–	–	–	–
CARMARTHEN ...	–	7	1	–	1	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	1	–	–	–	–
†LLANELLY ...	–	4	–	–	1	–
Rural Districts :—						
LLANDILO FAWR	*	*	*	*	*	*
LLANELLY ...	–	2	1	–	–	–
CARNARVON ...	–	5	3	–	1	–
Boroughs and Urban Districts :—						
BANGOR ...	–	1	–	–	–	–
CONWAY ...	–	–	1	–	–	–
LLANDUDNO ...	–	–	1	–	–	–
Rural Districts :—						
CONWAY ...	–	1	1	–	–	–
LLEYN	–	2	–	–	1	–
OGWEN	–	1	–	–	–	–
DENBIGH ...	–	1	–	–	1	–
Boroughs and Urban Districts :—						
LLANGOLLEN ...	*	*	*	*	*	*
Rural Districts :—						
LLANGOLLEN ...	*	*	*	*	*	*
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	8	5	–	1	C. 1
Boroughs and Urban Districts :—						
CONNAH'S QUAY	–	–	1	–	–	–
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
Hawarden (Holywell) ...	–	–	2	–	–	–
Holywell Div.)	–	–	–	–	1	C 1
Holywell (Mold Div.)	–	3	1	–	–	–
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	–	86	26	–	22	C. 1 M. 4
Boroughs and Urban Districts:—						
Aberdare ...	–	11	–	–	2	–
Barry	–	1	2	–	1	–
Bridgend ...	–	–	1	–	–	–
Briton Ferry	–	–	1	–	–	–
†Caerphilly ...	–	–	4	–	–	–
†Cardiff C.B. ...	–	8	4	–	1	M. 1
†Gelligaer ...	–	–	4	–	–	–
†Glyncorwg ...	–	1	–	–	–	–
†Maesteg ...	–	2	1	–	–	–
†Merthyr Tydfil C.B.	–	3	1	–	–	M. 1
†Mountain Ash	–	6	–	–	3	–
†Ogmore and Garw	–	6	1	–	–	–
†Pontypridd ...	–	4	1	–	3	–
Porthcawl ...	–	1	1	–	–	–
†Port Talbot ...	–	2	–	–	–	–
†Rhondda ...	–	18	2	–	10	M. 1
†Swansea C.B. ...	–	2	2	–	–	C 1 M. 1
Rural Districts:—						
Llandaff and Dinas Powis	–	2	–	–	–	–
Llantrisant and Llantwit Fardre	–	4	–	–	–	–
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
Neath	–	12	–	–	1	–
Penybont ...	–	1	1	–	–	–
Pontardawe ...	–	1	–	–	–	–
Swansea ...	–	1	–	–	1	–
MERIONETH ...	–	1	–	–	1	–
Rural Districts:—						
Dolgelley ...	–	1	–	–	–	–
Penllyn ...	–	–	–	–	1	–
Pennal (parish)	*	*	*	*	*	*
MONMOUTH ...	–	27	4	–	6	M. 2
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	2	–	–	–
†Abersychan ...	–	1	–	–	–	–
†Abertillery ...	–	1	1	–	–	M. 1
Bedwellty ...	–	3	–	–	–	–
†Ebbw Vale ...	–	4	–	–	–	–
Llantarnam ...	–	1	–	–	1	–
Monmouth ...	–	4	–	–	–	–
†Mynddislwyn	–	1	–	–	–	–
†Nantyglo and Blaina	–	1	–	–	–	–
†Newport C.B....	–	6	–	–	1	M. 1
†Panteg... ...	–	2	–	–	–	–
†Rhymney ...	*	*	*	*	*	*
†Tredegar ...	–	–	–	–	4	–
Rural Districts:—						
Chepstow ...	–	2	–	–	–	–
Monmouth ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	–	–	–	–	–
Boroughs and Urban District:—						
WELSHPOOL ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	–	–	–	1	–
Urban Districts:—						
LLANDRINDOD WELLS	–	–	–	–	1	–
Total of Part II.	7	1377	514	31	397	C. 25 D. 3 E. 10 F. 1 G. 9 L. 9 M. 116

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARRY	1	–	–	–	–	–
GLOUCESTER ...	–	–	–	1	–	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PLYMOUTH ...	–	–	–	–	1	L. 1
SOUTHAMPTON ...	–	1	–	–	–	–
Total of Part III.	1	1	–	1	1	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	272	250	7	45	C. 5 D. 1 M. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	7	1377	514	31	397	C. 25 D. 3 E. 10 F. 1 G. 9 L. 9 M. 116
Total of Part III.—Port Sanitary Districts ...	1	1	–	1	1	L 1
Total (*i.e.*, of returns received), England and Wales	9	1650	764	39	443	C. 30 D. 4 E. 10 F. 1 G. 9 L. 10 M. 136

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Nine cases of Small-pox were notified, which appear on pages 898, 900, 902, 911, and 915.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.
LONDON:—													
DEATHS—all ages	1,210	1,038	1,178	944	878	795	842	852	795	844	785	782	797
" 0 to 1 year	162	125	178	97	97	104	85	79	88	78	68	92	79
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,271	8,279	7,714	8,119	7,141	9,023	8,296	8044	7,858	8,376	8,168	8,139	8,108
DEATHS—all ages	4,810	4,481	4,521	3,965	3,667	3,602	3,502	3544	3,466	3,531	3,372	3,355	3,410
" 0 to 1 year	732	680	711	557	503	503	451	407	482	442	433	387	426
ENTERIC FEVER—Cases	22	24	31	23	22	24	17	23	26	27	17	28	16
" Deaths	2	2	6	2	2	5	4	1	4	3	2	2	1
SMALL POX—Cases	15	12	12	13	6	10	10	4	13	5	12	15	7
" Deaths	—	—	—	—	—	—	—	—	—	—	—	—	2
SCARLET FEVER—Cases	1,098	1,186	1,163	1,120	940	1016	1102	1085	1,142	1,250	1,201	1,040	1,013
" Deaths	16	17	18	19	20	9	14	9	13	12	12	11	8
DIPHTHERIA—Cases	624	612	608	558	598	560	609	537	633	581	662	597	501
" Deaths	62	45	43	44	43	44	32	50	39	31	33	38	33
MEASLES—Deaths	168	122	130	97	96	79	56	60	59	62	62	67	62
INFLUENZA—Deaths	55	45	55	36	26	27	18	25	22	24	18	22	19

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th August 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	73	46	69·9	51·6	13
BRIGHTON	65	50	63·6	53·3	6
PORTSMOUTH	67	51	65·3	53·9	11
NORWICH (EATON).	69	47	66·4	51·3	12
PLYMOUTH	64	47	63·0	52·7	30
BRISTOL (CLIFTON).	66	50	63·3	52·6	20
BIRMINGHAM	67	46	63·3	49·3	9
NOTTINGHAM	67	44	64·9	50·6	5
BIRKENHEAD (BIDSTON).	68	51	62·6	52·3	2
MANCHESTER	66	47	63·1	50·4	7
BURNLEY	66	46	61·3	49·7	30
HUDDERSFIELD	Not received.				
BRADFORD	64	43	61·6	50·1	15
SHEFFIELD	67	47	64·0	50·6	31
YORK (MUSEUM).	67	46	64·6	50·9	7
HULL (PEARSON PARK).	69	47	65·4	50·6	1
TYNEMOUTH	64	47	62·0	49·3	2
CARDIFF	67	49	62·9	51·3	22
EDINBURGH	68·0	47·0	61·0	47·9	1
GLASGOW	63·0	44·2	60·3	48·1	6
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	66·2	48·8	62·9	51·6	18
BELFAST	68·0	40·0	64·2	51·3	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 5th August 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	30	..	29·780	68·8	54·4	14·4	61·2	− 1·1	58·8	2·4	8·2	0·0	92	101·7	46·7	56·6	Calm & W.	W	1·5	0·0	0·1	247	+ 7	0·05
MONDAY	31	First Quarter	29·805	72·0	48·8	23·2	59·0	− 3·2	50·3	8·7	21·0	0·0	73	140·6	37·2	56·7	W & WNW.	W	4·2	0·0	0·4	367	+ 126	0·34
AUGUST. TUESDAY	1	..	29·894	69·3	47·9	21·4	57·5	− 4·7	49·5	8·0	20·3	2·3	75	144·5	38·6	56·8	W	WNW. & W.	2·6	0·0	0·2	279	+ 36	0·01
WEDNESDAY	2	..	29·951	71·2	46·1	25·1	57·7	− 4·4	47·2	10·5	24·3	1·7	68	132·3	34·2	56·7	W: WNW & N.	WNW & W.	1·4	0·0	0·1	218	− 29	0·00
THURSDAY	3	..	29·926	73·2	49·7	23·5	59·7	− 2·4	51·1	8·6	22·4	0·0	73	143·6	40·0	56·8	W & Calm.	W	1·8	0·0	0·0	179	− 71	0·01
FRIDAY	4	Greatest Declination S.	29·841	66·0	52·8	13·2	57·5	− 4·6	55·4	2·1	10·9	0·0	93	106·4	49·1	56·7	Calm	Calm	0·3	0·0	0·0	76	−176	0·11
SATURDAY	5	..	29·818	70·3	52·1	18·2	59·8	− 2·3	54·7	5·1	16·1	0·0	83	135·2	42·0	56·8	Calm & E.	ESE & SE.	1·5	0·0	0·1	176	− 78	0·00
MEANS		..	29·859	70·1	50·3	19·9	58·9	− 3·2	52·4	6·5	17·6	0·6	80	129·2	41·1	56·7	W		...	...	...	Sum 1,542	Sum −185	Sum 0·52
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	30	w.P. generally	0·0	15·5	Overcast with very slight exceptions. Rain 3h. to 5h. and at times between 10h. and 21h.
MONDAY -	31	w.P. generally, v.P. and v.N. in afternoon.	11·8	15·4	Nearly cloudless till 8h. 30m., variably cloudy till 19h. 30m., then nearly cloudless. Shower about 14h., heavy rain between 17h. and 17h. 30m., and occasional showers till 19h. 30m.
AUGUST TUESDAY -	1	w.P. till 9h., then v.P. generally, a little w.N. in afternoon.	10·3	15·4	Cloudless till 6h., partially cloudy till noon, very cloudy with overcast intervals afterwards. Occasional slight rain afternoon.
WEDNESDAY	2	v.P. generally	6·9	15·3	Cloudless till 7h., then cloudy generally, overcast or nearly overcast from 15h., occasional slight rain from 17h. 30m. Dew in morning.
THURSDAY -	3	v.P. generally, a little v.N. at 13h.	7·1	15·3	Very cloudy generally till 2h., little cloud 3h. to 8h., variably cloudy till 13h., then overcast generally. Frequent slight rain from 15h.
FRIDAY -	4	w.P. generally	0·0	15·2	Overcast with very slight exceptions. Frequent rain till 10h. 30m. and about 18h., heavier about 6h. Misty at night.
SATURDAY -	5	w.P. throughout	6·2	15·2	Overcast generally till noon, variably cloudy till 19h., then nearly overcast. Mist and dew in morning.
			Sum 42·3	Sum 107·3	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·79 in. at the beginning of the week to 29·76 in. by 17h. on July 30; increased to 29·96 in. by 11h. on August 2, and decreased generally to 29·79 in. by midnight on August 5.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4.
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 32.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 12TH AUGUST, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH AUGUST, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-second week of the year numbered 6,703, and corresponded to an annual rate of 18·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,379 and corresponded to an annual rate of 9·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·2, 9·2 and 9·3. Infant mortality was 60 per 1,000 births against 53, 48, and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,636 births, corresponding to a rate of 18·9 per 1,000, and 744 deaths of civilians, corresponding to a rate of 8·6, as against 9·1, 9·0, and 9·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·0 per 1,000. The infant mortality was 45 as against 36, 49, and 41 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 30 in the total deaths last week. In London the number of deaths from all causes fell from 797 to 744; while the deaths from diphtheria, which had been 16, 19, and 15 in the preceding three weeks, rose to 16 last week.

---

m (15)18307—3 Wt 30—P 19 2250 8/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 12th August 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	6,703	3,379	402	2	45	11	21	40	46	15
London	4,514,405*	1,636	744	73	1	5	4	3	16	7	2
Towns in Outer Ring.											
Croydon C.B.	191,500	63	33	3	–	–	–	–	–	–	–
Wimbledon	61,700	10	10	1	–	–	–	–	–	–	–
Ealing	67,800	24	6	–	–	–	–	–	–	–	–
Acton	62,000	20	5	1	–	–	–	–	–	–	–
Willesden	167,200	46	23	3	–	–	–	–	1	–	–
Hendon	55,500	13	10	2	–	–	–	–	–	–	–
Hornsey	87,600	18	16	1	–	–	–	–	–	1	–
Wood Green	51,100	10	4	–	–	–	–	–	–	–	–
Tottenham	149,200	54	19	3	–	–	–	–	1	1	–
Edmonton	67,800	19	9	2	–	–	–	–	–	–	–
Enfield	61,400	10	9	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	144	45	5	1	–	–	–	2	2	–
East Ham C.B.	145,500	45	27	2	–	–	–	–	–	–	–
Leyton	130,100	33	21	4	–	–	–	–	–	2	–
Walthamstow	129,800	44	20	2	–	–	–	1	–	–	–
Ilford	85,500	18	13	2	–	1	–	–	–	–	–
Gillingham	48,149*	17	6	–	–	–	–	–	1	–	–
Canterbury C.B.	23,680	13	4	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	26	13	–	–	1	–	1	–	–	–
Eastbourne C.B.	53,600	16	8	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	50	24	3	–	–	–	–	–	1	–
Portsmouth C.B.	233,929*	92	46	4	–	–	–	–	–	1	–
Bournemouth C.B.	81,200	36	11	1	–	–	–	–	2	–	–
Southampton C.B.	162,200	62	27	–	–	1	–	–	1	–	–
Reading C.B.	92,600	37	14	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	17	7	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	23	9	3	–	–	–	–	1	–	–
Luton	57,800	14	7	–	–	–	–	–	–	–	–
Cambridge	58,900	12	4	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	37	12	2	–	–	–	–	–	–	–
Ipswich C.B.	80,100	27	12	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	12	11	1	–	–	–	1	–	–	–
Norwich C.B.	122,400	38	27	3	–	–	–	–	–	–	–
Swindon	55,500	24	11	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	13	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	78	52	7	–	1	–	–	–	–	–
Bath C.B.	68,300	25	15	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	128	74	12	–	–	1	1	2	–	1
Gloucester C.B.	51,800	20	4	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	92	47	7	–	5	–	–	1	–	1
Burton-upon-Trent C.B.	49,410	23	8	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	55	20	4	–	–	–	–	–	1	–
Walsall C.B.	98,800	40	9	1	–	–	–	1	–	–	–
West Bromwich C.B.	75,300	36	22	4	–	–	1	1	2	–	1
Worcester C.B.	49,160	20	7	2	–	–	–	1	–	–	–
Dudley C.B.	57,100	19	12	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	270	163	17	–	1	–	–	–	–	1
Smethwick C.B.	77,400	18	13	1	–	–	–	–	2	–	–
Coventry C.B.	130,300	52	22	3	–	–	–	–	–	–	–
Leicester C.B.	237,900	80	45	4	–	1	–	–	–	1	–
Lincoln C.B.	66,600	26	15	3	–	–	–	–	–	–	–
Grimsby C.B.	83,600	26	10	2	–	–	–	–	1	–	–
Nottingham C.B.	266,400	100	47	8	–	–	–	1	–	1	–
Derby C.B.	131,800	49	26	1	–	1	–	–	1	–	–
Chesterfield	62,400	22	12	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	39	24	1	–	–	–	–	1	1	–
Chester C.B.	41,030	16	6	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	59	27	3	–	–	–	–	–	1	–
Wallasey C.B.	89,600	29	13	1	–	–	–	–	–	1	–
Liverpool C.B.	817,000	316	160	26	–	2	–	1	–	3	–
Bootle C.B.	77,800	34	19	–	–	–	–	–	–	–	–
St. Helens C.B.	104,900	40	12	1	–	–	–	–	–	–	1

Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	17	9	1	-	-	-	-	-	-	-
Wigan C.B.	91,200	39	10	4	-	-	-	-	-	-	-
Warrington C.B.	78,600	24	16	-	-	-	-	1	-	-	-
Bolton C.B.	182,200	55	42	2	-	1	-	-	1	-	1
Bury C.B.	57,600	14	6	-	-	-	-	-	-	-	-
Manchester C.B.	744,000	269	150	24	-	10	2	1	-	6	1
Salford C.B.	239,100	102	47	4	-	4	-	1	-	-	-
Oldham C.B.	148,300	56	51	6	-	5	2	-	-	2	-
Rochdale C.B.	92,700	33	29	3	-	-	-	-	-	-	1
Burnley C.B.	105,300	34	15	1	-	-	-	-	-	-	-
Blackburn C.B.	129,400	42	26	2	-	-	-	-	-	-	-
Preston C.B.	119,900	28	22	3	-	-	-	-	-	-	-
Blackpool C.B.	73,800	16	16	3	-	1	-	1	-	-	-
Barrow-in-Furness C.B.	75,200	29	15	1	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	21	24	1	-	-	-	-	-	-	-
Halifax C.B.	100,700	25	16	1	-	1	-	-	-	-	-
Bradford C.B.	291,100	89	54	7	-	-	-	-	-	-	-
Leeds C.B.	465,500	142	94	13	-	1	1	-	2	-	1
Dewsbury C.B.	55,100	18	9	1	-	-	-	-	-	-	-
Wakefield C.B.	53,763	6	12	-	-	-	-	-	-	-	-
Barnsley C.B.	68,991	32	16	3	-	-	-	-	-	-	-
Sheffield C.B.	519,239	155	91	15	-	-	-	1	-	3	1
Rotherham C.B.	69,100	22	5	1	-	-	-	-	-	-	-
Doncaster	54,700	14	8	2	-	-	-	-	-	1	1
York C.B.	84,500	28	11	2	-	-	-	-	-	-	-
Hull C.B.	291,800	118	57	17	-	-	-	1	-	3	-
Middlesbrough C.B.	133,400	55	21	2	-	-	-	-	-	-	-
Darlington C.B.	66,400	26	15	-	-	-	-	-	-	-	1
Stockton-on-Tees	65,000	32	14	3	-	-	-	1	-	-	-
West Hartlepool C.B.	69,300	31	11	1	-	1	-	-	-	-	-
Sunderland C.B.	161,100	75	45	8	-	-	-	-	1	1	-
South Shields C.B.	120,376	58	21	2	-	-	-	-	-	-	-
Gateshead C.B.	126,700	57	24	1	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	273,400	126	51	4	-	-	-	-	-	2	-
Tynemouth C.B.	63,900	34	18	4	-	-	-	-	-	-	-
Carlisle C.B.	53,200	21	7	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	93,700	33	12		-	1	-	-	1	-	-
Cardiff C.B.	202,700	70	40	8	-	-	-	2	-	2	1
Rhondda	166,600	65	30	9	-	-	-	-	-	1	-
Merthyr Tydfil C.B.	81,800	27	17	2	-	-	-	-	-	1	-
Aberdare	56,100	17	10	5	-	-	-	-	-	-	-
Swansea C.B.	159,600	52	28	1	-	1	-	-	-	-	-
Greater London	7,523,963*	2,586	1,150	114	2	7	4	5	20	13	2
Outer Ring	3,009,558*	950	406	41	1	2	-	2	4	6	-
16 Great Towns in Outer Ring	1,820,700	576	270	31	1	1	-	1	4	6	-
Remainder of Outer Ring	1,188,858*	374	136	10	-	1	-	1	-	-	-
Edinburgh†	420,500	171	101	5	-	-	-	-	1	-	-
Glasgow†	1,037,800	524	200	34	-	-	1	3	5	6	1
Dublin (Registration Area)†	427,000	218	93	14	-	1	1	-	-	4	1
Belfast†	425,000	201	87	11	-	-	1	-	1	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
LONDON‡ - - -	4,514,405	Aug. 12	1636	744	8·6	1	–	5	4	3	16	7	2
CALCUTTA - - -	896,067	July 8	?	375§	21·4	?	3	?	?	?	?	?	9
BOMBAY - - -	1,175,914	,, 1	307‖	579§	25·6	–	–	2	–	–	–	41	3
MADRAS - - -	522,951	,, 1	407	353	35·1	2	15	–	?	1	–	29	–
SYDNEY AND SUBURBS	926,400												
BRISBANE (Met. Area).	210,032												
PERTH (Metropolitan Area).	154,866	June 17	74	44	14·8	–	–	–	–	–	–	8	–
AUCKLAND (Urban Area).	157,757												
WELLINGTON (Urban Area).	107,488												
CHRISTCHURCH (Urban Area).	105,670												
CAPE TOWN - -	101,000	June 24	36	28	14·4	–	–	–	–	–	1	–	3
JOHANNESBURG - -	149,500	July 1	74	38	13·2	–	–	–	–	–	–	–	5
DURBAN - - -	48,000	,, 1	22	7	7·6	–	–	–	–	–	–	–	2
PARIS - - -	2,906,472												
ANTWERP - - -	303,421												
AMSTERDAM - -	690,877	July 22	250	108	8·2	–	–	2	–	–	–	–	–
COPENHAGEN - -	562,000	,, 29	225	107	9·9	–	–	–	–	1	–	–	–
STOCKHOLM - -	422,042	,, 29	87	70	8·6	–	–	–	–	1	–	–	–
GOTHENBURG - -	228,052	,, 1	?	32	7·3	–	–	–	–	1	1	–	–
CHRISTIANIA - -	258,933	Aug. 5	95	34	6·8	–	–	–	–	–	–	–	–
BERLIN - - -	1,970,000	June 24	444	425	11·2	2	?	11	1	2	–	5	1
BRESLAU - - -	557,000	,, 24	219	138	12·9	–	?	–	–	–	–	3	1
COLOGNE - - -	677,000	,, 24	292	132	10·1	–	?	–	–	3	1	4	–
DRESDEN - - -	605,000	,, 24	199	115	9·9	–	?	–	–	–	1	1	1
FRANKFORT-ON-MAIN -	476,000	,, 24	89	64	7·0	–	?	–	–	–	–	3	–
HAMBURG - - -	1,053,000	,, 24	326	212	10·5	–	?	–	2	–	3	6	–
LEIPZIG - - -	673,000	,, 24	248	105	8·1	1	?	–	–	1	–	5	–
MUNICH - - -	680,000	,, 24	194	155	11·9	–	?	–	–	2	–	3	1
VIENNA - - -	1,842,005	July 8	554	571	16·1	5	–	–	–	8	–	25	–
PRAGUE AND SUBURBS	689,262	June 24	242	174	13·1	–	–	2	–	–	–	5	–
BUDAPEST - - -	940,000	May 27	346	384	21·3	1	?	2	4	1	2	14	–
CAIRO - -	777,500												
ALEXANDRIA - -	456,300												
NEW YORK - -	5,839,738	July 8	2592	1091	9·7	5	–	11	1	8	18	35	2
CHICAGO - - -	2,833,288	,, 15	?	496	9·1	1	–	5	1	1	7	17	1
RIO DE JANEIRO -	1,197,504	June 24	692	489	21·3	1	1	9	–	5	1	–	20
MONTEVIDEO - -	350,476	March 18	201	119	19·0	5	–	–	–	–	–	5	–
		,, 25	147	142	19·2	4	–	–	–	–	–	10	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 6 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 3 in Calcutta, and 3 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 12th August, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	744	73	12	23	36	40	45	62	103	116	121	113
Enteric fever	1	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	2	3	–	–	–	–	–	–	–	–
Scarlet fever	4	–	–	2	1	1	–	–	–	–	–	–
Whooping cough	3	1	–	1	1	–	–	–	–	–	–	–
Diphtheria	16	1	–	5	9	–	1	–	–	–	–	–
Influenza	2	–	–	–	1	–	–	–	–	–	1	–
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	1	–	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	75	–	–	–	1	18	22	14	15	4	1	–
Tuberculous meningitis	11	2	2	3	1	3	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	11	3	–	–	1	1	1	1	2	1	–	1
Venereal diseases	3	2	–	–	–	–	–	–	–	–	1	–
Cancer	108	–	–	1	–	–	3	6	16	37	29	16
Rheumatic fever	3	–	–	–	2	1	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	1	1	2	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	–	–	2	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	26	–	–	–	–	–	–	1	7	3	8	7
Epilepsy	4	–	–	–	1	–	–	–	1	1	–	1
"Convulsions" (not puerperal)	4	3	–	–	1	–	–	–	–	–	–	–
Other diseases of nervous system	31	–	–	–	3	3	3	9	4	5	4	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	–	–	–	–	1	1	–	–	–
Other diseases of heart	106	–	–	–	2	2	5	6	14	22	28	27
Other dis. of circulatory system	35	–	–	–	–	–	–	1	7	7	8	12
Bronchitis	28	2	–	–	–	–	1	–	4	6	4	11
Broncho-pneumonia	20	9	2	3	–	–	–	–	1	1	3	1
Lobar pneumonia	12	–	–	1	–	1	1	2	2	3	1	1
Pneumonia (type not distinguished)	10	1	–	–	–	–	–	1	3	1	3	1
Other diseases of respiratory system	9	–	–	–	–	–	–	1	3	–	2	3
Diarrhœa and enteritis	11	7	–	2	1	–	–	–	1	–	–	–
Appendicitis and typhlitis	9	–	–	–	3	1	–	2	1	–	2	–
Hernia, Intestinal obstruction	6	–	–	–	–	–	–	–	1	2	3	–
Cirrhosis of liver	5	–	–	–	–	–	–	–	2	3	–	–
Other diseases of digestive system	18	–	1	1	1	2	1	1	2	3	4	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	20	–	–	–	–	1	1	1	4	4	5	4
Other diseases of genito-urinary system.	9	–	–	–	–	–	–	2	2	–	5	–
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	11	11	–	–	–	–	–	–	–	–	–	–
Premature birth	18	18	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	18	–	–	–	–	–	–	–	–	–	3	15
Suicide	11	–	–	–	–	1	–	2	5	2	1	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	2	2	–	1	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	1	1	3	1	–	1	1	1	–	–
Other deaths by violence	19	–	4	–	–	2	1	3	1	3	1	4
Other specified causes	28	7	–	–	–	–	1	5	2	4	2	7
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th August 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	1	1	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	7	13	–	1	C. 1
†BERMONDSEY ...	–	16	33	–	3	–
†BETHNAL GREEN	–	6	7	–	–	–
†CAMBERWELL ...	–	10	17	–	2	–
†CHELSEA ...	–	8	1	–	–	C. 1
†DEPTFORD ...	–	4	2	–	1	–
†FINSBURY ...	–	14	4	–	1	C. 1
†FULHAM ...	–	9	8	1	3	–
†GREENWICH ...	–	8	6	–	2	–
†HACKNEY ...	–	14	11	–	–	C. 2
†HAMMERSMITH	–	4	11	–	1	M. 1
†HAMPSTEAD ...	–	2	1	–	–	–
†HOLBORN ...	–	5	1	–	–	–
†ISLINGTON ...	–	12	15	–	1	–
†KENSINGTON ...	–	10	6	–	1	–
†LAMBETH ...	–	20	12	–	2	C. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	5	7	–	–	E. 1
†PADDINGTON ...	–	10	3	–	4	–
†POPLAR... ...	–	6	9	–	1	D. 1 M. 2
†ST. MARYLEBONE	–	9	5	1	–	–
†ST. PANCRAS ...	–	13	4	–	–	–
†SHOREDITCH ...	–	4	10	–	2	–
†SOUTHWARK ...	–	12	11	–	5	M. 1
†STEPNEY ...	3	20	19	–	4	M. 2
†STOKE NEWINGTON	–	–	2	–	1	–
†WANDSWORTH	–	11	5	–	1	C. 1 M. 1
†WESTMINSTER, CITY OF	–	5	7	–	–	–
†WOOLWICH ...	–	2	6	–	–	–
TOTAL OF PART I.	3	247	237	2	37	C. 7 D. 1 E. 1 M. 8

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	6	–	2	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	4	–	1	–
†BEDFORD ...	–	4	–	–	–	–
Rural Districts :—						
BEDFORD ...	–	4	–	–	–	–
EATON BRAY ...	*	*	*	*	*	*
EATON SECON ...	–	–	–	–	1	–
LUTON	–	–	2	–	–	–
BERKS	–	19	9	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	1	–	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†READING C.B....	–	8	2	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	–	2	–	–	–
EASTHAMPSTEAD	–	6	3	–	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE ...	–	–	1	–	–	–
BUCKINGHAM	–	5	2	–	–	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
ETON	*	*	*	*	*	*
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	4	1	–	–	–
AYLESBURY ...	–	–	1	–	–	–
ETON	*	*	*	*	*	*
CAMBRIDGE ...	–	2	3	–	1	–
Rural Districts :—						
CHESTERTON ...	–	–	–	–	1	–
LINTON	–	–	2	–	–	–
NEWMARKET ...	–	2	1	–	–	–
CHESTER	–	43	19	4	12	C. 1 E. 1 M. 3
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	4	1	–	2	–
BOLLINGTON ...	–	–	–	–	1	–
BREDBURY AND ROMILEY	*	*	*	*	*	*
CHEADLE AND GATLEY	–	4	–	–	1	–
†CHESTER C.B. ...	–	1	4	–	2	M. 1
†CONGLETON ...	–	2	–	–	–	–
†CREWE	–	2	2	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	2	–	–	–	E. 1
†HYDE	–	2	1	–	–	–
KNUTSFORD ...	–	2	–	–	–	–
†MACCLESFIELD...	–	7	–	–	–	–
MARPLE... ...	–	1	–	–	–	–
MIDDLEWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUNCORN ...	–	2	–	–	–	–
†STOCKPORT C.B.	–	1	–	4	1	–
†WALLASEY C.B.	–	1	–	–	1	M. 1
†WINSFORD ...	–	3	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	6	–	1	–
CONGLETON ...	–	–	1	–	–	–
DISLEY	–	1	1	–	–	–
MACCLESFIELD ...	–	–	–	–	1	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN ...	–	–	–	–	1	–
WIRRAL... ...	–	2	1	–	–	M. 1
CORNWALL ...	–	2	5	2	3	–
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	1	–	–	–
LUDGVAN ...	–	–	1	–	–	–
ST. IVES ...	–	1	1	–	–	–
TORPOINT ...	–	–	–	1	–	–
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	3	–
SAINT COLUMB MAJOR	–	–	1	–	–	–
TRURO	–	–	1	1	–	–
CUMBERLAND ...	–	2	5	–	2	–
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	–	–	–	1	–
EGREMONT ...	–	–	2	–	–	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
MILLOM... ...	*	*	*	*	*	*
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	–	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–
WIGTON... ...	–	–	1	–	–	–
DERBY	–	25	5	–	8	C. 3 E. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	–	–	–	–
ASHBOURNE ...	–	–	–	–	–	E. 1
BAKEWELL ...	–	–	–	–	2	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	–	–
BRAMPTON AND WALTON	–	1	–	–	–	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD...	–	2	1	–	–	C. 1
†DERBY C.B. ...	–	10	1	–	4	–
†HEANOR ...	–	1	1	–	–	–
†RIPLEY	–	–	–	–	–	C. 1
†SWADLINCOTE DISTRICT	–	4	–	–	2	–
Rural Districts:—						
BELPER	–	1	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	1	–	–	–	–
CLOWNE ...	–	1	–	–	–	–
HARTSHORNE AND SEALS	*	*	*	*	*	*
SHARDLOW ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	16	6	–	4	M. 5
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	–	–
BRIXHAM ...	–	–	–	–	2	–
BUCKFASTLEIGH	*	*	*	*	*	*
CREDITON ...	–	1	–	–	–	–
†EXETER C.B. ...	–	–	1	–	–	–
†ILFRACOMBE ...	–	1	–	–	–	–
KINGSBRIDGE ...	*	*	*	*	*	*
†PLYMOUTH C.B.	–	4	2	–	2	M. 4
†TEIGNMOUTH ...	–	2	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	1	–	–	–
BARNSTAPLE ...	–	–	–	–	–	M. 1
CREDITON ...	–	2	–	–	–	–
KINGSBRIDGE ...	*	*	*	*	*	*
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON	–	–	1	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	2	–	–	–	G. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	–	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	–	G. 1
DURHAM... ...	–	36	5	1	15	C. 2 E. 1 M. 5
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
†BLAYDON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT ...	–	–	2	–	–	–
CROOK	–	1	–	–	1	–
†DARLINGTON C.B.	–	1	–	–	1	–
†DURHAM ...	–	2	–	–	–	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	2	–	–	–	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	–	–	–	–
†JARROW ...	–	2	1	–	–	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	1	–
†SOUTH SHIELDS C.B.	–	3	–	–	–	–
†SOUTHWICK-ON-WEAR	–	–	–	–	1	–
†STANLEY ...	–	–	–	–	–	C. 1
†STOCKTON-ON-TEES	–	–	–	1	–	–
†SUNDERLAND C.B.	–	3	–	–	3	M. 2
†TANFIELD ...	–	–	–	–	2	M. 1
†WEST HARTLEPOOL C.B	–	–	–	–	–	M. 1
WHICKHAM ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	6	–	–	–	–
CHESTER-LE-STREET	–	2	–	–	1	–
DURHAM ...	–	2	–	–	1	–
EASINGTON ...	–	2	–	–	–	–
HOUGHTON-LE-SPRING	–	1	1	–	1	M. 1
SEDGEFIELD ...	–	2	–	–	–	C. 1
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	4	–	–	–	–
Boroughs and Urban Districts :—						
CHATTERIS ...	–	2	–	–	–	–
†WISBECH ...	–	1	–	–	–	–
Rural Districts :—						
NORTH WITCHFORD	*	*	*	*	*	*
WISBECH ...	–	1	–	–	–	–
ESSEX	1	52	34	2	8	C. 1 L. 1 M. 2
Boroughs and Urban Districts :—						
†COLCHESTER ...	–	1	–	–	1	L. 1
†EAST HAM C.B.	–	1	3	–	1	–
†GRAYS THURROCK	–	1	1	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	2	2	–	1	–
†LEYTON... ...	–	7	3	–	1	–
†ROMFORD ...	–	–	1	–	–	M. 1
SHOEBURYNESS-ON-SEA	–	6	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	4	2	–	2	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW	–	5	3	–	–	–
†WEST HAM C.B.	1	13	12	1	2	C. 1 M. 1
†WOODFORD ...	–	2	–	–	–	–
Rural Districts :—						
BILLERICAY ...	–	1	4	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW ...	–	2	1	–	–	–
MALDON ...	–	–	2	1	–	–
ORSETT	–	2	–	–	–	–
ROMFORD ...	–	1	–	–	–	–
GLOUCESTER ...	–	21	20	2	4	C. 1 E. 3 M. 1
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	17	15	–	1	C. 1 E. 3 M. 1
†CHELTENHAM ...	–	–	–	1	–	–
†GLOUCESTER C.B.	–	–	–	–	2	–
†KINGSWOOD ...	–	1	–	–	–	–
STROUD ...	–	–	1	–	–	–
Rural Districts :—						
CHELTENHAM ...	–	1	2	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY ...	–	–	–	1	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WHEATENHURST	–	–	2	–	–	–
HEREFORD ...	–	2	–	–	4	–
Boroughs and Urban Districts :—						
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	–	–	–	1	–
Rural Districts :—						
WEOBLEY ...	–	–	–	–	3	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	15	2	–	2	C. 2 G. 1 L. 1
Boroughs and Urban Districts :—						
BUSHEY ...	–	–	–	–	1	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
LETCHWORTH ...	–	–	–	–	–	C. 2
ROYSTON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	11	1	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	1	1	–	1	G 1
Rural District:—						
WATFORD ...	–	–	–	–	–	L. 1
HUNTINGDON ...	–	2	–	–	–	–
Rural District:—						
ST. IVES ...	–	1	–	–	–	–
ST. NEOTS No. 4	–	1	–	–	–	–
KENT	–	51	29	1	7	M. 3
Boroughs and Urban Districts:—						
ASHFORD ...	–	–	2	–	1	–
†BECKENHAM ...	–	2	1	–	–	–
†BEXLEY ...	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETERS	–	3	–	–	1	–
†BROMLEY ...	–	4	2	–	1	–
†CHATHAM ...	–	2	1	–	–	–
CHERITON ...	–	1	–	–	–	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	–	–	1	–
†ERITH	–	–	1	–	1	–
†FOLKESTONE ...	–	–	2	–	1	M. 1
†GILLINGHAM ...	–	1	6	–	–	–
†GRAVESEND ...	–	4	–	–	–	–
†MAIDSTONE ...	–	–	1	–	–	–
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	7	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL TUNBRIDGE WELLS	–	1	–	–	1	–
SEVENOAKS ...	–	–	1	–	–	–
†SHEERNESS ...	–	2	–	–	–	M. 1
WALMER ...	–	1	–	–	–	–
WROTHAM ...	–	2	–	–	–	–
Rural Districts:—						
BLEAN	–	–	5	–	–	–
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	–	3	–	–	–
DARTFORD ...	–	1	–	–	–	–
EASTRY	–	1	–	1	–	–
HOLLINGBOURNE	–	10	–	–	–	–
HOO	–	–	1	–	–	–
MILTON ...	–	1	–	–	–	–
SHEPPEY ...	*	*	*	*	*	*
STROOD... ...	–	–	1	–	–	–
WEST ASHFORD	–	–	–	–	–	M. 1
LANCASTER ...	1	228	64	2	80	C. 5 M. 31
Boroughs and Urban Districts:—						
ADLINGTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	1	–	–	–
†ASHTON-UNDER-LYNE	–	–	1	–	1	M. 1
†ATHERTON ...	–	–	1	–	–	–
†BACUP	–	1	–	–	2	–
†BARROW-IN-FURNESS C.B.	–	4	1	–	–	–
†BLACKBURN C.B.	–	3	–	–	2	M. 1
†BLACKPOOL C.B.	–	3	2	–	1	–
†BOLTON C.B. ...	–	4	3	–	1	–
†BOOTLE C.B. ...	–	2	–	–	–	–
†BURNLEY C.B.	–	3	2	–	1	–
†BURY C.B. ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C. Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY ...	–	–	–	–	1	–
†COLNE	–	3	–	–	–	–
†DARWEN ...	–	6	–	–	–	–
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	4	–	–	2	–
†ECCLES ...	–	3	–	–	1	–
†FAILSWORTH ...	–	1	–	–	2	–
†FLEETWOOD ...	–	1	–	–	1	–
†HASLINGDEN ...	–	–	–	–	2	M. 1
†HINDLEY ...	–	3	1	–	–	–
†HORWICH ...	–	–	–	–	1	–
†INCE-IN-MAKERFIELD	–	1	–	1	–	–
†LANCASTER ...	–	–	–	–	–	M. 1
†LEIGH	–	3	1	–	–	M. 1
†LITHERLAND ...	–	1	–	–	–	–
LITTLE HULTON	–	1	2	–	–	–
LITTLE LEVER...	*	*	*	*	*	*
†LIVERPOOL C.B.	–	41	15	–	10	C. 1 M. 13
†MANCHESTER C.B.	–	35	13	–	16	C. 1 M. 5
†MIDDLETON ...	1	1	–	–	–	–
MILNROW ...	–	2	–	–	–	–
†MORECAMBE ...	–	1	1	–	–	–
†MOSSLEY ...	–	1	–	–	1	–
†NELSON	–	–	–	–	1	–
†NEWTON-IN-MAKERFIELD	–	1	–	–	–	–
†OLDHAM C.B.	–	4	2	–	2	–
†OSWALDTWISTLE	–	–	–	–	–	M. 1
†PADIHAM ...	–	2	–	–	–	–
PRESCOT ...	–	3	–	–	–	–
†PRESTON C.B. ...	–	1	2	–	–	–
†PRESTWICH ...	–	–	2	–	–	–
†RADCLIFFE ...	–	1	–	–	4	C. 1
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	1	–
†ROCHDALE C.B.	–	14	1	–	1	–
†ROYTON... ...	–	1	–	–	1	–
†ST. ANNES-ON-THE-SEA ...	–	2	–	–	1	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. HELENS C.B.	–	1	–	–	1	C. 1
†SALFORD C.B. ...	–	24	5	–	8	M. 4
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B.	–	3	–	–	–	–
†STRETFORD ...	–	2	–	–	–	–
UPHOLLAND ...	–	1	1	–	–	–
†WARRINGTON C.B.	–	5	1	–	6	–
†WIDNES ...	–	–	1	–	1	–
†WIGAN C.B. ...	–	5	–	–	2	C. 1 M. 2
†WORSLEY ...	–	1	1	1	–	M. 1
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	1	–
BURNLEY ...	–	1	–	–	–	–
BURY	–	–	–	–	1	–
CHORLEY ...	–	2	–	–	–	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	–	1	–	–	–
LANCASTER ...	–	2	–	–	–	–
LEIGH	*	*	*	*	*	*
LIMEHURST ...	–	2	–	–	–	–
PRESTON ...	–	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	3	–	–	1	–
WHISTON ...	–	11	–	–	–	–
LEICESTER ...	–	18	5	–	3	M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	–	–	–	–
ASHBY WOULDS	*	*	*	*	*	*
†LEICESTER C.B.	–	9	1	–	3	M. 1
†LOUGHBOROUGH	–	1	–	–	–	–
THURMASTON ...	–	1	–	–	–	–
WIGSTON MAGNA	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
BILLESDON ...	–	3	–	–	–	–
BLABY	–	–	2	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	–	–	–	–
Rural Districts—						
BOSTON ...	–	1	–	–	–	–
EAST ELLOE ...	–	2	1	–	–	–
SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural District:—						
CLAYPOLE ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	2	3	–	3	–
Boroughs and Urban Districts:—						
†GAINSBOROUGH...	–	–	2	–	–	–
†GRIMSBY C.B. ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LOUTH	–	–	–	–	1	–
†SOUNTHORPE AND FRODINGHAM	–	2	–	–	1	–
Rural District:—						
CAISTOR ...	–	–	1	–	–	–
MIDDLESEX ...	–	44	44	1	6	C. 1 E. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	–	3	–	–	–
†EALING ...	–	10	–	–	–	–
†EDMONTON ...	–	3	–	–	1	–
†ENFIELD ...	–	–	4	–	1	–
FELTHAM ...	–	3	1	–	–	–
†FRIERN BARNET	–	–	–	–	1	C. 1 L. 1
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	1	4	–	–	–
†HARROW-ON-THE-HILL	–	–	1	–	–	–
†HENDON ...	–	–	3	1	–	–
†HESTON AND ISLEWORTH	–	–	3	–	2	E. 1
†HORNSEY ...	–	1	–	–	–	M. 1
KINGSBURY ...	–	–	1	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
STAINES ...	–	–	1	–	–	–
SUNBURY-ON-THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	–	M. 1
†TOTTENHAM ...	–	14	1	–	–	–
†TWICKENHAM ...	–	1	1	–	–	–
†WEMBLEY ...	–	3	–	–	–	–
†WILLESDEN ...	–	5	12	–	–	–
†WOOD GREEN ...	–	–	2	–	1	M. 1
YIEWSLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
Staines ...	–	1	4	–	–	–
Uxbridge ...	–	–	1	–	–	–
NORFOLK ...	–	14	9	–	2	C. 1
Boroughs and Urban Districts:—						
†King's Lynn ...	–	1	–	–	–	–
†Norwich C.B....	–	4	4	–	1	–
Swaffham ...	–	2	–	–	–	–
Walsoken ...	–	1	–	–	–	–
Wells	*	*	*	*	*	*
Rural Districts:—						
Aylsham ...	–	–	1	–	–	–
Depwade ...	–	–	1	–	1	–
Erpingham ...	–	1	–	–	–	–
Forehoe ...	–	1	1	–	–	C. 1
Henstead ...	–	2	–	–	–	–
Mitford and Launditch	–	1	–	–	–	–
St. Faith's ...	–	–	1	–	–	–
Smallburgh ...	–	1	–	–	–	–
Thetford ...	–	–	1	–	–	–
NORTHAMPTON	–	4	2	–	3	–
Boroughs and Urban Districts:—						
Brackley ...	–	–	–	–	1	–
Desborough ...	–	1	–	–	1	–
†Northampton C.B.	–	2	–	–	1	–
†Rushden ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
Easton-on-the-Hill	*	*	*	*	*	*
Hardingstone	–	1	–	–	–	–
Thrapston (part)	–	–	1	–	–	–
Wellingborough	–	–	1	–	–	–
NORTHUMBERLAND.	–	15	5	3	19	D. 1
Boroughs and Urban Districts:—						
†Ashington ...	–	2	–	–	–	-
†Bedlingtonshire	–	1	–	–	–	–
†Berwick-upon-Tweed	*	*	*	*	*	*
†Blyth	–	–	1	–	2	–
†Gosforth ...	–	1	–	–	–	–
†Newcastle-upon-Tyne C.B.	–	5	1	2	9	D. 1
Prudhoe ...	*	*	*	*	*	*
Seaton Delaval	–	–	–	1	–	–
†Tynemouth C.B.	–	2	1	–	3	–
†Wallsend ...	–	–	1	–	1	–
Weetslade ...	–	1	–	–	–	–
Rural Districts:—						
Belford ...	–	–	–	–	1	–
Bellingham ...	–	–	1	–	2	–
Glendale ...	–	–	–	–	1	–
Haltwhistle ...	–	2	–	–	–	–
Hexham ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	1	9	6	-	10	L. 1
Boroughs and Urban Districts:—						
†BEESTON ...	*	*	*	*	*	*
†CARLTON ...	-	-	1	-	-	-
†EAST RETFORD ...	-	-	-	-	1	L. 1
EASTWOOD ...	1	1	-	-	1	-
†KIRKBY-IN ASHFIELD	-	1	-	-	-	-
†MANSFIELD ...	-	-	-	-	1	-
†MANSFIELD WOODHOUSE	-	-	-	-	1	-
†NEWARK ...	-	2	1	-	-	-
†NOTTINGHAM C.B.	-	1	3	-	4	-
†SUTTON-IN-ASHFIELD	-	-	-	-	2	-
WARSOP ...	-	1	-	-	-	-
†WEST BRIDGFORD	-	1	-	-	-	-
Rural Districts:—						
BASFORD ...	-	1	1	-	-	-
BLYTH AND CUCKNEY	-	1	-	-	-	-
OXFORD	-	7	-	-	1	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	-	1	-	-	-	-
†OXFORD C.B. ...	-	2	-	-	-	M. 1
Rural Districts:—						
BANBURY ...	-	1	-	-	1	-
BICESTER ...	-	3	-	-	-	-
PETERBOROUGH (Soke of).	-	5	-	-	-	-
Borough:—						
†PETERBOROUGH	-	5	-	-	-	-
RUTLAND ...	-	1	-	-	-	-
Rural District:—						
UPPINGHAM ...	-	1	-	-	-	-
SALOP	-	4	5	-	-	M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	-	-	1	-	-	-
OSWESTRY ...	-	1	-	-	-	-
WELLINGTON ...	-	1	-	-	-	-
Rural Districts:—						
CLEOBURY MORTIMER	-	-	-	-	-	M. 1
LUDLOW ...	-	-	1	-	-	-
OSWESTRY ...	-	1	3	-	-	-
WEM	-	1	-	-	-	-
SOMERSET ...	-	8	6	-	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	-	-	1	-	-	-
†BRIDGWATER ...	-	2	-	-	-	-
CREWKERNE ...	*	*	*	*	*	*
STREET ...	-	1	-	-	-	-
†WESTON-SUPER-MARE	-	-	1	-	-	-
†YEOVIL	-	-	-	-	1	-
Rural Districts:—						
AXBRIDGE ...	-	-	2	-	-	-
BRIDGWATER ...	-	1	-	-	-	-
CLUTTON ...	-	-	-	-	1	-
SHEPTON MALLET	-	-	1	-	-	-
TAUNTON ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
WELLS	–	–	–	–	–	M. 1
WINCANTON ...	–	2	1	–	–	–
YEOVIL	–	–	–	–	–	G. 1
SOUTHAMPTON...	–	31	19	3	7	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ANDOVER ...	–	–	–	–	–	C. 1
†BOURNEMOUTH C.B.	–	3	4	1	–	–
CHRISTCHURCH...	–	–	–	–	5	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FAREHAM ...	–	–	2	–	–	–
†FARNBOROUGH...	–	1	–	–	–	–
†GOSPORT AND ALVERSOKE	–	4	–	–	–	–
PETERSFIELD ...	–	1	1	–	–	–
†PORTSMOUTH C.B.	–	12	6	1	1	M. 1
†SOUTHAMPTON C.B.	–	5	6	–	1	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
LYMINGTON ...	–	1	–	–	–	–
PETERSFIELD ...	–	–	–	1	–	–
STAFFORD ...	–	57	9	1	34	C. 2 E. 1 L 1 M. 15
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	1	–	–	M. 1
†BILSTON ...	–	–	–	–	3	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	1	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	1	–	–	2	–
†CANNOCK ...	–	3	–	–	1	M. 1
†COSELEY ...	–	3	–	–	–	–
†LEEK	–	1	–	–	–	M. 2
QUARRY BANK	–	3	–	–	–	–
†ROWLEY REGIS	–	–	–	–	2	–
RUGELEY ...	–	1	–	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†SMETHWICK C.B.	–	4	3	–	2	L. 1
†STAFFORD ...	–	1	–	–	–	–
†STOKE-ON-TRENT C.B.	–	10	5	–	13	C. 1 E. 1 M. 10
†WALSALL C.B....	–	3	–	–	–	M. 1
†WEDNESBURY ...	–	–	–	–	2	–
†WEST BROMWICH C.B.	–	12	–	–	1	C. 1
†WILLENHALL ...	–	1	–	–	3	–
†WOLSTANTON UNITED	–	3	–	–	–	–
†WOLVERHAMPTON C.B.	–	–	–	–	1	–
Rural Districts:—						
CANNOCK ...	–	1	–	1	–	–
GNOSALL ...	–	–	–	–	1	–
LICHFIELD ...	–	8	–	–	–	–
NEWCASTLE-UNDER-LYME	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
WALSALL ...	–	–	–	–	1	–
SUFFOLK, EAST	–	3	5	–	[illegible]	M. 2
Boroughs and Urban Districts:—						
BECCLES ...	–	–	1	–	–	–
†FELIXSTOWE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†IPSWICH C.B. ...	–	2	3	–	1	M. 2
LEISTON-CUM-SIZEWELL	–	1	–	–	–	–
†LOWESTOFT ...	–	–	–	–	1	–
SAXMUNDHAM ...	*	*	*	*	*	*
SUFFOLK, WEST	–	5	1	–	1	E. 1
Boroughs and Urban Districts :—						
†BURY ST. EDMUNDS	–	5	–	–	–	–
NEWMARKET ...	–	–	1	–	1	–
Rural District :—						
THINGOE ...	–	–	–	–	–	E. 1
SURREY	–	32	13	–	1	L. 1
Boroughs and Urban Districts :—						
†BARNES ...	–	–	2	–	–	–
COULSDON AND PURLEY	–	1	1	–	–	–
†CROYDON C.B....	–	4	2	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	–	1	–	–	–
†EPSOM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	–	2	–	–	–
†FRIMLEY ...	–	2	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	4	–	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM ...	–	2	–	–	–	–
†REIGATE ...	–	–	1	–	–	–
†SURBITON ...	–	1	1	–	–	–
†WALTON-UPON-THAMES	–	5	–	–	–	–
†WIMBLEDON ...	–	5	1	–	–	–
Rural Districts :—						
DORKING ...	–	–	1	–	–	–
EPSOM	–	–	–	–	1	L. 1
GODSTONE ...	–	2	–	–	–	–
HAMBLEDON ...	–	3	–	–	–	–
SUSSEX, EAST ...	–	4	2	1	1	M. 1 L. 3
Boroughs and Urban Districts :—						
†BRIGHTON C.B.	–	2	–	–	–	–
†EASTBOURNE C.B.	–	–	–	1	–	–
†HASTINGS C.B.	–	–	–	–	–	M. 1
†HOVE	–	1	1	–	–	–
PORTSLADE-BY-SEA	–	–	–	–	1	–
Rural Districts :—						
CUCKFIELD ...	–	1	1	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 3
RYE	*	*	*	*	*	*
SUSSEX, WEST ...	–	2	2	–	1	–
Boroughs and Urban Districts :—						
ARUNDEL ...	–	–	–	–	1	–
†BOGNOR ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli. J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
Littlehampton	–	1	–	–	–	–
†Worthing ...	–	–	2	–	–	–
WARWICK ...	–	55	14	–	17	C. 9 D 2 G. 1 M. 7
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	38	9	–	16	C. 9 D. 2 M. 7
†Coventry C.B.	–	2	–	–	–	–
†Nuneaton ...	–	3	1	–	1	–
†Royal Leamington Spa	–	–	1	–	–	–
†Rugby	–	–	–	–	–	G. 1
Stratford-upon-Avon	–	1	–	–	–	–
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	1	–	–	–	–
Foleshill ...	–	3	–	–	–	–
Meriden ...	–	2	–	–	–	–
Rugby	–	–	1	–	–	–
Solihull ...	–	–	1	–	–	–
Tamworth (part)	–	3	1	–	–	–
Warwick ...	–	1	–	–	–	–
WESTMORLAND	–	2	–	–	–	–
Rural Districts:—						
East Westmorland	–	1	–	–	–	–
West Ward ...	–	1	–	–	–	–
ISLE OF WIGHT	–	2	3	–	–	–
Boroughs and Urban District:—						
Shanklin ...	–	1	2	–	–	–
Rural District:—						
Isle of Wight	–	1	1	–	–	–
WILTS	–	19	3	–	1	–
Boroughs and Urban Districts:—						
Chippenham ...	–	2	–	–	–	–
†Swindon ...	–	3	–	–	1	–
†Trowbridge ...	–	–	2	–	–	–
Rural Districts:—						
Bradford-on-Avon	–	1	–	–	–	–
Chippenham ...	–	1	–	–	–	–
Cricklade and Wootton Bassett	–	2	–	–	–	–
Highworth ...	–	4	–	–	–	–
Pewsey ...	–	–	1	–	–	–
Ramsbury ...	–	4	–	–	–	–
Warminster ...	–	1	–	–	–	–
Westbury and Whorwellsdown	–	1	–	–	–	–
WORCESTER ...	–	12	1	–	1	C. 1
Boroughs and Urban Districts:—						
†Lye and Wollescote	–	1	–	–	–	–
†Malvern ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	–	1	–	–	–
†REDDITCH ...	–	5	–	–	–	–
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	–	–	–	C. 1
FECKENHAM ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	1	–
ROCK	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	12	10	1	3	M. 4
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	2	–
COTTINGHAM ...	–	–	–	–	1	–
GREAT DRIFFIELD	–	1	–	–	–	–
HESSLE ...	*	*	*	*	*	*
†KINGSTON-UPON-HULL C.B.	–	6	7	–	–	M. 3
NORTON... ...	*	*	*	*	*	*
†YORK C.B. ...	–	4	2	–	–	M. 1
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN ...	–	–	1	–	–	–
POCKLINGTON ...	–	–	–	1	–	–
SCULCOATES ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	13	15	2	–	3	E. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	1	–	–	–
LOFTUS	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	13	2	–	–	2	–
†REDCAR ...	–	1	–	–	–	–
RICHMOND ...	–	1	1	–	–	–
†SCARBOROUGH ...	–	2	–	–	–	–
†SKELTON AND BROTTON	–	–	–	–	–	E. 1
†THORNABY-ON-TEES	–	3	–	–	–	–
Rural Districts:—						
AYSGARTH ...	*	*	*	*	*	*
BEDALE... ...	–	1	–	–	–	–
FLAXTON ...	–	1	–	–	–	–
THIRSK	–	2	–	–	–	–
YORKS ... ... (West Riding).	–	161	32	5	53	C. 2 E. 1 G. 1 L 1 M. 5
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	4	–	–	–	–
ALTOFTS ...	–	–	–	1	–	–
†BARNOLDSWICK	–	1	–	–	–	–
†BARNSLEY C.B.	–	3	1	–	2	M. 1
†BINGLEY ...	–	–	–	–	2	G. 1
†BOLTON-UPON-DEARNE	–	–	–	–	–	M. 1
†BRADFORD C.B.	–	23	2	–	–	C. 1
CLAYTON ...	–	1	–	–	–	–
CUDWORTH ...	–	–	–	1	–	–
DARFIELD ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	6	–	–	–	–
†DONCASTER ...	–	1	5	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
EARLY	–	–	1	–	–	–
†FEATHERSTONE	–	–	–	–	2	–
†GOOLE	–	1	4	–	–	–
†HALIFAX C.B. ...	–	3	–	–	–	–
†HARROGATE ...	–	1	–	–	–	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	2	–	–	–	–
HOLME	–	–	–	1	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	–	1	–	1	M. 1
ILKLEY	–	3	–	–	1	–
KIRKBURTON ...	–	–	1	–	–	–
†LEEDS C.B. ...	–	40	3	–	8	C. 1
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	1	–	1	–
MIRFIELD ...	–	1	–	–	–	–
†NORMANTON ...	–	1	1	1	–	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	1	–
†PUDSEY... ...	–	1	–	–	–	–
RAWDON ...	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	6	–	–	1	–
†ROTHWELL ...	–	2	–	–	–	–
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	–	6	6	–	23	E. 1 M. 2
†SHIPLEY ...	–	4	1	–	–	–
†SKIPTON ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
†STANLEY ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
THURNSCOE ...	–	2	1	–	–	–
†TODMORDEN ...	–	3	–	–	–	–
†WAKEFIELD C.B.	–	12	1	–	–	–
WHITWOOD ...	–	3	–	–	–	–
†WOMBWELL ...	–	–	–	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
DONCASTER ...	–	–	1	–	–	–
HEMSWORTH ...	*	*	*	*	*	*
HUNSLET ...	–	1	–	–	–	–
KIVETON PARK	–	2	1	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	3	–	–	–	–
SKIPTON ...	–	–	1	–	–	–
TADCASTER ...	–	4	–	–	1	–
WAKEFIELD ...	–	4	–	–	–	–
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (NORTH)	–	3	–	–	–	–
WHARFEDALE (South)	–	–	–	–	–	L. 1
WORTLEY ...	–	–	–	1	–	–
WALES.						
ANGLESEY ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	2	–	–	–
Rural Districts:—						
VALLEY ...	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	2	–	C. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
HAY	–	–	–	1	–	–
LLANWRTHWL (Parish)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	–	–	–	C. 1
CARDIGAN ...	–	2	–	–	–	–
Rural District:—						
ABERYSTWITH (North)	–	2	–	–	–	–
CARMARTHEN ...	–	–	3	–	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	2	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	1	–
LLANELLY ...	–	–	1	–	–	–
CARNARVON ...	–	1	5	–	–	–
Boroughs and Urban Districts:—						
CONWAY ...	–	–	1	–	–	–
LLANDUDNO ...	–	–	1	–	–	–
LLANFAIRFECHAN	–	1	–	–	–	–
CARNARVON—*cont.*						
Rural Districts:—						
CONWAY ...	–	–	2	–	–	–
GWYRFAI ...	–	–	1	–	–	–
DENBIGH ...	–	2	5	–	1	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	1	–	–	–
†WREXHAM ...	–	1	3	–	–	–
Rural Districts:—						
LLANRWST ...	–	1	–	–	–	–
RUTHIN... ...	–	–	–	–	1	–
WREXHAM ...	–	–	1	–	–	–
FLINT	–	2	4	–	1	–
Boroughs and Urban Districts:—						
†RHYL	–	1	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
HOLYWELL (MOLD DIV.)	–	1	1	–	–	–
GLAMORGAN ...	–	80	23	1	16	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	9	1	–	1	–
†BARRY	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
Briton Ferry	–	–	1	–	–	–
†Caerphilly ...	–	–	1	–	–	–
†Cardiff C.B. ...	–	12	3	–	–	–
†Gelligaer ...	–	1	2	–	–	–
†Glyncorwg ...	–	2	–	–	–	–
†Maesteg ...	–	1	–	–	–	–
†Merthyr Tydfil C.B.	–	1	1	–	–	–
†Mountain Ash	–	9	4	–	–	–
†Neath	–	1	–	–	–	–
†Ogmore and Garw	–	4	–	–	1	M. 1
†Pontypridd ...	–	2	–	–	2	–
†Port Talbot ...	–	2	1	–	–	–
†Rhondda ...	–	20	–	1	11	–
†Swansea C.B. ...	–	7	4	–	–	–
Rural Districts:—						
Cowbridge ...	–	1	1	–	–	–
Llandaff and Dinas Powis	–	–	1	–	–	–
Llantrisant and Llantwit Fardre	–	2	1	–	–	–
Neath	–	2	–	–	1	–
Penybont ...	–	1	–	–	–	–
Pontardawe ...	–	1	–	–	–	–
Swansea ...	–	1	–	–	–	–
MERIONETH ...	–	2	–	–	–	–
Urban Districts:—						
Barmouth ...	*	*	*	*	*	*
Festiniog ...	–	1	–	–	–	–
MERIONETH—*cont.*						
Rural Districts:—						
Edeirnion ...	–	1	–	–	–	–
MONMOUTH ...	–	11	14	–	5	C 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†Abersychan ...	–	1	–	–	–	G. 1
†Abertillery ...	–	1	1	–	–	M. 1
Bedwas and Machen	–	–	1	–	3	–
†Bedwellty ...	–	1	2	–	–	–
†Mynddislwyn	–	2	–	–	–	C. 1
†Newport C.B....	–	1	3	–	1	M. 1
†Panteg... ...	–	–	1	–	–	–
†Rhymney ...	–	2	–	–	–	–
†Tredegar ...	–	1	4	–	1	–
Rural Districts:—						
Monmouth ...	–	1	–	–	–	–
Pontypool ...	–	–	2	–	–	–
Saint Mellons	–	1	–	–	–	–
MONTGOMERY ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
Llanfyllin ...	–	4	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	1	–	–	–	–
Newtown and Llanidloes ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Haverford-west	–	2	–	–	–	–
RADNOR	–	–	1	–	1	–
Urban District:—						
Knighton ...	–	–	–	–	1	–
RADNOR—*cont.*						
Rural Districts:—						
Painscastle ...	–	–	1	–	–	–
Rhayader ...	*	*	*	*	*	*
Total of Part II.	16	1191	474	32	354	C. 34 D. 3 E. 11 G. 6 L. 10 M. 95

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Colchester ...	*	*	*	*	*	*
Hull and Goole	–	–	1	–	–	–
Plymouth ...	–	–	–	–	2	L. 2
Tyne (River) ...	–	–	–	2	–	–
Wells (Norfolk)	*	*	*	*	*	*
Port of London	–	–	1	–	–	–
Total of Part III.	–	–	2	2	2	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio· J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	3	247	237	2	37	C. 7 D. 1 E. 1 M. 8
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	16	1191	474	32	354	C. 34 D. 3 E. 11 G. 6 L. 10 M. 95
Total of Part III.—Port Sanitary Districts ...	–	–	2	2	2	L. 2
Total (*i.e.*, of returns received), England and Wales	19	1438	713	36	393	C. 41 D. 4 E. 12 G. 6 L. 12 M. 103

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Nineteen cases of Small-pox were notified, which appear on pages 928, 932, 934, 937, and 941.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.
LONDON:—													
DEATHS—all ages	1,038	1,178	944	878	795	842	852	795	844	785	782	797	744
" 0 to 1 year	125	178	97	97	104	85	79	88	78	68	92	79	73
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,279	7,714	8,119	7,141	9,023	8,296	8044	7,858	8,376	8,168	8,139	8,108	6,703
DEATHS—all ages	4,481	4,521	3,965	3,667	3,602	3,502	3544	3,466	3,531	3,372	3,355	3,409	3,379
" 0 to 1 year	680	711	557	503	503	451	407	482	442	433	387	426	402
ENTERIC FEVER—Cases	24	31	23	22	24	17	23	26	27	17	28	16	15
" Deaths	2	6	2	2	5	4	1	4	3	2	2	1	2
SMALL POX—Cases	12	12	13	6	10	10	4	13	5	12	15	7	17
" Deaths	—	—	—	—	—	—	—	—	—	—	—	2	—
SCARLET FEVER—Cases	1,186	1,163	1,120	940	1016	1102	1085	1,142	1,250	1,201	1,040	1,013	818
" Deaths	17	18	19	20	9	14	9	13	12	12	11	8	11
DIPHTHERIA—Cases	612	608	558	598	560	609	537	633	581	662	597	501	458
" Deaths	45	43	44	43	44	32	50	39	31	33	38	33	40
MEASLES—Deaths	122	130	97	96	79	56	60	59	62	62	67	62	45
INFLUENZA—Deaths	45	55	36	26	27	18	25	22	24	18	22	19	15

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th August 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	71	44	66·9	50·9	32
BRIGHTON	64	46	62·6	52·9	30
PORTSMOUTH	68	51	64·3	54·0	38
NORWICH (EATON).	69	44	63·9	48·9	5
PLYMOUTH	66	50	64·0	52·9	31
BRISTOL (CLIFTON).	64	46	61·9	51·3	59
BIRMINGHAM	66	44	60·0	48·3	83
NOTTINGHAM	67	43	60·1	48·7	101
BIRKENHEAD (BIDSTON).	69	48	59·3	51·0	25
MANCHESTER	69	41	61·6	48·9	56
BURNLEY	65	37	58·1	47·0	81
HUDDERSFIELD	Not received.				
BRADFORD	63	41	57·4	47·1	103
SHEFFIELD	Not received.				
YORK (MUSEUM).	66	43	60·4	49·0	81
HULL (PEARSON PARK).	65	44	60·0	48·4	64
TYNEMOUTH	61	44	56·6	49·1	35
CARDIFF	64	45	61·4	51·3	43
EDINBURGH	59·0	45·0	56·3	47·9	13
GLASGOW	66·8	45·3	60·4	48·5	30
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	65·9	49·0	61·0	51·7	13
BELFAST	70·5	50·5	67·0	54·3	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 12th August 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	6	..	29·610	64·0	54·7	9·3	58·8	− 3·4	55·8	3·0	7·2	0·0	90	104·9	49·3	56·7	ESE	ESE	3·0	0·0	0·4	323	+ 67	0·60
MONDAY	7	Full	29·505	68·0	53·5	14·5	57·8	− 4·4	53·8	4·0	14·1	0·0	87	119·8	47·4	56·8	Calm & W.	W & WSW.	4·0	0·0	0·3	289	+ 33	0·04
TUESDAY	8	..	29·475	70·5	52·1	18·4	60·7	− 1·6	54·5	6·2	15·8	0·6	80	137·6	41·1	56·9	Calm & SW.	WSW	2·6	0·0	0·2	227	− 29	0·14
WEDNESDAY	9	..	29·647	70·0	51·4	18·6	57·6	− 4·7	51·7	5·9	16·8	0·0	81	140·0	39·9	57·0	W & WNW.	W, NNW & NNE.	2·7	0·0	0·2	297	+ 41	0·16
THURSDAY	10	..	30·013	63·8	48·8	15·0	54·5	− 7·8	47·2	7·3	16·3	2·1	76	123·8	37·3	56·9	NNE	NE & Calm.	1·8	0·0	0·1	194	− 63	0·00
FRIDAY	11	Apogee: In Equator.	30·037	66·3	43·8	22·5	52·1	−10·3	51·9	0·2	14·5	0·0	99	124·0	32·0	57·0	Calm	Calm & WSW.	2·4	0·0	0·0	116	−141	0·13
SATURDAY	12	..	29·872	65·0	47·3	17·7	55·8	− 6·7	51·7	4·1	12·4	0·0	86	103·4	38·4	56·9	W & WSW.	WSW	3·9	0·0	0·3	328	+ 71	0·14
MEANS		..	29·737	66·8	50·2	16·6	56·8	− 5·6	52·4	4·4	13·9	0·4	86	121·9	40·8	56·9	Variable		...	...	...	Sum 1,774	Sum − 21	Sum 1·21
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	6	w.P. generally w.N. about 18h.	0·1	15·1	Overcast with very slight exceptions. Rain generally starting shortly before noon.
MONDAY -	7	w.P. throughout	2·4	15·1	Overcast generally till 13h., variably cloudy till 19h., then nearly cloudless. Rain till about 4h., and occasional damping before 9h.
TUESDAY -	8	v.P. generally, a little w.N. in morning.	7·4	15·0	Overcast generally till noon, partially cloudy generally by 13h., little cloud after 21h. 30m. Rain 3h. to 5h. Dew at night.
WEDNESDAY	9	v.P. generally, v.N. at times about 14h.	3·0	15·0	Cloudy to overcast by 1h., variably cloudy 3h. to 6h. 30m., nearly overcast till 11h. 30m., partially cloudy till 13h. 30m. then overcast with few exceptions. Showers at 1h. and occasional rain 14h. to 21h. Thunder about 14h.
THURSDAY -	10	w.P. throughout	1·2	14·9	Overcast till noon and generally afterwards with cloudy intervals fine about 20h. with dew. Hazy from 9h., nearly cloudless by 22h. 30m.
FRIDAY -	11	w.P. generally, a little w.N. about noon.	2·0	14·9	Variably cloudy till 6h. 30m., overcast by 7h., cloudy intervals 12h. and 18h. Hazy generally with mist in morning. Rain about 9h. and heavy rain just before 15h.
SATURDAY -	12	w.P. generally	0·4	14·8	Few clouds till 3h., then cloudy to overcast by 8h. Frequent rain from 13h. Brisk wind in evening.
			Sum 16·5	Sum 104·8	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·79 in. at the beginning of the week to 29·39 in. by 5h. on 7th; increased to 29·59 in. by 23h. on the same day; decreased to 29·46 in. by 16h. on 8th; increased to 30·07 in. by 9h. on 11th, and decreased to 29·75 in. by midnight on 12th.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 33.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 19TH AUGUST, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH AUGUST, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-third week of the year numbered 8,601, and corresponded to an annual rate of 23·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,323 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·2, 9·3 and 9·3. Infant mortality was 49 per 1,000 births against 48, 53, and 60 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,042 births, corresponding to a rate of 23·5 per 1,000, and 704 deaths of civilians, corresponding to a rate of 8·1, as against 9·0, 9·2 and 8·6, for the preceding three weeks, the rate last week being the lowest on record. For the four weeks ended Saturday last the death rate averaged 8·7 per 1,000. The infant mortality was 43 as against 49, 41, and 45 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 56 in the total deaths last week. In London the number of deaths from all causes fell from 744 to 704; while the deaths from diphtheria, which had been 19, 15, and 16 in the preceding three weeks, rose to 19 last week.

---

m (45)18307—4 Wt 30—P 19 2250 8/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 19th August 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	8,601	3,323	418	2	63	11	23	40	48	11
London	4,514,405*	2,042	704	88	1	5	4	3	19	13	2
Towns in Outer Ring.											
Croydon C.B.	191,500	74	33	3	–	–	–	–	2	–	–
Wimbledon	61,700	24	3	–	–	–	–	–	–	–	–
Ealing	67,800	21	14	1	–	1	–	–	1	–	–
Acton	62,000	16	9	1	–	–	–	–	–	–	–
Willesden	167,200	64	24	4	–	–	–	–	–	1	–
Hendon	55,500	17	7	–	–	–	–	–	–	–	–
Hornsey	87,600	29	10	1	–	–	–	–	–	–	–
Wood Green	51,100	19	7	–	–	–	–	–	–	–	–
Tottenham	149,200	60	19	1	–	–	–	–	–	–	1
Edmonton	67,800	42	17	1	–	1	–	–	–	–	–
Enfield	61,400	22	12	2	–	–	–	–	1	–	–
West Ham C.B.	307,000	202	43	4	–	–	–	–	–	–	–
East Ham C.B.	145,500	56	22	–	1	–	1	–	–	–	–
Leyton	130,100	43	13	–	–	–	–	–	–	–	
Walthamstow	129,800	48	15	1	–	–	–	–	–	1	
Ilford	85,500	26	6	–	–	–	–	–	1	–	
Gillingham	48,149*	12	11	–	–	–	1	–	1	–	–
Canterbury C.B.	23,680	9	3	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	16	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	16	14	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	57	29	5	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	111	36	6	–	–	–	–	1	1	1
Bournemouth C.B.	81,200	19	22	2	–	–	–	–	–	–	–
Southampton C.B.	162,200	62	38	4	–	1	–	–	–	–	–
Reading C.B.	92,600	44	21	–	–	–	1	–	1	–	–
Oxford C.B.	56,400	14	8	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	30	15	–	–	–	–	–	–	–	–
Luton	57,800	30	11	–	–	–	–	–	–	–	–
Cambridge	58,900	17	5	–	–	1	–	–	–	–	–
Southend-on-Sea C.B.	90,500	23	16	–	–	–	–	–	–	–	–
Ipswich C.B.	80,100	25	20	1	–	1	–	–	–	–	–
Great Yarmouth C.B.	56,300	18	7	2	–	–	–	–	–	–	–
Norwich C.B.	122,400	44	19	3	–	–	–	–	1	–	–
Swindon	55,500	20	8	–	–	–	1	–	–	–	–
Exeter C.B.	59,500	24	6	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	100	43	2	–	–	–	–	–	–	–
Bath C.B.	68,300	25	10	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	176	65	6	–	–	–	–	1	1	–
Gloucester C.B.	51,800	32	9	3	–	–	–	–	–	1	–
Stoke-on-Trent, C.B.	273,238	184	51	9	–	3	–	–	–	–	–
Burton-upon-Trent C.B.	49,410	34	6	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	50	16	4	–	–	–	–	–	–	–
Walsall C.B.	98,800	56	20	6	–	–	–	–	1	–	–
West Bromwich C.B.	75,300	36	16	4	–	–	–	–	–	–	–
Worcester C.B.	49,160	20	8	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	42	13	2	–	–	–	–	–	1	–
Birmingham C.B.	936,000	441	161	19	–	4	–	2	1	4	–
Smethwick C.B.	77,400	37	7	1	–	–	–	–	–	1	–
Coventry C.B.	130,300	57	21	2	–	–	–	–	–	–	–
Leicester C.B.	237,900	99	53	4	–	–	–	–	–	1	–
Lincoln C.B.	66,600	20	11	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	42	12	4	–	1	–	–	–	–	–
Nottingham C.B.	266,400	115	53	6	–	2	–	1	–	2	–
Derby C.B.	131,800	41	19	2	–	1	–	–	–	–	–
Chesterfield	62,400	35	13	3	–	–	–	1	–	–	–
Stockport C.B.	125,500	25	20	1	–	1	–	–	–	–	–
Chester C.B.	41,030	12	5	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	84	32	8	–	–	–	–	–	3	1
Wallasey C.B.	89,600	44	13	3	–	–	–	–	–	–	–
Liverpool C.B.	817,000	404	148	22	–	–	–	5	3	2	1
Bootle C.B.	77,800	44	12	2	–	–	–	–	–	–	–
St. Helens C.B.	104,900	71	24	6	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	19	12	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	36	13	1	–	1	–	–	–	–	–
Warrington C.B.	78,600	41	16	2	–	–	–	–	–	–	1
Bolton C.B.	182,200	69	34	7	–	1	–	–	–	1	–
Bury C.B.	57,600	24	13	2	–	–	–	–	–	–	–
Manchester C.B.	744,000	371	155	18	–	12	1	4	1	3	1
Salford C.B.	239,100	114	50	1	–	7	1	–	–	1	–
Oldham C.B.	148,300	56	46	9	–	10	–	–	–	–	–
Rochdale C.B.	92,700	34	23	3	–	–	–	–	–	–	–
Burnley C.B.	105,300	36	17	3	–	–	–	–	–	1	–
Blackburn C.B.	129,400	55	26	4	–	–	–	–	–	–	–
Preston C.B.	119,900	47	22	2	–	–	–	–	–	–	–
Blackpool C.B.	73,800	17	17	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	34	12	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	45	23	–	–	1	–	–	–	–	–
Halifax C.B.	100,700	22	17	–	–	–	–	–	–	–	–
Bradford C.B.	291,100	111	80	11	–	–	–	1	–	1	–
Leeds C.B.	465,500	201	77	10	–	3	–	1	1	–	–
Dewsbury C.B.	55,100	26	17	1	–	–	1	–	–	–	–
Wakefield C.B.	53,763	28	13	1	–	–	–	–	–	–	–
Barnsley C.B.	68,991	38	13	3	–	–	–	1	–	–	–
Sheffield C.B.	519,239	217	90	11	–	–	–	1	–	1	–
Rotherham C.B.	69,100	41	19	2	–	–	–	–	–	1	–
Doncaster	54,700	20	8	1	–	–	–	–	1	–	–
York C.B.	84,500	36	13	–	–	1	–	–	–	–	–
Hull C.B.	291,800	145	55	10	–	1	–	1	–	2	–
Middlesbrough C.B.	133,400	66	18	4	–	–	–	–	–	1	–
Darlington C.B.	66,400	26	10	2	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	36	13	1	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	43	16	4	–	3	–	–	–	–	–
Sunderland C.B.	161,100	97	31	6	–	–	–	–	–	–	–
South Shields C.B.	120,376	69	17	6	–	–	–	–	–	–	–
Gateshead C.B.	126,700	70	24	5	–	–	–	–	–	1	1
Newcastle-on-Tyne C.B.	278,400	165	40	5	–	–	–	1	1	1	1
Tynemouth C.B.	63,900	29	11	2	–	–	–	–	–	–	–
Carlisle C.B.	53,200	35	10	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	48	21		–	–	–	–	2	–	–
Cardiff C.B.	202,700	97	22	3	–	–	–	1	–	–	–
Rhondda	166,600	80	33	8	–	–	–	–	–	–	–
Merthyr Tydfil C.B.	81,800	36	14	2	–	–	–	–	–	–	–
Aberdare	56,100	27	11	4	–	–	–	–	–	1	–
Swansea C.B.	159,600	76	27	5	–	1	–	–	–	1	–
Greater London	7,523,963*	3,255	1,111	122	2	7	5	3	25	15	3
Outer Ring	3,009,558*	1,213	407	34	1	2	1	–	6	2	1
16 Great Towns in Outer Ring	1,820,700	763	254	19	1	2	1	–	5	2	1
Remainder of Outer Ring	1,188,858*	450	153	15	–	–	–	–	1	–	–
Edinburgh†	420,500	176	90	4	–	–	–	2	1	1	–
Glasgow†	1,037,800	527	213	27	–	–	–	2	5	3	–
Dublin (Registration Area)†	427,000	223	112	20	1	–	1	–	–	5	1
Belfast†	425,000	188	111	18	–	–	–	–	1	–	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Aug. 19	2042	704	8·1	1	–	5	4	3	19	13	2
Calcutta	896,067	July 15	?	449§	25·8	?	2	?	?	?	?	?	2
Bombay	1,175,914	„ 8	310‖	608§	26·9	2	–	–	–	–	–	46	7
Madras	522,951	„ 8	440	431§	42·9	3	31	–	?	2	–	38	–
Sydney and Suburbs	926,400	June (30 days)	1801	803	10·4	7	–	–	1	3	7	15	9
Brisbane (Met. Area).	210,032												
Perth (Metropolitan Area).	154,866	June 24	99	36	12·1	1	–	–	–	–	–	6	–
Auckland (Urban Area).	157,757												
Wellington (Urban Area).	107,488												
Christchurch (Urban Area).	105,670												
Cape Town	101,000	July 8	50	29	14·9	1	–	–	–	–	–	2	–
Johannesburg	149,500	„ 8	82	46	16·0	–	–	–	–	–	–	1	4
Durban	48,000	„ 8	34	8	8·7	–	–	–	–	–	–	1	–
Paris	2,906,472												
Antwerp	303,421												
Amsterdam	690,877	July 29	270	95	7·2	–	–	1	–	–	–	1	–
Copenhagen	562,000	Aug. 5	190	96	9·0	–	–	–	–	1	–	1	–
Stockholm	422,042	„ 5	94	90	11·1	–	–	–	–	–	–	–	–
Gothenburg	228,052	July 8	?	29	6·6	–	–	–	–	–	–	–	–
Christiania	258,933	Aug. 12	80	44	8·8	–	–	–	–	–	–	–	–
Berlin	1,970,000	July 1	456	458	12·1	1	?	3	1	4	3	9	–
Breslau	557,000	„ 1	186	159	14·9	–	?	1	–	–	–	7	1
Cologne	677,000	„ 1	288	116	8·9	1	?	–	–	1	–	4	3
Dresden	605,000	„ 1	171	123	10·6	–	?	–	–	3	–	–	1
Frankfort-on-Main	476,000	„ 1	96	66	7·2	–	?	1	–	1	1	4	–
Hamburg	1,053,000	„ 1	291	195	9·6	–	?	–	–	1	2	2	1
Leipzig	673,000	„ 1	217	140	10·8	1	?	1	–	1	–	5	–
Munich	680,000	„ 1	199	158	12·1	–	?	–	1	–	1	4	–
Vienna	1,842,005	„ 15	609	470	13·3	1	–	–	1	2	–	25	–
Prague and Suburbs	689,262	„ 1	262	176	13·2	–	–	1	–	1	2	5	1
Budapest	940,000	June 3	353	381	21·1	1	?	9	5	2	–	12	1
Cairo	777,500	May 20	786	538	36·0	2	1	8	–	?	1	86	?
Alexandria	456,300	„ 20	380	237§	27·0	1	–	–	–	?	–	29	?
New York	5,839,738	July 15	2506	1094	9·8	1	–	4	1	4	11	39	2
Chicago	2,833,288	„ 22	?	501	9·2	1	–	3	–	3	3	23	–
Rio de Janeiro	1,197,504	„ 1	666	438	19·0	2	1	7	–	1	1	?	32
Montevideo	347,134	Apr. 1	210	114	19·2	3	–	–	–	1	–	12	1
		„ 8	188	124	19·2	–	–	–	–	–	–	9	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 10 deaths from *Asiatic Cholera* in Calcutta, 1 in Bombay and 1 in Madras, and from *Plague*, 8 in Calcutta, 3 in Bombay, and 2 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 19th August, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	704	88	11	26	29	47	35	56	90	97	113	112
Enteric fever	1	–	–	–	–	1	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	3	1	1	–	–	–	–	–	–	–	–
Scarlet fever	4	–	–	2	2	–	–	–	–	–	–	–
Whooping cough	3	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	19	1	2	10	6	–	–	–	–	–	–	–
Influenza	2	–	–	1	–	–	–	–	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	3	–	–	1	–	–	1	1	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	69	–	–	–	2	26	15	9	11	3	3	–
Tuberculous meningitis	11	2	2	2	4	1	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	7	–	–	–	–	1	1	1	–	1	2	1
Venereal diseases	7	5	–	–	–	–	–	–	1	1	–	–
Cancer	89	–	–	–	–	–	1	11	17	25	22	13
Rheumatic fever	3	–	–	–	1	1	1	–	–	–	–	–
Diabetes	4	–	–	–	–	–	1	–	–	1	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	1	1	–	–	–	1	–	–	–	–	2
Cerebral hæmorrhage, &c., Apoplexy	35	–	–	–	–	–	–	–	4	6	8	17
Epilepsy	5	–	–	1	–	–	–	1	–	2	–	1
"Convulsions" (not puerperal)	2	1	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	23	–	–	1	1	1	1	4	8	4	3	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	8	–	–	–	1	3	–	2	–	2	–	–
Other diseases of heart	79	–	–	–	2	5	4	9	9	16	17	17
Other dis. of circulatory system	31	–	–	–	–	–	–	–	1	6	11	13
Bronchitis	21	3	–	–	–	–	–	–	1	3	6	8
Broncho-pneumonia	15	5	–	–	2	–	–	1	–	2	2	3
Lobar pneumonia	11	–	–	1	1	–	2	1	2	2	1	1
Pneumonia (type not distinguished)	9	–	–	–	1	–	1	1	1	–	2	3
Other diseases of respiratory system	7	–	–	1	–	–	–	1	1	1	1	2
Diarrhœa and enteritis	18	13	–	–	–	–	–	–	1	1	1	2
Appendicitis and typhlitis	3	–	–	–	2	–	–	–	–	1	–	–
Hernia, Intestinal obstruction	4	–	–	–	–	–	–	1	1	–	2	–
Cirrhosis of liver	4	–	–	–	–	–	–	1	1	1	1	–
Other diseases of digestive system	20	1	2	–	–	1	1	1	4	4	5	1
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	20	–	–	–	–	–	2	1	4	7	4	2
Other diseases of genito-urinary system.	15	–	–	–	–	–	–	–	5	2	5	3
Puerperal fever, &c.	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	2	1	–	–	–	–	–
Congenital malformations	6	6	–	–	–	–	–	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	27	–	–	–	–	–	–	–	–	–	10	17
Suicide	5	–	–	–	–	–	1	1	–	3	–	–
Burns and scalds	2	–	–	1	–	–	–	1	–	–	–	–
Drowning	5	–	–	–	2	–	–	1	2	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	1	–	1	1	–	1	2	1	1	1
Other deaths by violence	14	–	–	–	–	2	–	2	5	–	2	3
Other specified causes	43	18	1	3	1	2	1	3	9	1	3	1
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th August 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	12	–	2	–
†BERMONDSEY ...	–	25	27	–	–	D. 1
†BETHNAL GREEN	–	9	11	–	1	–
†CAMBERWELL ...	–	21	15	–	–	M. 1
†CHELSEA ...	–	5	3	–	1	–
†DEPTFORD ...	–	7	2	–	1	–
†FINSBURY ...	–	6	8	–	–	M. 1
†FULHAM ...	–	5	9	1	2	C. 1 M. 1
†GREENWICH ...	–	6	16	–	–	–
†HACKNEY ...	–	8	8	–	–	–
†HAMMERSMITH	–	3	5	–	1	–
†HAMPSTEAD ...	–	2	5	–	–	M. 1
†HOLBORN ...	–	1	3	–	–	–
†ISLINGTON ...	–	14	21	–	–	C. 1 M. 1
†KENSINGTON ...	–	6	5	1	1	–
†LAMBETH ...	–	22	11	–	2	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	1	7	–	–	–
†PADDINGTON ...	–	10	2	–	3	D. 1 M. 1
†POPLAR... ...	–	6	12	–	3	–
†ST. MARYLEBONE	–	9	7	1	–	–
†ST. PANCRAS ...	–	8	6	–	3	–
†SHOREDITCH ...	–	4	6	–	–	–
†SOUTHWARK ...	–	17	16	–	4	–
†STEPNEY ...	1	8	9	1	–	C. 1 M. 1
†STOKE NEWINGTON	–	2	–	–	–	–
†WANDSWORTH	–	12	11	1	–	M. 1
†WESTMINSTER, CITY OF	–	2	4	1	–	M. 1
†WOOLWICH ...	–	4	2	–	–	M. 1
TOTAL OF PART I.	1	232	243	6	24	C. 3 D. 2 M. 10

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	12	3	–	–	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	3	–	–	–
†BEDFORD ...	–	2	–	–	–	–
LEIGHTON BUZZARD	–	2	–	–	–	–
Rural Districts :—						
BEDFORD ...	–	6	–	–	–	–
BIGGLESWADE ...	–	2	–	–	–	–
BERKS	–	22	8	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	2	–	–	–	–
†NEW WINDSOR	–	2	–	–	–	–
†READING C.B....	–	3	3	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	3	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
HUNGERFORD ...	–	7	2	–	–	–
NEWBURY ...	–	–	2	–	–	–
WALLINGFORD ...	–	1	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	5	4	–	3	E. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	–	–	–	1	–
BUCKINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
NEWPORT PAGNELL	–	–	–	–	1	–
†SLOUGH... ...	–	–	–	–	–	E. 1
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts :—						
BUCKINGHAM ...	*	*	*	*	*	*
ETON	–	1	–	–	1	–
NEWPORT PAGNELL	–	–	2	–	–	–
WING	–	1	–	–	–	–
WINSLOW ...	–	1	–	–	–	–
WYCOMBE ...	–	–	2	–	–	–
CAMBRIDGE ...	–	–	1	–	1	–
Borough :—						
†CAMBRIDGE ...	–	–	1	–	1	–
Rural Districts :—						
LINTON	*	*	*	*	*	*
NEWMARKET ...	*	*	*	*	*	*
CHESTER	–	51	12	–	10	G. 1 M. 5
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	3	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	4	–	–	2	G. 1 M. 2
BOLLINGTON ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHEADLE AND GATLEY	–	1	2	–	–	–
†CHESTER C.B. ...	–	3	2	–	2	M. 1
†CONGLETON ...	–	–	1	–	–	–
†CREWE	–	4	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	*	*	*	*	*	*
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOLLINGWORTH	*	*	*	*	*	*
HOOLE	–	1	–	–	–	–
†HYDE	–	3	–	–	1	M. 2
KNUTSFORD ...	–	–	1	–	1	–
†MACCLESFIELD...	–	7	–	–	–	–
†RUNCORN ...	–	2	1	–	–	–
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	1	–
†STOCKPORT C.B.	–	4	2	–	–	–
†WALLASEY C.B.	–	2	–	–	–	–
†WINSFORD ...	–	5	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	1	–
CONGLETON ...	*	*	*	*	*	*
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	2	1	–	–	–
RUNCORN ...	–	1	–	–	–	–
WIRRAL... ...	–	2	–	–	–	–
CORNWALL ...	–	3	3	2	3	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
†PENZANCE ...	–	–	3	–	–	–
REDRUTH ...	–	1	–	–	1	–
ST. AUSTELL ...	*	*	*	*	*	*
SALTASH ...	–	1	–	–	–	–
TORPOINT ...	–	–	–	–	1	–
CORNWALL—*cont.*						
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	*	*	*	*	*	*
SAINT GERMANS	–	–	–	1	–	–
TRURO	–	1	–	–	–	–
CUMBERLAND ...	–	7	3	1	–	E. 1 M. 1
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	3	2	–	–	–
COCKERMOUTH ...	–	1	–	–	–	E. 1
HARRINGTON ...	–	–	–	1	–	–
MILLOM... ...	–	1	–	–	–	–
PENRITH ...	–	2	–	–	–	–
Rural Districts:—						
PENRITH ...	–	–	–	–	–	M. 1
WIGTON... ...	–	–	1	–	–	–
DERBY	–	11	6	–	10	M. 2
Boroughs and Urban Districts:—						
†BOLSOVER ...	–	–	–	–	1	–
†BUXTON ...	*	*	*	*	*	*
†CHESTERFIELD...	–	–	2	–	–	–
†DERBY C.B. ...	–	2	–	–	3	M. 2
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP ...	–	–	1	–	–	–
†LONG EATON ...	–	–	–	–	3	–
NEW MILLS ...	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	2	–	–	1	–
CHESTERFIELD ...	–	2	–	–	1	–
CLOWNE ...	–	1	–	–	–	–
CODNOR PARK, &c. (parishes)	–	–	1	–	–	–
HARTSHORNE AND SEALS	*	*	*	*	*	*
REPTON ...	–	2	–	–	1	–
DEVON	–	9	8	1	1	J. 1 M. 5
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	1	–	–	–
DARTMOUTH ...	–	–	–	–	–	M. 1
†EXETER C.B. ...	–	2	–	–	–	–
†EXMOUTH ...	–	–	1	–	1	–
†PAIGNTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	2	3	–	–	M. 3
†TEIGNMOUTH ...	–	–	–	–	–	M. 1
TIVERTON ...	*	*	*	*	*	*
†TORQUAY ...	–	1	1	–	–	–
Rural Districts:—						
CREDITON ...	–	2	–	–	–	–
KINGSBRIDGE ...	–	–	–	1	–	–
NEWTON ABBOT	–	2	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	J. 1
DORSET	–	3	–	1	1	–
Boroughs and Urban Districts:—						
BRIDPORT ...	*	*	*	*	*	*
†POOLE	–	3	–	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	–	1	–	–
SHAFTESBURY ...	–	–	–	–	1	–
DURHAM... ...	–	38	23	2	13	C. 2 E. 1 M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	2	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER-LE-STREET	–	1	1	–	–	–
†DARLINGTON C.B.	–	–	1	–	1	C. 1 E. 1
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	2	2	–	1	M. 2
†HARTLEPOOL ...	–	–	–	–	1	M. 1
†JARROW ...	–	4	–	–	–	–
LEADGATE ...	–	1	1	–	–	–
†SHILDON ...	–	2	–	–	–	–
†SOUTH SHIELDS C.B.	–	5	1	–	–	–
†SOUTHWICK-ON-WEAR	*	*	*	*	*	*
†STANLEY ...	–	1	2	–	1	–
†STOCKTON-ON-TEES	–	–	–	–	1	–
†SUNDERLAND C.B.	–	5	6	–	3	M. 2
†TANFIELD ...	–	–	–	–	–	M. 1
TOW LAW ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B	–	–	1	–	–	M. 1
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	–
CHESTER-LE-STREET	–	2	4	–	–	–
DARLINGTON ...	–	1	–	–	–	–
EASINGTON ...	–	3	–	2	3	–
HOUGHTON-LE-SPRING	–	1	–	–	–	M. 1
LANCHESTER ...	–	–	1	–	–	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	*	*	*	*	*	*
†WISBECH ...	–	1	–	–	–	–
ESSEX	–	58	34	2	9	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	1	1	–
BURNHAM-ON-CROUCH	–	–	1	–	–	–
†EAST HAM C.B.	–	4	2	–	–	–
†GRAYS THURROCK	–	2	1	–	–	C. 1
†HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	–	1	–	–	–
†LEYTON... ...	–	3	4	–	1	–
SAFFRON WALDEN	*	*	*	*	*	*
SHOEBURYNESS-ON-SEA	–	–	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	9	–	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	13	8	–	–	–
†WEST HAM C.B.	–	14	9	–	3	–
†WOODFORD ...	–	4	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	3	3	–	–	–
BUMPSTEAD ...	*	*	*	*	*	*
CHELMSFORD ...	–	–	2	–	–	–
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	–	–	1	–	–
MALDON ...	–	1	1	–	–	–
ONGAR	–	–	–	–	2	–
ORSETT	–	2	–	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	40	17	2	4	E. 1 M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	30	13	1	2	E. 1
†CHELTENHAM ...	–	1	–	–	–	–
†GLOUCESTER C.B.	–	3	1	–	2	–
†NAILSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CHIPPING SODBURY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
LYDNEY ...	–	–	–	–	–	M. 1
STOW-ON-THE-WOLD (part)	–	–	–	1	–	–
TETBURY (part)	–	–	2	–	–	–
WEST DEAN ...	–	3	–	–	–	–
HEREFORD ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
LEOMINSTER ...	–	–	–	–	1	–
Rural Districts:—						
BREEDWARDINE...	–	–	–	–	1	–
WIGMORE ...	–	2	–	–	–	–
HERTFORD ...	–	10	2	–	1	–
Boroughs and Urban Districts:—						
†LETCHWORTH ...	–	1	–	–	–	–
†ST. ALBANS ...	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
SAWBRIDGEWORTH	–	1	–	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural District:—						
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	2	–	–	–	–
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
ST. IVES ...	–	3	–	–	–	–
ST. NEOTS No. 4	–	1	–	–	–	–
KENT	–	44	23	2	4	G 2 M. 3
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY ...	–	5	1	–	–	–
†CHATHAM ...	–	1	2	1	–	M. 1
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	4	–	–	–	–
†ERITH	–	–	2	–	–	M. 1
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GILLINGHAM ...	–	4	5	–	–	–
†GRAVESEND ...	–	3	1	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†NORTHFLEET ...	–	9	–	–	–	–
†PENGE	–	–	1	–	–	–
†ROCHESTER ...	–	2	3	1	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
†SHEERNESS ...	–	1	–	–	–	G. 2
†TONBRIDGE ...	–	–	1	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	–	1	–	–	–
ELHAM... ...	–	2	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
MAIDSTONE ...	–	–	–	–	–	M. 1
MALLING ...	–	1	–	–	–	–
MILTON ...	–	1	–	–	–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	1	3	–	–	–
WEST ASHFORD	–	–	–	–	1	–
LANCASTER ...	1	246	67	7	74	C. 8 D. 1 G 1 L. 2 M. 29
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	–	M. 1
ADLINGTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	1	–	–	–
†ASHTON-UNDER-LYNE	–	–	1	–	2	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	3	1	–	–	–
†BACUP	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Barrow-in-Furness C.B.	–	3	–	–	–	–
†Blackburn C.B.	–	5	1	1	3	–
†Blackpool C.B.	–	9	1	–	1	M. 1
†Bolton C.B. ...	–		2	–	2	–
†Bootle C.B. ...	–	4	–	–	–	C. 1
†Burnley C.B.	–	6	–	–	1	–
†Bury C.B. ...	–	3	–	–	–	M. 2
†Chadderton ...	–	3	–	–	1	–
†Colne	–	1	–	–	–	–
†Crompton ...	–	1	–	–	–	–
†Dalton in Furness	–	1	–	–	1	–
†Darwen ...	–	8	–	1	1	–
†Droylsden ...	–	1	–	–	2	–
†Eccles ...	–	3	–	–	–	M. 1
†Failsworth ...	–	1	1	–	–	–
†Farnworth ...	*	*	*	*	*	*
Fulwood ...	–	–	1	–	–	–
†Great Harwood	*	*	*	*	*	*
†Hindley ...	–	2	–	–	–	G. 1
†Horwich ...	–	1	–	–	–	–
†Ince-in-Makerfield	–	2	–	–	–	M. 1
†Lancaster ...	–	1	2	–	1	–
Lathom and Burscough	–	2	2	–	2	–
†Leigh	–	2	–	–	–	–
†Litherland ...	–	1	–	–	–	–
†Liverpool C.B.	1	38	13	1	5	C. 1 M. 12
†Manchester C.B.	–	46	13	3	20	C. 4 M. 6
†Middleton ...	–	4	1	–	2	–
†Morecambe ...	–	–	1	–	–	–
†Nelson ...	–	1	–	–	–	–
†Oldham C.B.	–	10	2	–	3	C. 1 M. 1
†Padiham ...	–	–	–	–	1	–
†Preston C.B. ...	–	1	1	1	1	–
†Prestwich ...	–	2	–	–	–	M. 1
†Radcliffe ...	–	1	1	–	2	–
†Rawtenstall ...	–	3	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Rishton ...	–	–	–	–	1	–
†Rochdale C.B.	–	13	1	–	–	–
†Royton... ...	–	–	–	–	3	–
†St. Annes-on-the-Sea ...	–	3	–	–	1	–
†St. Helens C.B.	–	2	3	–	2	M. 2
†Salford C.B. ...	–	17	8	–	3	C. 1 M. 1
†Southport C.B.	–	4	1	–	–	–
†Stretford ...	–	3	1	–	1	–
†Swinton and Pendlebury	–	1	–	–	1	–
Thornton ...	–	1	2	–	–	–
†Tydesley-with-Shakerley	–	1	–	–	1	–
Upholland ...	–	3	–	–	–	–
†Walton-le-Dale	–	1	–	–	–	–
†Warrington C.B.	–	3	–	–	2	–
†Waterloo-with-Seaforth	–	–	2	–	–	–
Whitefield ...	–	–	–	–	1	–
Whitworth ...	–	1	–	–	–	–
†Widnes ...	–	2	2	–	–	–
†Wigan C.B. ...	–	3	2	–	4	–
†Worsley ...	–	1	–	–	–	–
Rural Districts:—						
Clitheroe ...	–	–	–	–	–	L. 2
Garstang ...	*	*	*	*	*	*
Lancaster ...	–	–	–	–	–	D. 1
Leigh	–	1	–	–	–	–
Limehurst ...	–	–	–	–	1	–
Warrington ...	–	1	–	–	–	–
West Lancashire	–	1	–	–	–	–
Whiston ...	–	7	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	15	4	–	3	M 1
Boroughs and Urban Districts :—						
Ashby-de-la-Zouch	–	1	–	–	–	–
Ashby Woulds	*	*	*	*	*	*
†Coalville ...	–	1	–	–	–	–
†Hinckley ...	–	1	–	–	–	–
†Leicester C.B.	–	9	–	–	1	M. 1
†Loughborough	–	1	–	–	–	–
Market Harborough	–	1	1	–	–	–
Melton Mowbray	–	–	1	–	–	–
Wigston Magna	–	–	1	–	–	–
Rural Districts :—						
Barrow-upon-Soar	–	1	–	–	2	–
Castle Donington	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	–	1	–	–	G. 1
Boroughs and Urban Districts :—						
†Boston ...	–	–	–	–	–	G. 1
Long Sutton ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	3	–	–	–
Boroughs and Urban Districts :—						
Stamford ...	–	–	1	–	–	–
Rural District :—						
Claypole ...	–	2	1	–	–	–
Grantham ...	*	*	*	*	*	*
Sleaford ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	7	6	1	1	C. 1
Boroughs and Urban Districts :—						
Barton-upon-Humber	–	–	1	–	–	–
†Cleethorpes ...	–	–	1	1	–	–
†Grimsby C.B. ...	–	1	1	–	1	–
†Lincoln C.B. ...	–	–	1	–	–	–
Roxby-cum-Risby	–	3	–	–	–	–
†Scunthorpe and Frodingham	–	3	1	–	–	–
Rural District :—						
Grimsby ...	–	–	1	–	–	–
Louth	–	–	–	–	–	C. 1
MIDDLESEX ...	–	54	33	–	3	G. 1 M. 1
Boroughs and Urban Districts :—						
†Acton	–	4	1	–	–	–
†Brentford ...	–	1	1	–	–	–
†Chiswick ...	–	–	1	–	–	–
†Ealing ...	–	5	3	–	–	–
†Edmonton ...	–	5	1	–	1	G. 1
†Enfield ...	–	–	4	–	1	–
Feltham ...	–	–	1	–	–	–
†Finchley ...	–	3	–	–	–	–
†Friern Barnet	*	*	*	*	*	*
†Hampton ...	–	1	–	–	–	–
†Hanwell ...	*	*	*	*	*	*
†Harrow-on-the-Hill	–	1	–	–	–	–
†Hendon ...	–	–	2	–	–	M. 1
†Heston and Isleworth	–	2	–	–	–	–
†Hornsey ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHALL-NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	2	–	–	–	–
†TOTTENHAM ...	–	15	3	–	1	–
†TWICKENHAM ...	–	1	–	–	–	–
†WEMBLEY ...	–	2	1	–	–	–
†WILLESDEN ...	–	5	7	–	–	–
†WOOD GREEN ...	–	2	3	–	–	–
Rural Districts:—						
HENDON ...	–	2	1	–	–	–
STAINES ...	–	–	2	–	–	–
NORFOLK ...	–	14	3	–	2	–
Boroughs and Urban Districts:—						
NORTH WALSHAM	*	*	*	*	*	*
†NORWICH C.B....	–	12	3	–	2	–
WALSOKEN ...	–	2	–	–	–	–
Rural Districts:—						
FREBRIDGE LYNN	*	*	*	*	*	*
NORTHAMPTON	–	3	2	–	1	D. 1 M. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	1	–	–	–
†NORTHAMPTON C.B.	–	3	1	–	1	D. 1
†RUSHDEN ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRIXWORTH ...	*	*	*	*	*	*
NORTHUMBERLAND.	–	27	11	1	19	L. 1 M. 4
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	1	–	–	–	–
†BERWICK-UPON-TWEED	–	–	1	–	1	–
†BLYTH	–	1	1	–	–	M. 2
CRAMINGTON ...	–	4	–	–	–	–
†GOSFORTH ...	–	2	1	–	–	–
NEWBIGGIN-BY-THE-SEA	–	–	–	–	3	–
†NEWBURN ...	–	1	1	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	12	2	1	11	L. 1
SEGHILL ...	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	1	3	–	2	M. 2
†WALLSEND ...	–	1	1	–	1	–
Rural Districts:—						
BELLINGHAM ...	–	–	1	–	–	–
CASTLE WARD ...	–	2	–	–	–	–
HEXHAM ...	–	1	–	–	–	–
NOTTINGHAM ...	4	20	5	–	9	M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	1	–	–	1	–
†BEESTON ...	–	–	1	–	–	–
EASTWOOD ...	4	–	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hucknall ...	–	2	–	–	7	–
Huthwaite ...	–	–	1	–	–	–
†Mansfield ...	–	3	1	–	–	–
†Newark ...	–	2	–	–	–	–
†Nottingham C.B.	–	8	1	–	1	M. 1
Rural Districts:—						
Basford ...	–	2	–	–	–	–
Misterton ...	*	*	*	*	*	*
Skegby ...	–	–	1	–	–	–
Southwell ...	–	2	–	–	–	–
OXFORD	–	9	2	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†Oxford C.B. ...	–	5	–	–	–	C. 1 M. 1
Rural Districts:—						
Goring ...	–	2	–	–	–	–
Witney ...	–	2	2	–	–	–
PETERBOROUGH (Soke of).	–	1	1	–	1	–
Borough:—						
†Peterborough	–	1	1	–	–	–
Rural District:—						
Peterborough	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	8	–	1	1	C. 1 M. 2
Boroughs and Urban Districts:—						
Ellesmere ...	–	–	–	–	–	C. 1
Wellington ...	–	–	–	–	–	M. 1
†Wenlock ...	–	3	–	–	–	–
Rural Districts:—						
Atcham ...	–	1	–	1	–	–
Bridgnorth ...	–	–	–	–	1	–
Church Stretton	–	1	–	–	–	–
Clun ...	–	1	–	–	–	–
Oswestry ...	–	1	–	–	–	–
Shifnal ...	–	–	–	–	–	M. 1
Teme	–	1	–	–	–	–
SOMERSET ...	–	11	4	–	8	M. 1
Boroughs and Urban Districts:—						
†Bath C.B. ...	–	2	–	–	–	–
Burnham-on-Sea	–	1	–	–	–	–
Crewkerne ...	–	1	–	–	–	–
Minehead ...	*	*	*	*	*	*
Portishead ...	*	*	*	*	*	*
Wells	–	1	–	–	–	–
Rural Districts:—						
Axbridge ...	–	1	1	–	5	–
Bridgwater ...	–	1	–	–	–	–
Clutton ...	–	–	–	–	1	–
Keynsham ...	–	–	–	–	1	–
Long Ashton ...	–	1	–	–	–	–
Shepton Mallet	–	–	2	–	–	–
Taunton ...	–	1	–	–	–	–
Wells	–	–	–	–	1	–
Williton ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000

Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
Wincanton ...	–	–	–	–	–	M. 1
Yeovil	–	1	1	–	–	–
SOUTHAMPTON...	–	33	29	2	1	G. 1 M. 2
Boroughs and Urban Districts:—						
†Aldershot ...	–	4	–	–	–	–
Alton	–	–	1	–	–	–
†Basingstoke ...	–	1	–	–	–	–
†Bournemouth C.B.	–	3	–	–	–	–
†Eastleigh and Bishopstoke	–	1	–	–	–	–
†Fareham ...	–	1	–	2	–	–
†Gosport and Alverstoke	–	1	2	–	–	–
Petersfield ...	–	–	1	–	–	–
†Portsmouth C.B.	–	11	11	–	–	G. 1
Romsey ...	–	1	–	–	–	–
†Southampton C.B.	–	2	11	–	1	M. 2
Warblington ...	–	–	1	–	–	–
Rural Districts:—						
Alton	–	1	–	–	–	–
Basingstoke ...	–	1	1	–	–	–
Christchurch	–	–	1	–	–	–
Havant ...	–	1	–	–	–	–
Kingsclere ...	–	1	–	–	–	–
Whitchurch ...	–	4	–	–	–	–
STAFFORD ...	–	49	21	–	21	C. 3 E. 1 M. 12
Boroughs and Urban Districts:—						
Biddulph ...	–	–	–	–	–	M. 1
†Bilston ...	–	4	–	–	2	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Burton-upon-Trent C.B.	–	1	–	–	–	–
†Cannock ...	–	3	–	–	–	–
†Darlaston ...	–	1	–	–	–	–
†Leek	–	1	–	–	–	–
Lichfield ...	–	–	–	–	–	C. 1
Newcastle-under-Lyme	–	–	1	–	–	–
Quarry Bank	–	1	–	–	–	–
†Rowley Regis	–	–	–	–	1	–
†Smethwick C.B.	–	3	3	–	1	–
†Stafford ...	–	2	3	–	–	–
†Stoke-on-Trent C.B.	–	8	6	–	11	C. 1 E 1 M. 8
Stone	–	–	1	–	–	–
Tettenhall ...	–	–	–	–	2	–
†Tipton	–	1	–	–	–	–
†Walsall C.B....	–	1	–	–	1	–
†West Bromwich C.B.	–	10	3	–	–	–
†Willenhall ...	–	1	–	–	1	–
†Wolstanton United	–	2	1	–	–	–
†Wolverhampton C.B.	–	4	–	–	1	–
Rural Districts:—						
Cannock ...	–	1	–	–	–	–
Cheadle ...	–	1	1	–	–	–
Leek	–	3	1	–	–	–
Lichfield ...	–	–	–	–	–	C 1 M. 1
Stone	–	1	–	–	1	–
Walsall ...	–	–	1	–	–	–
SUFFOLK, EAST	–	9	3	–	7	–
Boroughs and Urban Districts:—						
Eye	–	–	–	–	1	–
†Felixstowe ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†IPSWICH C.B. ...	–	3	–	–	3	–
LEISTON-CUM-SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	1	–	–	–	–
SAXMUNDHAM ...	*	*	*	*	*	*
WOODBRIDGE ...	–	–	3	–	–	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
PLOMESGATE ...	–	–	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	4	–	1	–	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HAVERHILL ...	*	*	*	*	*	*
NEWMARKET ...	–	1	–	–	–	–
Rural District:—						
CLARE	*	*	*	*	*	*
COSFORD ...	–	–	–	–	–	M. 1
MILDENHALL ...	–	–	–	1	–	–
MOULTON ...	*	*	*	*	*	*
THEDWASTRE ...	–	2	–	–	–	–
SURREY	–	22	19	1	1	L. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARSHALTON ...	–	–	1	–	–	–
†CROYDON C.B....	–	5	10	–	–	–
†EGHAM	–	1	1	–	–	–
†EPSOM	–	–	–	–	–	L. 1
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
HASLEMERE ...	*	*	*	*	*	*
†KINGSTON-UPON-THAMES	–	6	1	–	–	–
†MERTON AND MORDEN	–	–	–	1	–	–
†MITCHAM ...	–	1	–	–	–	–
†SURBITON ...	–	1	1	–	–	–
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
†WOKING ...	–	–	1	–	–	–
Rural Districts:—						
EPSOM	–	–	–	–	1	–
GUILDFORD ...	–	3	–	–	–	–
SUSSEX, EAST ...	–	10	6	–	–	M. 2
Boroughs and Urban Districts:—						
†BRIGHTON C.B.	–	2	1	–	–	M. 2
†HASTINGS C.B.	–	–	1	–	–	–
†HOVE	–	5	2	–	–	–
SEAFORD ...	–	1	1	–	–	–
Rural Districts:—						
CHAILEY ...	–	2	–	–	–	–
RYE	–	–	1	–	–	–
SUSSEX, WEST ...	–	3	1	–	1	M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	*	*	*	*	*	*
†LITTLEHAMPTON	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol... J, Continued Fever; K, Trench Fever; L Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTHWICK ...	–	–	–	–	–	M. 1
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST	–	1	–	–	–	–
WARWICK ...	–	64	15	–	19	C. 2 D 1 E. 1 L. 1 M. 12
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	39	13	–	15	C. 2 D. 1 E. 1 L. 1 M. 10
†COVENTRY C.B.	–	4	–	–	1	–
†NUNEATON ...	–	2	–	–	–	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 2
†RUGBY	–	1	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	8	–	–	–	–
ATHERSTONE ...	–	–	–	–	1	–
FOLESHILL ...	–	1	–	–	–	–
RUGBY	–	1	1	–	–	–
SOLIHULL ...	–	4	–	–	1	–
TAMWORTH (part)	–	4	1	–	–	–
WESTMORLAND	–	2	1	–	–	M. 1
Rural Districts:—						
EAST WESTMORLAND	–	2	1	–	–	–
SOUTH WESTMORLAND ...	–	–	–	–	–	M. 1
ISLE OF WIGHT	–	1	4	–	–	–
Boroughs and Urban Districts:—						
COWES	–	–	2	–	–	–
†RYDE	–	1	–	–	–	–
SHANKLIN ...	–	–	1	–	–	–
Rural District:—						
ISLE OF WIGHT	–	–	1	–	–	–
WILTS	–	22	11	–	1	M. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	5	–	–	–	M. 1
†TROWBRIDGE ...	–	4	1	–	–	–
WESTBURY ...	–	1	1	–	1	–
Rural Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CHIPPENHAM ...	–	1	1	–	–	–
HIGHWORTH ...	–	1	1	–	–	M. 1
PEWSEY ...	–	4	–	–	–	–
RAMSBURY ...	–	3	–	–	–	–
SALISBURY ...	–	–	3	–	–	–
TISBURY ...	–	–	3	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	17	3	1	4	C. 1 M. 4
Boroughs and Urban Districts :—						
†DUDLEY ...	–	3	–	–	–	C. 1
†KIDDERMINSTER	–	1	2	–	1	–
NORTH BROMSGROVE	–	1	–	1	–	–
†OLDBURY ...	–	3	–	–	1	M. 1
†REDDITCH ...	–	6	–	–	–	M. 1
†WORCESTER C.B.	–	1	–	–	1	M. 1
Rural Districts :—						
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	1	–
PERSHORE ...	–	–	1	–	–	–
TEWKESBURY (part)	–	–	–	–	–	M. 1
YORKS ... ... (East Riding).	–	17	11	–	3	M. 3
Boroughs and Urban Districts :—						
†BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	12	8	–	2	M. 3
†YORK C.B. ...	–	2	2	–	–	–
Rural Districts :—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN ...	–	1	1	–	–	–
YORKS ... ... (North Riding).	13	6	2	–	3	M. 1
Boroughs and Urban Districts :—						
†ESTON	–	1	–	–	–	–
HINDERWELL ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIDDLESBROUGH C.B.	13	1	–	–	1	M. 1
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	2	1	–	–	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY-ON-TEES	–	1	1	–	–	–
†WHITBY ...	–	–	–	–	1	–
Rural Districts :—						
WATH	*	*	*	*	*	*
YORKS ... ... (West Riding).	1	190	31	–	67	C. 4 D. 1 E. 1 G. 3 M. 10
Boroughs and Urban Districts :—						
†ADWICK-LE-STREET	–	3	–	–	2	–
ALTOFTS ...	–	–	–	–	1	–
†BARNOLDSWICK	–	1	–	–	3	–
†BARNSLEY C.B.	–	2	2	–	–	C. 1 M. 1
†BATLEY... ...	–	1	–	–	–	–
†BENTLEY-WITH-ARKSEY	–	–	1	–	2	–
†BINGLEY ...	–	–	1	–	–	–
†BRADFORD C.B.	–	17	5	–	4	G. 2
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	3	1	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	4	–	–	–	–
†DONCASTER ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
EARBY	–	–	1	–	–	–
GARFORTH ...	–	1	–	–	–	–
†GOLCAR ...	–	1	–	–	–	–
†GOOLE	–	2	–	–	1	–
GREETLAND ...	–	–	1	–	–	–
†HALIFAX C.B. ...	–	2	1	–	–	–
†HARROGATE ...	–	3	1	–	2	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	–	1	–	–	M. 1
HORBURY ...	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	2	1	–	–	–
ILKLEY	–	2	–	–	–	–
†KEIGHLEY ...	–	1	–	–	–	–
†LEEDS C.B. ...	–	68	3	–	8	D. 1 M. 2
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	–	–	–	1	–
†MIRFIELD ...	–	1	1	–	–	–
†MORLEY ...	–	–	–	–	1	M. 1
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	–	–	–	–	C. 1
OTLEY	–	–	1	–	2	–
†PUDSEY... ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	3	–	–	3	–
†ROTHWELL ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	20	4	–	32	C. 2 E. 1 M. 3
†SHIPLEY ...	–	6	–	–	–	–
†SOWERBY BRIDGE	–	3	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	M. 1
THURNSCOE ...	–	1	–	–	–	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
†WAKEFIELD C.B.	–	9	1	–	2	–
†WATH-UPON-DEARNE	–	1	–	–	–	–
†WORSBOROUGH	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BARNSLEY ...	1	–	–	–	–	–
DONCASTER ...	–	–	1	–	–	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	3	–	–	–	–
HUNSLET ...	–	1	–	–	–	–
KIVETON PARK	–	1	1	–	–	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	7	–	–	–	–
SETTLE	–	2	–	–	–	–
SKIPTON ...	–	–	–	–	–	G. 1
TADCASTER ...	–	2	–	–	–	–
THORNE ...	–	–	1	–	–	–
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (South)	–	–	–	–	1	–
WORTLEY ...	–	–	1	–	–	–
WALES.						
BRECKNOCK ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
CRICKHOWELL ...	–	2	–	–	–	–
CARDIGAN ...	–	3	2	–	1	–
Rural District:—						
ABERAYRON ...	–	1	–	–	–	–
ABERYSTWITH (North)	–	1	2	–	1	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	–	2	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANELLY ...	–	–	1	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
CARNARVON ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	1	–	1	–
CARNARVON—*cont.*						
Rural Districts:—						
LLEYN	–	2	–	–	–	–
DENBIGH ...	–	–	–	–	–	–
Rural Districts:—						
RUTHIN... ...	*	*	*	*	*	*
FLINT	–	4	4	–	1	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	1	–	–	–	–
†RHYL	–	2	4	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	71	28	1	20	M. 7
Boroughs and Urban Districts:—						
†ABERDARE ...	–	11	–	–	2	M. 1
†BARRY	–	–	1	–	2	–
†CAERPHILLY ...	–	1	–	–	–	–
†CARDIFF C.B. ...	–	4	4	1	2	M. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GELLIGAER ...	–	2	–	–	–	–
†MERTHYR TYDFIL C.B.	–	2	1	–	–	–
†MOUNTAIN ASH	–	6	2	–	–	–
†NEATH	–	–	–	–	1	–
†OGMORE AND GARW	–	1	3	–	–	–
†PONTYPRIDD ...	–	1	–	–	–	–
†PORT TALBOT ...	–	–	2	–	–	–
†RHONDDA ...	–	23	4	–	9	M. 1
†SWANSEA C.B. ...	–	8	5	–	1	M. 2
Rural Districts:—						
GOWER	–	–	2	–	–	–
LLANDAFF and DINAS POWIS	–	1	2	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	6	1	–	–	–
NEATH	–	4	–	–	3	–
PENYBONT ...	–	1	1	–	–	–
MERIONETH ...	–	2	1	–	1	–
Urban District:—						
FESTINIOG ...	–	2	1	–	1	–
MONMOUTH ...	–	12	6	–	8	G. 1 M. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	–	2	–	–	–
†BEDWELLTY ...	–	1	–	–	–	–
†EBBW VALE ...	–	3	–	–	4	G. 1
†NEWPORT C.B....	–	1	2	–	2	–
†PANTEG... ...	–	3	1	–	–	–
†RISCA	–	–	–	–	–	M. 1
†TREDEGAR ...	–	2	1	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
SAINT MELLONS	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Haverford-west	–	1	–	–	–	–
Rural Districts:—						
Llanfyrnach ...	–	–	1	–	–	–
RADNOR	–	2	–	–	–	–
Rural Districts:—						
Painscastle ...	–	2	–	–	–	–
Total of Part II.	19	1287	492	29	347	C. 24 D. 4 E. 7 G. 11 J. 1 L. 5 M. 125

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Dover (Deal Division)	–	–	1	–	–	–
Hartlepool ...	*	*	*	*	*	*
Hull and Goole	–	–	–	–	1	–
Liverpool ...	–	–	1	–	–	–
Southampton ...	–	4	–	–	–	–
Swansea ...	–	–	1	–	–	–
Port of London	–	–	1	–	–	–
Total of Part III.	–	4	4	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	232	243	6	24	C. 3 D. 2 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	19	1287	492	29	347	C. 24 D. 4 E. 7 G. 11 J. 1 L. 5 M. 125
Total of Part III.—Port Sanitary Districts ...	–	4	4	–	1	–
Total (*i.e.*, of returns received), England and Wales	20	1523	739	35	372	C. 27 D. 6 E. 7 G. 11 J. 1 L. 5 M. 135

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Twenty cases of Small-pox were notified, which appear on pages 958, 964, 966, 971, and 972.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.
LONDON:—													
DEATHS—all ages	1,178	944	878	795	842	852	795	844	785	782	797	744	704
" 0 to 1 year	178	97	97	104	85	79	88	78	68	92	79	73	88
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,714	8 119	7,141	9,023	8,296	8044	7,858	8,376	8,168	8,139	8,108	6,703	8,601
DEATHS—all ages	4,521	3,965	3,667	3,602	3,502	3544	3,466	3,531	3,372	3,355	3,409	3,379	3,323
" *0 to 1 year*	711	557	503	503	451	407	482	442	433	387	426	402	418
ENTERIC FEVER—Cases	31	23	22	24	17	23	26	27	17	28	16	15	15
" Deaths	6	2	2	5	4	1	4	3	2	2	1	2	2
SMALL POX—Cases	12	13	6	10	10	4	13	5	12	15	7	17	15
" Deaths	—	—	—	—	—	—	—	—	—	—	2	—	—
SCARLET FEVER—Cases	1,163	1,120	940	1016	1102	1085	1,142	1,250	1,201	1,040	1,013	818	911
" Deaths	18	19	20	9	14	9	13	12	12	11	8	11	11
DIPHTHERIA—Cases	608	558	598	560	609	537	633	581	662	597	501	458	502
" Deaths	43	44	43	44	32	50	39	31	33	38	33	40	40
MEASLES—Deaths	130	97	96	79	56	60	59	62	62	67	62	45	63
INFLUENZA—Deaths	55	36	26	27	18	25	22	24	18	22	19	15	11

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th August 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	72	46	69·6	49·7	0
BRIGHTON	70	51	65·9	53·2	1
PORTSMOUTH	67	49	65·9	53·4	1
NORWICH (EATON).	70	44	66·4	48·9	2
PLYMOUTH	67	46	64·3	51·0	6
BRISTOL (CLIFTON).	67	48	64·1	52·4	10
BIRMINGHAM	68	44	63·1	49·3	6
NOTTINGHAM	66	44	63·6	50·6	6
BIRKENHEAD (BIDSTON).	68	48	62·1	51·3	9
MANCHESTER	67	41	62·7	49·9	13
BURNLEY	64	41	61·0	48·4	11
HUDDERSFIELD	67	45	64·9	49·3	8
BRADFORD	66	45	62·0	50·3	3
SHEFFIELD	65	47	63·4	51·1	9
YORK (MUSEUM).	67	42	65·3	49·4	5
HULL (PEARSON PARK).	70	44	66·6	48·4	10
TYNEMOUTH	65	46	63·6	49·1	7
CARDIFF	66	47	63·0	51·9	9
EDINBURGH	63·0	45·0	60·7	48·4	7
GLASGOW	62·8	45·8	59·2	49·3	21
DUBLIN (PHŒNIX PARK).	71·0	45·5	64·7	49·9	1
FITZWILLIAM SQUARE.†	69·0	50·0	64·1	53·1	1
BELFAST	67·0	44·0	63·9	50·4	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 19th August 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
August.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	13	..	29·772	68·8	52·6	16·2	58·9	− 3·6	51·9	7·0	15·7	1·7	78	127·2	45·9	56·8	WSW & WNW.	NW & W	2·0	0·0	0·1	207	− 50	0·05
Monday	14	..	29·758	69·7	46·4	23·3	57·3	− 5·2	48·9	8·4	18·4	1·3	74	123·5	38·1	56·9	Calm & E.	Calm ENE.	0·5	0·0	0·0	138	−117	0·00
Tuesday	15	Last Quarter	29·907	68·9	48·1	20·8	57·1	− 5·3	44·6	12·5	23·0	1·9	63	128·0	37·7	56·7	NE, Calm & N.	N. Calm & W.	1·5	0·0	0·1	212	− 40	0·00
Wednesday	16	..	29·914	70·2	47·5	22·7	59·0	− 3·3	50·1	8·9	18·1	1·4	72	140·3	36·6	56·7	Calm WSW.	W & WSW.	4·0	0·0	0·2	299	+ 50	0·00
Thursday	17	..	29·788	67·1	52·8	14·3	58·6	− 3·5	50·5	8·1	15·9	4·1	75	112·0	45·2	56·9	WSW & W.	WNW	4·3	0·0	0·3	381	+135	0·00
Friday	18	Greatest Declination N.	29·998	69·8	51·2	18·6	59·1	− 2·8	47·4	11·7	20·9	3·1	65	134·3	43·9	56·9	WNW & NW.	NW, WNW & NW.	3·8	0·0	0·2	378	+135	0·00
Saturday	19	..	30·091	71·9	46·4	25·5	59·6	− 2·1	52·5	7·1	17·3	1·9	77	140·7	32·8	56·9	N. Calm WNW.	W & Calm.	0·6	0·0	0·0	171	− 71	0·00
Means		..	29·890	69·5	49·3	20·2	58·5	− 3·7	49·4	9·1	18·5	2·2	72	129·4	40·0	56·8	Westerly		...	...	...	Sum 1,786	Sum + 42	Sum 0·05
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. August 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	13	w.P till 13h., then m.P.	0·6	14·7	Overcast generally, cloudy interval about noon, and few breaks about 15h. to 17h. with solar halo. Rain 2h. to 4h. Mist in morning. Dew at night. Clearing partially after 23h.
MONDAY -	14	w.P. till 11h., m.P. till 18h., then w.P.	2·7	14·7	Variably cloudy until 9h., then overcast generally. Lunar halo till 1h. 30m.; solar halo in forenoon.
TUESDAY -	15	w.P. till 6h., increasing to s.P. about 15h., m.P. after 20h.	10·0	14·6	Overcast till 2h.; cloudless or nearly cloudless until 6h; cloudy till 18h. and then becoming cloudless. Dew in morning and at night.
WEDNESDAY	16	w.P. till 6h., m.P. till 19h. excepting w.N. at 10h. 30m., then w.P.	8·1	14·5	Cloudless till 4h.; few thin clouds till 9h; cloudy or very cloudy till 19h., later, variable cloud. Dew in morning. Slight shower at 10h. 30m.
THURSDAY -	17	w.P till 12h. m.P. till about 22h., then w.P.	3·3	14·5	Thin cloud in early morning increasing to overcast sky by 8h. Overcast or nearly overcast till 16h.; few clouds generally until 23h., then nearly overcast. Rain from 8h. to 9h. Brisk wind 13h.–18h.
FRIDAY -	18	w.P. till 8h. m.P. till 18h. w.P. afterwards.	5·7	14·4	Cloudless till 1h.; then very cloudy or nearly overcast generally with slight exception 8h. to 10h. and after 23h.
SATURDAY -	19	w.P. till 8h., m.P. generally till 18h., w.P. afterwards.	5·9	14·4	Cloudless till 4h.; few clouds until 9h.; cloudy until 11h. 30m., afterwards overcast generally.
			Sum 36·3	Sum 101·8	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·75 in. at the beginning of the week to 29·97 in. by 7h. on 16th; decreased to 29·74 in. by 9h. on 17th; increased to 30·11 in. by 10h. on 19th, then decreased and was 30·07 in. at midnight on 19th.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 34.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 26TH AUGUST, 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH AUGUST, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-fourth week of the year numbered 7,625, and corresponded to an annual rate of 20·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,290 and corresponded to an annual rate of 9·0 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·3, 9·3 and 9·1. Infant mortality was 53 per 1,000 births against 53, 60, and 49 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,828 births, corresponding to a rate of 21·1 per 1,000, and 730 deaths of civilians, corresponding to a rate of 8·4, as against 9·2, 8·6 and 8·1, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·6 per 1,000. The infant mortality was 36 as against 41, 45, and 43 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 33 in the total deaths last week. In London the number of deaths from all causes rose from 704 to 730; while the deaths from diphtheria, which had been 15, 16, and 19 in the preceding three weeks, fell to 18 last week.

---

m (45)18307—5 Wt 30—P 19 2250 8/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 26th August 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,625	3,290	403	3	45	14	29	41	57	16
London	4,514,405*	1,828	730	66	–	2	5	3	18	11	1
Towns in Outer Ring.											
Croydon C.B.	191,500	76	38	4	–	–	–	–	–	1	–
Wimbledon	61,700	17	14	1	–	–	–	1	–	–	–
Ealing	67,800	23	12	–	–	–	–	–	1	–	–
Acton	62,000	17	5	–	–	–	–	–	–	–	–
Willesden	167,200	45	26	3	–	–	–	–	1	1	–
Hendon	55,500	21	5	1	–	–	–	–	–	–	–
Hornsey	87,600	20	15	1	–	–	–	1	–	–	–
Wood Green	51,100	12	8	–	–	–	–	–	–	–	–
Tottenham	149,200	54	27	4	–	–	–	–	1	–	–
Edmonton	67,800	37	10	3	–	–	–	–	–	–	–
Enfield	61,400	21	12	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	159	52	6	–	–	–	2	–	1	1
East Ham C.B.	145,500	50	26	4	–	–	–	–	–	–	–
Leyton	130,100	48	11	–	–	–	–	1	–	–	–
Walthamstow	129,800	49	25	2	–	–	2	–	1	–	–
Ilford	85,500	29	8	1	–	–	–	–	–	–	–
Gillingham	48,149*	25	12	3	–	–	–	1	1	–	–
Canterbury C.B.	23,680	5	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	10	7	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	13	8	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	41	28	4	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	94	35	4	–	–	–	1	2	–	–
Bournemouth C.B.	81,200	19	18	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	61	28	2	–	–	–	–	–	1	–
Reading C.B.	92,600	41	19	1	–	–	1	–	–	–	–
Oxford C.B.	56,400	19	8	2	–	–	–	–	–	–	–
Northampton C.B.	92,300	34	16	–	–	–	–	–	–	1	–
Luton	57,800	13	8	–	–	–	–	–	–	–	–
Cambridge	58,900	23	8	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	24	8	–	–	–	–	–	–	–	–
Ipswich C.B.	80,100	34	13	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	22	4	–	–	–	–	–	–	–	–
Norwich C.B.	122,400	38	19	3	–	–	–	1	1	–	–
Swindon	55,500	11	16	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	15	9	3	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	87	51	5	–	1	–	1	–	–	–
Bath C.B.	68,300	25	9	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	137	63	11	–	1	–	–	1	4	1
Gloucester C.B.	51,800	14	7	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	157	42	10	–	2	1	1	–	1	–
Burton-upon-Trent C.B.	49,410	17	8	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	41	19	2	–	–	1	–	–	–	–
Walsall C.B.	98,800	50	17	6	–	–	–	1	–	2	–
West Bromwich C.B.	75,300	31	12	1	–	–	–	1	–	–	–
Worcester C.B.	49,160	15	9	1	–	–	–	–	–	1	–
Dudley C.B.	57,100	29	12	1	1	–	–	–	–	2	–
Birmingham C.B.	936,000	378	157	18	–	3	–	5	–	–	1
Smethwick C.B.	77,400	37	10	2	–	–	–	–	–	–	–
Coventry C.B.	130,300	45	9	1	–	–	–	–	–	–	–
Leicester C.B.	237,900	89	44	9	–	–	–	–	–	2	–
Lincoln C.B.	66,600	22	8	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	47	19	4	–	–	–	–	–	–	–
Nottingham C.B.	266,400	102	52	6	–	1	–	–	1	1	–
Derby C.B.	131,800	57	14	3	–	–	–	–	–	–	–
Chesterfield	62,400	28	7	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	55	28	2	–	1	–	–	–	1	–
Chester C.B.	41,030	19	7	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	76	23	2	–	–	–	–	–	–	–
Wallasey C.B.	89,600	27	11	–	–	–	–	–	–	–	–
Liverpool C.B.	817,000	389	153	26	–	–	1	3	2	8	1
Bootle C.B.	77,800	42	12	3	–	–	–	–	–	–	–
St. Helens C.B.	104,900	54	23	3	–	1	–	–	–	–	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	17	9	–	–	–	–	–	–	1	–
Wigan C.B.	91,200	46	19	2	–	–	–	–	–	1	–
Warrington C.B.	78,600	27	12	2	–	–	–	–	–	–	–
Bolton C.B.	182,200	61	46	5	–	1	–	–	1	–	1
Bury C.B.	57,600	17	11	1	–	–	–	–	1	–	1
Manchester C.B.	744,000	305	152	16	–	12	1	1	3	2	1
Salford C.B.	239,100	89	53	9	–	5	–	1	1	–	–
Oldham C.B.	148,300	55	42	7	–	8	–	–	–	1	–
Rochdale C.B.	92,700	13	14	–	–		–	–	–	–	1
Burnley C.B.	105,300	48	30	3	–	–	–	–	–	–	–
Blackburn C.B.	129,400	39	12	1	–	–	–	–	–	–	–
Preston C.B.	119,900	38	27	4	–	–	1	–	1	–	1
Blackpool C.B.	73,800	20	14	2	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	34	11	3	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	37	23	–	–	1	–	1	1	–	–
Halifax C.B.	100,700	39	22	2	–	–	–	–	–	1	–
Bradford C.B.	291,100	103	53	3	–	–	–	–	–	–	–
Leeds C.B.	465,500	181	97	15	–	2	1	–	2	2	1
Dewsbury C.B.	55,100	18	6	2	–	–	–	–	–	–	–
Wakefield C.B.	53,763	22	4	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	43	10	–	–	1	–	–	–	–	–
Sheffield C.B.	519,239	206	76	10	–	–	–	–	1	1	2
Rotherham C.B.	69,100	42	11	1	–	–	–	–	–	–	1
Doncaster	54,700	23	8	1	–	–	–	–	–	–	–
York C.B.	84,500	44	5	1	–	–	–	–	–	–	–
Hull C.B.	291,800	144	58	8	–	1	–	–	–	3	–
Middlesbrough C.B.	133,400	60	20	4	–	–	–	–	–	2	–
Darlington C.B.	66,400	27	18	2	–	–	–	1	–	–	–
Stockton-on-Tees	65,000	25	18	4	1	–	–	–	–	1	–
West Hartlepool C.B.	69,300	19	17	6	–	–	–	1	–	–	–
Sunderland C.B.	161,100	82	35	6	–	–	–	–	–	2	–
South Shields C.B.	120,376	64	25	3	–	–	–	–	–	–	–
Gateshead C.B.	126,700	53	25	4	–	–	–	–	–	1	–
Newcastle-on-Tyne C.B.	278,400	141	47	8	1	–	–	1	–	–	–
Tynemouth C.B.	63,900	21	13	–	–	–	–	–	–	1	–
Carlisle C.B.	53,200	14	9	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	42	11	2	–	–	–	–	–	–	–
Cardiff C.B.	202,700	73	28	5	–	–	–	–	–	–	–
Rhondda	166,600	75	30	5	–	–	–	–	–	–	–
Merthyr Tydfil C.B.	81,800	24	13	1	–	–	–	–	–	–	–
Aberdare	56,100	22	7	3	–	–	–	–	–	–	–
Swansea C.B.	159,600	54	30	8	–	2	–	–	–	–	–
Greater London	7,523,963*	2,912	1,196	107	–	2	8	10	24	14	2
Outer Ring	3,009,558*	1,084	466	41	–	–	3	7	6	3	1
16 Great Towns in Outer Ring	1,820,700	678	294	30	–	–	2	5	4	3	1
Remainder of Outer Ring	1,188,858*	406	172	11	–	–	1	2	2	–	
Edinburgh†	420,500	157	102	9	–	2	–	–	–	–	–
Glasgow†	1,037,800	506	229	32	–	1	2	2	1	7	–
Dublin (Registration Area)†	427,000	215	99	26	–	1	1	2	–	5	–
Belfast†	425,000	197	95	18	–	3	1	–	1	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Aug. 26	1828	730	8·4	–	–	2	5	3	18	11	1
Calcutta	896,067	July 22	?	437§	25·0	?	1	?	?	?	?	?	5
Bombay	1,175,914	„ 15	352‖	682§	36·2	1	2	–	–	–	–	38	3
Madras	522,951	„ 15	464	378	37·6	3	20	2	?	1	–	29	1
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	210,032												
Perth (Metropolitan Area).	154,866	July 1	83	26	8·7	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450	June (30 days)	241	141	10·3	5	–	–	–	–	2	–	2
Wellington (Urban Area).	110,680	„ „	209	101	10·9	1	–	–	–	–	2	3	1
Christchurch (Urban Area).	110,200	„ „	171	100	10·9	–	–	–	1	–	1	1	–
Cape Town	101,000	July 8	50	29	14·9	1	–	–	–	–	–	2	–
Johannesburg	149,500	„ 15	95	36	12·5	–	–	–	1	–	–	1	2
Durban	48,000	„ 15	41	10	10·8	–	–	–	–	–	–	–	–
Paris	2,906,472	„ 31 (11 days)	1409	1008	11·5	3	–	1	1	8	6	39	1
Antwerp	303,297	July 8	97	49	9·0	1	–	1	–	–	–	5	–
Amsterdam	690,877	Aug. 5	270	90	6·8	–	–	–	–	3	–	1	–
Copenhagen	562,000	„ 12	210	99	9·2	–	–	1	–	4	–	1	–
Stockholm	422,042	„ 12	95	71	8·7	–	–	–	–	–	–	–	–
Gothenburg	228,052	July 15	?	43	9·8	–	–	–	–	1	–	1	–
Christiania	258,933	Aug. 12	80	44	8·8	–	–	–	–	–	–	–	–
Berlin	1,974,000	July 8	449	530	14·0	–	?	10	–	6	5	9	2
Breslau	557,000	„ 8	201	145	13·5	1	?	–	–	–	1	7	1
Cologne	688,000	„ 8	275	143	10·8	1	?	–	–	5	2	5	1
Dresden	607,000	„ 8	206	129	11·0	–	?	1	–	–	–	4	–
Frankfort-on-Main	476,000	„ 8	110	92	10·1	–	?	–	–	–	–	4	–
Hamburg	1,060,000	„ 8	367	226	11·1	–	?	–	1	2	–	1	1
Leipzig	675,000	„ 8	196	142	10·9	–	?	–	–	1	–	4	2
Munich	680,000	„ 8	224	151	11·5	–	?	–	–	2	–	4	–
Vienna	1,842,005	„ 22	584	461	13·0	2	–	–	1	3	–	21	–
Prague and Suburbs	689,262	„ 8	272	197	14·8	2	–	3	1	1	–	5	–
Budapest	940,000	June 10	353	353	19·5	1	?	4	3	1	2	14	1
Cairo	777,500	May 27	691	596	39·9	6	–	17	–	?	1	104	?
Alexandria	456,300	„ 27	373	211§	24·0	1	–	1	–	?	1	37	?
New York	5,839,738	July 22	2625	1055	9·4	3	–	4	1	3	7	59	2
Chicago	2,833,288	„ 29	?	494	9·1	1	–	4	2	2	5	16	–
Rio de Janeiro	1,197,504	„ 8	596	452	19·7	3	4	5	–	2	2	?	21
Montevideo	347,134	Apr. 15	195	114	19·0	5	–	–	–	–	–	9	–
		„ 22	172	127	19·0	2	–	–	–	–	2	5	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 6 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 2 in Calcutta, 6 in Bombay, and 2 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 26th August, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	730	66	16	25	22	22	38	63	93	135	130	120
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	–	1	–	–	–	–	–	–	–	–
Scarlet fever	5	–	1	1	2	–	1	–	–	–	–	–
Whooping cough	3	1	–	2	–	–	–	–	–	–	–	–
Diphtheria	18	–	4	11	3	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	1	1	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	65	–	–	–	–	7	11	16	17	11	3	–
Tuberculous meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	2	1	–	–	–	1	–	–	–	–	–	–
Other tubercle	1	–	–	–	–	–	1	–	–	–	–	–
Venereal diseases	6	2	–	–	–	–	1	1	2	–	–	–
Cancer	100	–	–	–	1	–	4	5	19	37	28	6
Rheumatic fever	6	–	–	–	–	2	3	–	1	–	–	–
Diabetes	6	–	–	–	–	–	1	–	2	2	1	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	1	–	1	2	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	36	–	–	–	–	–	–	–	6	10	11	9
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	23	–	–	–	3	–	–	4	4	5	4	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	2	1	–	–	–	1	–
Other diseases of heart	111	–	–	–	1	1	3	7	17	24	30	28
Other dis. of circulatory system	35	–	–	–	–	–	–	–	2	9	11	13
Bronchitis	39	2	7	3	–	1	1	–	3	3	6	13
Broncho-pneumonia	–	–	–	–	–	–	–	–	–	–	–	–
Lobar pneumonia	16	–	1	–	2	–	2	3	3	1	3	1
Pneumonia (type not distinguished)	7	–	1	–	–	–	–	1	1	1	2	1
Other diseases of respiratory system	6	–	–	–	–	–	2	–	–	1	1	2
Diarrhœa and enteritis	15	11	–	–	–	–	–	1	–	2	1	–
Appendicitis and typhlitis	9	–	–	1	2	–	–	3	1	1	–	1
Hernia, Intestinal obstruction	7	–	–	–	1	–	–	–	–	3	–	3
Cirrhosis of liver	4	–	–	–	–	–	–	–	–	3	1	–
Other diseases of digestive system	10	–	–	–	–	–	–	2	3	–	4	1
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	17	–	–	–	–	–	–	2	2	5	6	2
Other diseases of genito-urinary system.	13	–	–	–	–	–	1	3	2	3	2	2
Puerperal fever, &c.	4	–	–	–	–	1	2	1	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	1	–	1	–	–	–	–
Congenital malformations	3	3	–	–	–	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	34	–	–	–	–	–	–	–	–	1	5	28
Suicide	10	–	–	–	–	1	1	3	1	2	2	–
Burns and scalds	3	–	–	1	–	–	–	–	1	1	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	–	–	–	5	1	–	3	–	2	1	1
Other deaths by violence	15	1	–	–	–	2	2	2	2	4	–	2
Other specified causes	37	11	1	2	–	2	–	4	4	4	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th August 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	5	1	2	M. 1
†BERMONDSEY ...	–	19	20	–	2	–
†BETHNAL GREEN	–	8	19	1	–	M. 1
†CAMBERWELL ...	–	16	13	–	–	–
†CHELSEA ...	–	5	2	–	–	–
†DEPTFORD ...	–	5	9	1	–	M. 1
†FINSBURY ...	–	5	5	–	1	C. 1
†FULHAM ...	–	8	5	1	1	C. 1 E. 1
†GREENWICH ...	–	6	7	–	1	G. 1
†HACKNEY ...	–	13	5	1	–	C. 1 D. 1 M. 3
†HAMMERSMITH	–	3	13	–	1	M. 1
†HAMPSTEAD ...	–	2	2	–	–	–
†HOLBORN ...	–	1	–	–	1	–
†ISLINGTON ...	–	16	16	–	–	M. 3
†KENSINGTON ...	–	4	7	–	–	–
†LAMBETH	–	22	8	–	1	C. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	11	5	–	1	–
†PADDINGTON ...	–	10	2	–	5	–
†POPLAR... ...	–	6	8	–	4	–
†ST. MARYLEBONE	–	9	1	–	–	–
†ST. PANCRAS ...	–	18	8	–	2	G. 1
†SHOREDITCH ...	–	2	11	–	3	D. 1 M. 2
†SOUTHWARK ...	–	16	11	–	–	–
†STEPNEY ...	–	16	23	–	4	D. 1
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH	–	17	15	–	2	–
†WESTMINSTER, CITY OF	–	2	1	–	–	–
†WOOLWICH ...	–	4	7	–	–	–
TOTAL OF PART I.	–	251	229	5	31	C. 5 D. 3 E. 1 G. 2 M. 12

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	9	6	–	–	D. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	4	–	–	–	–
KEMPSTON ...	–	1	–	–	–	–
†LUTON	–	1	1	–	–	D. 1
Rural Districts :—						
AMPTHILL ...	–	1	2	–	–	–
BEDFORD ...	–	1	1	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
BERKS	–	6	5	–	1	–
Boroughs and Urban District :—						
†READING C.B....	–	5	2	–	1	–
Rural Districts :—						
EASTHAMPSTEAD	–	–	2	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM	–	4	–	–	–	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
CHESHAM ...	–	1	–	–	–	M. 1
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	2	–	–	–	–
CAMBRIDGE ...	–	1	1	–	–	–
Rural District :—						
MELBOURN ...	–	1	1	–	–	–
CHESTER	–	53	5	4	11	C. 1 M. 6
Boroughs and Urban Districts :—						
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	M. 1
†BIRKENHEAD C.B.	–	7	1	1	4	C. 1 M. 3
BOLLINGTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	2	–	–	1	–
†CONGLETON ...	–	1	1	–	–	–
†CREWE	–	8	–	1	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
†HYDE	–	5	–	–	–	–
KNUTSFORD ...	–	3	–	–	–	–
†MACCLESFIELD...	–	5	–	–	1	–
MIDDLEWICH ...	–	–	1	–	2	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	–	–	–	2	–
†RUNCORN ...	–	3	–	–	–	–
†SALE	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKPORT C.B.	–	2	–	1	–	–
†WALLASEY C.B.	–	1	–	–	–	M. 1
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER ...	–	–	1	1	–	–
NORTHWICH ...	–	1	1	–	–	–
WIRRAL... ...	–	2	–	–	–	–
CORNWALL ...	–	2	2	–	4	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	*	*	*	*	*	*
FOWEY	*	*	*	*	*	*
LOOE	–	–	1	–	–	–
MADRON ...	–	–	1	–	–	–
REDRUTH ...	–	–	–	–	2	–
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
BODMIN... ...	–	1	–	–	–	–
HELSTON ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
STRATTON ...	*	*	*	*	*	*
CUMBERLAND ...	–	3	2	–	2	M. 2
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	–	1	–	1	M. 1
†WHITEHAVEN ...	–	–	1	–	–	M. 1
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
CARLISLE ...	–	2	–	–	1	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	1	25	10	2	11	D. 1 M. 1
Boroughs and Urban Districts:—						
†BELPER	–	–	–	–	1	–
†BOLSOVER ...	–	–	1	–	–	–
BRAMPTON AND WALTON	–	2	–	–	–	
†BUXTON ...	–	–	–	1	–	–
†CHESTERFIELD...	–	3	2	–	–	D. 1
†DERBY C.B. ...	–	5	2	–	3	–
HEAGE	–	–	–	–	1	–
†HEANOR ...	–	1	–	–	–	–
†ILKESTON ...	1	2	–	–	1	–
†LONG EATON ...	–	2	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	–	1	–	–	–	–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	2	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	M. 1
BAKEWELL ...	–	2	–	–	–	–
BLACKWELL ...	–	–	1	–	–	–
CHESTERFIELD ...	–	3	2	–	2	–
GLOSSOP DALE	–	–	–	1	–	–
HARTSHORNE AND SEALS	*	*	*	*	*	*
NORTON ...	*	*	*	*	*	*
REPTON ...	–	1	–	–	1	–
SHARDLOW ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	15	13	3	1	M. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
BAMPTON ...	*	*	*	*	*	*
†BARNSTAPLE ...	–	–	2	–	–	–
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	1	–	–	–	M. 1
†PLYMOUTH C.B.	–	8	1	3	–	–
SALCOMBE ...	*	*	*	*	*	*
TIVERTON ...	–	–	1	–	–	–
†TORQUAY ...	–	2	3	–	–	–
Rural Districts:—						
BIDEFORD ...	–	–	1	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
OKEHAMPTON ...	–	–	2	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	2	1	–	–	–
DORSET	–	2	2	–	–	E. 1 M. 2
Boroughs and Urban Districts:—						
†POOLE	–	–	1	–	–	E. 1
†PORTLAND ...	–	–	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	M. 1
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
POOLE	–	1	–	–	–	–
STURMINSTER ...	*	*	*	*	*	*
WAREHAM AND PURBECK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	35	19	–	12	M. 14
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
†BLAYDON ...	–	3	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER-LE-STREET	–	1	–	–	–	–
†CONSETT ...	–	–	3	–	–	–
†DARLINGTON C.B.	–	1	–	–	–	–
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	1	–	–	–	–
†GATESHEAD C.B.	–	4	1	–	1	M. 1
†HARTLEPOOL ...	–	2	1	–	–	–
†JARROW ...	–	1	–	–	2	–
LEADGATE ...	–	–	1	–	–	–
†SOUTH SHIELDS C.B.	–	3	3	–	3	–
†SOUTHWICK-ON-WEAR	–	–	–	–	–	M. 2
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY ...	–	2	1	–	–	–
†STOCKTON-ON-TEES	–	–	1	–	3	M. 1
†SUNDERLAND C.B.	–	5	–	–	–	M. 7
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	1	2	–	–	–
†WEST HARTLEPOOL C.B	–	2	–	–	1	M. 2
Rural Districts:—						
AUCKLAND ...	–	2	2	–	–	–
CHESTER-LE-STREET	–	–	1	–	1	M. 1
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	1	–	–	–	–
HOUGHTON-LE-SPRING	–	–	–	–	1	–
SEDGEFIELD ...	–	1	–	–	–	–
STOCKTON ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	4	1	–	–	–
Boroughs and Urban District:—						
MARCH	–	1	–	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	–	1	–	–	–
WISBECH ...	–	3	–	–	–	–
ESSEX	–	64	35	–	11	C. 1 G. 2 M. 4
Boroughs and Urban Districts:—						
†BARKING TOWN	–	2	1	–	1	–
BRAINTREE ...	–	1	–	–	–	–
BUCKHURST HILL	–	1	1	–	–	–
†CLACTON ...	–	3	–	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
†EAST HAM C.B.	–	2	6	–	–	M. 1
EPPING	–	2	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	1	–	–	–	M. 1
†LEYTON... ...	–	12	2	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	3	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	12	7	–	1	M. 1
†WEST HAM C.B.	–	12	11	–	6	C. 1 M. 1
†WOODFORD ...	–	4	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	G. 1
BRAINTREE ...	–	–	1	–	–	–
DUNMOW ...	–	1	–	–	–	–
EPPING	–	–	–	–	–	G. 1
MALDON ...	–	–	1	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	1	–	–	–	–
ROMFORD ...	–	1	1	–	1	–
STANSTEAD ...	–	1	–	–	–	–
GLOUCESTER ...	–	32	15	1	3	E. 1 M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	23	7	–	1	E. 1 M. 1
†CHELTENHAM ...	–	–	–	–	1	–
†GLOUCESTER C.B.	–	2	3	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	1	–
DURSLEY ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	2	–	–	–
GLOUCESTER ...	–	2	–	1	–	–
TETBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	2	1	–	–	–
WEST DEAN ...	–	2	–	–	–	–
HEREFORD ...	–	2	2	1	2	–
Boroughs and Urban District:—						
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	1	–	–
HEREFORD ...	–	1	1	–	–	–
LEOMINSTER ...	–	–	–	–	1	–
ROSS	–	–	–	–	1	–
WEOBLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	19	3	1	1	–
Boroughs and Urban Districts:—						
†Hemel Hempstead	–	–	1	–	–	–
†Hitchin ...	–	1	–	–	–	–
†Letchworth ...	–	8	–	–	1	–
Stevenage ...	–	1	–	–	–	–
Tring	–	–	1	–	–	–
†Watford ...	–	1	–	–	–	–
Rural District:—						
Ashwell ...	–	1	–	–	–	–
Barnet... ...	–	1	–	–	–	–
Buntingford ...	–	1	–	–	–	–
Hadham ...	–	1	–	–	–	–
Hitchin ...	–	2	–	–	–	–
St. Albans ...	–	1	1	–	–	–
Watford ...	–	1	–	1	–	–
HUNTINGDON ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Huntingdon ...	–	2	–	–	–	–
St. Ives ...	–	–	1	–	–	–
Rural Districts:—						
St. Neots No. 2	*	*	*	*	*	*
KENT	–	39	20	–	4	G. 1 L. 6
Boroughs and Urban Districts:—						
†Ashford ...	–	–	1	–	–	–
†Bexley ...	–	2	2	–	–	–
†Bromley ...	–	1	2	–	–	–
†Canterbury C.B.	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Chatham ...	–	1	–	–	–	–
Chislehurst ...	–	3	1	–	–	–
†Dartford ...	–	–	3	–	1	–
†Dover	–	–	1	–	–	–
†Erith	–	–	2	–	–	–
†Faversham ...	–	–	1	–	–	–
†Folkestone ...	–	2	–	–	–	–
†Gillingham ...	–	3	1	–	–	–
†Gravesend ...	–	6	–	–	–	G. 1
†Herne Bay ...	–	–	–	–	1	–
†Maidstone ...	–	1	–	–	1	L. 6
†Margate ...	–	1	1	–	–	–
†Northfleet ...	–	2	–	–	–	–
†Penge	–	–	–	–	1	–
†Ramsgate ...	–	2	–	–	–	–
†Rochester ...	–	1	–	–	–	–
Sandwich ...	–	1	–	–	–	–
†Sheerness ...	–	3	2	–	–	–
Rural Districts:—						
East Ashford...	–	–	1	–	–	–
Eastry ...	–	1	–	–	–	–
Elham... ...	–	3	–	–	–	–
Maidstone ...	–	–	1	–	–	–
Malling ...	–	–	1	–	–	–
Milton ...	–	3	–	–	–	–
LANCASTER ...	–	243	73	7	105	C. 4 D. 2 L. 1 M. 49
Boroughs and Urban Districts:—						
†Accrington ...	–	1	–	–	–	–
Adlington ...	–	1	–	–	–	M. 1
†Ashton-in-Makerfield	–	–	–	–	1	–
†Ashton-under-Lyne	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ATHERTON ...	–	1	1	–	1	–
†BACUP	–	–	1	1	–	–
BARROWFORD ...	*	*	*	*	*	*
†BARROW-IN-FURNESS C.B.	–	4	–	–	–	–
BILLINGE ...	–	1	–	–	–	–
†BLACKBURN C.B.	–	5	–	–	2	M. 1
†BLACKPOOL C.B.	–	6	1	–	1	–
BLACKROD ...	–	1	–	–	–	–
†BOLTON C.B. ...	–	11	4	–	6	–
†BOOTLE C.B. ...	–	1	3	–	–	M. 2
†BURNLEY C.B.	–	7	1	–	2	M. 1
†BURY C.B. ...	–	2	2	–	2	–
†CHADDERTON ...	–	1	–	–	3	–
†CHORLEY ...	–	1	–	–	–	–
†COLNE	–	3	–	–	1	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON IN FURNESS	–	3	–	–	–	–
†DARWEN ...	–	6	–	–	–	–
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES ...	–	–	1	–	1	–
†FAILSWORTH ...	–	2	–	–	–	–
†FARNWORTH ...	–	1	1	–	–	–
†FLEETWOOD ...	–	–	2	–	–	–
FULWOOD ...	–	1	–	–	–	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	2	1	–	1	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	3	1	–	–	M. 1
†HINDLEY ...	–	1	1	–	1	–
†HORWICH ...	–	1	–	–	–	–
†HUYTON-WITH-ROBY	–	2	–	–	–	–
†INCE-IN-MAKERFIELD	–	1	–	–	–	–
†LANCASTER ...	–	3	–	2	–	–
†LEIGH	–	1	–	–	–	–
†LITHERLAND ...	–	3	–	–	–	–
LITTLE CROSBY	–	2	–	–	–	–
LITTLE LEVER...	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LIVERPOOL C.B.	–	28	14	–	18	C. 1 M. 26
LONGRIDGE ...	–	–	2	–	–	–
†MANCHESTER C.B.	–	51	18	2	38	C. 2 D. 1 M. 8
†MORECAMBE ...	–	2	–	–	–	–
†NELSON ...	–	–	1	–	1	–
†NEWTON-IN-MAKERFIELD	–	4	–	–	1	–
†OLDHAM C.B.	–	7	1	–	2	–
†OSWALDTWISTLE	–	2	–	–	–	M. 1
†PADIHAM ...	–	2	–	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	1	3	–	–	–
†PRESTWICH ...	–	–	1	–	–	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	2	–	–	–	–
†ROCHDALE C.B.	–	8	–	–	–	M. 1
†ROYTON... ...	–	–	–	–	1	–
†ST. ANNES-ON-THE-SEA ...	–	2	–	–	–	–
†ST. HELENS C.B.	–	3	–	–	1	M. 1
†SALFORD C.B. ...	–	20	5	1	8	D. 1 M. 3
†SOUTHPORT C.B.	–	2	–	–	–	–
STANDISH-WITH-LANGTREE	–	–	1	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–	3	–
†WALTON-LE-DALE	–	3	–	–	–	–
†WARRINGTON C.B.	–	7	–	–	3	M. 1
†WATERLOO-WITH-SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES ...	–	–	1	1	1	–
†WIGAN C.B. ...	–	3	4	–	–	M. 1
WITHNELL ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts:—						
BURNLEY ...	–	1	–	–	–	–
BURY	–	–	–	–	–	L. 1
CHORLEY ...	–	–	–	–	–	C. 1
PRESTON ...	–	–	–	–	1	–
SEFTON	–	1	–	–	–	–
WARRINGTON ...	–	–	2	–	–	M. 1
WHISTON ...	–	2	–	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	17	4	1	3	C. 1 M 4
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	–	–	–	M. 1
ASHBY WOULDS	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	–	–
†LEICESTER C.B.	–	12	2	–	3	C. 1 M. 2
†LOUGHBOROUGH	–	2	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BARROW-UPON-SOAR	–	1	1	–	–	–
CASTLE DONINGTON	–	–	–	1	–	–
LOUGHBOROUGH	–	–	–	–	–	M. 1
LINCOLN (parts of Holland).	–	–	–	–	1	–
Rural Districts:—						
CROWLAND ...	*	*	*	*	*	*
SPALDING ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	4	–	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural District:—						
CLAYPOLE ...	–	4	–	–	–	–
LINCOLN (parts of Lindsey).	–	6	3	1	1	M. 1
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	1	–	–	–
†GAINSBOROUGH	–	1	–	–	–	–
†GRIMSBY C.B. ...	–	3	1	–	1	M. 1
†LINCOLN C.B. ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–		–
Rural District:—						
SPILSBY ...	–	1	–	–	–	–
WELTON ...	–	–	–	1	–	–
MIDDLESEX ...	–	53	63	–	7	C. 2 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	M. 1
†BRENTFORD ...	–	–	2	–	–	–
†CHISWICK ...	–	1	–	–	–	–
†EALING ...	–	2	3	–	1	C. 1
†EDMONTON ...	–	4	–	–	–	M. 1
†ENFIELD ...	–	3	–	–	2	–
FELTHAM ...	–	2	3	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAMPTON WICK	–	–	–	–	–	C. 1
†HANWELL ...	–	1	–	–	1	–
†HARROW-ON-THE-HILL	–	2	–	–	–	–
†HENDON ...	–	–	2	–	–	–
†HESTON AND ISLEWORTH	–	3	1	–	1	–
†HORNSEY ...	–	5	1	–	–	–
†SOUTHALL-NORWOOD	–	2	1	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
STAINES... ...	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	9	8	–	1	–
†TWICKENHAM ...	–	–	1	–	–	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	3	1	–	–	–
†WILLESDEN ...	–	9	10	–	1	M. 1
†WOOD GREEN ...	–	2	3	–	–	–
Rural Districts:—						
HENDON ...	–	–	3	–	–	–
STAINES ...	–	1	22	–	–	–
NORFOLK ...	–	11	7	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†KING'S LYNN ...	–	–	1	–	–	–
†NORWICH C.B....	–	8	1	–	–	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM ...	–	–	2	–	–	–
HENSTEAD ...	–	1	–	–	–	–
KING'S LYNN ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	–	2	–	–	–
THETFORD ...	–	–	1	–	–	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON	–	5	8	–	–	M. 2
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	–	–	–	M. 2
†NORTHAMPTON C.B.	–	2	8	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
HARDINGSTONE	–	1	–	–	–	–
TOWCESTER ...	–	1	–	–	–	–
NORTHUMBERLAND.	–	19	7	1	17	C. 1 M. 3
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	1	–
†BLYTH	–	1	–	–	–	M. 1
HEXHAM ...	–	–	–	–	1	–
MORPETH ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	8	3	1	12	M. 1
SEATON DELAVAL	–	–	1	–	–	–
†TYNEMOUTH C.B.	–	1	1	–	1	M. 1
†WALLSEND ...	–	2	1	–	1	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK ...	–	1	–	–	–	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM ...	–	–	–	–	1	C. 1
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	–	5	7	1	2	D. 1 M. 1
Boroughs and Urban Districts:—						
†CARLTON ...	–	1	1	–	–	M. 1
†MANSFIELD ...	–	1	–	–	1	D. 1
†NOTTINGHAM C.B.	–	2	2	–	–	–
†SUTTON-IN-ASHFIELD	–	–	1	–	1	–
†WEST BRIDGFORD	–	–	–	1	–	–
Rural Districts:—						
BASFORD ...	–	1	–	–	–	–
MISTERTON ...	*	*	*	*	*	*
NEWARK ...	–	–	2	–	–	–
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	16	2	–	2	M. 1
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
†OXFORD C.B. ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	1	–	–	–	–
BICESTER ...	–	1	–	–	–	–
CROWMARSH ...	–	6	–	–	–	–
GORING ...	–	1	–	–	–	–
HENLEY ...	–	–	–	–	–	M. 1
WITNEY ...	–	2	–	–	1	–
WOODSTOCK ...		1	2	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	2	–
Borough:—						
†PETERBOROUGH	–	–	–	–	2	–
SALOP	–	11	2	–	1	C. 1 M. 2
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	–	–	–	M. 1
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
†WENLOCK ...	–	5	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	2	–	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	–	C. 1
OSWESTRY ...	–	–	1	–	–	M. 1
WEM	–	1	1	–	–	–
SOMERSET ...	–	8	2	1	5	C. 1 E. 1
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	–	1	–	–	–
PORTISHEAD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Weston-super-Mare	–	1	–	–	–	–
†Yeovil	–	1	–	–	1	–
Rural Districts:—						
Axbridge ...	–	–	1	–	2	–
Bridgwater ...	–	1	–	–	–	–
Chard	–	–	–	–	–	C. 1 E. 1
Keynsham ...	–	1	–	–	–	–
Long Ashton ...	–	1	–	–	–	–
Taunton ...	–	2	–	–	1	–
Wells	–	–	–	1	–	–
Wincanton ...	–	1	–	–	–	–
Yeovil	–	–	–	–	1	–
SOUTHAMPTON ...	–	28	18	2	2	C. 1 M. 2
Boroughs and Urban Districts:—						
†Bournemouth C.B.	–	6	–	–	–	C. 1
†Fareham ...	–	–	1	–	–	–
†Farnborough ...	–	1	–	–	–	–
†Gosport and Alverstoke	–	–	3	–	–	–
Havant ...	–	1	–	1	–	–
†Portsmouth C.B.	–	11	10	–	–	–
†Southampton C.B.	–	1	3	1	1	M. 1
Warblington ...	–	–	–	–	–	M. 1
†Winchester ...	–	2	–	–	–	–
Rural Districts:—						
New Forest ...	–	2	–	–	–	–
Petersfield ...	–	–	1	–	–	–
SOUTHAMPTON—*cont.*						
Rural Districts—*cont.*						
Ringwood ...	–	–	–	–	1	–
South Stoneham	–	4	–	–	–	–
STAFFORD ...	–	45	12	–	16	C. 3 E. 1 M. 7
Boroughs and Urban Districts:—						
Biddulph ...	–	–	–	–	–	M. 1
†Bilston ...	–	1	–	–	2	–
†Burton-upon-Trent C.B.	–	2	–	–	–	E. 1
†Cannock ...	–	1	–	–	–	–
†Coseley ...	–	1	1	–	–	–
Lichfield ...	–	–	1	–	–	–
Quarry Bank	–	1	–	–	–	–
†Rowley Regis	–	3	–	–	3	–
Short Heath ...	–	–	–	–	2	–
†Smethwick C.B.	–	1	2	–	–	C. 1
†Stafford ...	–	1	–	–	–	C. 1
†Stoke-on-Trent C.B.	–	9	4	–	4	M. 3
Tettenhall ...	–	1	–	–	2	–
†Tipton	–	1	–	–	–	–
†Walsall C.B....	–	1	–	–	2	C. 1
†Wednesbury ...	–	2	–	–	–	M. 2
†West Bromwich C.B.	–	9	3	–	–	–
†Willenhall ...	–	–	–	–	1	–
†Wolstanton United	–	3	1	–	–	–
†Wolverhampton C.B.	–	4	–	–	–	M. 1
Rural Districts:—						
Leek	–	2	–	–	–	–
Lichfield ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	10	2	–	2	–
Boroughs and Urban Districts:—						
†Felixstowe ...	–	2	–	–	–	–
†Ipswich C.B. ...	–	3	1	–	2	–
Rural Districts:—						
Hartismere ...	–	3	–	–	–	–
Samford ...	–	2	–	–	–	–
Woodbridge ...	–	–	1	–	–	–
SUFFOLK, WEST	–	2	–	1	–	C. 2
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	1	–	–	–	–
Newmarket ...	–	1	–	–	–	–
Rural District:—						
Cosford ...	–	–	–	1	–	–
Melford ...	–	–	–	–	–	C. 2
SURREY	–	33	14	1	1	D. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†Barnes ...	–	–	1	–	–	–
†Carshalton ...	–	–	1	–	1	–
†Caterham ...	–	1	–	–	–	–
†Coulsdon and Purley	–	–	1	–	–	–
†Croydon C.B....	–	11	1	–	–	G. 1 M. 2
†Egham	–	1	1	–	–	–
†Epsom	–	3	–	–	–	–
†Farnham ...	–	1	–	–	–	–
†Guildford ...	–	1	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Kingston-upon-Thames	–	2	–	–	–	–
†Merton and Morden	–	–	1	–	–	–
†Mitcham ...	–	2	1	–	–	–
†Richmond ...	–	–	1	–	–	–
†Sutton	–	–	–	–	–	M. 1
†The Maldens and Coombe	–	2	–	–	–	–
†Walton-upon Thames	–	1	–	–	–	–
†Wimbledon ...	–	1	–	–	–	–
†Woking ...	–	–	1	–	–	–
Rural Districts:—						
Chertsey ...	–	1	–	–	–	–
Epsom	–	1	–	–	–	–
Farnham ...	–	1	–	–	–	D. 1
Godstone ...	–	1	4	–	–	–
Hambledon ...	–	2	–	1	–	–
Reigate ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	11	7	–	2	L. 1
Boroughs and Urban Districts:—						
†Brighton C.B.	–	1	2	–	1	–
†Eastbourne C.B.	–	2	–	–	1	–
East Grinstead	–	–	1	–	–	–
†Hastings C.B.	–	1	–	–	–	–
†Hove	–	6	–	–	–	–
Portslade-by-Sea	–	–	1	–	–	–
Rural Districts:—						
East Grinstead	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts—*cont.*						
HAILSHAM ...	–	–	–	–	–	L. 1
STEYNING EAST	–	1	–	–	–	–
UCKFIELD ...	–	–	2	–	–	–
SUSSEX, WEST ...	–	4	4	1	2	–
Boroughs and Urban Districts:—						
†BOGNOR ...	–	–	1	–	1	–
†LITTLEHAMPTON	–	1	1	–	–	–
Rural Districts:—						
EAST PRESTON	–	1	–	–	–	–
PETWORTH ...	–	–	–	–	1	–
STEYNING WEST	–	–	2	1	–	–
WESTHAMPNETT	–	2	–	–	–	–
WARWICK ...	–	51	18	–	30	G. 2 M. 13
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	39	9	–	25	G. 1 M. 10
†COVENTRY C.B.	–	1	–	–	–	–
†NUNEATON ...	–	1	2	–	3	–
†ROYAL LEAMINGTON SPA	–	–	5	–	–	M. 1
†RUGBY	–	–	–	–	1	G. 1
STRATFORD-UPON-AVON	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	3	–	–	–	–
BRAILES ...	–	1	–	–	–	–
COVENTRY ...	–	–	–	–	–	M. 2
WARWICK—*cont.*						
Rural Districts—*cont.*						
FOLESHILL ...	–	1	–	–	–	–
MERIDEN ...	–	–	–	–	1	–
STRATFORD-ON-AVON	–	1	–	–	–	–
TAMWORTH (part)	–	3	2	–	–	–
WESTMORLAND	–	–	–	–	1	–
Rural District:—						
WEST WARD ...	–	–	–	–	1	–
ISLE OF WIGHT	–	1	1	–	–	–
Boroughs and Urban Districts:—						
COWES	–	–	1	–	–	–
SHANKLIN ...	*	*	*	*	*	*
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	24	–	2	–	G. 1
Boroughs and Urban Districts:—						
DEVIZES ...	–	–	–	1	–	–
†SWINDON ...	–	3	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES ...	–	–	–	1	–	–
HIGHWORTH ...	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–	–	–	G. 1
PEWSEY ...	–	11	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
RAMSBURY ...	–	4	–	–	–	–
TISBURY ...	–	2	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	14	8	1	4	G. 1
Boroughs and Urban Districts:—						
†DUDLEY, C.B. ...	–	1	–	1	–	–
†KIDDERMINSTER	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	3	–	–	–	–
NORTH BROMSGROVE	–	–	3	–	–	–
†OLDBURY ...	–	1	2	–	–	–
†REDDITCH ...	–	4	–	–	1	–
†STOURBRIDGE ...	–	–	–	–	2	–
†WORCESTER C.B.	–	2	2	–	–	–
Rural Districts:—						
FECKENHAM ...	–	–	–	–	–	G. 1
HALESOWEN ...	–	–	–	–	1	–
MARTLEY ...	–	2	–	–	–	–
YORKS ... ... (East Riding).	–	18	10	–	5	M 5
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	9	5	–	5	M. 5
WITHERNSEA ...	–	–	1	–	–	–
†YORK C.B. ...	–	7	2	–	–	–
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
SCULCOATES ...	–	–	2	–	–	–
YORKS ... ... (North Riding).	5	6	3	1	5	–
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	–
†MIDDLESBROUGH C.B.	5	3	–	–	3	–
REDCAR... ...	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	1	–	1	–
†THORNABY-ON-TEES	*	*	*	*	*	*
Rural Districts:—						
HELMSLEY ...	*	*	*	*	*	*
REETH	–	–	–	1	–	–
SCARBOROUGH ...	*	*	*	*	*	*
WATH	*	*	*	*	*	*
WHITBY ...	–	–	2	–	–	–
YORKS ... ... (West Riding).	1	146	45	8	53	C. 10 G. 2 K. 1 M. 14
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	1	–	1	–
ARDSLEY, EAST AND WEST	–	2	–	–	–	–
†BARNSLEY C.B.	–	3	–	–	3	C. 1 G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Batley	–	1	–	1	–	–
†Bentley-with-Arksey	1	–	1	–	1	–
†Bingley ...	–	1	3	–	1	–
†Bradford C.B.	–	7	5	–	4	C. 2 M. 1
†Brighouse ...	–	1	–	–	–	–
†Castleford ...	–	2	–	–	–	–
Clayton ...	–	–	1	–	–	–
Clayton West	–	–	1	–	–	–
†Conisbrough ...	–	1	2	–	–	C. 1
†Dewsbury C.B.	–	4	–	–	–	–
†Doncaster ...	–	3	2	–	1	–
Drighlington...	–	–	–	–	3	–
Farsley ...	–	1	–	–	–	–
†Featherstone	–	1	–	–	–	–
†Goole	–	2	1	–	–	–
†Halifax C.B. ...	–	6	2	–	–	C. 1
Hebden Bridge	–	1	–	–	–	–
Heckmondwike	–	–	1	1	–	–
Hipperholme ...	–	1	–	–	–	–
†Hoyland Nether	–	–	–	–	1	–
†Huddersfield C.B.	–	–	1	1	2	M. 1
Ilkley	–	1	–	1	–	–
Kirkburton ...	–	–	4	–	–	–
Knaresborough	*	*	*	*	*	*
†Leeds C.B. ...	–	44	4	–	2	C. 3 K. 1
†Mexborough ...	–	–	–	–	1	–
†Midgley ...	–	1	–	–	–	–
†Morley ...	*	*	*	*	*	*
†Normanton ...	–	–	–	–	1	–
Oakworth ...	–	1	–	–	–	–
Otley	–	1	1	–	–	–
Penistone ...	*	*	*	*	*	*
Queensbury ...	*	*	*	*	*	*
†Rawmarsh ...	–	5	–	–	1	–
†Rotherham C.B.	–	3	–	–	2	M. 1
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Rothwell ...	–	–	1	–	–	–
†Saddleworth ...	–	1	–	–	–	–
†Sheffield C.B.	–	11	8	–	23	C. 2 G. 1 M. 10
†Shipley ...	–	8	–	–	–	–
†Stanley ...	–	1	1	–	–	–
Stocksbridge ...	–	–	1	1	2	–
Tickhill ...	–	–	2	–	–	–
†Wakefield C.B.	–	14	–	–	1	M. 1
†Wath-upon-Dearne	–	4	–	–	–	–
Whitwood ...	–	–	1	–	–	–
Rural Districts:—						
Bowland ...	–	1	–	–	–	–
Doncaster ...	–	1	–	–	1	–
Great Ouseburn	–	1	–	–	–	–
Halifax ...	–	–	–	–	1	–
Hemsworth ...	–	3	–	–	–	–
Penistone ...	–	–	–	1	–	–
Rotherham ...	–	3	–	–	1	–
Selby	–	–	–	1	–	–
Skipton ...	–	–	1	–	–	–
Tadcaster ...	–	3	–	–	–	–
Wakefield ...	–	1	–	–	–	–
Wharfedale (South)	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
BRECKNOCK ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	1	–	–	–	–
CARDIGAN ...	–	4	–	–	–	–
Rural District:—						
ABERAYRON ...	–	2	–	–	–	–
LLANDYSSIL ...	*	*	*	*	*	*
TREGARON ...	–	2	–	–	–	–
CARMARTHEN ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
KIDWELLY ...	*	*	*	*	*	*
Rural Districts:—						
LLANELLY ...	–	–	1	–	–	–
CARNARVON ...	–	5	–	–	–	–
Rural Districts:—						
CONWAY ...	–	4	–	–	–	–
GEIRIONYDD ...	–	1	–	–	–	–
DENBIGH ...	–	3	4	–	–	M. 2
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	2	–	–	–
Rural Districts:—						
RUTHIN... ...	–	1	–	–	–	M. 1
UWCHALED ...	–	1	–	–	–	–
WREXHAM ...	–	1	2	–	–	M. 1
FLINT	–	4	4	–	–	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	–	1	–	–	–
†RHYL	–	4	1	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
OVERTON ...	–	–	1	–	–	–
GLAMORGAN ...	–	84	12	1	13	C. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	14	–	–	3	–
†BARRY	–	1	1	–	–	–
†CARDIFF C.B. ...	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Gelligaer ...	–	3	–	–	–	–
†Maesteg ...	–	1	–	–	–	–
†Mountain Ash	–	5	–	–	–	–
†Ogmore and Garw	–	4	1	–	1	–
†Penarth ...	–	1	–	–	–	–
†Pontypridd ...	–	–	1	–	–	–
†Port Talbot ...	–	2	–	1	–	–
†Rhondda ...	–	22	4	–	6	C. 1
†Swansea C.B. ...	–	10	2	–	1	C. 1
Rural Districts:—						
Cowbridge ...	–	1	1	–	–	–
Gower	*	*	*	*	*	*
Llandaff and Dinas Powis	–	1	1	–	–	–
Llantrisant and Llantwit Fardre	–	3	–	–	1	–
Neath	–	6	–	–	–	–
Penybont ...	–	2	–	–	–	–
Pontardawe ...	–	2	–	–	–	–
Swansea ...	–	1	–	–	1	–
MERIONETH ...	–	1	1	–	–	–
Urban District:—						
Festiniog ...	–	1	–	–	–	–
Rural Districts—						
Deudraeth ...	–	–	1	–	–	–
MONMOUTH ...	–	16	12	1	8	M. 3
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	–	1	–	–
†Abertillery ...	–	1	–	–	2	M. 2
Bedwas and Machen	–	–	1	–	–	–
†Bedwellty ...	–	1	3	–	–	–
†Ebbw Vale ...	–	2	–	–	1	–
†Nantyglo and Blana	–	2	–	–	3	M 1
†Newport C.B....	–	2	1	–	1	–
†Panteg... ...	–	–	1	–	–	–
†Rhymney ...	–	2	–	–	–	–
†Risca	–	–	5	–	–	–
†Tredegar ...	–	2	1	–	1	–
Rural Districts:—						
Saint Mellons	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	3	–	–	–	–
Borough and Urban District:—						
Newtown and Llanllwchaiarn	–	1	–	–	–	–
MONTGOMERY—*cont.*	–	–	–	–	–	–
Rural District:—						
Newtown and Llanidloes	–	2	–	–	–	–
Total of Part II.	7	1229	496	43	355	C. 31 D. 6 E. 4 G. 10 K. 1 L. 8 M. 148

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Hull and Goole	–	–	–	–	1	–
Kingsbridge and Salcombe	*	*	*	*	*	*
Total of Part III.	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	251	229	5	31	C. 5 D. 3 E. 1 G. 2 M. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	7	1229	496	43	355	C. 31 D. 6 E. 4 G. 10 K. 1 L. 8 M. 148
Total of Part III.—Port Sanitary Districts ...	–	–	–	–	1	–
Total (*i.e.*, of returns received), England and Wales	7	1480	725	48	387	C. 36 D. 9 E. 5 G. 12 K. 1 L. 8 M. 160

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Seven cases of Small-pox were notified, which appear on pages 990, 1001, and 1002.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.
LONDON:—													
DEATHS—all ages	944	878	795	842	852	795	844	785	782	797	744	704	730
„ 0 to 1 year	97	97	104	85	79	88	78	68	92	79	73	88	66
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,119	7,141	9,023	8,296	8044	7,857	8,376	8,168	8,139	8,108	6,703	8,607	7,625
DEATHS—all ages	3,965	3,667	3,602	3,502	3544	3,466	3,531	3,372	3,355	3,409	3,379	3,323	3,290
„ 0 to 1 year	557	503	503	451	407	482	442	433	387	426	402	418	403
ENTERIC FEVER—Cases	23	22	24	17	23	26	27	17	28	16	15	15	17
„ Deaths	2	2	5	4	1	4	3	2	2	1	2	2	3
SMALL POX—Cases	13	6	10	10	4	13	5	12	15	7	17	15	5
„ Deaths	—	—	—	—	—	—	—	—	—	2	—	—	—
SCARLET FEVER—Cases	1,120	940	1016	1102	1085	1,142	1,250	1,201	1,040	1,013	818	911	915
„ Deaths	19	20	9	14	9	13	12	12	11	8	11	11	14
DIPHTHERIA—Cases	558	598	560	609	537	633	581	662	597	501	458	502	459
„ Deaths	44	43	44	32	50	39	31	33	38	33	40	40	41
MEASLES—Deaths	97	96	79	56	60	59	62	62	67	62	45	63	45
INFLUENZA—Deaths	36	26	27	18	25	22	24	18	22	19	15	11	16

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th August 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	78	43	69·7	50·4	7
BRIGHTON	70	46	65·2	52·9	9
PORTSMOUTH	74	46	66·4	53·1	7
NORWICH (EATON).	73	42	65·4	50·9	5
PLYMOUTH	70	45	64·1	48·9	7
BRISTOL (CLIFTON).	65	43	62·0	51·0	12
BIRMINGHAM	72	42	62·7	48·9	12
NOTTINGHAM	71	41	63·9	48·6	7
BIRKENHEAD (BIDSTON).	69	48	61·9	51·4	10
MANCHESTER	70	40	63·1	49·6	11
BURNLEY	71	39	61·7	48·7	12
HUDDERSFIELD	Not received.				

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	69	42	62·4	50·1	6
SHEFFIELD	71	45	63·6	50·6	9
YORK (MUSEUM).	72	43	64·1	50·4	4
HULL (PEARSON PARK).	76	42	66·0	49·6	5
TYNEMOUTH	70	45	60·6	49·6	10
CARDIFF	66	43	62·7	49·0	10
EDINBURGH	61·0	44·0	59·0	47·7	11
GLASGOW	60·0	44·3	58·3	48·5	12
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	68·9	45·1	63·7	51·4	16
BELFAST	66·6	49·2	61·6	52·1	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 26th August 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
August.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
Sunday	20	..	30·000	72·7	52·1	20·6	61·6	+ 0·1	54·5	7·1	16·4	0·4	77	134·2	40·7	56·9	Calm & WNW.	W & Calm.	1·0	0·0	0·0	190	− 51	0·00
Monday	21	..	29·836	77·6	48·1	29·5	62·1	+ 0·8	55·2	6·9	20·4	0·4	78	137·0	38·4	57·0	Calm	Calm	0·2	0·0	0·0	95	−145	0·00
Tuesday	22	New	29·656	70·8	53·2	17·6	61·1	− 0·0	52·5	8·6	17·6	0·8	73	123·0	43·1	57·0	Calm & NW.	NW, W & WSW.	2·1	0·0	0·2	248	+ 6	0·01
Wednesday	23	Perigee	29·634	64·7	51·4	13·3	56·5	− 4·4	42·2	14·3	22·0	2·3	59	115·8	42·7	57·0	W, NW & N.	NNW & NW.	6·8	0·0	0·7	500	+255	0·11
Thursday	24	In Equator.	29·655	66·9	45·4	21·5	55·1	− 5·7	50·2	4·9	15·6	2·5	84	129·0	34·6	57·0	NW & W.	W & WSW.	2·4	0·0	0·2	326	+ 77	0·16
Friday	25	..	29·702	64·9	51·4	13·5	57·3	− 3·4	49·1	8·2	12·8	2·5	74	123·3	44·5	57·0	WNW & NW.	NW & N	2·9	0·0	0·3	357	+100	0·00
Saturday	26	..	29·962	68·7	42·6	26·1	55·8	− 4·9	45·5	10·3	20·8	2·4	68	131·7	29·3	57·0	WNW	W & WSW.	1·8	0·0	0·1	201	− 65	0·00
Means		..	29·778	69·5	49·2	20·3	58·5	− 2·5	49·9	8·6	17·9	1·6	73	127·7	39·0	57·0	WNW.		...	...	...	Sum 1,917	Sum +177	Sum 0·28
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. August 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	20	w.P. generally, m.P. about noon.	9·4	14·3	Overcast generally till 10h. 30m., then clearing with few clouds from 12h. to 21h., and cloudless afterwards.
MONDAY -	21	w.P. generally, m.P. about 10h.	5·0	14·3	Cloudless until 6h.; thin cloud prevalent until 9h.; nearly overcast afterwards excepting a partially cloudy period from 20h. 30m. to 22h.
TUESDAY -	22	w.P. throughout	2·4	14·2	Nearly overcast till 1h.; nearly cloudless from 1h. 30m. to 6h. Overcast generally afterwards with rain or damping from 22h. Mist in morning.
WEDNESDAY	23	w.P. throughout	9·2	14·1	Overcast till 7h., then cloudy until 17h. 30m., clearing and becoming cloudless by 21h. Rain or damping until 3h. Brisk wind from 9h. to 20h.
THURSDAY -	24	w.P. throughout	1·6	14·1	Cloudless till 4h.; then clouding and becoming nearly overcast from 6h. till 12h. Overcast till 20h., then variably cloudy and nearly overcast after 21h. Rain or slight rain from 13h. 45m. to 17h.; damping till 19h.
FRIDAY -	25	w.P. throughout	1·1	14·0	Overcast generally till 23h., becoming cloudless by midnight. Slight damping about 6h.
SATURDAY -	26	w.P till 10h., m.P. generally afterwards.	13·1	13·9	Cloudless generally till 19h. with practically cloudy intervals. Variably cloudy afterwards. Hazy in morning.
			Sum 41·8	Sum 98·9	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·07 in. at the beginning of the week to 29·48 in. by 4h. on 23rd; increased to 29·79 in. by 6h. on 24th; decreased to 29·51 in. by 21h. on the same day; increased to 30·00 in. by 10h. on 26th, and decreased to 29·89 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

Library

FOR OFFICIAL USE.

1922. No. 35.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 2ND SEPTEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND SEPTEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-fifth week of the year numbered 7,511, and corresponded to an annual rate of 20·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,255 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·3, 9·1 and 9·0. Infant mortality was 54 per 1,000 births against 60, 49, and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,794 births, corresponding to a rate of 20·7 per 1,000, and 721 deaths of civilians, corresponding to a rate of 8·3, as against 8·6, 8·1 and 8·4, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·4 per 1,000. The infant mortality was 40 as against 45, 43, and 36 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 35 in the total deaths last week. In London the number of deaths from all causes fell from 730 to 721; while the deaths from diphtheria, which had been 16, 19, and 18 in the preceding three weeks, fell to 11 last week.

D (45)18545—1 Wt 30—P 19 2250 9/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 2nd September 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,511	3,255	402	4	52	6	22	27	48	10
London	4,514,405*	1,794	721	71	2	6	2	2	11	10	3
Towns in Outer Ring:											
Croydon C.B.	191,500	66	36	4	–	–	–	1	–	–	–
Wimbledon	61,700	14	2	–	–	–	–	–	–	–	–
Ealing	67,800	19	11	2	–	–	–	–	–	–	–
Acton	62,000	23	11	1	–	–	–	–	–	–	–
Willesden	167,200	63	22	2	–	–	–	–	–	1	1
Hendon	55,500	17	10	1	–	–	–	–	–	–	–
Hornsey	87,600	15	15	–	–	–	–	–	–	–	–
Wood Green	51,100	19	6	1	–	–	–	–	–	–	–
Tottenham	149,200	40	13	1	–	–	–	–	–	–	–
Edmonton	67,800	40	8	–	–	–	–	–	–	–	–
Enfield	61,400	30	16	2	–	–	–	–	–	1	–
West Ham C.B.	307,000	136	51	5	–	–	–	–	–	1	–
East Ham C.B.	145,500	58	14	1	–	–	–	–	–	–	–
Leyton	130,100	30	23	1	–	–	–	–	1	–	–
Walthamstow	129,800	49	11	1	–	–	–	–	2	–	–
Ilford	85,500	35	8	1	–	–	–	–	–	–	–
Gillingham	48,149*	19	4	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	7	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	16	11	–	–	1	–	–	–	–	–
Eastbourne C.B.	53,600	10	6	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	47	29	1	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	95	40	7	–	–	–	–	1	–	–
Bournemouth C.B.	81,200	21	19	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	80	33	1	–	–	–	–	–	–	–
Reading C.B.	92,600	27	15	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	20	6	1	–	1	–	–	–	–	–
Northampton C.B.	92,300	32	12	–	–	–	–	–	2	–	–
Luton	57,800	17	11	1	–	–	–	–	–	–	–
Cambridge	58,900	10	7	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	24	16	1	–	–	–	–	–	1	–
Ipswich C.B.	80,100	22	10	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	20	3	–	–	–	–	–	–	–	–
Norwich C.B.	122,400	48	13	–	1	–	–	–	–	–	–
Swindon	55,500	25	7	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	10	3	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	74	48	5	–	–	–	–	–	–	–
Bath C.B.	68,300	20	13	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	127	56	7	–	–	–	–	–	1	–
Gloucester C.B.	51,800	16	5	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	137	61	13	–	6	–	2	1	3	1
Burton-upon-Trent C.B.	49,410	22	10	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	56	18	2	–	–	–	–	–	–	–
Walsall C.B.	98,800	43	15	2	–	–	–	1	–	–	–
West Bromwich C.B.	75,300	46	19	2	–	–	–	–	2	–	–
Worcester C.B.	49,160	17	6	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	20	6	1	–	–	–	–	–	1	–
Birmingham C.B.	936,000	340	167	22	–	5	–	3	–	2	–
Smethwick C.B.	77,400	28	15	4	–	–	–	–	–	1	1
Coventry C.B.	130,300	41	11	–	–	–	–	–	–	–	–
Leicester C.B.	237,900	83	36	6	–	1	–	–	–	1	–
Lincoln C.B.	66,600	18	9	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	36	8	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	91	47	4	–	–	–	–	1	–	–
Derby C.B.	131,800	46	29	2	–	1	–	–	–	–	–
Chesterfield	62,400	28	8	2	–	–	–	–	–	–	–
Stockport C.B.	125,500	58	33	7	1	–	–	–	–	1	–
Chester C.B.	41,030	22	13	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	64	29	5	–	–	–	–	–	–	–
Wallasey C.B.	89,600	33	11	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	422	111	16	–	1	–	–	–	1	–
Bootle C.B.	77,800	44	8	1	–	–	–	–	–	–	–
St. Helens C.B.	104,900	47	15	6	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	18	8	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	40	14	–	–	–	–	–	–	–	–
Warrington C.B.	78,600	31	16	2	–	–	–	–	–	–	–
Bolton C.B.	182,200	70	38	11	–	2	–	–	–	1	–
Bury C.B.	57,600	21	9	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	315	158	22	–	12	2	5	2	3	1
Salford C.B.	239,100	83	55	10	–	2	1	3	–	3	–
Oldham C.B.	148,300	31	48	7	–	5	–	–	1	–	2
Rochdale C.B.	92,700	38	19	–	–	–	–	–	1	–	–
Burnley C.B.	105,300	41	27	3	–	–	–	–	–	–	–
Blackburn C.B.	129,400	46	27	1	–	–	–	–	–	1	–
Preston C.B.	119,900	53	12	4	–	–	–	–	–	–	–
Blackpool C.B.	73,800	17	11	3	–	2	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	33	16	4	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	36	25	2	–	–	–	–	–	–	–
Halifax C.B.	100,700	30	20	1	–	–	–	–	–	–	–
Bradford C.B.	291,100	96	52	2	–	–	–	–	–	–	–
Leeds C.B.	465,500	146	106	14	–	2	1	–	1	4	–
Dewsbury C.B.	55,100	13	8	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	28	4	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	42	22	4	–	1	–	1	–	–	–
Sheffield C.B.	519,239	199	82	10	–	–	–	–	–	–	–
Rotherham C.B.	69,100	27	15	5	–	–	–	–	–	1	–
Doncaster	54,700	14	13	3	–	2	–	–	–	–	–
York C.B.	84,500	24	13	4	–	–	–	–	–	–	–
Hull C.B.	291,800	151	52	13	–	–	–	1	1	5	–
Middlesbrough C.B.	133,400	65	20	4	–	–	–	–	–	–	–
Darlington C.B.	66,400	29	12	–	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	29	15	2	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	44	22	2	–	2	–	–	–	–	–
Sunderland C.B.	161,100	93	27	5	–	–	–	–	–	2	–
South Shields C.B.	120,376	53	22	2	–	–	–	–	–	–	1
Gateshead C.B.	126,700	67	25	5	–	–	–	2	–	1	–
Newcastle-on-Tyne C.B.	278,400	141	56	12	–	–	–	1	–	1	–
Tynemouth C.B.	63,900	29	11	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	25	12	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	34	14	1	–	–	–	–	–	–	–
Cardiff C.B.	202,700	83	35	2	–	–	–	–	–	–	–
Rhondda	166,600	74	23	4	–	–	–	–	–	–	–
Merthyr Tydfil C.B.	81,800	31	14	5	–	–	–	–	–	1	–
Aberdare	56,100	17	9	1	–	–	–	–	–	–	–
Swansea C.B.	159,600	66	25	2	–	–	–	–	–	–	–
Greater London	7,523,963*	2,819	1,150	103	3	6	2	4	14	13	5
Outer Ring	3,009,558*	1,025	429	32	1	–	–	2	3	3	2
16 Great Towns in Outer Ring	1,820,700	654	257	23	–	–	–	1	3	3	1
Remainder of Outer Ring	1,188,858*	371	172	9	1	–	–	1	–	–	1
Edinburgh†	420,500	175	83	6	–	3	–	5	–	–	–
Glasgow†	1,037,800	564	214	31	1	1	1	2	1	5	–
Dublin (Registration Area)†	427,000	177	106	23	–	–	–	1	–	9	–
Belfast†	425,000	176	91	25	1	–	1	1	2	2	6

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Sept. 2	1794	721	8·3	2	–	6	2	2	11	10	3
Calcutta	896,067	July 29	?	475§	27·2	?	1	?	?	?	?	?	7
Bombay	1,175,914	„ 22	360‖	634§	28·0	2	–	1	–	–	–	54	1
Madras	522,951	„ 22	463	320§	31·8	1	19	1	–	–	–	30	-
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714	June (30 days)	473	222	12·2	1	–	–	–	–	2	6	2
Perth (Metropolitan Area).	154,866	July 8	62	50	16·8	–	–	–	–	–	–	3	-
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	101,000	July 15	46	39	20·1	–	–	–	–	–	1	–	1
Johannesburg	149,500	„ 22	95	40	13·9	–	–	–	–	–	–	–	-
Durban	48,000	„ 22	27	10	10·8	–	–	–	–	–	–	–	2
Paris	2,906,472	Aug. 10 (10 days)	1145	771	9·7	6	–	3	1	–	1	24	1
Antwerp	303,297												
Amsterdam	690,877	Aug. 12	307	91	6·9	–	–	–	–	–	–	–	-
Copenhagen	562,000	„ 19	199	100	9·2	–	–	–	–	–	2	–	-
Stockholm	422,042	„ 19	91	61	7·5	–	–	–	–	–	–	–	-
Gothenburg	228,052	July 22	?	34	7·4	–	–	–	–	–	–	–	-
Christiania	258,933	Aug. 19	78	39	7·8	–	–	–	–	1	–	–	-
Berlin	1,974,000	July 15	449	441	11·6	3	?	5	–	2	2	8	3
Breslau	557,000	„ 15	200	167	15·6	–	?	–	–	7	2	8	4
Cologne	688,000	„ 15	273	147	11·1	–	?	1	–	3	–	10	1
Dresden	607,000	„ 15	190	130	11·1	–	?	–	–	2	1	3	-
Frankfort-on-Main	476,000	„ 15	154	81	8·9	–	?	1	–	1	–	1	1
Hamburg	1,060,000	„ 15	294	235	11·5	1	?	–	3	–	1	6	1
Leipzig	675,000	„ 15	229	112	8·6	–	?	–	–	–	–	5	2
Munich	680,000	„ 15	217	145	11·1	–	?	–	–	–	1	4	2
Vienna	1,842,005	„ 29	512	465	13·1	–	–	–	1	2	–	31	-
Prague and Suburbs	689,262	„ 15	260	168	12·6	–	–	3	–	–	1	3	-
Budapest	940,000	June 17	349	331	18·3	1	?	2	3	1	4	20	2
Cairo	777,500	„ 3	792	582	38·9	2	1	8	–	?	2	97	?
Alexandria	456,300	„ 3	407	226§	25·8	1	–	–	–	?	–	30	?
New York	5,839,738	July 29	2720	978	8·7	1	–	5	2	7	12	52	3
Chicago	2,833,288	Aug. 5	?	456	8·4	–	–	4	1	2	3	17	-
Rio de Janeiro	1,197,504	July 15	737	508	21·7	2	2	7	–	3	4	?	22
Montevideo	347,134	Apr. 29	193	127	19·0	6	–	–	–	–	–	1	-

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 6 deaths from *Asiatic Cholera* in Calcutta, and 1 in Madras, and from *Plague*, 7 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 2nd September, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	721	71	12	21	29	31	48	59	83	118	126	123
Enteric fever	2	–	–	–	–	–	–	2	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	–	1	4	1	–	–	–	–	–	–	–
Scarlet fever	2	–	–	1	1	–	–	–	–	–	–	–
Whooping cough	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	11	1	1	5	4	–	–	–	–	–	–	–
Influenza	3	1	–	–	–	–	–	–	1	1	–	–
Erysipelas	2	1	1	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	1	–	–	–	–	–	–	–	–	1	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	1	1	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	53	–	1	–	2	9	16	11	7	5	2	–
Tuberculous meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	–	–	–	2	–	–	–	–	–
Other tubercle	6	–	–	–	1	2	3	–	–	–	–	–
Venereal diseases	3	1	1	–	–	–	–	–	1	–	–	–
Cancer	89	–	–	–	–	1	–	9	18	26	20	15
Rheumatic fever	4	–	–	–	1	1	2	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	2	–	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	43	–	–	–	–	2	–	2	3	9	19	8
Epilepsy	3	–	–	–	–	1	1	1	–	–	–	–
"Convulsions" (not puerperal)	3	2	–	–	1	–	–	–	–	–	–	–
Other diseases of nervous system	29	1	1	1	1	1	3	3	9	4	4	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	–	–	–	–	2	–	–	–	–
Other diseases of heart	105	–	–	–	3	3	4	5	8	24	28	30
Other dis. of circulatory system	28	–	–	–	–	–	–	–	2	7	10	9
Bronchitis	39	–	–	–	1	1	3	–	4	4	13	13
Broncho-pneumonia	18	5	2	2	2	2	1	–	2	–	1	1
Lobar pneumonia	17	1	1	–	1	1	–	3	2	5	2	1
Pneumonia (type not distinguished)	15	2	–	–	1	–	1	2	1	4	2	2
Other diseases of respiratory system	9	–	1	–	–	–	–	2	3	1	1	1
Diarrhœa and enteritis	14	10	–	1	–	–	–	1	–	1	–	1
Appendicitis and typhlitis	2	–	–	–	1	–	1	–	–	–	–	–
Hernia, Intestinal obstruction	6	–	–	–	–	–	–	1	1	1	2	1
Cirrhosis of liver	2	–	–	–	–	–	–	–	1	1	–	–
Other diseases of digestive system	17	–	–	–	1	1	3	3	3	2	2	2
Acute nephritis	2	–	–	–	–	–	1	–	1	–	–	–
Chronic Bright's disease	28	–	–	–	–	2	3	3	4	6	6	4
Other diseases of genito-urinary system.	7	–	–	–	–	–	2	1	–	1	1	2
Puerperal fever, &c.	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	–	2	–	–	–	–
Congenital malformations	11	9	1	1	–	–	–	–	–	–	–	–
Premature birth	21	21	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	33	–	–	–	–	–	–	–	–	1	7	25
Suicide	6	–	–	–	–	–	2	–	1	2	1	–
Burns and scalds	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	1	–	–	–	2	2	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	14	–	–	2	3	1	–	2	1	4	–	1
Other deaths by violence	11	–	–	–	2	1	–	2	2	1	–	3
Other specified causes	25	5	1	2	1	1	–	1	3	5	4	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd September 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	10	–	5	–
†BERMONDSEY ...	–	16	27	–	1	–
†BETHNAL GREEN	–	6	13	–	1	E. 1
†CAMBERWELL ...	–	11	6	1	2	–
†CHELSEA ...	–	4	4	–	–	–
†DEPTFORD ...	–	4	10	–	1	C. 1
†FINSBURY ...	–	11	11	–	–	M. 1
†FULHAM ...	–	9	10	–	1	M. 1
†GREENWICH ...	–	3	9	–	1	–
†HACKNEY ...	–	15	7	–	–	–
†HAMMERSMITH	–	8	8	–	–	–
†HAMPSTEAD ...	–	5	3	1	–	–
†HOLBORN ...	–	1	3	–	–	M. 1
†ISLINGTON ...	–	21	19	–	–	C. 1 M. 3
†KENSINGTON ...	–	7	10	–	1	C. 1 M. 2
†LAMBETH	–	15	15	–	2	E. 2 G. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	4	8	–	2	C. 1
†PADDINGTON ...	–	6	1	–	–	–
†POPLAR... ...	–	12	17	–	3	C. 1 M. 1
†ST. MARYLEBONE	–	6	2	1	1	C. 1 M. 1
†ST. PANCRAS ...	–	20	10	–	1	L. 1 M. 2
†SHOREDITCH ...	–	2	9	–	1	M. 1
†SOUTHWARK ...	–	12	11	–	2	M. 1
†STEPNEY ...	–	14	12	3	4	G. 1
†STOKE NEWINGTON	–	5	2	–	–	–
†WANDSWORTH	–	17	10	2	2	–
†WESTMINSTER, CITY OF	–	2	9	–	–	–
†WOOLWICH ...	–	10	1	–	–	F. 1 M. 2
TOTAL OF PART I.	–	258	257	8	31	C. 6 E. 3 F. 1 G. 2 L. 1 M. 17

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	4	–	–	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	1	–	–	–
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	–	2	–	–	–
BERKS	–	16	1	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	2	–	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
†READING C.B....	–	5	1	–	–	–
WALLINGFORD ...	–	3	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	4	4	–	1	M. 1 E. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	E. 1
CHESHAM ...	–	–	1	–	–	–
NEWPORT PAGNELL	–	–	–	–	1	–
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	–	1	–	–	–
NEWPORT PAGNELL	–	3	–	–	–	M. 1
WYCOMBE ...	–	–	2	–	–	–
CHESTER	–	50	14	1	11	M. 2
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	–	1	–	–	M. 1
ASHTON-UPON-MERSEY	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	–	–
†BIRKENHEAD C.B.	–	9	–	–	4	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
BUGLAWTON ...	–	–	–	1	–	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	–	3	–	1	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	2	–	–	–	–
HALE	–	1	–	–	–	–
†HYDE	–	6	–	–	–	–
KNUTSFORD ...	–	2	2	–	–	–
†MACCLESFIELD...	–	4	2	–	–	–
†RUNCORN ...	–	7	–	–	–	–
†SALE	*	*	*	*	*	*
†STOCKPORT C.B	–	3	1	–	–	M. 1
†WALLASEY C.B.	–	3	1	–	–	–
†WINSFORD ...	–	1	–	–	1	–
Rural Districts :—						
BUCKLOW ...	–	2	1	–	–	–
CONGLETON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—*cont.*						
Northwich ...	–	–	1	–	–	–
Runcorn ...	–	1	1	–	–	–
Tarvin	–	3	–	–	1	–
CORNWALL ...	–	2	3	–	–	G. 1
Boroughs and Urban Districts:—						
Helston ...	*	*	*	*	*	*
Lostwithiel ...	*	*	*	*	*	*
Madron ...	–	–	1	–	–	–
†Penzance ...	–	–	1	–	–	–
Rural Districts:—						
Camelford ...	–	–	1	–	–	–
Helston ...	–	–	–	–	–	G. 1
Saint Germans	–	1	–	–	–	–
Truro	–	1	–	–	–	–
CUMBERLAND ...	–	6	4	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†Carlisle C.B. ...	–	1	1	–	–	–
Keswick ...	–	–	–	–	1	–
†Maryport ...	–	2	–	–	–	–
†Whitehaven ...	–	–	–	–	–	C. 1
Wigton... ...	–	1	–	–	–	–
†Workington ...	–	2	1	–	–	–
Rural Districts:—						
Brampton ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—*cont.*						
Carlisle ...	*	*	*	*	*	*
Cockermouth ...	–	–	1	–	–	–
Penrith ...	–	–	–	–	–	M. 1
DERBY	2	21	7	–	10	C. 3 M. 1
Boroughs and Urban Districts:—						
†Belper	–	1	–	–	1	–
†Bolsover ...	2	–	–	–	–	–
Brampton and Walton	–	1	–	–	–	
†Chesterfield...	–	1	2	–	1	–
†Derby C.B. ...	– –	4	1	–	4	C 1 M. 1
†Heanor ...	–	–	–	–	1	–
†Ilkeston ...	–	3	–	–	–	–
†Ripley		–	1	–	–	–
Rural Districts:—						
Bakewell ...	–	6	–	–	–	–
Belper	–	1	1	–	–	C. 1
Blackwell ...	–	1	1	–	–	–
Chapel-en-le-Frith	–	–	–	–	1	–
Chesterfield ...	–	3	1	–	1	–
Repton ...	–	–	–	–	1	–
Shardlow ...	–	–	–	–	–	C. 1
DEVON	–	12	6	2	2	M. 1
Boroughs and Urban Districts:—						
†Exeter C.B. ...	–	1	–	–	1	–
Honiton ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ILFRACOMBE ...	–	–	–	1	–	–
KINGSBRIDGE ...	*	*	*	*	*	*
OKEHAMPTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	3	4	1	–	–
SALCOMBE ...	*	*	*	*	*	*
TAVISTOCK ...	–	–	–	–	–	M. 1
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–
TOTNES... ...	–	1	–	–	–	–
Rural Districts:—						
HONITON ...	–	–	–	–	1	–
KINGSBRIDGE ...	*	*	*	*	*	*
OKEHAMPTON ...	–	–	1	–	–	–
TAVISTOCK ...	–	4	–	–	–	–
DORSET	–	5	1	–	–	–
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	–	–
†PORTLAND ...	–	2	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM... ...	–	40	8	3	28	M. 5
Boroughs and Urban Districts:—						
†DARLINGTON C.B.	–	1	1	–	–	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	4	3	–	1	–
†HETTON... ...	–	–	–	–	1	–
†HOUGHTON-LE-SPRING	–	–	1	–	1	–
†JARROW ...	–	1	–	–	2	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON ...	–	1	–	–	1	–
†SOUTH SHIELDS C.B.	–	4	–	2	5	M. 1
†SOUTHWICK-ON-WEAR	–	2	–	–	2	–
†STANLEY ...	–	2	–	–	1	–
†STOCKTON-ON-TEES	–	2	–	–	2	–
†SUNDERLAND C.B.	–	8	–	–	2	M. 2
†WEST HARTLEPOOL C.B.	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	1	–	–	M. 1
CHESTER-LE-STREET	–	6	–	–	–	–
EASINGTON ...	–	2	–	1	5	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON-LE-SPRING	–	–	–	–	1	–
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	2	–	–	–	–
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	–	–	–	–	1	M. 1
ISLE OF ELY ...	–	8	–	1	1	D. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	1	–
ELY	–	1	–	–	–	–
†WISBECH ...	–	5	–	–	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*ontinued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY—*cont.*						
Rural Districts:—						
ELY	–	–	–	1	–	–
WISBECH ...	–	1	–	–	–	–
ESSEX	–	59	36	1	8	C. 2 E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
BRAINTREE ...	–	–	–	–	1	–
BURNHAM-ON-CROUCH	–	–	1	–	–	–
†CLACTON ...	–	–	–	–	1	–
†COLCHESTER ...	–	3	–	–	–	G. 1
†EAST HAM C.B.	–	14	1	–	–	C. 1
†GRAYS THURROCK	*	*	*	*	*	*
†ILFORD	–	3	2	–	–	–
†LEYTON... ...	–	7	3	–	1	–
SAFFRON WALDEN	*	*	*	*	*	*
SHOEBURYNESS-ON-SEA	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	3	–	1	E. 1
TILBURY ...	–	–	2	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	13	6	–	–	–
†WEST HAM C.B.	–	11	7	–	1	M. 1
†WOODFORD ...	–	–	1	–	2	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
BUMSTEAD ...	*	*	*	*	*	*
EPPING	–	–	2	–	–	–
LEXDEN AND WINSTREE	*	*	*	*	*	*
MALDON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
ONGAR ...	–	–	–	–	–	C. 1
ORSETT	–	1	4	–	–	–
ROCHFORD ...	–	–	–	1	–	–
ROMFORD ...	–	–	2	–	1	–
SAFFRON WALDEN	–	–	1	–	–	–
GLOUCESTER ...	–	35	15	–	7	M. 11
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	29	14	–	6	M. 10
†GLOUCESTER C.B.	–	2	1	–	–	–
KINGSWOOD ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	–	–	M. 1
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	1	1	–	–	–
Rural Districts:—						
DORE	–	1	–	–	–	–
ROSS	–	–	1	–	–	–
HERTFORD ...	–	12	–	2	1	L. 1
Boroughs and Urban Districts:—						
BUSHEY ...	–	–	–	1	–	–
†HERTFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. ALBANS ...	–	1	–	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
STEVENAGE ...	–	1	–	–	–	–
†WATFORD ...	–	2	–	1	1	–
Rural District:—						
BERKHAMPSTEAD	–	3	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	L. 1
WELWYN ...	–	1	–	–	–	–
HUNTINGDON ...	–	2	1	1	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	1	–	–
Rural Districts:—						
HUNTINGDON ...	–	–	1	–	–	–
NORMAN CROSS	–	–	–	–	1	–
ST. IVES ...	–	1	–	–	–	–
ST. NEOTS No. 4	*	*	*	*	*	*
KENT	–	34	23	1	4	L. 1 M 4
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY ...	–	1	2	–	–	–
†BROMLEY ...	–	2	1	–	–	–
†CANTERBURY C.B.	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHATHAM ...	–	2	1	–	–	M. 1
CHISLEHURST ...	–	1	–	–	–	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	2	–	–	–	–
†DEAL	–	–	–	–	–	M. 1
†ERITH	–	–	1	–	–	–
†FOLKESTONE ...	–	–	1	–	–	–
†GILLINGHAM ...	–	3	1	–	–	–
†GRAVESEND ...	–	6	–	–	–	–
†MAIDSTONE ...	–	–	–	–	–	L. 1
†MARGATE ...	–	1	–	1	–	–
†NORTHFLEET ...	–	7	–	–	–	–
†RAMSGATE ...	–	–	1	–	–	–
†SHEERNESS ...	–	4	1	–	–	–
TENTERDEN ...	–	–	3	–	–	–
†TONBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	*	*	*	*	*	*
EAST ASHFORD...	–	–	2	–	–	–
ELHAM	–	1	–	–	–	–
ISLE OF THANET	–	–	1	–	–	M. 1
MAIDSTONE ...	–	–	1	–	–	–
MALLING ...	–	–	1	–	–	–
ROMNEY MARSH	–	–	–	–	1	–
SHEPPEY ...	–	–	2	–	2	–
STROOD ...	–	1	1	–	–	–
TENTERDEN ...	–	–	1	–	–	–
LANCASTER ...	–	255	69	6	76	C. 14 D. 1 E. 1 L. 1 M. 26
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	2	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-UNDER-LYNE	–	2	–	–	–	–
ASPULL	–	1	1	–	–	–
†ATHERTON ...	–	1	–	–	–	–
†BACUP	–	–	–	–	–	M. 1
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	–
†BLACKBURN C.B.	–	4	–	–	6	–
†BLACKPOOL C.B.	–	6	–	1	–	–
BLACKROD ...	–	1	–	–	–	M. 1
†BOLTON C.B. ...	–	3	2	–	1	–
†BOOTLE C.B. ...	–	4	2	–	2	–
BRIERFIELD ...	–	–	–	–	1	–
†BURNLEY C.B.	–	11	2	–	1	–
†BURY C.B. ...	–	1	–	–	–	–
†CHADDERTON ...	–	2	1	–	1	–
†CHORLEY ...	–	2	–	–	–	–
†COLNE	–	–	3	–	–	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN ...	–	4	–	–	–	–
†ECCLES ...	–	4	–	–	–	M. 1
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	4	–	–	–	–
FULWOOD ...	–	–	1	–	–	–
GRANGE... ...	–	–	1	–	–	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	2	–	–	–	–
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY ...	–	–	–	–	3	–
†HORWICH ...	–	3	–	–	–	–
HURST	–	–	–	1	–	–
IRLAM	–	–	1	1	–	–
†LANCASTER ...	–	–	2	–	–	–
†LEIGH	–	7	–	–	–	–
LEYLAND ...	*	*	*	*	*	*
†LITHERLAND ...	–	3	–	–	–	–
†LIVERPOOL C.B.	–	46	11	–	5	C. 4 D. 1 M. 11
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANCHESTER C.B.	–	35	22	3	30	C. 4 M. 5
†MIDDLETON ...	–	3	–	–	1	–
MILNROW ...	–	2	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	2	–	–	–	–
†OLDHAM C.B.	–	3	1	–	–	C. 3 E. 1
ORRELL	–	1	–	–	–	–
PRESCOT ...	–	4	–	–	–	–
†PRESTON C.B. ...	–	5	2	–	–	–
†PRESTWICH ...	–	1	2	–	–	–
†RADCLIFFE ...	–	–	–	–	3	–
†RAMSBOTTOM ...	–	–	–	–	–	C. 1
†RAWTENSTALL ...	–	1	–	–	1	–
RISHTON ...	–	–	–	–	1	–
†ROCHDALE C.B.	–	7	2	–	–	–
†ROYTON... ...	–	2	–	–	–	–
†ST. ANNES-ON-THE-SEA ...	–	2	–	–	–	–
†ST. HELENS C.B.	–	3	3	–	2	M. 2
†SALFORD C.B. ...	–	15	3	–	6	C. 1 M. 2
†SOUTHPORT C.B.	–	4	1	–	–	–
†STRETFORD ...	–	3	1	–	–	–
†SWINTON AND PENDLEBURY	–	3	1	–	2	–
TOTTINGTON ...	–	1	–	–	–	–
†TURTON... ...	–	–	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	–	–	–	–	C. 1
UPHOLLAND ...	–	3	–	–	–	–
†WARRINGTON C.B.	–	10	–	–	2	M. 1
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES ...	–	2	–	–	–	M. 1
†WIGAN C.B. ...	–	2	–	–	–	–
†WORSLEY ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
CHORLEY ...	–	2	–	–	–	–
LANCASTER ...	–	5	1	–	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	2	1	–	1	–
WEST LANCASHIRE	–	1	–	–	–	M. 1
WHISTON ...	–	5	1	–	–	L. 1
LEICESTER ...	–	14	4	1	6	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	–	–	–	3	–
†LEICESTER C.B.	–	10	2	–	3	M. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	–	–	–	–
BLABY	–	–	1	–	–	–
LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	1	–	–
LINCOLN (parts of Holland).	–	3	1	1	–	–
Boroughs and Urban Districts:—						
†BOSTON... ...	–	–	–	1	–	–
Rural Districts:—						
EAST ELLOE ...	–	3	–	–	–	–
SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	–	2	–	2	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	1	M. 1
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	4	6	1	–	C. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	1	1	–	–
†GAINSBOROUGH	–	–	3	–	–	–
†GRIMSBY C.B. ...	–	1	1	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–		–
Rural District:—						
GLANFORD BRIGG	–	–	–	–	–	C. 1
GRIMSBY ...	–	–	1	–	–	–
MIDDLESEX ...	–	68	54	1	3	C. 1 G. 2 L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	4	–	–	–
†CHISWICK ...	–	1	4	–	–	–
†EALING ...	–	4	3	–	1	–
†EDMONTON ...	–	2	–	–	–	–
†ENFIELD ...	–	2	1	–	–	–
FELTHAM ...	–	7	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Finchley ...	–	–	1	–	–	–
†Friern Barnet	–	–	–	–	–	L. 1
Greenford ...	–	3	–	–	–	–
†Hampton ...	–	1	–	–	–	–
†Hanwell ...	–	6	1	–	–	–
Hayes	–	2	–	–	–	–
†Hendon ...	–	2	–	–	–	–
†Heston and Isleworth	–	3	1	–	–	C. 1
†Hornsey ...	–	5	–	–	–	–
Ruislip-Northwood	–	–	–	–	–	G. 1
†Southall-Norwood	–	1	1	–	–	–
†Southgate ...	–	1	1	–	–	G. 1
†Tottenham ...	–	12	4	–	–	–
†Twickenham ...	–	–	1	1	–	–
†Wealdstone ...	*	*	*	*	*	*
†Wembley ...	–	2	–	–	–	–
†Willesden ...	–	10	12	–	2	M. 1
†Wood Green ...	–	2	1	–	–	–
Rural Districts:—						
Staines ...	–	1	19	–	–	–
NORFOLK ...	–	30	5	1	–	M. 1
Boroughs and Urban Districts:—						
Cromer ...	–	1	–	–	–	–
†Great Yarmouth C.B.	–	2	–	–	–	–
†King's Lynn ...	–	2	–	–	–	–
North Walsham	–	1	–	–	–	–
†Norwich C.B....	–	15	2	1	–	–
Walsoken ...	–	4	–	–	–	–
NORFOLK—*cont.*						
Rural Districts:—						
Docking ...	–	1	1	–	–	–
Erpingham ...	–	1	–	–	–	–
Forehoe ...	–	1	–	–	–	–
Freebridge Lynn	–	1	2	–	–	–
Henstead ...	–	1	–	–	–	–
Smallburgh ...	–	–	–	–	–	M. 1
NORTHAMPTON	–	9	3	–	–	–
Boroughs and Urban Districts:—						
†Kettering ...	–	3	–	–	–	–
†Northampton C.B.	–	6	1	–	–	–
Rothwell ...	*	*	*	*	*	*
Rural Districts:—						
Daventry ...	–	–	2	–	–	–
NORTHUMBERLAND.	–	33	8	1	24	M. 6
Boroughs and Urban Districts:—						
†Ashington ...	–	2	–	–	–	–
†Bedlingtonshire	–	1	1	–	1	–
†Blyth	–	4	–	–	1	M. 2
†Newburn ...	–	1	–	–	–	M. 1
†Newcastle-upon-Tyne C.B.	–	14	3	1	16	M. 1
Prudhoe ...	–	–	–	–	2	–
Seaton Delaval	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYNEMOUTH C.B.	–	–	1	–	2	M. 2
†WALLSEND ...	–	3	2	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	4	–	–	–	–
HEXHAM ...	–	1	–	–	1	–
MORPETH ...	–	3	–	–	–	–
NOTTINGHAM ...	1	13	6	–	4	C. 2 E. 1 M. 2
Boroughs and Urban Districts:—						
†BEESTON ...	–	–	–	–	–	C. 1
EASTWOOD ...	1	–	–	–	–	–
†MANSFIELD ...	–	1	–	–	2	M. 1
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	10	5	–	–	C. 1 E 1
†WEST BRIDGFORD	–	–	–	–	1	–
Rural Districts:—						
BINGHAM ...	–	–	–	–	–	M. 1
BLYTH AND CUCKNEY ...	–	–	–	–	1	–
MISTERTON ...	–	–	1	–	–	–
SKEGBY... ...	–	1	–	–	–	–
OXFORD	–	6	5	–	1	C. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
†OXFORD C.B. ...	–	1	–	–	1	C. 1
WITNEY ...	–	1	–	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CROWMARSH ...	–	1	1	–	–	–
WOODSTOCK ...	–	1	4	–	–	–
SALOP	–	6	1	–	–	M. 1
Boroughs and Urban Districts:—						
WEM	–	–	–	–	–	M. 1
†WENLOCK ...	–	4	1	–	–	–
Rural District:—						
OSWESTRY ...	–	2	–	–	–	–
SOMERSET ...	–	14	3	–	5	M. 3
Boroughs and Urban Districts:—						
†BATH C.B. ...	–	2	1	–	–	–
†BRIDGEWATER ...	–	2	–	–	–	–
MIDSOMER NORTON	–	–	1	–	–	–
†TAUNTON ...	–	1	–	–	–	–
†WESTON-SUPER-MARE	–	2	–	–	–	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BRIDGWATER ...	–	1	–	–	–	M. 1
CLUTTON ...	–	–	1	–	–	–
KEYNSHAM ...	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural District:—*cont.*						
Long Ashton ...	–	3	–	–	–	–
Shepton Mallet	–	2	–	–	–	–
Wincanton ...	–	1	–	–	–	–
Yeovil	–	–	–	–	2	–
SOUTHAMPTON ...	–	31	19	7	4	C. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†Aldershot ...	–	2	–	–	–	–
†Bournemouth C.B.	–	3	–	–	–	C. 1
†Fareham ...	–	–	1	–	–	–
Petersfield ...	–	–	3	–	–	–
†Portsmouth C.B.	–	14	4	–	–	–
†Southampton C.B.	–	3	8	–	2	L. 1 M. 2
†Winchester ...	–	–	1	1	1	–
Rural Districts:—						
Andover ...	–	1	–	–	–	–
Christchurch...	–	1	–	–	–	–
Droxford ...	–	–	–	1	–	–
Fordingbridge	–	–	1	–	–	–
Havant ...	–	3	–	–	–	–
Lymington ...	–	1	–	–	–	–
New Forest ...	–	–	–	2	–	–
Petersfield ...	*	*	*	*	*	*
Ringwood ...	–	1	–	–	1	–
South Stoneham	–	2	–	–	–	–
Whitchurch ...	–	–	–	3	–	–
Winchester ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
STAFFORD ...	–	58	10	–	18	C. 3 G. 1 M. 11
Boroughs and Urban Districts:—						
†Bilston ...	–	3	–	–	1	–
†Burton-upon-Trent C.B.	–	3	–	–	–	–
†Coseley ...	–	5	–	–	1	–
†Darlaston ...	–	–	–	–	1	–
†Leek	–	1	–	–	–	–
Lichfield ...	–	–	1	–	–	–
Quarry Bank	–	1	–	–	–	–
†Rowley Regis	–	–	–	–	1	–
†Smethwick C.B.	–	1	1	–	1	C. 1
†Stafford ...	–	–	–	–	–	M. 1
†Stoke-on-Trent C.B.	–	12	4	–	10	C. 1 G. 1 M. 8
Stone... ...	–	–	–	–	1	–
†Tipton	–	5	–	–	–	–
†Walsall C.B....	–	2	–	–	–	M. 1
†Wednesbury ...	–	4	–	–	–	M. 1
†West Bromwich C.B.	–	7	3	–	–	C. 1
†Willenhall ...	–	–	–	–	1	–
†Wolstanton United	–	4	1	–	–	–
†Wolverhampton C.B.	–	1	–	–	–	–
Rural Districts:—						
Cannock ...	–	1	–	–	–	–
Cheadle ...	–	2	–	–	–	–
Kingswinford	–	2	–	–	–	–
Leek	–	2	–	–	–	–
Lichfield ...	–	1	–	–	–	–
Stafford ...	–	1	–	–	–	–
Uttoxeter ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	6	5	–	4	–
Boroughs and Urban Districts :—						
†IPSWICH C.B. ...	–	3	2	–	3	–
LEISTON-CUM-SIZEWELL	–	–	–	–	1	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts :—						
EAST STOW ...	–	1	–	–	–	–
SAMFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	3	–	–	–
SUFFOLK, WEST	–	1	1	–	–	–
Boroughs and Urban Districts :—						
HAVERHILL ...	*	*	*	*	*	*
SUDBURY ...	–	–	1	–	–	–
Rural District :—						
CLARE	*	*	*	*	*	*
MELFORD ...	–	1	–	–	–	–
MOULTON ...	*	*	*	*	*	*
SURREY	–	33	21	–	2	G. 1 M. 2
Boroughs and Urban Districts :—						
†BARNES ...	–	1	1	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	1	1	–	–	–
†CATERHAM ...	–	–	3	–	1	–
†CROYDON C.B....	–	11	3	–	–	M. 1
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EGHAM	–	1	2	–	–	–
†EPSOM	–	1	1	–	–	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	3	2	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	G. 1
†MITCHAM ...	–	3	–	–	–	–
†SURBITON ...	–	–	1	–	–	–
†WALTON-UPON THAMES	–	1	1	–	–	–
†WIMBLEDON ...	–	5	1	–	–	–
Rural Districts :—						
CHERTSEY ...	–	–	1	–	–	–
EPSOM	–	–	1	–	–	–
FARNHAM ...	–	2	–	–	–	M. 1
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	5	1	1	–	–
Boroughs and Urban Districts :—						
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B.	–	–	1	–	–	–
HAYWARDS HEATH	–	1	–	–	–	–
†LEWES	–	1	–	–	–	–
SEAFORD ...	–	–	–	1	–	–
Rural Districts :—						
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	1	–
STEYNING WEST	–	–	3	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WARWICK ...	–	74	32	1	11	C. 1 G. 1 M. 10
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	53	23	–	10	C. 1 G. 1 M. 10
†COVENTRY C.B.	–	1	–	1	1	–
†NUNEATON ...	–	2	–	–	–	–
†ROYAL LEAMINGTON SPA	–	–	2	–	–	–
†RUGBY	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
FARNBOROUGH	–	1	–	–	–	–
FOLESHILL ...	–	9	–	–	–	–
NUNEATON ...	*	*	*	*	*	*
SOLIHULL ...	–	–	1	–	–	–
TAMWORTH (part)	–	3	1	–	–	–
WARWICK ...	–	1	5	–	–	–
WESTMORLAND	–	5	–	1	1	–
Boroughs and Urban Districts—						
WINDERMERE ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural District:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	2	–	–	–	–
WEST WARD ...	–	1	–	–	1	–
ISLE OF WIGHT	–	–	–	–	–	–
Boroughs and Urban Districts:—						
VENTNOR ...	*	*	*	*	*	*
WILTS	–	7	3	–	2	C. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SWINDON ...	–	–	2	–	1	C. 1
Rural Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CHIPPENHAM ...	–	2	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–	–	1	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY ...	–	2	–	–	–	–
SALISBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	11	6	–	6	M. 1
Boroughs and Urban Districts:—						
DROITWICH ...	–	–	–	–	1	–
†DUDLEY, C.B. ...	–	1	–	–	1	–
†KIDDERMINSTER	–	3	–	–	1	–
†OLDBURY ...	–	1	2	–	–	–
†REDDITCH ...	–	3	–	–	–	–
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	2	3	–	2	M. 1
Rural Districts:—						
HALESOWEN ...	–	–	1	–	–	–
SHIPSTON-ON-STOUR	–	–	–	–	1	–
TEWKESBURY (part)	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	17	13	2	3	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	1	–
†BRIDLINGTON ...	–	1	1	–	–	–
†KINGSTON-UPON-HULL C.B.	–	9	9	–	2	M. 1
†YORK C.B. ...	–	5	1	1	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
ESCRICK ...	–	–	1	–	–	–
HOWDEN ...	–	–	–	1	–	–
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	7	8	3	2	8	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
†MIDDLESBROUGH C.B.	7	1	3	–	3	–
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR... ...	–	–	–	–	2	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
THIRSK	–	–	–	–	–	M. 1
WHITBY ...	–	–	–	2	–	–
YORKS ... ... (West Riding).	4	163	48	5	53	C. 2 D. 2 E. 1 G. 1 M. 13
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	2	–
ALTOFTS ...	–	2	3	1	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	3	1	–	5	–
†BATLEY... ...	–	–	1	–	1	–
†BENTLEY-WITH-ARKSEY	4	1	–	–	–	–
†BINGLEY ...	–	1	–	–	–	–
†BOLTON-UPON-DEARNE	–	–	1	–	–	–
†BRADFORD C.B.	–	12	10	–	2	D. 1
†BRIGHOUSE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	M. 1
†CONISBROUGH ...	–	1	–	–	–	D. 1
CUDWORTH ...	–	–	1	–	–	–
DENBY AND CUMBERWORTH	–	–	–	–	–	M. 1
†DEWSBURY C.B.	–	2	2	–	–	–
†DONCASTER ...	–	2	3	–	1	–
†GOOLE	–	3	–	–	1	–
†HALIFAX C.B. ...	–	5	–	–	–	M. 1
†HARROGATE ...	–	–	–	–	–	M. 1
HEBDEN BRIDGE	–	3	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	2	1	–	1	–
ILKLEY	–	–	–	–	–	E. 1
KEIGHLEY ...	–	–	1	–	–	–
†LEEDS C.B. ...	–	53	8	1	1	–
LEPTON	–	–	1	–	–	–
LUDDENDEN FOOT	*	*	*	*	*	*
METHLEY ...	–	–	–	–	–	M. 2
†MEXBOROUGH ...	–	1	–	–	1	–
MIDGLEY ...	*	*	*	*	*	*
†MIRFIELD ...	–	2	–	–	–	–
†MORLEY ...	–	1	–	–	–	M. 1
OTLEY	–	–	1	–	–	–
†RAWMARSH ...	–	–	–	–	1	–
†ROTHERHAM C.B.	–	9	–	–	6	–
†ROTHWELL ...	–	1	–	–	1	–
†SHEFFIELD C.B.	–	22	9	–	17	C. 1 G. 1 M. 5
†SHIPLEY ...	–	2	–	–	–	–
†SKIPTON ...	–	–	2	1	–	M. 1
SPRINGHEAD ...	–	1	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
†STANLEY ...	–	3	–	–	2	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
STOCKSBRIDGE ...	–	–	–	–	1	–
THURLSTONE ...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WAKEFIELD C.B.	–	7	–	1	1	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	2	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	–	2	–	–	–
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	3	–	–	2	–
HUNSLET ...	–	–	–	–	1	–
KNARESBOROUGH	*	*	*	*	*	*
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ...	–	4	–	–	–	C. 1
SELBY	–	–	–	1	–	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	3	–	–	–	–
THORNE ...	–	–	–	–	1	–
WAKEFIELD ...	–	3	–	–	–	–
WORTLEY ...	–	–	1	–	–	–
WALES.						
ANGLESEY ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
AMLWCH ...	–	–	–	–	1	–
†HOLYHEAD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESEY—*cont.*						
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY... ...	*	*	*	*	*	*
BRECKNOCK ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	8	–	–	4	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH...	–	1	–	–	4	–
Rural District:—						
ABERAYRON ...	–	2	–	–	–	–
ABERYSTWITH (North)	–	1	–	–	–	–
LAMPETER ...	–	4	–	–	–	–
CARMARTHEN ...	–	–	5	1	–	–
Boroughs and Urban Districts:—						
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	–	1	–	–	–
NEWCASTLE-EMLYN	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN —*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	–	3	1	–	–
NEWCASTLE-IN-EMLYN	*	*	*	*	*	*
CARNARVON ...	–	–	1	–	–	–
Boroughs and Urban Districts—						
LLANDUDNO ...	–	–	1	–	–	–
DENBIGH ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	1	–	–	–	–
†WREXHAM ...	–	1	1	–	1	–
Rural Districts:—						
WREXHAM ...	–	1	1	–	–	–
FLINT	–	–	–	1	–	–
Rural Districts:—						
HOLYWELL (MOLD DIV.)	–	–	–	1	–	–
GLAMORGAN ...	–	65	23	2	10	C. 2 F. 1 M. 7
Boroughs and Urban Districts:—						
†ABERDARE ...	–	11	–	1	2	–
†BARRY	–	–	1	–	–	–
BRIDGEND ...	–	1	–	–	–	–
†CARDIFF C.B. ...	–	6	1	1	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GELLIGAER ...	–	2	2	–	–	–
†GLYNCORWG ...	–	2	–	–	–	–
†MAESTEG ...	–	3	–	–	2	M. 1
†MERTHYR TYDFIL C.B.	–	3	2	–	–	M. 1
†MOUNTAIN ASH	–	5	–	–	–	–
†OGMORE AND GARW	–	2	–	–	–	M. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	3	–	–	1	–
†PORT TALBOT ...	–	–	–	–	–	F. 1
†RHONDDA ...	–	13	3	–	3	C. 1 M. 1
†SWANSEA C.B. ...	–	7	7	–	1	C. 1 M. 2
Rural Districts:—						
COWBRIDGE ...	–	1	2	–	–	–
GOWER	–	–	1	–	–	–
LLANDAFF and DINAS POWIS	–	2	1	–	–	–
LLANTRISANT [AND LLANTWIT FARDRE	–	1	2	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA ...	–	1	–	–	–	–
MERIONETH ...	–	2	2	–	–	–
Urban District:—						
FESTINIOG ...	–	2	1	–	–	–
Rural Districts—						
DEUDRAETH ...	–	–	1	–	–	–
MONMOUTH ...	–	14	6	–	–	D. 1 M. 2
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	3	–	–	M 2
BEDWAS AND MACHEN	–	–	–	–	–	D. 1
†BEDWELLTY ...	–	2	–	–	–	–
†EBBW VALE ...	–	4	–	–	–	–
MONMOUTH ...	–	–	1	–	–	–
†NEWPORT C.B....	–	–	2	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
†TREDEGAR ...	–	1	–	–	–	–
Rural Districts:—						
PONTYPOOL ...	–	1	–	–	–	–
SAINT MELLONS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...		1	2	–	1	C. 1
Rural District: —						
Forden ...	–	1	–	–	–	–
Llanfyllin ...	–	–	–	–	1	–
Newtown and Llanidloes	–	–	2	–	–	C. 1
PEMBROKE ...	–	–	–	–	–	C. 1
Rural District:—						
Narberth ...	–	–	–	–	–	C. 1
RADNOR						
Urban District:—						
Knighton ...	*	*	*	*	*	*
Total of Part II.	14	1282	501	47	328	C. 37 D 5 E. 5 F. 1 G. 8 L. 5 M. 119

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff ...	–	–	–	–	–	L. 1
Colchester ...	*	*	*	*	*	*
Kingsbridge and Salcombe	*	*	*	*	*	*
Liverpool ...	–	–	1	–	–	–
Lowestoft ...	–	1	–	–	–	–
Southampton ...	–	–	–	1	–	–
Total of Part III.	–	1	1	1	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	258	257	8	31	C. 6 E. 3 F. 1 G. 2 L. 1 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	14	1282	501	47	328	C. 37 D. 5 E. 5 F. 1 G. 8 L. 5 M. 11
Total of Part III.—Port Sanitary Districts ...	–	1	1	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales	14	1541	759	56	359	C. 43 D. 5 E. 8 F. 2 G. 10 L. 7 M. 13

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Fourteen cases of Small-pox were notified, which appear on pages 1020, 1027, and 1031.

Table 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.
LONDON:—													
Deaths—all ages	878	795	842	852	795	844	785	782	797	744	704	730	721
" 0 to 1 year	97	104	85	79	88	78	68	92	79	73	88	66	71
GREAT TOWNS, aggregate (including London):—													
Births	7,141	9,023	8,296	8044	7,857	8,376	8,168	8,139	8,108	6,703	8,607	7,625	7,511
Deaths—all ages	3,667	3,602	3,502	3544	3,466	3,531	3,372	3,355	3,409	3,379	3,323	3,290	3,255
" 0 to 1 year	503	503	451	407	482	442	433	387	426	402	418	403	402
Enteric Fever—Cases	22	24	17	23	26	27	17	28	16	15	15	17	23
" Deaths	2	5	4	1	4	3	2	2	1	2	2	3	4
Small Pox—Cases	6	10	10	4	13	5	12	15	7	17	15	5	7
" Deaths	—	—	—	—	—	—	—	—	2	—	—	—	—
Scarlet Fever—Cases	940	1016	1102	1085	1,142	1,250	1,201	1,040	1,013	818	911	915	855
" Deaths	20	9	14	9	13	12	12	11	8	11	11	14	6
Diphtheria—Cases	598	560	609	537	633	581	662	597	501	458	502	460	523
" Deaths	43	44	32	50	39	31	33	38	33	40	40	41	27
Measles—Deaths	96	79	56	60	59	62	62	67	62	45	63	45	52
Influenza—Deaths	26	27	18	25	22	24	18	22	19	15	11	16	10

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 2nd September 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	74	43	67·3	50·0	18
Brighton	66	49	63·1	55·0	27
Portsmouth	67	50	63·9	53·9	23
Norwich (Eaton).	72	45	65·6	50·3	15
Plymouth	66	44	61·6	48·6	23
Bristol (Clifton).	67	47	61·3	50·1	27
Birmingham	67	46	60·3	49·6	26
Nottingham	68	44	64·3	50·6	15
Birkenhead (Bidston).	67	48	61·0	50·7	35
Manchester	68	47	61·7	49·9	27
Burnley	67	45	61·7	48·1	22
Huddersfield	Not received				

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
Bradford	66	43	61·4	50·3	17
Sheffield	67	44	61·7	50·4	15
York (Museum).	66	44	62·9	51·0	12
Hull (Pearson Park).	70	46	66·1	51·1	9
Tynemouth	67	49	59·6	51·9	9
Cardiff	66	46	60·9	49·7	26
Edinburgh	64·0	48·0	60·6	50·1	9
Glasgow	65·3	47·3	62·5	50·9	29
Dublin (Phœnix Park).	65·0	39·0	60·7	46·1	30
Fitzwilliam Square.†	65·1	46·2	60·5	49·7	69
Belfast	66·5	45·5	61·4	50·7	39

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 2nd September 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	27	..	29·745	72·1	52·1	20·0	61·7	+ 1·1	52·0	9·7	17·9	2·0	71	142·6	44·0	57·0	WSW	WSW & SW.	1·7	0·0	0·1	225	− 47	0·00
MONDAY	28	..	29·611	72·2	54·8	17·4	61·1	+ 0·7	57·4	3·7	14·4	0·0	88	127·0	44·3	57·0	Calm & SE.	Calm & SW.	0·4	0·0	0·0	93	−182	0·14
TUESDAY	29	First Quarter	29·569	73·6	55·4	18·2	63·5	+ 3·2	55·6	7·9	19·0	0·0	76	131·9	48·8	57·1	Calm & WSW.	W & Calm.	0·4	0·0	0·0	91	−185	0·02
WEDNESDAY	30	..	29·336	62·6	52·6	10·0	56·3	− 3·8	52·6	3·7	8·9	0·0	87	98·5	47·5	57·1	Calm & W.	SW: S & W.	3·7	0·0	0·2	227	− 46	0·37
THURSDAY	31	Greatest Declination S.	29·473	65·3	45·9	19·4	53·5	− 6·4	52·7	0·8	11·6	0·0	97	122·0	37·1	57·1	SW & SSW.	SW & W	2·0	0·0	0·1	189	− 79	0·12
SEPTEMBER. FRIDAY	1	..	29·538	62·2	44·1	18·1	52·4	− 7·4	48·8	3·6	11·5	0·0	88	117·5	33·2	57·1	W	W & WNW.	1·3	0·0	0·0	163	−100	0·02
SATURDAY	2	..	29·726	62·9	43·3	19·6	51·9	− 7·8	49·9	2·0	12·2	0·0	93	105·0	37·8	57·1	Calm & NE.	NE: E & Calm.	2·1	0·0	0·0	141	−118	0·05
MEANS		..	29·571	67·3	49·7	17·5	57·2	− 2·9	52·7	4·5	13·6	0·3	86	120·6	41·8	57·1	WSW.		...	...	...	Sum 1,129	Sum −757	Sum 0·72
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	27	w.P. generally	8·4	13·9	Variably cloudy throughout.
MONDAY -	28	w.P. generally	3·2	13·8	Overcast till about 9h., with rain from 3h. 30m., very cloudy generally afterwards. Nearly overcast at night.
TUESDAY -	29	w.P. generally, v.P. in afternoon.	8·2	13·8	Overcast generally till 7h., variably cloudy till 18h., then overcast. Rain from about 21h. Solar halo with parhelion about 17h.
WEDNESDAY	30	w.P. generally, v.P about 15h.	0·2	13·7	Overcast with very slight exceptions till 22h., becoming very fine by 23h. Frequent rain or drizzle until 21h.
THURSDAY -	31	w.P. generally, v.P. and v.N. in afternoon.	3·8	13·6	Cloudless generally till 6h., then becoming overcast with cloudy intervals till about 18h., afterwards fine with little cloud. Dew morning and evening. Occasional rain between 9h. and 16h. Thunder about 15h.
SEPTEMBER. FRIDAY -	1	w.P. generally, m.P. 10h. to 15h.	3·7	13·6	Nearly cloudless generally till 6h. with dew. Variably cloudy till 11h. Overcast generally till 21h., then partially cloudy and misty. Slight rain between 15h. and 17h. 30m.
SATURDAY -	2	w.P. generally, a little v.P. and v.N. in afternoon.	1·6	13·5	Cloudless till 3h., overcast and misty till 9h., nearly overcast till 20h., becoming cloudless by 20h. 30m. Mist and dew at night. Rain at times between 13h. and 17h. with thunder about 19h.
			Sum 29·1	Sum 95·9	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·90 in. at the beginning of the week to 29·27 in. by 19h. on August 30, and increased generally to 29·83 in. by midnight on September 2.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

Libraries

FOR OFFICIAL USE.

1922. No. 36.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 9TH SEPTEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH SEPTEMBER, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-sixth week of the year numbered 7,926, and corresponded to an annual rate of 21·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,246 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·1, 9·0 and 8·9. Infant mortality was 53 per 1,000 births against 49, 53, and 54 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,883 births, corresponding to a rate of 21·7 per 1,000, and 731 deaths of civilians, corresponding to a rate of 8·4, as against 8·1, 8·4 and 8·3, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·3 per 1,000. The infant mortality was 38 as against 43, 36, and 40 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 9 in the total deaths last week. In London the number of deaths from all causes rose from 721 to 731; while the deaths from diphtheria, which had been 19, 18 and 11 in the preceding three weeks, rose to 18 last week.

---

m (45)18545—2 Wt 30—P 19 2250 9/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 9th September 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,926	3,246	421	4	44	11	19	32	68	12
London	4,514,405*	1,883	731	71	–	1	6	6	18	13	2
Towns in Outer Ring.											
Croydon C.B.	191,500	63	25	2	–	–	–	–	–	1	–
Wimbledon	61,700	16	6	1	–	–	–	–	–	–	–
Ealing	67,800	16	11	1	–	–	–	–	–	–	–
Acton	62,000	25	15	1	–	–	–	–	–	–	1
Willesden	167,200	61	21	–	–	–	–	–	2	–	–
Hendon	55,500	22	10	3	–	–	–	–	–	–	–
Hornsey	87,600	29	17	1	–	–	–	–	–	–	1
Wood Green	51,100	14	6	–	–	–	–	–	–	–	–
Tottenham	149,200	57	19	2	–	–	–	–	–	–	–
Edmonton	67,800	29	7	1	–	–	–	–	–	–	–
Enfield	61,400	26	7	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	165	42	9	–	–	–	–	–	2	–
East Ham C.B.	145,500	55	15	–	–	–	–	–	–	–	–
Leyton	130,100	47	16	1	–	–	–	–	–	1	–
Walthamstow	129,800	55	9	2	–	–	–	–	1	1	–
Ilford	85,500	33	14	2	–	–	–	–	–	–	1
Gillingham	48,149*	19	5	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	7	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	14	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	12	8	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	43	33	2	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	120	33	4	1	–	–	–	1	1	–
Bournemouth C.B.	81,200	27	17	–	–	–	–	–	–	1	–
Southampton C.B.	162,200	56	30	1	–	–	–	–	–	–	–
Reading C.B.	92,600	30	14	–	–	–	1	–	–	–	–
Oxford C.B.	56,400	15	9	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	42	12	2	–	–	–	–	–	–	–
Luton	57,800	27	7	1	–	–	–	–	–	–	–
Cambridge	58,900	21	7	2	–	1	–	–	–	–	–
Southend-on-Sea C.B.	90,500	32	8	–	–	–	–	–	–	–	–
Ipswich C.B.	80,100	33	9	–	–	–	1	–	–	–	–
Great Yarmouth C.B.	56,300	25	7	–	–	–	–	–	–	–	–
Norwich C.B.	122,400	48	18	4	–	–	–	–	–	–	–
Swindon	55,500	13	12	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	11	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	91	48	5	–	1	–	1	–	–	–
Bath C.B.	68,300	19	19	3	–	–	–	–	–	–	–
Bristol C.B.	381,700	148	59	10	–	1	–	–	1	1	–
Gloucester C.B.	51,800	20	9	1	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	165	52	13	–	1	1	–	–	5	–
Burton-upon-Trent C.B.	49,410	23	11	2	–	–	–	1	–	1	–
Wolverhampton C.B.	104,000	50	17	2	–	–	–	1	–	–	–
Walsall C.B.	98,800	52	14	4	–	–	–	1	–	–	–
West Bromwich C.B.	75,300	49	17	5	–	–	–	–	1	1	–
Worcester C.B.	49,160	23	13	2	–	–	–	–	–	–	–
Dudley C.B.	57,100	27	10	1	1	–	–	–	–	–	–
Birmingham C.B.	936,000	419	150	22	–	2	–	–	1	3	–
Smethwick C.B.	77,400	42	8	–	–	–	–	–	–	–	1
Coventry C.B.	130,300	61	13	1	–	–	–	–	–	–	–
Leicester C.B.	237,900	92	38	10	–	–	–	2	–	2	–
Lincoln C.B.	66,600	18	18	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	34	24	6	–	1	–	–	–	3	–
Nottingham C.B.	266,400	101	50	3	–	–	–	–	–	–	–
Derby C.B.	131,800	44	23	5	–	1	–	–	–	–	–
Chesterfield	62,400	26	9	4	–	–	–	–	–	–	–
Stockport C.B.	125,500	39	14	3	–	–	–	–	–	–	–
Chester C.B.	41,030	18	3	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	80	30	5	–	–	–	–	–	1	–
Wallasey C.B.	89,600	32	13	1	–	–	–	–	–	–	–
Liverpool C.B.	817,000	371	166	19	–	1	–	1	–	4	–
Bootle C.B.	77,800	32	9	2	–	–	–	–	–	–	–
St. Helens C.B.	104,900	59	16	4	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	18	12	1	–	–	–	–	–	–	–
Wigan C.B.	91,200	37	19	2	–	–	–	–	–	1	–
Warrington C.B.	78,600	36	13	–	–	–	–	–	–	–	–
Bolton C.B.	182,200	62	32	4	–	–	–	–	–	–	1
Bury C.B.	57,600	18	10	1	–	1	–	–	–	–	–
Manchester C.B.	744,000	291	152	20	–	11	–	–	1	4	–
Salford C.B.	239,100	90	33	8	–	2	–	–	2	1	–
Oldham C.B.	148,300	70	38	7	–	7	–	–	–	2	–
Rochdale C.B.	92,700	31	15	2	–	–	–	–	–	1	1
Burnley C.B.	105,300	26	18	2	–	2	–	–	–	–	–
Blackburn C.B.	129,400	46	23	–	–	–	–	–	–	–	–
Preston C.B.	119,900	19	16	2	–	–	–	–	–	–	1
Blackpool C.B.	73,800	18	14	2	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	32	5	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	28	26	1	–	–	–	–	–	–	–
Halifax C.B.	100,700	32	28	4	–	2	–	–	–	–	–
Bradford C.B.	291,100	114	47	5	–	–	–	–	–	1	1
Leeds C.B.	465,500	179	94	20	1	4	1	–	–	3	–
Dewsbury C.B.	55,100	10	7	–	–	–	–	–	–	–	–
Wakefield C.B.	53,763	23	9	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	33	12	1	–	1	–	1	–	–	–
Sheffield C.B.	519,239	200	91	12	–	–	–	–	2	3	–
Rotherham C.B.	69,100	23	13	3	–	–	–	2	–	–	–
Doncaster	54,700	23	14	1	–	–	–	–	–	–	–
York C.B.	84,500	32	13	–	–	–	–	–	–	–	–
Hull C.B.	291,800	135	52	10	–	–	–	1	–	3	–
Middlesbrough C.B.	133,400	80	29	4	–	–	–	–	1	1	–
Darlington C.B.	66,400	29	8	1	–	–	–	–	–	1	–
Stockton-on-Tees	65,000	33	13	3	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	43	24	5	–	4	–	–	–	–	–
Sunderland C.B.	161,100	75	29	5	–	–	–	–	–	1	–
South Shields C.B.	120,376	77	24	5	1	–	–	–	–	1	1
Gateshead C.B.	126,700	54	21	3	–	–	–	–	–	1	–
Newcastle-on-Tyne C.B.	278,400	137	48	9	–	–	–	–	–	1	–
Tynemouth C.B.	63,900	38	13	1	–	–	–	–	1	–	–
Carlisle C.B.	53,200	28	15	2	–	–	–	–	–	1	–
Newport (Mon.) C.B.	93,700	56	11	2	–	–	–	1	–	1	–
Cardiff C.B.	202,700	81	31	4	–	–	–	–	–	–	–
Rhondda	166,600	102	34	7	–	–	1	–	–	–	1
Merthyr Tydfil C.B.	81,800	41	14	2	–	–	–	–	–	–	–
Aberdare	56,100	23	14	1	–	–	–	1	–	–	–
Swansea C.B.	159,600	69	23	4	–	–	–	–	–	–	–
Greater London	7,523,963*	2,999	1,138	112	1	1	6	7	23	21	6
Outer Ring	3,009,558*	1,116	407	41	1	–	–	1	5	8	4
16 Great Towns in Outer Ring	1,820,700	713	240	27	–	–	–	–	3	5	3
Remainder of Outer Ring	1,188,858*	403	167	14	1	–	–	1	2	3	1
Edinburgh†	420,500	157	76	9	–	3	–	1	–	–	1
Glasgow†	1,037,800	506	224	29	–	–	1	2	1	6	1
Dublin (Registration Area)†	427,000			Not	recei	ved					
Belfast†	425,000	184	106	16	1	–	–	–	–	2	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Sept. 9	1883	731	8·4	–	–	1	6	6	18	13	2
Calcutta	896,067	Aug. 5	?	447§	25·6	?	1	?	?	?	?	?	5
Bombay	1,175,914	July 29	370‖	655§	28·9	5	–	–	–	1	–	67	7
Madras	522,951	,, 29	447	381§	37·9	1	21	1	?	1	–	30	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	154,866	July 15	80	32	10·7	–	–	–	–	–	–	3	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	101,000	July 22	53	26	13·4	–	–	–	–	–	–	1	2
Johannesburg	149,500	,, 29	73	40	13·3	1	–	–	–	–	–	1	1
Durban	48,000	,, 29	32	14	15·2	–	–	–	–	–	–	–	1
Paris	2,906,472	Aug. 20 (10 days)	1332	931	11·7	8	–	6	–	3	2	44	–
Antwerp	303,297	July 29	111	48	8·4	–	–	2	1	1	–	–	–
Amsterdam	691,361	Aug. 19	287	98	7·4	–	–	2	–	4	–	2	–
Copenhagen	562,000	,, 26	198	98	9·0	–	–	–	–	1	–	–	–
Stockholm	422,042	,, 26	97	79	9·7	–	–	–	–	–	–	3	–
Gothenburg	228,052	July 29	?	28	6·4	–	–	–	–	–	–	–	–
Christiania	258,933	Aug. 26	63	54	10·8	1	–	–	–	1	–	–	–
Berlin	1,974,000	July 22	369	429	11·3	2	?	8	–	3	1	9	2
Breslau	557,000	,, 22	190	173	16·1	–	?	–	–	1	2	10	1
Cologne	688,000	,, 22	276	163	12·3	–	?	–	–	7	–	8	–
Dresden	607,000	,, 22	197	134	11·5	1	?	–	–	2	–	2	–
Frankfort-on-Main	476,000	,, 22	140	74	8·1	1	?	1	–	–	–	–	–
Hamburg	1,060,000	,, 22	309	193	9·5	–	?	–	–	1	1	3	3
Leipzig	675,000	,, 22	223	129	9·9	–	?	–	–	–	1	7	–
Munich	680,000	,, 22	216	170	13·0	–	?	–	–	4	1	7	–
Vienna	1,842,005												
Prague and Suburbs	689,262	July 22	227	150	11·3	2	–	–	1	1	–	3	1
Budapest	940,000	June 24	394	349	19·3	4	?	3	3	1	2	21	–
Cairo	777,500	,, 10	724	592	39·6	4	–	11	–	?	2	113	?
Alexandria	456,300	,, 10	358	225§	25·6	2	–	–	–	?	–	27	?
New York	5,839,738	Aug. 5	2596	1068	9·5	4	–	6	–	5	8	61	1
Chicago	2,833,288	,, 12	?	533	9·8	1	–	2	1	5	5	45	1
Rio de Janeiro	1,197,504	July 22	693	434	18·6	–	–	8	–	3	3	?	12
Montevideo	346,850	May 6	206	135	18·3	2	–	–	–	–	1	3	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *Asiatic Cholera* in Calcutta, 1 in Bombay and 1 in Madras, and from *Plague*, 5 in Bombay, and 3 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th September, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	731	71	17	32	25	29	35	65	81	119	144	113
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	6	–	3	1	2	–	–	–	–	–	–	–
Whooping cough	6	4	1	1	–	–	–	–	–	–	–	–
Diphtheria	18	1	4	9	4	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	1	–	1	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	1	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	59	1	–	–	–	11	11	12	11	9	3	1
Tuberculous meningitis	8	–	1	4	3	–	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	2	–	–	–	–	–	–	–	–
Other tubercle	9	1	2	1	2	–	1	–	–	–	2	–
Venereal diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	114	–	–	–	–	–	2	10	27	33	30	12
Rheumatic fever	5	–	–	–	1	2	1	–	–	–	1	–
Diabetes	7	–	–	–	–	–	–	2	–	1	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	–	1	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	37	–	–	–	–	–	1	3	4	9	13	7
Epilepsy	3	–	–	–	–	1	–	1	–	–	1	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	26	2	1	2	1	–	7	1	6	1	3	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	10	–	–	–	1	2	1	4	–	–	2	–
Other diseases of heart	99	–	–	–	3	–	3	9	13	24	25	22
Other dis. of circulatory system	36	–	–	–	–	–	1	1	2	7	14	11
Bronchitis	32	1	1	–	–	–	–	2	1	4	10	13
Broncho-pneumonia	17	7	3	2	–	–	–	–	–	1	1	3
Lobar pneumonia	8	–	–	–	–	–	1	2	–	1	2	2
Pneumonia (type not distinguished)	7	–	–	–	2	–	–	–	2	3	–	–
Other diseases of respiratory system	8	1	–	1	–	–	–	1	–	–	4	1
Diarrhœa and enteritis	15	12	1	1	–	–	–	–	–	–	1	–
Appendicitis and typhlitis	5	–	–	–	2	1	–	1	–	–	1	–
Hernia, Intestinal obstruction	6	1	–	–	1	1	–	2	–	–	1	–
Cirrhosis of liver	7	–	–	–	–	–	–	–	4	1	1	1
Other diseases of digestive system	15	1	–	–	–	1	–	2	–	7	3	1
Acute nephritis	1	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	21	–	–	–	–	1	1	3	3	5	6	2
Other diseases of genito-urinary system.	10	1	–	–	–	–	–	1	1	2	4	1
Puerperal fever, &c.	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth	4	–	–	–	–	1	2	1	–	–	–	–
Congenital malformations	2	1	–	1	–	–	–	–	–	–	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	23	–	–	–	–	–	–	–	–	–	4	19
Suicide	8	–	–	–	–	1	1	1	1	2	2	–
Burns and scalds	3	–	–	1	–	–	–	–	–	–	1	1
Drowning	2	–	–	–	1	1	–	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	–	1	–	2	–	1	–	–	1	3
Other deaths by violence	17	1	–	–	–	2	–	1	3	2	2	6
Other specified causes	27	4	–	1	1	2	2	3	2	6	3	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th September 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	27	7	1	1	M. 2
†BERMONDSEY ...	–	13	24	–	1	–
†BETHNAL GREEN	–	5	9	–	–	G. 1
†CAMBERWELL ...	–	10	16	–	–	L. 1
†CHELSEA ...	–	6	–	–	–	–
†DEPTFORD ...	–	8	11	1	–	–
†FINSBURY ...	–	4	5	–	1	–
†FULHAM ...	–	7	7	–	–	M. 1
†GREENWICH ...	–	5	10	1	2	M. 1
†HACKNEY ...	–	21	4	–	1	D. 1 G. 2 M. 2
†HAMMERSMITH	–	5	8	–	–	M. 3
†HAMPSTEAD ...	–	2	6	1	–	–
†HOLBORN ...	–	4	4	–	–	E. 1
†ISLINGTON ...	–	22	12	–	1	C. 1 M. 2
†KENSINGTON ...	–	10	12	–	1	M. 1
†LAMBETH	–	16	12	–	1	C. 1 M. 3
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	14	10	–	1	E. 1
†PADDINGTON ...	–	13	3	1	2	–
†POPLAR... ...	–	4	12	–	2	E. 1
†ST. MARYLEBONE	–	7	–	–	–	–
†ST. PANCRAS ...	–	17	18	1	2	M. 2
†SHOREDITCH ...	–	6	9	–	1	M. 1
†SOUTHWARK ...	–	8	9	–	1	–
†STEPNEY ...	–	18	12	–	5	M. 1
†STOKE NEWINGTON	–	3	1	–	–	M. 1
†WANDSWORTH	–	16	12	–	3	–
†WESTMINSTER, CITY OF	–	6	11	–	1	M. 1
†WOOLWICH ...	–	8	9	–	–	M. 1
TOTAL OF PART I.	–	286	253	6	27	C. 2 D. 1 E. 3 G. 3 L. 1 M. 22

† Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	5	1	–	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	–	1	–	–	–
BIGGLESWADE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	–	–	1	–	–
†LUTON... ...	–	–	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	1	–	–	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	24	4	1	1	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	2	–	–	–	–
†MAIDENHEAD ...	–	–	–	–	1	–
†READING C.B....	–	16	4	1	–	–
Rural Districts :—						
ABINGDON ...	–	3	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM	–	4	–	–	–	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†SLOUGH... ...	–	2	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
CAMBRIDGE ...	–	3	–	–	–	–
Borough :—						
†CAMBRIDGE ...	–	3	–	–	–	–
Rural Districts :—						
LINTON	*	*	*	*	*	*
NEWMARKET ...	*	*	*	*	*	*
CHESTER	–	34	17	1	10	C. 2 E. 1 M. 3
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	4	1	–	1	–
ASHTON-UPON-MERSEY	–	–	–	–	1	M. 1
†BIRKENHEAD C.B.	–	5	1	–	4	–
†CHESTER C.B. ...	–	1	2	–	–	–
†CONGLETON ...	–	–	–	–	–	M. 1
†CREWE	–	5	2	–	–	–
†DUKINFIELD ...	*	*	*	*	*	*
HANDFORTH ...	–	–	2	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HYDE	–	1	–	–	–	–
KNUTSFORD ...	–	3	1	–	–	–
†MACCLESFIELD...	–	4	–	–	–	–
MIDDEWICH ...	–	–	1	–	1	–
NANTWICH ...	–	–	–	–	–	E. 1
†NORTHWICH ...	–	–	–	1	–	–
†RUNCORN ...	–	1	–	–	1	C. 1
†SALE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKPORT C.B.	–	2	2	–	–	–
†WALLASEY C.B.	–	2	1	–	2	M. 1
†WINSFORD ...	–	–	–	–	–	C. 1
Rural Districts:—						
CHESTER ...	–	–	1	–	–	–
CONGLETON ...	–	–	1	–	–	–
MALPAS... ...	–	–	1	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	2	–	–	–	–
WIRRAL... ...	–	1	1	–	–	–
CORNWALL ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
SALTASH ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN... ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	–	–	–	–
SAINT GERMANS	*	*	*	*	*	*
CUMBERLAND ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	–	–	–	1	–
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	1	–	–	–	–
DERBY	1	26	8	–	5	E. 1 M. 2
Boroughs and Urban Districts:—						
†BELPER	–	1	–	–	–	–
BRAMPTON AND WALTON	–	–	1	–	–	–
†CHESTERFIELD...	–	1	1	–	2	–
†DERBY C.B. ...	–	7	2	–	1	M. 1
†HEANOR ...	1	2	1	–	–	–
†ILKESTON ...	–	–	–	–	–	E. 1
†LONG EATON ...	–	–	–	–	1	–
NORTH DARLEY	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	4	–	–	–	M. 1
BELPER	–	4	1	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	2	1	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	–	–
REPTON ...	–	1	–	–	–	–
SHARDLOW ...	*	*	*	*	*	*
SUDBURY ...	*	*	*	*	*	*
DEVON	–	17	6	1	2	C. 3 L. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	3	–	–	–	–
BRIXHAM ...	–	–	1	–	–	–
DARTMOUTH ...	–	–	–	–	–	C. 1
†EXETER C.B. ...	–	2	2	1	–	–
LYNTON... ...	–	–	–	–	–	L. 1
†PLYMOUTH C.B.	–	3	1	–	–	C. 1
†TEIGNMOUTH ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
TIVERTON ...	*	*	*	*	*	*
†TORQUAY ...	–	1	1	–	–	–
TOTNES... ...	–	–	1	–	–	–
Rural Districts:—						
CREDITON ...	–	–	–	–	–	C. 1
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	2	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TORRINGTON ...	–	–	–	–	2	–
DORSET	–	2	2	–	–	M. 1
Boroughs and Urban Districts:—						
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	M. 1
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM... ...	–	48	5	–	25	C. 3 E. 2 M. 4
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	–	M. 1
†BISHOP AUCKLAND	*	*	*	*	*	*
†BLAYDON ...	–	2	–	–	–	–
†CONSETT ...	–	–	1	–	2	–
†CROOK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLINGTON C.B.	–	4	–	–	–	E. 1
†DURHAM ...	–	2	–	–	–	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	3	–	–	2	C. 1
†HOUGHTON-LE-SPRING	–	–	–	–	2	–
†JARROW ...	–	–	–	–	3	–
†SOUTH SHIELDS C.B.	–	2	–	–	4	–
†SOUTHWICK-ON-WEAR	–	1	–	–	2	M. 1
†STANLEY ...	–	4	–	–	1	–
†STOCKTON-ON-TEES	–	1	–	–	–	–
†SUNDERLAND C.B.	–	11	–	–	–	E. 1
TOW LAW ...	–	–	–	–	1	–
†WEST HARTLEPOOL C.B.	–	–	1	–	2	–
†WHICKHAM ...	–	–	1	–	–	C. 1
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	C. 1
CHESTER-LE-STREET	–	3	1	–	1	M. 1
DURHAM ...	–	3	–	–	–	–
EASINGTON ...	–	1	–	–	2	–
HOUGHTON-LE-SPRING	–	–	–	–	1	M. 1
LANCHESTER ...	–	1	1	–	–	–
SEDGEFIELD ...	–	5	–	–	–	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–
ISLE OF ELY ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†WISBECH ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY—*cont.*						
Rural District:—						
WISBECH ...	–	1	–	–	–	–
ESSEX	–	60	42	1	4	L. 1 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	2	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†CLACTON ...	–	–	1	–	–	–
†COLCHESTER ...	–	1	–	–	–	–
†EAST HAM C.B.	–	9	–	–	–	M. 1
EPPING	–	2	–	–	–	–
†GRAYS THURROCK	–	4	1	–	–	–
†ILFORD	–	4	4	–	1	L. 1
†LEYTON... ...	–	2	1	–	–	–
MALDON ...	–	–	2	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
SHOEBURYNESS-ON-SEA	–	2	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	3	–	1	M. 1
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW	–	5	7	–	1	–
†WEST HAM C.B.	–	18	13	1	1	–
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BRAINTREE ...	–	3	–	–	–	–
BUMSTEAD ...	*	*	*	*	*	*
HALSTEAD ...	–	3	–	–	–	–
ORSETT	–	–	3	–	–	–
ROCHFORD ...	–	1	2	–	–	–
ROMFORD ...	–	–	1	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	45	11	2	2	M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	34	6	1	1	M. 2
†CHELTENHAM ...	–	2	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†GLOUCESTER C.B.	–	1	1	–	–	–
KINGSWOOD ...	–	–	–	–	–	M. 1
WESTBURY-ON-SEVERN	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	3	1	–	–	–
NORTHLEACH ...	–	1	–	–	–	–
STROUD ...	–	–	3	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	–	–	1	–	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	4	–	–	–	–
Rural Districts:—						
LEDBURY ...	–	–	1	–	–	–
HERTFORD ...	–	9	5	–	1	L. 1
Boroughs and Urban Districts:—						
†BARNET ...	*	*	*	*	*	*
BUSHEY ...	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	*	*	*	*	*	*
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	–
†LETCHWORTH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. ALBANS ...	–	1	1	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
BUNTINGFORD ...	–	1	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
HITCHIN ...	–	1	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	L. 1
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	53	39	1	2	C 2 G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	3	–	–	–
†BECKENHAM ...	–	3	–	–	–	–
†BEXLEY ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETERS	–	1	2	–	–	–
†BROMLEY ...	–	2	2	–	–	–
†CANTERBURY C.B.	–	–	–	–	–	M. 1
†CHATHAM ...	–	–	1	–	–	–
CHISLEHURST ...	–	6	–	1	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	5	3	–	–	C. 1
†DOVER	–	–	1	–	–	–
†ERITH	–	–	1	–	–	–
†FAVERSHAM ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	2	4	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
HYTHE... ...	–	3	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	L. 1
†MARGATE ...	–	7	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	2	7	–	–	–
†RAMSGATE ...	–	–	4	–	–	–
†ROCHESTER ...	–	–	3	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
SANDWICH ...	–	–	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	1	–	–	–
SIDCUP	–	–	–	–	–	G. 1
TENTERDEN ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	4	–	–	–	–
DARTFORD ...	–	2	–	–	–	–
EAST ASHFORD...	–	–	1	–	–	–
HOLLINGBOURNE	–	2	–	–	–	–
MAIDSTONE ...	–	–	2	–	–	–
MILTON ...	–	3	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
SHEPPEY ...	*	*	*	*	*	*
STROOD ...	–	–	–	–	–	C. 1
LANCASTER ...	2	264	75	7	79	C. 5 E. 2 M. 21
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-UNDER-LYNE	–	–	–	–	1	–
ASPULL	–	–	2	–	–	–
†ATHERTON ...	–	1	1	–	1	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	–	–
†BLACKBURN C.B.	–	3	–	1	2	–
†BLACKPOOL C.B.	–	4	1	–	1	–
†BOLTON C.B. ...	–	7	1	–	1	–
†BOOTLE C.B. ...	–	6	4	–	–	C. 1 M. 1
†BURNLEY C.B.	–	3	2	–	3	–
†BURY C.B. ...	–	1	–	–	1	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY ...	–	–	–	–	1	–
†COLNE	–	–	3	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN ...	–	13	–	–	–	–
†DROYLSDEN ...	–	2	–	–	1	–
†ECCLES ...	–	4	–	–	–	–
†FARNWORTH ...	–	1	–	–	–	M. 1
†FLEETWOOD ...	–	–	–	–	1	–
GRANGE... ...	–	–	1	–	–	–
†HEYWOOD ...	–	1	1	1	–	–
†HINDLEY ...	–	1	1	–	2	–
†HORWICH ...	–	2	–	–	2	–
HURST	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	1	–	–	–	–
†LANCASTER ...	–	–	3	–	–	–
LATHOM AND BURSCOUGH	–	–	3	–	–	–
†LEIGH	–	2	1	–	–	–
†LITHERLAND ...	–	3	–	–	–	–
LITTLE HULTON	*	*	*	*	*	*
†LIVERPOOL C.B.	–	37	11	1	13	C. 1 E. 1 M. 10
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	54	15	–	20	C. 2 E. 1 M. 3
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIDDLETON ...	–	2	–	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	3	1	–	1	–
†OLDHAM C.B.	–	7	1	–	–	C. 1
ORMSKIRK ...	–	1	–	–	–	–
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM ...	–	1	1	1	–	–
POULTON-LE-FYLDE	–	2	–	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	1	2	–	1	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON ...	–	2	–	–	2	–
†ROCHDALE C.B.	–	10	2	–	2	–
†ROYTON... ...	2	–	–	–	–	–
†ST. ANNES-ON-THE-SEA ...	–	1	–	–	1	–
†ST. HELENS C.B.	–	8	2	–	–	M. 1
†SALFORD C.B. ...	–	21	6	–	6	M 3
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B.	–	3	–	–	–	–
†STRETFORD ...	–	3	1	–	1	M. 1
†SWINTON AND PENDLEBURY	–	2	–	–	3	–
THORNTON ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	–	–	2	–
WARDLE ...	*	*	*	*	*	*
†WARRINGTON C.B.	–	7	–	2	4	–
†WATERLOO-WITH-SEAFORTH	–	1	1	–	–	–
†WIDNES ...	–	7	1	–	1	–
†WIGAN C.B. ...	–	2	4	1	2	M. 1
†WORSLEY ...	–	3	–	–	–	–
Rural Districts:—						
BURNLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; J, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
PRESTON ...	–	–	1	–	–	–
WHISTON ...	–	3	1	–	–	–
LEICESTER ...	–	16	2	–	2	M. 5
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	–	–	–	M. 1
†LEICESTER C.B.	–	8	1	–	2	M. 3
†LOUGHBOROUGH	–	2	–	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	4	1	–	–	–
BARROW-UPON-SOAR	–	–	–	–	–	M. 1
BLABY	–	1	–	–	–	–
LUTTERWORTH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON... ...	–	1	2	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	–	1	–	–	–
Rural District:—						
CLAYPOLE ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	6	7	–	3	D. 1 M. 3
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	M. 1
†GAINSBOROUGH	–	–	3	–	–	–
†GRIMSBY C.B. ...	–	–	4	–	1	M. 1
†LINCOLN C.B. ...	–	2	–	–	–	–
LOUTH	–	–	–	–	1	–
MABLETHORPE ...	–	1	–	–	–	–
ROXBY-CUM-RISBY	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	M. 1
Rural District:—						
GAINSBOROUGH	*	*	*	*	*	*
GRIMSBY ...	–	–	–	–	–	D. 1
MIDDLESEX ...	–	77	52	1	1	D 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	5	2	–	–	–
†BRENTFORD ...	–	–	–	–	–	M. 1
†CHISWICK ...	–	1	2	–	–	–
†EALING ...	–	4	3	–	–	–
†EDMONTON ...	–	5	–	–	–	–
†ENFIELD ...	–	2	1	–	–	–
FELTHAM ...	–	8	–	–	–	–
†FINCHLEY ...	–	–	3	–	–	–
†FRIERN BARNET	–	2	–	–	–	–
GREENFORD ...	–	2	–	–	–	–
†HAMPTON ...	–	–	–	–	1	–
HAMPTON WICK	–	1	–	–	–	–
†HANWELL ...	–	1	1	–	–	–
†HARROW-ON-THE HILL	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAYES	–	1	5	–	–	–
†HENDON ...	–	–	5	–	–	–
†HESTON AND ISLEWORTH	–	6	–	–	–	D. 1
†HORNSEY ...	–	8	3	–	–	–
SUNBURY-ON-THAMES	–	2	–	–	–	–
†TEDDINGTON ...	–	–	–	1	–	–
†TOTTENHAM ...	–	16	4	–	–	–
†TWICKENHAM ...	–	1	1	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	8	11	–	–	L. 1
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
STAINES ...	–	2	8	–	–	–
NORFOLK ...	–	18	7	–	2	C. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B....	–	7	4	–	1	C. 1
SWAFFHAM ...	*	*	*	*	*	*
WALSOKEN ...	–	4	–	–	–	–
Rural Districts:—						
DEPWADE ...	*	*	*	*	*	*
DOCKING ...	–	2	–	–	1	–
FREEBRIDGE LYNN	–	–	1	–	–	–
HENSTEAD ...	–	1	–	–	–	–
KING'S LYNN ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—*cont.*						
MARSHLAND ...	*	*	*	*	*	*
ST. FAITH'S ...	–	2	–	–	–	–
THETFORD ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	14	2	–	1	–
Boroughs and Urban Districts:—						
FINEDON ...	–	1	–	–	–	–
†KETTERING ...	–	1	1	–	–	–
†NORTHAMPTON C.B.	–	9	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
EASTON-ON-THE-HILL	*	*	*	*	*	*
THRAPSTON (PART)	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	47	13	1	19	M. 4
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	1	–
†BEDLINGTONSHIRE	–	2	–	–	1	–
†BLYTH	–	7	–	–	2	M. 1
†GOSFORTH ...	–	1	–	–	–	M. 1
†NEWBURN ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWCASTLE-UPON-TYNE C.B.	–	23	5	–	14	M 1
PRUDHOE ...	–	–	–	–	1	–
SEGHILL ...	–	–	2	–	–	–
†TYNEMOUTH C.B.	–	1	2	1	–	M. 1
†WALLSEND ...	–	–	3	–	–	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	3	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
MORPETH ...	–	6	–	–	–	–
NOTTINGHAM ...	1	23	7	–	2	C. 1 E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†BEESTON ...	–	–	1	–	–	–
†EAST RETFORD	–	–	–	–	1	–
†MANSFIELD ...	–	5	1	–	–	E. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	C. 1 G. 1
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	12	2	–	–	M. 1
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
Rural Districts:—						
BASFORD ...	1	–	1	–	1	–
BLYTH AND CUCKNEY ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—*cont.*						
EAST RETFORD	–	1	–	–	–	–
KINGSTON AND RATCLIFFE-ON-SOAR (PARISHES)	*	*	*	*	*	*
SKEGBY... ...	–	1	–	–	–	–
OXFORD	–	15	1	–	2	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
CHIPPING NORTON	–	1	–	–	–	–
†OXFORD C.B. ...	–	3	1	–	1	M. 1
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CHIPPING NORTON	–	1	–	–	–	–
CROWMARSH ...	–	4	–	–	–	–
CULHAM ...	–	1	–	–	–	–
HENLEY ...	–	1	–	–	–	–
THAME	–	–	–	–	1	–
WITNEY ...	–	2	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH	–	1	–	–	–	–
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
UPPINGHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	6	3	–	–	M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	1	–	–	–	–
LUDLOW ...	–	–	1	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM... ...	–	–	1	–	–	–
OSWESTRY ...	–	2	–	–	–	–
SHIFNAL ...	–	–	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	–	–	–	–	M. 1
SOMERSET ...	–	6	–	–	4	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	–	–
GLASTONBURY ...	–	1	–	–	–	–
WATCHET ...	*	*	*	*	*	*
†WESTON-SUPER-MARE	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
CLUTTON ...	–	1	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	28	25	2	–	E. 1 M. 5
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	1	–	–	–
ANDOVER ...	–	–	–	–	–	E. 1
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†FAREHAM ...	–	–	–	1	–	–
HAVANT ...	–	–	–	–	–	M. 1
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
PETERSFIELD ...	–	–	1	–	–	–
†PORTSMOUTH C.B.	–	11	11	1	–	M. 1
†SOUTHAMPTON C.B.	–	2	8	–	–	M. 3
†WINCHESTER ...	–	–	3	–	–	–
Rural Districts:—						
ALTON	–	2	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH...	*	*	*	*	*	*
FAREHAM ...	–	–	1	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
ROMSEY ...	–	1	–	–	–	–
SOUTH STONEHAM	–	3	–	–	–	–
WHITCHURCH ...	–	3	–	–	–	–
STAFFORD ...	–	51	19	–	14	C. 2 M 9
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY ...	–	–	–	–	–	M. 1
†BILSTON ...	–	1	–	–	1	–
†BRIERLEY HILL	*	*	*	*	*	*
†BURTON-UPON-TRENT C.B.	–	3	–	–	–	–
†CANNOCK ...	–	2	–	–	–	–
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	1	–	–	1	–
LICHFIELD ...	–	1	–	–	–	–
†ROWLEY REGIS	–	2	–	–	2	–
†SEDGLEY ...	–	–	–	–	1	–
†SMETHWICK C.B.	–	7	–	–	–	–
†STAFFORD ...	–	2	–	–	–	–
†STOKE-ON-TRENT C.B.	–	7	7	–	6	M. 6
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	2	2	–	–	C. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEDNESBURY ...	–	1	–	–	–	–
†WEST BROMWICH C.B.	–	6	5	–	1	C. 1 M. 1
†WILLENHALL ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	1	2	–	–	–
†WOLVERHAMPTON C.B.	–	5	1	–	–	–
Rural Districts:—						
CANNOCK ...	–	2	–	–	–	–
LEEK	–	2	1	–	–	–
LICHFIELD ...	–	2	1	–	–	–
SEISDON ...	–	1	–	–	–	–
TUTBURY ...	–	1	–	–	–	–
SUFFOLK, EAST	–	16	3	–	–	M. 1
Boroughs and Urban Districts:—						
HALESWORTH ...	*	*	*	*	*	*
†IPSWICH C.B. ...	–	15	2	–	–	M. 1
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
EAST STOW ...	–	1	–	–	–	–
SUFFOLK, WEST	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
HAVERHILL ...	*	*	*	*	*	*
Rural District:—						
CLARE	*	*	*	*	*	*
MOULTON ...	*	*	*	*	*	*
THEDWASTRE ...	–	1	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	35	16	1	1	E. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CATERHAM ...	–	–	1	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†CROYDON C.B....	–	15	10	–	–	M. 1
†EGHAM	–	–	1	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
†KINGSTON-UPON-THAMES	–	1	1	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM ...	–	1	–	–	–	–
†REIGATE ...	–	1	–	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON... ...	–	1	–	–	–	–
†THE MALDONS AND COOMBE ...	–	–	1	–	–	E. 1
†WALTON-UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	4	1	–	–	–
†WOKING ...	–	–	–	–	–	M. 1
Rural Districts:—						
CHERTSEY ...	–	–	–	1	–	–
DORKING ...	–	2	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE ...	–	–	–	–	–	L. 2
SUSSEX, EAST ...	–	12	6	–	2	–
Boroughs and Urban Districts:—						
†BRIGHTON C.B....	–	3	3	–	2	–
BURGESS HILL ...	–	1	–	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
†HASTINGS C.B.	–	–	1	–	–	–
†HOVE	–	2	–	–	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol[illegible]; J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
Chailey ...	–	1	–	–	–	–
Uckfield ...	–	2	2	–	–	–
SUSSEX, WEST ...	–	6	5	–	–	M. 1
Boroughs and Urban Districts:—						
†Bognor ...	–	1	1	–	–	M. 1
†Horsham ...	–	1	–	–	–	–
Southwick ...	*	*	*	*	*	*
†Worthing ...	–	1	–	–	–	–
Rural Districts:—						
East Preston	–	1	–	–	–	–
Midhurst ...	–	1	3	–	–	–
Westhampnett	–	1	1	–	–	–
WARWICK ...	–	78	24	1	14	C. 3 E. 1 M. 15
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	60	20	1	7	C. 2 E. 1 M. 13
†Coventry C.B.	–	7	–	–	–	M. 1
†Nuneaton ...	–	–	–	–	2	C. 1
†Royal Leamington Spa	–	1	2	–	–	M. 1
†Rugby	–	1	–	–	–	–
†Sutton Coldfield	–	–	–	–	1	–
†Warwick ...	–	2	–	–	–	–
Rural Districts:—						
Alcester ...	–	1	1	–	–	–
Atherstone ...	–	1	1	–	3	–
Brailes ...	–	1	–	–	–	–
Farnborough	–	1	–	–	–	–
Foleshill ...	–	2	–	–	–	–
WARWICK—*cont.*						
Rural Districts—*cont.*						
Nuneaton ...	*	*	*	*	*	*
Solihull ...	–	–	–	–	1	–
Tamworth (part)	–	1	–	–	–	–
WESTMORLAND	–	3	–	–	–	–
Boroughs and Urban Districts:—						
Appleby ...	–	1	–	–	–	–
†Kendal ...	–	1	–	–	–	–
Rural District:—						
East Westmorland	–	1	–	–	–	–
ISLE OF WIGHT	–	2	–	1	–	–
Boroughs and Urban Districts:—						
Cowes	–	1	–	–	–	–
†Ryde	–	–	–	1	–	–
Sandown ...	–	1	–	–	–	–
WILTS	–	12	–	–	3	–
Boroughs and Urban Districts:—						
†Salisbury ...	–	1	–	–	–	–
†Swindon ...	–	3	–	–	2	–
Rural Districts:—						
Chippenham ...	–	2	–	–	–	–
Highworth ...	–	4	–	–	–	–
Pewsey ...	–	–	–	–	1	–
Ramsbury ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	17	4	2	1	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†DUDLEY, C.B. ...	–	4	–	1	–	–
†KIDDERMINSTER	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	–	1	–	–	–
†OLDBURY ...	–	1	–	–	1	–
†REDDITCH ...	–	1	–	–	–	–
†WORCESTER C.B.	–	1	1	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	1	–	–	–
FECKENHAM ...	–	1	1	–	–	–
UPTON-UPON-SEVERN	–	3	–	1	–	–
YORKS ... ... (East Riding).	–	7	13	1	1	C. 1 M. 4
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	3	–	–	–
COTTINGHAM ...	–	–	–	–	1	–
GREAT DRIFFIELD	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	4	9	–	–	C. 1 M. 3
†YORK C.B. ...	–	2	–	1	–	–
Rural District:—						
NORTON ...	–	–	1	–	–	M. 1
YORKS ... ... (North Riding).	6	15	6	2	7	C. 1 E. 1
Boroughs and Urban Districts:—						
†ESTON	1	3	–	–	–	–
†MIDDLESBROUGH C.B.	5	8	4	–	4	–
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR... ...	–	1	–	–	1	–
†SKELTON AND BROTTON	–	1	–	–	–	E. 1
†WHITBY ...	–	–	–	–	1	–
Rural Districts:—						
KIRKBY MOORSIDE	–	1	1	–	–	–
LEYBURN ...	–	–	–	–	1	C. 1
MALTON ...	–	1	–	–	–	–
NORTHALLERTON	–	–	1	–	–	–
WHITBY ...	–	–	–	2	–	–
YORKS ... ... (West Riding).	–	140	54	7	64	C. 4 D. 1 E. 2 G. 2 J. 2 M. 6
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	1	1	1	–
ALTOFTS ...	–	–	2	1	1	–
†BARNOLDSWICK	–	–	–	1	1	–
†BARNSLEY C.B.	–	4	1	–	1	M. 1
†BENTLEY-WITH-ARKSEY	–	–	1	–	–	–
†BINGLEY ...	–	1	1	–	1	–
†BRADFORD C.B.	–	10	8	1	1	C. 1
†BRIGHOUSE ...	–	1	–	–	–	–
CLAYTON ...	*	*	*	*	*	*
DARFIELD ...	–	–	–	–	2	–
†DARTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Denby and Cumberworth	–	–	–	1	–	–
†Dewsbury C.B.	–	2	3	1	–	–
Dodworth ...	–	–	–	–	1	–
†Doncaster ...	–	–	–	–	2	–
Garforth ...	*	*	*	*	*	*
†Goole	–	1	2	–	–	–
Greasborough	–	2	–	–	–	–
†Halifax C.B. ...	–	5	–	–	–	–
†Harrogate ...	–	–		–	1	M. 1
Hebden Bridge	–	2	–	–	–	–
†Hemsworth ...	–	1	1	–	1	C. 1
†Hoyland Nether	–	–	–	–	2	–
†Huddersfield C.B.	–	6	3	–	1	M. 1
Ilkley	–	1	–	–	–	–
†Keighley ...	–	–	1	–	–	–
Knaresborough	–	1	–	–	–	–
†Leeds C.B. ...	–	52	6	–	9	C. 2 E. 1 M. 1
Luddenden Foot	–	–	1	–	–	–
Methley ...	–	1	–	–	–	–
†Mexborough ...	–	–	1	–	2	–
†Morley ...	–	–	–	–	2	–
†Normanton ...	*	*	*	*	*	*
†Pontefract ...	–	–	1	–	–	–
Queensbury ...	–	–	–	1	–	–
Rawdon ...	–	1	–	–	–	–
†Rotherham C.B.	–	7	–	–	1	–
†Rothwell ...	–	1	–	–	–	–
†Saddleworth ...	–	1	–	–	–	–
†Sheffield C.B.	–	13	9	–	28	D. 1 E. 1 G. 1 M. 1
†Shipley ...	–	1	–	–	–	–
†Skipton ...	–	–	–	–	1	–
Southowram ...	*	*	*	*	*	*
†Spenborough ...	–	–	–	–	–	J. 2
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Stanley ...	–	2	–	–	1	–
Stocksbridge ...	–	–	–	–	1	–
Thurnscoe ...	–	1	–	–	–	–
Tickhill ...	–	–	1	–	–	–
†Wakefield C.B.	–	6	1	–	–	–
†Wath-upon-Dearne	*	*	*	*	*	*
Whitwood ...	–	1	–	–	–	–
†Wombwell ...	–	–	–	–	1	–
Rural Districts:—						
Doncaster ...	–	–	6	–	–	G. 1
Hemsworth ...	–	1	1	–	1	M. 1
Hunslet ...	–	1	–	–	–	–
Penistone ...	–	1	1	–	–	–
Pontefract ...	–	3	1	–	–	–
Rotherham ...	–	1	–	–	–	–
Tadcaster ...	–	2	–	–	–	–
Wakefield ...	–	2	–	–	–	–
Wetherby ...	–	–	–	–	1	–
Wharfedale (South)	–	1	–	–	–	–
Wortley ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†Holyhead ...	–	1	1	–	–	–
Rural District:—						
Valley... ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
LLANWRTHWL (PARISH)	*	*	*	*	*	*
YSTRADGYNLAIS	–	2	–	–	1	–
CARDIGAN ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
NEW QUAY ...	–	1	–	–	–	–
Rural Districts:—						
TREGARON ...	–	–	2	–	–	–
CARMARTHEN ...	–	6	3	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	2	–	–	–	–
BURRY PORT ...	–	–	1	–	–	–
KIDWELLY ...	–	2	–	–	1	–
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANYBYTHER ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARNARVON ...	–	4	2	1	1	C. 1
Boroughs and Urban Districts—						
CARNARVON ...	–	–	–	–	1	–
LLANDUDNO ...	–	–	2	–	–	–
PORTMADOC ...	–	–	–	1	–	–
Rural Districts:—						
CONWAY ...	–	3	–	–	–	–
GWYRFAI ...	–	1	–	–	–	C. 1
DENBIGH ...	–	4	2	–	–	M. 2
Boroughs and Urban Districts:—						
†WREXHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
WREXHAM ...	–	3	2	–	–	M. 1
FLINT	–	3	3	–	–	–
Boroughs and Urban Districts:—						
FLINT	–	–	2	–	–	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio, J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 *continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	86	23	1	12	D. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	13	–	–	4	–
†BARRY	–	–	4	–	–	–
†CAERPHILLY ...	–	–	1	–	–	–
†CARDIFF C.B. ...	–	9	4	–	1	–
†GELLIGAER ...	–	2	–	–	–	–
†GLYNCORWG ...	–	1	–	–	–	D. 1
†MAESTEG ...	–	1	2	–	–	–
†MERTHYR TYDFIL C.B.	–	6	1	–	–	–
†MOUNTAIN ASH	–	13	–	–	–	–
†OGMORE AND GARW	–	–	–	–	1	–
†PENARTH ...	–	1	1	–	–	–
†PONTYPRIDD ...	–	6	–	–	–	–
†RHONDDA ...	–	18	1	–	5	–
†SWANSEA C.B. ...	–	6	4	1	–	–
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
GOWER	–	–	1	–	–	–
LLANDAFF and DINAS POWIS	–	4	3	–	–	–
NEATH	–	5	1	–	1	–
MERIONETH ...	–	1	1	–	–	–
Urban District:—						
FESTINIOG ...	–	1	1	–	–	–
MONMOUTH ...	–	15	5	–	3	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	–	–	1	–
†BEDWELLTY ...	–	1	2	–	–	–
†EBBW VALE ...	–	5	1	–	1	–
†NANTYGLO AND BLAINA	–	1	–	–	1	–
†NEWPORT C.B....	–	1	2	–	–	–
†PANTEG ...	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*
†RHYMNEY ...	–	3	–	–	–	–
†TREDEGAR ...	*	*	*	*	*	*
Rural District:—						
MONMOUTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; B, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	4	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	4	–	–	–	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Haverfordwest	–	–	1	–	–	–
Rural District:—						
Narberth ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	–
Urban District:—						
Llandrindod Wells	–	–	–	–	1	–
Rural District—						
Rhayader ...	*	*	*	*	*	*
Total of Part II.	10	1392	536	36	297	C. 29 D. 4 E. 13 G. 4 J. 2 L. 7 M. 100

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff ...	–	–	–	1	–	–
Fowey	*	*	*	*	*	*
Lowestoft ...	–	1	–	–	–	–
Total of Part III.	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	286	253	6	27	C. 2 D. 1 E. 3 G. 3 L. 1 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	10	1392	536	36	297	C. 29 D. 4 E. 13 G. 4 J. 2 L. 7 M. 100
Total of Part III.—Port Sanitary Districts ...	–	1	–	1	–	–
Total (*i.e.*, of returns received), England and Wales	10	1679	789	43	324	C. 31 D. 5 E. 16 G. 7 J. 2 L. 8 M. 122

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Ten cases of Small-pox were notified, which appear on pages 1050, 1054, 1057 and 1061.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.
LONDON:—													
DEATHS—all ages	795	842	852	795	844	785	782	797	744	704	730	721	731
" 0 to 1 year	104	85	79	88	78	68	92	79	73	88	66	71	71
GREAT TOWNS, aggregate (including London):—													
BIRTHS	9,023	8,296	8044	7,857	8,376	8,168	8,139	8,108	6,703	8,607	7,625	7,511	7,926
DEATHS—all ages	3,602	3,502	3544	3,466	3,531	3,372	3,355	3,409	3,379	3,323	3,290	3,255	3,246
" *0* to *1* year	503	451	407	482	442	433	387	426	402	418	403	402	421
ENTERIC FEVER—Cases	24	17	23	26	27	17	28	16	15	15	17	23	23
" Deaths	5	4	1	4	3	2	2	1	2	2	3	4	4
SMALL POX—Cases	10	10	4	13	5	12	15	7	17	15	5	7	5
" Deaths	—	—	—	—	—	—	—	2	—	—	—	—	—
SCARLET FEVER—Cases	1016	1102	1085	1,142	1,250	1,201	1,040	1,013	818	911	915	855	1,052
" Deaths	9	14	9	13	12	12	11	8	11	11	14	6	11
DIPHTHERIA—Cases	560	609	537	633	581	662	597	501	458	502	460	523	537
" Deaths	44	32	50	39	31	33	38	33	40	40	41	27	32
MEASLES—Deaths	79	56	60	59	62	62	67	62	45	63	45	52	44
INFLUENZA—Deaths	27	18	25	22	24	18	22	19	15	11	16	10	12

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 9th September 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	69	43	65·4	48·4	0
BRIGHTON	69	48	65·6	50·9	0
PORTSMOUTH	68	49	65·6	51·7	0·4
NORWICH (EATON).	69	43	64·6	49·0	4
PLYMOUTH	68	48	64·3	51·3	2
BRISTOL (CLIFTON).	68	48	64·0	51·6	0
BIRMINGHAM	68	44	62·1	50·3	0·2
NOTTINGHAM	69	45	63·4	51·6	1
BIRKENHEAD (BIDSTON).	66	44	61·0	52·0	0
MANCHESTER	66	44	63·1	49·4	0·2
BURNLEY	66	36	61·7	46·1	3
HUDDERSFIELD	65	43	63·9	50·1	6
BRADFORD	65	45	61·0	49·9	0·1
SHEFFIELD	65	45	61·7	50·4	1
YORK (MUSEUM).	66	43	62·6	49·9	1
HULL (PEARSON PARK).	67	46	62·6	50·6	3
TYNEMOUTH	60	45	57·0	50·4	2
CARDIFF	71	46	64·9	50·4	0
EDINBURGH	66·0	42·0	59·1	47·1	1
GLASGOW	66·3	40·5	62·3	47·7	1
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	Not received.				
BELFAST	68·5	45·5	65·0	51·2	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 9th September 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	3	..	29·951	66·3	43·8	22·5	53·4	− 6·2	50·0	3·4	15·0	0·0	88	118·0	34·5	57·1	Calm & NE.	NNE & Calm.	0·4	0·0	0·0	106	−147	0·00
MONDAY	4	..	30·056	58·6	48·3	10·3	54·5	− 5·0	51·3	3·2	5·5	0·0	89	68·0	39·6	57·0	Calm & NE.	NE	1·7	0·0	0·1	180	− 69	0·00
TUESDAY	5	..	30·061	69·1	54·2	14·9	59·3	− 0·1	55·1	4·2	12·6	0·0	86	120·4	46·4	56·9	NE & ENE.	ENE, ESE & Calm.	0·8	0·0	0·0	151	− 95	0·00
WEDNESDAY	6	Full	30·132	68·2	48·1	20·1	59·0	− 0·2	49·2	9·8	17·5	0·0	70	116·5	33·6	56·9	Calm & E.	SE. SSE & Calm.	0·9	0·0	0·0	116	−129	0·00
THURSDAY	7	Apogee: In Equator.	30·165	68·5	42·9	25·6	56·0	− 3·0	44·2	11·8	22·9	2·2	65	125·3	35·6	56·8	Calm & SE.	E. SE & Calm.	1·7	0·0	0·1	119	−125	0·00
FRIDAY	8	..	30·185	66·0	49·1	16·9	56·0	− 2·8	48·2	7·8	16·1	3·5	75	124·8	36·4	56·8	NE	NE	2·7	0·0	0·3	289	+ 42	0·00
SATURDAY	9	..	30·097	59·7	45·2	14·5	50·7	− 7·9	41·1	9·6	17·1	4·3	70	103·0	39·0	56·6	NE	NE	3·7	0·0	0·5	387	+137	0·00
MEANS		..	30·092	65·2	47·4	17·8	55·6	− 3·6	48·4	7·1	15·2	1·4	78	110·9	38·6	56·9	NE.		...	...	...	Sum 1,348	Sum −386	Sum 0·00
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	3	w.P. generally, v.P. in afternoon.	4·1	13·4	Cloudless generally till 4h. with dew. Overcast and misty by 5h., variably cloudy 11h. to 17h., nearly cloudless till 21h., clouding up gradually by 23h. Haze during day. Dew and mist at night.
MONDAY -	4	w.P throughout	0·0	13·4	Overcast generally, few exceptions before 6h. Misty in early morning. Slight rain in forenoon.
TUESDAY -	5	w.P. generally, m.P. in afternoon.	0·7	13·3	Overcast till 9h. and with cloudy intervals till 18h. partially cloudy afterwards with dew and mist. Thunder about 14h. 30m. Slight rain about 16h.
WEDNESDAY	6	w.P. generally	5·5	13·2	Overcast generally till 8h., little cloud till 11h., very cloudy till 15h., fine till 17h., then nearly overcast with slight intervals. Mist in morning.
THURSDAY -	7	w.P. till 9h., v.P. afterwards.	9·3	13·2	Little cloud generally with occasional nearly overcast intervals. Dew and haze in morning. Dew at night.
FRIDAY -	8	w.P. till 7h., v.P. afterwards.	6·2	13·1	Nearly overcast till 10h., variably cloudy till 17h., then nearly overcast generally.
SATURDAY -	9	w.P. till 7h., v.P. afterwards.	5·4	13·0	Cloudy generally till 11h., overcast with occasional slight rain till about 16h., then nearly cloudless. Cloudy period with slight rain about 18h.
			Sum 31·2	Sum 92·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·83 in. at the beginning of the week to 30·21 in. by 9h. on 8th, and decreased to 30·05 in. by midnight on 9th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 37.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 16TH SEPTEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH SEPTEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-seventh week of the year numbered 7,488, and corresponded to an annual rate of 20·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,287 and corresponded to an annual rate of 9·0 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 9·0, 8·9 and 8·9. Infant mortality was 55 per 1,000 births against 53, 54, and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,760 births, corresponding to a rate of 20·3 per 1,000, and 744 deaths of civilians, corresponding to a rate of 8·6, as against 8·4, 8·3 and 8·4, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·4 per 1,000. The infant mortality was 56 as against 36, 40, and 38 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 41 in the total deaths last week. In London the number of deaths from all causes rose from 731 to 744; while the deaths from diphtheria, which had been 18, 11, and 18 in the preceding three weeks, fell to 13 last week.

---

m (45)18515—3 Wt 30—P 19 2250 9/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 16th September 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,488	3,287	410	3	18	11	27	29	55	18
London	4,514,405*	1,760	744	98	–	–	1	8	13	15	3
Towns in Outer Ring.											
Croydon C.B.	191,500	67	29	1	–	–	1	1	–	–	–
Wimbledon	61,700	18	12	1	–	–	–	–	–	1	–
Ealing	67,800	17	9	–	–	–	–	–	–	–	1
Acton	62,000	21	9	–	–	–	–	–	–	–	–
Willesden	167,200	58	28	1	–	–	–	1	1	–	–
Hendon	55,500	16	9	2	–	–	1	–	1	–	1
Hornsey	87,600	25	11	1	–	–	–	1	–	–	–
Wood Green	51,100	13	5	1	–	–	–	–	–	–	–
Tottenham	149,200	42	27	2	–	–	–	–	–	–	–
Edmonton	67,800	43	10	–	–	–	–	–	–	–	–
Enfield	61,400	32	7	2	–	–	–	–	–	–	–
West Ham C.B.	307,000	149	44	3	–	–	1	–	1	1	2
East Ham C.B.	145,500	68	25	1	–	–	–	–	–	–	–
Leyton	130,100	40	19	3	–	–	–	–	–	–	–
Walthamstow	129,800	44	13	3	–	–	–	–	–	1	–
Ilford	85,500	23	12	–	–	–	–	–	–	–	–
Gillingham	48,149*	21	7	1	–	–	–	–	1	–	–
Canterbury C.B.	23,680	6	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	9	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	13	9	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	61	32	5	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	101	45	6	–	–	–	–	1		–
Bournemouth C.B.	81,200	16	10	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	66	34	3	–	–	–	–	1	–	–
Reading C.B.	92,600	27	6	–	–	–	1	–	–	–	–
Oxford C.B.	56,400	18	14	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	31	16	2	–	–	–	–	–	–	–
Luton	57,800	15	9	2	–	–	–	–	–	–	–
Cambridge	58,900	18	13	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	27	10	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	31	11	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	24	8	–	–	–	–	–	–	–	–
Norwich C.B.	122,400	26	21	–	–	–	–	–	–	–	–
Swindon	55,500	26	11	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	25	13	1	–	–	–	–	1	–	–
Plymouth C.B.	199,869*	74	36	3	2	–	–	–	–	–	–
Bath C.B.	68,300	16	13	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	137	61	9	–	–	–	–	1	4	–
Gloucester C.B.	51,800	23	5	2	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	125	52	10	–	2	–	–	–	2	–
Burton-upon-Trent C.B.	49,410	20	11	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	39	15	2	–	–	–	–	–	–	–
Walsall C.B.	98,800	49	20	3	–	–	–	1	–	–	–
West Bromwich C.B.	75,300	34	14	2	–	–	–	–	1	1	–
Worcester C.B.	49,160	16	7	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	21	9	–	–	–	–	–	–	–	–
Birmingham C.B.	936,000	379	160	24	–	–	–	2	3	3	–
Smethwick C.B.	77,400	27	11	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	52	16	1	–	–	–	–	–	–	–
Leicester C.B.	237,900	83	46	6	–	1	1	3	–	–	–
Lincoln C.B.	66,600	27	5	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	41	9	3	–	1	–	–	–	–	–
Nottingham C.B.	266,400	125	47	5	–	2	–	–	–	–	–
Derby C.B.	131,800	44	21	2	–	1	–	–	–	–	–
Chesterfield	62,400	30	13	3	–	–	–	–	–	–	–
Stockport C.B.	125,500	53	22	2	–	–	–	–	–	–	1
Chester C.B.	41,030	19	6	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	74	24	2	–	–	1	–	–	–	1
Wallasey C.B.	89,600	27	14	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	397	160	19	–	1	–	1	1	7	–
Bootle C.B.	77,800	42	11	4	–	–	–	1	–	–	–
St. Helens C.B.	104,900	54	20	5	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	19	13	-	-	-	-	-	-	-	-
Wigan C.B.	91,200	42	14	2	-	-	-	-	-	1	-
Warrington C.B.	78,600	27	13	4	-	-	-	1	-	1	-
Bolton C.B.	182,200	74	34	5	-	2	-	-	-	-	1
Bury C.B.	57,600	13	10	2	-	-	-	1	-	-	-
Manchester C.B.	744,000	291	150	15	-	3	2	2	2	3	2
Salford C.B.	239,100	94	42	6	-	-	-	-	-	-	-
Oldham C.B.	148,300	64	34	3	-	1	-	1	-	-	1
Rochdale C.B.	92,700	24	10	2	-	1	-	-	-	-	-
Burnley C.B.	105,300	44	17	4	-	-	-	-	-	-	1
Blackburn C.B.	129,400	42	32	2	-	-	-	-	-	-	-
Preston C.B.	119,900	53	30	3	-	1	-	-	-	-	1
Blackpool C.B.	73,800	29	13	-	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	75,200	28	6	-	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	35	20	2	-	-	-	-	-	-	-
Halifax C.B.	100,700	25	31	4	-	-	-	-	-	1	-
Bradford C.B.	291,100	108	61	6	-	-	-	-	-	1	-
Leeds C.B.	465,500	149	81	12	-	1	-	-	-	1	-
Dewsbury C.B.	55,100	16	9	4	-	-	-	-	-	-	-
Wakefield C.B.	53,763	20	12	2	-	-	-	-	-	-	-
Barnsley C.B.	68,991	41	16	5	-	-	-	-	-	1	-
Sheffield C.B.	519,239	174	87	6	-	-	-	-	-	2	1
Rotherham C.B.	69,100	36	10	1	-	-	-	1	-	1	-
Doncaster	54,700	25	9	3	-	1	-	-	-	1	-
York C.B.	84,500	33	10	-	-	-	1	-	-	-	-
Hull C.B.	291,800	127	67	15	-	-	-	1	-	2	-
Middlesbrough C.B.	133,400	53	20	3	-	-	-	-	-	-	-
Darlington C.B.	66,400	21	11	2	-	-	-	-	-	-	-
Stockton-on-Tees	65,000	35	13	3	-	-	-	-	-	1	-
West Hartlepool C.B.	69,300	35	10	3	-	-	-	-	-	-	-
Sunderland C.B.	161,100	75	30	6	-	-	-	-	-	2	-
South Shields C.B.	120,376	54	25	2	-	-	-	-	-	-	1
Gateshead C.B.	126,700	65	20	3	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	278,400	121	50	6	1	-	-	-	-	-	-
Tynemouth C.B.	63,900	28	11	3	-	-	-	-	-	-	-
Carlisle C.B.	53,200	22	8	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	93,700	44	13	2	-	-	-	-	-	-	-
Cardiff C.B.	202,700	70	35	2	-	-	-	-	-	-	-
Rhondda	166,600	81	29	6	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	81,800	34	17	2	-	-	-	1	-	1	-
Aberdare	56,100	27	9	-	-	-	1	-	-	-	-
Swansea C.B.	159,600	62	32	4	-	-	-	-	1	-	-
Greater London	7,523,963*	2,845	1,205	141	-	1	5	15	18	21	8
Outer Ring	3,009,558*	1,085	461	43	-	1	4	7	5	6	5
16 Great Towns in Outer Ring	1,820,700	676	269	21	-	-	3	3	3	3	4
Remainder of Outer Ring	1,188,858*	409	192	22	-	1	1	4	2	3	1
Edinburgh†	420,500										
Glasgow†	1,037,800				Not	recei	ved.				
Dublin (Registration Area)†	427,000										
Belfast†	425,000	215	94	18	-	1	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Sept. 16	1760	744	8·6	–	–	–	1	8	13	15	3
Calcutta	896,067	Aug. 12	?	484§	27·7	?	2	?	?	?	?	?	16
Bombay	1,175,914	„ 5	358‖	711§	31·4	2	1	–	–	–	–	57	7
Madras	522,951	„ 5	457	356	35·4	–	17	3	?	2	–	32	–
Sydney and Suburbs	926,400	July (31 days)	1857	769	10·0	2	–	–	–	–	10	8	7
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	157,272	July 22	90	27	8·9	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	101,000	July 29	46	31	15·9	1	–	–	–	–	–	–	3
Johannesburg	149,500	Aug. 5	90	36	12·5	–	–	–	–	–	–	–	3
Durban	48,000	„ 5	27	17	18·4	–	–	–	–	–	–	1	1
Paris	2,906,472	„ 31 (11 days)	1271	869	9·9	2	–	4	3	1	2	34	–
Antwerp	303,297	Aug. 5	102	49	8·4	–	–	–	–	2	–	–	–
Amsterdam	691,361	„ 26	281	87	6·6	–	–	–	–	2	–	1	–
Copenhagen	562,000	Sept. 2	194	112	10·3	–	–	–	–	4	–	1	–
Stockholm	422,042	„ 2	120	59	7·3	–	–	–	1	–	–	–	–
Gothenburg	228,052	Aug. 5	?	51	11·6	–	–	–	–	–	–	1	–
Christiania	258,933	Sept. 2	82	41	8·2	–	–	–	–	–	1	–	–
Berlin	1,974,000	July 29	403	475	12·5	2	?	6	–	2	–	8	–
Breslau	557,000	„ 29	222	163	15·2	–	?	–	–	1	1	8	2
Cologne	688,000	„ 29	274	126	9·5	–	?	–	–	2	–	7	1
Dresden	607,000	„ 29	200	113	9·7	–	?	–	–	–	–	5	–
Frankfort-on-Main	476,000	„ 29	132	88	9·6	–	?	1	–	1	–	–	–
Hamburg	1,060,000	„ 29	253	189	9·3	1	?	–	–	1	–	1	–
Leipzig	675,000	„ 29	220	130	10·0	–	?	–	–	1	–	7	1
Munich	680,000	„ 29	204	152	11·6	–	?	–	–	1	–	2	1
Vienna	1,842,005	Aug. 5	517	463	13·1	1	–	–	–	1	–	13	–
Prague and Suburbs	689,262	July 29	278	160	12·1	2	–	2	–	–	–	3	–
Budapest	940,000	„ 1	347	318	17·6	2	?	3	1	2	1	20	–
Cairo	777,500	June 17	735	749	50·1	3	1	12	–	?	2	139	?
Alexandria	456,300	„ 17	352	214§	24·4	3	–	1	–	?	–	32	?
New York	5,839,738	Aug. 12	2444	1027	9·2	1	–	1	–	7	6	53	1
Chicago	2,833,288	„ 19	?	512	9·4	–	–	2	2	–	5	54	–
Rio de Janeiro	1,217,823	July 29	659	501	21·4	4	1	13	–	1	1	?	19
Montevideo	346,850	May 13	199	120	18·2	1	–	–	–	–	1	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 3 deaths from *Asiatic Cholera* in Calcutta, and 1 in Bombay, and from *Plague*, 6 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th September, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	744	98	19	14	23	31	32	54	99	119	137	118
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	1	1	–	–	–	–	–	–	–	–	–	–
Whooping cough	8	3	4	1	–	–	–	–	–	–	–	–
Diphtheria	13	–	–	5	8	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	1	–	1	–	–	1	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	50	–	–	–	2	9	8	10	14	6	–	1
Tuberculous meningitis	6	1	1	2	2	–	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	6	1	–	–	–	3	–	1	–	1	–	–
Venereal diseases	8	3	1	–	–	–	–	1	1	2	–	–
Cancer	102	1	–	–	–	1	1	7	17	39	26	10
Rheumatic fever	3	–	–	–	1	–	2	–	–	–	–	–
Diabetes	7	–	–	–	–	3	–	–	1	1	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	2	–	1	–	1	–	–	1	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	35	–	–	–	–	–	–	1	4	11	10	9
Epilepsy	1	–	–	–	–	–	1	–	–	–	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	27	–	–	1	1	1	1	3	12	3	3	2
Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–
Acute endocarditis	5	–	–	–	–	2	1	–	2	–	–	–
Other diseases of heart	112	–	–	–	–	2	1	7	14	22	37	29
Other dis. of circulatory system	33	–	–	–	–	–	–	1	1	2	18	11
Bronchitis	16	3	–	–	–	–	1	–	2	2	3	5
Broncho-pneumonia	24	9	3	1	2	–	–	1	2	1	3	2
Lobar pneumonia	14	1	1	–	–	–	1	4	–	3	3	1
Pneumonia (type not distinguished)	7	–	–	–	–	–	–	1	3	1	2	–
Other diseases of respiratory system	7	1	–	–	–	1	1	–	1	2	–	1
Diarrhœa and enteritis	16	11	4	–	–	–	–	1	–	–	–	–
Appendicitis and typhlitis	5	–	–	–	2	1	1	–	–	1	–	–
Hernia, Intestinal obstruction	12	2	–	–	–	1	1	1	1	1	2	3
Cirrhosis of liver	2	–	–	–	–	–	–	–	1	1	–	–
Other diseases of digestive system	17	–	1	–	–	1	2	1	8	2	1	1
Acute nephritis	3	–	–	–	–	–	–	1	1	1	–	–
Chronic Bright's disease	18	–	–	–	–	–	–	3	4	3	5	3
Other diseases of genito-urinary system.	12	–	–	–	–	–	1	–	2	2	5	2
Puerperal fever, &c.	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	6	4	–	1	1	–	–	–	–	–	–	–
Premature birth	28	28	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	13	13	–	–	–	–	–	–	–	–	–	–
Old age	36	–	–	–	–	–	–	–	–	–	4	32
Suicide	15	–	–	–	–	1	2	1	3	4	4	–
Burns and scalds	4	–	1	1	–	–	–	1	–	–	1	–
Drowning	4	1	–	–	1	–	–	1	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	–	–	1	1	1	1	–	1	–
Other deaths by violence	10	–	–	–	3	–	3	–	–	2	–	2
Other specified causes	37	10	2	1	–	2	2	3	2	6	5	4
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 16th September 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	22	14	–	5	C. 1
†BERMONDSEY ...	–	15	23	–	1	F. 1
†BETHNAL GREEN	1	9	12	–	–	–
†CAMBERWELL ...	–	10	9	–	–	L. 1
†CHELSEA ...	–	2	4	–	–	–
†DEPTFORD ...	–	6	5	1	–	–
†FINSBURY ...	–	3	9	–	–	M. 1
†FULHAM ...	–	12	11	1	2	C. 1 G. 1 M. 1
†GREENWICH ...	–	20	12	–	4	M. 1
†HACKNEY ...	–	8	14	–	2	–
†HAMMERSMITH	–	6	13	–	1	C. 1 M. 2
†HAMPSTEAD ...	–	–	1	–	–	–
†HOLBORN ...	–	1	4	–	1	–
†ISLINGTON ...	–	19	12	2	–	L. 1 M. 1
†KENSINGTON ...	–	13	9	–	3	C. 1
†LAMBETH ...	–	19	13	–	2	C. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	17	11	–	–	E. 1
†PADDINGTON ...	–	17	8	–	–	C. 2
†POPLAR... ...	–	2	11	1	2	C. 1 M. 1
†ST. MARYLEBONE	–	3	4	–	3	–
†ST. PANCRAS ...	–	17	20	2	3	–
†SHOREDITCH ...	–	6	12	–	6	C. 1 M. 2
†SOUTHWARK ...	–	23	12	–	3	M. 1
†STEPNEY ...	–	18	22	1	1	–
†STOKE NEWINGTON	–	2	4	–	–	–
†WANDSWORTH	–	18	11	1	2	–
†WESTMINSTER, CITY OF	–	5	6	–	–	–
†WOOLWICH ...	–	12	10	–	1	M. 1
TOTAL OF PART I.	1	305	296	9	42	C. 9 E. 1 F. 1 G. 1 L. 2 M. 14

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; F, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	–	–	–	C. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	2	–	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
†LUTON... ...	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	1	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
LUTON	–	–	–	–	–	C. 1
BERKS	–	29	3	–	1	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	–	–	–	–
†MAIDENHEAD ...	–	3	–	–	–	–
†READING C.B....	–	15	3	–	1	–
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
HUNGERFORD ...	–	2	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM	–	6	6	–	–	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
CHESHAM ...	–	–	1	–	–	–
ETON	–	–	1	–	–	–
†SLOUGH... ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	–	1	–	–	–
NEWPORT PAGNELL	–	–	2	–	–	–
WINSLOW ...	*	*	*	*	*	*
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ...	–	3	1	–	1	–
Borough :—						
†CAMBRIDGE ...	–	3	1	–	–	–
Rural Districts :—						
LINTON	*	*	*	*	*	*
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	*	*	*	*	*	*
CHESTER	–	51	20	1	12	E. 1 M. 3
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	4	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	6	–	1	4	M. 1
BOLLINGTON ...	–	1	–	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	1	–	–	–	–
COMPSTALL ...	–	–	3	–	–	–
†CREWE	–	7	3	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J. Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
†HYDE	–	3	–	–	1	M. 1
KNUTSFORD ...	–	3	–	–	–	–
†MACCLESFIELD...	–	1	1	–	–	–
MARPLE... ...	–	–	2	–	–	–
MIDDLEWICH ...	–	–	2	–	–	–
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	–	1	–	–	–
†RUNCORN ...	–	7	–	–	2	M. 1
†STOCKPORT C.B.	–	6	2	–	1	E. 1
TARPORLEY ...	–	–	–	–	1	–
†WALLASEY C.B.	–	2	1	–	–	–
Rural Districts:—						
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
MALPAS... ...	–	–	3	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL... ...	–	–	1	–	1	–
CORNWALL ...	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	–	M. 1
FOWEY	*	*	*	*	*	*
HELSTON ...	–	1	–	–	–	–
LOOE	*	*	*	*	*	*
ST. IVES ...	–	–	2	–	–	–
Rural Districts:—						
BODMIN... ...	–	2	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	6	5	1	1	–
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	3	1	–	–	–
KESWICK ...	–	–	–	1	–	–
WIGTON ...	–	–	–	–	1	–
†WORKINGTON ...	–	2	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	1	–	–	–
WIGTON ...	–	–	2	–	–	–
DERBY	1	22	9	–	11	G. 1 M. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	3	–
ALVASTON AND BOULTON	*	*	*	*	*	*
BAKEWELL ...	–	–	–	–	1	–
†BOLSOVER ...	–	2	–	–	–	–
†BUXTON ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	1	–	–	1	–
†DERBY C.B. ...	–	7	1	–	3	M. 3
†HEANOR ...	1	1	2	–	1	–
†ILKESTON ...	–	2	–	–	–	–
†RIPLEY ...	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	–	1	–	–	G. 1.
Rural Districts:—						
BELPER	–	2	–	–	–	–
CHAPEL-EN-LE-FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	3	1	–	–	–
CLOWNE ...	–	–	1	–	–	–
HARTSHORNE AND SEALS	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HAYFIELD ...	–	–	–	–	1	–
REPTON ...	–	1	–	–	1	–
SHARDLOW ...	–	–	1	–	–	–
SUDBURY ...	–	1	–	–	–	–
DEVON	–	14	11	3	2	–
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	4	–	–	–
†EXETER C.B. ...	–	–	2	1	–	–
HONITON ...	–	1	–	–	–	–
†NEWTON ABBOTT	–	–	1	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PLYMOUTH C.B.	–	5	1	2	1	–
SOUTH MOLTON	–	1	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	–	2	–	–	–
†TORQUAY ...	–	1	–	–	1	–
Rural Districts:—						
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
TOTNES... ...	–	1	–	–	–	–
DORSET	–	1	4	1	–	M. 2
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	–	M. 1
†PORTLAND ...	–	1	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
DORSET—*cont.*						
Rural Districts:—						
BLANDFORD ...	–	–	–	1	–	–
WIMBORNE AND CRANBORNE	–	–	3	–	–	–
DURHAM... ...	–	48	13	2	23	C. 2 G. 1 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
†BLAYDON ...	–	1	1	–	–	M. 1
†BRANDON AND BYSHOTTLES ...	*	*	*	*	*	*
†CHESTER-LE-STREET ...	–	–	1	–	–	–
†CONSETT ...	–	–	1	–	–	–
†DARLINGTON C.B.	–	3	–	1	–	–
†FELLING ...	–	1	–	–	1	–
†GATESHEAD C.B.	–	4	–	–	2	M. 1
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON... ...	–	2	–	–	–	–
†HOUGHTON-LE-SPRING	–	–	–	–	4	–
†JARROW ...	–	1	–	–	3	–
LEADGATE ...	–	2	2	–	–	–
†RYTON... ...	–	–	–	–	–	M. 1
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	–	1	1	2	–
†SOUTHWICK-ON-WEAR	–	2	–	–	2	–
†STANLEY ...	–	3	1	–	1	–
†STOCKTON-ON-TEES	–	–	1	–	1	–
†SUNDERLAND C.B.	–	14	–	–	–	G. 1 M. 2
†TANFIELD ...	–	3	–	–	–	M. 1
†WASHINGTON ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	–	1	–	–	–
CHESTER-LE-STREET	–	1	–	–	–	C. 1
DARLINGTON ...	–	–	1	–	–	–
DURHAM ...	–	1	–	–	–	–
EASINGTON ...	–	1	1	–	2	–
HOUGHTON-LE-SPRING	–	–	–	–	2	–
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	3	–	–	–	–
SOUTH SHIELDS	–	–	1	–	–	C. 1
SUNDERLAND ...	–	1	–	–	–	M. 1
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ELY	*	*	*	*	*	*
MARCH	–	1	–	–	–	–
ESSEX	–	58	41	1	5	C. 4 G. 2 M. 1
Boroughs and Urban Districts:—						
CHINGFORD ...	–	–	1	–	–	–
†CLACTON ...	–	2	–	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
†EAST HAM C.B.	–	8	3	–	–	G. 1
†GRAYS THURROCK	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	4	2	–	–	–
†LEYTON... ...	–	7	2	–	–	C. 1
†ROMFORD ...	–	1	–	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
†SOUTHEND-ON-SEA C.B.	–	1	2	–	1	C. 1
†WALTHAMSTOW	–	8	4	–	1	C. 1 M. 1
†WEST HAM C.B.	–	16	10	1	2	–
†WOODFORD ...	–	3	–	–	–	–
ESSEX—*cont.*						
Rural Districts:—						
BRAINTREE ...	–	–	1	–	–	–
BUMPSTEAD ...	*	*	*	*	*	*
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW ...	–	–	–	–	–	C. 1
LEXDEN AND WINSTREE	–	1	1	–	–	–
MALDON ...	–	–	–	–	–	G. 1
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	–	3	–	–	–
ROMFORD ...	–	1	12	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
STANSTED ...	–	2	–	–	–	–
GLOUCESTER ...	–	51	15	5	6	C. 2 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	41	9	–	3	C. 2 M. 3
†CHELTENHAM ...	–	1	–	–	–	–
†GLOUCESTER C.B.	–	–	1	2	–	–
KINGSWOOD ...	–	1	–	–	–	–
†NEWNHAM ...	–	–	–	1	–	–
TEWKESBURY ...	–	2	–	–	–	–
WESTBURY-ON-SEVERN	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	3	–	–	–	–
CIRENCESTER ...	–	–	2	–	–	–
DURSLEY ...	–	1	–	–	1	–
GLOUCESTER ...	–	–	–	1	–	–
NORTHLEACH ...	–	1	–	–	–	–
STOW-ON-THE-WOLD (part)	–	–	–	1	–	–
STROUD ...	–	–	2	–	–	–
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	1	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
LEDBURY ...	–	–	–	–	1	–
HERTFORD ...	–	8	3	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
†BARNET ...	–	1	–	–	–	–
BISHOP STORTFORD	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†ST. ALBANS ...	–	1	1	–	–	–
STEVENAGE ...	–	–	–	–	–	M. 1
†WATFORD ...	–	–	1	–	–	D. 1
Rural Districts:—						
HADHAM ...	–	1	–	–	–	–
HATFIELD ...	–	2	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
HUNTINGDON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
RAMSEY ...	–	1	–	–	–	–
HUNTINGDON—*cont.*						
Rural Districts:—						
ST. IVES ...	–	1	–	–	–	–
ST. NEOTS, No. 4	*	*	*	*	*	*
KENT	–	39	17	–	6	C. 2 M. 4
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	–	–	–	C. 1
†BECKENHAM ...	–	3	–	–	–	–
†BROADSTAIRS AND ST. PETERS	–	–	2	–	–	–
†BROMLEY ...	–	4	1	–	2	–
†CHATHAM ...	–	1	–	–	2	–
CHISLEHURST ...	–	–	1	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	1	1	–	–	M. 1
†FOLKESTONE ...	–	1	1	–	1	–
†GILLINGHAM ...	–	1	1	–	–	M. 1
†GRAVESEND ...	–	3	–	–	–	–
†MARGATE ...	–	9	–	–	–	–
†NORTHFLEET ...	–	3	–	–	–	–
†PENGE	–	–	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	2	–	–	M. 1
SANDGATE ...	*	*	*	*	*	*
†SHEERNESS ...	–	2	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	1	1	–	–	–
DARTFORD ...	–	–	1	–	–	–
EAST ASHFORD...	–	1	1	–	–	–
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	–	–	1	–	–	–
MAIDSTONE ...	–	–	2	–	–	–
MALLING ...	–	1	–	–	–	C. 1
MILTON ...	–	–	–	–	–	M. 1
ROMNEY MARSH	–	–	–	–	1	–
TONBRIDGE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	267	87	7	120	C. 1 D. 2 E. 2 G. 1 L. 1 M. 33
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	–	–	2	D. 1
†ASHTON-UNDER-LYNE	–	1	–	–	1	–
†ATHERTON ...	–	1	1	–	2	–
†BACUP	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	11	–	–	–	–
†BLACKBURN C.B.	–	2	1	–	5	M. 1
†BLACKPOOL C.B.	–	8	1	–	–	M. 1
†BOLTON C.B. ...	–	6	1	–	4	M. 2
†BOOTLE C.B. ...	–	2	2	–	–	M. 1
†BURNLEY C.B.	–	4	1	–	3	–
†BURY C.B. ...	–	4	1	–	2	–
†CHADDERTON ...	–	1	1	–	–	–
†CHORLEY ...	–	–	1	1	–	–
†COLNE	–	–	4	–	1	–
†CROMPTON ...	–	–	–	–	2	–
†DALTON IN FURNESS	–	2	–	–	–	–
†DARWEN ...	–	6	1	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES ...	–	3	–	–	–	–
†FAILSWORTH ...	–	1	–	–	–	–
†FARNWORTH ...	–	2	1	1	–	–
†FLEETWOOD ...	–	1	–	–	–	G. 1
†GREAT CROSBY	–	3	–	–	–	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	–	–	2	–
HEYSHAM ...	–	1	–	–	–	–
†HINDLEY ...	–	3	–	–	4	–
†HORWICH ...	–	–	–	–	–	M. 1
HURST	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	1	–	–	–	–
†LANCASTER ...	–	1	2	1	3	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	7	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LITHERLAND ...	–	5	–	–	–	–
LITTLE HULTON	–	–	1	–	–	–
†LIVERPOOL C.B.	–	32	12	1	14	D. 1 E. 2 M. 7
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	44	21	1	29	M. 13
†MIDDLETON ...	–	3	–	–	1	–
MILNROW ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	5	–	–	–	–
†OLDHAM C.B.	–	12	–	–	2	–
ORRELL	–	2	–	–	–	–
†OSWALDTWISTLE	–	2	–	–	–	–
PRESCOT ...	–	6	–	–	–	–
†PRESTON C.B. ...	–	2	1	–	1	M. 1
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	–	–	2	M. 1
†RAWTENSTALL ...	–	3	–	–	–	–
RISHTON ...	–	3	–	–	1	–
†ROCHDALE C.B.	–	2	1	–	2	–
†ROYTON... ...	–	1	–	–	3	–
†ST. ANNES-ON-THE-SEA ...	–	1	–	–	–	–
†ST. HELENS C.B.	–	4	2	–	2	C. 1
†SALFORD C.B. ...	–	27	12	1	9	M 1
†SOUTHPORT C.B.	–	4	1	–	2	–
STANDISH-WITH-LANGTREE	–	–	1	–	–	–
†STRETFORD ...	–	3	–	–	–	M. 1
†SWINTON AND PENDLEBURY	–	2	1	–	4	–
†TURTON ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	1	–	2	–
UPHOLLAND ...	–	1	–	–	–	–
†WARRINGTON C.B.	–	6	–	–	5	M. 1
†WATERLOO-WITH-SEAFORTH	–	–	3	–	1	M. 1
†WESTHOUGHTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WHITWORTH ...	–	1	–	1	–	–
†WIDNES ...	–	1	4	–	1	–
†WIGAN C.B. ...	–	4	2	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	–	–
BURNLEY ...	–	–	–	–	1	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	1	–	–	–	L. 1
FYLDE ...	–	1	1	–	–	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON ...	–	–	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	2	–	–	3	–
WHISTON ...	–	4	–	–	–	M. 1
LEICESTER ...	–	15	5	–	3	–
Boroughs and Urban Districts:—						
ASHBY WOULDS	*	*	*	*	*	*
†LEICESTER C.B.	–	14	1	–	2	–
MARKET HARBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	1	–	–	–
BILLESDON ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	–	1	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
Rural District:—						
BOSTON ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	–	–	–
Rural District:—						
CLAYPOLE ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	10	8	–	1	G. 1
Boroughs and Urban Districts:—						
ALFORD ...	–	–	–	–	1	–
BARTON-UPON-HUMBER	–	1	–	–	–	–
BROUGHTON ...	–	–	3	–	–	–
†CLEETHORPES ...	–	1	2	–	–	–
†GAINSBOROUGH	–	1	–	–	–	–
†GRIMSBY C.B. ...	–	1	1	–	–	–
†LINCOLN C.B. ...	–	5	–	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural District:—						
GAINSBOROUGH	–	1	–	–	–	–
GLANFORD BRIGG	–	–	2	–	–	–
WELTON ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	80	43	2	5	G 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	6	4	–	–	–
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	6	–	–	–	–
†EALING ...	–	6	1	–	–	–
†EDMONTON ...	–	5	3	–	–	–
†ENFIELD ...	–	1	–	–	1	–
FELTHAM ...	–	3	2	–	–	–
†FINCHLEY ...	–	1	1	1	–	–
†FRIERN BARNET	–	–	–	–	–	L. 1
HAMPTON WICK	–	3	–	–	–	–
†HANWELL ...	–	–	1	1	–	–
HAYES	–	–	1	–	–	–
†HENDON ...	–	1	4	–	–	–
†HESTON AND ISLEWORTH	–	10	–	–	–	G. 1
†HORNSEY ...	–	4	2	–	1	–
†SOUTHALL-NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	–	–	–	1	–
STAINES ...	–	1	–	–	–	–
†TEDDINGTON ...	–	2	–	–	–	M. 1
†TOTTENHAM ...	–	21	5	–	–	M. 1
†WEALDSTONE ...	–	1	1	–	–	–
†WILLESDEN ...	–	4	13	–	2	–
†WOOD GREEN ...	–	2	–	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
STAINES ...	–	3	2	–	–	–
NORFOLK ...	–	20	5	1	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	7	1	–	–	–
†NORWICH C.B....	–	7	3	–	2	C. 1 M. 1
SWAFFHAM ...	–	1	–	–	–	–
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
FOREHOE ...	–	–	1	–	–	–
HENSTEAD ...	–	2	–	1	–	–
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
NORTHAMPTON	–	21	4	1	1	C. 1 M. 3
Boroughs and Urban Districts:—						
FINEDON ...	–	3	–	–	–	–
†NORTHAMPTON C.B.	–	11	4	–	–	M. 1
RAUNDS ...	–	–	–	1	–	–
†RUSHDEN ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRACKLEY ...	–	–	–	–	–	M. 1
DAVENTRY ...	–	1	–	–	–	–
NORTHAMPTON ...	–	4	–	–	–	–
POTTERSPURY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	–	–	C 1
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	34	8	1	13	C. 2 M. 2
Boroughs and Urban Districts:—						
ALNWICK ...	*	*	*	*	*	*
AMBLE	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashington ...	–	–	–	–	1	–
†Bedlingtonshire	–	2	–	–	–	–
†Berwick-upon-Tweed	–	1	–	–	–	–
†Blyth	–	3	–	–	1	M. 1
†Gosforth ...	–	1	–	–	–	–
Morpeth ...	–	1	–	–	–	–
Newbiggin-by-the-Sea	*	*	*	*	*	*
†Newburn ...	–	1	–	–	–	–
†Newcastle-upon-Tyne C.B.	–	12	3	–	7	C. 1
Prudhoe ...	–	–	–	–	1	–
†Tynemouth C.B.	–	1	–	–	2	C. 1 M. 1
†Wallsend ...	–	4	4	–	–	–
Weetslade ...	–	1	–	–	–	–
†Whitley and Monkseaton	–	1	–	1	–	–
Rural Districts:—						
Castle Ward ...	–	2	–	–	1	–
Haltwhistle ...	–	–	1	–	–	–
Morpeth ...	–	1	–	–	–	–
NOTTINGHAM ...	–	22	7	1	4	M. 1
Boroughs and Urban Districts:—						
†Carlton ...	–	1	2	–	–	–
†East Retford	–	1	1	–	–	–
†Hucknall ...	–	1	–	–	1	–
†Kirkby-in-Ashfield	–	–	–	–	1	–
†Mansfield ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Mansfield Woodhouse	–	1	–	–	–	–
†Newark ...	–	–	2	–	–	–
†Nottingham C.B.	–	14	–	1	1	–
†Sutton-in-Ashfield	–	–	–	–	1	–
Rural Districts:—						
Basford ...	–	1	2	–	–	–
East Retford	–	1	–	–	–	–
Stapleford ...	–	–	–	–	–	M. 1
OXFORD	–	8	4	–	1	M. 1
Boroughs and Urban Districts:—						
†Oxford C.B. ...	–	2	1	–	–	M. 1
Rural Districts:—						
Banbury ...	–	1	3	–	–	–
Chipping Norton	–	2	–	–	1	–
Crowmarsh ...	–	1	–	–	–	–
Culham ...	–	1	–	–	–	–
Headington ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	–	–
Borough:—						
†Peterborough	–	2	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	22	4	–	3	–
Boroughs and Urban Districts:—						
DAWLEY ...	–	6	–	–	–	–
LUDLOW ...	–	1	–	–	–	–
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
†WENLOCK ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM... ...	–	1	–	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	–
DRAYTON ...	–	1	–	–	–	–
ELLESMERE ...	–	–	1	–	–	–
LUDLOW ...	–	5	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	2	–	–	–	–
SHIFNAL ...	–	–	1	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WEM	–	–	1	–	–	–
SOMERSET ...	–	6	1	–	2	C. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
†TAUNTON ...	–	1	–	–	–	–
†WESTON-SUPER-MARE	–	1	–	–	1	–
Rural Districts:—						
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	3	–	–	–	C 1
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	33	25	6	1	M. 4
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	5	–	–	–	–
†BOURNEMOUTH C.B.	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNBOROUGH ...	–	–	1	–	–	–
†GOSPORT AND ALVERSTOKE	–	–	2	2	–	–
HAVANT ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	17	12	3	1	M. 2
†SOUTHAMPTON C.B.	–	4	8	–	–	M. 1
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	–	–	–	M. 1
Rural Districts:—						
BASINGSTOKE ...	–	2	–	–	–	–
DROXFORD ...	*	*	*	*	*	*
FAREHAM ...	–	–	1	–	–	–
HAVANT ...	–	–	1	–	–	–
NEW FOREST ...	*	*	*	*	*	*
RINGWOOD ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	1	–	–
STAFFORD ...	–	65	24	–	13	C. 1 M. 7
Boroughs and Urban Districts:—						
†BILSTON ...	–	3	–	–	–	–
†BROWNHILLS ...	–	3	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	1	–	–	–	–
†CANNOCK ...	–	2	2	–	1	–
†COSELEY ...	–	1	–	–	–	–
†LEEK	*	*	*	*	*	*
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	1	–	–	–	–
†SMETHWICK C.B.	–	8	2	–	1	–
†STAFFORD ...	–	–	2	–	–	C. 1
†STOKE-ON-TRENT C.B.	–	10	11	–	6	M. 6
TAMWORTH ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TIPTON	–	2	–	–	–	–
†WALSALL C.B....	–	–	–	–	1	–
†WEDNESBURY ...	–	6	–	–	–	–
†WEST BROMWICH C.B.	–	9	2	–	2	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	5	–	–	–	–
†WOLVERHAMPTON C.B.	–	2	1	–	–	M. 1
Rural Districts:—						
CANNOCK ...	–	2	1	–	–	–
CHEADLE ...	–	1	–	–	–	–
GNOSALL ...	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
NEWCASTLE-UNDER-LYME	–	–	–	–	1	–
SEISDON ...	–	3	–	–	–	–
STAFFORD ...	–	–	1	–	–	–
STONE	–	1	–	–	–	–
SUFFOLK, EAST	–	12	9	1	1	C. 1
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	1	1	–	–	–
†IPSWICH C.B. ...	–	7	3	1	–	C. 1
†LOWESTOFT ...	–	2	1	–	1	–
STOWMARKET ...	–	–	1	–	–	–
WOODBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
PLOMESGATE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HAVERHILL ...	*	*	*	*	*	*
NEWMARKET ...	–	1	–	–	–	–
Rural District:—						
CLARE	*	*	*	*	*	*
MILDENHALL ...	–	2	–	–	–	–
MOULTON ...	*	*	*	*	*	*
SURREY	–	45	18	–	1	C. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†BARNES ...	–	1	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	–	–	–	C. 1
†CATERHAM ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†CROYDON C.B....	–	11	5	–	–	M. 1
DORKING ...	–	–	1	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
HAM	–	3	–	–	–	–
†KINGSTON-UPON-THAMES	–	1	1	–	–	–
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM ...	–	5	–	–	–	–
†REIGATE ...	–	–	–	–	–	M. 1
†SURBITON ...	–	–	1	–	–	–
†SUTTON... ...	–	–	1	–	–	–
†THE MALDONS AND COOMBE ...	–	1	–	–	–	–
†WALTON-UPON THAMES	–	4	1	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	8	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING ...	–	1	–	–	–	–
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	M. 1
REIGATE ...	–	–	1	–	–	L. 1
SUSSEX, EAST ...	–	9	4	1	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B....	–	5	2	–	–	M. 1
EAST GRINSTEAD	–	–	1	–	–	–
HAYWARD'S HEATH	–	1	–	–	–	–
†HOVE	–	2	1	–	–	C. 1
†LEWES	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	–	–	1	–	–
SUSSEX, WEST ...	–	7	2	–	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	5	–	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
MIDHURST ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	–	62	25	–	13	C. 2 E. 1 G. 1 M. 8
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	43	20	–	10	C. 2 E. 1 M. 8
†COVENTRY C.B.	–	2	–	–	1	–
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	1	–	–	–	–
STRATFORD-UPON-AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	2	–	–	–	–
†WARWICK ...	–	1	–	–	–	G. 1
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
BRAILES ...	–	1	–	–	–	–
FOLESHILL ...	–	5	–	–	–	–
SOLIHULL ...	–	–	1	–	–	–
TAMWORTH (part)	–	5	–	–	–	–
WARWICK ...	–	–	3	–	–	–
WESTMORLAND	–	2	1	–	–	E. 2
Boroughs and Urban Districts:—						
APPLEBY ...	–	1	–	–	–	–
†KENDAL ...	–	1	1	–	–	E. 1
Rural District:—						
SOUTH-WESTMORLAND	–	–	–	–	–	E. 1
ISLE OF WIGHT	–	–	2	–	–	C. 1
Boroughs and Urban Districts:—						
ST. HELEN'S ...	–	–	–	–	–	C. 1
SANDOWN ...	–	–	1	–	–	–
SHANKLIN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	23	2	–	2	M. 1
Boroughs and Urban Districts:—						
†Salisbury ...	–	–	–	–	1	–
†Swindon ...	–	2	–	–	1	–
Rural Districts:—						
Amesbury ...	–	1	–	–	–	–
Bradford-on-Avon	–	1	1	–	–	–
Chippenham ...	–	4	–	–	–	–
Malmesbury ...	–	–	1	–	–	–
Marlborough	–	7	–	–	–	–
Pewsey ...	–	5	–	–	–	M. 1
Ramsbury ...	–	2	–	–	–	–
Westbury and Whorwellsdown	–	1	–	–	–	–
WORCESTER ...	–	14	5	3	1	M. 2
Boroughs and Urban Districts:—						
Bromsgrove ...	–	1	–	–	–	–
†Dudley, C.B. ...	–	1	–	1	–	–
†Kidderminster	–	2	1	–	–	–
†Oldbury ...	–	1	2	1	1	–
†Redditch ...	–	2	–	–	–	–
†Worcester C.B.	–	1	–	–	–	–
Rural Districts:—						
Bromsgrove ...	–	5	–	–	–	–
Droitwich ...	–	–	2	–	–	–
Halesowen ...	–	–	–	–	–	M. 2
Rock	–	1	–	–	–	–
Tewkesbury (part)	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	14	11	1	4	C. 1 D. 2 E. 1 M 2
Boroughs and Urban Districts:—						
†Bridlington ...	–	1	1	–	–	–
†Kingston-upon-Hull C.B.	–	5	8	–	4	C. 1 D. 2 M. 2
†York C.B. ...	–	3	2	–	–	–
Rural District:—						
Howden ...	–	–	–	1	–	–
Norton ...	–	1	–	–	–	–
Pocklington ...	–	4	–	–	–	–
Sculcoates ...	–	–	–	–	–	E. 1
Sherburn ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	12	21	6	–	5	C. 2 E. 2
Boroughs and Urban Districts:—						
†Eston	–	1	–	–	–	–
Loftus	–	1	–	–	–	–
†Middlesbrough C.B.	12	13	2	–	4	C. 2
†Scarborough ...	–	1	1	–	1	E. 2
†Thornaby-on-Tees	–	1	1	–	–	–
Rural Districts:—						
Helmsley ...	–	4	–	–	–	–
Malton ...	–	–	1	–	–	–
Startforth ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	–	171	67	8	52	C. 1 E. 2 G. 2 M. 11
Boroughs and Urban Districts:—						
†Adwick-le-Street	–	4	1	–	–	M. 1
Altofts ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	–	–	2	–	–	–
BAILDON ...	*	*	*	*	*	*
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	4	1	–	1	M. 1
†BATLEY... ...	–	–	–	–	1	–
†BENTLEY-WITH-ARKSEY	–	–	1	–	–	–
†BINGLEY ...	–	1	–	–	1	–
BIRSTAL ...	–	2	–	–	–	–
†BRADFORD C.B.	–	20	5	2	3	M. 1
†BRIGHOUSE ...	–	5	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	1	–	–	–
†DEWSBURY C.B.	–	1	–	–	–	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	1	–	–	–
DRIGHLINGTON	–	–	–	1	–	–
EARBY	–	–	1	–	–	–
EMLEY	–	–	2	–	–	–
†GOOLE	–	–	1	–	–	–
†HALIFAX C.B. ...	–	3	1	–	–	–
†HARROGATE ...	–	1	1	–	1	M. 1
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	1	–	–
†HOYLAND NETHER	–	3	–	–	1	–
†HUDDERSFIELD C.B.	–	6	1	–	1	–
ILKLEY	–	–	–	–	1	–
†KIRKBURTON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
†LEEDS C.B. ...	–	56	10	–	3	–
LEPTON	–	–	3	–	–	–
†MEXBOROUGH ...	–	–	1	–	1	–
†MIRFIELD ...	*	*	*	*	*	*
NEW MILL ...	–	1	–	–	–	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	–	–	1	M. 1
†PONTEFRACT ...	–	–	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
QUEENSBURY ...	–	–	–	–	–	G. 1
RAWDON ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	6	3	–	1	–
†ROTHWELL ...	–	2	–	–	2	–
ROYSTON ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	16	18	–	26	C. 1 E. 1 M. 4
†SHIPLEY ...	–	1	1	–	–	–
†SKIPTON ...	–	–	–	–	–	G. 1
†SPENBOROUGH ...	–	4	–	–	–	–
SPRINGHEAD ...	–	–	–	1	–	–
†STANLEY ...	–	2	–	–	–	–
STOCKSBRIDGE ...	–	–	2	–	–	–
†SWINTON ...	–	2	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
†WAKEFIELD C.B.	–	5	1	–	–	–
WHITWOOD ...	–	3	–	–	–	–
†WOMBWELL ...	–	–	–	–	3	M. 1
†WORSBOROUGH	–	1	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	–	3	–	1	–
GOOLE	–	1	–	–	–	–
HEMSWORTH ...	–	4	1	–	–	E. 1 M. 1
HUNSLET ...	–	1	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	–	–
SELBY	–	–	–	–	1	–
SETTLE	–	–	–	1	–	–
TADCASTER ...	–	2	1	–	–	–
TODMORDEN ...	–	–	–	1	–	–
WAKEFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague: encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
AMLWCH ...	–	–	–	–	1	–
Rural District:—						
DWYRAN ...	–	–	2	–	–	–
TWRCELYN ...	–	2	–	–	–	–
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
CRICKHOWELL ...	–	–	1	–	–	–
CARDIGAN ...	–	–	3	–	2	–
Boroughs and Urban Districts:—						
ABERYSTWYTH...	–	–	–	–	1	–
NEW QUAY ...	–	–	1	–	–	–
Rural Districts:—						
ABERYSTWITH (North)	–	–	2	–	–	–
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ...	–	5	5	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	–	1	–	–	–
CARMARTHEN —*cont.*						
Boroughs and Urban Districts—*cont.*						
CWMAMMAN ...	–	1	–	–	–	–
†LLANELLY ...	–	2	3	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	2	–	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
CARNARVON ...	–	3	2	–	–	C. 1
Boroughs and Urban Districts—						
CARNARVON ...	–	1	1	–	–	–
LLANDUDNO ...	–	1	–	–	–	
PENMAENMAWR	–	–	1	–	–	–
Rural Districts:—						
GLASLYN ...	–	–	–	–	–	C. 1
OGWEN	–	1	–	–	–	–
DENBIGH ...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	1	–	–	1	–
†WREXHAM ...	–	–	–	–	1	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
RUTHIN... ...	–	–	–	–	1	–
WREXHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C. Puerperal Fever; D. Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 *continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	5	1	–	–	–
Boroughs and Urban Districts:—						
FLINT	–	–	1	–	–	–
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	77	26	–	20	M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	10	2	–	1	–
†BARRY	–	1	1	–	3	–
†CARDIFF C.B. ...	–	7	3	–	1	M. 2
COWBRIDGE ...	–	–	–	–	1	–
†GELLIGAER ...	–	3	1	–	1	–
†GLYNCORWG ...	–	1	–	–	1	–
†MAESTEG ...	–	–	–	–	2	–
†MERTHYR TYDFIL C.B.	–	7	1	–	–	M. 1
†MOUNTAIN ASH	–	5	–	–	–	–
†NEATH... ...	–	–	2	–	–	–
†OGMORE AND GARW	–	2	2	–	1	–
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	4	–	–	–	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	12	1	–	7	–
†SWANSEA C.B. ...	–	7	11	–	–	–
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
GOWER	–	–	–	–	1	–
LLANDAFF and DINAS POWIS	–	1	2	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	2	–	–	–	–
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
NEATH	–	5	–	–	1	–
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	–	2	–	–	–	–
SWANSEA ...	–	2	–	–	–	–
MERIONETH ...	–	2	1	–	–	–
Urban District:—						
DOLGELLEY ...	–	2	–	–	–	–
FESTINIOG ...	–	–	1	–	–	–
MONMOUTH ...	–	16	7	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	1	–	1	M. 1
†BEDWELLTY ...	–	–	4	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
†EBBW VALE ...	–	2	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNDDISLWYN	–	1	–	–	–	–
†NEWPORT C.B....	–	3	–	–	–	–
†PANTEG ...	–	1	–	–	–	–
†RHYMNEY ...	–	4	–	–	–	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	1	–	–	–	–
Rural District:—						
SAINT MELLONS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	1	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	1	–	–	–	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	1	1	–	–	C. 1
Boroughs and Urban Districts:—						
Milford Haven	–	–	–	–	–	C. 1
†Pembroke ...	–	–	1	–	–	–
PEMBROKE—*cont.*						
Rural District:—						
Haverfordwest	–	1	–	–	–	–
Total of Part II.	13	1453	581	47	348	C. 30 D. 5 E. 11 G. 10 L. 3 M. 111

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Hartlepool ...	*	*	*	*	*	*
Plymouth ...	–	–	–	–	1	–
Southampton ...	–	–	–	1	1	–
Total of Part III.	–	–	–	1	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (‡ : note below)
Total of Part I.—London	1	305	296	9	42	C. 9 E. 1 F. 1 G. 1 L. 2 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	13	1453	581	47	348	C. 30 D. 5 E. 11 G. 10 L. 3 M. 111
Total of Part III.—Port Sanitary Districts ...	–	–	–	1	2	–
Total (*i.e.*, of returns received), England and Wales	14	1758	877	57	392	C. 39 D. 5 E. 12 F. 1 G. 11 L. 5 M. 112

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Fourteen cases of Small-pox were notified, which appear on pages 1078, 1080, and 1091.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.
LONDON:—													
DEATHS—all ages	842	852	795	844	785	782	797	744	704	730	721	731	744
" 0 to 1 year	85	79	88	78	68	92	79	73	88	66	71	71	98
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,296	8044	7,857	8,376	8,168	8,139	8,108	6,703	8,607	7,625	7,511	7,926	7,488
DEATHS—all ages	3,502	3544	3,466	3,531	3,372	3,355	3,409	3,379	3,323	3,290	3,255	3,246	3,287
" 0 to 1 year	451	407	482	442	433	387	426	402	418	403	402	421	410
ENTERIC FEVER—Cases	17	23	26	27	17	28	16	15	15	17	23	23	29
" Deaths	4	1	4	3	2	2	1	2	2	3	4	4	3
SMALL POX—Cases	10	4	13	5	12	15	7	17	15	5	7	5	13
" Deaths	—	—	—	—	—	—	2	—	—	—	—	—	—
SCARLET FEVER—Cases	1102	1085	1,142	1,250	1,201	1,040	1,013	818	911	915	855	1,052	1,086
" Deaths	14	9	13	12	12	11	8	11	11	14	6	11	11
DIPHTHERIA—Cases	609	537	633	581	662	597	501	458	502	460	523	537	588
" Deaths	32	50	39	31	33	38	33	40	40	41	27	32	29
MEASLES—Deaths	56	60	59	62	62	67	62	45	63	45	52	44	18
INFLUENZA—Deaths	18	25	22	24	18	22	19	15	11	16	10	12	18

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday 16th September 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	65	38	62·7	44·4	21
BRIGHTON	63	40	60·6	46·0	23
PORTSMOUTH	64	42	61·7	47·3	25
NORWICH (EATON).	65	38	60·9	45·0	27
PLYMOUTH	66	42	60·0	44·6	39
BRISTOL (CLIFTON).	60	40	58·4	45·7	23
BIRMINGHAM	63	38	58·0	43·6	27
NOTTINGHAM	61	39	58·7	44·3	21
BIRKENHEAD (BIDSTON).	64	42	58·0	46·7	17
MANCHESTER	61	37	58·6	44·7	23
BURNLEY	61	33	56·3	42·7	41
HUDDERSFIELD	64	39	59·0	44·4	31

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	59	41	56·1	46·0	45
SHEFFIELD	62	40	57·4	45·6	33
YORK (MUSEUM).	61	39	58·0	45·1	22
HULL (PEARSON PARK).	64	38	59·9	44·0	27
TYNEMOUTH	62	39	57·0	46·7	25
CARDIFF	61	41	58·9	44·9	30
EDINBURGH					
GLASGOW			Not received.		
DUBLIN (PHŒNIX PARK).					
FITZWILLIAM SQUARE.†					
BELFAST	64·8	42·0	60·7	50·6	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 16th September 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	10	..	29·988	58·6	43·2	15·4	51·0	− 7·4	46·1	4·9	11·9	1·2	83	98·2	38·3	56·5	NE	NE	4·5	0·0	0·4	387	+136	0·03
MONDAY -	11	..	29·871	65·1	43·1	22·0	52·8	− 5·3	45·8	7·0	19·5	0·0	77	128·5	30·5	56·4	ENE: Calm & E.	ENE & Calm.	0·6	0·0	0·0	108	−143	0·00
TUESDAY -	12	..	29·319	64·8	39·0	25·8	52·0	− 6·0	46·5	5·5	14·9	0·0	82	113·0	28·8	56·1	Calm & W.	WSW & S.	2·3	0·0	0·2	210	− 42	0·03
WEDNESDAY	13	..	28·869	64·9	44·1	20·8	53·1	− 4·7	46·7	6·4	15·3	0·0	79	133·2	34·5	56·1	S & W	WSW	1·5	0·0	0·1	226	− 24	0·25
THURSDAY -	14	Last Quarter	29·136	63·6	43·6	20·0	52·3	− 5·4	48·9	3·4	14·2	0·0	88	106·0	34·0	56 0	W: NW & N.	NNW: N & NNE	2·7	0·0	0·2	298	+ 49	0·42
FRIDAY -	15	Greatest Declination N.	29·740	60·0	42·5	17·5	51·5	− 6·1	42·5	9·0	15·0	1·6	71	110·6	36·1	55·9	NNE & NE.	NE & Calm.	5·0	0·0	0·5	383	+136	0·02
SATURDAY -	16	..	29·886	61·0	37·7	23·3	51·4	− 6·1	45·1	6·3	11·7	1·4	79	118·8	29·6	55·8	W	W	4·1	0·0	0·3	341	+ 95	0·00
MEANS -		..	29·544	62·6	41·9	20·7	52·0	− 5·9	45·9	6·1	14·6	0·6	80	115·5	33·1	56·1	NW		...	...	...	Sum 1,953	Sum +207	Sum 0·75
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	10	v.P. generally	2·6	13·0	Little cloud generally till 9h. with slight dew. Nearly overcast by 10h. with rain at times between 14h. and 19h., nearly cloudless 19h. 30m. to 21h. 30m, then cloudy to overcast by midnight.
MONDAY -	11	v.P generally, s.P. in afternoon.	7·3	12·9	Nearly overcast and misty till 9h. partially cloudy till sunset, then nearly cloudless with dew.
TUESDAY -	12	v.P. generally	3·0	12·9	Cloudless till 9h. with dew, misty from 4h., cloudy to overcast by 11h. with few breaks. Damping from 17h. Rain from 22h.
WEDNESDAY	13	Loss of register till 15h., v.P. afterwards.	8·8	12·8	Overcast till 5h. Rain till 2h. Partially cloudy till 11h. Variably cloudy till 16h. Rain between 13h. and 14h. Partially cloudy till 19h. 30m. Nearly cloudless till 23h., then clouding up. Showers about 16h. and 19h. Dew in evening.
THURSDAY -	14	w.P. generally, a little v.P. in afternoon.	1·9	12·7	Overcast generally. Fine but misty 3h. to 5h. Very cloudy interval between noon and 15h. Occasional slight rain 7h. 30m. to 15h. 30m. Rain from 16h. 30m. Brisk wind from 20h.
FRIDAY -	15	v.P. throughout s.P. generally 14h. to 18h.	3·2	12·7	Overcast till nearly 9h., with rain till 1h. and at 5h. Variably cloudy till 16h. Nearly overcast till 23h., then partially cloudy. Brisk wind till noon.
SATURDAY -	16	v.P. generally	3·0	12·6	Nearly cloudless generally with dew till 8h., afterwards very cloudy to overcast by 11h. Damping from 19h.
			Sum 29·8	Sum 89·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·05 in. at the beginning of the week to 28·85 in. by 2h. on 13th, increased to 29·98 in. by 2h. on 16th, and decreased to 29·72 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922, No. 38.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 23RD SEPTEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD SEPTEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-eighth week of the year numbered 7,647, and corresponded to an annual rate of 20·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,566 and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated at 19,033,033 in the year 1921. In the preceding three weeks the rates had been 8·9, 8·9 and 9·0. Infant mortality was 62 per 1,000 births against 53, 53, and 55 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,753 births, corresponding to a rate of 20·2 per 1,000, and 818 deaths of civilians, corresponding to a rate of 9·4, as against 8·3, 8·4 and 8·6, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·7 per 1,000. The infant mortality was 56 as against 40, 38, and 56 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 279 in the total deaths last week. In London the number of deaths from all causes rose from 744 to 818; while the deaths from diphtheria, which had been 11, 18, and 13 in the preceding three weeks, rose to 16 last week. One death from small-pox was registered last week, belonging to the Metropolitan Borough of Bethnal Green.

---

m (45).8545—4 Wt 30—P 19 2250 9/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 23rd September 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,647	3,566	478	5	39	3	25	32	76	21
London	4,514,405*	1,753	818	98	3	2	–	3	16	11	1
Towns in Outer Ring.											
Croydon C.B.	191,500	60	37	4	–	–	–	1	–	1	–
Wimbledon	61,700	14	12	–	–	–	–	–	–	–	–
Ealing	67,800	18	11	1	–	–	–	–	–	–	–
Acton	62,000	24	7	–	–	–	–	–	–	–	–
Willesden	167,200	53	30	1	–	–	–	–	1	–	–
Hendon	55,500	11	9	1	–	–	–	–	–	–	–
Hornsey	87,600	29	17	3	–	–	–	–	–	1	–
Wood Green	51,100	13	3	2	–	–	–	–	–	1	–
Tottenham	149,200	61	26	5	1	–	–	1	–	1	–
Edmonton	67,800	40	9	–	–	–	–	–	–	–	–
Enfield	61,400	12	6	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	160	50	9	–	–	–	–	1	4	2
East Ham C.B.	145,500	56	22	2	–	–	–	–	–	–	–
Leyton	130,100	38	13	6	–	–	–	1	–	1	–
Walthamstow	129,800	42	15	2	–	–	–	–	1	1	–
Ilford	85,500	30	8	–	–	–	–	–	–	–	–
Gillingham	48,149*	24	16	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	12	6	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	15	14	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	14	11	1	–	1	–	–	–	–	–
Brighton C.B.	134,800	45	22	4	1	–	–	–	–	–	–
Portsmouth C.B.	233,929*	109	45	5	–	–	–	–	1	3	1
Bournemouth C.B.	81,200	23	21	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	59	36	1	–	3	–	–	2	1	–
Reading C.B.	92,600	34	10	–	–	–	–	1	–	–	–
Oxford C.B.	56,400	15	9	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	26	14	2	–	–	–	–	–	2	–
Luton	57,800	21	10	–	–	2	–	–	–	–	–
Cambridge	58,900	18	9	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	27	12	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	26	10	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	12	7	1	–	–	–	–	–	–	–
Norwich C.B.	122,400	57	17	1	–	–	–	–	–	–	–
Swindon	55,500	20	9	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	29	13	2	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	79	45	8	–	–	–	–	–	2	–
Bath C.B.	68,300	24	18	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	138	64	13	–	–	–	1	1	3	1
Gloucester C.B.	51,800	23	15	3	–	–	–	–	1	1	–
Stoke-on-Trent, C.B.	273,238	130	55	4	–	2	–	–	–	–	–
Burton-upon-Trent C.B.	49,410	20	4	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	48	19	1	–	–	–	–	–	–	–
Walsall C.B.	98,800	46	12	2	–	–	–	–	–	1	–
West Bromwich C.B.	75,300	31	11	–	–	–	–	–	–	–	–
Worcester C.B.	49,160	12	10	3	–	–	–	–	–	1	–
Dudley C.B.	57,100	32	7	3	–	–	–	–	–	–	–
Birmingham C.B.	936,000	397	156	18	–	1	–	3	1	3	
Smethwick C.B.	77,400	24	10	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	45	19	2	–	–	–	–	–	–	–
Leicester C.B.	237,900	102	50	8	–	–	–	2	–	4	2
Lincoln C.B.	66,600	25	9	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	32	15	3	–	1	–	–	–	2	1
Nottingham C.B.	266,400	109	45	6	–	1	–	–	–	–	–
Derby C.B.	131,800	46	20	2	–	–	–	–	–	1	–
Chesterfield	62,400	26	11	2	–	–	–	–	–	1	–
Stockport C.B.	125,500	45	30	7	–	–	–	–	–	1	–
Chester C.B.	41,030	23	12	2	–	–	–	–	–	1	–
Birkenhead C.B.	147,800	58	22	2	–	–	–	–	–	–	–
Wallasey C.B.	89,600	30	18	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	418	173	28	–	2	1	4	2	3	–
Bootle C.B.	77,800	35	17	3	–	–	–	–	–	–	–
St. Helens C.B.	104,900	47	20	7	–	–	–	–	1	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	16	17	-	-	-	-	-	-	-	-
Wigan C.B.	91,200	52	22	5	-	-	-	-	-	1	-
Warrington C.B.	78,600	40	13	4	-	-	-	-	-	-	-
Bolton C.B.	182,200	64	43	6	-	2	-	-	-	-	2
Bury C.B.	57,600	32	12	1	-	-	-	-	-	-	-
Manchester C.B.	744,000	282	161	20	-	6	1	-	-	3	2
Salford C.B.	239,100	99	37	8	-	-	-	-	1	-	-
Oldham C.B.	148,300	45	35	5	-	4	-	-	1	1	-
Rochdale C.B.	92,700	24	21	3	-	-	-	1	-	-	1
Burnley C.B.	105,300	37	28	4	-	-	-	-	1	2	1
Blackburn C.B.	129,400	39	21	2	-	-	-	-	-	1	-
Preston C.B.	119,900	64	34	7	-	1	-	-	-	-	-
Blackpool C.B.	73,800	14	17	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	75,200	26	18	2	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	30	18	-	-	-	-	-	-	-	-
Halifax C.B.	100,700	32	19	4	-	-	-	-	-	-	-
Bradford C.B.	291,100	95	66	7	-	-	-	3	-	1	-
Leeds C.B.	465,500	199	93	12	-	5	-	1	-	1	-
Dewsbury C.B.	55,100	23	20	3	-	-	-	-	-	-	-
Wakefield C.B.	53,763	26	8	2	-	-	-	-	-	-	-
Barnsley C.B.	68,991	38	14	3	-	1	-	-	1	-	-
Sheffield C.B.	519,239	198	89	13	-	-	-	1	-	-	
Rotherham C.B.	69,100	23	9	1	-	-	-	-	-	1	-
Doncaster	54,700	26	11	2	-	1	-	-	-	1	-
York C.B.	84,500	35	15	2	-	-	-	-	-	-	-
Hull C.B.	291,800	147	58	15	-	1	1	1	-	5	-
Middlesbrough C.B.	133,400	62	17	-	-	-	-	-	-	-	-
Darlington C.B.	66,400	21	14	3	-	-	-	-	-	-	-
Stockton-on-Tees	65,000	41	20	3	-	-	-	1	-	-	-
West Hartlepool C.B.	69,300	32	13	3	-	1	-	-	-	-	-
Sunderland C.B.	161,100	87	28	4	-	-	-	-	-	1	-
South Shields C.B.	120,376	60	26	3	-	-	-	-	-	2	
Gateshead C.B.	126,700	69	23	3	-	-	-	-	-	2	-
Newcastle-on-Tyne C.B.	278,400	139	61	9	-	-	-	-	-	1	-
Tynemouth C.B.	63,900	34	4	-	-	-	-	-	-	-	-
Carlisle C.B.	53,200	23	11	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	93,700	33	31	3	-	-	-	-	-	-	1
Cardiff C.B.	202,700	94	44	8	-	-	-	-	-	1	1
Rhondda	166,600	70	34	9	-	-	-	-	-	1	1
Merthyr Tydfil C.B.	81,800	32	22	1	-	-	-	-	-	-	1
Aberdare	56,100	21	10	1	-	-	-	-	-	-	-
Swansea C.B.	159,600	78	38	7	-	2	-	-	-	-	1
Greater London	7,523,963*	2,810	1,279	147	4	3	-	7	22	21	4
Outer Ring	3,009,558*	1,057	461	49	1	1	-	4	6	10	3
16 Great Towns in Outer Ring	1,820,700	661	275	36	1	-	-	3	3	10	2
Remainder of Outer Ring	1,188,858*	396	186	13	-	1	-	1	3	-	1
Edinburgh†	420,500	190	101	18	-	5	-	1	1	2	1
Glasgow†	1,037,800	480	225	42	-	-	3	3	3	9	1
Dublin (Registration Area)†	427,000			Not	recei	ved.					
Belfast†	425,000	198	94	14	-	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Sept. 23	1753	818	9·4	3	1	2	–	3	16	11	1
Calcutta	896,067	Aug. 19	?	485§	27·8	?	–	?	?	?	?	?	12
Bombay	1,175,914	„ 12	382‖	673§	29·7	3	–	1	–	–	–	55	4
Madras	526,911	„ 12	475	351	34·9	1	19	3	?	–	–	31	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	157,272	July 29	85	42	13·9	–	–	–	–	–	–	1	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	101,000	Aug. 5	48	22	11·3	–	–	–	–	–	–	–	–
Johannesburg	149,500	„ 12	76	51	17·7	1	–	–	1	–	1	1	6
Durban	48,000	„ 12	24	11	11·9	–	–	–	–	–	–	–	1
Paris	2,906,472												
Antwerp	303,297	Aug. 12	109	51	8·7	1	–	1	–	1	–	8	–
Amsterdam	691,361	Sept. 2	262	100	7·5	1	–	–	–	–	–	2	–
Copenhagen	562,000	„ 9	182	112	10·3	–	–	–	–	1	1	1	–
Stockholm	422,042	„ 9	98	75	9·2	–	–	–	1	–	–	–	–
Gothenburg	228,052	Aug. 12	?	26	5·9	–	–	–	–	–	–	–	–
Christiania	258,933	Sept. 9	68	47	9·4	–	–	–	–	–	–	–	–
Berlin	1,974,000	Aug. 5	402	435	11·5	2	?	2	–	1	–	12	3
Breslau	557,000	„ 5	205	155	14·4	–	?	1	–	3	1	10	–
Cologne	688,000	„ 5	275	144	10·9	–	?	2	–	6	–	9	–
Dresden	607,000	„ 5	178	138	11·8	–	?	–	–	2	–	1	–
Frankfort-on-Main	476,000	„ 5	129	82	9·0	–	?	1	–	–	1	2	2
Hamburg	1,060,000	„ 5	306	208	10·2	–	?	–	–	–	1	2	1
Leipzig	675,000	„ 5	208	148	11·4	–	?	–	–	2	–	5	–
Munich	680,000	„ 5	205	150	11·5	–	?	–	–	1	–	5	1
Vienna	1,842,005	„ 12	402	441	12·4	5	–	–	–	–	–	30	–
Prague and Suburbs	689,262	„ 5	243	177	13·3	–	–	–	–	–	–	9	–
Budapest	940,000	July 8	408	330	18·3	3	?	1	1	1	–	35	–
Warsaw	956,087	„ 1	411	249	13·6	4	–	–	2	3	–	32	–
Cairo	777,500	June 24	724	799	53·4	11	–	22	–	?	5	175	?
Alexandria	456,300	„ 24	365	279	31·8	1	–	–	–	?	–	55	?
New York	5,839,738	Aug. 26	2761	1050	9·4	8	–	3	1	4	4	71	–
Chicago	2,833,288	„ 26	?	599	10·9	–	–	–	2	4	5	35	–
Rio de Janeiro	1,217,823	„ 5	692	448	19·2	3	2	18	–	3	1	?	20
Montevideo	346,850	May 20	194	106	18·1	1	–	–	–	–	–	3	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 3 deaths from *Asiatic Cholera* in Calcutta, and 2 in Bombay, and from *Plague*, 6 in Bombay, and 5 in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd September, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	818	98	19	14	36	42	43	56	107	114	144	145
Enteric fever	3	–	–	–	–	–	1	–	1	1	–	–
Small-pox	1	–	–	–	–	1	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	3	1	1	–	1	–	–	–	–	–	–	–
Diphtheria	16	1	2	5	8	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	2	–	–	–	–	1	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	4	2	1	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	89	–	–	–	1	21	12	19	19	11	5	1
Tuberculous meningitis	5	1	–	1	3	–	–	–	–	–	–	–
Abdominal tuberculosis	4	–	–	1	–	–	–	1	1	1	–	–
Other tubercle	10	–	1	2	1	1	2	1	1	–	–	1
Venereal diseases	3	3	–	–	–	–	–	–	–	–	–	–
Cancer	116	–	–	–	–	–	2	7	18	33	40	16
Rheumatic fever	3	–	–	–	1	1	–	–	1	–	–	–
Diabetes	8	–	–	–	–	1	–	–	2	3	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	–	1	–	1	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	42	–	–	–	–	–	–	–	4	8	16	14
Epilepsy	3	–	–	–	–	3	–	–	–	–	–	–
"Convulsions" (not puerperal)	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	27	1	–	–	3	–	1	7	4	7	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	6	–	–	–	–	2	4	–	–	–	–	–
Other diseases of heart	103	–	–	–	1	4	2	5	14	16	20	41
Other dis. of circulatory system	33	–	–	–	–	–	–	–	4	5	9	15
Bronchitis	28	1	–	–	–	–	–	1	8	2	10	6
Broncho-pneumonia	29	12	6	1	1	1	–	2	–	–	3	3
Lobar pneumonia	13	–	–	–	1	–	–	2	2	6	1	1
Pneumonia (type not distinguished)	9	–	1	–	–	–	–	–	1	1	2	4
Other diseases of respiratory system	8	2	–	1	–	–	1	–	2	–	2	–
Diarrhœa and enteritis	16	8	3	–	–	1	2	–	–	–	–	2
Appendicitis and typhlitis	4	–	–	–	1	1	1	–	–	–	1	–
Hernia, Intestinal obstruction	7	1	1	–	–	–	–	1	–	1	1	2
Cirrhosis of liver	4	–	–	–	1	–	–	–	1	2	–	–
Other diseases of digestive system	15	1	–	–	–	–	2	1	5	–	4	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	31	–	–	–	1	2	3	1	5	6	11	2
Other diseases of genito-urinary system.	12	1	–	–	1	–	1	1	2	3	1	2
Puerperal fever, &c.	2	–	–	–	–	–	2	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	1	2	–	–	–	–
Congenital malformations	2	2	–	–	–	–	–	–	–	–	–	–
Premature birth	19	19	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	34	–	–	–	–	–	–	–	–	1	7	26
Suicide	9	–	–	–	–	–	1	3	4	1	–	–
Burns and scalds	3	–	1	2	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	1	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	–	–	6	1	1	–	–	1	–	1
Other deaths by violence	13	2	–	–	1	–	2	–	1	3	1	3
Other specified causes	46	26	1	–	3	–	2	1	5	1	5	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd September 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	18	23	–	3	–
†BERMONDSEY ...	–	16	10	–	1	C. 1
†BETHNAL GREEN	–	9	16	–	4	–
†CAMBERWELL ...	–	18	15	1	–	L. 1 M. 2
†CHELSEA ...	–	7	1	–	–	–
†DEPTFORD ...	–	7	6	–	4	–
†FINSBURY ...	–	12	10	–	–	M. 1
†FULHAM ...	–	11	9	–	1	–
†GREENWICH ...	–	11	6	–	3	C. 1
†HACKNEY ...	–	6	16	–	–	M. 2
†HAMMERSMITH	–	8	9	–	–	–
†HAMPSTEAD ...	–	8	9	1	–	–
†HOLBORN ...	–	3	6	–	–	–
†ISLINGTON ...	–	20	24	–	–	M. 1
†KENSINGTON ...	–	10	7	–	1	–
†LAMBETH ...	–	18	5	–	2	D. 1 G. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	8	10	–	–	–
†PADDINGTON ...	–	27	12	–	2	M. 1
†POPLAR... ...	–	7	15	2	9	C. 1 D. 1
†ST. MARYLEBONE	–	3	6	–	1	M. 1
†ST. PANCRAS ...	–	20	9	–	6	M. 1
†SHOREDITCH ...	–	4	11	–	8	M. 4
†SOUTHWARK ...	–	21	29	–	3	C. 1 D. 1 M. 1
†STEPNEY ...	–	14	21	1	3	M. 1
†STOKE NEWINGTON	–	3	2	–	–	C. 1
†WANDSWORTH	–	22	17	1	3	D. 1
†WESTMINSTER, CITY OF	–	4	12	–	–	–
†WOOLWICH ...	–	10	6	–	1	–
TOTAL OF PART I.	–	326	322	6	55	C. 5 D. 4 G. 1 L. 1 M. 16

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	4	–	1	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	1	2	–	1	–
BEDFORD ...	–	3	–	–	–	–
BIGGLESWADE ...	–	2	–	–	–	–
BERKS	–	32	2	–	–	E. 1 M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	1	–	–	–
†NEW WINDSOR	–	–	–	–	–	E. 1
†READING C.B....	–	19	1	–	–	M. 1
Rural Districts :—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	2	–	–	–	–
COOKHAM ...	–	3	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	2	3	–	–	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	–	–	–	–	M. 1
BEACONSFIELD...	*	*	*	*	*	*
†CHEPPING WYCOMBE	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts :—						
AYLESBURY ...	–	1	1	–	–	–
ETON	–	1	2	–	–	–
LONG CRENDON	*	*	*	*	*	*
CAMBRIDGE ...	–	1	1	–	1	–
Borough :—						
†CAMBRIDGE ...	–	1	1	–	1	–
Rural Districts :—						
LINTON	*	*	*	*	*	*
NEWMARKET ...	*	*	*	*	*	*
CHESTER	–	56	19	–	17	C. 1 M. 4
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	4	2	–	–	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	–	–
†BIRKENHEAD C.B.	–	5	2	–	4	M. 3
BUGLAWTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CHESTER C.B. ...	–	3	1	–	3	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	6	1	–	–	–
HALE	–	2	–	–	–	–
HOOLE	–	–	–	–	2	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	1	–	–	1	–
KNUTSFORD ...	–	1	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD...	–	2	–	–	–	–
NESTON AND PARKGATE	–	–	1	–	1	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	10	–	–	1	–
†SALE	*	*	*	*	*	*
†STOCKPORT C.B.	–	2	1	–	–	M. 1
†WALLASEY C.B.	–	2	–	–	–	–
†WINSFORD ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	3	–	–	–
CHESTER ...	–	–	1	–	–	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	2	1	–	1	–
NORTHWICH ...	–	–	–	–	1	–
RUNCORN ...	–	1	1	–	–	–
TARVIN	–	–	–	–	–	C. 1
WIRRAL... ...	–	1	–	–	2	–
CORNWALL ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
ST. IVES ...	–	–	1	–	–	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
SAINT AUSTELL	–	1	–	–	–	–
SAINT GERMANS	–	1	–	–	–	–
CUMBERLAND ...	–	9	2	2	–	C. 2 G. 1 M. 5
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	4	–	–	–	M. 4
†MARYPORT ...	–	–	–	1	–	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
MILLOM... ...	–	1	–	–	–	–
PENRITH ...	–	–	–	–	–	C. 1
†WHITEHAVEN ...	–	–	2	–	–	C. 1
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	–	M. 1
CARLISLE ...	–	1	–	–	–	G. 1
COCKERMOUTH ...	–	2	–	1	–	–
WIGTON ...	–	1	–	–	–	–
DERBY	23	17	9	4	9	E. 2 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	1	–	–
ASHBOURNE ...	–	–	–	–	–	E. 1
†BELPER ...	–	1	–	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†CHESTERFIELD ...	–	–	3	–	–	–
†DERBY C.B. ...	–	5	1	3	4	–
DRONFIELD ...	–	–	2	–	–	–
†HEANOR ...	–	4	–	–	1	–
†ILKESTON ...	3	–	–	–	–	M. 1
†LONG EATON ...	–	1	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	E. 1
BELPER	18	1	–	–	1	–
BLACKWELL ...	–	1	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	1	1	–	–	–
GLOSSOP DALE...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HARTSHORNE AND SEALS	–	1	–	–	–	–
SHARDLOW ...	2	–	1	–	1	M. 1
DEVON	–	25	18	4	5	M. 3
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	3	–	–	–
BAMPTON ...	*	*	*	*	*	*
BRIXHAM ...	–	–	1	–	1	–
†EXETER C.B. ...	–	1	–	–	–	M. 1
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
NORTHAM ...	–	–	–	1	–	–
OTTERY ST. MARY	*	*	*	*	*	*
†PLYMOUTH C.B.	–	9	7	1	2	M. 2
SALCOMBE ...	–	–	–	–	1	–
TAVISTOCK ...	–	–	1	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	2	1	–	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
CREDITON ...	–	2	–	–	–	–
HOLSWORTHY (part)	–	–	1	2	–	–
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
NEWTON ABBOT	–	–	1	–	–	–
OKEHAMPTON ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	1	–
TAVISTOCK ...	–	6	–	–	–	–
DORSET	–	7	2	1	–	C. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	1	1	–	–	–
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PORTLAND ...	–	4	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	1	–	1	–	–
SHAFTESBURY ...	–	–	–	–	–	C. 1
DURHAM... ...	–	50	10	1	26	C. 2 M. 13
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	–	–	–	2	M. 1
†GATESHEAD C.B.	–	4	1	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	–	–	–	1	
†HETTON... ...	–	1	–	–	3	–
†HOUGHTON-LE-SPRING	–	–	–	–	3	–
†JARROW ...	–	2	1	–	2	–
LEADGATE ...	–	–	1	–	–	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	1	–	3	–
†STANLEY ...	–	5	–	–	1	–
†STOCKTON-ON-TEES	–	1	1	–	1	M. 2
†SUNDERLAND C.B.	–	12	–	–	2	M. 2
†TANFIELD ...	–	1	–	–	1	–
TOW LAW ...	–	1	–	–	1	–
†WASHINGTON ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B	–	–	1	–	1	C. 1 M. 4
WILLINGTON ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
Auckland ...	–	1	3	–	–	–
Chester-le-Street	–	3	–	–	–	M. 1
Durham ...	–	3	–	–	–	–
Easington ...	–	1	–	–	–	M. 2
Hartlepool ...	–	–	–	–	1	–
Houghton-le-Spring	–	3	–	–	–	–
Lanchester ...	–	–	–	1	–	M. 1
Sedgefield ...	–	2	–	–	2	C. 1
Stockton ...	–	2	–	–	–	–
Sunderland ...	–	2	–	–	1	–
ISLE OF ELY ...	–	–	–	–	–	–
ESSEX	–	67	53	4	13	C. 3 L. 1 M. 3
Boroughs and Urban Districts:—						
†Barking Town	–	–	–	–	1	–
Chingford ...	–	1	–	–	–	–
†Colchester ...	–	–	2	–	–	–
†East Ham C.B.	–	5	–	–	–	M. 1
†Grays Thurrock	–	1	1	–	1	–
Halstead ...	–	–	–	–	1	–
†Ilford	–	4	2	–	1	L. 1
†Leyton... ...	–	7	5	–	–	–
Loughton ...	–	2	–	–	–	–
Saffron Walden	*	*	*	*	*	*
Shoeburyness-on-Sea	–	–	1	1	–	–
†Southend-on-Sea C.B.	–	6	1	2	–	C. 1
Waltham Holy Cross	–	1	–	–	–	–
†Walthamstow	–	3	9	–	2	–
†Wanstead ...	–	1	–	–	–	–
†West Ham C.B.	–	15	15	1	6	M. 1
†Woodford ...	–	5	–	–	1	–
ESSEX—*cont.*						
Rural Districts:—						
Billericay ...	–	2	1	–	–	–
Bumpstead ...	*	*	*	*	*	*
Chelmsford ...	–	3	–	–	–	–
Epping	–	–	–	–	–	C. 1
Halstead ...	–	3	–	–	–	–
Lexden and Winstree	–	3	–	–	–	–
Orsett	–	4	4	–	–	–
Rochford ...	–	1	–	–	–	–
Romford ...	–	–	12	–	–	C. 1 M. 1
Saffron Walden	*	*	*	*	*	*
GLOUCESTER ...	–	57	23	2	5	M. 1
Boroughs and Urban Districts:—						
†Bristol C.B. ...	–	42	8	1	3	M. 1
†Cheltenham ...	–	3	1	–	–	–
Coleford ...	–	–	1	–	–	–
†Gloucester C.B.	–	3	2	1	–	–
†Kingswood ...	–	–	1	–	–	–
Nailsworth ...	–	1	–	–	–	–
Stroud... ...	–	–	–	–	1	–
Tewkesbury ...	–	1	–	–	–	–
Rural Districts:—						
Cirencester ...	–	1	4	–	–	–
Dursley ...	–	–	1	–	1	–
East Dean and United Parishes	–	–	1	–	–	–
Stroud ...	–	1	3	–	–	–
Warmley ...	–	1	–	–	–	–
West Dean ...	–	3	–	–	–	–
Wheatenhurst	–	1	–	–	–	–
Winchcomb (part)	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	–	–	–	–
Rural Districts:—						
DORE	–	1	–	–	–	–
HEREFORD ...	–	–	2	–	–	–
HERTFORD ...	–	16	2	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	*	*	*	*	*	*
†BARNET ...	–	1	–	–	–	–
BISHOP STORTFORD	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	–	–	–	D. 1
HEMEL HEMPSTEAD	–	4	–	–	–	–
†ST. ALBANS ...	–	2	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
BUNTINGFORD ...	–	1	–	–	–	–
HATFIELD ...	–	2	–	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
HITCHIN ...	–	–	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	M. 1
WATFORD ...	–	2	–	–	–	–
HUNTINGDON ...	–	7	1	3	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	6	–	3	1	–
RAMSEY ...	–	1	–	–	–	–
HUNTINGDON— *cont.*						
Rural Districts:—						
ST. IVES ...	–	–	1	–	–	–
ST. NEOTS, No. 2	*	*	*	*	*	*
KENT	–	60	40	2	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEXLEY ...	–	2	3	–	–	–
†BROADSTAIRS AND ST. PETERS	–	1	–	–	–	–
†BROMLEY ...	–	5	–	–	–	–
†CHATHAM ...	–	–	–	–	–	C. 1
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	4	–	–	–	–
†DOVER	*	*	*	*	*	*
†ERITH	–	2	2	–	–	–
†FOLKESTONE ...	–	3	–	–	–	–
†GILLINGHAM ...	–	4	2	–	–	–
†GRAVESEND ...	–	4	–	–	–	–
†HERNE BAY ...	–	2	–	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	4	4	–	–	–
MILTON REGIS...	–	–	3	–	–	–
†NORTHFLEET ...	–	5	1	–	–	–
†PENGE	–	–	6	–	–	–
†RAMSGATE ...	–	–	1	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	–
†SHEERNESS ...	–	2	–	–	–	–
SIDCUP	–	–	1	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	3	–	–	1	–
DARTFORD ...	–	3	3	–	–	–
EAST ASHFORD...	–	–	2	–	–	–
EASTRY... ...	–	–	–	1	–	–
FAVERSHAM ...	–	–	–	1	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	2	–	–	–
MAIDSTONE ...	–	3	3	–	–	–
MALLING ...	–	2	3	–	1	–
STROOD ...	–	1	1	–	–	–
TONBRIDGE ...	–	3	–	–	–	–
WEST ASHFORD	–	–	1	–	–	–
LANCASTER ...	–	285	78	3	99	C. 4 D. 1 E. 1 M. 33
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON-UNDER-LYNE	–	2	–	–	3	–
†ATHERTON ...	–	3	–	–	–	–
AUDENSHAW ...	–	2	–	–	–	–
†BARROW-IN-FURNESS C.B.	–	11	–	–	1	M. 1
†BLACKBURN C.B.	–	4	–	–	4	–
†BLACKPOOL C.B.	–	3	2	–	2	–
†BOLTON C.B. ...	–	11	1	–	–	M. 2
†BOOTLE C.B. ...	–	5	2	–	2	M. 1
†BURNLEY C.B.	–	1	3	–	–	–
†BURY C.B. ...	–	1	–	–	2	–
†CHADDERTON ...	–	3	–	–	–	–
†COLNE	–	2	2	–	2	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN ...	–	4	–	–	–	–
†DENTON... ...	–	2	–	–	–	–
†ECCLES ...	–	5	1	–	2	–
†FAILSWORTH ...	–	3	–	–	1	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	1	–	–	–	–
GOLBORNE ...	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
†HAYDOCK ...	–	2	–	–	–	–
†HEYWOOD ...	–	4	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HINDLEY ...	–	2	1	–	1	–
†HORWICH ...	–	–	1	–	3	–
†INCE-IN-MAKERFIELD	–	3	–	–	–	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	2	–	–	1	M. 1
†LEIGH	–	2	–	–	–	M. 1
LEYLAND ...	–	–	–	–	1	–
†LITHERLAND ...	–	1	–	–	–	C. 1
LITTLE HULTON	–	–	1	–	–	–
†LIVERPOOL C.B.	–	42	14	1	15	E. 1 M. 12
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	52	14	1	29	C. 2 M. 8
†MIDDLETON ...	–	4	–	–	–	–
MILNROW ...	–	1	–	–	–	–
†MORECAMBE ...	–	1	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	1	–	–	3	–
†OLDHAM C.B.	–	11	–	–	–	M. 1
†OSWALDTWISTLE	*	*	*	*	*	*
PRESCOT ...	–	3	–	–	–	–
†PRESTON C.B. ...	–	6	2	–	–	C. 1
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
RISHTON ...	–	3	–	–	3	–
†ROCHDALE C.B.	–	6	5	–	1	–
†ROYTON... ...	–	2	–	–	2	–
†ST. ANNES-ON-THE-SEA ...	–	1	–	–	–	–
†ST. HELENS C.B.	–	1	1	–	3	M. 1
†SALFORD C.B. ...	–	25	12	1	2	M 4
†SOUTHPORT C.B.	–	2	–	–	–	D. 1
†STRETFORD ...	–	2	1	–	–	–
†SWINTON AND PENDLEBURY	–	2	1	–	4	–
†TOTTINGTON ...	–	–	–	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
UPHOLLAND ...	–	2	–	–	–	–
†WARRINGTON C.B.	–	12	1	–	4	M. 1
†WATERLOO-WITH-SEAFORTH	–	–	2	–	–	–
†WESTHOUGHTON	–	–	–	–	2	–
†WIDNES ...	–	2	3	–	–	–
†WIGAN C.B. ...	–	2	2	–	–	–
†WORSLEY ...	–	–	1	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	1	–	–	–
BURNLEY ...	–	1	–	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	2	–	–	–	–
FYLDE... ...	–	1	1	–	–	–
LIMEHURST ...	–	1	–	–	1	–
PRESTON ...	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON ...	–	1	–	–	–	–
LEICESTER ...	–	7	7	–	4	C. 1 M. 3
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	1	–	–	–	–
†LEICESTER C.B.	–	6	3	–	1	C. 1 M. 3
Rural Districts:—						
BILLESDON ...	–	–	2	–	–	–
LEICESTER—*cont.*						
Rural Districts—*cont.*						
BLABY	–	–	1	–	–	–
CASTLE DONINGTON ...	–	–	–	–	3	–
LUTTERWORTH...	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BOSTON... ...	–	–	1	–	–	C.
Rural District:—						
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural District:—						
CLAYPOLE ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	2	5	–	–	M. 1
Boroughs and Urban Districts:—						
†GRIMSBY C.B. ...	–	–	3	–	–	M. 1
†LINCOLN C.B. ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J. Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural District:—						
CAISTOR ...	–	–	1	–	–	–
GLANFORD BRIGG	–	–	1	–	–	–
MIDDLESEX ...	–	93	43	2	12	C 2 G. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	6	5	–	–	C. 1
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	1	3	1	–	–
†EALING ...	–	9	3	–	1	G. 1
†EDMONTON ...	–	4	–	–	–	–
†ENFIELD ...	–	–	–	–	1	–
FELTHAM ...	–	6	–	–	–	–
†FINCHLEY ...	–	1	–	–	1	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	1	–	–	–	–
†HARROW-ON-THE-HILL	–	–	1	–	–	–
HAYES	–	–	1	–	–	–
†HENDON ...	–	1	–	–	–	–
†HESTON AND ISLEWORTH	–	10	–	–	1	C. 1
†HORNSEY ...	–	3	–	–	2	–
†SOUTHALL-NORWOOD	–	2	1	–	–	–
†SOUTHGATE ...	–	2	–	1	–	–
STAINES ...	–	3	–	–	–	–
SUNBURY-ON THAMES	–	4	1	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	12	10	–	–	–
†TWICKENHAM ...	–	1	1	–	–	–
†WEALDSTONE ...	–	2	–	–	–	–
†WEMBLEY ...	–	–	–	–	1	–
†WILLESDEN ...	–	11	14	–	4	M. 3
†WOOD GREEN ...	–	10	–	–	–	–
YIEWSLEY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON ...	–	–	2	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK ...	–	18	6	–	3	M. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	3	1	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–
†NORWICH C.B....	–	12	2	–	2	M. 1
WALSOKEN ...	–	–	1	–	–	–
Rural Districts:—						
AYLESHAM ...	–	–	–	–	1	–
BLOFIELD ...	–	–	1	–	–	–
DEPWADE ...	–	–	1	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
NORTHAMPTON	–	28	4	–	5	–
Boroughs and Urban Districts:—						
FINEDON ...	–	8	–	–	1	–
†KETTERING ...	–	–	–	–	2	–
†NORTHAMPTON C.B.	–	10	3	–	–	–
†WELLING-BOROUGH	–	3	1	–	–	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
HARDINGSTONE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Rural Districts:— *cont.*						
NORTHAMPTON ...	–	1	–	–	1	–
POTTERSPURY ...	–	1	–	–	1	–
TOWCESTER ...	–	2	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	38	15	1	16	C. 1 M. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	–	–	–	1	–
†BERWICK-UPON-TWEED	–	1	–	–	1	–
†BLYTH	–	6	1	–	1	–
†EARSDON ...	–	–	–	–	1	–
†GOSFORTH ...	–	2	–	–	–	–
MORPETH ...	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	13	5	1	8	M. 1
SEATON DELAVAL	–	–	–	–	–	M 1
†TYNEMOUTH C.B.	–	2	–	–	–	–
†WALLSEND ...	–	3	7	–	1	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	1	–
CASTLE WARD ...	–	2	–	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM ...	–	–	–	–	–	C. 1
MORPETH ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	22	5	1	12	C. 2 E. 3 M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†CARLTON ...	–	1	1	–	–	–
†EAST RETFORD	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY-IN-ASHFIELD	–	1	–	–	3	–
†MANSFIELD ...	–	2	–	–	–	E. 1
†MANSFIELD WOODHOUSE	–	–	1	–	–	–
†NOTTINGHAM C.B.	–	14	1	1	5	E. 2
†SUTTON-IN-ASHFIELD	–	–	–	–	–	M. 1
WARSOP ...	–	–	2	–	–	C. 2
†WEST BRIDGFORD	*	*	*	*	*	*
Rural Districts:—						
BASFORD ...	–	–	–	–	1	–
SOUTHWELL ...	–	4	–	–	–	–
OXFORD	–	9	1	–	–	E. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	–	–
†OXFORD C.B. ...	–	4	–	–	–	–
Rural Districts:—						
CULHAM ...	–	–	1	–	–	–
HEADINGTON ...	–	2	–	–	–	–
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	4	1	–	–	–
Borough :—						
†Peterborough	–	4	1	–	–	–
RUTLAND ...	–	1	–	–	–	–
Rural District :—						
Ketton ...	–	1	–	–	–	–
SALOP	–	10	5	–	1	–
Boroughs and Urban Districts :—						
Dawley ...	–	–	1	–	–	–
Ludlow ...	–	–	1	–	–	–
†Oakengates ...	–	1	–	–	–	–
Oswestry ...	–	2	–	–	–	–
†Wenlock ...	–	2	1	–	–	–
Rural Districts :—						
Ludlow ...	–	1	1	–	–	–
Newport ...	–	–	–	–	1	–
Oswestry ...	–	4	1	–	–	–
SOMERSET ...	–	12	2	–	6	–
Boroughs and Urban Districts :—						
†Bridgwater ...	–	1	–	–	–	–
†Frome	–	1	–	–	–	–
Radstock ...	–	1	–	–	–	–
†Taunton ...	–	–	–	–	1	–
Wellington ...	–	2	–	–	–	–
†Weston-super-Mare	–	1	1	–	–	–
†Yeovil	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SOMERSET—*cont.*						
Rural Districts :—						
Axbridge ...	–	1	–	–	–	–
Bath	–	1	–	–	–	–
Clutton ...	–	–	–	–	1	–
Long Ashton ...	–	4	1	–	1	–
Wells	–	–	–	–	1	–
SOUTHAMPTON ...	–	40	16	2	–	M. 4
Boroughs and Urban Districts :—						
†Basingstoke ...	–	2	–	–	–	–
†Bournemouth C.B.	–	1	1	–	–	–
†Gosport and Alverstoke	–	1	–	–	–	–
†Portsmouth C.B.	–	20	10	–	–	M. 3
†Southampton C.B.	–	7	4	–	–	–
†Winchester ...	–	–	1	–	–	–
Rural Districts :—						
Alton	–	1	–	–	–	–
Basingstoke ...	–	1	–	–	–	–
Droxford ...	–	3	–	–	–	–
Fareham ...	–	–	–	–	–	M. 1
Petersfield ...	–	1	–	–	–	–
Whitchurch ...	–	3	–	2	–	–
STAFFORD ...	–	59	17	–	20	E. 1 M. 8
Boroughs and Urban Districts :—						
†Audley ...	–	1	–	–	–	M. 1
†Bilston ...	–	1	–	–	–	–
†Brownhills ...	–	3	–	–	1	–
†Burton-upon-Trent C.B.	–	1	–	–	1	–
†Cannock ...	–	1	1	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLASTON ...	–	2	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	2	–	–	1	–
†SMETHWICK C.B.	–	1	3	–	1	–
†STAFFORD ...	–	–	1	–	–	–
†STOKE-ON-TRENT C.B.	–	15	5	–	9	E. 1 M. 3
†TIPTON	–	1	–	–	–	–
†WALSALL C.B....	–	4	–	–	3	M. 2
†WEDNESBURY ...	–	–	–	–	–	M. 1
†WEST BROMWICH C.B.	–	5	1	–	1	–
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	3	–	–	–	–
†WOLVERHAMPTON C.B.	–	3	1	–	1	–
Rural Districts:—						
CANNOCK ...	–	1	1	–	–	–
CHEADLE ...	–	1	–	–	–	–
GNOSALL ...	–	1	–	–	–	–
KINGSWINFORD	–	–	1	–	–	–
LEEK	–	3	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON ...	–	3	–	–	–	–
STAFFORD ...	–	–	1	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
SUFFOLK, EAST	–	8	6	1	2	C. 1 M. 1
Boroughs and Urban Districts:—						
BECCLES ...	*	*	*	*	*	*
†FELIXSTOWE ...	–	2	1	–	–	–
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†IPSWICH C.B. ...	–	4	3	–	2	M. 1
†LOWESTOFT ...	–	–	2	1	–	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
HOXNE	*	*	*	*	*	*
MUTFORD AND LOTHINGLAND	–	–	–	–	–	C. 1
SAMFORD ...	–	1	–	–	–	–
SUFFOLK, WEST	–	1	4	3	–	M. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HAVERHILL ...	*	*	*	*	*	*
NEWMARKET ...	–	–	4	–	–	–
Rural District:—						
CLARE	*	*	*	*	*	*
COSFORD ...	–	–	–	3	–	–
MOULTON ...	*	*	*	*	*	*
THEDWASTRE ...	–	–	–	–	–	M. 1
THINGOE ...	–	–	–	–	–	M. 1
SURREY	–	50	29	4	–	C. 1 L. 2 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	1	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	–	10	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
Chertsey ...	–	2	–	–	–	–
†Coulsdon and Purley	–	1	–	2	–	–
†Croydon C.B....	–	13	6	1	–	M. 1
East and West Molesey	–	1	–	–	–	–
†Epsom	–	–	–	1	–	–
†Esher and the Dittons	–	1	–	–	–	–
†Farnham ...	–	1	–	–	–	–
†Guildford ...	–	1	3	–	–	–
Ham	–	–	1	–	–	–
†Kingston-upon-Thames	–	5	1	–	–	–
†Merton and Morden	–	3	–	–	–	–
†Mitcham ...	–	1	2	–	–	–
†Richmond ...	–	1	1	–	–	–
†Surbiton ...	–	1	1	–	–	–
†The Maldons and Coombe ...	–	2	–	–	–	–
†Walton-upon Thames	–	2	–	–	–	–
†Wimbledon ...	–	3	1	–	–	C. 1
Rural Districts:—						
Dorking ...	–	3	–	–	–	–
Epsom	–	1	2	–	–	–
Farnham ...	–	5	–	–	–	–
Godstone ...	–	1	–	–	–	–
Reigate ...	–	1	–	–	–	L. 2
SUSSEX, EAST ...	–	5	1	–	1	C. 1
Boroughs and Urban Districts:—						
†Brighton C.B....	–	3	1	–	1	C. 1
SUSSEX, EAST—*cont.*						
Rural Districts:—						
Chailey ...	–	1	–	–	–	–
Hailsham ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
†Chichester ...	–	–	–	–	–	M. 1
Littlehampton	–	3	–	–	–	–
†Worthing ...	–	–	1	–	–	–
WARWICK ...	–	111	22	–	17	C. 5 M. 10
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	88	18	–	11	C. 5 M. 7
†Coventry C.B.	–	4	1	–	1	M. 1
Kenilworth ...	–	–	–	–	1	–
†Nuneaton ...	–	1	–	–	2	–
†Rugby	–	1	1	–	–	–
†Sutton Coldfield	–	1	2	–	–	–
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	4	–	–	1	–
Foleshill ...	–	7	–	–	–	–
Meriden ...	–	–	–	–	–	M. 1
Nuneaton ...	–	–	–	–	–	M. 1
Solihull ...	–	1	–	–	–	–
Tamworth (part)	–	2	–	–	–	–
Warwick ...	–	1	–	–	1	–
WESTMORLAND	–	3	–	–	–	E. 1 G. 1
Boroughs and Urban Districts:—						
†Kendal ...	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	G. 1
WEST WARD ...	–	2	–	–	–	–
ISLE OF WIGHT	–	3	3	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	2	1	–	–	–
Rural District:—						
ISLE OF WIGHT	–	–	2	–	–	–
WILTS	–	15	3	–	1	C. 1
Boroughs and Urban Districts:—						
MARLBOROUGH ...	–	4	–	–	–	–
†SWINDON ...	–	1	–	–	1	–
†TROWBRIDGE ...	–	1	–	–	–	–
WARMINSTER ...	–	1	–	–	–	C. 1
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	3	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
SALISBURY ...	–	–	1	–	–	–
TISBURY ...	–	–	1	–	–	–
WARMINSTER ...	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	25	2	–	2	M. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	1	–
BROMSGROVE ...	–	3	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
†DUDLEY, C.B. ...	–	2	–	–	–	–
EVESHAM ...	–	–	1	–	–	–
†KIDDERMINSTER	–	6	1	–	–	–
†MALVERN ...	–	–	–	–	–	M. 1
†OLDBURY ...	–	1	–	–	1	–
†REDDITCH ...	–	4	–	–	–	–
STOURPORT ...	–	1	–	–	–	–
†WORCESTER C.B.	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
DROITWICH ...	–	2	–	–	–	–
UPTON-UPON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	10	15	1	3	D. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	1	–
COTTINGHAM ...	–	–	–	–	1	–
GREAT DRIFFIELD	–	–	–	1	–	–
†KINGSTON-UPON-HULL C.B.	–	4	12	–	–	D. 1
†YORK C.B. ...	–	5	–	–	1	–
Rural District:—						
BEVERLEY ...	–	1	–	–	–	–
HOWDEN ...	–	–	1	–	–	–
POCKLINGTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	10	8	6	1	6	E. 1
Boroughs and Urban Districts:—						
GUISBOROUGH ...	–	–	–	–	2	–
HINDERWELL ...	–	1	–	–	–	–
† MIDDLESBROUGH C.B.	10	4	1	–	–	–
PICKERING ...	–	–	1	–	–	–
†REDCAR ...	–	–	–	–	–	E. 1
†SCARBOROUGH ...	–	3	–	–	–	–
†THORNABY-ON-TEES	–	–	2	–	–	–
Rural Districts:—						
MALTON ...	–	–	–	1	–	–
SCARBOROUGH ...	–	–	–	–	3	–
STOKESLEY ...	–	–	–	–	1	–
WHITBY ...	–	–	2	–	–	–
YORKS ... ... (West Riding).	1	165	60	15	53	C. 3 D. 1 E. 2 M. 12
Boroughs and Urban Districts:—						
† ADWICK-LE-STREET	–	1	3	–	–	–
ALTOFTS ...	–	–	–	2	–	–
ARDSLEY, EAST AND WEST	–	–	1	–	1	–
†BARNSLEY C.B.	–	1	2	–	3	M. 1
†BATLEY... ...	–	2	–	–	–	–
†BENTLEY-WITH-ARKSEY	1	–	1	–	–	–
†BRADFORD C.B.	–	16	2	1	2	–
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	–	1	–	–	–
†CONISBROUGH ...	–	8	–	–	–	M. 1
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DEWSBURY C.B.	–	6	–	–	–	–
DODWORTH ...	–	–	1	–	–	–
†DONCASTER ...	–	–	3	–	–	–
†ELLAND... ...	–	1	–	–	–	–
FARSLEY ...	–	1	–	–	–	–
†FEATHERSTONE	–	–	–	–	1	–
GARFORTH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	1	2	–	–	M. 1
GUISELEY ...	–	–	–	–	–	M. 1
†HALIFAX C.B. ...	–	3	–	–	–	D. 1
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	–	1	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	–	1	–	–
HORSFORTH ...	–	1	–	–	1	–
†HUDDERSFIELD C.B.	–	3	4	–	1	M. 1
ILKLEY	–	–	–	1	–	–
†KEIGHLEY ...	–	2	–	–	–	–
KIRKBURTON ...	–	–	1	–	–	–
†LEEDS C.B. ...	–	47	14	–	4	C. 2 E. 2 M. 1
LUDDENDEN FOOT	–	–	1	–	–	–
MELTHAM ...	–	1	1	–	–	–
†MEXBOROUGH ...	–	–	–	–	1	–
†MORLEY... ...	–	2	–	–	–	–
†NORMANTON ...	–	1	–	–	2	–
OTLEY	–	–	2	–	1	–
†PONTEFRACT ...	–	–	–	1	–	–
†RAWMARSH ...	–	–	–	–	1	–
†ROTHERHAM C.B.	–	3	2	–	2	–
†ROTHWELL ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	23	9	1	21	C. 1 M. 4
SILSDEN ...	–	–	–	1	–	–
SKELMANTHORPE	*	*	*	*	*	*
†SPENBOROUGH ...	–	–	–	–	1	–
†STANLEY ...	–	2	–	–	–	–
STOCKSBRIDGE ...	–	–	1	–	–	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND	–	–	–	1	–	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	2	2	1	–	–
†WAKEFIELD C.B.	–	4	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH-UPON-DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	1	–	–
†WORSBOROUGH	–	2	–	–	–	–
YEADON ...	–	1	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	2	1	–	5	–
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	4	2	–	2	–
HUNSLET ...	–	1	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
ROTHERHAM ...	–	4	2	–	–	M. 2
TADCASTER ...	–	2	–	–	–	–
THORNE... ...	–	1	–	–	–	–
TODMORDEN ...	–	–	–	4	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (South)	–	2	–	–	–	–
WORTLEY ...	–	2	–	–	–	–
WALES.						
ANGLESEY ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
MENAI BRIDGE...	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	–	–
Rural Districts:—						
BRECKNOCK (Merthyr Cynog Div.)	*	*	*	*	*	*
CARDIGAN ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH...	–	1	–	–	1	–
NEW QUAY ...	–	–	1	–	–	–
CARMARTHEN ...	–	2	4	–	1	C. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
CWMAMMAM ...	–	1	–	–	–	–
†LLANELLY ...	–	1	2	–	–	C. 1
Rural Districts:—						
LLANELLY ...	–	–	2	–	–	–
CARNARVON ...	–	4	–	–	–	–
Boroughs and Urban Districts—						
CONWAY ...	–	1	–	–	–	–
†LLANDUDNO ...	–	3	–	–	–	–
DENBIGH ...	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
†WREXHAM ...	–	–	1	–	–	–
Rural Districts:—						
LLANSILIN ...	–	–	–	–	1	–
WREXHAM ...	–	4	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 *continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	10	2	–	2	–
Boroughs and Urban Districts:—						
BUCKLEY ...	–	–	–	–	1	–
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	1	–	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	4	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	2	1	–	1	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	93	20	–	30	M. 5
Boroughs and Urban Districts:—						
†ABERDARE ...	–	10	–	–	5	–
†BARRY	–	–	1	–	–	M. 1
†CAERPHILLY ...	–	–	2	–	–	–
†CARDIFF C.B. ...	–	9	2	–	1	–
†GELLIGAER ...	–	3	–	–	–	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG ...	–	1	–	–	2	–
†MERTHYR TYDFIL C.B.	–	–	2	–	2	–
†MOUNTAIN ASH	–	7	–	–	–	–
†NEATH... ...	–	1	3	–	–	–
†OGMORE AND GARW	–	4	1	–	–	M. 1
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	7	–	–	–	–
†PORT TALBOT ...	–	3	1	–	–	–
†RHONDDA ...	–	17	–	–	11	M. 3
†SWANSEA C.B. ...	–	9	5	–	1	–
Rural Districts:—						
GOWER	–	–	2	–	–	–
LLANDAFF and DINAS POWIS	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
LLANTRISANT AND LLANTWIT FARDRE	–	1	–	–	1	–
NEATH	–	11	1	–	6	–
PONTARDAWE ...	–	5	–	–	–	–
MERIONETH ...	–	1	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
PENLLYN ...	–	–	–	–	1	–
MONMOUTH ...	–	18	5	–	8	G. 1 M. 2
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	–	–	1	–
BEDWAS AND MACHEN	–	1	–	–	–	–
†BEDWELLTY ...	–	–	3	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
CAERLEON ...	*	*	*	*	*	*
†EBBW VALE ...	–	4	–	–	1	–
LLANTARNAM ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	3	M. 1
†NEWPORT C.B....	–	5	–	–	2	G. 1
†PANTEG ...	–	1	–	–	–	–
PONTYPOOL ...	–	–	–	–	–	M. 1
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	3	–	–	–	–
Rural Districts:—						
ABERGAVENNY...	*	*	*	*	*	*
MAGOR	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
Welshpool ...	–	–	–	–	1	–
Rural Districts:—						
Forden ...	–	2	–	–	–	–
Llanfyllin ...	–	–	–	–	1	–
PEMBROKE ...	–	–	–	–	–	C. 1
Boroughs and Urban Districts:—						
Milford Haven	–	–	–	–	–	C. 1
Neyland ...	*	*	*	*	*	*
PEMBROKE—*cont.*						
Rural District:—						
Pembroke ...	*	*	*	*	*	*
Total of Part II.	34	1591	586	57	390	C. 34 D. 4 E. 13 G. 5 L. 3 M. 127

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Bristol ...	–	–	–	–	–	L. 1
Plymouth ...	–	–	–	1	–	–
Port of London	–	–	3	–	–	–
Total of Part III.	–	–	3	1	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	326	322	6	55	C. 5 D. 4 G. 1 L. 1 M. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	34	1591	586	57	390	C. 34 D. 4 E. 13 G. 5 L. 3 M. 127
Total of Part III.—Port Sanitary Districts ...	–	–	3	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales	34	1917	911	64	445	C. 39 D. 8 E. 13 G. 6 L. 5 M. 149

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Thirty-four cases of Small-pox were notified, which appear on pages 1110, 1111, and 1122.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.
LONDON:—													
DEATHS—all ages	852	795	844	785	782	797	744	704	730	721	731	744	818
" 0 to 1 year	79	88	78	68	92	79	73	88	66	71	71	98	98
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8044	7,857	8,376	8,168	8,139	8,108	6,703	8,607	7,625	7,511	7,926	7,488	7,647
DEATHS—all ages	3544	3,466	3,531	3,372	3,355	3,409	3,379	3,323	3,290	3,253	3,246	3,287	3,566
" 0 to 1 year	407	482	442	433	387	426	402	418	403	401	421	410	478
ENTERIC FEVER—Cases	23	26	27	17	28	16	15	15	17	23	23	29	24
" Deaths	1	4	3	2	2	1	2	2	3	4	4	3	5
SMALL POX—Cases	4	13	5	12	15	7	17	15	5	7	5	13	10
" Deaths	—	—	—	—	—	2	—	—	—	—	—	—	1
SCARLET FEVER—Cases	1085	1,142	1,250	1,201	1,040	1,013	818	911	915	855	1,052	1,086	1,156
" Deaths	9	13	12	12	11	8	11	11	14	6	11	11	3
DIPHTHERIA—Cases	537	633	581	662	597	501	458	502	460	523	537	588	606
" Deaths	50	39	31	33	38	33	40	40	41	27	32	29	32
MEASLES—Deaths	60	59	62	62	67	62	45	63	45	52	44	18	39
INFLUENZA—Deaths	25	22	24	18	22	19	15	11	16	10	12	18	21

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd September 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	73	45	65·9	51·9	15
BRIGHTON	66	47	62·7	54·4	10
PORTSMOUTH	70	46	64·9	54·3	7
NORWICH (EATON).	70	45	63·0	49·4	11
PLYMOUTH	68	44	63·0	53·7	3
BRISTOL (CLIFTON).	69	45	61·6	50·9	17
BIRMINGHAM	69	42	61·4	49·0	13
NOTTINGHAM	67	38	62·4	49·0	5
BIRKENHEAD (BIDSTON).	64	44	59·6	49·6	12
MANCHESTER	65	41	60·9	49·4	23
BURNLEY	64	37	58·9	46·3	21
HUDDERSFIELD	64	—	61·6	—	12

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	64	39	59·4	47·6	6
SHEFFIELD	68	41	61·1	47·9	6
YORK (MUSEUM).	66	39	61·4	48·1	4
HULL (PEARSON PARK).	70	38	62·3	46·9	3
TYNEMOUTH	65	37	57·3	46·1	32
CARDIFF	70	42	62·0	51·9	38
EDINBURGH	62·0	36·0	56·3	43·9	10
GLASGOW	60·6	37·9	56·0	43·6	22
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†					
BELFAST	63·8	42·5	59·0	48·5	30

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 23rd September 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	17	..	29·692	67·0	50·3	16·7	57·2	0·0	50·5	6·7	16·3	1·5	78	125·7	42·5	55·8	W	WNW	8·4	0·0	0·6	524	+279	0·06
MONDAY -	18	..	30·118	60·6	45·5	15·1	51·7	− 5·2	39·1	12·6	20·0	5·2	62	113·9	38·5	55·8	NW: N & NNE.	NNW: WNW & W.	2·5	0·0	0·2	323	+ 79	0·00
TUESDAY -	19	..	29·895	61·4	51·1	10·3	54·6	− 1·9	53·4	1·2	6·9	0·0	96	67·0	41·9	55·6	W	W	6·0	0·0	0·6	489	+247	0·46
WEDNESDAY	20	New Perigee In Equator.	30·025	70·9	55·8	15·1	62·3	+ 6·1	52·1	10·2	18·2	2·5	69	124·0	47·1	55·8	WNW & NW.	NW & WNW.	4·3	0·0	0·4	411	+171	0·00
THURSDAY -	21	..	30·082	73·1	55·7	17·4	62·7	+ 6·8	57·7	5·0	14·4	2·4	84	121·3	47·7	55·8	W	W & WSW.	1·6	0·0	0·1	236	− 2	0·00
FRIDAY -	22	..	29·952	65·7	53·5	12·2	59·3	+ 3·7	55·3	4·0	7·8	0·0	86	90·3	44·6	55·8	Calm & ENE.	ENE	1·7	0·0	0·1	155	− 81	0·00
SATURDAY -	23	..	29·894	57·8	52·1	5·7	54·8	− 0·6	52·4	2·4	5·3	0·0	92	72·9	52·2	55·6	E & ESE.	SE & ESE.	2·8	0·0	0·2	272	+ 36	0·12
MEANS -		..	29·951	65·2	52·0	13·2	57·5	+ 1·3	51·5	6·0	12·7	1·7	81	102·2	44·9	55·7	W and ENE		...	...	...	Sum 2,410	Sum +729	Sum 0·64
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. September 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	17	v.P. generally	6·9	12·5	Overcast generally till 10h, with frequent rain or damping. Partially cloudy afterwards, nearly cloudless by 21h. with dew. Brisk wind 10h. to 19h.
MONDAY -	18	v.P generally,	10·8	12·5	Cloudless generally, partially cloudy between 9h. and 18h. Dew morning and evening. Becoming overcast soon after 21h.
TUESDAY -	19	w.P. generally	0·0	12·4	Cloudy to overcast by 2h. Rain from 7h. 45m. to 13h. 45m. and at times till 15h. 15m. Brisk wind from 8h.
WEDNESDAY	20	v.P. generally	9·4	12·3	Overcast till 7h. 30m., cloudy till about noon, afterwards cloudless generally. Brisk wind generally till 9h.
THURSDAY -	21	w.P. generally	4·4	12·3	Cloudless till 1h., then cloudy to overcast before 3h. Variably cloudy from 12h. 30m. to 18h. 30m., then overcast generally. Slight rain about 4h.
FRIDAY -	22	w.P. throughout	1·9	12·2	Nearly overcast till 8h., cloudless but misty till about 9h., then overcast. Hazy cloudless period 17h. to 19h. Slight shower at 13h.
SATURDAY -	23	w.P. throughout	0·0	12·1	Overcast with very slight exceptions before sunrise. Frequent misty rain from 9h. to 22h.
			Sum 33·4	Sum 86·3	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·64 in. by 11h. on 17th; increased to 30·17 in. by 20h. on 18th.; decreased to 29·80 in. by 2h. on 20th; increased to 30·13 in. by midnight on the same day; decreased to 29·93 in. by noon on 22nd; increased to 30·02 in. by 23h. on the same day, and decreased to 29·75 in. by midnight on 23rd.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 39.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 30TH SEPTEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH SEPTEMBER 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-ninth week of the year numbered 7,545, and corresponded to an annual rate of 20·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,412 and corresponded to an annual rate of 9·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,039 in the year 1921. In the preceding three weeks the rates had been 8·9, 9·0 and 9·8. Infant mortality was 57 per 1,000 births against 53, 55, and 62 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,822 births, corresponding to a rate of 21·0 per 1,000, and 810 deaths of civilians, corresponding to a rate of 9·4, as against 8·4, 8·6 and 9·4, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·0 per 1,000. The infant mortality was 46 as against 38, 56, and 56 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 154 in the total deaths last week. In London the number of deaths from all causes fell from 818 to 810; while the deaths from diphtheria, which had been 18, 13, and 16 in the preceding three weeks, rose to 18 last week.

---

m (45)18728—1 Wt 30—P 19 2250 10/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 30th September 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,039*	7,545	3,412	433	7	35	9	24	45	57	28
London	4,514,405*	1,822	810	83	1	3	1	3	18	8	7
Towns in Outer Ring.											
Croydon C.B.	191,500	79	27	2	-	-	-	-	-	-	-
Wimbledon	61,700	12	8	2	-	-	-	-	-	1	-
Ealing	67,800	26	14	1	-	-	-	1	-		1
Acton	62,000	28	10	-	-	-	-	-	-	-	-
Willesden	167,200	58	28	5	-	-	-	-	-	-	-
Hendon	55,500	16	7	1	-	-	-	-	-	1	-
Hornsey	87,600	18	15	1	-	-	-	-	-	-	-
Wood Green	51,100	13	5	1	-	-	-	-	-	-	-
Tottenham	149,200	45	24	2	-	-	-	-	1	-	-
Edmonton	67,800	30	9	3	-	-	-	-	-	-	-
Enfield	61,400	23	11	2	-	-	-	-	-	-	-
West Ham C.B.	307,000	149	53	9	-	-	-	-	4	1	-
East Ham C.B.	145,500	50	22	3	-	-	-	-	1	1	-
Leyton	130,100	46	15	1	-	-	-	-	2	-	-
Walthamstow	129,800	48	19	1	-	-	-	1	1	-	1
Ilford	85,500	26	13	-	-	-	-	-	-	-	-
Gillingham	48,149*	27	4	1	-	-	-	-	-	-	-
Canterbury C.B.	23,680	5	3	1	-	-	-	1	-	-	-
Hastings C.B.	59,500	19	4	-	-	-	-	-	-	-	-
Eastbourne C.B.	53,600	23	7	-	-	-	-	-	-	-	-
Brighton C.B.	134,800	49	26	-	-	-	-	-	-	-	-
Portsmouth C.B.	233,929*	103	36	3	-	-	-	-	-	1	1
Bournemouth C.B.	81,200	15	17	-	-	-	-	-	-	-	-
Southampton C.B.	162,200	52	24	2	-	-	-	-	2	1	-
Reading C.B.	92,600	36	13	3	-	-	-	-	1	-	-
Oxford C.B.	56,400	18	10	3	-	-	-	-	-	-	-
Northampton C.B.	92,300	24	20	4	-	-	-	-	-	-	-
Luton	57,800	16	7	-	-	-	-	-	-	-	-
Cambridge	58,900	18	12	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	90,500	31	20	-	-	-	-	-	1	-	-
Ipswich C.B.	80,100	34	9	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,300	24	9	1	-	-	-	-	-	-	-
Norwich C.B.	122,400	50	24	1	1	-	1	-	-	-	-
Swindon	55,500	16	10	-	-	-	-	-	-	-	-
Exeter C.B.	59,500	25	10	-	-	-	-	-		-	-
Plymouth C.B.	199,869*	85	45	8	1	-	-	-	2	1	-
Bath C.B.	68,300	17	15	-	-	-	-	-			-
Bristol C.B.	381,700	137	56	9	-	-	-	1	1	1	-
Gloucester C.B.	51,800	20	8	1	-	-	-	-	-	-	
Stoke-on-Trent, C.B.	273,238	110	49	10	-	5	-	-	-	-	1
Burton-upon-Trent C.B.	49,410	16	9	2	-	-	-	-	-	-	-
Wolverhampton C.B.	104,000	39	13	3	-	-	-	-	-	1	-
Walsall C.B.	98,800	55	20	4	-	-	-	-	1	-	-
West Bromwich C.B.	75,300	34	15	2	-	-	-	-	1	-	-
Worcester C.B.	49,160	14	7	1	-	-	-	-	-	1	-
Dudley C.B.	57,100	24	19	1	-	-	-	-	-	-	-
Birmingham C.B.	936,000	368	176	24	-	1	-	1	2	3	4
Smethwick C.B.	77,400	25	7	2	-	-	-	-	-	-	-
Coventry C.B.	130,300	53	13	-	-	-	-	-	-	-	-
Leicester C.B.	237,900	99	45	7	-	1	-	-	-	-	-
Lincoln C.B.	66,600	26	13	2	-	-	-	-	-	-	-
Grimsby C.B.	83,600	31	16	1	-	1	-	-	-	-	-
Nottingham C.B.	266,400	92	46	4	-	1	-	-	-	-	1
Derby C.B.	131,800	51	18	-	1	-	-	-	-	-	-
Chesterfield	62,400	35	11	1	-	-	-	-	-	-	-
Stockport C.B.	125,500	40	23	2	-	-	-	-	-	-	1
Chester C.B.	41,030	13	11	2	-	-	-	-	-	-	-
Birkenhead C.B.	147,800	60	23	2	-	-	-	1	-	-	1
Wallasey C.B.	89,600	35	15	2	-	-	-	-	-	-	-
Liverpool C.B.	817,000	399	162	32	-	-	2	1	2	8	-
Bootle C.B.	77,800	31	7	1	-	-	-	-	1	-	-
St. Helens C.B.	104,900	34	24	2	-	-	-	-	1	2	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	21	12	1	–	–	–	–	–	–	–
Wigan C.B.	91,200	46	15	1	–	–	–	–	–	–	–
Warrington C.B.	78,600	36	8	2	–	–	–	–	–	–	–
Bolton C.B.	182,200	66	28	4	–	1	1	–	–	1	–
Bury C.B.	57,600	17	19	4	–	–	–	–	–	–	–
Manchester C.B.	744,000	291	137	11	1	5	–	2	–	3	1
Salford C.B.	239,100	119	56	3	–	–	1	2	–	–	–
Oldham C.B.	148,300	47	30	6	–	2	–	–	–	–	1
Rochdale C.B.	92,700	22	21	2	–	–	1	–	–	–	–
Burnley C.B.	105,300	26	26	4	–	4	–	–	–	–	–
Blackburn C.B.	129,400	41	23	1	–	1	–	–	–	1	–
Preston C.B.	119,900	56	21	2	–	2	–	–	–	–	–
Blackpool C.B.	73,800	16	11	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	33	13	3	–	–	–	–	–	1	–
Huddersfield C.B.	111,900	31	17	–	–	–	–	–	–	–	–
Halifax C.B.	100,700	27	25	1	1	1	–	–	–	–	1
Bradford C.B.	291,100	90	61	7	–	–	–	1	1	1	–
Leeds C.B.	465,500	181	101	16	–	4	–	1	–	5	1
Dewsbury C.B.	55,100	18	8	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	13	10	2	–	–	–	–	–	–	–
Barnsley C.B.	68,991	29	13	3	–	–	–	–	–	1	1
Sheffield C.B.	519,239	197	91	14	–	–	1	1	1	2	1
Rotherham C.B.	69,100	32	14	2	–	–	–	–	–	2	–
Doncaster	54,700	13	12	1	–	–	–	–	–	–	–
York C.B.	84,500	38	13	2	–	–	1	–	–	–	–
Hull C.B.	291,800	119	46	10	–	–	–	1	–	2	–
Middlesbrough C.B.	133,400	57	26	2	–	–	–	–	–	1	–
Darlington C.B.	66,400	31	7	1	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	27	16	2	–	–	–	–	–	–	1
West Hartlepool C.B.	69,300	36	13	3	–	2	–	–	–	–	–
Sunderland C.B.	161,100	97	30	7	–	–	–	1	–	2	–
South Shields C.B.	120,376	57	26	5	–	–	–	–	–	–	–
Gateshead C.B.	126,700	63	32	5	–	–	–	2	–	2	–
Newcastle-on-Tyne C.B.	278,400	138	56	13	1	–	–	3	–	–	–
Tynemouth C.B.	63,900	25	9	2	–	–	–	–	–	–	–
Carlisle C.B.	53,200	34	12	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	51	12	4	–	–	–	–	–	–	1
Cardiff C.B.	202,700	88	36	6	–	1	–	–	–	–	1
Rhondda	166,600	65	28	5	–	–	–	–	1	1	1
Merthyr Tydfil C.B.	81,800	30	15	3	–	–	–	–	–	–	–
Aberdare	56,100	25	17	5	–	–	–	–	–	–	–
Swansea C.B.	159,600	49	25	3	–	–	–	–	–	1	–
Greater London	7,523,963*	2,865	1,269	132	1	3	2	7	30	13	12
Outer Ring	3,009,558*	1,043	459	49	–	–	1	4	12	5	5
16 Great Towns in Outer Ring	1,820,700	667	280	34	–	–	–	2	9	4	2
Remainder of Outer Ring	1,188,858*	376	179	15	–	–	1	2	3	1	3
Edinburgh†	420,500	189	95	14	–	–	1	–	–	–	–
Glasgow†	1,037,800	433	235	39	–	1	–	3	1	9	–
Dublin (Registration Area)†	427,000				Not	recei	ved.				
Belfast†	425,000	185	89	14	–	1	1	–	1	3	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Sept. 30	1822	810	9·4	1	–	3	1	3	18	8	7
Calcutta	896,067	Aug. 26	?	493§	28·2	?	1	?	?	?	?	?	10
Bombay	1,175,914	„ 19	362‖	660§	28·6	7	–	–	–	–	–	45	3
Madras	526,911	„ 19	516	390	38·8	–	25	1	?	–	–	51	1
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	157,272	Aug. 5	80	33	10·9	–	–	–	–	–	–	1	1
Auckland (Urban Area).	164,450	July (31 days)	265	141	10·3	1	–	–	–	2	–	–	–
Wellington (Urban Area).	110,680	„ „	210	95	10·3	–	–	–	–	–	2	1	1
Christchurch (Urban Area).	110,200	„ „	161	98	10·7	–	–	–	–	–	2	–	–
Cape Town	101,000	Aug. 12	49	18	9·3	2	–	–	–	–	–	2	–
Johannesburg	149,500	„ 19	90	37	12·9	–	–	–	–	–	–	–	–
Durban	48,000	„ 19	34	14	15·2	–	–	–	–	–	–	–	–
Paris	2,906,472												
Antwerp	302,935	Aug. 19	104	42	7·1	–	–	2	–	–	1	–	–
Amsterdam	691,361	Sept. 9	266	117	8·6	–	–	–	1	2	–	2	–
Copenhagen	562,000	„ 16	182	108	10·0	1	–	–	1	1	–	1	–
Stockholm	422,042	„ 16	104	63	7·8	–	–	–	–	–	1	–	–
Gothenburg	228,052	Aug. 19	?	44	10·0	–	–	–	–	2	–	1	1
Christiania	258,933	Sept. 16	98	41	8·2	–	–	–	–	1	–	–	–
Berlin	1,974,000	Aug. 12	415	422	11·1	3	?	1	–	4	1	8	–
Breslau	557,000	„ 12	218	142	13·2	–	?	1	–	2	–	3	2
Cologne	688,000	„ 12	271	132	10·0	–	?	2	–	2	2	14	–
Dresden	607,000	„ 12	198	116	9·9	–	?	–	–	1	–	3	1
Frankfort-on-Main	476,000	„ 12	134	71	7·8	–	?	–	–	1	–	2	–
Hamburg	1,060,000	„ 12	279	218	10·7	–	?	–	1	1	3	5	–
Leipzig	675,000	„ 12	200	135	10·4	–	?	–	–	1	–	4	–
Munich	680,000	„ 12	187	160	12·2	1	?	–	–	1	–	8	2
Vienna	1,842,005	„ 19	609	455	12·9	2	–	–	–	1	1	23	1
Prague and Suburbs	689,262	„ 12	267	155	11·7	2	–	–	–	–	1	4	–
Budapest	940,000	July 15	342	327	18·1	3	?	4	5	–	1	53	1
Warsaw	956,087	„ 8	430	257	14·0	1	–	2	–	4	1	46	1
		„ 15	427	270	14·7	1	–	–	1	1	1	66	–
Cairo	777,500	„ 1	797	736	49·2	3	–	15	–	?	3	149	?
Alexandria	456,300	„ 1	360	256§	29·2	3	–	–	–	?	–	45	?
New York	5,839,738	Sept. 2	2578	987	8·8	3	–	1	1	3	1	52	2
Chicago	2,833,288	„ 2	?	506	9·4	1	–	2	4	3	3	33	–
Rio de Janeiro	1,217,823	Aug. 12	759	500	21·8	5	1	14	–	7	–	?	20
Montevideo	346,850	May 27	124	118	18·2	1	–	1	–	–	–	4	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 13 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th September, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	810	83	22	17	32	33	35	52	110	152	141	133
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	3	–	–	–	–	–	–	–	–	–
Scarlet fever	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria	18	–	1	9	8	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	1	–	1	–	1	3	1
Erysipelas	2	–	–	–	–	–	–	–	1	–	1	–
Acute Poliomyelitis, Polioencephalitis.	2	–	1	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	85	–	1	–	2	15	18	11	17	17	4	–
Tuberculous meningitis	2	–	–	1	1	–	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	–	–	–	–	1	–	–
Other tubercle	9	1	1	–	1	3	–	1	1	1	–	–
Venereal diseases	2	1	–	–	–	–	–	–	1	–	–	–
Cancer	103	–	1	–	1	1	2	8	23	32	22	13
Rheumatic fever	3	–	–	–	1	2	–	–	–	–	–	–
Diabetes	8	–	–	–	–	1	–	–	2	3	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	1	1	1	–	–	–	–	–	–	–
Cerebral hæmorrhage,&c.,Apoplexy	45	–	–	–	–	–	–	–	8	15	11	11
Epilepsy	3	–	–	–	–	–	–	–	2	–	–	1
"Convulsions" (not puerperal)	7	6	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	31	1	2	2	2	1	2	4	9	6	2	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	1	–	1	2	1	–	–	–
Other diseases of heart	105	–	–	–	4	2	–	5	12	20	36	26
Other dis. of circulatory system	50	–	–	–	–	–	–	1	3	9	18	19
Bronchitis	36	1	–	–	–	–	–	2	2	5	11	15
Broncho-pneumonia	22	3	3	–	1	–	–	2	1	7	3	2
Lobar pneumonia	14	–	–	–	–	1	2	3	3	2	2	1
Pneumonia (type not distinguished)	16	3	2	–	–	–	2	–	–	4	4	1
Other diseases of respiratory system	9	1	–	–	–	–	2	1	1	1	1	2
Diarrhœa and enteritis	9	7	1	–	–	–	–	–	–	–	1	–
Appendicitis and typhlitis	5	–	–	–	1	1	–	–	2	–	1	–
Hernia, Intestinal obstruction	15	2	–	–	2	–	–	2	2	3	1	3
Cirrhosis of liver	1	–	–	–	–	–	–	–	1	–	–	–
Other diseases of digestive system	21	1	–	–	–	–	1	1	5	6	3	4
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	22	–	–	–	–	1	–	1	5	6	5	4
Other diseases of genito-urinary system.	14	–	–	–	–	–	1	–	4	5	2	2
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	1	–	–	–	–	–	–
Congenital malformations	9	9	–	–	–	–	–	–	–	–	–	–
Premature birth	31	31	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	3	3	–	–	–	–	–	–	–	–	–	–
Old age	21	–	–	–	–	–	–	–	–	1	4	16
Suicide	9	–	–	–	–	–	–	4	1	2	2	–
Burns and scalds	5	–	2	1	–	–	–	–	–	–	–	2
Drowning	2	–	–	–	1	–	–	–	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	1	2	–	–	–	1	1	–	1
Other deaths by violence	18	1	–	1	1	2	3	–	1	2	1	6
Other specified causes	20	11	–	–	1	–	–	2	1	1	2	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th September 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	21	18	–	8	E. 1
†BERMONDSEY ...	–	19	18	–	–	–
†BETHNAL GREEN	–	7	14	–	1	C. 1 M. 1
†CAMBERWELL ...	–	14	9	1	3	L. 1
†CHELSEA ...	–	1	3	–	–	–
†DEPTFORD ...	–	18	6	–	–	C. 1
†FINSBURY ...	–	4	6	–	1	–
†FULHAM ...	–	21	8	1	2	C. 1 M. 1
†GREENWICH ...	–	11	8	–	2	M. 1
†HACKNEY ...	–	14	13	1	–	M. 2
†HAMMERSMITH	–	7	8	–	1	C. 2
†HAMPSTEAD ...	–	4	3	1	–	–
†HOLBORN ...	–	4	3	–	–	M. 1
†ISLINGTON ...	–	26	21	–	2	C. 1 M. 4
†KENSINGTON ...	–	15	7	–	2	C. 1
†LAMBETH ...	–	22	10	2	2	C. 2 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	12	18	–	–	–
†PADDINGTON ...	–	24	11	–	5	–
†POPLAR... ...	–	10	24	–	3	M. 1
†ST. MARYLEBONE	–	11	13	–	–	M. 1
†ST. PANCRAS ...	–	15	9	1	7	C. 2 M. 2
†SHOREDITCH ...	–	10	8	–	7	C. 2 M. 2
†SOUTHWARK ...	–	30	24	1	3	–
†STEPNEY ...	–	13	18	1	4	M. 1
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH	–	19	8	5	5	E. 1 M. 1
†WESTMINSTER, CITY OF	–	6	12	1	–	–
†WOOLWICH ...	–	10	7	–	1	M. 1
TOTAL OF PART I.	–	369	308	15	59	C. 13 E. 2 L. 1 M. 20

† Population over 10,000
‡ The letters in this column denote the following diseases :—A, Cholera; P, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	2	–	1	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	3	–	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	1	–
BEDFORD ...	–	3	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
LUTON	*	*	*	*	*	*
BERKS	–	24	4	–	–	C. 1 M. 2
Boroughs and Urban Districts :—						
ABINGDON ...	–	3	–	–	–	–
†READING C.B....	–	14	1	–	–	–
Rural Districts :—						
ABINGDON ...	–	2	1	–	–	C. 1
BRADFIELD ...	–	–	2	–	–	–
COOKHAM ...	–	1	–	–	–	M. 1
EASTHAMPSTEAD	–	3	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	–	–	–	M. 1
BUCKINGHAM	–	15	5	–	2	M. 1
Boroughs and Urban Districts :—						
BLETCHLEY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	1	–
†SLOUGH ...	–	1	1	–	–	–
†WOLVERTON ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	3	–	–	–	–
AYLESBURY ...	–	–	–	–	–	M. 1
ETON	–	3	1	–	–	–
WYCOMBE ...	–	3	2	–	1	–
CAMBRIDGE ...	–	–	–	–	–	–
Rural Districts :—						
LINTON	*	*	*	*	*	*
NEWMARKET ...	*	*	*	*	*	*
CHESTER	–	49	31	4	12	C. 1 G. 1 M. 5
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	2	2	–	–	–
†BEBINGTON AND BROMBOROUGH	–	4	1	–	–	–
†BIRKENHEAD C.B.	–	9	3	1	5	–
BOLLINGTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	–	M. 1
†CHESTER C.B. ...	–	2	–	–	2	–
COMPSTALL ...	*	*	*	*	*	*
†CONGLETON ...	–	2	–	–	–	–
†CREWE	–	4	–	–	–	–
†DUKINFIELD ...	–	1	–	2	1	–
HANDFORTH ...	–	–	1	–	–	–
HOOLE	–	–	–	–	2	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	–	1	–	–	M. 2
KNUTSFORD ...	–	–	3	–	–	–
†MACCLESFIELD...	–	–	–	–	–	G. 1
MARPLE... ...	–	–	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Northwich ...	–	–	2	–	–	–
†Runcorn ...	–	13	–	–	–	–
Sandbach ...	–	1	–	–	–	–
†Stalybridge ...	–	–	–	1	–	–
†Stockport C.B.	–	2	4	–	–	C. 1 M. 1
†Wallasey C.B.	–	2	3	–	1	–
Wilmslow ...	–	–	3	–	–	–
Rural Districts:—						
Bucklow ...	–	–	2	–	–	–
Chester ...	–	1	1	–	–	–
Disley	–	–	1	–	–	–
Nantwich ...	–	–	–	–	1	–
Runcorn ...	–	1	–	–	–	–
Wirral... ...	–	3	1	–	–	–
CORNWALL ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†Camborne ...	–	1	–	–	–	–
Launceston ...	*	*	*	*	*	*
Saltash ...	–	1	–	–	–	–
Stratton and Bude	*	*	*	*	*	*
Torpoint ...	–	1	–	–	–	–
Rural Districts:—						
Calstock ...	–	–	–	–	1	–
Launceston ...	*	*	*	*	*	*
Saint Austell	–	1	–	–	–	–
Saint Germans	–	1	–	–	–	–
CUMBERLAND ...	–	9	5	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
Arlecdon and Frizington	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Aspatria ...	–	–	1	–	–	–
†Carlisle C.B. ...	–	3	–	–	1	–
Cleator Moor	–	–	1	–	–	–
Cockermouth ...	–	2	–	–	–	–
Holme Cultram	–	–	1	–	–	–
†Maryport ...	–	–	1	–	–	–
Penrith ...	*	*	*	*	*	*
Wigton... ...	–	–	–	–	–	M. 1
†Workington ...	–	1	–	–	–	–
Rural Districts:—						
Cockermouth ...	–	–	1	–	–	–
Longtown ...	–	1	–	–	–	E. 1
Penrith ...	*	*	*	*	*	*
Wigton ...	–	2	–	–	–	–
DERBY	6	24	9	3	7	C. 1 M. 2
Boroughs and Urban Districts:—						
†Alfreton ...	–	1	2	–	1	–
†Belper ...	–	1	1	–	–	–
†Buxton ...	–	–	–	–	–	M. 1
†Chesterfield ...	–	1	–	–	1	–
Clay Cross ...	–	–	–	1	–	–
†Derby C.B. ...	–	3	1	1	3	C. 1 M. 1
†Heanor ...	1	4	1	–	–	–
†Ilkeston ...	4	2	–	–	–	–
†Long Eaton ...	1	1	–	1	2	–
New Mills ...	–	1	–	–	–	–
†Swadlincote District	–	–	1	–	–	–
Rural Districts:—						
Ashbourne ...	*	*	*	*	*	*
Belper	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
BLACKWELL ...	–	1	–	–	–	–
CHESTERFIELD ...	–	2	2	–	–	–
CLOWNE ...	–	2	–	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	–	–
REPTON ...	–	1	–	–	–	–
SHARDLOW ...	–	2	1	–	–	–
DEVON	–	16	7	–	1	M. 5
Boroughs and Urban Districts:—						
CREDITON ...	–	1	–	–	–	–
†EXETER C.B. ...	–	1	–	–	–	M. 2
†EXMOUTH ...	–	–	–	–	–	M. 1
†PLYMOUTH C.B.	–	3	4	–	–	M. 2
TIVERTON ...	–	–	2	–	–	–
†TORQUAY ...	–	2	–	–	–	–
TOTNES	–	1	–	–	–	–
Rural Districts:—						
BROADWOOD WIDGER	*	*	*	*	*	*
CREDITON ...	–	2	–	–	–	–
HONITON ...	–	1	1	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON	*	*	*	*	*	*
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
TOTNES ...	–	3	–	–	–	–
DORSET	–	5	2	–	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	–	1	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
DORSET—*cont.*						
Rural Districts:—						
BLANDFORD ...	–	–	–	–	1	–
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	–	3	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	*	*	*	*	*	*
DURHAM... ...	–	66	18	1	27	C. 1 D. 1 E. 2 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	1	1	–	–	C. 1
†BLAYDON ...	–	4	–	–	–	–
†CHESTER-LE-STREET	–	–	1	–	–	–
†CONSETT ...	–	–	–	–	–	M. 1
†DARLINGTON C.B.	–	1	–	1	2	–
†FELLING ...	–	2	–	–	2	–
†GATESHEAD C.B.	–	2	2	–	3	M. 1
†HARTLEPOOL ...	–	1	–	–	–	–
†HETTON... ...	–	2	–	–	–	–
†HOUGHTON-LE-SPRING	–	–	–	–	4	–
†JARROW ...	–	3	–	–	–	–
LEADGATE ...	–	1	1	–	–	–
†RYTON	–	1	–	–	–	–
†SHILDON ...	–	–	1	–	–	–
†SOUTH SHIELDS C.B.	–	–	–	–	6	M. 1
†SOUTHWICK-ON-WEAR	–	–	–	–	–	M. 1
†STANLEY ...	–	7	3	–	–	–
†STOCKTON-ON-TEES	–	2	2	–	1	–
†SUNDERLAND C.B.	–	17	–	–	3	M. 2
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	–	–	–	1	–
†WEST HARTLEPOOL C.B	–	1	1	–	2	E. 1
†WHICKHAM ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
Auckland ...	–	5	1	–	–	–
Barnard Castle	–	2	–	–	–	E 1
Chester-le-Street	*	*	*	*	*	*
Durham ...	–	2	–	–	–	–
Easington ...	–	2	–	–	2	–
Hartlepool ...	–	1	–	–	–	D. 1
Houghton-le-Spring	–	–	1	–	1	–
Lanchester ...	–	1	–	–	–	–
Sedgefield ...	–	3	1	–	–	M. 1
South Shields	–	2	–	–	–	–
Sunderland ...	–	2	–	–	–	–
ISLE OF ELY ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
Whittlesey ...	*	*	*	*	*	*
Rural District:—						
Wisbech ...	–	3	–	–	–	–
ESSEX		48	48	2	10	L. 4 M. 3
Boroughs and Urban Districts:—						
†Barking Town	–	–	–	–	2	–
Brightlingsea	*	*	*	*	*	*
†Chelmsford ...	–	1	–	–	–	–
†Colchester ...	–	–	–	–	2	–
†East Ham C.B.	–	3	3	–	1	–
†Grays Thurrock	–	1	1	–	–	–
Halstead ...	–	1	–	–	–	–
†Harwich ...	–	2	–	–	–	–
†Ilford	–	5	7	–	–	L. 4 M. 1
†Leyton... ...	–	13	3	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Saffron Walden	*	*	*	*	*	*
Shoeburyness	–	–	–	2	1	–
†Southend-on-Sea C.B.	–	–	1	–	–	M. 2
Tilbury ...	–	–	1	–	–	–
†Walthamstow	–	2	8	–	1	–
†West Ham C.B.	–	13	17	–	2	–
†Woodford ...	–	2	–	–	–	–
Rural Districts:—						
Billericay ...	–	–	1	–	–	–
Bumpstead ...	*	*	*	*	*	*
Chelmsford ...	–	1	–	–	–	–
Halstead ...	–	2	–	–	–	–
Lexden and Winstree	–	–	1	–	–	–
Orsett	–	1	2	–	–	–
Rochford ...	–	–	1	–	–	–
Romford ...	–	1	2	–	–	–
Saffron Walden	*	*	*	*	*	*
GLOUCESTER ...	–	44	21	4	8	F. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†Bristol C.B. ...	–	30	13	1	7	F. 1 G. 1 M. 2
†Cheltenham ...	–	4	–	–	–	–
†Gloucester C.B.	–	1	2	–	–	M. 1
Rural Districts:—						
Cheltenham ...	–	–	–	1	–	–
Chipping Sodbury	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
CIRENCESTER ...	–	–	3	–	–	–
DURSLEY ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	1	–
STROUD ...	–	1	1	2	–	–
WEST DEAN ...	–	2	2	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	1	–	1	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	–	–	1	–	–
WIGMORE ...	–	–	–	–	1	–
HERTFORD ...	–	16	2	–	3	C. 1
Boroughs and Urban Districts:—						
†BARNET ...	–	3	–	–	–	–
†CHESHUNT ...	–	–	1	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	3	–	–	–	–
†HERTFORD ...	–	–	–	–	2	–
HODDESDON ...	–	–	1	–	–	–
†LETCHWORTH ...	–	3	–	–	–	–
†ST. ALBANS ...	–	2	–	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
HATFIELD ...	–	–	–	–	–	C. 1
HEMEL HEMPSTEAD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
ST. IVES ...	–	–	1	–	–	–
ST. NEOTS, No. 4	*	*	*	*	*	*
KENT	3	47	31	2	4	M 3
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	1	–	–	–
†BEXLEY ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETERS	–	–	1	–	–	–
†BROMLEY ...	–	2	1	–	–	–
†CHATHAM ...	–	–	–	–	–	M. 1
CHISLEHURST ...	–	1	–	1	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	3	1	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	1	–	–	1	–
†ERITH	–	1	–	–	–	–
†FOLKESTONE ...	–	–	–	–	–	M. 1
†GILLINGHAM ...	–	5	11	–	–	M. 1
†GRAVESEND ...	–	5	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	9	1	–	–	–
MILTON REGIS...	–	–	4	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	2	–	–	2	–
QUEENBOROUGH	–	2	–	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
†SHEERNESS ...	–	2	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
DOVER	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	1	–	–
HOO	*	*	*	*	*	*
MALLING ...	–	1	7	–	1	–
STROOD ...	–	1	1	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD	–	–	2	–	–	–
LANCASTER ...	–	286	85	10	133	C. 7 D. 1 E. 1 M. 24
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	–	1	–	–	–
†ASHTON-UNDER-LYNE	–	3	–	–	1	–
†ATHERTON ...	–	1	1	–	2	M. 1
AUDENSHAW ...	–	2	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	4	2	–	4	C. 1 M. 1
†BLACKPOOL C.B.	–	4	–	–	–	M. 1
BLACKROD ...	–	1	–	–	–	–
†BOLTON C.B. ...	–	10	2	1	4	M. 3
†BOOTLE C.B. ...	–	7	3	–	1	M. 1
†BURNLEY C.B.	–	4	–	–	5	–
†BURY C.B. ...	–	1	3	–	1	–
†CHADDERTON ...	–	3	1	–	1	–
†CHORLEY ...	–	–	–	–	1	–
CLAYTON LE MOORS	–	–	–	1	–	–
†COLNE	–	1	1	–	–	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN ...	–	7	–	1	–	–
†DENTON... ...	–	4	–	–	1	M. 1
†ECCLES ...	–	3	1	–	–	C. 1
†FAILSWORTH ...	–	1	–	–	3	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNWORTH ...	–	2	2	–	–	–
†FLEETWOOD ...	–	1	–	–	1	–
GOLBORNE ...	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	3	–	–	–	–
†HINDLEY ...	–	1	–	–	1	–
†HORWICH ...	–	1	–	–	2	–
†INCE-IN-MAKERFIELD	–	1	–	–	–	M. 1
KEARSLEY ...	–	–	1	1	–	–
†LANCASTER ...	–	–	1	–	2	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
LEES	*	*	*	*	*	*
†LEIGH	–	4	2	–	–	–
LEYLAND ...	–	1	–	–	–	–
†LITHERLAND ...	–	4	–	–	–	–
LITTLE HULTON	–	–	1	–	–	–
†LIVERPOOL C.B.	–	27	13	1	18	C. 1 M. 6
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	55	16	2	40	C. 1 M. 6
†MIDDLETON ...	–	4	–	–	1	–
†MORECAMBE ...	–	1	1	–	–	–
†MOSSLEY ...	–	–	2	–	–	–
†NELSON... ...	–	1	–	–	1	–
†NEWTON-IN-MAKERFIELD	–	4	1	–	–	–
†OLDHAM C.B. ...	–	5	2	–	4	–
ORMSKIRK ...	–	2	–	–	–	–
ORRELL... ...	–	–	–	–	1	–
†PADIHAM ...	–	1	–	–	–	–
PRESCOT ...	–	7	–	–	–	–
†PRESTON C.B. ...	–	3	1	–	3	–
†PRESTWICH ...	–	1	–	–	–	D. 1
†RADCLIFFE ...	–	–	–	–	1	M. 1
†RAMSBOTTOM ...	–	–	–	–	2	C. 1
†RAWTENSTALL ...	–	5	–	–	–	–
†ROCHDALE C.B.	–	7	1	–	–	–
†ROYTON... ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. HELENS C.B.	–	9	1	–	3	M. 1
†SALFORD C.B. ...	–	25	12	1	3	M. 1
†SOUTHPORT C.B.	–	2	–	–	1	–
STANDISH-WITH-LANGTREE	–	–	–	–	2	–
†STRETFORD ...	–	2	1	–	1	C. 1
†SWINTON AND PENDLEBURY	–	3	–	–	3	–
TOTTINGTON ...	–	–	–	1	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	1	–	3	–
UPHOLLAND ...	–	2	–	–	–	–
†WARRINGTON C.B.	–	8	1	–	4	–
†WATERLOO-WITH-SEAFORTH	–	1	1	–	–	–
†WESTHOUGHTON	–	–	–	–	–	E. 1
†WIDNES ...	–	–	–	–	1	–
†WIGAN C.B. ...	–	3	1	–	2	–
†WORSLEY ...	–	3	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	3	–	–	1	–
FYLDE... ...	–	3	6	–	–	–
GARSTANG ...	–	3	–	–	–	–
LEIGH	–	2	–	–	3	–
LIMEHURST ...	–	6	–	–	–	–
LUNESDALE ...	–	–	–	1	–	–
WARRINGTON ...	–	1	–	–	–	–
LEICESTER ...	–	23	10	1	1	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	1	–	–	–	–
†COALVILLE ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEICESTER C.B.	–	17	1	1	1	M. 1
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	2	–	–	–
BARROW-UPON-SOAR	–	–	1	–	–	–
BILLESDON ...	–	1	–	–	–	–
BLABY	–	–	2	–	–	–
CASTLE DONINGTON ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	–	–
Rural District:—						
BOSTON ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	1	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	1	–	–
Rural District:—						
CLAYPOLE ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	5	11	2	1	–
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	1	–	–	–	–
†GAINSBOROUGH	–	–	1	–	–	–
†GRIMSBY C.B. ...	–	–	4	1	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
LOUTH	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural District:—						
CAISTOR ...	–	–	1	–	–	–
GAINSBOROUGH	–	–	1	–	–	–
GLANFORD BRIGG	–	2	2	1	–	–
MIDDLESEX ...	–	87	50	–	10	C 3 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	6	–	–	–	–
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	–	2	–	1	–
†EALING ...	–	3	2	–	–	–
†EDMONTON ...	–	5	1	–	3	–
†ENFIELD ...	–	3	–	–	–	–
FELTHAM ...	–	5	–	–	–	–
†FINCHLEY ...	–	2	2	–	1	–
†HAMPTON ...	–	–	–	–	1	–
†HANWELL ...	–	2	–	–	–	–
†HENDON ...	–	–	3	–	–	C. 2 M. 1
†HESTON AND ISLEWORTH	–	17	–	–	–	–
†HORNSEY ...	–	3	5	–	–	–
†SOUTHALL-NORWOOD	–	–	2	–	–	–
†SOUTHGATE ...	–	2	–	–	1	M. 1
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
STAINES ...	–	1	–	–	–	–
SUNBURY-ON THAMES	–	2	1	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	16	7	–	–	M. 1
†TWICKENHAM ...	–	–	–	–	–	C. 1
†WEALDSTONE ...	–	–	2	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	5	19	–	3	–
†WOOD GREEN ...	–	3	–	–	–	M. 1
YIEWSLEY ...	–	4	–	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
STAINES ...	–	5	1	–	–	–
NORFOLK ...	–	34	6	1	1	–
Boroughs and Urban Districts:—						
EAST DEREHAM	*	*	*	*	*	*
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†KING'S LYNN ...	–	3	–	–	–	–
†NORWICH C.B....	–	23	4	1	1	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
BLOFIELD ...	–	–	1	–	–	–
ERPINGHAM ...	–	2	–	–	–	–
HENSTEAD ...	–	2	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	*	*	*	*	*	*
ST. FAITH'S ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	15	7	–	9	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	*	*	*	*	*	*
FINEDON ...	–	2	–	–	–	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ...	–	1	–	–	1	–
†NORTHAMPTON C.B.	–	4	7	–	3	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	1	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
DAVENTRY ...	–	2	–	–	–	–
POTTERSPURY ...	–	3	–	–	1	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND.	–	34	11	1	14	C. 2 M. 4
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BLYTH	–	2	–	–	2	–
CRAMLINGTON ...	–	3	–	–	–	–
†EARSDON ...	*	*	*	*	*	*
†GOSFORTH ...	–	–	1	–	–	–
HEXHAM ...	–	–	–	–	1	–
MORPETH ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	15	6	1	8	C. 1 M. 1
SEATON DELAVAL	–	1	–	–	–	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYNEMOUTH C.B.	–	1	–	–	1	M. 2
†WALLSEND ...	–	2	3	–	–	C. 1
WEETSLADE ...	–	1	–	–	–	–
Rural Districts:—						
BELFORD ...	–	–	–	–	–	M. 1
CASTLE WARD ...	–	–	1	–	2	–
HALTWHISTLE ...	*	*	*	*	*	*
MORPETH ...	–	2	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	–	18	7	–	7	E. 2 M. 2
Boroughs and Urban Districts:—						
†ARNOLD ...	–	1	–	–	1	–
†BEESTON ...	–	1	1	–	–	–
†KIRKBY-IN-ASHFIELD	–	–	–	–	2	–
†MANSFIELD ...	–	1	–	–	–	M. 1
†MANSFIELD WOODHOUSE	–	3	1	–	–	–
†NOTTINGHAM C.B.	–	7	1	–	2	E. 2
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
WARSOP ...	*	*	*	*	*	*
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD ...	–	2	–	–	–	–
BINGHAM ...	–	–	–	–	–	M. 1
EAST RETFORD	–	–	–	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—*cont.*						
NEWARK ...	–	–	4	–	–	–
OXFORD	–	11	1	–	1	–
Boroughs and Urban Districts:—						
†OXFORD C.B. ...	–	3	1	–	1	–
WITNEY... ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
THAME	–	4	–	–	–	–
WITNEY ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH	–	1	–	–	–	–
RUTLAND ...	–	1	–	–	–	–
Rural District:—						
OAKHAM ...	–	1	–	–	–	–
SALOP	–	15	2	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	2	2	–	–	–
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
SALOP—*cont.*						
Rural Districts:—						
ATCHAM... ...	–	1	–	–	–	M. 1
BRIDGNORTH ...	–	–	–	–	–	C. 1
CLOEBURY MORTIMER	–	–	–	–	1	–
NEWPORT ...	–	–	–	–	2	–
OSWESTRY ...	–	7	–	–	–	–
SOMERSET ...	–	17	5	–	1	E. 1
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	1	1	–	–	E. 1
†BRIDGWATER ...	–	2	–	–	–	–
†FROME	–	1	–	–	–	–
MINEHEAD ...	–	–	1	–	–	–
PORTISHEAD ...	*	*	*	*	*	*
†TAUNTON ...	–	1	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
†WESTON-SUPER-MARE	–	1	2	–	–	–
Rural Districts:—						
BATH	–	2	–	–	–	–
CLUTTON ...	–	–	1	–	–	–
LONG ASHTON ...	–	5	–	–	–	–
TAUNTON ...	–	1	–	–	1	–
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	46	27	3	5	D. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	–
ANDOVER ...	–	–	–	–	–	E. 1
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	6	1	–	1	–
†GOSPORT AND ALVERSTOKE	–	1	1	–	–	M. 1
†PORTSMOUTH C.B.	–	23	14	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†Southampton C.B.	–	6	9	1	3	–
†Winchester ...	–	1	–	–	–	–
Rural Districts:—						
Andover ...	–	1	–	–	–	–
Droxford ...	–	1	–	–	–	–
Fareham ...	–	–	–	–	–	M. 1
Hartley Wintney	–	–	–	2	–	–
Havant... ...	–	1	–	–	–	D. 1
New Forest ...	–	–	1	–	–	–
Whitchurch ...	–	4	–	–	–	–
STAFFORD ...	–	84	26	–	20	C. 4 E. 3 M. 8
Boroughs and Urban Districts:—						
Biddulph ...	–	1	–	–	–	–
†Brierley Hill	–	1	–	–	–	–
†Brownhills ...	–	3	–	–	3	–
†Burton-upon-Trent C.B.	–	2	–	–	1	M. 1
†Cannock ...	–	2	2	–	–	–
†Coseley ...	–	–	–	–	1	–
†Darlaston ...	–	2	–	–	–	–
†Heathtown or Wednesfield Heath	–	1	–	–	–	–
†Leek	–	2	–	–	–	–
Lichfield ...	–	–	2	–	–	–
†Newcastle-under-Lyme	–	–	1	–	–	–
†Rowley Regis	–	–	1	–	2	–
†Sedgley ...	–	2	1	–	1	–
†Smethwick C.B.	–	10	2	–	2	C. 1 E. 2
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Stoke-on-Trent C.B.	–	16	3	–	6	C. 2 M. 4
Tamworth ...	–	1	–	–	–	–
†Tipton	–	2	1	–	1	–
Uttoxeter ...	–	–	–	–	–	E. 1
†Walsall C.B....	–	2	–	–	–	M. 1
†Wednesbury ...	–	1	–	–	–	M. 1
†West Bromwich C.B.	–	14	2	–	1	C. 1
†Willenhall ...	–	1	–	–	2	M. 1
†Wolstanton United	–	3	5	–	–	–
†Wolverhampton C.B.	–	7	–	–	–	–
Rural Districts:—						
Cannock ...	–	1	1	–	–	–
Cheadle ...	–	1	1	–	–	–
Leek	–	6	2	–	–	–
Newcastle under Lyme	–	1	–	–	–	–
Seisdon ...	–	1	–	–	–	–
Tamworth (part)	–	1	2	–	–	–
SUFFOLK, EAST	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
†Felixstowe ...	–	1	–	–	–	–
Halesworth ...	*	*	*	*	*	*
†Ipswich C.B. ...	–	3	2	–	–	–
Rural Districts:—						
Blything ...	–	–	–	–	–	M. 1
Hartismere ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio, J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	–	2	3	–	C. 1
Boroughs and Urban Districts :—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
GLEMSFORD ...	–	–	–	–	–	C. 1
HAVERHILL ...	*	*	*	*	*	*
NEWMARKET ...	–	–	1	–	–	–
Rural Districts :—						
CLARE	*	*	*	*	*	*
COSFORD ...	–	–	–	3	–	–
MOULTON ...	*	*	*	*	*	*
SURREY	–	60	17	1	3	C. 1 E. 2 G. 1 L. 6 M. 1
Boroughs and Urban Districts :—						
†BARNES ...	–	1	1	–	1	–
†CATERHAM ...	–	–	1	–	–	–
†CHERTSEY ...	*	*	*	*	*	*
†COULSDON AND PURLEY	–	1	2	–	–	E. 1
†CROYDON C.B....	–	11	1	–	1	E. 1 G. 1 M. 1
†EGHAM	–	–	3	–	–	–
†EPSOM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY ...	–	4	–	–	–	–
GODALMING ...	–	–	1	–	–	–
†GUILDFORD ...	–	4	–	–	–	–
†KINGSTON-UPON-THAMES	–	2	–	1	–	–
†MERTON AND MORDEN	–	6	–	–	–	–
†MITCHAM ...	–	5	–	–	–	C. 1
†RICHMOND ...	–	–	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SURBITON ...	–	2	3	–	–	–
†THE MALDONS AND COOMBE ...	–	1	–	–	–	–
†WALTON-UPON THAMES	–	12	–	–	–	–
†WIMBLEDON ...	–	3	3	–	–	–
Rural Districts :—						
CHERTSEY ...	–	–	1	–	1	–
DORKING ...	–	4	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
REIGATE ...	–	–	–	–	–	L. 6
SUSSEX, EAST ...	–	14	1	–	1	L. 1
Boroughs and Urban Districts :—						
†BRIGHTON C.B....	–	4	1	–	1	–
BURGESS HILL	–	1	–	–	–	–
†EASTBOURNE C.B.	–	2	–	–	–	–
†HASTINGS C.B.	–	2	–	–	–	–
HAYWARDS HEATH	–	1	–	–	–	–
†HOVE	–	2	–	–	–	–
Rural Districts :—						
CHAILEY ...	–	–	–	–	–	L. 1
HAILSHAM ...	–	2	–	–	–	–
SUSSEX, WEST ...	–	8	1	–	1	G. 1
Boroughs and Urban Districts :—						
†BOGNOR... ...	–	2	–	–	–	–
LITTLEHAMPTON	–	1	–	–	1	–
†WORTHING ...	–	1	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
WESTBOURNE ...	–	3	1	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	80	35	2	38	C. 3 M. 15
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	51	30	1	34	C. 2 M. 13
†COVENTRY C.B.	–	3	–	–	–	–
KENILWORTH ...	–	–	1	–	–	–
†NUNEATON ...	–	5	2	–	–	C. 1
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	3	–	–	1	–
STRATFORD ON AVON	–	–	–	1	1	–
Rural Districts:—						
ATHERSTONE ...	–	4	1	–	–	–
FOLESHILL ...	–	9	–	–	–	M. 2
MERIDEN ...	–	1	–	–	–	–
SOLIHULL ...	–	1	1	–	1	–
TAMWORTH (part)	–	2	–	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
†NEWPORT ...	–	–	–	–	–	M. 1
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	2	–	–	–	–
ISLE OF WIGHT *cont.*						
Rural District:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	14	1	–	3	M. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–	–	1	–
†SALISBURY ...	–	1	1	–	–	–
†SWINDON ...	–	–	–	–	1	–
Rural Districts:—						
BRADFORD-ON-AVON	–	–	–	–	1	–
CHIPPENHAM ...	–	2	–	–	–	–
MARLBOROUGH...	–	4	–	–	–	–
PEWSEY ...	–	3	–	–	–	M. 1
RAMSBURY ...	–	3	–	–	–	–
WORCESTER ...	–	28	2	1	9	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	–	1	–	–	–
†KIDDERMINSTER	–	–	–	–	1	–
†MALVERN ...	*	*	*	*	*	*
†OLDBURY ...	–	2	–	–	2	M. 1
†REDDITCH ...	–	16	–	–	–	–
†WORCESTER C.B.	–	–	1	–	3	–
Rural Districts:—						
BROMSGROVE ...	–	7	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts—*cont.*						
HALESOWEN ...	–	–	–	–	3	–
KIDDERMINSTER	*	*	*	*	*	*
UPTON-ON-SEVERN	–	–	–	1	–	–
YORKS ... ... (East Riding).	–	18	11	3	1	E. 1 M. 1
Boroughs and Urban Districts :—						
†BEVERLEY ...	–	–	–	–	–	M. 1
†BRIDLINGTON ...	–	1	–	1	–	–
COTTINGHAM ...	–	3	–	–	–	–
HORNSEA ...	–	–	1	–	–	–
†KINGSTON-UPON-HULL C.B.	–	8	7	–	–	E. 1
†YORK C.B. ...	–	5	2	–	1	–
Rural District :—						
BEVERLEY ...	–	–	–	1	–	–
DRIFFIELD ...	–	–	–	1	–	–
HOWDEN ...	–	–	1	–	–	
PATRINGTON ...	*	*	*	*	*	*
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	8	19	6	–	7	M. 2
Boroughs and Urban Districts :—						
†ESTON	–	1	–	–	–	–
HINDERWELL ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	8	8	3	–	5	M. 2
†REDCAR ...	–	1	–	–	2	–
RICHMOND ...	–	4	–	–	–	–
†SCARBOROUGH ...	–	1	3	–	–	–
†WHITBY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts :—						
LEYBURN ...	–	1	–	–	–	–
MALTON ...	–	1	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	–	193	52	6	70	C. 2 M. 11
Boroughs and Urban Districts :—						
†ADWICK-LE-STREET	–	3	–	–	–	–
ALTOFTS ...	–	–	3	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON ...	–	2	–	–	–	–
†BARNSLEY C.B.	–	1	2	–	1	M. 1
†BATLEY... ...	–	1	–	–	–	–
BIRSTAL ...	–	1	–	–	–	–
†BOLTON-UPON DEARNE	–	1	–	–	–	–
†BRADFORD C.B.	–	19	12	1	7	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	3	–	–	–	–
CUDWORTH ...	–	–	1	–	–	M. 1
DENBY AND CUMBERWORTH	–	1	–	–	–	–
†DEWSBURY C.B.	–	8	1	–	–	–
†DONCASTER ...	–	1	–	–	1	–
DRIGHLINGTON	–	–	–	–	3	–
†FEATHERSTONE	–	1	–	–	–	–
†GOLCAR ...	–	–	1	–	–	–
†HALIFAX C.B. ...	–	7	1	–	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
†HUDDERSFIELD C.B.	–	6	1	–	2	–
ILKLEY	–	1	–	–	1	–
†KEIGHLEY ...	–	1	–	–	–	–
†LEEDS C.B. ...	–	64	10	–	4	M. 1
LEPTON	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Marsden ...	–	2	–	–	–	–
†Mexborough ...	–	2	1	–	1	–
†Mirfield ...	–	1	–	–	–	–
†Morley... ...	–	1	1	–	2	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	1	1	–	2	–
Otley	–	–	1	–	–	–
†Pontefract ...	–	–	–	2	–	–
†Pudsey ...	*	*	*	*	*	*
†Rawmarsh ...	–	–	–	–	1	–
†Rotherham C.B.	–	6	1	–	3	M. 2
†Rothwell ...	–	1	1	–	–	–
Royston ...	–	1	–	–	–	–
†Sheffield C.B.	–	23	4	1	34	C. 2 M. 5
†Shipley ...	–	1	1	–	–	–
†Sowerby Bridge	–	–	1	–	–	–
†Spenborough ...	–	1	–	–	–	–
†Stanley ...	–	2	–	–	–	–
Stocksbridge ...	–	–	–	1	–	–
†Swinton ...	–	–	1	–	2	–
Thurnscoe ...	–	2	–	–	–	–
Thurstonland	–	–	–	1	–	–
†Todmorden ...	–	2	–	–	–	–
†Wakefield C.B.	–	3	–	–	–	M. 1
†Wath-upon-Dearne	–	1	–	–	–	–
†Wombwell ...	–	1	–	–	–	–
†Worsborough	–	1	2	–	–	–
Rural Districts:—						
Doncaster ...	–	1	1	–	2	–
Hemsworth ...	–	2	2	–	–	–
Hunslet ...	–	1	–	–	–	–
Pontefract ...	–	2	–	–	–	–
Rotherham ...	–	3	–	–	1	–
Tadcaster ...	–	2	1	–	–	–
Wakefield ...	–	1	–	–	–	–
Wetherby ...	–	1	–	–	–	–
Wharfedale (South)	–	1	–	–	–	–
Wortley ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	2	–	–	–	–
Rural Districts:—						
Aethwy ...	–	1	–	–	–	–
Valley ...	–	1	–	–	–	–
BRECKNOCK ...	–	1	–	–	1	–
Rural Districts:—						
Crickhowell ...	–	–	–	–	1	–
Ystradfellte (parish)	–	1	–	–	–	–
CARDIGAN ...	–	4	1	1	–	–
Boroughs and Urban Districts:—						
†Aberystwyth...	–	3	–	1	–	–
Rural District:—						
Aberayron ...	–	–	1	–	–	–
Tregaron ...	–	1	–	–	–	–
CARMARTHEN ...	–	2	6	–	–	–
Boroughs and Urban Districts:—						
Cwmamman ...	–	1	–	–	–	–
Llandilo ...	*	*	*	*	*	*
†Llanelly ...	–	1	–	–	–	–
Newcastle Emlyn	*	*	*	*	*	*
Rural Districts:—						
Carmarthen ...	–	–	4	–	–	–
Llanybyther	–	–	2	–	–	–
Newcastle-in-Emlyn	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 *continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	6	3	–	–	–
Boroughs and Urban Districts—						
†BANGOR ...	–	1	–	–	–	–
CARNARVON ...	–	–	2	–	–	–
CONWAY ...	–	1	–	–	–	–
†LLANDUDNO ...	–	2	–	–	–	–
PENMAENMAWR	–	–	1	–	–	–
Rural Districts :—						
CONWAY ...	–	2	–	–	–	–
DENBIGH ...	–	3	4	–	1	M. 1
Boroughs and Urban Districts :—						
†WREXHAM ...	–	–	1	–	1	–
Rural Districts :—						
CHIRK	*	*	*	*	*	*
RUTHIN ...	–	1	–	–	–	–
WREXHAM ...	–	2	3	–	–	M. 1
FLINT	–	6	3	–	1	–
Boroughs and Urban Districts :—						
BUCKLEY ...	–	–	–	–	1	–
HOLYWELL ...	–	1	–	–	–	–
MOLD	–	1	–	–	–	–
PRESTATYN ...	–	1	–	–	–	–
Rural Districts :—						
HAWARDEN ...	*	*	*	*	*	*
HOLYWELL (HOLYWELL DIV.)	–	2	2	–	–	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
OVERTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	89	23	–	20	C. 2 E. 2 M. 6
Boroughs and Urban Districts :—						
†ABERDARE ...	–	17	–	–	4	E. 1
†BARRY	–	–	3	–	4	–
†CAERPHILLY ...	–	–	2	–	–	–
†CARDIFF C.B. ...	–	13	2	–	4	M. 4
†GELLIGAER ...	–	2	1	–	–	C. 1
†GLYNCORWG ...	–	3	–	–	–	–
†MERTHYR TYDFIL C.B.	–	1	–	–	–	–
†MOUNTAIN ASH	–	9	–	–	–	–
†NEATH... ...	–	1	1	–	–	–
†OGMORE AND GARW	–	5	1	–	–	–
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	2	–	–	–	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	19	3	–	7	E. 1 M. 2
†SWANSEA C.B. ...	–	3	5	–	–	C. 1
Rural Districts :—						
COWBRIDGE ...	*	*	*	*	*	*
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	2	1	–	–	–
NEATH	–	5	1	–	–	–
PENYBONT ...	–	3	–	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
MERIONETH ...	–	–	1	–	–	–
Rural Districts :—						
DOLGELLY ...	–	–	1	–	–	–
MONMOUTH ...	–	11	1	–	7	C. 1
Boroughs and Urban Districts :—						
†ABERTILLERY ...	–	3	–	–	1	–
†BEDWELLTY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ebbw Vale ...	–	1	–	–	–	–
Monmouth ...	–	1	–	–	–	–
†Nantyglo and Blaina	–	–	–	–	1	–
†Newport C.B....	–	1	–	–	4	–
†Rhymney ...	–	3	–	–	–	–
†Tredegar ...	–	–	–	–	–	C. 1
Usk	–	1	–	–	–	–
Rural Districts:—						
Pontypool ...	–	–	–	–	1	–
Saint Mellons	–	1	–	–	–	–
MONTGOMERY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Welshpool ...	*	*	*	*	*	*
Rural Districts:—						
Llanfyllin ...	–	1	–	–	–	–
PEMBROKE ...	–	1	–	–	1	–
Boroughs and Urban District:—						
Milford Haven	–	–	–	–	1	–
Rural District:—						
Haverfordwest	–	1	–	–	–	–
RADNOR	–	1	–	–	–	–
Rural District—						
Rhayader ...	–	1	–	–	–	–
Total of Part II.	17	1629	606	53	452	C. 32 D. 3 E. 15 F. 1 G. 4 L. 11 M. 116

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Liverpool ...	–	–	–	–	–	L. 1
Lowestoft ...	–	–	1	–	–	–
Swansea ...	–	–	–	1	–	–
Port of London	*	*	*	*	*	*
Total of Part III.	–	–	1	1	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	369	308	15	59	C. 13 E. 2 L. 1 M. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	17	1629	606	53	452	C. 32 D. 3 E. 15 F. 1 G. 4 L. 11 M. 116
Total of Part III.—Port Sanitary Districts ...	–	–	1	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales	17	1998	915	69	511	C. 45 D. 3 E. 17 F. 1 G. 4 L. 13 M. 136

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Seventeen cases of Small-pox were notified, which appear on pages 1,140, 1,143, and 1,152.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.
LONDON:—													
DEATHS—all ages -	795	844	785	782	797	744	704	730	721	731	744	818	810
" 0 to 1 year -	88	78	68	92	79	73	88	66	71	71	98	98	83
GREAT TOWNS, aggregate (including London) :—													
BIRTHS - - -	7,857	8,376	8,168	8,139	8,108	6,703	8,607	7,625	7,511	7,926	7,488	7,647	7,545
DEATHS—all ages -	3,466	3,531	3,372	3,355	3,409	3,379	3,323	3,290	3,253	3,246	3,287	3,566	3,412
" 0 to 1 year -	482	442	433	387	426	402	418	403	401	421	410	478	433
ENTERIC FEVER—Cases	26	27	17	28	16	15	15	17	23	23	29	24	32
" Deaths	4	3	2	2	1	2	2	3	4	4	3	5	7
SMALL POX—Cases -	13	5	12	15	7	17	15	5	7	5	13	10	8
" Deaths	—	—	—	—	2	—	—	—	—	—	—	1	—
SCARLET FEVER—Cases	1,142	1,250	1,201	1,040	1,013	818	911	915	855	1,052	1,086	1,156	1,139
" Deaths	13	12	12	11	8	11	11	14	6	11	11	3	9
DIPHTHERIA—Cases -	633	581	662	597	501	458	502	460	523	537	588	606	677
" Deaths	39	31	33	38	33	40	40	41	27	32	29	32	45
MEASLES—Deaths -	59	62	62	67	62	45	63	45	52	44	18	39	35
INFLUENZA—Deaths -	22	24	18	22	19	15	11	16	10	12	18	21	28

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday. 30th September 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	67	37	61·4	46·6	10
BRIGHTON -	64	43	60·6	51·6	4
PORTSMOUTH -	64	41	61·4	51·6	7
NORWICH (EATON).	64	36	60·4	47·1	23
PLYMOUTH -	66	44	61·7	50·7	26
BRISTOL (CLIFTON).	63	41	61·0	49·4	20
BIRMINGHAM -	62	39	59·0	46·9	20
NOTTINGHAM -	64	39	60·4	47·7	19
BIRKENHEAD (BIDSTON).	63	43	58·1	48·1	21
MANCHESTER	65	38	58·9	48·4	33
BURNLEY -	61	38	56·7	46·7	23
HUDDERSFIELD	62	47	58·9	51·4	34

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD -	61	38	57·3	45·4	25
SHEFFIELD -	Not received.				
YORK (MUSEUM).	65	42	60·0	47·3	19
HULL (PEARSON PARK).	65	43	60·4	47·6	21
TYNEMOUTH	58	42	55·4	48·0	31
CARDIFF -	65	42	60·9	47·9	19
EDINBURGH -	58·0	42·0	55·4	46·4	18
GLASGOW -	59·6	41·7	56·3	46·6	14
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†					
BELFAST -	63·0	47·0	60·5	51·1	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 30th September 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest.	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from Average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	24	..	29·716	57·6	42·9	14·7	50·3	− 5·0	47·6	2·7	9 0	0·0	90	79·1	34·4	55·7	E & ENE.	ENE: E & Calm.	1·8	0·0	0·1	237	− 0	0·01
MONDAY	25	..	29·644	61·0	37·3	23·7	51·0	− 4·2	46·7	4·3	11·3	0·0	85	104·0	32·3	55·9	Calm & S.	S & SSE.	1·0	0·0	0·0	123	−116	0·00
TUESDAY	26	..	29·392	62·3	53·8	8·5	57·4	+ 2·2	54·3	3·1	6·9	0·0	89	84·6	46·4	55·8	S: SSW & SW.	SSW & S.	2·1	0·0	0·1	226	− 15	0·02
WEDNESDAY	27	Greatest Declination S. First Quarter	29·419	61·8	49·2	12·6	54·6	− 0·5	53·4	1·2	7·6	0·0	96	100·7	44·8	55·8	S	SE & Calm.	0·7	0·0	0·0	149	− 96	0·11
THURSDAY	28	..	29·608	66·8	48·3	18·5	58·0	+ 3·1	53·6	4·4	11·5	0·0	85	104·5	38·0	55·8	Calm & NW.	W: WNW & NNW.	0·9	0·0	0·0	149	− 99	0·00
FRIDAY	29	..	29·984	58·5	44·1	14·4	50·2	− 4·5	39·3	10·9	18·0	2·1	66	104·0	33·1	55·5	NNW: N & NNE.	N & NW.	3·3	0·0	0·3	349	+ 98	0·00
SATURDAY	30	..	30·052	60·3	38·3	22·0	49·3	− 5·1	42·1	7·2	17·1	0·0	76	105·4	30·7	55·5	WNW	W & WSW.	1·6	0·0	0·0	215	− 40	0·10
MEANS		..	29·688	61·2	44·8	16·3	53·0	− 2·0	48·1	4·8	11·6	0·3	84	97·5	37·1	55·7	Variable		...	...	...	Sum 1,448	Sum −268	Sum 0·24
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. September 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	24	w P. throughout	0·0	12·1	Overcast generally till 18h., clearing slowly to cloudless by 20h. 30m. Occasional misty rain 6h. to 10h. 30m. Dew in evening.
MONDAY -	25	w.P. throughout	1·7	12·0	Cloudless with dew till 5h., nearly cloudless with mist and fog till about 9h. Variably cloudy till 10h. 30m., then overcast. Damping from 21h.
TUESDAY -	26	w.P. throughout	0·2	11·9	Overcast generally till 18h., then partially cloudy to nearly cloudless. Occasional rain from about 3h. till afternoon. Dew in evening.
WEDNESDAY	27	w.P. throughout	2·1	11·9	Nearly cloudless with dew till 6h., cloudy to overcast generally by 10h. Frequent rain or damping 11h. to 17h., then very cloudy and misty.
THURSDAY -	28	w.P. generally	1·0	11·8	Overcast generally with fine interval about 2h. to 6h., and very cloudy intervals later, occasional damping after 15h.
FRIDAY -	29	w.P. till 9h. s.P. generally afterwards.	9·2	11·8	Nearly cloudless till afternoon, partially cloudy till 15h. 30m., then cloudless generally. Dew morning and evening. Slight mist about sunset.
SATURDAY -	30	w.P. till 10h., v.P. till 18h., w.P. afterwards.	1·4	11·7	Cloudless till 5h. with dew, clouding up from 6h. 30m., then overcast with few exceptions, cloud thin at times. Occasional solar halo morning and afternoon. Slight rain from 18h., heavier about 22h.
			Sum 15·6	Sum 83·2	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·75 in. at the beginning of the week to 29·33 in. by 3h. on 27th; increased to 30·10 in. by 10h. on 30th., and decreased to 29·91 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 40.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 7TH OCTOBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH OCTOBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fortieth week of the year numbered 7,315, and corresponded to an annual rate of 20·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,488 and corresponded to an annual rate of 9·6 per 1,000 of their aggregate civilian population, which is estimated at 19,033,321 in the year 1921. In the preceding three weeks the rates had been 9·0, 9·8 and 9·3. Infant mortality was 62 per 1,000 births against 55, 62, and 57 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,702 births, corresponding to a rate of 19·6 per 1,000, and 800 deaths of civilians, corresponding to a rate of 9·2, as against 8·6, 9·4, and 9·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·2 per 1,000. The infant mortality was 54 as against 56, 56, and 46 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 76 in the total deaths last week. In London the number of deaths from all causes fell from 810 to 800; while the deaths from diphtheria, which had been 13, 16, and 18 in the preceding three weeks, fell to 15 last week.

---

m (45)18728—2 Wt 30—P 19 2250 10/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 7th October 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,321*	7,315	3,488	457	3	34	8	25	29	73	32
London	4,514,405*	1,702	800	92	2	–	2	5	15	20	9
Towns in Outer Ring.											
Croydon C.B.	191,500	55	30	5	–	–	–	–	–	–	–
Wimbledon	61,700	14	10	–	–	–	–	–	–	–	–
Ealing	67,800	20	7	1	–	–	–	–	–	–	–
Acton	62,000	11	12	1	–	–	–	–	–	1	–
Willesden	167,200	68	22	1	–	–	–	–	–	–	–
Hendon	55,500	18	7	1	–	–	–	–	–	1	–
Hornsey	87,600	28	15	–	–	–	–	–	–	–	–
Wood Green	51,100	11	10	–	–	–	–	–	–	–	–
Tottenham	149,200	58	24	3	–	–	–	1	1	1	1
Edmonton	67,800	41	13	3	–	–	–	–	–	1	–
Enfield	61,400	26	10	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	149	53	7	–	–	–	–	–	3	–
East Ham C.B.	145,500	49	20	3	–	–	–	1	–	–	–
Leyton	130,100	31	16	2	–	–	–	–	1	1	–
Walthamstow	129,800	42	17	–	–	–	–	–	1	–	1
Ilford	85,500	21	12	–	–	–	–	1	–	–	–
Gillingham	48,149*	21	3	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	23	4	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	22	16	3	–	–	–	–	–	1	–
Eastbourne C.B.	53,600	13	3	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	47	18	–	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	93	35	3	–	1	–	–	1	–	–
Bournemouth C.B.	81,200	19	14	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	51	35	4	–	2	–	1	–	–	–
Reading C.B.	92,600	31	18	2	–	–	–	1	–	–	–
Oxford C.B.	56,400	16	7	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	35	16	2	–	–	–	–	–	–	–
Luton	57,800	18	8	–	–	–	–	–	–	–	–
Cambridge	58,900	23	9	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	30	16	3	–	–	–	–	–	–	–
Ipswich C.B.	80,100	30	13	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	11	14	2	–	–	–	–	–	–	–
Norwich C.B.	122,400	35	15	1	–	–	–	–	–	1	–
Swindon	55,500	17	12	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	28	5	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	85	41	2	–	–	–	–	–	–	–
Bath C.B.	68,300	15	17	2	–	–	–	–	–	–	–
Bristol C.B.	381,700	139	64	9	–	–	–	–	–	–	–
Gloucester C.B.	51,800	23	7	3	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	119	40	10	–	2	–	1	–	–	–
Burton-upon-Trent C.B.	49,410	28	10	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	40	13	2	–	1	–	–	–	–	–
Walsall C.B.	98,800	42	17	5	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	36	14	2	–	–	–	–	–	1	–
Worcester C.B.	49,160	13	14	1	–	–	–	–	–	–	–
Dudley C.B.	57,100	30	10	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	355	144	18	–	–	–	1	3	–	1
Smethwick C.B.	77,400	32	14	3	–	–	–	–	–	–	–
Coventry C.B.	130,300	37	29	6	–	–	–	–	–	–	–
Leicester C.B.	237,900	92	53	10	1	1	–	1	–	6	–
Lincoln C.B.	66,600	21	13	3	–	–	–	–	–	–	–
Grimsby C.B.	83,600	31	18	1	–	1	–	–	1	1	–
Nottingham C.B.	266,400	104	53	9	–	2	–	1	–	1	–
Derby C.B.	131,800	50	28	2	–	–	–	–	–	–	1
Chesterfield	62,400	20	9	3	–	–	–	–	–	–	–
Stockport C.B.	125,500	51	23	4	–	–	–	–	1	–	1
Chester C.B.	41,030	13	5	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	55	36	2	–	–	–	1	–	3	1
Wallasey C.B.	89,600	38	15	2	–	–	–	–	–	–	1
Liverpool C.B.	817,000	364	184	29	–	–	–	3	–	8	2
Bootle C.B.	77,800	45	18	2	–	–	–	–	–	–	–
St. Helens C.B.	104,900	46	26	10	–	–	1	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	15	12	-	-	-	-	-	-	-	-
Wigan C.B.	91,200	40	22	3	-	-	-	-	-	-	1
Warrington C.B.	78,600	34	16	3	-	-	-	-	-	-	-
Bolton C.B.	182,200	64	34	6	-	4	-	-	-	-	2
Bury C.B.	57,600	27	10	-	-	-	-	-	-	-	-
Manchester C.B.	744,000	286	136	26	-	2	-	1	-	5	-
Salford C.B.	239,100	103	43	9	-	-	1	-	-	-	-
Oldham C.B.	148,300	49	36	5	-	1	-	-	-	-	-
Rochdale C.B.	92,700	29	21	1	-	-	-	-	-	.	1
Burnley C.B.	105,300	31	26	4	-	4	1	-	-	1	-
Blackburn C.B.‡	129,682	40	23	1	-	1	-	-	-	1	-
Preston C.B.	119,900	45	24	3	-	3	-	-	-	-	2
Blackpool C.B.	73,800	10	16	1	-	-	-	-	-	-	
Barrow-in-Furness C.B.	75,200	24	12	1	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	43	24	2	-	-	1	-	-	-	-
Halifax C.B.	100,700	32	22	4	-	-	-	-	-	-	-
Bradford C.B.	291,100	104	67	10	-	-	-	-	-	1	-
Leeds C.B.	465,500	176	109	12	-	4	-	-	-	2	1
Dewsbury C.B.	55,100	20	11	2	-	-	-	-	-	-	-
Wakefield C.B.	53,763	20	12	2	-	-	-	-	-		-
Barnsley C.B.	68,991	31	10	4	-	-	-	-	-	1	-
Sheffield C.B.	519,239	197	93	7	-	1	-	-	-	-	3
Rotherham C.B.	69,100	18	11	1	-	-	-	-	-		1
Doncaster	54,700	18	6	-	-	-	-	-	-	-	-
York C.B.	84,500	27	16	1	-	-	-	-	-	-	-
Hull C.B.	291,800	141	60	10	-	3	-	-	2	6	-
Middlesbrough C.B.	133,400	68	29	5	-	-	2	-	1	1	1
Darlington C.B.	66,400	24	7	2	-	-	-	-	-	-	-
Stockton-on-Tees	65,000	23	7	-	-	-	-	-	-	-	-
West Hartlepool C.B.	69,300	30	14	3	-	1	-	-	-	-	-
Sunderland C.B.	161,100	89	39	5	-	-	-	-	-	1	-
South Shields C.B.	120,376	52	27	4	-	-	-	2	-	-	2
Gateshead C.B.	126,700	57	25	2	-	-	-	-	1	1	-
Newcastle-on-Tyne C.B.	278,400	147	45	8	-	-	-	2	-	2	-
Tynemouth C.B.	63,900	26	10	2	-	-	-	-	-	-	-
Carlisle C.B.	53,200	22	8	3	-	-	-	-	-	-	-
Newport (Mon.) C.B.	93,700	40	16	2	-	-	-	2	-	-	-
Cardiff C.B.	202,700	74	51	8	-	-	-	-	-	-	-
Rhondda	166,600	78	24	2	-	-	-	-	1	-	-
Merthyr Tydfil C.B.	81,800	32	18	2	-	-	-	-	-	1	-
Aberdare	56,100	29	14	3	-	-	-	-	-	-	-
Swansea C.B.	159,600	69	28	2	-	-	-	-	-	-	-
Greater London	7,523,963*	2,771	1,221	132	2	-	3	10	18	29	11
Outer Ring	3,009,558*	1,069	421	40	-	-	1	5	3	9	2
16 Great Towns in Outer Ring	1,820,700	642	278	28	-	-	-	3	3	8	2
Remainder of Outer Ring	1,188,858*	427	143	12	-	-	1	2	-	1	-
Edinburgh†	420,500	167	80	3	-	-	-	-	-	-	-
Glasgow†	1,037,800	533	242	35	-	-	3	2	3	8	2
Dublin (Registration Area)†	427,000				Not	recei	ved.				
Belfast†	425,000	209	115	33	-	-	-	-	-	7	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended on 1st October 1922.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,514,405	1922. Oct. 7	1702	800	9·2	2	–	–	2	5	15	20	9
CALCUTTA	896,067	Sept. 2	?	455§	26·1	?	4	?	?	?	?	?	9
BOMBAY	1,175,914	Aug. 26	412‖	654§	23·3	5	–	–	?	–	–	60	5
MADRAS	526,911	„ 26	468	320	31·8	1	22	–	?	–	–	30	–
SYDNEY AND SUBURBS	926,400												
BRISBANE (Met. Area).	217,714	July (31 days)	461	208	10·3	1	–	–	–	–	1	3	6
PERTH (Metropolitan Area).	157,272	Aug. 12	74	45	14·9	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	164,450												
WELLINGTON (Urban Area).	110,680												
CHRISTCHURCH (Urban Area).	110,200												
CAPE TOWN	101,000	Aug. 19	52	17	8·7	–	–	–	–	–	–	1	1
JOHANNESBURG	149,500	„ 26	78	32	11·1	1	–	–	–	–	–	–	–
DURBAN	48,000	„ 26	30	17	18·4	–	–	–	–	–	1	–	–
PARIS	2,906,472	Sept. 10 (10 days)	1231	792	9·9	6	–	4	–	2	4	26	–
ANTWERP	302,935												
AMSTERDAM	692,122	Sept. 16	277	101	7·6	1	–	1	–	–	–	–	–
COPENHAGEN	562,000	„ 23	232	100	9·2	–	–	–	–	–	–	1	–
STOCKHOLM	422,042	„ 23	103	90	11·1	–	–	–	1	–	–	–	–
GOTHENBURG	228,052	Aug. 26	?	41	9·3	–	–	–	–	1	–	1	–
CHRISTIANIA	258,933	Sept. 23	92	63	12·6	–	–	–	–	1	–	1	–
BERLIN	1,974,000	Aug. 19	417	460	12·1	1	?	4	1	3	3	8	–
BRESLAU	557,000	„ 19	230	153	14·3	–	?	–	–	4	–	10	–
COLOGNE	688,000	„ 19	246	147	11·1	–	?	2	–	4	1	22	–
DRESDEN	607,000	„ 19	186	113	9·7	–	?	–	–	1	1	3	2
FRANKFORT-ON-MAIN	476,000	„ 19	111	87	9·5	–	?	1	–	–	–	6	–
HAMBURG	1,060,000	„ 19	275	175	8·0	–	?	–	–	1	–	2	–
LEIPZIG	675,000	„ 19	206	122	9·4	–	?	–	–	1	1	7	2
MUNICH	680,000	„ 19	178	141	10·8	–	?	–	–	1	1	4	1
VIENNA	1,842,005	„ 26	480	422	11·9	3	–	–	–	1	1	21	–
PRAGUE AND SUBURBS	689,262	„ 19	231	181	13·6	3	–	1	–	1	–	4	–
BUDAPEST	940,000	July 22	366	405	22·4	1	?	5	2	3	–	59	–
WARSAW	956,087	„ 22	401	308	16·7	4	–	2	–	5	–	80	1
		„ 29	407	310	16·8	1	–	2	4	5	–	79	–
CAIRO	777,500	„ 8	749	737	49·3	7	1	22	–	?	9	155	†
ALEXANDRIA	456,300	„ 8	385	291§	33·2	2	–	–	–	?	–	54	†
NEW YORK	5,839,738	Sept. 9	2400	999	8·9	5	–	–	2	2	4	50	–
CHICAGO	2,833,288	„ 9	?	549	10·1	1	–	5	–	2	6	51	1
RIO DE JANEIRO	1,217,823												
MONTEVIDEO	347,111	June 3	250	117	17·6	1	–	–	–	–	1	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 6 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 7th October, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	800	92	7	27	34	35	52	63	91	134	134	131
Enteric fever	2	–	–	–	1	1	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	5	2	1	2	–	–	–	–	–	–	–	–
Diphtheria	15	1	2	5	7	–	–	–	–	–	–	–
Influenza	9	–	–	–	–	–	1	–	2	4	2	–
Erysipelas	1	–	–	–	–	–	–	1	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	3	1	–	–	1	–	–	1	–	–	–	–
Tuberculosis of respiratory system	69	–	–	–	1	14	14	13	16	6	5	–
Tuberculous meningitis	2	–	–	2	–	–	–	–	–	–	–	–
Abdominal tuberculosis	3	–	–	–	2	–	–	–	1	–	–	–
Other tubercle	5	–	–	–	3	1	1	–	–	–	–	–
Venereal diseases	4	2	–	–	–	–	–	–	2	–	–	–
Cancer	118	–	–	–	–	–	2	8	19	42	32	15
Rheumatic fever	3	–	–	–	2	1	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	1	–	1	2	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	38	–	–	–	–	–	1	3	5	3	11	15
Epilepsy	2	–	–	–	–	–	–	1	–	–	1	–
"Convulsions" (not puerperal)	5	4	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	29	3	–	1	3	1	3	4	3	9	–	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	1	3	–	–	–	–	–
Other diseases of heart	116	–	–	–	5	5	6	8	12	22	23	35
Other dis. of circulatory system	31	–	–	–	–	–	–	–	2	5	13	11
Bronchitis	27	4	–	–	–	–	–	2	2	3	7	9
Broncho-pneumonia	27	16	–	6	–	–	–	–	2	–	2	1
Lobar pneumonia	20	–	1	–	2	1	–	2	2	2	7	3
Pneumonia (type not distinguished)	9	1	–	1	–	–	1	2	1	1	2	–
Other diseases of respiratory system	6	–	–	–	–	–	–	–	2	1	2	1
Diarrhœa and enteritis	22	19	1	1	–	–	–	–	–	–	–	1
Appendicitis and typhlitis	7	–	–	–	–	1	1	3	1	1	–	–
Hernia, Intestinal obstruction	16	1	–	–	–	2	–	2	2	1	4	4
Cirrhosis of liver	7	–	–	–	–	–	–	1	3	1	–	2
Other diseases of digestive system	20	–	–	1	1	2	1	2	1	7	3	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	32	–	–	1	1	1	4	4	3	8	6	4
Other diseases of genito-urinary system.	12	1	–	–	–	1	1	2	2	1	3	1
Puerperal fever, &c.	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	2	–	–	–	–	–
Congenital malformations	5	5	–	–	–	–	–	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	20	–	–	–	–	–	–	–	–	–	3	17
Suicide	13	–	–	–	–	1	3	2	1	5	–	1
Burns and scalds	4	–	1	2	–	–	–	–	–	–	1	–
Drowning	2	–	–	–	–	–	–	–	–	1	1	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	–	–	–	5	1	–	2	2	2	1	–
Other deaths by violence	16	1	–	1	–	1	2	–	2	2	3	4
Other specified causes	21	5	1	1	–	–	4	–	2	5	–	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th October 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	20	29	–	6	D. 1
†BERMONDSEY ...	–	17	21	–	–	–
†BETHNAL GREEN	–	1	12	–	2	D. 1
†CAMBERWELL ...	–	14	18	–	1	M. 1
†CHELSEA ...	–	8	4	–	–	–
†DEPTFORD ...	–	15	8	–	–	–
†FINSBURY ...	–	8	6	–	1	C. 1
†FULHAM ...	2	10	10	–	–	M. 3
†GREENWICH ...	–	12	15	–	–	–
†HACKNEY ...	–	8	12	–	–	–
†HAMMERSMITH	–	14	16	–	–	–
†HAMPSTEAD ...	–	1	3	–	–	C. 1
†HOLBORN ...	–	4	3	1	1	M. 1
†ISLINGTON ...	–	19	15	–	2	M. 2
†KENSINGTON ...	–	17	16	–	3	–
†LAMBETH ...	–	20	13	2	4	D. 2 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	8	17	–	–	–
†PADDINGTON ...	–	21	10	–	6	–
†POPLAR... ...	–	4	12	–	4	C. 1 D. 1
†ST. MARYLEBONE	–	8	2	–	2	M. 1
†ST. PANCRAS ...	–	27	17	–	5	M. 3
†SHOREDITCH ...	–	12	6	–	2	M. 1
†SOUTHWARK ...	–	21	21	–	2	L. 1
†STEPNEY ...	–	23	20	2	2	D. 1 J. 1 M. 2
†STOKE NEWINGTON	–	2	2	–	–	–
†WANDSWORTH	–	13	27	2	5	C. 1 M. 2
†WESTMINSTER, CITY OF	–	5	10	–	–	D. 1
†WOOLWICH ...	–	10	16	–	4	M. 1
TOTAL OF PART I.	2	344	361	7	52	C. 4 D. 7 J. 1 L. 1 M. 18

† Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	10	5	–	–	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	2	1	–	–	–
KEMPSTON ...	–	2	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	1	2	–	–	–
BIGGLESWADE ...	–	4	1	–	–	–
BERKS	–	32	6	–	1	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	2	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
†NEWBURY ...	–	–	1	–	–	–
†READING C.B....	–	15	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	3	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	2	2	–	–	–
FARINGDON (part)	–	2	–	–	–	–
HUNGERFORD ...	–	3	1	–	–	–
BUCKINGHAM	–	7	4	–	3	–
Boroughs and Urban Districts :—						
†SLOUGH ...	–	–	1	–	–	–
†WOLVERTON ...	–	3	–	–	1	–
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	–	–	–	1	–
AYLESBURY ...	–	–	1	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	2	–	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	1	2	–	–	–
CAMBRIDGE ...	–	1	1	–	–	–
Rural Districts :—						
MELBOURN ...	–	–	1	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	67	29	1	15	E. 1 M. 3
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
†BIRKENHEAD C.B.	–	7	1	–	6	E. 1 M. 1
BOLLINGTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	1	–	–	1	–
†CHESTER C.B. ...	–	–	2	–	1	–
†CONGLETON ...	–	1	–	–	2	–
†CREWE	–	4	1	–	–	–
†DUKINFIELD ...	–	2	–	–	–	–
HANDFORTH ...	*	*	*	*	*	*
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hyde	–	5	1	–	–	M. 1
Knutsford ...	–	1	7	–	–	–
Middlewich ...	–	–	1	–	–	–
Neston and Parkgate	–	–	1	–	–	–
†Northwich ...	–	1	1	–	–	–
†Runcorn ...	–	12	–	–	–	–
†Sale	–	8	–	–	–	–
†Stalybridge ...	–	1	1	–	–	M. 1
†Stockport C.B.	–	5	3	–	–	–
†Wallasey C.B.	–	4	–	–	1	–
Rural Districts:—						
Bucklow ...	–	1	2	–	–	–
Chester ...	–	1	3	1	–	–
Congleton ...	–	1	–	–	–	–
Disley	–	–	1	–	–	–
Macclesfield...	–	1	–	–	–	–
Nantwich ...	–	1	–	–	–	–
Northwich ...	–	1	2	–	–	–
Runcorn ...	–	3	–	–	–	–
Wirral... ...	–	–	1	–	–	–
CORNWALL ...	–	11	4	–	5	E. 1
Boroughs and Urban Districts:—						
Bodmin... ...	–	1	–	–	–	–
Looe	–	2	–	–	–	–
Paul	–	1	–	–	–	–
†Penzance ...	–	–	–	–	–	E. 1
Phillack ...	–	–	1	–	–	–
Redruth ...	–	–	–	–	1	–
St. Austell ...	–	–	1	–	–	–
St. Ives ...	–	–	–	–	1	–
Saltash ...	–	1	–	–	–	–
Torpoint ...	–	–	–	–	1	–
†Truro	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
Helston ...	–	–	1	–	–	–
Redruth ...	–	–	–	–	1	–
Saint Germans	–	6	–	–	1	–
Truro	*	*	*	*	*	*
CUMBERLAND ...	–	13	4	1	3	E. 1 M. 2
Boroughs and Urban Districts:—						
†Carlisle C.B. ...	–	3	1	–	1	M. 1
Cleator Moor	–	–	–	1	–	–
†Maryport ...	–	–	–	–	1	–
Millom... ...	–	2	–	–	–	–
†Whitehaven ...	–	1	–	–	1	M. 1
†Workington ...	–	1	2	–	–	–
Rural Districts:—						
Brampton ...	*	*	*	*	*	*
Longtown ...	–	2	–	–	–	E. 1
Whitehaven ...	–	3	–	–	–	–
Wigton ...	–	1	1	–	–	–
DERBY	9	24	10	–	13	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†Alfreton ...	–	2	1	–	1	C. 1
Bakewell ...	–	–	–	–	2	–
†Belper ...	–	1	–	–	–	–
†Bolsover ...	–	1	–	–	–	–
†Derby C.B. ...	–	11	1	–	7	M. 1
Dronfield ...	–	–	–	–	1	–
†Heanor ...	–	1	–	–	–	G. 1
†Ripley	–	1	–	–	–	–
South Darley	*	*	*	*	*	*
†Swadlincote District	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BAKEWELL ...	–	–	1	–	–	–
BELPER	9	2	1	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHESTERFIELD ...	–	1	2	–	–	–
CLOWNE ...	–	–	2	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	–	–
REPTON ...	–	–	1	–	–	–
SHARDLOW ...	–	1	1	–	–	–
DEVON	–	15	12	3	10	L. 3
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	2	–
†BARNSTABLE ...	–	–	2	–	–	–
BRIXHAM ...	–	–	1	1	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXETER C.B. ...	–	–	2	–	–	–
†EXMOUTH ...	–	–	1	–	–	–
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
LYNTON ...	–	–	–	–	–	L. 3
NORTHAM ...	–	–	–	2	–	–
†PLYMOUTH C.B.	–	7	5	–	5	–
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
PLYMPTON ST MARY	–	–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TORRINGTON ...	–	1	–	–	1	–
DORSET	–	8	–	1	1	M. 2
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	–
†POOLE	–	–	–	–	–	M. 2
DORSET—*cont.*						
Boroughs and Urban Districts— *cont.*						
†PORTLAND ...	–	1	–	–	–	–
WAREHAM ...	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
SHERBORNE ...	–	1	–	1	–	–
STURMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	1	–
DURHAM... ...	–	74	20	1	26	C. 1 D. 1 E. 4 M. 8
Boroughs and Urban Districts:—						
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON ...	–	4	–	–	–	M. 1
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER-LE-STREET	–	–	1	–	–	–
†CONSETT ...	–	2	1	–	–	–
†CROOK	–	–	–	–	1	–
†DARLINGTON C.B.	–	6	–	–	3	E. 2 M. 1
†DURHAM ...	–	1	–	1	–	–
†GATESHEAD C.B.	–	4	5	–	–	M. 1
†HARTLEPOOL ...	–	–	–	–	–	M. 1
†HEBBURN ...	–	1	–	–	–	–
†HETTON... ...	–	2	–	–	–	–
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	1	–	–	1	E. 1
LEADGATE ...	–	1	1	–	–	–
†RYTON	–	–	–	–	1	–
†SEAHAM HARBOUR	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHILDON ...	–	1	1	–	–	M. 1
†SOUTH SHIELDS C.B.	–	3	2	–	3	C. 1
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY ...	–	8	1	–	–	–
†STOCKTON-ON-TEES	–	–	–	–	3	–
†SUNDERLAND C.B.	–	12	–	–	1	M. 1
†WASHINGTON ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B	–	3	2	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	1	–	5	–
CHESTER-LE-STREET	–	3	1	–	2	D. 1
DURHAM ...	–	3	–	–	–	–
EASINGTON ...	–	1	2	–	2	–
HOUGHTON-LE-SPRING	–	–	–	–	1	M. 2
LANCHESTER ...	–	3	1	–	–	–
SEDGEFIELD ...	–	4	–	–	–	E. 1
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	–	–	–	1	–
ISLE OF ELY ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	–	–	1	–
Rural District:—						
WISBECH ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	55	53	2	1	L. 6 M. 3
Boroughs and Urban Districts:—						
BRENTWOOD ...	–	1	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
†CHELMSFORD ...	–	2	–	–	–	–
†EAST HAM C.B.	–	5	3	–	–	M. 1
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	–	2	–	–	–
†HARWICH ...	–	2	–	–	–	–
†ILFORD	–	3	5	–	–	L. 6
†LEYTON... ...	–	5	5	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
SHOEBURYNESS	–	–	–	1	–	–
†SOUTHEND-ON-SEA C.B.	–	5	5	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	13	8	–	–	–
†WEST HAM C.B.	–	8	19	–	–	M. 2
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
BUMPSTEAD ...	*	*	*	*	*	*
HALSTEAD ...	–	4	–	–	–	–
LEXDEN AND WINSTREE	–	–	1	–	–	–
MALDON ...	–	–	1	–	–	–
ORSETT	–	1	–	1	–	–
ROMFORD ...	–	1	3	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	61	13	3	10	C. 1 D. 1 M. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	43	11	1	9	C. 1 D. 1 M. 2
CHARLTON KINGS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELTENHAM ...	–	9	–	–	–	–
†GLOUCESTER C.B.	–	1	1	–	1	M. 1
†KINGSWOOD ...	–	–	–	1	–	–
STROUD ...	–	–	–	1	–	–
Rural Districts:—						
CHIPPING SODBURY	–	3	–	–	–	–
DURSLEY ...	–	1	–	–	–	–
STROUD ...	–	–	1	–	–	–
WEST DEAN ...	–	3	–	–	–	–
HEREFORD ...	–	10	3	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	2	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	1	–	–	–	–
LEDBURY ...	–	8	–	–	–	–
WEOBLEY ...	–	–	1	–	–	–
HERTFORD ...	–	13	1	2	3	M. 1
Boroughs and Urban Districts:—						
BUSHEY ...	–	–	–	–	1	–
†EAST BARNET VALLEY	–	2	–	–	–	–
HARPENDEN ...	–	4	–	–	–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	–
†HITCHIN	–	–	–	–	–	M. 1
†LETCHWORTH ...	–	1	–	–	–	–
†ST. ALBANS ...	–	3	–	–	–	–
†WATFORD ...	–	–	–	2	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
HATFIELD ...	–	2	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	1	–	1	–	–
Rural Districts:—						
ST. IVES ...	–	1	–	1	–	–
KENT	–	64	42	2	8	C. 1 D. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY ...	–	6	2	–	–	–
†BROADSTAIRS AND ST. PETERS	–	1	–	–	–	–
†BROMLEY ...	–	1	1	1	–	–
†CANTERBURY C.B.	–	–	1	–	–	–
†CHATHAM ...	–	1	–	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	1	2	–	–	–
†DOVER	–	1	1	–	1	M. 1
†ERITH	–	5	6	–	1	–
†FAVERSHAM ...	–	–	2	–	–	–
†FOLKESTONE ...	–	–	–	–	2	C. 1 M. 1
†GILLINGHAM ...	–	4	2	–	–	–
†GRAVESEND ...	–	8	–	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	4	–	1	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	3	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
QUEENBOROUGH	–	2	–	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	1	–
SANDWICH ...	–	1	–	–	–	–
†SHEERNESS ...	–	2	3	–	–	–
SITTINGBOURNE	–	1	2	–	–	–
WALMER ...	–	1	–	–	–	–
WHITSTABLE ...	–	1	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	2	–
CRANBROOK ...	–	2	–	–	–	–
DARTFORD ...	–	6	2	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING ...	–	1	5	–	–	–
MILTON ...	–	–	2	–	–	–
SEVENOAKS ...	–	–	–	–	–	D. 1
STROOD ...	–	2	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	–	333	69	4	96	C. 6 D. 1 G. 3 L. 2 M. 37
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	1	1	–	1	–
†ASHTON-UNDER-LYNE	–	3	1	–	1	–
ASPULL	–	–	1	–	–	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	5	–	–	–	–
†BACUP	–	2	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	5	–	–	3	M. 1
†BLACKPOOL C.B.	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLTON C.B. ...	–	6	1	–	6	–
†BOOTLE C.B. ...	–	5	2	–	2	–
†BURNLEY C.B.	–	7	2	–	1	–
†BURY C.B. ...	–	1	1	–	1	M. 2
CARNFORTH ...	–	–	–	2	–	–
†CHADDERTON ...	–	2	1	–	1	–
†COLNE	–	–	–	–	1	–
†DARWEN ...	–	8	–	–	–	C. 1
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES ...	–	3	1	–	–	C. 1 M. 1
†FAILSWORTH ...	–	1	1	–	1	–
†FARNWORTH ...	–	3	1	–	–	C. 1 M. 1
†HASLINGDEN ...	–	3	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	4	–	–	1	M. 1
†HINDLEY ...	–	1	2	–	6	M. 1
†HORWICH ...	–	2	–	–	2	M. 1
HURST	–	–	–	–	–	G. 1
†INCE-IN-MAKERFIELD	–	–	1	–	1	M. 1
†LANCASTER ...	–	1	1	–	2	M. 1
LATHOM AND BURSCOUGH	–	–	2	–	–	–
†LEIGH	–	5	1	–	–	–
†LITHERLAND ...	–	6	–	–	–	–
LITTLE HULTON	–	2	–	–	–	–
†LIVERPOOL C.B.	–	50	14	1	16	G. 1 M. 17
†MANCHESTER C.B.	–	53	11	–	27	C. 1 G. 1 M. 6
MILNROW ...	–	2	–	–	–	–
†MORECAMBE ...	–	1	–	–	–	–
†NELSON... ...	–	–	–	–	1	–
†NEWTON-IN-MAKERFIELD	–	3	–	–	1	–
†OLDHAM C.B. ...	–	13	1	–	1	M. 1
ORRELL... ...	–	–	1	–	–	–
PREESALL ...	*	*	*	*	*	*
PRESCOT ...	–	11	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Preston C.B. ...	–	6	2	–	–	–
†Prestwich ...	–	1	2	–	–	–
†Radcliffe ...	–	2	–	–	–	–
†Rawtenstall ...	–	1	–	–	–	M. 1
Rishton ...	–	1	–	–	–	–
†Rochdale C.B.	–	14	2	–	–	D. 1
†Royton... ...	–	2	–	–	1	–
†St. Anne's-on-the-Sea	–	3	–	–	–	–
†St. Helens C.B.	–	1	3	–	3	M. 1
†Salford C.B. ...	–	28	5	–	4	M 1
†Southport C.B.	–	3	–	–	–	–
†Stretford ...	–	5	1	–	–	–
†Swinton and Pendlebury	–	6	–	–	4	–
†Tyldesley-with-Shakerley	–	1	–	–	–	C. 1
Urmston ...	–	1	–	–	–	–
Walton-le-dale	–	4	–	–	–	–
†Warrington C.B.	–	8	2	–	3	–
†Waterloo-with-Seaforth	–	1	–	–	–	–
†Westhoughton	–	1	–	–	–	–
Whitworth ...	–	1	–	–	–	–
†Widnes ...	–	1	2	–	–	–
†Wigan C.B. ...	–	3	–	–	2	–
†Worsley ...	–	1	–	–	–	–
Rural Districts:—						
Bury	–	1	1	–	–	–
Clitheroe ...	–	2	–	–	–	L. 2
Fylde... ...	–	–	1	–	–	–
Leigh	–	2	1	–	–	–
Limehurst ...	–	1	–	–	1	–
Lunesdale ...	–	1	–	–	–	–
Preston ...	–	1	–	–	–	C. 1
Warrington ...	–	3	–	–	–	–
West Lancashire	–	–	–	1	–	–
Whiston ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	25	3	1	5	C. 1 M. 1
Boroughs and Urban Districts:—						
Ashby Woulds	–	1	–	–	1	–
†Leicester C.B.	–	19	1	–	3	C. 1 M. 1
†Loughborough	–	1	–	–	–	–
Market Harborough	–	–	1	–	–	–
Shepshed ...	–	1	–	–	–	–
Rural Districts:—						
Ashby-de-la-Zouch	–	1	–	–	–	–
Barrow-upon-Soar	–	–	1	–	–	–
Castle Donington ...	–	–	–	–	1	–
Market Bosworth	–	–	–	1	–	–
Market Harborough	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†Boston ...	–	1	–	–	–	–
Long Sutton ...	*	*	*	*	*	*
†Spalding ...	–	–	2	–	–	–
Rural Districts:—						
Crowland ...	–	–	2	–	–	–
East Elloe ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	1	–	–	–
Rural District:—						
Claypole ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	7	8	–	1	C. 1
Boroughs and Urban Districts:—						
Alford ...	–	–	–	–	1	–
Barton-upon-Humber	–	–	1	–	–	–
†Cleethorpe with Thrunscoe	–	3	–	–	–	C. 1
Crowle ...	*	*	*	*	*	*
†Grimsby C.B. ...	–	1	–	–	–	–
Market Rasen	*	*	*	*	*	*
†Scunthorpe and Frodingham	–	–	1	–	–	–
Rural District:—						
Caistor ...	–	–	3	–	–	–
Glanford Brigg	–	–	1	–	–	–
Grimsby ...	–	3	–	–	–	–
Welton ...	–	–	2	–	–	–
MIDDLESEX ...	–	96	48	–	13	C 5 L. 3 M. 4
Boroughs and Urban Districts:—						
†Acton	–	3	5	–	–	M. 1
†Brentford ...	–	2	–	–	–	–
†Chiswick ...	–	2	1	–	–	C. 1
†Ealing ...	–	6	2	–	–	–
†Edmonton ...	–	2	–	–	2	–
†Enfield ...	–	3	–	–	–	–
Feltham ...	–	3	–	–	–	–
†Finchley ...	–	6	–	–	–	–
†Friern Barnet	–	–	–	–	–	L. 1
†Hampton ...	–	–	–	–	1	–
†Hanwell ...	–	5	1	–	1	–
Hayes	–	2	–	–	–	–
†Hendon ...	–	5	9	–	1	–
†Heston and Isleworth	–	6	1	–	–	C. 2 M. 2
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hornsey ...	–	2	1	–	–	–
†Southall-Norwood	–	–	–	–	1	L. 2
†Southgate ...	–	2	–	–	1	–
Sunbury-on Thames	–	3	–	–	–	–
†Teddington ...	–	1	2	–	–	–
†Tottenham ...	–	20	8	–	4	C. 1
†Twickenham ...	–	3	–	–	1	–
†Uxbridge ...	–	1	–	–	–	–
†Wealdstone ...	–	–	1	–	–	–
†Wembley ...	–	1	2	–	–	–
†Willesden ...	–	8	15	–	1	C. 1
†Wood Green ...	–	5	–	–	–	M. 1
Yiewsley ...	–	2	–	–	–	–
Rural Districts:—						
Staines ...	–	2	–	–	–	–
Uxbridge ...	–	1	–	–	–	–
NORFOLK ...	–	38	8	–	2	M. 1
Boroughs and Urban Districts:—						
†Great Yarmouth C.B.	–	2	1	–	1	–
†King's Lynn ...	–	1	1	–	–	M. 1
†Norwich C.B....	–	15	4	–	1	–
Swaffham ...	–	2	–	–	–	–
Rural Districts:—						
Aylsham ...	–	4	1	–	–	–
Blofield ...	–	1	–	–	–	–
Forehoe ...	–	–	1	–	–	–
Marshland ...	*	*	*	*	*	*
Smallburgh ...	–	13	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	21	13	–	5	M. 2
Boroughs and Urban Districts:—						
FINEDON ...	–	6	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	6	11	–	2	–
RAUNDS ...	–	–	–	–	1	–
†RUSHDEN ...	–	–	–	–	–	M. 1
†WELLINGBOROUGH	–	5	–	–	–	M. 1
Rural Districts:—						
CRICK	–	1	–	–	–	–
DAVENTRY ...	–	–	1	–	–	–
HARDINGSTONE	–	–	–	–	1	–
KETTERING ...	–	1	1	–	–	–
NORTHAMPTON	–	–	–	–	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	44	10	2	13	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	5	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	–	C. 1
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	4	2	1	1	–
†GOSFORTH ...	–	3	–	–	–	–
†LONGBENTON ...	–	1	–	1	–	–
MORPETH ...	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	–	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	15	6	–	6	M. 1
SEATON DELAVAL	–	–	1	–	–	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYNEMOUTH C.B.	–	1	–	–	–	–
†WALLSEND ...	–	3	1	–	1	–
Rural Districts:—						
BELFORD ...	–	–	–	–	2	–
GLENDALE ...	*	*	*	*	*	*
MORPETH ...	–	7	–	–	2	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	1	34	2	2	11	L. 1 M. 2
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	–	–	–	M. 1
†HUCKNALL ...	–	–	–	–	1	–
HUTHWAITE ...	–	–	–	1	–	–
†KIRKBY-IN-ASHFIELD	–	–	–	–	2	–
†MANSFIELD ...	–	1	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	2	–
†NEWARK ...	–	1	1	–	–	–
†NOTTINGHAM C.B.	–	19	1	–	1	L. 1
†SUTTON-IN-ASHFIELD	–	–	–	–	–	M. 1
WARSOP ...	–	1	–	–	–	–
†WEST BRIDGFORD	–	4	–	–	–	–
†WORKSOP ...	–	3	–	–	1	–
Rural Districts:—						
BASFORD ...	1	2	–	1	1	–
BINGHAM ...	–	–	–	–	1	–
EAST RETFORD	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—*cont.*						
SKEGBY ...	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	14	1	–	1	–
Boroughs and Urban Districts:—						
†OXFORD C.B. ...	–	5	–	–	–	–
Rural Districts:—						
BANBURY ...	–	3	–	–	–	–
BICESTER ...	–	1	–	–	–	–
CHIPPING NORTON	–	3	–	–	–	–
CULHAM... ...	–	2	–	–	–	–
THAME	–	–	–	–	1	–
WOODSTOCK ...	–	–	1	–	–	–
RUTLAND ...	–	2	–	–	–	–
Rural District:—						
KETTON... ...	–	1	–	–	–	–
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	12	4	–	3	M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	2	–	–	–	M. 1
LUDLOW ...	–	–	1	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SALOP—*cont.*						
Rural Districts:—						
BRIDGNORTH ...	–	3	–	–	–	–
ELLESMERE ...	–	–	1	–	–	–
LUDLOW ...	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	2	–
OSWESTRY ...	–	–	1	–	–	–
SHIFNAL ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	15	3	–	5	M. 2
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	–	–
CREWKERNE ...	*	*	*	*	*	*
†FROME	–	1	–	–	–	–
MINEHEAD ...	–	–	1	–	–	–
†TAUNTON ...	–	5	1	–	–	–
WELLINGTON ...	–	–	–	–	–	M. 1
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	1	–
BATH	–	3	–	–	–	–
KEYNSHAM ...	–	–	–	–	1	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	M. 1
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	44	15	2	6	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	1	–	–	–
FLEET	–	1	–	–	–	–
†GOSPORT AND ALVERSTOKE	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	18	10	1	–	M. 1
ROMSEY... ...	–	–	–	–	1	–
†SOUTHAMPTON C.B.	–	4	3	1	1	M. 1
Rural Districts :—						
BASINGSTOKE ...	–	1	–	–	–	–
CATHERINGTON...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
HURSLEY ...	–	–	–	–	1	–
NEW FOREST ...	–	2	–	–	–	–
ROMSEY ...	–	–	–	–	1	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	9	–	–	1	–
STAFFORD ...	–	93	25	2	16	C. 1 M. 8
Boroughs and Urban Districts :—						
AMBLECOTE ...	*	*	*	*	*	*
BIDDULPH ...	–	3	–	–	–	–
†BILSTON ...	–	4	–	–	1	–
†BRIERLEY HILL	*	*	*	*	*	*
†BROWNHILLS ...	–	1	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	2	–	1	–	–
†COSELEY ...	–	4	–	–	–	–
†DARLASTON ...	–	3	1	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
KIDSGROVE ...	–	1	–	–	–	–
LICHFIELD ...	–	–	1	–	–	–
†ROWLEY REGIS	–	–	1	–	–	C. 1
RUGELEY ...	–	–	–	–	1	–
†SEDGLEY ...	–	1	1	–	–	–
†SMETHWICK C.B.	–	9	2	–	1	–
†STAFFORD ...	–	2	2	–	–	–
†STOKE-ON-TRENT C.B.	–	18	5	1	12	M. 4
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	6	1	–	–	–
†WALSALL C.B....	–	2	2	–	1	M. 3
†WEDNESBURY ...	–	4	1	–	–	–
†WEST BROMWICH C.B.	–	10	3	–	–	–
†WILLENHALL ...	–	2	–	–	–	–
†WOLSTANTON UNITED	–	4	1	–	–	–
†WOLVERHAMPTON C.B.	–	4	1	–	–	–
Rural Districts :—						
CANNOCK ...	–	2	1	–	–	–
CHEADLE ...	–	2	–	–	–	–
LEEK	–	2	1	–	–	–
LICHFIELD ...	–	2	1	–	–	M. 1
STONE	–	1	–	–	–	–
WALSALL ...	–	2	–	–	–	–
SUFFOLK, EAST	–	14	4	2	3	M. 1
Boroughs and Urban Districts :—						
†IPSWICH C.B. ...	–	4	1	–	1	–
†LOWESTOFT ...	–	–	2	2	1	M. 1
Rural Districts :—						
BOSMERE AND CLAYDON	–	2	1	–	–	–
EAST STOW ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
HOXNE	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	3	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	4	–	1	1	–
Boroughs and Urban Districts :—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HAVERHILL ...	*	*	*	*	*	*
NEWMARKET ...	–	2	–	–	1	–
Rural Districts :—						
CLARE	*	*	*	*	*	*
COSFORD ...	–	–	–	1	–	–
MILDENHALL ...	*	*	*	*	*	*
THINGOE ...	–	1	–	–	–	–
SURREY	–	48	26	1	8	E. 1 L. 1 M. 3
Boroughs and Urban Districts :—						
†BARNES ...	–	3	–	–	1	M. 1
†CARSHALTON ...	–	1	2	–	1	–
†CATERHAM ...	–	1	2	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	–	1	–
†CROYDON C.B....	–	7	6	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–	2	–	–	–	–
†FARNHAM ...	–	1	1	–	–	–
GODALMING ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	2	2	–	1	M. 1
HASLEMERE ...	–	–	1	–	–	–
†KINGSTON-ON-THAMES	–	6	1	–	–	–
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM ...	–	2	3	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	4	1	–	–	–
†SUTTON ...	–	–	–	1	–	–
†THE MALDONS AND COOMBE ...	–	1	–	–	–	–
†WALTON-UPON THAMES	–	5	2	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	5	–	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
Rural Districts :—						
CHERTSEY ...	–	–	–	–	1	–
DORKING ...	–	–	–	–	–	M. 1
FARNHAM ...	–	1	2	–	–	–
GUILDFORD ...	–	–	–	–	2	E. 1
REIGATE ...	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	19	8	2	–	C. 2 L. 1
Boroughs and Urban Districts :—						
BATTLE	*	*	*	*	*	*
†BEXHILL ...	–	–	–	1	–	–
†BRIGHTON C.B....	–	9	5	–	–	C. 1
†EASTBOURNE C.B.	–	2	–	–	–	C. 1
EAST GRINSTEAD	–	3	–	–	–	–
†HASTINGS C.B.	–	1	1	–	–	–
†HOVE	–	1	–	1	–	–
Rural Districts :—						
CHAILEY ...	–	1	–	–	–	–
CUCKFIELD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts—*cont.*						
HAILSHAM ...	–	1	–	–	–	L. 1
UCKFIELD ...	–	1	1	–	–	–
SUSSEX, WEST ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
PETWORTH ...	–	–	2	–	–	–
WARWICK ...	–	91	38	2	32	C. 5 D. 2 M. 13
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	70	30	2	23	C. 5 D. 1 M. 11
†COVENTRY C.B.	–	1	1	–	2	D. 1 M. 1
†NUNEATON ...	–	2	1	–	1	–
†ROYAL LEAMINGTON SPA	–	4	1	–	1	–
†RUGBY	–	4	–	–	–	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	–	–	–	1	–
FOLESHILL ...	–	3	1	–	2	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	2	1	–	–	–
TAMWORTH (part)	–	4	3	–	–	M. 1
WESTMORLAND	–	1	–	–	2	–
Boroughs and Urban Districts:—						
APPLEBY ...	–	–	–	–	1	–
†KENDAL ...	–	–	–	–	1	–
Rural District:—						
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	1	–	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
WILTS	–	20	1	–	2	M. 3
Boroughs and Urban Districts:—						
CALNE	–	–	–	–	–	M. 2
DEVIZES ...	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
†SWINDON ...	–	–	1	–	1	M. 1
Rural Districts:—						
AMESBURY ...	–	1	–	–	1	–
DEVIZES ...	–	4	–	–	–	–
HIGHWORTH ...	–	3	–	–	–	–
MARLBOROUGH ...	–	3	–	–	–	–
PEWSEY ...	–	3	–	–	–	–
RAMSBURY ...	–	4	–	–	–	–
WORCESTER ...	–	25	5	3	4	–
Boroughs and Urban Districts:—						
†DUDLEY C.B. ...	–	1	–	3	–	–
†LYE AND WOLLESCOTE	–	2	1	–	–	–
†OLDBURY ...	–	3	–	–	1	–
†REDDITCH ...	–	9	–	–	–	–
†STOURBRIDGE ...	–	–	1	–	–	–
†WORCESTER C.B.	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C. Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J. Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	3	1	–	–	–
FECKENHAM ...	–	2	–	–	–	–
HALESOWEN ...	–	4	–	–	1	–
MARTLEY ...	–	–	–	–	1	–
SHIPSTON-ON-STOUR	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	11	16	3	1	M. 3
Boroughs and Urban Districts:—						
COTTINGHAM ...	–	–	1	–	–	–
HEDON	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	3	11	3	1	M. 2
†YORK C.B. ...	–	6	–	–	–	M. 1
Rural District:—						
ESCRICK ...	–	1	–	–	–	–
HOWDEN ...	–	–	4	–	–	–
YORKS ... ... (North Riding).	7	19	5	2	7	J. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
MALTON ...	–	1	–	–	–	–
†MIDDLESBROUGH C.B.	7	7	1	1	3	J. 1
†REDCAR ...	–	1	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	3	–	–	–	–
†WHITBY ...	–	–	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
MALTON ...	–	–	–	1	–	–
PICKERING ...	*	*	*	*	*	*
RICHMOND ...	–	–	–	–	–	M. 1
STOKESLEY ...	–	1	–	–	1	–
THIRSK	–	–	–	–	2	–
YORKS ... ... (West Riding).	3	207	52	6	67	C. 4 D. 1 L. 1 M. 10
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	1	1	–	–	–
ALTOFTS ...	–	1	1	–	–	C. 1
†BARNSLEY C.B.	–	–	1	–	3	–
†BATLEY... ...	–	6	–	–	–	–
†BENTLEY WITH ARKSEY	3	–	–	–	–	–
†BINGLEY ...	–	1	2	–	1	–
†BRADFORD C.B.	–	15	3	–	5	C. 1 M. 1
†CASTLEFORD ...	–	3	–	–	–	C. 1
†CONISBROUGH ...	–	2	2	–	–	M. 1
†DEWSBURY C.B.	–	5	–	–	–	–
†DONCASTER ...	–	–	3	–	–	–
EARBY	–	–	1	–	–	–
†FEATHERSTONE	–	–	–	–	1	–
†GOOLE	–	2	–	–	1	–
GREASBROUGH ...	*	*	*	*	*	*
†HALIFAX C.B. ...	–	3	–	–	–	–
†HEMSWORTH ...	–	2	1	–	–	–
HIPPERHOLME ...	–	1	–	–	1	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORSFORTH ...	*	*	*	*	*	*
†HOYLAND NETHER	–	–	–	–	2	–
HOYLAND SWAINE	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	3	1	–	3	–
ILKLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KIRKHEATON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
†LEEDS C.B. ...	–	66	9	1	1	–
LEPTON	–	–	1	–	–	–
LUDDENDEN FOOT	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	4	–
†MORLEY... ...	–	–	1	–	–	–
MYTHOLMROYD	–	–	1	–	–	–
†NORMANTON ...	–	3	–	–	1	–
†OSSETT	–	3	–	–	–	–
†PUDSEY ...	–	1	–	–	–	–
RAWDON ...	–	2	–	–	–	–
†RAWMARSH ...	–	1	–	–	1	–
†ROTHERHAM C.B.	–	2	2	–	2	–
†ROTHWELL ...	–	2	–	–	–	–
SELBY	–	1	–	–	–	–
†SHEFFIELD C.B.	–	34	8	1	33	C. 1 D. 1 M. 7
SHELF	–	1	–	–	–	–
SHELLEY ...	–	–	2	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
SPRINGHEAD ...	–	–	–	–	1	–
†STANLEY ...	–	4	–	–	–	–
†SWINTON ...	–	–	–	–	1	–
THURNSCOE ...	–	2	–	–	–	–
†TODMORDEN ...	–	3	–	–	–	–
†WAKEFIELD C.B.	–	6	1	–	1	–
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	1	–	1	–	–
†WOMBWELL ...	–	1	–	–	1	–
†WORSBOROUGH	–	3	–	–	–	–
YEADON ...	–	–	1	1	–	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	2	–
HEMSWORTH ...	–	3	2	1	1	–
HUNSLET ...	–	3	1	–	–	–
KIVETON PARK	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
PONTEFRACT ...	–	1	–	1	–	M. 1
RIPON	–	–	2	–	–	–
ROTHERHAM ...	–	3	–	–	–	–
TADCASTER ...	–	2	–	–	–	–
WAKEFIELD ...	–	4	–	–	–	–
WHARFEDALE (North)	–	2	–	–	–	–
WHARFEDALE (South)	–	2	–	–	–	L. 1
WORTLEY ...	–	–	1	–	1	–
WALES.						
ANGLESEY ...	–	3	–	–	–	G. 1
Rural Districts:—						
VALLEY ...	–	3	–	–	–	G. 1
CARDIGAN ...	–	1	–	–	–	–
Boroughs and Urban District:—						
†ABERYSTWYTH...	–	1	–	–	–	–
CARMARTHEN ...	–	7	4	1	1	C. 1 E. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	1	–	–	–	–
†LLANELLY ...	–	4	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 *continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN —*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	–	–
LLANDILO FAWR	–	–	–	–	–	E. 1
LLANELLY ...	–	2	1	–	–	C. 1
LLANYBYTHER	–	–	1	–	1	–
CARNARVON ...	–	–	2	–	–	–
Boroughs and Urban Districts—						
†LLANDUDNO ...	–	–	1	–	–	–
Rural Districts:—						
CONWAY ...	–	–	1	–	–	–
DENBIGH ...	–	4	3	–	1	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	–	1	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
RUTHIN ...	–	–	1	–	–	–
WREXHAM ...	–	3	1	–	1	–
FLINT	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	100	29	–	21	C. 1 E. 1 M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	15	1	–	5	E. 1
†BARRY	–	3	3	–	2	–
†CAERPHILLY ...	–	1	–	–	–	–
†CARDIFF C.B. ...	–	7	6	–	1	M. 2
†GELLIGAER ...	–	3	5	–	1	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG ...	–	–	1	–	2	–
†MERTHYR TYDFIL C.B.	–	5	2	–	–	–
†MOUNTAIN ASH	–	8	–	–	–	–
†NEATH	–	1	–	–	–	–
†OGMORE AND GARW	–	7	–	–	1	–
†PONTYPRIDD ...	–	4	–	–	–	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	26	4	–	6	M. 1
†SWANSEA C.B. ...	–	7	5	–	–	–
Rural Districts:—						
COWBRIDGE ...	–	2	1	–	–	–
GOWER	*	*	*	*	*	*
LLANDAFF AND DINAS POWIS	–	1	1	–	1	–
LLANTRISANT AND LLANTWIT FARDRE	–	2	–	–	–	–
NEATH	–	3	–	–	2	C. 1
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA ...	–	1	–	–	–	–
MERIONETH ...	–	1	–	–	1	–
Urban Districts:—						
FESTINIOG ...	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	18	12	–	3	G. 1 M. 3
Boroughs and Urban Districts :—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	3	2	–	–	M. 2
†BEDWELLTY ...	–	3	–	–	–	–
CAERLEON ...	–	–	–	–	–	M. 1
†EBBW VALE ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	2	–
†NEWPORT C.B....	–	6	3	–	1	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	1	2	–	–	G. 1
Rural Districts :—						
SAINT MELLONS	–	–	2	–	–	–
MONTGOMERY ...	–	1	1	–	–	–
Rural Districts :—						
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	1	–	–	–
PEMBROKE ...	–	2	–	–	1	–
Boroughs and Urban Districts :—						
HAVERFORD-WEST	–	2	–	–	–	–
MILFORD HAVEN	–	–	–	–	1	–
Total of Part II.	20	1852	630	53	434	C. 32 D. 7 E. 10 G. 6 J. 1 L. 18 M. 126

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	*	*	*	*	*	*
HULL AND GOOLE	–	–	2	–	–	–
NEWPORT (MON.)	–	1	–	–	–	–
SOUTHAMPTON ...	–	–	–	1	1	–
PORT OF LONDON	–	–	1	–	–	–
Total of Part III.	–	1	3	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	2	344	361	7	52	C. 4 D. 7 J. 1 L. 1 M. 18
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	20	1852	630	53	434	C. 32 D. 7 E. 10 G. 6 J. 1 L. 18 M. 126
Total of Part III.—Port Sanitary Districts ...	–	1	3	1	1	–
Total (*i.e.*, of returns received), England and Wales	22	2197	994	61	487	C. 36 D. 14 E. 10 G. 6 J. 2 L. 19 M. 144

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week Twenty-two cases of Small-pox were notified, which appear onpages 1,168, 1,171, 1,177, and 1,182.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.
LONDON:—													
DEATHS—all ages	844	785	782	797	744	704	730	721	731	744	818	810	800
" 0 to 1 year	78	68	92	79	73	88	66	71	71	98	98	83	92
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,376	8,168	8,139	8,108	6,703	8,607	7,625	7,511	7,926	7,488	7,646	7,545	7,315
DEATHS—all ages	3,531	3,372	3,355	3,409	3,379	3,323	3,290	3,253	3,246	3,287	3,566	3,412	3,488
" 0 to 1 year	442	433	387	426	402	418	403	401	421	410	478	433	457
ENTERIC FEVER—Cases	27	17	28	16	15	15	17	23	23	29	24	32	24
" Deaths	3	2	2	1	2	2	3	4	4	3	5	7	3
SMALL POX—Cases	5	12	15	7	17	15	5	7	5	13	10	8	9
" Deaths	—	—	—	2	—	—	—	—	—	—	1	—	—
SCARLET FEVER—Cases	1,250	1,201	1,040	1,013	818	911	915	855	1,052	1,086	1,147	1,139	1246
" Deaths	12	12	11	8	11	11	14	6	11	11	3	9	8
DIPHTHERIA—Cases	581	662	597	501	458	502	460	523	537	588	610	677	691
" Deaths	31	33	38	33	40	40	41	27	32	29	32	45	29
MEASLES—Deaths	62	62	67	62	45	63	45	52	44	18	39	35	34
INFLUENZA—Deaths	24	18	22	19	15	11	16	10	12	18	21	28	32

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 7th October 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	66	45	62·6	49·4	9
BRIGHTON	62	46	61·2	52·1	15
PORTSMOUTH	65	46	62·6	52·1	15
NORWICH (EATON).	64	45	60·9	49·0	3
PLYMOUTH	63	45	60·4	50·7	29
BRISTOL (CLIFTON).	62	43	59·6	49·9	9
BIRMINGHAM	62	42	59·0	47·1	4
NOTTINGHAM	63	39	60·1	48·1	3
BIRKENHEAD (BIDSTON).	66	42	57·6	47·3	5
MANCHESTER	64	41	59·1	47·1	4
BURNLEY	62	35	57·9	46·4	7
HUDDERSFIELD	64	35	59·9	46·0	6
BRADFORD	62	39	57·9	47·7	5
SHEFFIELD	64	44	60·0	48·7	6
YORK (MUSEUM).	62	37	59·4	46·4	5
HULL (PEARSON PARK).	67	42	60·6	47·0	32
TYNEMOUTH	64	39	58·4	46·9	10
CARDIFF	63	40	60·0	47·6	12
EDINBURGH	62·0	39·0	56·3	46·4	21
GLASGOW	61·0	35·5	56·7	46·1	30
DUBLIN (PHŒNIX PARK). FITZWILLIAM SQUARE.†	Not received.				
BELFAST	64·0	51·0	62·0	52·3	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 7th October 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	1	..	29·923	65·2	51·1	14·1	57·8	+ 3·7	56·3	1·5	6·2	0·0	95	90·2	48·7	55·3	WSW: W & WNW.	Calm & NE.	2·0	0·0	0·0	169	− 90	0·18
MONDAY	2	..	29·934	60·5	44·8	15·7	51·6	− 2·1	49·4	2·2	9·6	0·0	92	83·6	37·3	55·2	Calm	SE: Calm & W.	0·3	0·0	0·0	114	−148	0·00
TUESDAY	3	..	29·879	65·0	47·4	17·6	56·5	+ 3·2	51·5	5·0	12·4	0·0	83	106·6	42·4	55·2	Calm & W.	W & WSW.	0·6	0·0	0·0	157	−108	0·00
WEDNESDAY	4	Apogee	29·813	65·9	55·4	10·5	58·9	+ 5·9	55·9	3·0	10·3	0·0	90	103·6	51·6	55·1	W	W	1·6	0·0	0·1	268	+ 3	0·28
THURSDAY	5	In Equator.	29·647	66·0	52·7	13·3	57·5	+ 4·7	52·7	4·8	13·0	1·7	84	119·6	46·6	55·1	W & WNW.	WNW & W.	2·2	0·0	0·2	283	+ 19	0·04
FRIDAY	6	Full	29·869	55·9	46·2	9·7	50·7	− 1·8	46·6	4·1	9·3	1·2	86	71·4	40·1	55·1	NNW & NE.	ENE & E.	4·2	0·0	0·3	359	+ 97	0·00
SATURDAY	7	..	30·105	58·6	46·8	11·8	51·9	− 0·4	42·6	9·3	14·6	4·7	71	110·0	38·2	55·1	ENE & ESE.	E & ENE.	2·9	0·0	0·3	369	+111	0·00
MEANS		..	29·881	62·4	49·2	13·2	55·0	+ 1·9	50·7	4·3	10·8	1·1	86	97·9	43·6	55·2	W. and ENE.		...	...	...	Sum 1,719	Sum −116	Sum 0·50
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	1	w P. throughout	0·2	11·6	Overcast generally, cloudy period about 10h. 30m., gloom about noon. Rain till 3h., damping till 7h., occasional slight rain 13h. to 20h. clearing from 23h.
Monday -	2	w.P. throughout	0·5	11·6	Cloudless generally till 5h, then mist and fog prevalent till 10h., then overcast generally, cloud thin at times. Solar halo in morning, hazy generally, dew at night.
Tuesday -	3	w.P. generally	2·0	11·5	Thin cloud prevalent till 10h. 30m., then overcast with few exceptions. Mist and dew in morning. Solar halo about 8h.
Wednesday	4	w.P. throughout	0·7	11·4	Overcast with slight exceptions. Frequent rain from about 13h.
Thursday -	5	w.P. throughout	3·7	11·4	Overcast or nearly overcast throughout with very cloudy intervals. Very slight rain between 1h. and 5h. and showers between 13h. and 15h.
Friday -	6	w.P. throughout	0·0	11·3	Overcast generally till 16h. 30m., becoming nearly cloudless by 19h. Mist in morning, slight rain at 10h. Brisk wind in afternoon, dew at night.
Saturday -	7	w.P. generally	5·2	11·2	Partially cloudy generally till 6h., nearly cloudless till 11h., cloudy generally afterwards with fine interval 18h. to 19h. Dew in morning.
			Sum 12·3	Sum 80·0	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·91 in. at the beginning of the week to 29·62 in. by 21h. on 5th; increased generally to 30·14 in. by 21h. on 7th., and was 30·12 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No 41.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 14TH OCTOBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH OCTOBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-first week of the year numbered 7,433, and corresponded to an annual rate of 20·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,604 and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated at 19,033,321 in the year 1921. In the preceding three weeks the rates had been 9·8, 9·3 and 9·6. Infant mortality was 59 per 1,000 births against 62, 57, and 62 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,746 births, corresponding to a rate of 20·1 per 1,000, and 842 deaths of civilians, corresponding to a rate of 9·7, as against 9·4, 9·4, and 9·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·4 per 1,000. The infant mortality was 52 as against 56, 46, and 54 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 116 in the total deaths last week. In London the number of deaths from all causes rose from 800 to 842; while the deaths from diphtheria, which had been 16, 18, and 15 in the preceding three weeks, rose to 25 last week. One death from small-pox was registered last week belonging to the Metropolitan Borough of Fulham.

---

m (45)18723—3 Wt 30—P 19 2250 10/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 14th October 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,321*	7,433	3,604	436	1	27	9	19	44	82	31
London	4,514,405*	1,746	842	90	1	2	2	3	25	16	6
Towns in Outer Ring.											
Croydon C.B.	191,500	64	39	2	–	–	–	1	–	–	1
Wimbledon	61,700	21	9	1	–	–	–	–	–	–	–
Ealing	67,800	21	12	1	–	–	–	–	–	–	–
Acton	62,000	26	14	3	–	–	–	–	–	2	–
Willesden	167,200	50	25	–	–	–	–	1	1	–	–
Hendon	55,500	15	11	–	–	–	–	–	–	–	–
Hornsey	87,600	24	13	1	–	–	–	–	–	–	–
Wood Green	51,100	15	7	2	–	–	–	–	–	–	–
Tottenham	149,200	35	21	3	–	–	–	–	–	–	1
Edmonton	67,800	41	11	1	–	–	–	–	–	–	–
Enfield	61,400	20	7	–	–	–	–	–	–	–	1
West Ham C.B.	307,000	165	54	8	–	–	–	2	3	2	2
East Ham C.B.	145,500	38	24	–	–	–	–	–	–	–	–
Leyton	130,100	46	27	2	–	–	–	1	1	–	1
Walthamstow	129,800	47	18	4	–	–	–	–	1	–	–
Ilford	85,500	36	8	5	–	–	–	–	–	–	–
Gillingham	48,149*	30	9	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	8	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	23	12	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	15	13	–	–	–	–	–	–	–	1
Brighton C.B.	134,800	40	27	–	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	126	44	5	–	–	–	–	1	3	–
Bournemouth C.B.	81,200	23	17	1	–	–	–	–	–	–	1
Southampton C.B.	162,200	62	28	5	–	–	–	–	–	1	–
Reading C.B.	92,600	28	18	3	–	–	–	1	–	–	–
Oxford C.B.	56,400	27	8	–	–	–	–	–	–	–	–
Northampton C.B.	92,300	35	16	3	–	–	–	–	–	–	–
Luton	57,800	23	9	1	–	–	–	–	–	–	–
Cambridge	58,900	18	14	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	25	11	–	–	–	–	–	1	–	–
Ipswich C.B.	80,100	36	13	1	–	1	–	–	–	–	–
Great Yarmouth C.B.	56,300	16	10	1	–	–	–	–	–	–	–
Norwich C.B.	122,400	41	21	1	–	–	–	1	–	–	–
Swindon	55,500	23	6	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	17	11	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	76	40	2	–	–	–	–	–	–	–
Bath C.B.	68,300	15	16	1	–	–	–	–	–	1	–
Bristol C.B.	381,700	143	76	10	–	–	–	1	2	–	1
Gloucester C.B.	51,800	25	14	4	–	–	–	–	–	1	–
Stoke-on-Trent, C.B.	273,238	154	51	9	–	1	–	–	–	3	1
Burton-upon-Trent C.B.	49,410	19	12	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	58	13	1	–	–	–	–	–	–	–
Walsall C.B.	98,800	52	16	4	–	–	–	–	–	1	–
West Bromwich C.B.	75,300	33	9	1	–	–	1	–	1	1	–
Worcester C.B.	49,160	16	16	2	–	–	–	–	–	–	–
Dudley C.B.	57,100	22	4	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	363	166	13	–	1	1	–	3	–	2
Smethwick C.B.	77,400	27	10	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	47	17	–	–	–	–	–	–	–	–
Leicester C.B.	237,900	107	50	8	–	2	–	2	–	1	–
Lincoln C.B.	66,600	24	9	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	41	15	2	–	–	–	–	–	1	–
Nottingham C.B.	266,400	87	49	4	–	1	–	–	1	2	–
Derby C.B.	131,800	49	28	1	–	–	–	–	–	–	–
Chesterfield	62,400	33	9	2	–	–	–	–	–	–	–
Stockport C.B.	125,500	35	42	4	–	2	–	–	–	–	–
Chester C.B.	41,030	22	9	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	67	27	6	–	–	–	–	–	4	1
Wallasey C.B.	89,600	26	21	–	–	–	–	–	–	–	–
Liverpool C.B.	817,000	386	185	36	–	2	–	1	–	6	2
Bootle C.B.	77,800	42	14	1	–	–	–	–	–	–	–
St Helens C.B.	104,900	41	19	4	–	–	–	–	–	2	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	19	18	-	-	-	-	-	-	-	-
Wigan C.B.	91,200	44	18	5	-	-	-	-	-	2	-
Warrington C.B.	78,600	40	17	2	-	1	-	-	-	-	1
Bolton C.B.	182,200	59	33	2	-	1	-	-	-	1	-
Bury C.B.	57,600	17	12	-	-	-	1	-	-	-	-
Manchester C.B.	744,000	278	157	25	-	-	1	2	2	3	2
Salford C.B.	239,100	93	56	5	-	2	-	-	-	2	1
Oldham C.B.	148,300	62	32	3	-	-	-	-	-	2	-
Rochdale C.B.	92,700	35	18	3	-	-	-	-	-	1	-
Burnley C.B.	105,300	37	29	3	-	2	-	-	-		-
Blackburn C.B.‡	129,682	39	21	1	-	-	-	-	-	1	-
Preston C.B.	119,900	39	23	3	-	1	-	-	-	1	-
Blackpool C.B.	73,800	16	12	1	-	-	-	-	-	1	-
Barrow-in-Furness C.B.	75,200	31	9	1	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	29	18	1	-	-	-	-	-	-	-
Halifax C.B.	100,700	31	32	1	-	-	-	-	-	-	-
Bradford C.B.	291,100	96	65	4	-	-	-	-	-	1	1
Leeds C.B.	465,500	163	107	19	-	4	2	-	-	5	1
Dewsbury C.B.	55,100	16	12	4	-	-	-	-	-	-	-
Wakefield C.B.	53,763	20	8	1	-	-	-	-	-	-	-
Barnsley C.B.	68,991	33	19	5	-	-	-	-	-	3	-
Sheffield C.B.	519,239	169	99	10	-	-	1	-	-	4	1
Rotherham C.B.	69,100	41	20	8	-	-	-	-	-	3	-
Doncaster	54,700	21	5	1	-	-	-	1	-	-	-
York C.B.	84,500	23	14	4	-	-	-	-	-	-	-
Hull C.B.	291,800	129	54	11	-	2	-	-	1	1	-
Middlesbrough C.B.	133,400	72	22	4	-	-	-	-	-	-	1
Darlington C.B.	66,400	22	13	3	-	-	-	-	-	-	-
Stockton-on-Tees	65,000	21	10	1	-	-	-	-	1	-	-
West Hartlepool C.B.	69,300	37	11	2	-	1	-	-	-	-	-
Sunderland C.B.	161,100	72	29	4	-	-	-	-	-	1	-
South Shields C.B.	120,376	58	15	2	-	-	-	-	-	-	-
Gateshead C.B.	126,700	63	22	7	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	278,400	113	54	8	-	1	-	-	-	1	-
Tynemouth C.B.	63,900	32	11	2	-	-	-	-	-	-	-
Carlisle C.B.	53,200	23	11	2	-	-	-	1	-	-	-
Newport (Mon.) C.B.	93,700	31	16	2	-	-	-	-	-	-	-
Cardiff C.B.	202,700	91	39	5	-	-	-	1	-	1	1
Rhondda	166,600	75	20	-	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	81,800	39	15	2	-	-	-	-	-	-	-
Aberdare	56,100	16	4	1	-	-	-	-	-	-	-
Swansea C.B.	159,600	52	33	1	-	-	-	-	-	-	1
Greater London	7,523,963*	2,786	1,305	140	1	3	3	9	32	21	13
Outer Ring	3,609,558*	1,040	463	50	-	1	1	6	7	5	7
16 Great Towns in Outer Ring	1,820,700	664	300	33	-	-	-	5	6	4	6
Remainder of Outer Ring	1,188,858*	376	163	17	-	1	1	1	1	1	1
Edinburgh†	420,500	169	85	9	-	-	3	-	3	-	2
Glasgow†	1,037,800	499	250	48	-	-	1	2	3	8	1
Dublin (Registration Area)†	427,000	170	107	18	1	-	2	1	-	2	-
Belfast†	425,000	188	102	22	-	-	-	-	-	6	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended on 1st October 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Oct. 14	1746	842	9·7	1	1	2	2	3	25	16	6
Calcutta	896,067	Sept. 9	?	507§	29·0	?	2	?	?	?	?	?	14
Bombay	1,175,914	,, 2	381‖	688§	29·8	2	–	?	–	–	–	54	9
Madras	526,911	,, 2	525	356	35·4	–	14	–	?	1	–	37	–
Sydney and Suburbs	926,400	Aug. (31 days)	2023	743	9·6	3	–	1	–	3	4	4	8
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	155,959	Aug. 19	85	13	4·3	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	101,000	Aug. 26	31	16	8·2	–	–	–	–	–	–	–	2
Johannesburg	149,500	Sept. 2	78	29	10·1	–	–	–	–	1	–	1	–
Durban	48,000	,, 2	29	13	14·1	–	–	–	–	–	–	–	1
Paris	2,906,472	,, 20 (10 days)	1186	820	10·1	6	–	9	–	5	2	25	1
Antwerp	302,935												
Amsterdam	692,122	Sept. 23	260	102	7·7	–	–	–	–	1	–	2	–
Copenhagen	562,000	,, 30	215	80	7·4	–	–	1	1	–	–	–	–
Stockholm	422,042	,, 30	124	77	9·5	–	–	–	–	–	–	1	–
Gothenburg	228,052	,, 2	?	29	6·6	–	–	–	–	–	–	–	–
Christiania	258,933	,, 30	100	55	11·1	–	–	–	–	–	–	1	–
Berlin	1,974,000	Aug. 26	428	460	12·1	1	?	4	–	3	–	6	1
Breslau	557,000	,, 26	196	123	11·5	–	?	1	–	1	1	7	2
Cologne	688,000	,, 26	252	142	10·7	–	?	2	–	2	2	18	1
Dresden	607,000	,, 26	163	121	10·4	–	?	–	–	2	1	4	–
Frankfort-on-Main	476,000	,, 26	136	93	10·2	–	?	1	–	1	1	5	1
Hamburg	1,060,000	,, 26	337	223	10·9	1	?	–	1	2	1	–	–
Leipzig	675,000	,, 26	209	157	12·1	–	?	–	–	2	–	12	1
Munich	680,000	,, 26	209	142	10·9	–	?	–	–	1	–	4	2
Vienna	1,842,005	,, 2	437	465	13·1	5	–	–	2	–	–	19	1
Prague and Suburbs	689,262	Aug. 26	248	149	11·3	1	–	1	–	3	–	5	–
Budapest	940,000	July 29	397	357	19·8	2	?	1	2	–	1	77	1
Warsaw	956,087	Aug. 5	378	282	15·3	2	–	2	–	1	1	59	–
		,, 12	336	305	16·6	2	–	1	3	3	–	65	–
Cairo	777,500	July 15	783	874	58·5	10	–	41	–	?	11	199	?
Alexandria	456,300	,, 15	300	277§	31·6	2	–	–	–	?	–	62	?
New York	5,839,738	Sept. 16	2717	928	8·3	6	–	1	1	6	8	33	1
Chicago	2,833,288	,, 16	?	553	10·2	1	–	1	–	5	15	28	–
Rio de Janeiro	1,230,137	,, 9	689	489	20·7	1	4	39	–	5	5	?	22
Montevideo	347,111	June 10	190	110	18·0	2	–	–	–	–	1	4	–

* Including deaths from croup in Bombay: Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *Asiatic Cholera* in Calcutta, and from *Plague*, 7 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 14th October, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	842	90	22	27	35	36	43	68	120	124	134	143
Enteric fever	1	–	–	–	–	–	–	–	1	–	–	–
Small-pox	1	–	–	–	–	–	–	1	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	1	1	–	–	–	–	–	–	–	–
Whooping cough	3	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	25	–	1	11	12	1	–	–	–	–	–	–
Influenza	6	1	–	–	1	1	–	1	–	1	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	2	1	–	–	–	1	–	–	–	–	–	–
Tuberculosis of respiratory system	88	–	–	1	3	12	17	23	20	8	4	–
Tuberculous meningitis	15	4	3	3	2	–	2	–	1	–	–	–
Abdominal tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–
Other tubercle	6	1	1	1	1	–	2	–	–	–	–	–
Venereal diseases	3	1	–	–	–	–	–	2	–	–	–	–
Cancer	138	–	1	–	1	–	3	7	32	41	33	20
Rheumatic fever	2	–	–	–	1	–	1	–	–	–	–	–
Diabetes	9	–	–	–	1	1	–	–	2	1	4	–
Alcoholism	1	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	38	–	–	–	–	–	–	1	8	3	14	12
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	23	1	–	2	2	1	5	3	6	1	1	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	2	1	1	–	–	–	–
Other diseases of heart	118	–	–	–	1	7	4	4	18	24	27	33
Other dis. of circulatory system	31	–	–	–	–	–	–	–	3	9	8	11
Bronchitis	33	3	–	–	–	–	–	2	–	6	7	15
Broncho-pneumonia	28	9	7	4	–	–	–	2	1	–	3	2
Lobar pneumonia	13	–	–	–	1	2	1	–	6	1	1	1
Pneumonia (type not distinguished)	9	1	–	1	–	–	–	2	–	2	1	2
Other diseases of respiratory system	5	–	–	–	–	–	–	–	–	2	1	2
Diarrhœa and enteritis	18	13	3	–	–	–	1	–	–	1	–	–
Appendicitis and typhlitis	5	–	1	–	2	1	–	–	1	–	–	–
Hernia, Intestinal obstruction	8	–	–	–	–	–	1	–	2	1	2	2
Cirrhosis of liver	3	–	–	–	–	–	–	1	–	2	–	–
Other diseases of digestive system	22	–	1	1	2	–	2	2	6	1	5	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	26	–	–	–	1	–	1	2	4	6	4	8
Other diseases of genito-urinary system.	16	1	–	–	–	–	–	1	1	2	7	4
Puerperal fever, &c.	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	1	1	–	–	–	–
Congenital malformations	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	25	25	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	25	–	–	–	–	–	–	–	–	–	4	21
Suicide	6	–	–	–	–	–	–	3	1	2	–	–
Burns and scalds	2	1	–	1	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	1	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	–	1	–	–	1	1	1	1	–
Other deaths by violence	14	–	1	1	1	3	1	1	1	1	2	2
Other specified causes	45	13	1	–	2	3	–	6	4	7	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th October 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	2	1	–	–	M. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	25	–	–	M. 1
†BERMONDSEY ...	–	10	23	2	2	M. 1
†BETHNAL GREEN	–	5	14	–	2	C. 1
†CAMBERWELL ...	–	14	25	–	2	L. 1
†CHELSEA ...	–	4	6	–	–	–
†DEPTFORD ...	–	15	10	–	–	M. 1
†FINSBURY ...	–	6	7	–	1	M. 1
†FULHAM ...	–	15	10	–	1	C. 1
†GREENWICH ...	–	12	18	–	–	M. 1
†HACKNEY ...	–	9	22	–	–	D. 1
†HAMMERSMITH	–	3	9	1	–	–
†HAMPSTEAD ...	–	–	3	–	1	M. 1
†HOLBORN ...	–	9	1	–	1	M. 1
†ISLINGTON ...	–	26	24	–	–	M. 2
†KENSINGTON ...	–	23	8	–	1	M. 1
†LAMBETH ...	–	29	14	–	–	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	5	5	–	3	–
†PADDINGTON ...	–	11	9	–	7	C. 1 M. 1
†POPLAR... ...	–	17	12	–	7	–
†ST. MARYLEBONE	–	7	1	–	–	M. 1
†ST. PANCRAS ...	–	21	14	–	5	M. 3
†SHOREDITCH ...	–	8	10	–	5	–
†SOUTHWARK ...	–	16	17	–	4	C. 1 M. 1
†STEPNEY ...	–	9	16	–	–	–
†STOKE NEWINGTON	–	–	4	–	–	C. 1
†WANDSWORTH	–	17	14	–	8	–
†WESTMINSTER, CITY OF	–	1	12	–	2	M. 1
†WOOLWICH ...	–	5	12	–	3	C. 1 M. 1
TOTAL OF PART I.	–	311	346	3	55	C. 6 D. 1 L. 1 M. 19

† Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	10	3	–	1	C. 2
Boroughs and Urban Districts :—						
†BEDFORD ...	–	–	–	–	1	–
KEMPSTON ...	–	3	–	–	–	–
†LUTON	–	–	2	–	–	C. 1
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	3	–	–	–	–
BIGGLESWADE ...	–	4	–	–	–	C. 1
BERKS	–	44	11	–	2	M. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	2	–	–	–
†NEWBURY ...	–	2	–	–	–	–
†NEW WINDSOR...	–	–	1	–	–	–
†READING C.B....	–	22	1	–	2	–
Rural Districts :—						
ABINGDON ...	–	1	1	–	–	–
BRADFIELD ...	–	1	3	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	3	2	–	–	–
FARINGDON (part)	–	4	–	–	–	–
HUNGERFORD ...	–	–	1	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD...	–	3	–	–	–	–
WANTAGE ...	–	–	–	–	–	M. 1
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM	–	16	–	3	1	–
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CHEPPING WYCOMBE	–	3	–	–	–	
CHESHAM ...	–	–	–	2	–	–
LINSLADE ...	–	–	–	1	–	–
NEWPORT PAGNELL	–	2	–	–	–	–
†SLOUGH ...	–	2	–	–	–	–
†WOLVERTON ...	–	2	–	–	1	–
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	1	–	–	–	–
WYCOMBE ...	–	4	–	–	–	–
CAMBRIDGE ...	–	1	–	–	–	M. 1
Borough :—						
†CAMBRIDGE ...	–	1	–	–	–	M. 1
Rural District :—						
SWAVESEY ...	*	*	*	*	*	*
CHESTER	–	58	15	1	17	C. 2 M. 2
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	3	–	–	–	M. 1
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
†BIRKENHEAD C.B.	–	4	1	1	7	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Buglawton ...	–	1	–	–	–	–
†Cheadle and Gatley	–	1	–	–	–	–
†Chester C.B. ...	–	2	1	–	3	–
†Congleton ...	–	3	–	–	–	–
†Crewe	–	2	–	–	1	–
†Dukinfield ...	–	–	1	–	–	–
†Hyde	–	2	–	–	–	M. 1
Knutsford ...	–	1	4	–	–	–
†Macclesfield...	–	3	–	–	–	C. 1
Nantwich ...	–	–	–	–	1	–
Neston and Parkgate	–	–	1	–	–	–
†Northwich ...	–	2	–	–	–	–
†Runcorn ...	–	13	–	–	–	–
Sandbach ...	–	–	1	–	–	–
†Stockport C.B.	–	2	1	–	1	C. 1
Tarporley ...	–	2	–	–	–	–
†Wallasey C.B.	–	2	1	–	–	–
Wilmslow ...	–	1	–	–	–	–
†Winsford ...	*	*	*	*	*	*
Yeardsley cum Whalley	–	1	–	–	–	–
Rural Districts:—						
Bucklow ...	–	–	2	–	1	–
Macclesfield...	–	1	–	–	1	–
Nantwich ...	–	–	–	–	1	–
Northwich ...	–	1	–	–	–	–
Runcorn ...	–	8	–	–	–	–
Tarvin	–	1	–	–	–	–
Wirral... ...	–	1	2	–	–	–
CORNWALL ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Padstow ...	*	*	*	*	*	*
CORNWALL—*cont.*						
Rural Districts:—						
Bodmin... ...	–	1	–	–	–	–
Truro	–	1	–	–	–	–
CUMBERLAND ...	–	15	4	–	1	–
Boroughs and Urban Districts:—						
Aspatria ...	–	2	–	–	–	–
†Carlisle C.B. ...	–	3	–	–	1	–
Millom... ...	–	2	–	–	–	–
†Workington ...	–	6	2	–	–	–
Rural Districts:—						
Alston with Carrigill	–	–	1	–	–	–
Bootle ...	–	2	–	–	–	–
Cockermouth ...	–	–	1	–	–	–
DERBY	19	22	19	–	9	E. 2 M. 2
Boroughs and Urban Districts:—						
†Alfreton ...	–	–	2	–	–	–
Bakewell ...	–	–	–	–	1	–
†Belper ...	–	1	–	–	–	–
†Bolsover ...	–	1	–	–	–	–
†Buxton ...	–	1	1	–	–	–
†Chesterfield ...	–	2	2	–	–	M. 1
†Derby C.B. ...	–	3	5	–	6	–
†Glossop ...	–	2	–	–	1	–
†Heanor ...	–	1	1	–	–	–
†Ilkeston ...	4	–	–	–	–	–
†Long Eaton ...	–	2	–	–	–	–
New Mills ...	–	–	1	–	–	–
†Swadlincote District	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	E. 1
BAKEWELL ...	–	–	–	–	1	E 1
BELPER	11	2	1	–	–	–
BLACKWELL ...	–	1	–	–	–	–
CHESTERFIELD ...	–	2	1	–	–	M. 1
CLOWNE ...	2	–	–	–	–	–
CODNOR PARK AND SHIPLEY (parishes)‡	1	–	–	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON ...	–	1	2	–	–	–
SHARDLOW ...	1	1	1	–	–	–
DEVON	–	18	9	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM ...	–	–	3	–	1	–
†EXETER C.B. ...	–	–	–	–	–	M. 1
†PLYMOUTH C.B.	–	9	3	–	1	–
SIDMOUTH ...	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	1	1	–	–	–
Rural Districts:—						
NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	–	1	–	–	E. 1
PLYMPTON ST MARY	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
TOTNES ...	–	–	1	–	–	–
DORSET	–	7	–	–	–	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	2	–	–	–	–
DORCHESTER ...	–	1	–	–	–	–
DORSET—*cont.*						
Boroughs and Urban Districts— *cont.*						
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
DORCHESTER ...	–	2	–	–	–	–
DURHAM... ...	–	60	15	3	18	C. 3 G. 1 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	M. 2
BENFIELDSIDE ...	–	–	1	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON ...	–	3	–	–	–	–
†BRANDON AND BYSHOTTLES	–	4	–	–	–	–
†CONSETT ...	–	–	1	–	–	–
†DARLINGTON C.B.	–	3	3	–	1	–
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	1	1	–	–	–
†GATESHEAD C.B.	–	3	2	–	2	C. 1 M. 1
†HEBBURN ...	–	–	–	1	2	–
†HETTON... ...	–	–	–	1	–	–
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	3	–	–	–	–
†SHILDON ...	–	1	1	–	–	–
†SOUTH SHIELDS C.B.	–	2	1	–	2	M. 1
†SOUTHWICK ON WEAR	–	1	–	–	–	C. 1
†SPENNYMOOR ...	–	1	–	–	–	–
STANHOPE ...	*	*	*	*	*	*
†STANLEY ...	–	8	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

‡ These parishes are administered by the Rural District Council of Basford (Notts).

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON-ON-TEES	–	–	1	–	2	–
†SUNDERLAND C.B.	–	7	–	–	1	M. 2
†TANFIELD ...	–	1	–	–	1	–
TOW LAW ...	–	–	–	–	–	G. 1
†WASHINGTON ...	–	1	1	–	–	–
†WEST HARTLEPOOL C.B	–	2	–	–	2	C. 1
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	–
BARNARD CASTLE	–	2	–	–	–	–
CHESTER-LE-STREET	–	1	–	–	2	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	3	–	–	–	–
HOUGHTON-LE-SPRING	–	–	1	–	–	–
LANCHESTER ...	–	3	–	–	–	–
SEDGEFIELD ...	–	1	–	1	–	–
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	M. 1
ISLE OF ELY ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	2	–	–	–	–
WHITTLESEY ...	*	*	*	*	*	*
†WISBECH ...	–	–	1	–	–	–
ESSEX	–	74	48	1	11	C. 4 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	–	1	–	C. 1 M. 1
BRENTWOOD ...	–	1	–	–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
BURNHAM ON CROUCH	–	1	–	–	1	–
†COLCHESTER ...	–	–	4	–	–	–
†EAST HAM C.B.	–	6	6	–	–	–
†GRAYS THURROCK	–	2	–	–	1	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	–	4	–	–	C. 1
†LEYTON... ...	–	6	3	–	2	–
†ROMFORD ...	–	4	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS	–	1	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	6	–	–	–	C. 1 M. 1
†WALTHAMSTOW	–	17	5	–	–	–
†WEST HAM C.B.	–	16	20	–	1	C. 1
†WOODFORD ...	–	5	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BUMPSTEAD ...	*	*	*	*	*	*
EPPING	–	1	2	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	1	–	1	–
ONGAR	–	–	–	–	1	M. 1
ORSETT	–	–	3	–	1	–
ROMFORD ...	–	4	–	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	44	23	–	5	L. 1 M. 5
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	21	14	–	4	L. 1 M. 5
†CHELTENHAM ...	–	4	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Gloucester C.B.	–	4	5	–	–	–
†Kingswood ...	–	2	–	–	–	–
Tewkesbury ...	–	1	–	–	–	–
Rural Districts:—						
Chipping Sodbury	–	3	–	–	–	–
East Dean and United Parishes	–	3	–	–	–	–
Lydney ...	–	1	–	–	–	–
Northleach ...	–	1	1	–	–	–
Stroud ...	–	3	–	–	–	–
Warmley ...	–	1	–	–	1	–
West Dean ...	*	*	*	*	*	*
Wheatenhurst	–	–	1	–	–	–
HEREFORD ...	–	2	4	–	–	D. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	–	2	–	–	–
Rural Districts:—						
Bromyard ...	–	–	2	–	–	–
Ledbury ...	–	2	–	–	–	–
Weobley ...	–	–	–	–	–	D. 1
HERTFORD ...	–	20	3	–	1	–
Boroughs and Urban Districts:—						
Bushey ...	–	2	–	–	–	–
†Cheshunt ...	–	1	–	–	–	–
†East Barnet Valley	–	1	–	–	–	–
Harpenden ...	–	1	–	–	–	–
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Hemel Hempstead	–	1	–	–	–	–
†Hitchin	–	1	2	–	–	–
†Letchworth ...	–	6	–	–	–	–
†St. Albans ...	–	3	–	–	–	–
Sawbridgeworth	–	1	–	–	–	–
†Watford ...	–	–	1	–	–	–
Rural Districts:—						
Hertford ...	–	1	–	–	–	–
St. Albans ...	–	1	–	–	–	–
Ware	–	1	–	–	–	–
Watford ...	–	–	–	–	1	–
HUNTINGDON ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Huntingdon ...	–	2	–	–	–	–
Rural Districts:—						
St. Ives ...	–	–	1	–	–	–
KENT	4	31	36	3	3	M. 2
Boroughs and Urban Districts:—						
†Ashford ...	–	–	–	–	–	M. 1
†Beckenham ...	–	–	1	–	1	–
†Bexley ...	1	1	–	–	–	–
†Bromley ...	–	2	1	–	–	–
†Chatham ...	–	1	–	–	–	–
†Dartford ...	3	1	–	–	–	–
†Dover	–	4	–	–	–	–
†Erith	–	–	3	–	–	–
†Folkestone ...	–	–	1	–	–	–
†Gillingham ...	–	7	3	–	–	–
†Gravesend ...	–	1	–	–	–	–
†Maidstone ...	–	–	–	2	1	M. 1
†Margate ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Penge	–	–	4	–	–	–
Queenborough	–	1	–	–	–	–
†Ramsgate ...	–	1	1	–	1	–
†Royal Tunbridge Wells	–	1	–	–	–	–
†Sheerness ...	–	6	8	–	–	–
Sidcup	–	–	–	1	–	–
Sittingbourne	–	1	4	–	–	–
†Tonbridge ...	–	–	2	–	–	–
Whitstable ...	–	1	–	–	–	–
Rural Districts:—						
Bromley ...	–	1	–	–	–	–
Dartford ...	–	–	1	–	–	–
Milton ...	–	–	1	–	–	–
Sevenoaks ...	–	–	1	–	–	–
Sheppey ...	–	–	3	–	–	–
Strood ...	–	1	–	–	–	–
Tonbridge ...	–	–	1	–	–	–
LANCASTER ...	–	335	80	10	111	C. 8 E. 3 G. 2 L. 1 M. 36
Boroughs and Urban Districts:—						
†Ashton-in-Makerfield	–	–	–	–	2	–
†Ashton-under-Lyne	–	–	–	–	1	–
Aspull	–	2	–	–	–	–
†Atherton ...	–	–	–	–	2	–
Audenshaw ...	–	1	–	–	1	–
†Bacup	–	–	–	–	1	–
†Barrow-in-Furness C.B.	–	4	–	–	–	M. 1
†Blackburn C.B.	–	4	4	1	5	–
†Blackpool C.B.	–	2	–	–	2	–
Blackrod ...	–	–	1	–	–	–
†Bolton C.B. ...	–	6	5	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bootle C.B. ...	–	5	1	–	–	–
†Burnley C.B.	–	6	1	–	2	–
†Bury C.B. ...	–	1	–	–	1	M. 2
†Chadderton ...	–	1	–	–	1	M. 1
†Colne	–	–	–	–	1	–
†Crompton ...	–	–	1	–	–	–
†Darwen ...	–	5	–	–	–	–
†Droylsden ...	–	1	–	–	1	–
†Eccles ...	–	2	–	–	1	–
†Failsworth ...	–	1	2	–	–	–
†Farnworth ...	–	5	1	–	–	–
†Fleetwood ...	–	1	1	–	–	–
Golborne ...	–	1	–	–	–	–
Grange ...	–	1	–	–	–	–
†Haslingden ...	–	1	1	–	–	–
†Heywood ...	–	3	1	–	–	–
†Hindley ...	–	1	–	1	1	–
†Horwich ...	–	1	–	–	1	–
Hurst	–	1	–	–	–	–
†Ince-in-Makerfield	–	5	–	–	2	–
Kirkham ...	–	–	–	1	–	–
†Lancaster ...	–	4	–	–	–	–
†Leigh	–	2	1	–	–	M. 1
†Litherland ...	–	7	–	–	–	–
†Littleborough	–	2	–	–	–	–
Little Hulton	–	2	1	–	–	–
Little Lever...	–	1	–	–	–	–
†Liverpool C.B.	–	53	14	2	17	E. 1 M. 17
†Manchester C.B.	–	56	21	–	26	C. 4 E. 1 G. 1 M. 8
†Middleton ...	–	5	1	–	2	–
†Nelson... ...	–	–	–	–	1	–
†Newton-in-Makerfield	–	2	–	–	2	–
†Oldham C.B. ...	–	4	–	–	6	M. 2
Oswaldtwistle	–	1	–	–	–	–
†Poulton le Fylde	–	–	2	–	–	–
Prescot ...	–	5	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†PRESTON C.B. ...	–	4	4	1	1	–
†PRESTWICH ...	–	–	4	–	–	E. 1
†RADCLIFFE ...	–	1	2	–	3	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	4	–	–	–	–
RISHTON ...	–	–	–	–	2	–
†ROCHDALE C.B.	–	17	2	–	–	–
†ROYTON... ...	–	–	–	–	2	–
†ST. HELENS C.B.	–	11	1	–	4	C. 1
†SALFORD C.B. ...	–	33	3	3	8	C. 1 M. 2
†SOUTHPORT C.B.	–	6	–	–	1	L. 1
†STRETFORD ...	–	8	–	1	–	G. 1
†SWINTON AND PENDLEBURY	–	2	–	–	3	C. 1
TOTTINGTON ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	4	–	–	1	–
†ULVERSTON ...	–	3	–	–	–	–
UPHOLLAND ...	–	–	1	–	–	–
WALTON-LE-DALE	–	1	–	–	–	–
†WARRINGTON C.B.	–	14	–	–	3	–
†WESTHOUGHTON	–	2	–	–	1	–
†WIDNES ...	–	1	1	–	1	–
†WIGAN C.B. ...	–	3	–	–	–	–
†WORSLEY ...	–	2	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
FYLDE... ...	–	1	–	–	–	–
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	1	–	–	–	M. 1
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON ...	–	6	1	–	1	–
WIGAN	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	19	6	–	6	M. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS	–	1	–	–	–	–
†HINCKLEY ...	–	1	–	–	1	–
†LEICESTER C.B.	–	14	1	–	5	M. 2
†LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	–	–	2	–	–	–
Rural Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	1	–	–	–
BARROW-UPON-SOAR	–	–	2	–	–	–
BILLESDON ...	–	1	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	6	3	–	1	M. 1
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	–	–	–	–
HOLBEACH ...	–	–	–	–	1	–
Rural Districts:—						
BOSTON ...	–	4	1	–	–	M. 1
CROWLAND ...	–	–	2	–	–	–
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	–	M. 1
Boroughs and Urban District:—						
†GRANTHAM ...	–	3	–	–	–	–
SLEAFORD ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	11	11	2	4	–
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	1	–	–	–	–
†CLEETHORPE WITH THRUNSCOE	–	2	1	2	1	–
†GAINSBOROUGH	–	1	–	–	–	–
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN, C.B. ...	–	1	–	–	–	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	3	–
Rural District:—						
GAINSBOROUGH	–	–	1	–	–	–
GLANFORD BRIGG	–	1	5	–	–	–
GRIMSBY ...	–	3	1	–	–	–
WELTON ...	–	–	1	–	–	–
MIDDLESEX ...	–	105	55	1	9	E 1 G. 1 M. 7
Boroughs and Urban Districts:—						
†ACTON	–	4	2	–	–	–
†BRENTFORD ...	–	2	–	–	–	E. 1 M. 1
†CHISWICK ...	–	1	–	–	–	–
†EALING ...	–	5	7	–	–	M 1
†EDMONTON ...	–	3	2	–	2	–
†ENFIELD ...	–	2	1	–	–	–
FELTHAM ...	–	6	1	–	–	–
†FINCHLEY ...	–	3	–	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	1	1	–	–	–
HAMPTON WICK ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HANWELL ...	–	3	1	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	1	6	–	–	–
†HESTON AND ISLEWORTH	–	5	4	1	2	–
†HORNSEY ...	–	8	1	–	1	M. 1
†SOUTHALL-NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	4	1	–	–	–
STAINES ...	–	3	–	–	–	–
SUNBURY-ON THAMES	–	3	–	–	–	–
†TEDDINGTON ...	–	2	–	–	–	–
†TOTTENHAM ...	–	23	4	–	2	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	11	22	–	2	M. 4
†WOOD GREEN ...	–	2	–	–	–	–
YIEWSLEY ...	–	4	–	–	–	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
STAINES ...	–	2	–	–	–	G. 1
NORFOLK ...	–	42	4	–	2	D. 1 E. 1
Boroughs and Urban Districts:—						
DISS	*	*	*	*	*	*
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†KING'S LYNN ...	–	1	1	–	1	–
†NORWICH C.B....	–	27	1	–	–	–
SWAFFHAM ...	–	4	–	–	–	–
Rural Districts:—						
AYLSHAM ...	–	2	–	–	–	–
BLOFIELD ...	–	–	1	–	–	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOCKING ...	–	–	–	–	–	E. 1
EAST AND WEST FLEGG	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
HENSTEAD ...	–	6	–	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
NORTHAMPTON	–	26	3	–	5	M. 3
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	1	–
DESBOROUGH ...	–	1	–	–	–	–
FINEDON ...	–	1	–	–	–	–
IRTHLINGBOROUGH	–	3	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	10	3	–	3	M. 2
†WELLINGBOROUGH	–	4	–	–	–	M. 1
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
HARDINGSTONE	–	3	–	–	1	–
WELLINGBOROUGH	–	2	–	–	–	–
NORTHUMBERLAND.	–	34	9	–	18	C. 1 M. 3
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	5	–	–	1	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	5	1	–	2	–
HEXHAM ...	–	–	–	–	1	–
†LONGBENTON ...	–	–	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	7	7	–	6	C. 1 M. 2
†TYNEMOUTH C.B.	–	3	–	–	6	M. 1
WEETSLADE ...	–	3	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
NORHAM AND ISLANDSHIRES	–	6	–	–	–	–
NOTTINGHAM ...	4	25	9	1	1	C. 1 D. 1 M. 2
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	2	–	–	–
EASTWOOD ...	4	–	–	–	–	–
†HUCKNALL ...	–	–	–	–	–	C. 1
†KIRKBY-IN-ASHFIELD	–	–	1	–	–	–
†MANSFIELD ...	–	2	2	–	–	D. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NOTTINGHAM C.B.	–	20	3	1	–	M. 2
†SUTTON-IN-ASHFIELD	–	2	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
EAST RETFORD	–	–	–	–	1	–
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	9	1	–	1	C. 1 G. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	1	–
HENLEY-ON-THAMES	–	2	–	–	–	G. 1
†OXFORD C.B. ...	–	2	–	–	–	–
WOODSTOCK ...	–	–	–	–	–	M. 1
Rural Districts:—						
CULHAM... ...	–	1	1	–	–	–
HEADINGTON ...	–	–	–	–	–	C. 1 L. 1 M. 1
THAME	–	2	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH ...	–	1	–	–	–	–
SALOP	–	15	3	–	6	M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	1	2	–	–	–
NEWPORT ...	–	–	–	–	1	–
†OAKENGATES ...	–	–	–	–	–	M. 1
OSWESTRY ...	–	6	–	–	–	–

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
SALOP—*cont.*						
Rural Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
CLUN	–	1	–	–	–	–
DRAYTON ...	–	–	1	–	1	–
LUDLOW ...	–	2	–	–	2	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	3	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	21	5	–	8	M. 2
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	2	1	–	1	–
†BRIDGWATER ...	–	–	–	–	–	M. 1
CREWKERNE ...	*	*	*	*	*	*
ILMINSTER ...	–	1	–	–	–	–
†TAUNTON ...	–	11	–	–	–	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	1	–
BATH	–	1	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON ...	–	–	1	–	–	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
SHEPTON MALLET	–	1	1	–	1	–
TAUNTON ...	–	–	–	–	1	–
WELLS	–	1	–	–	2	–
YEOVIL	–	–	–	–	–	M. 1
SOUTHAMPTON ...	–	61	27	2	2	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	1	–	–	–
†BASINGSTOKE ...	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOURNEMOUTH C.B.	–	1	–	–	1	–
†GOSPORT AND ALVERSTOKE	–	2	2	–	–	–
†PORTSMOUTH C.B.	–	29	13	1	–	M. 1
†SOUTHAMPTON C.B.	–	4	7	1	–	M. 1
†WINCHESTER ...	–	3	–	–	–	–
Rural Districts:—						
ALTON	–	3	–	–	–	–
BASINGSTOKE ...	–	1	4	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
WHITCHURCH ...	–	6	–	–	1	–
STAFFORD ...	–	84	27	4	29	C. 5 D 1 E. 1 F. 1 M. 5
Boroughs and Urban Districts:—						
†AUDLEY ...	–	–	1	–	–	–
BIDDULPH ...	–	–	1	1	–	–
†BILSTON ...	–	3	–	–	–	–
†BRIERLEY HILL	–	–	–	–	3	–
†BROWNHILLS ...	–	6	1	–	–	–
†BURTON-UPON-TRENT C.B.	–	1	–	–	2	–
†CANNOCK ...	–	1	–	–	1	–
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	–	–	–	2	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	2	–	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE-UNDER-LYME	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
QUARRY BANK	–	2	1	–	–	–
†ROWLEY REGIS	–	1	–	–	–	–
†SEDGLEY ...	–	–	1	–	–	–
†SMETHWICK C.B.	–	9	2	1	5	C. 2
†STAFFORD ...	–	–	1	1	–	–
†STOKE-ON-TRENT C.B.	–	19	6	1	13	C. 2 M. 5
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	5	–	–	1	–
UTTOXETER ...	–	–	–	–	–	F. 1
†WALSALL C.B....	–	4	1	–	1	–
†WEDNESBURY ...	–	2	–	–	–	–
†WEST BROMWICH C.B.	–	10	3	–	1	C. 1
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	4	2	–	–	–
†WOLVERHAMPTON C.B.	–	4	1	–	–	D. 1 E. 1
Rural Districts:—						
LEEK	–	4	–	–	–	–
SEISDON ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	5	–	–	–
UTTOXETER ...	–	2	–	–	–	–
SUFFOLK, EAST		15	5	–	3	M. 2
Boroughs and Urban Districts:—						
EYE	–	–	2	–	–	–
HALESWORTH ...	–	–	–	–	–	M. 1
†IPSWICH C.B. ...	–	8	1	–	3	M. 1
Rural Districts:—						
EAST STOW ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
PLOMESGATE ...	–	–	1	–	–	–
SAMFORD ...	–	3	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	7	–	1	1	–
Boroughs and Urban Districts :—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HAVERHILL ...	*	*	*	*	*	*
NEWMARKET ...	–	3	–	–	–	–
Rural Districts :—						
BRANDON ...	–	1	–	–	–	–
CLARE	*	*	*	*	*	*
COSFORD ...	–	–	–	1	1	–
THINGOE ...	–	2	–	–	–	–
SURREY	–	47	24	–	4	D. 1
Boroughs and Urban Districts :—						
†BARNES ...	–	1	4	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†CROYDON C.B....	–	9	4	–	2	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–	3	–	–	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	1	1	–	–	–
GODALMING ...	–	2	–	–	–	–
HAM	–	–	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON-ON-THAMES	–	6	1	–	–	–
†MERTON AND MORDEN	–	4	2	–	–	–
†MITCHAM ...	–	3	2	–	–	–
†REIGATE ...	–	1	–	–	–	D. 1
†RICHMOND ...	–	–	1	–	–	–
†SUTTON ...	–	3	–	–	–	–
†THE MALDONS AND COOMBE ...	–	1	1	–	–	–
†WALTON-UPON THAMES	–	3	1	–	–	–
†WIMBLEDON ...	–	2	2	–	1	–
†WOKING ...	–	2	–	–	–	–
Rural Districts :—						
CHERTSEY ...	–	2	–	–	–	–
EPSOM	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	1	–	–	–
SUSSEX, EAST ...	–	23	5	–	2	M. 1
Boroughs and Urban Districts :—						
†BRIGHTON C.B....	–	4	3	–	1	–
†EASTBOURNE C.B.	–	2	1	–	1	–
EAST GRINSTEAD	–	2	–	–	–	–
†HASTINGS C.B.	–	1	–	–	–	–
HAYWARDS HEATH	–	1	–	–	–	–
†HOVE	–	7	–	–	–	–
†LEWES	–	2	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
RYE	–	1	–	–	–	–
Rural Districts :—						
CHAILEY ...	–	1	–	–	–	–
EASTBOURNE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts—*cont.*						
EAST GRINSTEAD	–	–	1	–	–	–
UCKFIELD ...	–	–	–	–	–	M. 1
SUSSEX, WEST ...	–	22	2	1	–	M. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	4	–	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	14	–	–	–	–
MIDHURST ...	–	1	–	–	–	M. 1
PETWORTH ...	–	1	1	–	–	–
WESTBOURNE ...	–	–	–	1	–	–
WESTHAMPNETT	–	2	–	–	–	–
WARWICK ...	–	109	31	–	28	C. 2 M. 13
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	53	20	–	24	C. 2 M. 11
†COVENTRY C.B.	–	8	–	–	1	M. 1
KENILWORTH ...	–	–	2	–	–	–
†NUNEATON ...	–	8	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	1	–
†WARWICK ...	–	–	3	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	1	–	–	–	–
BRAILES ...	–	–	–	–	1	–
FOLESHILL ...	–	11	–	–	–	–
MERIDEN ...	–	1	–	–	–	–
WARWICK—*cont.*						
Rural Districts:—*cont.*						
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	5	1	–	–	–
TAMWORTH (part)	–	17	5	–	–	M. 1
WESTMORLAND	–	1	–	–	2	E. 1
Boroughs and Urban Districts:—						
†KENDAL ...	–	1	–	–	–	–
Rural District:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	–	–	–	–	E. 1
ISLE OF WIGHT	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	1	–	–	–	–
†RYDE	*	*	*	*	*	*
Rural District:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	20	5	–	–	M. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
DEVIZES ...	–	1	–	–	–	–
†SALISBURY ...	–	–	3	–	–	–
†SWINDON ...	–	1	1	–	–	–
†TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
PEWSEY ...	–	7	1	–	–	–
RAMSBURY ...	–	6	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	3	–	–	–	–
WILTON ...	–	–	–	–	–	M. 1
WORCESTER ...	–	33	2	1	3	C. 1 M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†DUDLEY C.B. ...	–	2	–	–	–	–
EVESHAM ...	–	–	–	1	–	–
†KIDDERMINSTER	–	2	–	–	–	–
†OLDBURY ...	–	–	–	–	1	C. 1
†REDDITCH ...	–	14	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	–	M. 1
STOURPORT ...	–	1	–	–	–	–
†WORCESTER C.B.	–	4	2	–	1	–
Rural Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
HALESOWEN ...	–	2	–	–	–	–
SHIPSTON-ON-STOUR	–	2	–	–	–	–
TENBURY ...	–	2	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	10	15	–	4	D. 1 M. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	4	14	–	2	D. 1 M. 1
†YORK C.B. ...	–	5	1	–	1	–
YORKS (East Riding)—*cont.*						
Rural District:—						
PATRINGTON ...	*	*	*	*	*	*
SKIRLAUGH ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	4	14	4	–	14	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	4	5	2	–	8	–
†REDCAR ...	–	–	–	–	2	–
SALTBURN BY THE SEA	–	–	–	–	1	–
†SKELTON AND BROTTON	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	2	–
FLAXTON ...	–	1	1	–	–	–
KIRKBY MOORSIDE	–	–	1	–	–	–
LEYBURN ...	–	1	–	–	–	–
RICHMOND ...	–	3	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding).	4	184	56	7	70	C. 1 L. 1 M. 11
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	1	–
ALTOFTS ...	–	–	–	–	1	–
†BARNSLEY C.B.	–	3	2	–	2	M. 1
†BATLEY... ...	–	4	1	2	1	–
†BENTLEY WITH ARKSEY	1	–	1	–	–	–
BIRSTAL ...	–	2	–	–	–	–
†BRADFORD C.B.	–	12	6	–	8	–
†CONISBROUGH ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CUDWORTH ...	–	–	–	–	1	–
†DEWSBURY C.B.	–	4	2	–	–	–
†DONCASTER ...	3	3	2	–	1	–
EARBY	–	–	1	–	2	–
†ELLAND ...	–	2	–	1	–	–
†FEATHERSTONE	–	1	–	–	–	–
†GOOLE	–	–	1	–	1	–
†HALIFAX C.B. ...	–	5	–	–	–	–
†HARROGATE ...	–	–	1	–	–	M. 1
HEBDEN BRIDGE	–	3	–	–	–	–
HIPPERHOLME ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	1	–	–
HOYLAND SWAINE	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	3	2	–	2	–
†KEIGHLEY ...	–	–	1	–	2	–
KIRKBURTON ...	–	–	2	–	–	–
KIRKHEATON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
†LEEDS C.B. ...	–	62	10	–	4	M. 1
LINTHWAITE ...	–	–	1	–	–	–
LUDDENDEN FOOT	–	–	1	–	–	–
MARSDEN ...	–	2	–	–	–	–
METHLEY ...	–	–	1	–	–	–
†MEXBOROUGH ...	–	1	–	–	–	–
†MORLEY... ...	–	2	1	–	3	M. 1
†NORMANTON ...	–	1	–	–	–	–
OTLEY	–	–	–	–	2	–
OXENHOPE ...	*	*	*	*	*	*
RAWDON ...	–	2	–	–	–	–
†RAWMARSH ...	–	1	–	1	–	M. 1
†ROTHERHAM C.B.	–	5	2	–	3	C. 1 L. 1
†ROTHWELL ...	–	1	1	–	–	–
†SHEFFIELD C.B.	–	30	6	1	24	M. 5
SHELLEY ...	–	–	1	–	–	–
†SHIPLEY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	2	M. 1
†STANLEY ...	–	2	–	–	–	–
‡SWINTON ...	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban District—*cont.*						
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
†WAKEFIELD C.B.	–	1	3	–	1	–
†WATH-UPON-DEARNE	–	6	1	–	–	–
†WOMBWELL ...	–	–	1	–	1	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	5	–
HEMSWORTH ...	–	3	3	–	–	–
HUNSLET ...	–	2	–	–	–	–
ROTHERHAM ...	–	1	–	1	1	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	4	–	–	–	–
WAKEFIELD ...	–	4	–	–	–	–
WHARFEDALE (South)	–	1	–	–	–	–
WORTLEY ...	–	–	–	–	1	–
WALES.						
ANGLESEY ...	–	8	–	–	1	–
Boroughs and Urban District:—						
BEAUMARIS ...	–	1	–	–	–	–
MENAI BRIDGE	–	3	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	2	–	–	–	–
VALLEY ...	–	2	–	–	1	–
BRECKNOCK ...	–	–	2	1	–	–
Urban District:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural District:—						
CRICKHOWELL ...	–	–	–	1	–	–
CARDIGAN ...	–	3	–	–	–	–
Boroughs and Urban District:—						
†ABERYSTWYTH...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWYTH (North)	–	1	–	–	–	–
ABERYSTWYTH (South)	–	1	–	–	–	–
CARMARTHEN ...	–	5	6	–	2	D. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	1	–	–	–	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	2	1	–	1	D. 1
Rural Districts:—						
CARMARTHEN ...	–	–	4	–	–	–
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	1	1	–	–	–
CARNARVON ...	–	6	1	–	–	–
Boroughs and Urban Districts—						
†BANGOR ...	–	1	–	–	–	–
BETHESDA ...	–	1	–	–	–	–
CONWAY ...	–	3	1	–	–	–
LLANFAIR-FECHAN	–	1	–	–	–	–
DENBIGH ...	–	5	3	–	–	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
DENBIGH—*cont.*						
Rural District:—						
WREXHAM ...	–	4	3	–	–	–
FLINT	–	1	4	–	–	–
Boroughs and Urban District:—						
HOLYWELL ...	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	2	–	–	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	–	107	39	2	15	C. 2 M. 4
Boroughs and Urban Districts:—						
†ABERDARE ...	–	10	1	–	2	–
†BARRY	–	2	3	–	4	C. 1
†CAERPHILLY ...	–	–	2	–	–	–
†CARDIFF C.B. ...	–	6	6	–	1	M. 3
†GELLIGAER ...	–	3	–	–	–	–
†GLYNCORWG ...	–	3	–	–	–	–
†MAESTEG ...	–	–	1	–	1	–
†MERTHYR TYDFIL C.B.	–	1	–	–	2	–
†MOUNTAIN ASH	–	18	–	–	–	–
†NEATH	–	–	4	–	–	–
†OGMORE AND GARW	–	4	1	1	1	M. 1
†PONTYPRIDD ...	–	–	–	–	1	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	35	3	–	2	–
†SWANSEA C.B. ...	–	17	5	–	1	–
Rural Districts:—						
GOWER	–	–	3	–	–	–
LLANDAFF AND DINAS POWIS	–	2	5	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
Neath	–	2	3	1	–	C. 1
Penybont ...	–	1	–	–	–	–
Pontardawe ...	–	1	–	–	–	–
Swansea ...	–	–	1	–	–	–
MERIONETH ...	–	–	–	–	1	–
Urban District:—						
Barmouth ...	*	*	*	*	*	*
Rural District:—						
Penllyn ...	–	–	–	–	1	–
MONMOUTH ...	–	12	13	–	8	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	–	–	1	–
†Abertillery ...	–	1	3	–	1	–
†Blaenavon ...	–	1	–	–	1	–
†Ebbw Vale ...	–	1	3	–	–	–
Monmouth ...	–	3	–	–	–	–
†Mynyddislwyn	–	–	2	–	–	–
†Nantyglo and Blaina	–	–	–	–	2	–
†Newport C.B....	–	4	1	–	3	G. 1 M. 2
†Rhymney ...	–	2	–	–	–	–
†Risca	–	–	4	–	–	–
†Tredegar ...	–	–	–	–	–	C. 1
MONTGOMERY ...	–	1	–	–	–	–
Boroughs and Urban District:—						
Llanfyllin ...	–	1	–	–	–	–
PEMBROKE ...	–	1	–	1	–	C. 1
Boroughs and Urban Districts:—						
Milford Haven	–	–	–	–	–	C. 1
†Pembroke ...	–	1	–	–	–	–
Rural Districts:—						
Haverfordwest	*	*	*	*	*	*
Narberth ...	–	–	–	1	–	–
RADNOR	–	–	–	1	–	–
Urban District:—						
Llandrindod Wells	–	–	–	1	–	–
Total of Part II.	35	1862	652	46	432	C. 35 D. 7 E. 10 F. 1 G. 6 L. 4 M. 128

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Liverpool ...	–	–	–	–	1	–
Newport (Mon.)	–	–	–	–	1	–
Plymouth ...	–	–	1	–	–	–
Southampton ...	–	1	–	–	–	–
Port of London	–	–	1	–	–	–
Total of Part III.	–	1	2	–	2	–

* Returns not received.

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	311	346	3	55	C. 6 D. 1 L. 1 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	35	1862	652	46	432	C. 35 D. 7 E. 10 F. 1 G. 6 L. 4 M. 128
Total of Part III.—Port Sanitary Districts ...	–	1	2	–	2	–
Total (*i.e.*, of returns received), England and Wales	35	2174	1000	49	489	C. 41 D. 8 E. 10 F. 1 G. 6 L. 5 M. 147

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Thirty-five cases of Small-pox were notified, which appear on pages 1200, 1201, 1203, 1207, 1212, and 1213.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.
LONDON:—													
DEATHS—all ages	785	782	797	744	704	730	721	731	744	818	810	800	842
" 0 to 1 year	68	92	79	73	88	66	71	71	98	98	83	92	90
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,168	8,139	8,108	6,703	8,607	7,625	7,511	7,926	7,488	7,646	7,545	7,315	7,433
DEATHS—all ages	3,372	3,355	3,409	3,379	3,323	3,290	3,253	3,246	3,287	3,566	3,412	3,488	3,604
" 0 to 1 year	433	387	426	402	418	403	401	421	410	478	433	457	436
ENTERIC FEVER—Cases	17	28	16	15	15	17	23	23	29	24	32	24	17
" Deaths	2	2	1	2	2	3	4	4	3	5	7	3	1
SMALL POX—Cases	12	15	7	17	15	5	7	5	13	10	8	9	7
" Deaths	—	—	2	—	—	—	—	—	—	1	—	—	1
SCARLET FEVER—Cases	1,201	1,040	1,013	818	911	915	855	1,052	1,086	1,147	1,139	1246	1,228
" Deaths	12	11	8	11	11	14	6	11	11	3	9	8	9
DIPHTHERIA—Cases	662	597	501	458	502	460	523	537	588	610	677	691	685
" Deaths	33	38	33	40	40	41	27	32	29	32	45	29	44
MEASLES—Deaths	62	67	62	45	63	45	52	44	18	39	35	34	27
INFLUENZA—Deaths	18	22	19	15	11	16	10	12	18	21	28	32	31

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th October 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	64	35	58·6	41·4	1
BRIGHTON	63	39	57·7	45·2	0
PORTSMOUTH	62	37	58·6	45·3	0
NORWICH (EATON).	63	33	57·1	40·9	2
PLYMOUTH	63	41	60·1	47·1	0
BRISTOL (CLIFTON).	62	36	56·4	43·6	0·1
BIRMINGHAM	63	34	55·6	40·7	1
NOTTINGHAM	65	31	56·9	41·1	3
BIRKENHEAD (BIDSTON).	59	40	55·0	43·3	1
MANCHESTER	67	35	57·6	42·0	0·2
BURNLEY	65	32	55·1	40·3	1
HUDDERSFIELD	62	33	55·6	39·1	1
BRADFORD	61	36	54·9	41·0	1
SHEFFIELD	64	39	55·9	42·3	1
YORK (MUSEUM).	61	36	56·7	41·4	2
HULL (PEARSON PARK).	64	40	57·6	42·6	4
TYNEMOUTH	61	41	54·4	45·1	5
CARDIFF	63	37	56·1	42·6	0
EDINBURGH	68·0	40·0	56·1	44·4	0
GLASGOW	63·3	38·2	54·7	44·6	4
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	62·2	36·8	56·0	44·7	3
BELFAST	61·0	35·0	56·7	43·3	16

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 14th October 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	8	..	30·112	55·7	42·9	12·8	49·6	− 2·4	43·8	5·8	10·1	1·8	80	86·5	38·5	55·0	NE	NE	2·0	0·0	0·2	289	+ 36	0·00
MONDAY	9	..	30·026	58·2	45·1	13·1	51·6	− 0·0	43·7	7·9	12·0	2·5	75	108·4	36·6	54·8	ENE	ENE: SE & E.	1·8	0·0	0·1	220	− 31	0·00
TUESDAY	10	..	29·902	52·9	43·3	9·6	47·0	− 4·3	40·0	7·0	11·8	2·0	76	82·7	34·3	54·9	E & ENE.	ESE & E.	1·7	0·0	0·0	193	− 58	0·02
WEDNESDAY	11	..	29·826	55·0	35·1	19·9	44·0	− 6·9	34·6	9·4	17·6	1·7	69	100·7	26·2	54·5	Calm	W & WSW.	0·7	0·0	0·0	146	−107	0·00
THURSDAY	12	Greatest Declination N.	29·968	62·1	35·5	26·6	49·6	− 1·0	43·4	6·2	14·3	0·7	79	107·4	26·9	54·4	Calm & SW.	WSW & SSW.	1·1	0·0	0·0	165	− 92	0·00
FRIDAY	13	Last Quarter	30·067	62·0	41·7	20·3	52·2	+ 1·9	43·5	8·7	16·9	0·9	72	111·9	29·0	54·0	S & SSW.	SSW & SSE.	2·0	0·0	0·1	210	− 52	0·00
SATURDAY	14	..	30·023	64·3	39·2	25·1	51·4	+ 1·3	44·7	6·7	17·1	0·9	78	112·7	23·3	53·9	Calm & SSE.	SE	0·7	0·0	0·0	164	−102	0·00
MEANS		..	29·989	58·6	40·4	18·2	49·3	− 1·6	42·0	7·4	14·3	1·5	76	101·5	30·7	54·5	E. and SSE.		...	...	...	Sum 1,387	Sum −406	Sum 0·02
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	8	w.P. generally	0·4	11·2	Becoming cloudless generally by 1h. with dew. Clouding up from 8h. Overcast or nearly overcast from 9h.
MONDAY -	9	w.P. generally	4·8	11·1	Nearly overcast until 6h. 45m. becoming nearly cloudless by 7h. Partially cloudy 9h. 30m. to overcast generally by 12h. 30m. Variably cloudy from 18h., nearly cloudless with dew from 21h.
TUESDAY -	10	w.P. generally	0·2	11·0	Few clouds till 2h., cloudy to overcast by 4h., very slight breaks at times. Lunar halo 2h., occasional slight rain between 4h. and 8h. with slight mist.
WEDNESDAY	11	w.P. generally, v.P. in afternoon.	6·2	11·0	Very cloudy till 8h., then cloudless generally but hazy 9h. to 15h., and cloudy period just before noon. Dew morning and evening. Hoar frost at night. Misty after sunset.
THURSDAY -	12	w.P. generally, v.P. in afternoon.	8·7	10·9	Cloudless or nearly cloudless generally with few partially cloudy intervals. Hoar frost and slight mist in morning. Dew at night.
FRIDAY -	13	v.P. generally	9·4	10·8	Cloudless with few exceptions. Heavy dew in morning and evening.
SATURDAY -	14	w.P. generally, v.P. in afternoon.	9·5	10·8	Cloudless with very slight exceptions in early morning. Hoar frost in morning. Mist and dew after sunset.
			Sum 39·2	Sum 76·8	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·12 in. at the beginning of the week to 29·81 in. by 15h. on 11th; increased to 30·09 in. by 10h. on 13th., and decreased to 29·99 in. by midnight on 14th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922. No 42.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 21ST OCTOBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz :—A, Cholera: B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st OCTOBER 1922.

Births and Deaths

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-second week of the year numbered 7096, and corresponded to an annual rate of 19·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,748 and corresponded to an annual rate of 10·3 per 1,000 of their aggregate civilian population, which is estimated at 19,033,321 in the year 1921. In the preceding three weeks the rates had been 9·3, 9·6 and 9·9. Infant mortality was 71 per 1,000 births against 57, 62, and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,645 births, corresponding to a rate of 19·0 per 1,000, and 863 deaths of civilians, corresponding to a rate of 10·0, as against 9·4, 9·2, and 9·7 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·6 per 1,000. The infant mortality was 53 as against 46, 54, and 52 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 144 in the total deaths last week. In London the number of deaths from all causes rose from 842 to 863; while the deaths from diphtheria, which had been 18, 15, and 25 in the preceding three weeks, fell to 24 last week.

---

m (45)18728—4 Wt 30—P 19 2250 10/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 21st October 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,321*	7,096	3,748	504	3	49	13	18	51	92	43
London	4,514,405*	1,645	863	88	1	–	5	4	24	15	10
Towns in Outer Ring:											
Croydon C.B.	191,500	53	34	5	–	–	–	–	–	1	2
Wimbledon	61,700	12	9	1	–	–	–	–	–	–	1
Ealing	67,800	23	12	–	–	–	–	–	–	–	–
Acton	62,000	13	8	2	–	–	–	–	–	1	–
Willesden	167,200	57	23	–	–	–	–	–	–	–	–
Hendon	55,500	13	9	1	–	–	–	–	–	–	1
Hornsey	87,600	20	15	1	–	–	–	–	–	–	–
Wood Green	51,100	17	6	–	–	–	–	–	–	–	–
Tottenham	149,200	52	19	1	–	–	1	–	–	–	–
Edmonton	67,800	38	11	2	–	–	–	–	–	–	–
Enfield	61,400	20	5	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	136	57	9	–	–	–	–	1	2	3
East Ham C.B.	145,500	29	18	2	–	–	–	1	–	1	–
Leyton	130,100	32	25	3	–	–	1	–	2	–	–
Walthamstow	129,800	45	24	3	–	–	–	–	2	–	–
Ilford	85,500	29	7	2	–	–	–	–	1	1	–
Gillingham	48,149*	21	6	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	6	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	23	14	2	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	10	6	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	38	23	3	–	–	–	–	1	–	–
Portsmouth C.B.	233,929*	98	45	5	–	–	–	–	1	2	–
Bournemouth C.B.	81,200	30	19	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	56	35	1	–	–	–	–	–	–	–
Reading C.B.	92,600	32	19	1	–	–	–	–	–	1	–
Oxford C.B.	56,400	19	10	–	–	–	–	–	–	–	1
Northampton C.B.	92,300	16	17	1	–	–	–	–	1	–	–
Luton	57,800	17	12	–	–	–	–	–	1	–	–
Cambridge	58,900	15	6	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	28	17	2	–	–	–	–	–	1	–
Ipswich C.B.	80,100	22	14	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	17	6	1	–	–	–	–	–	–	1
Norwich C.B.	122,400	36	16	2	–	–	–	–	–	–	–
Swindon	55,500	27	6	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	20	14	2	–	–	–	–	–	–	1
Plymouth C.B.	199,869*	78	39	3	–	–	–	1	–	–	–
Bath C.B.	68,300	15	13	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	177	66	5	–	–	1	–	–	1	–
Gloucester C.B.	51,800	28	10	1	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	124	50	7	1	1	–	1	–	3	1
Burton-upon-Trent C.B.	49,410	19	8	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	48	20	2	–	–	–	–	–	–	–
Walsall C.B.	98,800	52	18	3	–	1	–	1	–	–	–
West Bromwich C.B.	75,300	25	12	1	–	–	–	–	–	–	–
Worcester C.B.	49,160	19	6	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	17	16	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	347	177	30	–	5	–	1	5	7	1
Smethwick C.B.	77,400	28	6	–	1	–	–	–	–	–	–
Coventry C.B.	130,300	45	20	3	–	1	–	–	–	–	–
Leicester C.B.	237,900	82	55	11	–	4	–	–	–	2	–
Lincoln C.B.	66,600	27	12	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	31	22	4	–	1	–	–	1	1	–
Nottingham C.B.	266,400	91	74	8	–	2	–	–	–	1	–
Derby C.B.	131,800	43	28	4	–	–	–	–	–	1	–
Chesterfield	62,400	24	7	–	–	–	–	–	–	–	–
Stockport C.B.	125,500	34	21	2	–	1	–	–	–	–	1
Chester C.B.	41,030	14	15	4	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	56	31	6	–	–	–	–	–	2	–
Wallasey C.B.	89,600	26	14	1	–	–	–	–	–	–	–
Liverpool C.B.	817,000	393	194	49	–	–	–	1	1	15	1
Bootle C.B.	77,800	43	15	2	–	–	–	–	–	–	–
St Helens C.B.	104,900	59	26	6	–	–	–	–	–	2	–

* Population adjusted by the exclusion of non-civilians.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	23	13	4	–	–	–	–	–	–	–
Wigan C.B.	91,200	32	17	5	–	–	–	–	–	–	1
Warrington C.B.	78,600	27	20	3	–	–	–	–	–	–	–
Bolton C.B.	182,200	43	38	3	–	3	–	–	1	–	1
Bury C.B.	57,600	14	18	3	–	–	–	–	–	1	–
Manchester C.B.	744,000	314	184	27	–	3	2	3	2	6	4
Salford C.B.	239,100	112	32	1	–	–	2	1	–	–	1
Oldham C.B.	148,300	39	33	2	–	–	–	–	1	–	–
Rochdale C.B.	92,700	25	18	–	–	–	–	–	–	–	–
Burnley C.B.	105,300	29	32	4	–	5	–	–	–	–	1
Blackburn C.B.‡	129,682	39	20	3	–	–	–	–	1	1	–
Preston C.B.	119,900	42	26	2	–	2	–	–	–	–	–
Blackpool C.B.	73,800	22	25	4	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	28	16	3	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	30	21	1	–	–	–	–	–	–	1
Halifax C.B.	100,700	24	24	1	–	–	–	–	–	–	–
Bradford C.B.	291,100	94	58	4	–	–	–	–	–	–	1
Leeds C.B.	465,500	175	108	25	–	15	–	1	2	4	2
Dewsbury C.B.	55,100	13	12	–	–	–	–	–	–	–	–
Wakefield C.B.	53,763	20	10	2	–	–	–	–	–	–	1
Barnsley C.B.	68,991	31	20	2	–	–	–	–	–	–	2
Sheffield C.B.	519,239	190	101	18	–	–	–	–	–	2	–
Rotherham C.B.	69,100	22	18	4	–	–	–	–	1	1	–
Doncaster	54,700	22	7	2	–	–	–	–	–	–	–
York C.B.	84,500	21	13	2	–	–	–	–	–	1	–
Hull C.B.	291,800	92	75	12	–	3	–	2	–	5	–
Middlesbrough C.B.	133,400	73	29	3	–	–	–	–	–	–	2
Darlington C.B.	66,400	27	7	2	–	–	–	–	–	–	–
Stockton-on-Tees	65,900	27	13	6	–	–	–	–	1	–	–
West Hartlepool C.B.	69,300	29	16	2	–	1	–	–	–	–	–
Sunderland C.B.	161,100	89	35	7	–	–	–	–	–	3	–
South Shields C.B.	120,376	70	26	6	–	–	–	1	–	1	–
Gateshead C.B.	126,700	52	31	3	–	–	–	–	–	2	–
Newcastle-on-Tyne C.B.	278,400	124	61	12	–	–	–	–	1	2	1
Tynemouth C.B.	63,900	32	12	–	–	–	–	–	–	–	–
Carlisle C.B.	53,200	29	10	3	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	33	23	3	–	1	–	–	–	–	1
Cardiff C.B.	202,700	82	29	9	–	–	–	–	–	2	–
Rhondda	166,600	74	27	4	–	–	–	–	–	–	–
Merthyr Tydfil C.B.	81,800	30	19	2	–	–	–	–	–	–	–
Aberdare	56,100	23	10	2	–	–	1	–	–	–	–
Swansea C.B.	159,600	66	34	4	–	–	–	–	–	1	–
Greater London	7,523,963*	2,588	1,349	142	2	–	7	8	32	24	18
Outer Ring	3,609,558*	943	486	54	1	–	2	4	8	9	8
16 Great Towns in Outer Ring	1,820,700	589	282	32	–	–	2	1	6	6	7
Remainder of Outer Ring	1,188,858*	354	204	22	1	–	–	3	2	3	1
Edinburgh†	420,500	177	94	9	–	–	1	2	–	3	–
Glasgow†	1,037,800	522	247	49	–	1	3	6	3	11	1
Dublin (Registration Area)†	427,000	227	92	14	–	–	–	–	1	2	–
Belfast†	425,000	232	91	17	–	–	–	–	–	6	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended on 1st October 1922.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,514,405	1922. Sept. 21	1645	863	10·0	1	–	–	5	4	24	15	10
CALCUTTA	800,067	Sept. 16	?	435§	24·9	?	1	?	?	?	?	?	8
BOMBAY	1,175,914	„ 9	451‖	640§	27·7	1	1	–	?	–	–	51	6
MADRAS	526,911	„ 9	485	390	38·8	2	19	1	?	–	–	24	–
SYDNEY AND SUBURBS	926,400												
BRISBANE (Met. Area).	217,714												
PERTH (Metropolitan Area).	155,939	Aug. 26	81	43	14·3	–	–	–	–	–	–	–	1
AUCKLAND (Urban Area).	164,450												
WELLINGTON (Urban Area).	110,680												
CHRISTCHURCH (Urban Area).	110,200												
CAPE TOWN	101,000	Sept. 2	44	34	17·5	–	–	–	–	–	–	–	1
JOHANNESBURG	149,500	„ 9	65	54	18·8	–	–	–	1	–	–	1	1
DURBAN	48,600	„ 9	27	6	6·5	–	–	–	–	–	–	–	–
PARIS	2,906,472	„ 30 (10 days)	1173	826	10·4	3	–	2	1	1	1	26	–
ANTWERP	362,935												
AMSTERDAM	692,122	Sept. 30	256	100	7·5	1	–	–	–	–	–	2	1
COPENHAGEN	562,000	Oct. 7	200	134	12·4	–	–	–	–	1	–	1	2
STOCKHOLM	422,042	„ 7	110	68	8·4	–	–	–	–	–	–	–	–
GOTHENBURG	228,052	Sept. 9	?	33	7·5	–	–	–	–	–	–	–	–
CHRISTIANIA	258,933	Oct. 7	81	66	13·2	1	–	–	–	–	–	1	–
BERLIN	1,974,000	Sept. 2	475	522	13·7	1	?	4	–	3	2	16	5
BRESLAU	557,000	„ 2	231	137	12·8	1	?	–	–	2	–	7	1
COLOGNE	688,000	„ 2	268	144	10·9	–	?	–	–	3	1	16	–
DRESDEN	607,000	„ 2	169	139	11·9	–	?	1	–	3	–	4	2
FRANKFORT-ON-MAIN	476,000	„ 2	135	86	9·4	–	?	1	–	1	–	–	–
HAMBURG	1,060,000	„ 2	259	227	11·1	–	?	–	–	–	–	3	1
LEIPZIG	675,000	„ 2	224	165	12·7	–	?	–	–	2	–	8	1
MUNICH	680,000	„ 2	180	130	9·9	–	?	–	–	4	–	5	1
VIENNA	1,842,005	„ 9	402	437	12·3	3	–	–	–	–	1	17	–
PRAGUE AND SUBURBS	689,262	„ 2	233	155	11·7	–	–	1	1	1	1	5	–
BUDAPEST	940,000	Aug. 5	344	377	20·9	5	?	12	2	1	1	54	–
WARSAW	956,087	„ 19	400	336	18·3	4	–	3	4	1	4	71	1
		„ 26	348	280	15·2	6	–	1	3	–	–	64	–
CAIRO	777,590	July 22	783	907	60·7	8	–	39	–	?	6	203	?
ALEXANDRIA	456,300	„ 22	306	299	34·1	–	–	–	–	?	–	59	?
NEW YORK	5,839,738	Sept. 23	2400	960	8·6	3	–	–	–	6	5	32	1
CHICAGO	2,833,288	„ 23	?	537	9·9	–	–	–	1	2	10	39	–
RIO DE JANEIRO	1,230,137	„ 16	762	515	21·8	3	3	27	–	10	2	?	13
MONTEVIDEO	347,111	June 17	219	136	18·0	3	–	–	–	–	1	1	–

* Including deaths from croup in Bombay: Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 3 deaths from *Asiatic Cholera* in Calcutta, and 1 in Bombay, and from *Plague*, 6 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 21st October, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	863	88	20	19	34	41	32	68	114	138	159	150
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	5	–	1	–	4	–	–	–	–	–	–	–
Whooping cough	4	2	2	–	–	–	–	–	–	–	–	–
Diphtheria	24	–	4	7	13	–	–	–	–	–	–	–
Influenza	10	1	–	–	–	2	–	2	1	2	1	1
Erysipelas	2	–	–	–	–	–	–	–	–	–	1	1
Acute Poliomyelitis, Polioencephalitis.	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	75	–	–	–	1	17	11	20	16	8	2	–
Tuberculous meningitis	8	2	1	2	3	–	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	–	–	–	1	–	–	–
Other tubercle	5	–	1	–	–	2	–	1	–	–	–	1
Venereal diseases	6	1	–	–	–	–	–	1	1	1	1	1
Cancer	107	–	–	–	–	–	2	4	25	35	23	18
Rheumatic fever	3	–	–	–	–	1	–	–	1	1	–	–
Diabetes	11	–	–	–	–	–	–	2	1	1	5	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	1	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	53	–	–	–	–	–	–	2	9	8	21	13
Epilepsy	7	–	–	–	–	1	1	2	–	–	2	1
"Convulsions" (not puerperal)	3	2	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	29	1	–	1	3	1	1	4	8	8	1	1
Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	5	–	–	–	1	2	–	2	–	–	–	–
Other diseases of heart	116	–	–	–	2	2	7	4	15	20	36	30
Other dis. of circulatory system	31	–	–	–	–	–	–	3	1	10	9	8
Bronchitis	48	3	1	1	–	–	–	–	1	7	10	25
Broncho-pneumonia	34	10	4	5	1	–	2	1	2	–	6	3
Lobar pneumonia	20	–	–	–	1	2	2	–	4	4	7	–
Pneumonia (type not distinguished)	9	2	1	–	–	–	1	–	–	2	3	–
Other diseases of respiratory system	6	1	1	–	–	1	–	–	–	–	3	–
Diarrhœa and enteritis	17	14	1	–	–	–	–	–	1	1	–	–
Appendicitis and typhlitis	3	–	–	–	–	2	–	–	–	1	–	–
Hernia, Intestinal obstruction	9	–	1	–	–	–	–	1	–	3	–	5
Cirrhosis of liver	7	–	–	–	–	–	–	2	3	1	–	1
Other diseases of digestive system	20	1	–	–	–	1	1	2	3	6	2	4
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	21	–	–	–	1	–	1	1	5	4	7	2
Other diseases of genito-urinary system.	15	–	–	–	–	1	1	3	2	3	2	3
Puerperal fever, &c.	4	–	–	–	–	–	1	3	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	1	–	2	–	–	–	–
Congenital malformation	11	11	–	–	–	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	4	4	–	–	–	–	–	–	–	–	–	–
Old age	26	–	–	–	–	–	–	–	–	–	5	21
Suicide	13	–	–	–	–	1	1	1	5	4	1	–
Burns and scalds	2	–	–	–	–	–	–	–	–	–	–	2
Drowning	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	2	2	–	–	1	–	4	–
Other deaths by violence	10	–	–	1	–	–	–	–	3	2	3	1
Other specified causes	34	7	1	–	2	2	–	4	3	5	4	6
Ill-defined causes	1	–	–	–	–	–	–	–	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st October 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs:—						
†BATTERSEA ...	–	10	16	1	7	–
†BERMONDSEY ...	–	14	19	–	3	–
†BETHNAL GREEN	–	9	6	–	–	D. 1 M. 1
†CAMBERWELL ...	–	22	27	–	4	L. 1
†CHELSEA ...	–	6	6	–	1	C. 1
†DEPTFORD ...	–	13	9	–	1	C. 1
†FINSBURY ...	–	19	7	–	1	M. 1
†FULHAM ...	–	16	8	–	2	M. 2
†GREENWICH ...	–	10	20	–	–	–
†HACKNEY ...	–	22	15	–	–	E. 1
†HAMMERSMITH	–	8	12	–	3	C. 1 M. 2
†HAMPSTEAD ...	–	1	2	–	1	G. 1 M. 1
†HOLBORN ...	–	3	2	–	–	–
†ISLINGTON ...	–	30	25	–	3	M. 2
†KENSINGTON ...	–	10	9	1	5	–
†LAMBETH ...	–	35	12	1	1	M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	2	19	–	–	–
†PADDINGTON ...	–	9	7	1	5	–
†POPLAR... ...	–	8	14	–	1	C. 1 F. 1 M. 2
†ST. MARYLEBONE	–	5	7	–	4	–
†ST. PANCRAS ...	–	23	10	–	8	M. 1
†SHOREDITCH ...	–	10	7	–	11	M. 1
†SOUTHWARK ...	–	19	27	–	3	M. 1
†STEPNEY ...	–	12	22	–	4	–
†STOKE NEWINGTON	–	–	1	–	–	–
†WANDSWORTH	–	19	13	–	5	C 1
†WESTMINSTER, CITY OF	–	6	6	–	–	–
†WOOLWICH ...	–	15	9	–	3	–
TOTAL OF PART I.	–	356	337	4	76	C. 5 D. 1 E. 1 F. 1 G. 1 L. 1 M. 15

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	6	3	–	–	–
Boroughs and Urban Districts :—						
Leighton Buzzard	–	1	–	–	–	–
†Luton	–	–	1	–	–	–
Rural Districts :—						
Ampthill ...	–	–	1	–	–	–
Bedford ...	–	3	–	–	–	–
Biggleswade ...	–	2	1	–	–	–
BERKS	–	42	5	–	–	–
Boroughs and Urban Districts :—						
Abingdon ...	–	3	1	–	–	–
†Maidenhead ...	–	1	–	–	–	–
†Newbury ...	–	2	–	–	–	–
†New Windsor...	–	1	–	–	–	–
†Reading C.B....	–	31	3	–	–	–
Rural Districts :—						
Abingdon ...	–	1	1	–	–	–
Cookham ...	–	2	–	–	–	–
Easthampstead	–	1	–	–	–	–
BUCKINGHAM	–	10	2	–	3	G. 1
Boroughs and Urban Districts :—						
†Aylesbury ...	–	1	–	–	–	–
†Chepping Wycombe	–	2	–	–	–	–
Chesham ...	–	–	–	–	2	–
†Slough ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts :—						
Buckingham ...	–	1	–	–	–	–
Eton	–	–	–	–	1	G. 1
Wycombe ...	–	6	–	–	–	–
CAMBRIDGE ...	–	4	4	–	–	–
Borough :—						
†Cambridge ...	–	–	2	–	–	–
Rural District :—						
Chesterton ...	–	1	–	–	–	–
Newmarket ...	–	3	2	–	–	–
CHESTER	–	54	22	–	13	C. 2 G. 1 M. 1
Boroughs and Urban Districts :—						
†Altrincham ...	–	3	1	–	–	–
†Bebington and Bromborough	–	1	–	–	–	–
†Birkenhead C.B.	–	10	1	–	4	–
†Chester C.B. ...	–	5	1	–	–	–
†Congleton ...	–	–	–	–	2	–
†Crewe	–	3	–	–	–	–
†Ellesmere Port and Whitby	–	–	2	–	–	–
Hoole ...	–	–	–	–	1	–
†Hoylake and West Kirby	–	1	–	–	–	–
†Hyde	–	1	–	–	1	–
Knutsford ...	–	2	2	–	–	–
†Macclesfield...	–	–	–	–	1	–
Middlewich ...	–	–	1	–	–	–
†Northwich ...	–	1	–	–	–	–
†Runcorn ...	–	11	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	2	5	–	1	C. 1
†WALLASEY C.B.	–	3	2	–	–	C. 1
†WINSFORD ...	–	2	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	3	2	–	1	–
CHESTER ...	–	2	1	–	–	–
NANTWICH ...	–	–	–	–	–	G. 1 M. 1
NORTHWICH ...	–	–	–	–	1	–
RUNCORN ...	–	3	–	–	–	–
WIRRAL... ...	–	–	1	–	–	–
CORNWALL ...	–	6	1	2	2	G. 1
Boroughs and Urban Districts:—						
BODMIN... ...	–	2	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	–	–	G. 1
Rural Districts:—						
LISKEARD ...	–	–	1	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	–	1	1	–
SAINT GERMANS	–	2	–	1	–	–
CUMBERLAND ...	–	19	3	–	4	G. 1 M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	–	–	–	–
†CARLISLE C.B. ...	–	5	2	–	2	G. 1
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARYPORT ...	–	–	–	–	–	M. 1
MILLOM... ...	–	–	–	–	2	–
PENRITH ...	–	–	1	–	–	–
†WHITEHAVEN ...	–	2	–	–	–	–
†WORKINGTON ...	–	4	–	–	–	–
Rural Districts:—						
BOOTLE ...	–	1	–	–	–	–
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	4	–	–	–	–
LONGTOWN ...	–	1	–	–	–	–
DERBY	5	33	6	–	10	C. 1 E. 2 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	–
BONSALL ...	–	–	–	–	–	C. 1
†BUXTON ...	–	3	–	–	–	–
†CHESTERFIELD ...	–	1	–	–	2	–
†DERBY C.B. ...	–	12	3	–	3	E. 1 M. 1
†GLOSSOP ...	–	1	–	–	–	E. 1
†HEANOR ...	–	–	1	–	1	–
†ILKESTON ...	1	2	–	–	1	–
†LONG EATON ...	–	2	–	–	2	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	4	2	–	–	–	–
BLACKWELL ...	–	1	–	–		–
CHESTERFIELD ...	–	1	1	–	–	–
GLOSSOP DALE	–	1	–	–	–	–
HARTSHORNE AND SEALS	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—*cont.*						
REPTON ...	–	1	–	–	–	–
SHARDLOW ...	–	3	–	–	–	–
DEVON	–	23	12	2	4	C. 1 M. 1
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BAMPTON ...	–	4	–	–	–	–
†BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	*	*	*	*	*	*
†EXETER C.B. ...	–	1	–	–	2	M. 1
†NEWTON ABBOT	–	–	1	–	–	–
†PLYMOUTH C.B.	–	8	7	1	–	–
SALCOMBE ...	*	*	*	*	*	*
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	–	1	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
CREDITON ...	–	3	–	–	–	–
HONITON ...	–	1	–	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST MARY	–	–	1	1	–	C. 1
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON	–	1	–	–	–	–
TAVISTOCK ...	–	1	1	–	–	–
DORSET	–	4	1	–	1	D. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	–
†POOLE	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
DORSET—*cont.*						
Rural Districts:—						
SHAFTESBURY ...	–	–	1	–	–	–
STURMINSTER ...	–	–	–	–	–	D. 1
DURHAM... ...	–	64	17	2	24	M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
†BISHOP AUCKLAND	–	3	–	–	–	–
†BLAYDON ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	1	–	–
†CONSETT ...	–	2	–	–	–	–
†DARLINGTON C.B.	–	3	1	–	1	–
†FELLING ...	–	1	1	–	–	M. 2
†GATESHEAD C.B.	–	5	2	–	1	M. 1
†HEBBURN ...	–	1	–	1	1	–
†HETTON... ...	–	1	–	–	4	–
†HOUGHTON-LE-SPRING	–	2	–	–	–	–
†JARROW ...	–	8	–	–	1	–
LEADGATE ...	–	–	1	–	–	–
†RYTON	–	–	1	–	1	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	1	2	–	5	–
†STANLEY ...	–	4	1	–	–	–
†STOCKTON-ON-TEES	–	2	3	–	1	–
†SUNDERLAND C.B.	–	6	–	–	2	–
†TANFIELD ...	–	1	–	–	1	M. 1
TOW LAW ...	–	2	–	–	–	–
†WEST HARTLEPOOL C.B	–	1	–	–	–	M. 1
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
CHESTER-LE-STREET	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural District :—*cont.*						
DURHAM ...	–	2	–	–	–	–
EASINGTON ...	–	3	1	–	1	M. 1
HOUGHTON-LE-SPRING	–	–	1	–	–	–
LANCHESTER ...	–	2	–	–	–	M. 1
SEDGEFIELD ...	–	3	–	–	–	–
SOUTH SHIELDS	–	1	–	–	–	M. 1
SUNDERLAND ...	–	4	–	–	4	–
WEARDALE ...	–	–	–	–	1	–
ISLE OF ELY ...	–	4	–	–	–	–
Boroughs and Urban Districts :—						
ELY	–	1	–	–	–	–
Rural District :—						
WISBECH ...	–	3	–	–	–	–
ESSEX	–	94	74	–	11	C. 1 M. 3
Boroughs and Urban Districts :—						
†BARKING TOWN	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	C. 1
BUCKHURST HILL	–	1	–	–	–	–
†CHELMSFORD ...	–	2	–	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†COLCHESTER ...	–	3	1	–	–	–
†EAST HAM C.B.	–	8	9	–	2	–
†GRAYS THURROCK	–	3	2	–	–	–
HALSTEAD ...	–	–	–	–	2	–
†HARWICH ...	–	–	2	–	–	–
†ILFORD	–	5	5	–	–	M. 1
†LEYTON... ...	–	10	6	–	2	–
†ROMFORD ...	–	4	–	–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
SAFFRON WALDEN	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	6	1	–	–	M. 1
†WALTHAMSTOW	–	12	10	–	1	–
†WANSTEAD ...	–	–	1	–	–	–
†WEST HAM C.B.	–	25	26	–	1	M. 1
†WOODFORD ...	–	3	1	–	–	–
Rural Districts :—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	3	–	–	–
BUMPSTEAD ...	*	*	*	*	*	*
DUNMOW ...	*	*	*	*	*	*
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	1	–	–	–
ORSETT	–	1	3	–	–	–
ROMFORD ...	–	6	2	–	3	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	64	32	3	12	C. 1 E. 1 M. 3
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	44	24	–	6	E. 1 M. 3
†CHELTENHAM ...	–	5	–	–	–	–
†GLOUCESTER C.B.	–	5	3	1	2	–
†KINGSWOOD ...	–	2	–	–	–	–
TEWKESBURY ...	–	–	1	–	–	–
Rural Districts :—						
CHIPPING SODBURY	–	–	1	–	1	–
CIRENCESTER ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—*cont.*						
DURSLEY ...	–	–	2	1	–	–
EAST DEAN AND UNITED PARISHES	–	4	–	–	–	–
GLOUCESTER ...	–	–	–	1	–	–
NORTHLEACH ...	–	1	–	–	–	–
STROUD ...	–	–	–	–	2	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	1	–	–	–
WEST DEAN ...	–	3	–	–	–	–
HEREFORD ...	–	2	2	1	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
DORE	–	–	1	1	–	–
HEREFORD ...	–	–	–	–	1	–
LEDBURY ...	–	1	1	–	–	–
ROSS	–	–	–	–	1	–
HERTFORD ...	–	19	2	–	1	–
Boroughs and Urban Districts:—						
†EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	2	–	–	–	–
†HITCHIN	–	–	1	–	–	–
†LETCHWORTH ...	–	4	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
HADHAM ...	–	2	–	–	–	–
HITCHIN ...	–	8	–	–	–	–
WATFORD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	3	1	–	–	E. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
HUNTINGDON ...	–	1	–	–	–	–
RAMSEY ...	–	–	1	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS, No. 3	–	–	–	–	–	E. 1
KENT	–	33	19	4	2	M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	2	–	–
†BROMLEY ...	–	1	–	–	–	–
†CHATHAM ...	–	–	1	–	–	–
†DARTFORD ...	–	1	1	–	–	–
†DOVER	–	2	–	2	–	–
†ERITH	–	3	1	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†GILLINGHAM ...	–	2	3	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
HYTHE	–	2	–	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†MARGATE ...	–	5	2	–	–	–
†RAMSGATE ...	–	3	–	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†SHEERNESS ...	–	1	4	–	1	M. 1
SIDCUP	–	2	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WALMER ...	*	*	*	*	*	*
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
FAVERSHAM ...	*	*	*	*	*	*
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE... ...	–	–	1	–	–	–
MALLING ...	–	1	–	–	–	–
MILTON ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	2	–	–	–
WEST ASHFORD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	366	96	4	127	C. 8 D. 1 E. 2 L. 2 M. 34
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–
†ACCRINGTON ...	–	3	2	–	1	–
†ASHTON-IN-MAKERFIELD	–	2	–	–	–	–
†ASHTON-UNDER-LYNE	–	–	–	–	2	–
ASPULL	–	–	–	–	2	–
†ATHERTON ...	–	2	1	–	–	–
†BARROW-IN-FURNESS C.B.	–	6	–	–	2	–
†BLACKBURN C.B.	–	2	1	–	8	–
†BLACKPOOL C.B.	–	2	–	–	1	–
†BOLTON C.B. ...	–	3	1	–	2	–
†BOOTLE C.B. ...	–	7	4	–	–	M. 1
†BURNLEY C.B.	–	11	1	–	3	M. 1
†BURY C.B. ...	–	4	–	–	1	–
†CHADDERTON ...	–	3	–	–	–	C. 1
†COLNE	–	3	2	–	–	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON-IN-FURNESS	–	1	–	–	–	–
†DARWEN ...	–	7	–	–	–	–
†DENTON ...	–	4	–	–	2	–
†DROYLSDEN ...	–	2	1	–	–	–
†ECCLES ...	–	1	2	–	–	M. 1
†FAILSWORTH ...	–	3	1	–	2	–
†FARNWORTH ...	–	–	–	–	2	–
†FLEETWOOD ...	–	1	1	–	1	M. 2
GOLBORNE ...	–	–	–	–	1	–
GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	3	–	–	1	–
†HAYDOCK ...	–	2	1	–	–	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY ...	–	–	–	1	2	–
†HORWICH ...	–	1	1	–	–	–
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	3	1	–	1	C. 1
LEES	–	1	–	–	1	–
†LEIGH	–	6	4	–	3	M. 2
†LITHERLAND ...	–	8	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LIVERPOOL C.B.	–	39	16	2	17	C. 1 M. 10
LANCASTER—*cont*						
Boroughs and Urban Districts—*cont.*						
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B	–	79	20	1	24	C. 3 E. 2 L. 1 M. 13
†MIDDLETON ...	–	6	–	–	–	–
MILNROW ...	–	1	–	–	–	–
†MORECAMBE ...	–	–	1	–	–	–
†MOSSLEY ...	–	1	–	–	–	–
†NELSON... ...	–	–	–	–	1	–
†NEWTON-IN-MAKERFIELD	–	7	1	–	2	–
†OLDHAM C.B. ...	–	12	5	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
ORRELL... ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM ...	–	–	1	–	–	–
PRESCOT ...	–	7	–	–	–	–
†PRESTON C.B. ...	–	2	4	–	1	–
†PRESTWICH ...	–	–	3	–	–	–
†RADCLIFFE ...	–	–	–	–	1	–
RAINFORD ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	1	–	–	–	D. 1
RISHTON ...	–	–	–	–	3	–
†ROCHDALE C.B.	–	18	–	–	–	–
†ROYTON... ...	–	1	–	–	3	–
†ST. ANNE'S ON THE SEA	–	3	–	–	–	–
†ST. HELENS C.B.	–	8	3	–	3	–
†SALFORD C.B. ...	–	29	5	–	7	M 3
†SOUTHPORT C.B.	–	6	–	–	1	–
†STRETFORD ...	–	6	1	–	–	–
†SWINTON AND PENDLEBURY	–	2	–	–	3	–
TOTTINGTON ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	3	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	–	–	–	2	–
WARDLE ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†WARRINGTON C.B.	–	14	–	–	3	C. 1
†WESTHOUGHTON	–	–	–	–	3	C. 1
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES ...	–	4	–	–	–	–
†WIGAN C.B. ...	–	4	3	–	3	–
†WORSLEY ...	–	1	–	–	–	–
Rural Districts :—						
BARTON UPON IRWELL	–	–	1	–	–	–
BURNLEY ...	–	1	–	–	–	M. 1
CHORLEY ...	–	1	1	–	–	–
CLITHEROE ...	–	1	1	–	2	L. 1
FYLDE... ...	–	1	1	–	–	–
LUNESDALE ...	*	*	*	*	*	*
PRESTON ...	–	1	1	–	3	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	1	–
WHISTON ...	–	3	–	–	–	–
LEICESTER ...	–	32	1	–	1	M. 3
Boroughs and Urban Districts :—						
†COALVILLE ...	–	2	–	–	–	–
†LEICESTER C.B.	–	24	–	–	–	M. 3
MELTON MOWBRAY	–	–	–	–	1	–
Rural Districts :—						
BELVOIR ...	–	1	–	–	–	–
BILLESDON ...	–	1	–	–	–	–
LOUGHBOROUGH	–	1	1	–	–	–
MARKET BOSWORTH	–	2	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	–	–	1	–
Boroughs and Urban Districts :—						
†BOSTON ...	–	1	–	–	–	–
HOLBEACH ...	–	–	–	–	1	–
Rural Districts :—						
BOSTON ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	2	–
Borough :—						
STAMFORD ...	–	–	–	–	2	–
Rural District :—						
CLAYPOLE ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	9	–	1	F. 1
Boroughs and Urban Districts :—						
BARTON-UPON-HUMBER	–	1	1	–	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPE WITH THRUNSCOE	–	1	1	–	–	–
†GAINSBOROUGH	–	–	2	–	–	–
†GRIMSBY C.B. ...	–	7	3	–	–	–
MARKET RASEN	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural District:—						
CAISTOR ...	–	–	–	–	–	F. 1
GLANFORD BRIGG	–	2	1	–	–	–
MIDDLESEX ...	–	95	57	–	3	C. 1 D. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	3	8	–	–	–
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	1	–	–	–	–
†EALING ...	–	5	4	–	1	–
†EDMONTON ...	–	2	4	–	–	M 1
†ENFIELD ...	–	3	–	–	–	–
FELTHAM ...	–	7	2	–	–	–
†FINCHLEY ...	–	3	1	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HAMPTON ...	–	–	1	–	–	–
†HANWELL ...	–	7	–	–	–	–
HAYES	–	1	–	–	–	–
†HENDON ...	–	5	4	–	1	–
†HESTON AND ISLEWORTH	–	8	4	–	–	C. 1 D. 1
†HORNSEY ...	–	5	3	–	1	–
†SOUTHALL-NORWOOD	–	–	1	–	–	L. 1
†SOUTHGATE ...	–	6	1	–	–	M. 1
STAINES ...	–	1	–	–	–	–
SUNBURY-ON-THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	19	3	–	–	–
†WILLESDEN ...	–	12	17	–	–	–
†WOOD GREEN ...	–	1	1	–	–	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
STAINES ...	–	2	–	–	–	–
NORFOLK ...	–	67	5	1	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	4	–	1	–	C. 1
†NORWICH C.B....	–	46	5	–	3	M. 1
SWAFFHAM ...	–	1	–	–	–	–
THETFORD ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM ...	–	3	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	5	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
WALSINGHAM ...	–	2	–	–	–	–
NORTHAMPTON	–	28	4	–	15	–
Boroughs and Urban Districts:—						
FINEDON ...	–	5	–	–	–	–
IRTHLINGBOROUGH	–	2	–	–	1	–
†KETTERING ...	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	10	3	–	12	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
EASTON-ON-THE-HILL	–	1	–	–	–	–
HARDINGSTONE	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts—*cont.*						
WELLINGBOROUGH	–	6	1	–	1	–
NORTHUMBERLAND.	–	40	9	1	17	M. 2
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	3	–	–	1	–
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1	–	1	–	–
HEXHAM ...	–	2	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
NEWBIGGIN-BY-THE-SEA	*	*	*	*	*	*
†NEWCASTLE-UPON-TYNE C.B.	–	11	5	–	8	M. 1
PRUDHOE ...	–	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	6	1	–	2	M. 1
†WALLSEND ...	–	1	1	–	–	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	3	–	–	1	–
GLENDALE ...	–	–	2	–	1	–
HALTWHISTLE ...	–	4	–	–	–	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	1	28	11	5	5	M. 4
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	1	2	–
†BEESTON ...	–	2	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	1	–	1	–
†MANSFIELD WOODHOUSE	–	1	1	–	–	–
†NOTTINGHAM C.B.	–	22	5	–	–	M. 2
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	1	–	–	–
†WORKSOP ...	–	–	–	–	–	M. 1
Rural Districts:—						
BASFORD ...	1	–	1	1	–	–
BINGHAM ...	–	–	1	3	–	M. 1
MISTERTON ...	*	*	*	*	*	*
NEWARK ...	–	1	1	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	19	1	–	–	M. 2
Boroughs and Urban Districts:—						
†BANBURY ...	–	5	–	–	–	–
†OXFORD C.B. ...	–	5	1	–	–	M. 2

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	1	–	–	–	–
CROWMARSH ...	–	4	–	–	–	–
CULHAM... ...	–	1	–	–	–	–
HEADINGTON ...	–	2	–	–	–	–
HENLEY ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	2	1	–	–	–
Borough:—						
†PETERBOROUGH ...	–	2	1	–	–	–
SALOP	–	16	2	–	1	E. 1 M. 2
Boroughs and Urban Districts:—						
LUDLOW ...	–	–	1	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	5	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	–	–	–	E. 1
CLEOBURY MORTIMER	–	–	–	–	–	M. 1
ELLESMERE ...	–	2	1	–	–	–
LUDLOW ...	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	–	M. 1
OSWESTRY ...	–	4	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
SOMERSET ...	–	31	5	–	5	C. 1
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	1	3	–	1	–
CLEVEDON ...	–	1	–	–	–	–
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FROME	–	7	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
MINEHEAD ...	–	2	–	–	–	–
†TAUNTON ...	–	9	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON-SUPER-MARE	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	–	1	–	–	–
CLUTTON ...	–	–	1	–	–	–
LONG ASHTON ...	–	7	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	1	–	–	2	–
WINCANTON ...	–	–	–	–	–	C. 1
SOUTHAMPTON ...	–	64	15	2	2	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	6	–	–	–	–
†BOURNEMOUTH C.B.	–	4	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT AND ALVERSTOKE	–	1	–	–	1	–
PETERSFIELD ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	30	8	–	–	M. 1
†SOUTHAMPTON C.B.	–	7	3	2	–	–
WARBLINGTON	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER ...	–	–	–	–	1	–
BASINGSTOKE ...	–	–	1	–	–	–
CHRISTCHURCH	–	2	–	–	–	–
KINGSCLERE ...	–	–	1	–	–	–
NEW FOREST ...	–	4	–	–	–	–
WHITCHURCH ...	–	5	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	–	128	17	2	28	C. 2 M. 2
Boroughs and Urban Districts:—						
BIDDULPH ...	–	6	1	–	–	–
†BILSTON ...	–	4	–	–	–	–
†BRIERLEY HILL	–	–	–	–	2	–
†BROWNHILLS ...	–	5	–	–	2	–
†BURTON-UPON-TRENT C.B.	–	–	–	–	1	M. 1
†CANNOCK ...	–	8	–	–	–	–
†COSELEY ...	–	1	–	–	–	C 1
†DARLASTON ...	–	3	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
QUARRY BANK	–	2	–	–	–	–
†ROWLEY REGIS	–	2	–	–	3	–
RUGELEY ...	–	2	–	–	–	–
†SEDGLEY ...	–	1	1	–	–	–
SHORT HEATH ...	–	2	–	–	–	–
†SMETHWICK C.B.	–	8	–	–	2	–
†STAFFORD ...	–	3	1	–	1	–
†STOKE-ON-TRENT C.B.	–	30	9	–	12	M. 1
STONE	–	1	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	–	1	2	1	–
UTTOXETER ...	–	1	–	–	–	–
†WALSALL C.B....	–	7	1	–	1	–
†WEDNESBURY ...	–	3	–	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
WEDNESFIRLD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	13	1	–	–	–
†WILLENHALL ...	–	3	–	–	1	–
†WOLSTANTON UNITED	–	6	1	–	–	–
†WOLVERHAMPTON C.B.	–	5	–	–	1	–
Rural Districts:—						
CHEADLE ...	–	1	–	–	–	–
LEEK	–	1	–	–	–	–
NEWCASTLE UNDER LYME ...	–	–	–	–	–	C. 1
TAMWORTH (part)	–	5	1	–	–	–
WALSALL ...	–	3	–	–	–	–
SUFFOLK, EAST		7	5	–	1	–
Boroughs and Urban Districts:—						
BECCLES ...	–	1	–	–	–	–
EYE	–	–	1	–	–	–
†IPSWICH C.B. ...	–	1	2	–	1	–
LEISTON CUM SIZEWELL	–	1	–	–	–	–
†LOWESTOFT ...	–	–	1	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
EAST STOW ...	–	2	–	–	–	–
HOXNE	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	4	3	–	–	–
Boroughs and Urban Districts :—						
Haverhill ...	*	*	*	*	*	*
Newmarket ...	–	2	3	–	–	–
Rural Districts :—						
Brandon ...	–	1	–	–	–	–
Clare	*	*	*	*	*	*
Thedwastre ...	–	1	–	–	–	–
SURREY	–	61	18	2	5	L. 1 M. 1
Boroughs and Urban Districts :—						
†Barnes ...	–	2	1	–	1	–
†Carshalton ...	–	1	–	–	–	–
†Chertsey ...	–	2	–	–	–	–
†Coulsdon and Purley	–	–	–	1	–	–
†Croydon C.B....	–	13	2	–	–	–
Dorking ...	–	1	–	–	–	–
†Egham	–	1	–	–	–	–
†Epsom	–	3	–	–	–	–
Godalming ...	–	1	–	–	–	–
†Guildford ...	–	1	–	–	1	–
†Kingston-on-Thames	–	4	3	–	–	–
Leatherhead ...	–	1	–	–	–	–
†Merton and Morden	–	3	2	–	–	–
†Mitcham ...	–	2	3	–	–	–
†Richmond ...	–	2	–	–	1	–
†Surbiton ...	–	–	3	–	–	–
†Sutton ...	–	–	1	–	1	–
†The Maldens and Coombe ...	–	1	–	–	1	–
†Walton-upon Thames	–	8	–	–	–	–
†Wimbledon ...	–	3	2	–	–	–
†Woking ...	–	3	–	–	–	M. 1
SURREY—*cont.*						
Rural Districts :—						
Dorking ...	–	2	–	–	–	–
Epsom	–	–	–	–	–	L. 1
Farnham ...	–	2	1	–	–	–
Hambledon ...	–	5	–	1	–	–
SUSSEX, EAST ...	–	13	7	–	3	D. 1 L. 3 M. 1
Boroughs and Urban Districts :—						
†Brighton C.B....	–	5	4	–	1	M. 1
†Eastbourne C.B.	–	3	–	–	–	–
East Grinstead	–	2	–	–	1	–
†Hove	–	1	3	–	1	–
Rural Districts :—						
East Grinstead	–	1	–	–	–	–
Hailsham ...	–	–	–	–	–	L. 3
Steyning East	–	1	–	–	–	D. 1
SUSSEX, WEST ...	–	7	–	–	1	–
Boroughs and Urban Districts :—						
†Horsham ...	–	6	–	–	–	–
Rural Districts :—						
Westbourne ...	–	1	–	–	–	–
Westhampnett	–	–	–	–	1	–
WARWICK ...	–	86	29	–	34	C. 7 M. 7
Boroughs and Urban Districts :—						
†Birmingham C.B.	–	50	28	–	32	C. 6 M. 5
†Coventry C.B.	–	8	–	–	1	M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Nuneaton ...	–	1	–	–	–	–
†Royal Leamington Spa	–	2	–	–	–	–
†Rugby	–	1	–	–	–	–
Stratford on Avon	–	3	–	–	–	–
†Warwick ...	–	1	–	–	–	–
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	3	–	–	–	C. 1
Coventry ...	–	1	–	–	–	–
Foleshill ...	–	10	–	–	–	–
Meriden ...	–	2	–	–	1	–
Rugby	–	3	1	–	–	–
WESTMORLAND	–	1	–	–	2	E. 2
Rural Districts:—						
East Westmorland	–	–	–	–	1	–
South Westmorland	–	–	–	–	1	E. 2
West Ward ...	–	1	–	–	–	–
ISLE OF WIGHT	–	1	–	–	–	–
Rural District:—						
Isle of Wight	–	1	–	–	–	–
WILTS	–	23	2	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
Marlborough...	–	1	–	–	–	–
†Salisbury ...	–	1	–	–	–	–
†Swindon ...	–	1	–	–	1	–
WILTS—*cont.*						
Rural Districts:—						
Bradford on Avon	–	–	1	–	–	–
Chippenham ...	–	1	–	–	–	–
Cricklade and Wootton Bassett	–	1	–	–	–	–
Devizes ...	–	3	–	–	–	–
Highworth ...	–	1	–	–	–	–
Marlborough	–	1	–	–	–	–
Pewsey ...	–	5	1	–	–	C. 1 M. 1
Ramsbury ...	–	7	–	–	–	–
Westbury and Whorwellsdown	–	1	–	–	–	–
WORCESTER ...	–	31	4	–	3	–
Boroughs and Urban Districts:—						
Bromsgrove ...	–	4	–	–	–	–
†Dudley C.B. ...	–	1	1	–	–	–
†Kidderminster	–	–	1	–	–	–
†Oldbury ...	–	1	–	–	3	–
†Redditch ...	–	14	1	–	–	–
Stourport ...	–	1	–	–	–	–
†Worcester C.B.	–	3	–	–	–	–
Rural Districts:—						
Bromsgrove ...	–	3	–	–	–	–
Droitwich ...	–	1	–	–	–	–
Feckenham ...	–	1	1	–	–	–
Halesowen ...	–	1	–	–	–	–
Tenbury ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	19	17	–	3	–
Boroughs and Urban Districts:—						
†Beverley ...	–	–	–	–	1	–
†Bridlington ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON-UPON-HULL C.B.	–	4	15	–	–	–
NORTON ...	–	1	–	–	–	–
†YORK C.B. ...	–	6	–	–	2	–
Rural District:—						
DRIFFIELD ...	–	–	1	–	–	–
ESCRICK ...	–	2	–	–	–	–
HOWDEN ...	–	4	–	–	–	–
NORTON ...	–	–	1	–	–	–
SCULCOATES ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	21	2	–	11	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†MIDDLESBROUGH C.B.	–	7	1	–	5	M. 1
†REDCAR ...	–	1	–	–	–	–
RICHMOND ...	–	3	–	–	–	–
†SCARBOROUGH ...	–	2	1	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	2	–	–	1	–
Rural Districts:—						
BEDALE ...	*	*	*	*	*	*
EASINGWOLD ...	–	–	–	–	1	C. 1
LEYBURN ...	–	1	–	–	–	–
NORTHALLERTON	–	2	–	–	–	–
RICHMOND ...	–	–	–	–	2	–
WHITBY... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	2	231	50	4	65	C. 1 E. 1 M. 13
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	1	–	–	1	–
†BATLEY... ...	–	1	1	–	1	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY ...	*	*	*	*	*	*
†BOLTON UPON DEARNE	–	–	–	1	1	–
†BRADFORD C.B.	–	19	7	–	1	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	1	–	–	–
†DEWSBURY C.B.	–	1	1	1	–	–
†DONCASTER ...	2	3	1	–	–	–
EARBY	–	–	2	–	–	–
†ELLAND... ...	–	3	–	–	–	–
†FEATHERSTONE	–	–	–	–	2	–
GILDERSTONE ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	3	–	–	2	–
HAWORTH ...	–	–	1	–	–	–
HEBDEN BRIDGE	–	1	–	–	3	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	1	–	1	M. 1
HOYLAND SWAINE	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	–	–	–	1	–
HUNSWORTH ...	–	–	1	–	–	–
ILKLEY	–	1	1	–	–	–
†KEIGHLEY ...	–	4	–	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	1	–	–	1	–
†LEEDS C.B. ...	–	83	7	–	8	C. 1 M. 1
†MEXBOROUGH ...	–	1	1	–	1	–
†MORLEY... ...	–	3	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; J, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	7	–	–	–	–
†PONTEFRACT ...	–	–	–	1	–	–
QUEENSBURY ...	*	*	*	*	*	*
†RAWMARSH ...	–	2	–	–	2	–
RIPON	–	1	–	–	–	–
†ROTHERHAM C.B.	–	7	5	–	4	–
†ROTHWELL ...	–	3	–	–	–	–
ROYSTON ...	–	2	–	–	–	–
†SADDLEWORTH...	–	–	–	–	–	M. 1
†SHEFFIELD C.B.	–	34	10	–	19	E. 1 M. 10
†SHIPLEY ...	–	2	–	–	–	–
†SKIPTON ...	–	–	–	–	1	–
SLAITHWAITE ...	–	–	1	–	–	–
SOUTHOWRAM ...	*	*	*	*	*	*
†SOWERY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	5	–	–	–	–
†STANLEY ...	–	3	–	–	1	–
†SWINTON ...	–	1	2	–	–	–
THURNSCOE ...	–	3	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WAKEFIELD C.B.	–	6	1	–	1	–
†WATH-UPON-DEARNE	–	2	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	1	1	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	6	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	3	3	–	–	–
KIVETON PARK	–	–	1	–	–	–
ROTHERHAM ...	–	4	2	–	–	–
TADCASTER ...	–	3	–	–	–	–
YORKS (West Riding)—*cont.*						
Rural Districts:—*cont.*						
TODMORDEN ...	–	2	–	–	2	–
WAKEFIELD ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
MENAI BRIDGE	–	1	–	–	–	–
Rural District:—						
AETHWY ...	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	–	M. 1
Rural District:—						
BRECKNOCK (MERTHYR CYNOG)	–	–	–	–	–	M. 1
CARDIGAN ...	–	1	–	–	1	–
Boroughs and Urban District:—						
†ABERYSTWYTH...	–	–	–	–	1	–
Rural District:—						
ABERAYRON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	8	10	–	4	C. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	2	–	–	–	–
KIDWELLY ...	–	–	4	–	–	–
†LLANELLY ...	–	4	2	–	4	C. 1
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	–	2	–	–	–
LLANELLY ...	–	2	1	–	–	–
CARNARVON ...	–	6	3	–	–	–
Boroughs and Urban Districts—						
†BANGOR ...	–	1	–	–	–	–
BETHESDA ...	–	2	1	–	–	–
CONWAY ...	–	1	1	–	–	–
Rural Districts:—						
CONWAY ...	–	2	1	–	–	–
DENBIGH ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
UWCHALED ...	–	–	1	–	–	–
WREXHAM ...	–	5	–	–	1	–
FLINT	–	4	2	1	–	–
Boroughs and Urban District:—						
†RHYL	–	–	1	–	–	–
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	1	–	–
ST. ASAPH (Flint)	–	2	–	–	–	–
GLAMORGAN ...	–	101	31	1	19	C. 2 D. 1 M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	12	1	–	2	–
†BARRY	–	–	–	–	3	–
†CAERPHILLY ...	–	2	2	–	–	–
†CARDIFF C.B. ...	–	6	4	–	2	C. 1 D. 1
†GELLIGAER ...	–	4	1	–	–	–
†GLYNCORWG ...	–	2	–	–	–	–
†MAESTEG ...	–	4	1	–	–	–
†MERTHYR TYDFIL C.B.	–	2	1	1	2	–
†MOUNTAIN ASH	–	15	–	–	–	–
†NEATH	–	–	3	–	1	–
†OGMORE AND GARW	–	3	–	–	2	M. 1
†PONTYPRIDD ...	–	1	–	–	–	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	20	2	–	2	M. 1
†SWANSEA C.B. ...	–	6	10	–	4	C. 1
Rural Districts:—						
COWBRIDGE ...	–	3	1	–	–	–
LLANDAFF AND DINAS POWIS	*	*	*	*	*	*
NEATH	–	4	1	–	1	–
PENYBONT ...	–	8	2	–	–	–
PONTARDAWE ...	–	4	1	–	–	–
SWANSEA ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	1	–	–	–	–
Urban District:—						
Festiniog ...	–	1	–	–	–	–
MONMOUTH ...	–	6	16	–	4	M. 2
Boroughs and Urban Districts:—						
†Abertillery ...	–	1	4	–	–	–
†Bedwellty ...	–	–	2	–	–	–
†Blaenavon ...	*	*	*	*	*	*
Chepstow ...	–	–	1	–	–	–
†Ebbw Vale ...	–	2	2	–	–	–
†Mynyddislwyn	–	–	3	–	–	–
†Nantyglo and Blaina	–	–	–	–	2	–
†Newport C.B....	–	2	1	–	1	M. 1
†Panteg ...	–	–	–	–	–	M. 1
†Rhymney ...	–	1	–	–	–	–
†Risca	–	–	2	–	–	–
†Tredegar ...	–	–	–	–	1	–
Rural District:—						
Chepstow ...	–	–	1	–	–	–
MONTGOMERY ...	–	4	3	–	–	–
Rural Districts—						
Forden... ...	–	1	–	–	–	–
Llanfyllin ...	–	3	3	–	–	–
PEMBROKE ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†Pembroke ...	–	2	–	–	–	–
Rural Districts:—						
Haverfordwest	–	–	1	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
Knighton ...	–	1	–	–	–	–
Total of Part II.	8	2064	643	37	458	C. 32 D. 5 E. 10 F. 1 G. 4 L. 7 M. 101

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARNSTAPLE ...	*	*	*	*	*	*
KINGSBRIDGE AND SALCOMBE	*	*	*	*	*	*
PLYMOUTH ...	–	1	–	–	–	–
PORT OF LONDON	–	–	3	1	–	–
Total of Part III.	–	1	3	1	–	–

* Returns not received.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	356	337	4	76	C. 5 D. 1 E. 1 F. 1 G. 1 L. 1 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	8	2064	643	37	458	C. 32 D. 5 E. 10 F. 1 G. 4 L. 7 M. 101
Total of Part III.—Port Sanitary Districts ...	–	1	3	1	–	–
Total (*i.e.*, of returns received), England and Wales	8	2421	983	42	534	C. 37 D. 6 E. 11 F. 2 G. 5 L. 8 M. 116

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eight cases of Small-pox were notified, which appear on pages 1230, 1237, and 1242.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.
LONDON:—													
DEATHS—all ages	782	797	744	704	730	721	731	744	818	810	800	842	863
" 0 to 1 year	92	79	73	88	66	71	71	98	98	83	92	90	88
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,139	8,108	6,703	8,607	7,625	7,511	7,926	7,488	7,646	7,545	7,315	7,433	7,096
DEATHS—all ages	3,355	3,409	3,379	3,323	3,290	3,253	3,246	3,287	3,566	3,412	3,488	3,604	3,748
" 0 to 1 year	387	426	402	418	403	401	421	410	478	433	457	436	504
ENTERIC FEVER—Cases	28	16	15	15	17	23	23	29	24	32	24	17	14
" Deaths	2	1	2	2	3	4	4	3	5	7	3	1	3
SMALL POX—Cases	15	7	17	15	5	7	5	13	10	8	9	7	2
" Deaths	—	2	—	—	—	—	—	—	1	—	—	1	—
SCARLET FEVER—Cases	1,040	1,013	818	911	915	855	1,052	1,086	1,147	1,139	1246	1,228	1,420
" Deaths	11	8	11	11	14	6	11	11	3	9	8	9	13
DIPHTHERIA—Cases	597	501	458	502	460	523	537	588	610	677	691	685	720
" Deaths	38	33	40	40	41	27	32	29	32	45	29	44	51
MEASLES—Deaths	67	62	45	63	45	52	44	18	39	35	34	27	49
INFLUENZA—Deaths	22	19	15	11	16	10	12	18	21	28	32	31	43

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday. 21st October 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	59	37	54·3	42·3	7
BRIGHTON	63	39	55·5	44·1	2
PORTSMOUTH	62	39	56·1	43·7	1
NORWICH (EATON).	63	38	55·3	42·7	15
PLYMOUTH	61	40	54·4	47·0	0
BRISTOL (CLIFTON).	63	37	54·0	41·0	0·1
BIRMINGHAM	60	38	53·6	41·0	1
NOTTINGHAM	61	33	53·9	42·3	6
BIRKENHEAD (BIDSTON).	61	41	54·4	43·1	0
MANCHESTER	65	39	55·3	43·9	2
BURNLEY	60	33	52·4	41·7	4
HUDDERSFIELD	—	—	—	—	6
BRADFORD	58	34	50·7	40·9	5
SHEFFIELD	60	34	51·3	42·0	12
YORK (MUSEUM).	61	40	54·7	43·3	4
HULL (PEARSON PARK).	61	33	55·0	41·9	11
TYNEMOUTH	54	42	52·1	45·4	2
CARDIFF	60	38	53·4	41·9	0
EDINBURGH	58·0	41·0	51·0	42·4	7
GLASGOW	59·7	40·8	52·7	43·4	0
DUBLIN (PHŒNIX PARK).	60·4	39·3	54·4	45·4	0
FITZWILLIAM SQUARE.†	59·8	46·1	55·1	48·7	2
BELFAST	64·0	48·0	62·1	52·2	0·3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.– METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 21st October 1922.

[Under the Superintendence of the Astronomer Royal.]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	15	..	29·896	58·5	37·0	21·5	49·2	− 0·7	44·6	4·6	11·1	0·4	84	107·3	27·6	53·5	SE & Calm.	ESE	1·6	0·0	0·1	195	− 73	0·00
MONDAY -	16	..	29·853	59·0	43·9	15·1	51·7	+ 1·9	45·0	6·7	12·7	0·4	78	105·6	35·1	53·3	ESE & SE.	SE & ESE.	2·5	0·0	0·2	273	+ 6	0·01
TUESDAY -	17	..	29·870	56·2	46·1	10·1	50·5	+ 0·9	40·2	10·3	13·0	2·1	68	106·2	39·1	53·0	ESE & SE.	ESE & SE.	4·7	0·0	0·6	423	+161	0·00
WEDNESDAY	18	In Equator.	29·965	53·6	45·1	8·5	48·6	− 0·7	40·2	8·4	12·9	6·2	73	100·5	40·4	53·0	SE & ESE.	ESE & E.	6·0	0·0	0·7	466	+210	0·02
THURSDAY -	19	Perigee	29·944	49·8	42·6	7·2	45·8	− 3·3	34·2	11·6	14·8	6·0	64	95·6	36·0	52·9	E & ESE.	ESE: E & ENE.	7·5	0·0	0·7	528	+277	0·00
FRIDAY -	20	New	29·794	44·3	40·3	4·0	42·5	− 6·3	40·7	1·8	9·5	0·0	93	48·8	39·1	52·4	ENE	NE	2·7	0·0	0·2	312	+ 63	0·23
SATURDAY -	21	..	29·847	54·2	38·1	16·1	46·6	− 2·0	41·1	5·5	12·3	2·6	81	95·2	32·3	52·4	NNE:NE & ENE.	ENE: ESE & E.	4·4	0·0	0·3	349	+100	0·03
MEANS -		..	29·881	53·7	41·9	11·8	47·8	− 1·5	40·9	7·0	12·3	2·5	77	94·2	35·7	52·9	ESE		...	...	...	Sum 2,546	Sum +744	Sum 0·29
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	15	w.P. generally, v.P. in afternoon.	8·6	10·7	Cloudless with very slight exceptions in afternoon. Hoar frost and mist in morning. Heavy dew after sunset.
MONDAY -	16	w.P. generally, v.P. in afternoon.	9·2	10·7	Cloudless with very slight exceptions till 22h. 30m., then partially cloudy. Dew morning and evening.
TUESDAY -	17	w.P. throughout	5·8	10·6	Sky veiled to overcast by 2h., misty till 4h., variably cloudy 9h. 30m. to 13h., nearly cloudless till 19h., then variably cloudy. Misty till 4h. Brisk wind 8h to 17h.
WEDNESDAY	18	w.P. throughout	3·8	10·5	Very cloudy generally with occasional fine intervals. Brisk wind 9h. to 18h. and occasional slight rain.
THURSDAY -	19	w.P. throughout	5·2	10·4	Overcast till 3h. Variably cloudy till 16h., then overcast with occasional slight rain from 19h. Brisk wind 9h. to 19h.
FRIDAY -	20	w.P. throughout	0·0	10·4	Overcast till 22h., cloudy till 23h. 30m., then cloudless. Rain or damping generally 1h. to 15h., mist 6h. to 15h.
SATURDAY -	21	w.P. throughout	4·5	10·3	Cloudless generally till 4h. 30m., very cloudy or overcast till 10h., partially cloudy till 15h., then overcast with cloudy intervals, occasional damping in morning and slight rain between 17h. and 23h. Brisk wind 11h. to 17h.
			Sum 37·1	Sum 73·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·99 in. at the beginning of the week to 29·82 in. by 5h. on 17th; increased generally to 29·99 in. by 22h. on 18th; decreased to 29·77 in. by 16h. on 20th, and increased generally to 29·88 in. by midnight on 21st.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922. No. 43.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 28TH OCTOBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
OR 23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH OCTOBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-third week of the year numbered 7,390, and corresponded to an annual rate of 20·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,961 and corresponded to an annual rate of 10·9 per 1,000 of their aggregate civilian population, which is estimated at 19,033,321 in the year 1921. In the preceding three weeks the rates had been 9·6, 9·9 and 10·3. Infant mortality was 66 per 1,000 births against 62, 59, and 71 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,820 births, corresponding to a rate of 21·0 per 1,000, and 946 deaths of civilians, corresponding to a rate of 10·9, as against 9·2, 9·7, and 10·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·0 per 1,000. The infant mortality was 63 as against 54, 52, and 53 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 213 in the total deaths last week. In London the number of deaths from all causes rose from 863 to 946; while the deaths from diphtheria, which had been 15, 25, and 24 in the preceding three weeks, fell to 22 last week

---

m (45)18728—5 Wt 80—P 19 2250 11/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 28th October 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,321*	7,390	3,961	490	3	62	15	13	49	85	41
London	4,514,405*	1,820	946	114	–	1	2	4	22	18	9
Towns in Outer Ring:											
Croydon C.B.	191,500	67	42	7	–	–	–	–	1	1	–
Wimbledon	61,700	15	12	1	–	–	–	–	–	–	–
Ealing	67,800	19	15	–	–	–	–	–	–	–	–
Acton	62,000	16	9	1	–	–	–	–	–	–	–
Willesden	167,200	52	23	4	–	–	–	–	1	–	–
Hendon	55,500	15	12	1	–	–	–	–	2	–	–
Hornsey	87,600	18	12	1	–	–	–	–	–	–	–
Wood Green	51,100	18	10	2	–	–	–	–	–	–	–
Tottenham	149,200	50	20	3	–	–	–	–	–	–	–
Edmonton	67,800	32	9	3	–	–	–	–	1	–	–
Enfield	61,400	14	11	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	158	49	6	–	–	–	–	–	–	2
East Ham C.B.	145,500	62	24	2	–	–	–	–	–	–	–
Leyton	130,100	41	8	–	–	–	–	–	–	–	–
Walthamstow	129,800	44	19	1	–	–	1	–	–	–	–
Ilford	85,500	14	11	–	–	–	–	–	–	–	–
Gillingham	48,149*	17	6	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	10	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	17	16	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	13	14	1	–	–	–	–	–	1	–
Brighton C.B.	134,800	40	26	2	–	–	–	–	1	1	–
Portsmouth C.B.	233,929*	99	50	4	–	–	–	–	–	3	–
Bournemouth C.B.	81,200	22	23	2	–	–	–	–	–	–	–
Southampton C.B.	162,200	69	34	4	–	1	–	–	–	1	1
Reading C.B.	92,600	29	21	1	–	–	3	–	–	–	–
Oxford C.B.	56,400	24	12	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	27	17	1	–	–	–	–	–	–	–
Luton	57,800	20	10	1	–	–	–	–	–	–	–
Cambridge	58,900	13	8	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	29	21	3	–	–	–	–	–	1	–
Ipswich C.B.	80,100	28	13	2	–	–	–	–	–	–	1
Great Yarmouth C.B.	56,300	16	9	1	–	–	–	–	–	1	–
Norwich C.B.	122,400	42	23	2	–	–	–	–	–	–	1
Swindon	55,500	18	8	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	25	19	1	–	–	–	–	–	1	–
Plymouth C.B.	199,869*	87	43	3	–	–	–	–	–	–	–
Bath C.B.	68,300	15	19	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	135	94	11	–	–	–	1	–	1	4
Gloucester C.B.	51,800	28	14	2	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	129	61	10	–	3	–	–	–	6	2
Burton-upon-Trent C.B.	49,410	16	12	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	35	14	2	–	2	–	–	–	–	–
Walsall C.B.	98,800	50	24	5	–	1	–	1	–	–	–
West Bromwich C.B.	75,300	34	12	2	–	–	1	–	–	1	–
Worcester C.B.	49,160	23	10	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	24	8	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	349	170	32	–	1	–	–	2	4	–
Smethwick C.B.	77,400	25	16	1	–	–	–	2	–	–	–
Coventry C.B.	130,300	50	34	8	–	4	–	–	–	–	–
Leicester C.B.	237,900	86	56	9	–	3	–	–	–	1	1
Lincoln C.B.	66,600	27	17	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	41	18	6	–	3	–	–	–	3	–
Nottingham C.B.	266,400	109	56	4	–	7	–	1	–	–	–
Derby C.B.	131,800	58	33	3	–	1	–	–	–	1	–
Chesterfield	62,400	22	24	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	42	28	4	–	–	–	–	–	1	–
Chester C.B.	41,030	15	5	–	1	–	–	–	–	–	–
Birkenhead C.B.	147,800	76	19	3	–	1	–	1	–	2	–
Wallasey C.B.	89,600	27	22	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	351	187	21	–	–	–	2	4	5	1
Bootle C.B.	77,800	34	23	1	–	–	–	–	1	1	–
St Helens C.B.	104,900	58	28	8	–	–	1	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	25	13	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	29	21	1	–	–	–	–	–	–	–
Warrington C.B.	78,600	45	18	2	–	–	–	–	–	2	–
Bolton C.B.	182,200	50	34	7	–	3	1	–	2	2	2
Bury C.B.	57,600	11	20	2	–	–	1	–	–	–	1
Manchester C.B.	744,000	297	147	24	–	3	–	1	3	5	
Salford C.B.	239,100	83	63	12	–	1	1	–	1	1	3
Oldham C.B.	148,300	36	35	3	–	–	–	–	1	1	–
Rochdale C.B.	92,700	33	23	3	–	–	–	–	1	–	1
Burnley C.B.	105,300	29	33	3	–	9	–	–	–	–	–
Blackburn C.B.‡	129,682	59	30	3	–	2	–	–	–	1	1
Preston C.B.	119,900	45	32	5	–	4	–	–	–	–	–
Blackpool C.B.	73,800	26	9	–	–	–	–	–	–	–	1
Barrow-in-Furness C.B.	75,200	26	9	–	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	30	27	2	–	–	–	–	–	1	–
Halifax C.B.	100,700	38	20	3	–	–	–	–	–	1	–
Bradford C.B.	291,100	105	59	7	–	–	–	–	–	–	1
Leeds C.B.	465,500	162	104	13	–	6	2	–	–	2	2
Dewsbury C.B.	55,100	20	17	2	–	–	–	–	–	–	–
Wakefield C.B.	53,763	19	11	1	–	–	–	–	–	1	–
Barnsley C.B.	68,991	37	8	2	–	1	–	–	–	–	1
Sheffield C.B.	519,239	206	94	8	–	1	–	–	–	1	–
Rotherham C.B.	69,100	37	11	2	–	–	–	–	1	1	–
Doncaster	54,700	26	13	1	–	–	–	–	–	–	–
York C.B.	84,500	28	19	1	1	–	–	–	–	–	–
Hull C.B.	291,800	122	70	14	–	1	1	–	–	5	–
Middlesbrough C.B.	133,400	75	43	1	–	–	–	–	1	1	1
Darlington C.B.	66,400	22	11	–	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	29	9	1	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	34	12	1	–	–	–	–	–	–	1
Sunderland C.B.	161,100	75	41	8	–	1	–	–	1	–	–
South Shields C.B.	120,376	55	23	5	–	–	–	–	–	–	1
Gateshead C.B.	126,700	51	25	3	–	–	–	–	–	1	1
Newcastle-on-Tyne C.B.	278,400	107	59	10	–	2	–	–	–	1	–
Tynemouth C.B.	63,900	20	15	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	32	14	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	35	20	1	–	–	1	–	–	–	2
Cardiff C.B.	202,700	93	44	6	–	–	–	–	1	2	–
Rhondda	166,600	69	35	6	1	–	–	–	–	1	–
Merthyr Tydfil C.B.	81,800	32	16	–	–	–	–	–	–	–	–
Aberdare	56,100	24	8	1	–	–	–	–	–	–	–
Swansea C.B.	159,600	54	31	8	–	–	–	–	2	–	–
Greater London	7,523,963*	2,815	1,435	159	1	1	5	5	31	19	13
Outer Ring	3,609,558*	995	489	45	1	–	3	1	9	1	4
16 Great Towns in Outer Ring	1,820,700	635	286	32	–	–	1	–	5	1	2
Remainder of Outer Ring	1,188,858*	360	203	13	1	–	2	1	4	–	2
Edinburgh†	420,500	158	125	18	–	1	1	3	2	2	1
Glasgow†	1,037,800	456	262	49	1	–	3	1	–	5	2
Dublin (Registration Area)†	427,000	168	96	15	–	–	–	–	3	2	–
Belfast†	425,000	182	94	19	–	–	–	–	2	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ As extended on 1st October 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Oct. 28	1820	946	10·9	–	–	1	2	4	22	18	9
Calcutta	896,067												
Bombay	1,200,473	Sept. 16	438‖	666§	28·8	–	–	–	?	–	–	57	2
Madras	526,911	„ 16	534	352	35·0	2	12	1	?	2	–	27	-
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	155,939	Sept. 2	75	34	11·3	–	–	–	–	–	1	1	-
Auckland (Urban Area).	164,450	Aug. (31 days)	245	162	11·9	2	–	–	–	–	–	1	-
Wellington (Urban Area).	110,680	„ „	169	102	11·0	–	–	–	–	–	1	–	2
Christchurch (Urban Area).	110,200	„ „	169	125	13·6	1	–	–	–	–	–	–	-
Cape Town	101,000	Sept. 9	64	22	11·3	1	–	–	–	–	–	–	-
Johannesburg	149,500	„ 16	82	35	12·2	–	–	–	–	–	–	–	-
Durban	48,000	„ 16	42	22	23·8	–	–	–	–	–	–	–	-
Paris	2,906,472	Oct. 10 (10 days)	1203	870	10·9	5	–	5	1	6	1	23	1
Antwerp	302,935	Aug. 26	109	51	8·7	–	–	1	–	–	–	5	-
Amsterdam	692,673	Oct. 7	237	100	7·5	–	–	–	–	–	–	2	-
Copenhagen	562,600	„ 14	207	111	10·2	–	–	–	–	1	1	1	-
Stockholm	422,042	„ 14	90	69	8·5	1	–	–	–	–	–	–	-
Gothenburg	228,052	Sept. 16	?	30	6·8	–	–	–	–	–	–	–	-
Christiania	258,933	Oct. 14	98	46	9·2	–	–	–	–	–	–	–	-
Berlin	1,974,000	Sept. 9	377	421	11·1	1	?	3	–	4	1	13	1
		„ 16	416	415	10·9	–	?	5	–	3	3	9	-
Breslau	557,000	„ 9	208	164	15·3	–	?	1	–	1	1	12	1
		„ 16	166	140	13·1	1	?	–	–	2	–	5	-
Cologne	688,000	„ 9	260	153	11·6	2	?	2	–	–	4	14	-
		„ 16	254	155	11·7	–	?	4	–	4	–	12	3
Dresden	607,000	„ 9	184	121	10·4	–	?	–	–	3	–	5	-
		„ 16	154	115	9·8	–	?	–	–	–	1	–	-
Frankfort-on Main	476,000	„ 9	136	57	6·2	–	?	1	–	–	–	2	-
		„ 16	93	79	8·6	–	?	1	1	–	–	5	1
Hamburg	1,060,000	„ 9	316	150	7·4	–	?	–	1	–	1	3	1
		„ 16	263	226	11·1	–	?	–	–	5	–	8	-
Leipzig	675,000	„ 9	225	139	10·7	–	?	–	–	–	–	8	1
		„ 16	188	141	10·9	–	?	–	1	1	1	7	1
Munich	680,000	„ 9	201	157	12·0	–	?	–	–	2	1	5	1
		„ 16	181	145	11·1	–	?	–	–	1	–	4	1
Vienna	1,842,005	„ 16	532	381	10·7	1	–	–	–	1	–	15	-
Prague and Suburbs	689,262	„ 9	239	158	11·9	–	–	–	2	–	–	9	-
Budapest	940,000	Aug. 12	376	332	18·4	8	?	9	2	6	–	39	-
Warsaw	956,087	Sept. 2	455	263	14·3	6	–	2	5	1	1	43	-
Cairo	777,500	July 29	727	778	52·0	4	–	40	–	?	5	189	-
Alexandria	456,300	„ 29	393	335§	38·2	–	1	1	–	?	–	75	-
New York	5,839,738	Sept. 30	2607	1039	9·3	2	–	–	1	10	4	33	-
Chicago	2,833,288	„ 30	?	538	9·9	1	–	1	–	2	5	22	-
Rio de Janeiro	1,230,137	„ 23	703	490	20·8	–	5	26	–	14	2	?	-
Montevideo	347,111	June 24	242	106	18·0	1	–	–	–	–	–	1	-

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *Plague* in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 28th October, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	946	114	16	19	43	49	55	77	90	152	164	167
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	–	1	–	–	1	–	–	–	–
Whooping cough	4	1	–	3	–	–	–	–	–	–	–	–
Diphtheria	22	–	1	6	14	1	–	–	–	–	–	–
Influenza	9	–	–	1	–	–	2	1	–	3	–	2
Erysipelas	3	–	–	–	1	–	–	–	2	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculosis of respiratory system	92	–	–	1	2	18	18	24	16	9	1	3
Tuberculous meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	3	–	–	–	1	–	–	1	1	–	–	–
Other tubercle	9	3	–	–	2	1	–	1	–	2	–	–
Venereal diseases	7	4	–	–	1	–	–	–	2	–	–	–
Cancer	123	–	–	1	–	2	2	9	19	33	39	18
Rheumatic fever	6	–	–	–	2	1	2	–	1	–	–	–
Diabetes	7	–	–	–	–	–	1	1	–	1	4	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	3	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	48	–	–	–	–	–	1	1	1	12	19	14
Epilepsy	2	–	–	–	–	–	–	–	–	2	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	18	–	–	–	–	5	1	–	4	3	4	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	1	1	–	1	–	–	1	–
Other diseases of heart	124	–	–	–	2	9	5	11	12	24	26	35
Other dis. of circulatory system	40	–	–	–	–	–	–	2	3	9	10	16
Bronchitis	58	8	–	–	–	–	1	2	3	8	17	19
Broncho-pneumonia	41	16	8	4	2	1	1	1	1	1	3	3
Lobar pneumonia	15	–	–	–	1	–	1	1	3	8	1	–
Pneumonia (type not distinguished)	16	4	–	–	–	1	2	2	2	1	1	3
Other diseases of respiratory system	10	1	–	–	1	–	–	–	2	2	3	1
Diarrhœa and enteritis	23	14	4	–	–	1	–	1	–	1	2	–
Appendicitis and typhlitis	4	–	–	–	–	–	1	–	1	2	–	–
Hernia, Intestinal obstruction	8	1	–	–	–	1	–	–	1	2	1	2
Cirrhosis of liver	5	–	–	–	–	–	–	–	1	1	2	1
Other diseases of digestive system	21	–	1	–	1	1	–	2	4	6	5	1
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	29	–	–	–	3	1	2	2	3	8	3	7
Other diseases of genito-urinary system.	12	–	–	–	–	–	1	–	–	3	5	3
Puerperal fever, &c.	5	–	–	–	–	1	2	2	–	–	–	–
Other causes incident to childbirth	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	1	1	–	–	–	–	–	–	–	–	–	–
Premature birth	32	32	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	14	14	–	–	–	–	–	–	–	–	–	–
Old age	37	–	–	–	–	–	–	–	–	1	4	32
Suicide	15	–	–	–	–	–	4	2	3	2	4	–
Burns and scalds	2	–	–	–	–	–	–	–	1	–	1	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	14	–	–	–	6	–	2	1	1	1	2	1
Other deaths by violence	13	–	1	1	–	–	2	1	1	3	1	3
Other specified causes	39	9	1	1	2	3	4	6	2	4	5	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th October 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	19	2	5	–
†BERMONDSEY ...	–	11	30	–	5	–
†BETHNAL GREEN	–	7	14	–	4	C. 1 M. 2
†CAMBERWELL ...	–	14	27	–	5	–
†CHELSEA ...	–	5	5	1	–	–
†DEPTFORD ...	–	8	13	–	2	–
†FINSBURY ...	–	6	3	–	3	–
†FULHAM ...	–	19	8	–	3	–
†GREENWICH ...	–	5	14	–	2	M. 1
†HACKNEY ...	–	7	19	1	2	M. 1
†HAMMERSMITH	–	4	8	–	1	J. 1 M. 1
†HAMPSTEAD ...	–	2	1	3	1	–
†HOLBORN ...	–	3	5	–	–	–
†ISLINGTON ...	–	28	19	–	1	–
†KENSINGTON ...	–	10	4	–	2	C. 2 D. 1
†LAMBETH ...	–	33	7	–	4	E. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	10	9	–	2	–
†PADDINGTON ...	–	15	7	1	8	C. 1 M. 3
†POPLAR... ...	1	3	34	–	6	–
†ST. MARYLEBONE	–	4	6	2	4	–
†ST. PANCRAS ...	–	22	22	–	8	–
†SHOREDITCH ...	–	6	5	–	17	M. 2
†SOUTHWARK ...	–	19	27	–	8	M. 1
†STEPNEY ...	–	17	19	–	8	–
†STOKE NEWINGTON	–	1	1	–	–	C. 1 M. 1
†WANDSWORTH	–	22	13	–	8	M. 1
†WESTMINSTER, CITY OF	–	3	9	1	1	–
†WOOLWICH ...	–	10	1	–	3	M. 1
TOTAL OF PART I.	1	303	350	11	113	C. 5 D. 1 E. 1 J. 1 M. 14

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; F, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	2	–	2	M. 2
Boroughs and Urban Districts :—						
†BEDFORD ...	–	–	–	–	2	M. 2
LEIGHTON BUZZARD	–	2	–	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	3	–	–	–	–
BERKS	–	57	2	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	5	1	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†READING C.B....	–	39	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
Rural Districts :—						
BRADFIELD ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	1	1	–	–	–
FARINGDON (part)	–	7	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
BUCKINGHAM	–	9	–	–	3	–
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	–	–	–	1	–
CHESHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts :—						
AMERSHAM ...	–	1	–	–	–	–
†AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
HAMBLEDEN ...	–	1	–	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	4	–	–	1	–
CAMBRIDGE ...	–	9	7	–	1	C. 1
Borough :—						
†CAMBRIDGE ...	–	1	5	–	1	C. 1
Rural Districts :—						
MELBOURN ...	–	8	–	–	–	–
NEWMARKET ...	–	–	2	–	–	–
CHESTER	–	57	17	10	20	C. 4 D. 1 E. 1 M. 1
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	1	–	–
†BIRKENHEAD C.B.	–	5	2	5	6	M. 1
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
BUGLAWTON ...	–	–	–	1	–	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CHESTER C.B. ...	–	1	–	1	5	–
COMPSTALL ...	–	1	–	–	–	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	6	1	–	–	–
†DUKINFIELD ...	–	–	–	1	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hale	–	–	1	–	–	–
Hoole ...	–	–	–	–	1	–
†Hoylake and West Kirby	–	2	–	–	–	–
†Hyde	–	5	–	–	1	–
Knutsford ...	–	–	1	–	–	–
†Macclesfield...	–	8	–	–	–	–
Marple ...	–	1	–	–	–	–
Middlewich ...	–	–	1	–	1	–
†Runcorn ...	–	9	2	1	–	–
†Sale	*	*	*	*	*	*
Sandbach ...	–	–	–	–	–	E. 1
†Stalybridge ...	–	1	–	–	–	–
†Stockport C.B.	–	1	2	–	1	C. 3
†Wallasey C.B.	–	4	2	–	–	–
†Winsford ...	–	3	–	–	–	–
Rural Districts:—						
Bucklow ...	–	4	2	–	–	–
Congleton ...	–	–	–	–	–	C. 1
Disley	–	1	–	–	–	–
Malpas... ...	–	–	1	–	–	–
Northwich ...	–	–	–	–	1	–
Runcorn ...	–	–	1	–	1	–
Wirral... ...	–	1	–	–	1	–
CORNWALL ...	–	3	2	–	3	C. 1
Boroughs and Urban Districts:—						
Madron ...	–	–	–	–	–	C. 1
Redruth ...	–	–	–	–	1	–
St. Ives ...	–	–	1	–	–	–
Torpoint ...	–	–	–	–	1	–
Rural Districts:—						
Calstock ...	*	*	*	*	*	*
Camelford ...	–	–	–	–	1	–
CORNWALL—*cont.*						
Rural Districts—*cont.*						
Saint Austell	–	1	–	–	–	–
Saint Columb Major	–	1	1	–	–	–
Saint Germans	–	1	–	–	–	–
CUMBERLAND ...	–	12	4	–	1	–
Boroughs and Urban Districts:—						
†Carlisle C.B. ...	–	6	2	–	–	–
†Maryport ...	–	–	1	–	–	–
Millom... ...	–	1	–	–	1	–
Penrith ...	–	–	1	–	–	–
†Whitehaven ...	–	1	–	–	–	–
†Workington ...	–	2	–	–	–	–
Rural Districts:—						
Longtown ...	–	1	–	–	–	–
Wigton ...	–	1	–	–	–	–
DERBY	8	33	12	3	13	E. 1 M. 2
Boroughs and Urban Districts:—						
†Alfreton ...	–	2	1	–	–	–
Alvaston and Boulton	–	–	–	–	1	–
Ashbourne ...	*	*	*	*	*	*
†Belper... ...	–	2	–	–	–	–
†Bolsover ...	–	1	–	–	–	–
†Buxton ...	–	1	–	–	–	–
†Chesterfield ...	–	4	–	–	–	M. 1
†Derby C.B. ...	1	10	5	2	4	–
Dronfield ...	*	*	*	*	*	*
†Glossop ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Heanor ...	2	–	1	–	–	–
†Ilkeston ...	1	–	–	–	–	–
†Long Eaton ...	–	1	1	–	1	–
Matlock ...	*	*	*	*	*	*
New Mills ...	–	–	–	–	1	–
North Darley	–	1	–	–	–	–
†Ripley	–	1	–	–	–	–
Swadlincote District	–	1	–	–	–	–
Rural Districts:—						
Ashbourne ...	–	–	–	–	–	E. 1
Belper	3	5	–	–	–	M. 1
Blackwell ...	–	3	–	1	–	–
Chapel-en-le-Frith	–	–	1	–	–	–
Chesterfield ...	–	–	1	–	1	–
Clowne ...	1	–	1	–	–	–
Hartshorne and Seals	–	–	1	–	1	–
Shardlow ...	–	1	–	–	1	–
Sudbury ...	–	–	–	–	1	–
DEVON	–	19	12	–	4	M. 1
Boroughs and Urban Districts:—						
Axminster ...	–	–	1	–	–	–
Bampton ...	–	1	–	–	1	–
†Barnstaple ...	–	–	1	–	–	–
Bideford ...	–	1	–	–	–	–
†Exeter C.B. ...	–	1	2	–	–	M. 1
Kingsbridge ...	–	–	3	–	–	–
†Paignton ...	–	–	1	–	–	–
†Plymouth C.B.	–	8	2	–	1	–
†Teignmouth ...	–	2	–	–	–	–
Tiverton ...	–	2	–	–	–	–
†Torquay ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Crediton ...	–	1	–	–	–	–
Plympton St. Mary	–	–	–	–	1	–
St. Thomas ...	–	–	–	–	1	–
Tavistock ...	–	1	1	–	–	–
Totnes ...	–	1	–	–	–	–
DORSET	–	2	6	–	–	M. 1
Boroughs and Urban Districts:—						
Dorchester ...	–	1	1	–	–	–
†Poole	–	–	–	–	–	M. 1
Shaftesbury ...	–	–	1	–	–	–
Sherborne ...	–	–	1	–	–	–
Swanage ...	–	–	2	–	–	–
†Weymouth and Melcombe Regis	*	*	*	*	*	*
Rural Districts:—						
Bridport ...	*	*	*	*	*	*
Sturminster ...	–	1	–	–	–	–
Weymouth ...	–	–	1	–	–	–
DURHAM... ...	–	60	15	1	28	E. 3 M. 11
Boroughs and Urban Districts:—						
†Annfield Plain	–	–	1	–	–	–
Benfieldside ...	–	2	–	–	–	–
†Bishop Auckland	–	1	–	–	–	–
†Crook	–	–	–	–	2	–
†Darlington C.B.	–	2	1	–	1	E. 2
†Durham ...	–	2	–	–	–	–
†Felling ...	–	–	–	–	2	–
†Gateshead C.B.	–	10	2	–	–	–
†Hartlepool ...	–	–	1	–	–	–
†Hebburn ...	–	–	–	1	1	–
†Houghton-le-Spring	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†JARROW ...	–	3	–	–	1	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	M. 2
†SHILDON ...	–	2	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	3	–	5	E. 1 M. 2
†SOUTHWICK-ON-WEAR	–	–	–	–	1	–
†STANLEY ...	–	–	2	–	–	–
†STOCKTON-ON-TEES	–	1	1	–	3	–
†SUNDERLAND C.B.	–	8	1	–	2	M. 2
†TANFIELD ...	–	–	–	–	2	–
†WEST HARTLEPOOL C.B	–	4	1	–	–	M. 2
Rural Districts:—						
AUCKLAND ...	–	6	–	–	–	–
BARNARD CASTLE	–	1	–	–	2	–
CHESTER-LE-STREET	–	2	1	–	–	M. 1
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	6	1	–	1	–
HOUGHTON-LE-SPRING	–	1	–	–	1	M. 1
LANCHESTER ...	–	2	–	–	–	–
SUNDERLAND ...	–	1	–	–	–	M. 1
ISLE OF ELY ...	–	2	1	–	–	D. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
†WISBECH ...	–	1	1	–	–	D. 1
ESSEX	–	60	71	–	10	M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	–	–	2	M. 1
†COLCHESTER ...	–	–	1	–	–	–
†EAST HAM C.B.	–	1	6	–	–	–
†GRAYS THURROCK	–	1	2	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HARWICH ...	–	1	2	–	–	–
†ILFORD	–	–	5	–	–	–
†LEYTON... ...	–	9	7	–	1	–
LOUGHTON ...	–	1	–	–	–	–
MALDON ...	*	*	*	*	*	*
SHOEBURYNESS	*	*	*	*	*	*
†SOUTHEND-ON-SEA C.B.	–	7	4	–	1	–
TILBURY ...	–	–	1	–	–	–
†WALTHAMSTOW	–	14	11	–	–	–
†WEST HAM C.B.	–	20	21	–	5	M. 1
†WOODYARD ...	–	–	–	–	–	M. 1
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BUMPSTEAD ...	–	2	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD ...	–	1	7	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
TENDRING ...	–	–	3	–	–	–
GLOUCESTER ...	–	77	21	2	7	E. 1 L. 3
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	53	17	–	4	E. 1 L. 3
†CHELTENHAM ...	–	4	–	–	1	–
†GLOUCESTER C.B.	–	1	–	1	–	–
†KINGSWOOD ...	–	4	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER— *cont.*						
Rural Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
CHIPPING SODBURY	–	1	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	–
GLOUCESTER ...	–	–	–	1	–	–
NORTHLEACH ...	–	3	–	–	–	–
STROUD ...	–	1	–	–	–	–
TETBURY (part)	–	–	1	–	–	–
TEWKESBURY (part)	–	2	–	–	–	–
WARMLEY ...	–	1	–	–	1	–
WEST DEAN ...	–	4	–	–	–	–
WINCHCOMB (part)	–	–	2	–	–	–
HEREFORD ...	–	1	4	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	1	–	1	–
DORE	–	–	–	–	1	–
KINGTON ...	–	–	1	–	–	–
LEDBURY ...	–	–	1	–	–	–
HERTFORD ...	–	21	6	3	1	D. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	1	–	–	–	–
BUSHEY... ...	–	4	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†LETCHWORTH ...	–	3	–	–	–	–
RICKMANSWORTH	–	–	–	–	–	D. 1
STEVENAGE ...	–	–	–	1	–	–
TRING	–	–	–	1	–	–
†WATFORD ...	–	1	2	–	–	–
HERTFORD— *cont.*						
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
BUNTINGFORD ...	–	1	–	–	–	–
HADHAM ...	–	1	–	–	–	–
HATFIELD ...	–	–	4	–	–	–
HEMEL HEMPSTEAD	–	5	–	–	–	–
HITCHIN ...	–	2	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	–	1	1	–
HUNTINGDON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
RAMSEY ...	–	1	–	–	–	–
KENT	2	50	26	1	4	C. 2 D. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	4	–	–	–	–
†BEXLEY... ...	1	3	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	1	2	–	–	–
†CHATHAM ...	–	–	1	–	1	–
CHISLEHURST ...	–	3	–	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	1	–	–	–	–	D. 1
†DEAL	–	1	–	–	–	–
†DOVER	–	3	2	–	–	M. 1
†ERITH	–	–	–	–	1	–
†GILLINGHAM ...	–	2	4	–	–	–
†GRAVESEND ...	–	1	–	–	–	C. 1
HYTHE	–	2	–	–	–	–
†MARGATE ...	–	4	–	–	–	–
†NORTHFLEET ...	–	3	–	–	–	–
QUEENBOROUGH	–	1	–	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	3	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	C. 1
†SHEERNESS ...	–	3	3	–	–	M. 1
†TONBRIDGE ...	–	1	–	–	–	–
WALMER ...	*	*	*	*	*	*
Rural Districts:—						
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	1	1	–	–	–
EAST ASHFORD	–	–	–	1	–	–
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	1	1	–	–	–
ISLE OF THANET	–	1	–	–	1	–
MALLING ...	–	8	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
WEST ASHFORD	–	–	4	–	–	–
LANCASTER ...	–	379	95	3	143	C. 4 D. 1 E. 4 L. 1 M. 28
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	–	3	–	2	E. 1 M. 1
†ASHTON-UNDER-LYNE	–	3	–	1	4	–
†ATHERTON ...	–	1	–	–	–	–
†BARROW-IN-FURNESS C.B.	–	7	–	–	1	–
†BLACKBURN C.B.	–	5	–	–	7	M. 1
†BLACKPOOL C.B.	–	1	1	–	–	M. 2
†BOLTON C.B. ...	–	8	5	–	4	M. 1
†BOOTLE C.B. ...	–	8	2	–	–	–
BRIERFIELD ...	–	–	2	–	–	–
†BURNLEY C.B.	–	13	1	–	1	–
†BURY C.B. ...	–	2	2	–	4	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHADDERTON ...	–	1	–	–	1	–
†CLITHEROE ...	–	–	–	–	1	–
†COLNE	–	1	2	–	–	–
†DALTON-IN-FURNESS	–	1	–	–	–	–
†DARWEN ...	–	13	–	–	–	–
†DENTON ...	–	1	1	–	2	E. 1
†DROYLSDEN ...	–	–	1	–	1	–
†ECCLES ...	–	3	2	–	1	–
†FAILSWORTH ...	–	3	–	–	–	–
†FARNWORTH ...	–	1	–	–	4	C. 1
†FLEETWOOD ...	–	1	–	–	–	–
FULWOOD ...	–	1	–	–	–	–
GRANGE... ...	–	1	–	–	–	–
†HASLINGDEN ...	–	2	–	–	–	–
†HEYWOOD ...	–	3	–	–	–	–
†HINDLEY ...	–	–	–	–	2	–
†HORWICH ...	–	–	–	–	4	–
HURST	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	2	–	–	–	M. 1
IRLAM	–	1	–	–	–	–
KIRKHAM ...	–	–	1	–	–	–
†LANCASTER ...	–	–	–	–	2	–
†LEIGH	–	2	2	–	–	–
†LITHERLAND ...	–	3	–	–	–	–
LITTLE HULTON	–	–	1	1	–	–
LITTLE LEVER...	–	–	–	–	1	–
†LIVERPOOL C.B.	–	51	24	–	28	D. 1 E. 1 M. 14
LONGRIDGE ...	–	–	1	–	–	–
†MANCHESTER C.B.	–	89	13	1	33	C. 1 E. 1 M. 4
†MIDDLETON ...	–	3	–	–	3	–
†MORECAMBE ...	–	1	–	–	–	–
†NELSON... ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	3	–	–	–	–
†OLDHAM C.B. ...	–	10	2	–	2	L. 1 M. 2
ORRELL... ...	–	–	1	–	–	–
PRESCOT ...	–	5	–	–	–	–
†PRESTON C.B. ...	–	5	6	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PRESTWICH ...	–	3	2	–	–	–
†RADCLIFFE ...	–	1	1	–	–	–
†RAWTENSTALL ...	–	3	–	–	–	–
RISHTON ...	–	1	–	–	–	–
†ROCHDALE C.B.	–	16	–	–	–	C. 2
†ROYTON... ...	–	–	–	–	3	–
†ST. ANNE'S ON THE SEA	–	1	–	–	–	–
†ST. HELENS C.B.	–	7	3	–	3	–
†SALFORD C.B. ...	–	40	9	–	3	–
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B.	–	3	2	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD ...	–	4	–	–	–	M. 1
†SWINTON AND PENDLEBURY	–	2	–	–	5	–
THORNTON ...	–	1	–	–	1	–
TOTTINGTON ...	–	–	–	–	1	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	–	–
UPHOLLAND ...	–	2	–	–	–	–
†WARRINGTON C.B.	–	7	2	–	3	–
†WATERLOO WITH SEAFORTH	–	1	2	–	–	–
†WESTHOUGHTON	–	–	–	–	2	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES ...	–	3	–	–	1	–
†WIGAN C.B. ...	–	3	–	–	3	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BLACKBURN ...	–	1	–	–	–	–
CLITHEROE ...	–	4	–	–	1	–
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	2	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	2	1	–	–	–
LANCASTER—*cont.*						
Rural Districts:—*cont.*						
WARRINGTON ...	–	2	–	–	1	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON ...	–	5	–	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER ...	–	41	5	1	4	M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
†COALVILLE ...	–	2	–	–	–	–
†HINCKLEY ...	–	1	–	–	–	–
†LEICESTER C.B.	–	29	2	–	3	M. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	2	–	–	–
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	1	1	–	–	–
CASTLE DONINGTON	–	1	–	–	1	–
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	1	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	*	*	*	*	*	*
†SPALDING ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
Boston ...	–	3	–	–	–	–
Crowland ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	5	1	1	2	–
Boroughs and Urban District:—						
†Grantham ...	–	2	–	–	–	–
Stamford ...	–	–	–	–	1	–
Rural Districts:—						
Bourne ...	–	–	1	–	–	–
Branston ...	–	–	–	1	–	–
Claypole ...	–	3	–	–	1	–
Grantham ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	20	9	1	1	–
Boroughs and Urban Districts:—						
Alford ...	–	–	1	–	–	–
Brigg	–	–	–	–	1	–
†Cleethorpes ...	–	8	3	–	–	–
†Gainsborough	*	*	*	*	*	*
†Grimsby, C B....	–	4	3	–	–	–
†Lincoln C.B. ...	–	2	–	–	–	–
Louth	–	–	1	–	–	–
Market Rasen	–	2	–	1	–	–
†Scunthorpe and Frodingham	–	2	–	–	–	–
Rural District:—						
Gainsborough	*	*	*	*	*	*
Glanford Brigg	–	1	–	–	–	–
Horncastle ...	–	1	–	–	–	–
Louth	–	–	1	–	–	–
Sibsey	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	82	61	–	15	C. 2
Boroughs and Urban Districts:—						
†Acton	–	5	7	–	–	–
†Chiswick ...	–	–	1	–	–	–
†Ealing ...	–	5	4	–	–	–
†Edmonton ...	–	8	2	–	1	C. 2
†Enfield ...	–	–	1	–	1	–
Feltham ...	–	5	–	–	–	–
†Finchley ...	–	1	1	–	–	–
Greenford ...	–	1	1	–	–	–
†Hanwell ...	–	7	2	–	–	–
†Harrow on the Hill	–	–	1	–	–	–
Hayes	–	1	–	–	–	–
†Hendon ...	–	4	9	–	–	–
†Heston and Isleworth	–	6	3	–	2	–
†Hornsey ...	–	8	2	–	1	–
†Southgate ...	–	3	2	–	1	–
Sunbury-on-Thames	–	1	–	–	–	–
†Tottenham ...	–	17	5	–	2	–
†Twickenham ...	–	2	1	–	–	–
†Uxbridge ...	–	–	–	–	1	–
†Wembley ...	–	–	–	–	2	–
†Willesden ...	–	4	19	–	3	–
†Wood Green ...	–	1	–	–	1	–
Rural Districts:—						
Hendon ...	–	1	–	–	–	–
Staines ...	–	2	–	–	–	–
NORFOLK ...	–	49	6	1	3	–
Boroughs and Urban Districts:—						
†Great Yarmouth C.B.	–	3	1	–	–	–
†Norwich C.B....	–	36	3	–	–	–
Rural Districts:—						
Aylsham ...	–	3	–	–	–	–
Depwade ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOCKING ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	2	–	–	–	–
FREEBRIDGE LYNN	–	–	2	–	–	–
HENSTEAD ...	–	3	–	–	–	–
LODDON AND CLAVERING	–	–	–	1	2	–
THETFORD ...	–	1	–	–	–	–
NORTHAMPTON	–	32	7	–	12	C. 1
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
FINEDON ...	–	13	–	–	–	–
†KETTERING ...	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	6	4	–	8	–
†RUSHDEN ...	–	–	1	–	–	–
†WELLINGBOROUGH	–	4	–	–	3	–
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DAVENTRY ...	–	2	–	–	–	C. 1
HARDINGSTONE	–	1	–	–	–	–
THRAPSTON (part)	–	–	2	–	–	–
TOWCESTER ...	–	1	–	–	–	–
WELLINGBOROUGH	–	5	–	–	–	–
NORTHUMBERLAND.	–	28	9	–	17	E. 1 M. 3
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	5	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	–	5	1	–	3	–
†GOSFORTH ...	–	–	1	–	–	–
†NEWBURN ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	8	6	–	8	M. 1
†TYNEMOUTH C.B.	–	4	–	–	3	M. 2
WEETSLADE ...	–	1	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	–	E. 1
GLENDALE ...	–	–	1	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	3	18	8	–	10	–
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†CARLTON ...	–	–	1	–	1	–
EASTWOOD ...	2	–	–	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	3	–	1	–
†NEWARK ...	–	–	1	–	–	–
†NOTTINGHAM C.B.	–	15	1	–	4	–
†WORKSOP ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD ...	1	1	1	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	17	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	3	–	–	–	–
HENLEY ON THAMES	–	1	–	–	–	–
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CROWMARSH ...	–	1	–	–	–	–
CULHAM ...	–	1	–	–	–	–
GORING... ...	–	1	–	–	–	–
HEADINGTON ...	–	6	–	–	–	–
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	3	–	–	2	–
Borough:—						
†PETERBOROUGH ...	–	2	–	–	2	–
Rural District:—						
PETERBOROUGH	–	1	–	–	–	–
SALOP	–	13	3	–	–	M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	2	2	–	–	M. 1
LUDLOW ...	–	1	1	–	–	–
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	10	3	–	7	C. 1
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	1	–	–	–	–
†FROME	–	3	–	–	–	–
MIDSOMER NORTON	–	–	1	–	–	C. 1
†TAUNTON ...	–	2	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
BATH	–	1	1	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON ...	–	–	–	–	2	–
FROME	–	–	–	–	1	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	2	–
YEOVIL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	56	27	1	5	C. 3 M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	C. 1
ALTON	*	*	*	*	*	*
†BASINGSTOKE ...	–	3	–	–	–	–
†BOURNEMOUTH C.B.	–	2	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH...	–	1	-	–	–	–
†GOSPORT AND ALVERSTOKE	–	–	3	–	–	–
PETERSFIELD ...	–	1	3	–	–	–
†PORTSMOUTH C.B.	–	27	16	–	–	C. 1 M. 1
†SOUTHAMPTON C.B.	–	8	2	1	4	C. 1
†WINCHESTER ...	–	1	--	–	–	M. 1
Rural Districts:—						
CHRISTCHURCH	–	2	–	–	–	–
HAVANT ...	*	*	*	*	*	*
PETERSFIELD ...	–	2	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	–
STOCKBRIDGE ...	–	–	2	–	–	–
WHITCHURCH ...	–	6	–	–	–	–
STAFFORD ...	–	110	28	–	19	C. 1 M. 9
Boroughs and Urban Districts:—						
BIDDULPH ...	–	2	2	–	–	–
†BILSTON ...	–	6	–	–	–	M 1
†BROWNHILLS ...	–	5	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	5	2	–	–	M. 1
†CANNOCK ...	–	7	1	–	1	M. 1
†COSELEY ...	–	3	–	–	–	M. 1
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	2	–	–	1	–
SHORT HEATH ...	–	2	–	–	–	–
†SMETHWICK C.B.	–	1	1	–	–	M. 2
†STAFFORD ...	–	3	3	–	–	–
†STOKE-ON-TRENT C.B.	–	31	7	–	7	M. 2
TAMWORTH ...	–	–	2	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	4	–	–	–	–
†WALSALL C.B....	–	2	1	–	2	M. 1
†WEDNESBURY ...	–	2	1	–	–	–
†WEST BROMWICH C.B.	–	9	3	–	1	–
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	5	2	–	–	–
†WOLVERHAMPTON C.B.	–	6	–	–	1	C. 1
Rural Districts:—						
CANNOCK ...	–	2	–	–	1	–
CHEADLE ...	–	1	–	–	–	–
GNOSALL ...	–	–	–	–	2	–
KINGSWINFORD	–	1	–	–	–	–
LICHFIELD ...	--	–	1	–	1	–
SEISDON... ...	*	*	*	*	*	*
TAMWORTH (part)	–	3	–	–	–	–
WALSALL ...	–	1	1	–	1	–
SUFFOLK, EAST	–	20	2	–	4	–
Boroughs and Urban Districts:—						
BECCLES ...	–	2	–	–	–	–
†IPSWICH C.B. ...	–	7	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio, J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LOWESTOFT ...	–	–	2	–	–	–
Rural Districts :—						
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	9	–	–	–	–
SUFFOLK, WEST	–	12	–	–	2	M. 1
Boroughs and Urban Districts :—						
†BURY ST. EDMUNDS	–	2	–	–	2	–
NEWMARKET ...	–	3	–	–	–	–
Rural Districts :—						
BRANDON ...	–	1	–	–	–	–
THEDWASTRE ...	–	5	–	–	–	–
THINGOE ...	–	1	–	–	–	M. 1
SURREY	–	50	18	2	16	C. 1 L. 1
Boroughs and Urban Districts :—						
†BARNES ...	–	3	–	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CROYDON C.B....	–	16	4	1	3	–
†EGHAM	–	–	2	–	3	–
†EPSOM	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	–	–	–	4	–
†KINGSTON-ON-THAMES	–	10	1	–	–	–
†MERTON AND MORDEN	–	–	2	–	–	–
†MITCHAM ...	–	2	4	–	1	C. 1
†REIGATE ...	–	1	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	2	–	–	–
†SUTTON ...	–	–	1	–	1	–
†WALTON-UPON THAMES	–	7	–	–	–	–
†WIMBLEDON ...	–	3	1	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
†WOKING ...	–	–	1	–	–	–
Rural Districts :—						
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	2	–	–	–	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE ...	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	10	11	1	2	M. 1
Boroughs and Urban Districts :—						
†BRIGHTON C.B....	–	7	5	–	1	–
†EASTBOURNE C.B.	–	–	2	–	–	M. 1
†LEWES	–	–	–	1	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
Rural Districts :—						
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	3	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
RYE	*	*	*	*	*	*
STEYNING EAST	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	4	–	–	–	M. 1
Boroughs and Urban Districts :—						
†CHICHESTER ...	–	–	–	–	–	M. 1
†HORSHAM ...	–	3	–	–	–	–
Rural Districts :—						
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	103	50	–	14	C. 2 G. 5 M. 5
Boroughs and Urban Districts :—						
†BIRMINGHAM C.B.	–	75	45	–	–	C. 1 G. 1 M. 4
†COVENTRY C.B.	–	6	–	–	–	–
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	3	1	–	4	M. 1
†ROYAL LEAMINGTON SPA	–	2	2	–	1	–
†RUGBY	–	2	1	–	3	–
Rural Districts :—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	–	–	–	–
FARNBOROUGH	–	–	–	–	–	G. 4
FOLESHILL ...	–	6	–	–	–	–
MERIDEN ...	–	–	–	–	1	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	–	1	–	–	C. 1
STRATFORD-ON-AVON	–	1	–	–	–	–
TAMWORTH (part)	–	3	–	–	–	–
WARWICK ...	–	1	–	–	1	–
WESTMORLAND	–	4	1	1	–	E. 2
Boroughs and Urban District :—						
†KENDAL ...	–	3	–	–	–	–
WESTMORLAND —*cont.*						
Rural Districts :—						
EAST WESTMORLAND	–	–	–	1	–	–
SOUTH WESTMORLAND	–	–	–	–	–	E. 2
WEST WARD ...	–	1	1	–	–	–
WILTS	–	19	4	–	2	–
Boroughs and Urban Districts :—						
MARLBOROUGH...	–	2	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	5	1	–	2	–
†TROWBRIDGE ...	*	*	*	*	*	*
WARMINSTER ...	–	–	1	–	–	–
Rural Districts :—						
BRADFORD ON AVON	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
MARLBOROUGH	–	1	–	–	–	–
MERE	–	1	–	–	–	–
PEWSEY ...	–	2	–	–	–	–
RAMSBURY ...	–	6	–	–	–	–
WORCESTER ...	–	39	4	–	3	–
Boroughs and Urban Districts :—						
BROMSGROVE ...	–	1	–	–	–	–
†DUDLEY C.B. ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KIDDERMINSTER	–	–	1	–	–	–
†OLDBURY ...	–	2	1	–	1	–
†REDDITCH ...	–	10	–	–	–	–
†STOURBRIDGE ...	–	2	1	–	1	–
STOURPORT ...	–	2	1	–	–	–
†WORCESTER C.B.	–	8	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	3	–	–	–	–
MARTLEY ...	–	2	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
SHIPSTON-ON-STOUR	–	1	–	–	–	–
UPTON-ON-SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding).	–	20	15	2	–	M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	M. 1
HESSLE	–	1	–	–	–	–
HORNSEA ...	–	–	1	–	–	–
†KINGSTON-UPON-HULL C.B.	–	4	9	–	–	M. 2
†YORK C.B. ...	–	5	–	1	–	–
Rural District:—						
DRIFFIELD ...	–	4	1	–	–	–
HOWDEN ...	–	4	2	–	–	–
PATRINGTON ...	–	–	–	1	–	–
POCKLINGTON ...	–	1	–	–	–	–
SCULCOATES ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	3	26	4	–	6	–
Boroughs and Urban Districts:—						
†ESTON	1	6	1	–	–	–
†MIDDLESBROUGH C.B.	2	16	1	–	4	–
†REDCAR ...		1	–		–	–
†SCARBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
EASINGWOLD ...		1	–	–	–	–
PICKERING ...	–	–	1	–	–	–
STOKESLEY ...	–	–	–	–	2	–
WHITBY... ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	1	179	77	10	69	C. 1 E. 3 G. 1 M. 9
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	3	–	–	–
ARDSLEY, EAST AND WEST	–	–	–	–	–	M. 1
BAILDON ...	–	2	–	–	–	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	3	2	1	3	–
†BATLEY... ...	–	1	2	–	1	–
†BINGLEY ...	–	–	2	–	–	–
†BOLTON UPON DEARNE	–	1	–	1	–	–
†BRADFORD C.B.	–	17	1	1	5	G. 1
†BRIGHOUSE ...	–	1	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	1	–	–
CUDWORTH ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	6	–	–	–	M. 1
†DONCASTER ...	1	3	2	–	–	–
DRIGHLINGTON...	–	–	–	–	3	–
EARBY	–	–	1	–	–	–
†ELLAND... ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
EMLEY	*	*	*	*	*	*
FARSLEY ...	–	1	–	1	–	–
†FEATHERSTONE	–	2	–	–	–	–
FLOCKTON ...	*	*	*	*	*	*
†HALIFAX C.B. ...	–	4	7	–	–	M. 1
†HARROGATE ...	–	2	–	–	–	M. 1
HAWORTH ...	–	–	1	–	–	–
HEBDEN BRIDGE	–	5	–	–	–	–
†HEMSWORTH ...	–	1	1	–	–	–
HIPPERHOLME ...	–	–	1	–	–	–
†HOYLAND NETHER	–	–	1	1	–	–
†HUDDERSFIELD C.B.	–	3	2	–	1	E. 1
†KEIGHLEY ...	–	1	–	–	–	–
KIRKBURTON ...	–	–	1	–	–	–
KIRKHEATON ...	–	–	1	–	–	–
†LEEDS C.B. ...	–	52	13	1	11	E. 2
METHLEY ...	–	1	1	–	–	–
†MORLEY... ...	–	–	–	–	1	–
NEW MILL ...	–	2	–	–	–	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	3	–	–	–	–
OXENHOPE ...	–	–	1	–	–	–
RAWDON ...	–	1	–	–	1	–
RIPON	–	1	–	–	–	–
†ROTHERHAM C.B.	–	12	3	–	2	M. 1
†ROTHWELL ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	18	21	1	27	M. 3
†SHIPLEY ...	–	1	2	–	–	–
†SKIPTON ...	–	–	1	–	1	–
SOUTHOWRAM ...	–	1	–	–	–	–
SOWERBY ...	*	*	*	*	*	*
†SOWERY BRIDGE	–	1	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
†SWINTON ...	–	–	1	–	–	–
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	–	–	1	–	–
†WAKEFIELD C.B.	–	9	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH-UPON-DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	2	–	1	1	–
YEADON ...	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	2	–	–	8	–
GREAT OUSEBURN	–	1	–	–	–	M. 1
HEMSWORTH ...	–	1	1	–	1	–
ROTHERHAM ...	–	3	–	–	–	–
SELBY	–	–	1	–	–	–
WAKEFIELD ...	–	2	2	–	–	–
WHARFEDALE (North)	–	1	–	–	–	–
WORTLEY ...	–	1	1	–	–	–
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
BRECKNOCK ...	–	2	1	2	1	–
Urban District:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural District:—						
CRICKHOWELL ...	–	2	–	2	–	–
YSTRADGYNLAIS	–	–	1	–	–	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	3	–	1	–	C. 1
Boroughs and Urban District :—						
Cardigan ...	–	–	–	1	–	–
Rural Districts :—						
Aberystwyth (North)	–	1	–	–	–	–
Llandyssil ...	–	1	–	–	–	C. 1
Tregaron ...	–	1	–	–	–	–
CARMARTHEN ...	–	9	3	–	2	–
Boroughs and Urban Districts:—						
Kidwelly ...	–	–	1	–	–	–
†Llanelly ...	–	8	–	–	1	–
Rural District :—						
Llanelly ...	–	1	2	–	1	–
CARNARVON ...	–	6	2	–	1	–
Boroughs and Urban Districts—						
Bethesda ...	–	1	–	–	–	–
Carnarvon ...	–	–	2	–	–	–
†Llandudno ...	–	1	–	–	–	–
Rural Districts :—						
Conway ...	–	2	–	–	–	–
Gwyrfai ...	–	–	–	–	1	–
Ogwen	–	2	–	–	–	–
DENBIGH ...	–	5	2	–	2	E. 1
Boroughs and Urban Districts :—						
†Colwyn Bay and Colwyn ...	–	–	–	–	1	–
†Wrexham ...	–	1	–	–	–	E. 1
DENBIGH—*cont.*						
Rural Districts :—						
Chirk	*	*	*	*	*	*
Llangollen ...	–	1	–	–	–	–
Wrexham ...	–	3	2	–	1	–
FLINT	–	10	1	–	1	–
Boroughs and Urban District :—						
Buckley ...	–	4	–	–	–	–
Flint	–	1	–	–	–	–
†Rhyl	–	–	1	–	–	–
Rural Districts :—						
Hawarden ...	–	3	–	–	–	–
Holywell (Holywell Div.)	–	–	–	–	1	–
Holywell (Mold Div.)	–	1	–	–	–	–
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	4	96	29	5	33	C. 1 M. 1
Boroughs and Urban Districts :—						
†Aberdare ...	–	14	1	–	4	–
†Barry	4	–	–	2	3	–
†Caerphilly ...	–	1	–	–	–	–
†Cardiff C.B. ...	–	5	2	–	3	C 1
†Gelligaer ...	–	1	3	–	–	–
†Glyncorwg ...	–	–	–	–	4	–
†Maesteg ...	–	3	–	–	–	–
†Merthyr Tydfil C.B.	–	–	1	–	5	–
†Mountain Ash	–	18	–	–	1	–
†Neath	*	*	*	*	*	*
†Ogmore and Garw	–	3	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PONTYPRIDD ...	–	5	–	–	1	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ...	–	17	3	1	8	–
†SWANSEA C.B. ...	–	9	5	–	2	M. 1
Rural Districts:—						
GOWER	–	–	4	–	–	–
LLANDAFF AND DINAS POWIS	–	5	2	1	2	–
LLANTRISANT AND LLANTWITFADRE	–	1	–	–	–	–
NEATH	–	7	–	–	–	–
PENYBONT ...	–	6	2	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA ...	–	1	1	–	–	–
MONMOUTH ...	–	18	8	1	9	C. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	1	2	–	1	–
BEDWAS AND MACHEN	–	2	–	–	3	–
†BEDWELLTY ...	–	1	1	–	–	–
†EBBW VALE ...	–	4	–	–	–	C. 1
†MYNYDDISLWYN	–	6	2	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
MONMOUTH—*cont.*						
Boroughs and Districts:—*cont.*						
†NEWPORT C.B....	–	1	2	–	4	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	1	–	–	–	–
USK	–	–	1	–	–	–
Rural District:—						
MAGOR	–	–	–	1	–	–
MONTGOMERY ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
Rural Districts—						
FORDEN... ...	–	2	–	–	–	–
LLANFYLLIN ...	–	2	–	–	–	–
Total of Part II.	21	1987	704	53	506	C. 27 D. 5 E. 17 G. 6 L. 5 M. 88

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BOSTON... ...	*	*	*	*	*	*	MALDON ...	*	*	*	*	*	*
BRISTOL ...	–	–	–	1	–	–	PLYMOUTH ...	–	–	–	–	1	–
CARDIFF ...	–	–	–	1	–	–	PORT OF LONDON	–	–	4	–	–	J. 1
LIVERPOOL ...	–	1	–	–	–	–	Total of Part III.	–	1	4	2	1	J. 1

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	303	350	11	113	C. 5 D. 1 E. 1 J. 1 M. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	21	1987	704	53	506	C. 27 D. 5 E. 17 G. 6 L. 5 M. 88
Total of Part III.—Port Sanitary Districts ...	–	1	4	2	1	J. 1
Total (*i.e.*, of returns received), England and Wales	22	2291	1058	66	620	C. 32 D. 6 E. 18 G. 6 J. 2 L. 5 M. 102

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Twenty-two cases of Small-pox were notified, which appear on pages 1258, 1260, 1261, 1263, 1267, 1268, 1272, and 1274.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct 14.	Oct. 21.	Oct. 28.
LONDON:—													
DEATHS—all ages	797	744	704	730	721	731	744	818	810	800	842	863	946
" 0 to 1 year	79	73	88	66	71	71	98	98	83	92	90	88	114
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,108	6,703	8,607	7,625	7,511	7,926	7,488	7,646	7,545	7 315	7,433	7,096	7,390
DEATHS—all ages	3,409	3,379	3,323	3,290	3,253	3,246	3,287	3,566	3,412	3,488	3,604	3,748	3,961
" *0* to *1* year	426	402	418	403	401	421	410	478	433	457	436	504	490
ENTERIC FEVER—Cases	16	15	15	17	23	23	29	24	32	24	17	14	29
" Deaths	1	2	2	3	4	4	3	5	7	3	1	3	3
SMALL POX—Cases	7	17	15	5	7	5	13	10	8	9	7	2	4
" Deaths	2	—	—	—	—	—	—	1	—	—	1	—	—
SCARLET FEVER—Cases	1,013	818	911	915	855	1,052	1,086	1,147	1,139	1246	1,228	1,420	1,374
" Deaths	8	11	11	14	6	11	11	3	9	8	9	13	15
DIPHTHERIA—Cases	501	458	502	460	523	537	588	610	677	691	685	720	764
" Deaths	33	40	40	41	27	32	29	32	45	29	44	51	49
MEASLES—Deaths	62	45	63	45	52	44	18	39	35	34	27	49	62
INFLUENZA—Deaths	19	15	11	16	10	12	18	21	28	32	31	43	41

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 28th October 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH)	53	24	49·4	34·9	2
BRIGHTON	56	30	49·5	37·1	2
PORTSMOUTH	53	34	49·8	37·4	0·4
NORWICH (EATON).	53	32	49 6	37·3	14
PLYMOUTH	52	36	49·7	40·0	0
BRISTOL (CLIFTON).	50	31	47·0	35·6	1
BIRMINGHAM	50	30	46·9	37·0	0·4
NOTTINGHAM	50	33	47·7	38·0	1
BIRKENHEAD (BIDSTON).	50	32	47·6	39 0	0
MANCHESTER	50	34	47·4	39·1	1
BURNLEY	49	27	46·1	34·1	2
HUDDERSFIELD	51	25	45·9	33·9	4
BRADFORD	49	29	45·6	36·4	3
SHEFFIELD	48	33	46·0	37·3	4
YORK (MUSEUM).	50	29	48·3	35·1	4
HULL (PEARSON PARK).	50	32	48·7	36·7	8
TYNEMOUTH	50	36	47·1	41·0	11
CARDIFF	51	32	47·1	36·1	0
EDINBURGH	46·0	33·0	44·6	36·4	1
GLASGOW	48·9	32·9	46·4	36·7	0
DUBLIN (PHŒNIX PARK).	50·1	35·0	47·7	39·9	6
FITZWILLIAM SQUARE.†	51·0	40·0	48·1	43·6	5
BELFAST	60·0	42·0	53·8	45·7	1

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 28th October 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in
SUNDAY	22	..	29·806	51·1	40·3	10·8	45·1	− 3·2	39·1	6·0	12·4	0·9	79	94·5	34·1	52·1	E & ESE.	ESE & E.	2·8	0·0	0·2	312	+ 58	0·01
MONDAY	23	..	29·799	50·3	38·8	11·5	44·9	− 3·2	39·3	5·6	9·8	0·9	81	65·0	30·7	52·0	E & ENE.	ENE	2·5	0·0	0·3	359	+ 99	0·00
TUESDAY	24	Greatest Declination S.	29·980	53·4	37·4	16·0	44·9	− 3·0	39·3	5·6	14·9	1·6	81	91·2	28·7	51·7	NE & ENE.	NE & ENE.	1·8	0·0	0·1	221	− 48	0·00
WEDNESDAY	25	..	29·971	51·1	34·4	16·7	42·6	− 5·1	36·6	6·0	13·9	2·1	79	100·0	24·9	51·8	NE & Calm.	ENE & ESE.	1·8	0·0	0·1	213	− 65	0·00
THURSDAY	26	..	29·819	47·9	24·4	23·5	35·8	−11·8	28·0	7·8	16·5	1·2	73	88·0	20·1	51·4	Calm & ESE.	SSE & SE.	1·6	0·0	0·0	134	−152	0·00
FRIDAY	27	First Quarter	29·650	47·3	32·1	15·2	40·7	− 6·8	37·1	3·6	9·3	2·4	87	58·5	18·9	51·0	ESE: E & ENE.	ESE & NE.	2·3	0·0	0·1	246	− 46	0·07
SATURDAY	28	..	29·912	45·9	32·7	13·2	38·2	− 9·2	31·9	6·3	13·3	2·9	78	93·0	25·0	50·9	NE & E.	E & ESE	2·6	0·0	0·2	307	+ 11	0·00
MEANS		..	29·848	49·6	34·3	15·3	41·7	− 6·0	35·9	5·8	12·9	1·7	80	84·3	26·1	51·6	ENE		...	...	...	Sum 1,792	Sum −143	Sum 0·08
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday	22	w.P. throughout	1·8	10·3	Partially cloudy till 4h., nearly overcast till noon, then very cloudy generally with few fine intervals. Overcast by 21h. Occasional damping or slight rain.
Monday	23	w.P. throughout	0·0	10·2	Overcast generally till 18h. 30m., clearing to cloudless by 21h. Slight rain at 2h. Dew in evening.
Tuesday	24	w.P. throughout	5·6	10·1	Nearly cloudless till 5h., nearly overcast till 8h., then fine with cloudy intervals. Nearly cloudless from 21h. 30m. with dew and slight mist.
Wednesday	25	w.P. throughout	4·7	10·1	Variable thin cloud till noon with cloudless intervals, becoming overcast by 13h. 30m. with occasional damping. Clearing after 17h. to cloudless by 18h. with dew and afterwards hoar frost.
Thursday	26	w.P. generally, v.P. in afternoon.	5·3	10·0	Cloudless generally till 14h. 30m., cloudy till 17h. 30m., then nearly cloudless. Hoar frost morning and evening. Mist 5h. to 7h. and fog till 10h. 30m. Hazy at night.
Friday	27	No effective register	1·3	10·0	Cloudless till 5h. with hoar frost. Overcast with few cloudy intervals till 22h., nearly cloudless by 23h. Mist and haze in morning, rain at times between 10h. and 13h. Dew at night.
Saturday	28	No effective register	6·6	9·9	Nearly cloudless generally till 9h., partially cloudy till noon, variably cloudy to overcast by 23h. 30m., with slight snow. Hoar frost in morning.
			Sum 25·3	Sum 70·6	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·88 in. at the beginning of the week to 29·74 in. by 4h. on 23rd; increased to 30·02 in. by 22h. on 24th; decreased to 29·62 in. by 6h. on 27th; increased to 29·93 in. by 18h. on 28th, and decreased to 29·89 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922. No. 44.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 4TH NOVEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH NOVEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-fourth week of the year numbered 6,784, and corresponded to an annual rate of 18·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,205 and corresponded to an annual rate of 11·5 per 1,000 of their aggregate civilian population, which is estimated at 19,033,321 in the year 1921. In the preceding three weeks the rates had been 9·9, 10·3 and 10·9. Infant mortality was 67 per 1,000 births against 59, 71, and 66 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,590 births, corresponding to a rate of 18·3 per 1,000, and 1,025 deaths of civilians, corresponding to a rate of 11·8, as against 9·7, 10·0, and 10·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·6 per 1,000. The infant mortality was 74 as against 52, 53, and 63 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 244 in the total deaths last week. In London the number of deaths from all causes rose from 946 to 1025; while the deaths from diphtheria, which had been 25, 24, and 22 in the preceding three weeks, rose to 27 last week. One death from small-pox was registered during the week and belonged to the Metropolitan Borough of Poplar.

---

m (45)18949—1 Wt 30—P 19 2250 11/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 4th November 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,033,321*	6,784	4,205	456	2	62	15	26	61	75	48
London	4,514,405*	1,590	1,025	117	–	–	3	7	27	20	7
Towns in Outer Ring.											
Croydon C.B.	191,500	57	40	4	–	–	–	–	1	–	1
Wimbledon	61,700	14	13	–	–	–	–	–	1	–	–
Ealing	67,800	16	15	1	–	–	–	1	2	–	–
Acton	62,000	23	23	2	–	–	–	–	1	–	–
Willesden	167,200	55	28	–	–	–	–	–	1	–	1
Hendon	55,500	9	10	–	–	–	–	1	–	–	–
Hornsey	87,600	11	12	1	–	–	–	–	–	–	–
Wood Green	51,100	18	10	–	–	–	–	–	–	–	–
Tottenham	149,200	53	26	4	–	–	–	–	–	1	–
Edmonton	67,800	35	15	3	–	–	–	–	–	–	1
Enfield	61,400	17	15	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	131	77	7	–	–	–	–	2	3	1
East Ham C.B.	145,500	53	40	3	–	–	–	1	–	–	–
Leyton	130,100	33	29	–	–	–	–	–	–	–	–
Walthamstow	129,800	34	18	2	–	–	–	–		–	–
Ilford	85,500	23	7	–	–	–	–	–	1	–	1
Gillingham	48,149*	25	8	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	14	11		–	–	–	–	–	–	–
Hastings C.B.	59,500	15	13	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	13	11	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	30	31	3	–	–	–	–	–	–	1
Portsmouth C.B.	233,929*	87	41	4	–	–	–	–	–	1	2
Bournemouth C.B.	81,200	21	24	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	58	34	1	–	–	–	–	–	–	1
Reading C.B.	92,600	35	23	3	–	–	–	–	–	–	–
Oxford C.B.	56,400	17	16	1	–	–	–	–	–	–	–
Northampton C.B.	92,300	28	24	1	–	–	–	1	–	–	–
Luton	57,800	17	10	2	–	–	–	–	–	–	–
Cambridge	58,900	9	12	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	29	11	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	26	14	1	–	–	1	–	–	–	–
Great Yarmouth C.B.	56,300	23	10		–	–	–	–	1	–	–
Norwich C.B.	122,400	39	31	1	–	–	–	–	1	–	–
Swindon	55,500	20	13	1	–	–	1	–	–	1	–
Exeter C.B.	59,500	11	16	3	–	–	–	1	–	–	–
Plymouth C.B.	199,869*	85	58	8	–	–	–	–	1	3	1
Bath C.B.	68,300	22	20	1	1	–	–	–	–	–	–
Bristol C.B.	381,700	112	88	8	–	–	–	–	1	–	–
Gloucester C.B.	51,800	18	8	1	–	–	–	1	–	–	–
Stoke-on-Trent, C.B.	273,238	111	66	8	–	4	–	–	–	2	–
Burton-upon-Trent C.B.	49,410	16	10	3	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	34	25	1	–	–	–	–	–	1	1
Walsall C.B.	98,800	42	26	–	–	–	–	1	–	1	–
West Bromwich C.B.	75,300	33	13	3	–	1	–	–	1	–	–
Worcester C.B.	49,160	24	12		–	–	–	–	–	–	–
Dudley C.B.	57,100	26	9	3	–	–	–	–	–	2	–
Birmingham C.B.	936,000	320	170	19	–	1	3	–	2	5	4
Smethwick C.B.	77,400	28	8	2	–	–	–	–	–	–	–
Coventry C.B.	130,300	39	29	2	–	4	–	–	–	–	–
Leicester C.B.	237,900	89	60	12	–	9	–	1	–	3	–
Lincoln C.B.	66,600	20	15	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	34	18	1	–	1	1	1	–	–	–
Nottingham C.B.	266,400	86	61	6	–	7	1	–	1	2	1
Derby C.B.	131,800	35	25	3	–	–	–	–	–	–	–
Chesterfield	62,400	33	13	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	40	24	3	–	1	–	–	2	–	–
Chester C.B.	41,030	25	10	–	–	–	–	–	–		–
Birkenhead C.B.	147,800	57	32	2	–	1	–	1	–	1	–
Wallasey C.B.	89,600	30	12	–	–	–	–	–	–	–	–
Liverpool C.B.	817,000	352	206	21	1	–	1	2	3	5	4
Bootle C.B.	77,800	42	14	3	–	–	–	–	–	–	–
St Helens C.B.	104,900	42	35	10	–	–	1	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	17	21	–	–	–	–	–	–	–	–
Wigan C.B.	91,200	30	19	4	–	–	–	–	1	–	–
Warrington C.B.	78,600	24	21	2	–	2	–	–	–	1	–
Bolton C.B.	182,200	43	36	3	–	3	–	–	–	1	–
Bury C.B.	57,600	11	11	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	284	155	11	–	3	–	–	1	–	–
Salford C.B.	239,100	97	70	13	–	–	1	1	3	2	1
Oldham C.B.	148,300	46	42	8	–	–	–	–	–	–	3
Rochdale C.B.	92,700	21	15	1	–	–	–	–	–	–	–
Burnley C.B.	105,300	27	26	5	–	3	–	–	1	–	–
Blackburn C.B.	129,682	28	38	4	–	3	–	–	–	3	1
Preston C.B.	119,900	42	30	1	–	2	–	–	–	1	–
Blackpool C.B.	73,800	20	11	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	30	10	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	33	16	2	–	–	–	–	–	–	1
Halifax C.B.	100,700	24	20	–	–	–	–	–	–	–	–
Bradford C.B.	291,100	82	79	11	–	1	–	–	1	3	1
Leeds C.B.	465,500	166	108	15	–	11	–	–	–	3	2
Dewsbury C.B.	55,100	25	13	–	–	–	–	–	–	–	–
Wakefield C.B.	53,763	21	12	–	–	–	–	–	–	1	2
Barnsley C.B.	68,991	35	19	1	–	3	–	–	–	–	1
Sheffield C.B.	519,239	194	115	17	–	–	–	1	1	–	2
Rotherham C.B.	69,100	29	9	2	–	–	–	–	–	–	–
Doncaster	54,700	17	14	2	–	–	–	–	–	–	–
York C.B.	84,500	26	14	1	–	–	–	–	–	–	–
Hull C.B.	291,800	122	61	2	–	2	–	–	1	1	–
Middlesbrough C.B.	133,400	57	30	3	–	–	–	–	–	2	–
Darlington C.B.	66,400	34	18	2	–	–	–	–	–	1	–
Stockton-on-Tees	65,000	19	13	1	–	–	–	–	–	1	–
West Hartlepool C.B.	69,300	20	16	2	–	–	–	–	–	–	–
Sunderland C.B.	161,100	86	35	5	–	–	–	–	–	–	1
South Shields C.B.	120,376	74	26	5	–	–	–	1	1	2	–
Gateshead C.B.	126,700	61	32	6	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	121	58	9	–	–	–	1	1	–	–
Tynemouth C.B.	63,900	33	15	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	30	10	–	–	–	–	–	1	–	–
Newport (Mon.) C.B.	93,700	30	17	1	–	–	1	–	–	–	1
Cardiff C.B.	202,700	69	34	6	–	–	–	–	–	1	–
Rhondda	166,600	64	33	6	–	–	–	1	–	–	2
Merthyr Tydfil C.B.	81,800	34	19	3	–	–	–	1	–	–	–
Aberdare	56,100	18	13	3	–	–	1	1	–	1	1
Swansea C.B.	159,600	56	28	1	–	–	–	–	–	–	1
Greater London	7,523,963*	2,511	1,619	164	–	–	5	11	38	26	15
Outer Ring	3,009,558*	921	594	47	–	–	2	4	11	6	8
16 Great Towns in Outer Ring	1,820,700	582	378	28	–	–	–	3	9	4	5
Remainder of Outer Ring	1,188,858*	339	216	19	–	–	2	1	2	2	3
Edinburgh†	420,500	144	106	11	–	–	1	2	1	3	1
Glasgow†	1,037,800	428	295	57	–	–	3	3	–	–	3
Dublin (Registration Area)†	427,000			No	t rec	eive	d.				
Belfast†	425,000	172	104	12	–	–	–	–	2	–	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
LONDON‡	4,514,405	Nov. 4	1590	1025	11·8	–	1	–	3	7	27	20	7
CALCUTTA	896,067	Sept. 23	?	522§	29·9	?	3	?	?	?	?	?	9
BOMBAY	1,200,473	,, 23	425‖	675§	29·2		–	–	?	–	–	50	10
MADRAS	526,911	,, 23	386	377§	37·5	–	8	–	?	1	–	29	1
SYDNEY AND SUBURBS	926,400												
BRISBANE (Met. Area).	217,714												
PERTH (Metropolitan Area).	155,939	Sept. 9	73	17	5·7	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	164,450												
WELLINGTON (Urban Area).	110,680												
CHRISTCHURCH (Urban Area).	110,200												
CAPE TOWN	101,000	Sept. 16	49	22	11·3	–	–	–	–	–	–	2	–
JOHANNESBURG	149,500	,, 23	83	34	11·8	1	–	–	4	–	–	1	–
DURBAN	48,000	,, 23	31	6	6·5	–	–	–	–	–	–	–	–
PARIS	2,906,472												
ANTWERP	302,935	Sept. 2	110	46	7·8	2	–	1	–	1	–	3	–
AMSTERDAM	692,673	Oct. 14	250	113	8·5	1	–	–	–	–	–	2	–
COPENHAGEN	562,600	,, 21	185	108	10·0	–	–	–	–	3	2	2	–
STOCKHOLM	422,042	,, 21	102	74	9·1	–	–	–	–	–	1	–	–
GOTHENBURG	228,052	Sept. 23	?	34	7·8	–	–	–	–	1	–	–	–
CHRISTIANIA	258,933	Oct. 21	68	55	11·0	–	–	–	–	–	1	–	–
BERLIN	1,974,000	Sept. 23	389	455	12·0	1	?	1	–	1	2	7	1
BRESLAU	557,000	,, 23	193	144	13·4	–	?	–	–	2	1	6	–
COLOGNE	688,000	,, 23	260	166	12·5	2	?	5	–	2	2	13	1
DRESDEN	607,000	,, 23	178	140	12·0	1	?	–	–	3	–	5	3
FRANKFORT-ON-MAIN	476,000	,, 23	120	73	8·0	–	?	–	–	2	1	1	1
HAMBURG	1,060,000	,, 23	320	218	10·7	–	?	–	–	1	–	3	1
LEIPZIG	675,000	,, 23	210	120	9·2	–	?	–	–	2	–	3	2
MUNICH	680,000	,, 23	186	148	11·3	–	?	–	–	1	–	1	–
VIENNA	1,842,005	,, 23	395	544	15·4	6	–	–	–	3	–	20	–
PRAGUE AND SUBURBS	689,262	,, 16	238	170	12·5	–	–	1	–	–	–	7	1
BUDAPEST	940,000	Aug. 19	337	285	15·8	11	?	12	–	3	1	51	–
WARSAW	956,087	Sept. 9	424	258	14·0	3	–	2	5	2	1	36	–
CAIRO	777,500	Aug. 5	694	710	47·5	6	1	20	–	?	4	167	?
ALEXANDRIA	456,200	,, 5	357	325§	37·0	4	1	1	–	?	–	62	?
NEW YORK	5,839,738	Oct. 7	2473	1135	10·1	3	–	1	2	7	9	24	2
CHICAGO	2,833,288	,, 7	?	597	11·0	–	–	3	–	2	5	22	–
RIO DE JANEIRO	1,230,137												
MONTEVIDEO	346,419	July 1	155	145	19·4	–	–	–	–	–	–	3	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 11 deaths from *Asiatic Cholera* in Calcutta and 1 in Madras, and from *Plague*, 1 in Calcutta, 3 in Bombay, and 2 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th November, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	1025	117	25	25	37	34	49	72	123	132	203	208
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	1	–	–	–	–	–	–	–	1	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	1	–	–	–	–	–	–	–
Whooping cough	7	2	3	2	–	–	–	–	–	–	–	–
Diphtheria	27	–	6	13	8	–	–	–	–	–	–	–
Influenza	7	1	–	–	–	1	–	1	1	–	2	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	1	–	–	–	–	–	–	–
Meningococcal meningitis	2	1	–	–	–	1	–	–	–	–	–	–
Tuberculosis of respiratory system	84	1	–	–	2	18	16	18	21	6	2	–
Tuberculous meningitis	4	1	1	1	–	1	–	–	–	–	–	–
Abdominal tuberculosis	5	–	1	1	–	–	1	–	1	1	–	–
Other tubercle	3	–	–	–	1	–	1	1	–	–	–	–
Venereal diseases	3	1	–	–	–	–	–	1	1	–	–	–
Cancer	121	–	–	–	–	1	2	3	23	29	41	22
Rheumatic fever	6	–	–	–	3	1	1	–	1	–	–	–
Diabetes	14	–	–	–	2	1	2	–	1	–	5	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	2	1	1	1	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	59	–	–	–	–	–	–	1	5	13	23	17
Epilepsy	1	–	–	1	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	30	2	1	–	3	–	3	7	6	2	4	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	1	–	1	–	–	–	1	–
Other diseases of heart	152	–	–	–	3	2	3	11	16	33	42	42
Other dis. of circulatory system	39	–	–	–	–	1	–	2	5	3	15	13
Bronchitis	69	3	–	–	–	–	–	2	3	11	21	29
Broncho-pneumonia	44	18	7	2	1	–	1	1	2	2	2	8
Lobar pneumonia	31	1	1	1	1	2	1	4	8	6	5	1
Pneumonia (type not distinguished)	19	3	1	1	–	–	2	1	–	4	4	3
Other diseases of respiratory system	8	–	1	–	–	–	1	–	–	4	1	1
Diarrhœa and enteritis	22	19	1	–	1	–	–	–	–	–	–	1
Appendicitis and typhlitis	6	–	–	–	2	–	–	1	2	1	–	–
Hernia, Intestinal obstruction	9	1	–	–	–	–	–	–	2	2	1	3
Cirrhosis of liver	6	–	–	–	–	–	–	–	5	–	1	–
Other diseases of digestive system	18	2	–	–	–	–	2	4	5	–	4	1
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	36	1	–	–	1	2	3	5	5	2	9	8
Other diseases of genito-urinary system.	11	–	–	–	–	–	–	1	1	4	2	3
Puerperal fever, &c.	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	2	1	–	–	–	–
Congenital malformations	6	6	–	–	–	–	–	–	–	–	–	–
Premature birth	27	27	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age	46	–	–	–	–	–	–	–	–	1	10	35
Suicide	3	–	–	–	–	–	–	2	1	–	–	–
Burns and scalds	2	–	–	1	1	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	3	1	1	1	–	–	–	–
Other deaths by violence	11	1	–	–	–	–	–	2	3	1	2	2
Other specified causes	47	10	–	–	1	2	4	1	4	7	5	13
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th November 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	15	28	–	7	E. 1 M. 1
†BERMONDSEY ...	–	6	18	–	7	–
†BETHNAL GREEN	–	3	6	–	1	–
†CAMBERWELL ...	–	19	21	–	10	–
†CHELSEA ...	–	2	6	–	–	C. 1 D. 1
†DEPTFORD ...	–	11	12	–	–	–
†FINSBURY ...	–	6	7	–	3	–
†FULHAM ...	–	10	7	–	5	C. 1
†GREENWICH ...	–	8	13	–	1	–
†HACKNEY ...	–	13	14	–	–	C. 1 M. 1
†HAMMERSMITH	–	1	5	–	3	–
†HAMPSTEAD ...	–	5	4	–	–	–
†HOLBORN ...	–	4	1	–	–	–
†ISLINGTON ...	–	19	17	1	5	M. 1
†KENSINGTON ...	–	8	9	2	1	C. 1 E. 1
†LAMBETH ...	1	26	10	–	5	M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	4	2	–	4	E. 2
†PADDINGTON ...	–	11	6	–	6	E. 1
†POPLAR... ...	34	10	8	–	6	M. 1
†ST. MARYLEBONE	–	4	8	1	5	M. 1
†ST. PANCRAS ...	–	11	19	1	7	M. 3
†SHOREDITCH ...	–	4	9	–	9	–
†SOUTHWARK ...	–	29	17	–	10	C. 2
†STEPNEY ...	–	16	18	–	6	M. 2
†STOKE NEWINGTON	–	2	–	1	2	–
†WANDSWORTH	–	18	16	–	11	D. 1
†WESTMINSTER, CITY OF	–	2	6	1	–	M. 1
†WOOLWICH ...	–	3	8	1	1	M. 1
TOTAL OF PART I.	35	272	295	8	115	C. 6 D. 2 E, 5 M. 13

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	1	2	–	5	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	1	–	3	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	2	–
LUTON	*	*	*	*	*	*
BERKS	–	43	1	–	1	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	12	1	–	–	–
†READING C.B....	–	19	–	–	1	–
WANTAGE ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	5	–	–	–	–
FARINGDON (part)	–	3	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	11	1	1	1	–
Boroughs and Urban Districts :—						
CHESHAM ...	–	–	–	–	1	–
NEWPORT PAGNELL	*	*	*	*	*	*
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	1	1	–	–	–
BUCKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts :— *cont.*						
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	*	*	*	*	*	*
WING	–	1	–	–	–	–
WYCOMBE ...	–	5	–	1	–	–
CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
LINTON	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	61	20	1	29	C. 1 M. 2
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	5	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†BIRKENHEAD C.B.	–	7	4	1	9	–
BOLLINGTON ...	–	2	1	–	1	–
BREDBURY AND ROMILEY	–	1	–	–	1	–
†CHEADLE AND GATLEY	–	–	1	–	–	–
†CHESTER C.B. ...	–	–	1	–	2	–
†CONGLETON ...	–	1	–	–	2	–
†CREWE	–	4	–	–	1	–
HALE	–	1	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	7	–	–	–	–
KNUTSFORD ...	–	1	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD...	–	3	–	–	–	–
MIDDLEWICH ...	–	–	3	–	–	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	7	–	–	1	–
†SALE	–	–	–	–	–	C. 1
†STOCKPORT C.B.	–	5	3	–	1	M. 2
†WALLASEY C.B.	–	2	–	–	3	–
WILMSLOW ...	–	1	1	–	–	–
†WINSFORD ...	–	1	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	–	1	–	1	–
RUNCORN ...	–	4	–	–	2	–
TARVIN	–	–	–	–	1	–
WIRRAL... ...	–	1	1	–	1	–
CORNWALL ...	–	8	2	–	5	–
Boroughs and Urban Districts:—						
CALLINGTON ...	–	1	–	–	–	–
REDRUTH ...	–	1	2	–	1	–
WADEBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
HELSTON ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	3	–
SAINT AUSTELL	–	1	–	–	–	–
SAINT COLUMB MAJOR	–	1	–	–	–	–
SAINT GERMANS	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	9	6	–	1	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
†CARLISLE C.B. ...	–	2	2	–	–	–
HOLME CULTRAM	–	–	–	–	–	M. 1
KESWICK ...	*	*	*	*	*	*
MILLOM... ...	–	3	–	–	–	–
PENRITH ...	–	–	–	–	1	–
†WHITEHAVEN ...	–	–	2	–	–	–
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	14	25	13	2	14	C. 1 M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	1	–	–	C. 1 M. 1
†BELPER... ...	–	–	–	1	–	–
†BOLSOVER ...	–	1	1	–	–	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	2	–	–	–
†DERBY C.B. ...	–	8	1	1	10	M. 1
†HEANOR ...	6	–	1	–	–	–
†ILKESTON ...	3	1	–	–	–	–
†LONG EATON ...	–	–	1	–	–	–
NEW MILLS ...	–	1	–	–	1	–
SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BELPER	2	3	–	–	1	–
BLACKWELL ...	–	3	1	–	–	–
CHESTERFIELD ...	–	–	3	–	–	–
CLOWNE ...	3	–	2	–	–	–
GLOSSOP DALE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HARTSHORNE AND SEALS	–	2	–	–	–	–
REPTON... ...	–	1	–	–	1	–
SUDBURY ...	–	–	–	–	1	–
DEVON	–	19	11	–	2	C. 1
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	2	–	–	1	–
†NEWTON ABBOT ...	–	2	1	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	9	6	–	–	–
TIVERTON ...	–	3	–	–	–	–
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
HONITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	–	C. 1
SOUTH MOLTON	–	1	–	–	–	–
TAVISTOCK ...	–	–	1	–	–	–
TOTNES ...	–	–	2	–	–	–
DORSET	–	11	1	–	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	9	–	–	–	–
SWANAGE ...	–	1	1	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
DORSET—*cont.*						
Rural Districts:—						
DORCHESTER ...	–	1	–	–	–	–
DURHAM... ...	–	66	18	1	36	C. 2 G. 1 M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	1	M. 2
BENFIELDSIDE ...	–	1	2	–	–	–
†BISHOP AUCKLAND	–	3	–	–	–	–
†BLAYDON ...	–	2	–	–	–	–
†CHESTER-LE-STREET	–	3	–	–	–	–
†CONSETT ...	–	1	2	–	–	–
†CROOK	–	–	1	–	–	–
†DARLINGTON C.B.	–	6	–	–	1	M. 1
†FELLING ...	–	–	–	–	2	–
†GATESHEAD C.B.	–	4	1	–	6	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON... ...	–	2	1	–	1	–
†HOUGHTON-LE-SPRING	–	–	–	–	2	–
†JARROW ...	–	2	–	–	3	–
†SHILDON ...	–	2	–	–	–	–
†SOUTH SHIELDS C.B.	–	2	2	–	2	M. 2
†STANLEY ...	–	5	3	–	–	–
†STOCKTON-ON-TEES	–	1	–	–	5	G. 1
†SUNDERLAND C.B.	–	10	1	–	2	–
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B	–	3	1	–	1	C. 1
†WICKHAM ...	–	–	–	–	–	C. 1
Rural Districts:—						
AUCKLAND ...	–	5	–	–	–	–
BARNARD CASTLE	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural District :—*cont.*						
CHESTER-LE-STREET	–	2	–	–	1	M. 2
DARLINGTON ...	–	1	–	–	–	–
DURHAM ...	–	2	–	–	–	–
EASINGTON ...	–	2	1	1	5	–
HOUGHTON-LE-SPRING	–	1	1	–	1	–
LANCHESTER ...	–	1	–	–	1	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	–	–	–	–	M. 1
SUNDERLAND ...	–	1	1	–	–	–
WEARDALE ...	–	–	–	–	1	–
ISLE OF ELY ...	–	3	–	–	1	–
Boroughs and Urban Districts :—						
MARCH	–	2	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH ...	–	1	–	–	–	–
ESSEX	–	70	31	2	12	C. 1 L. 4 M. 3
Boroughs and Urban Districts :—						
†BARKING TOWN	–	1	–	–	2	–
BRENTWOOD ...	–	2	–	–	–	–
BUCKHURST HILL	–	–	1	–	–	–
†CHELMSFORD ...	–	2	–	–	–	–
†CLACTON ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	–	–	1	L. 1
†EAST HAM C.B.	–	3	3	–	1	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
†ILFORD	–	2	6	–	–	L 3
†LEYTON... ...	–	10	1	–	1	–
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	1	–	1	–	C. 1
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
SAFFRON WALDEN	–	2	–	–	–	–
SHOEBURYNESS	–	2	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	6	2	–	1	–
TILBURY ...	–	2	–	–	–	–
†WALTHAMSTOW	–	7	5	–	2	M. 1
†WEST HAM C.B.	–	20	6	–	3	M. 2
†WOODFORD ...	–	1	–	–	1	–
Rural Districts :—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	–	1	1	–	–
ONGAR	–	1	–	–	–	–
ORSETT	–	2	2	–	–	–
ROCHFORD ...	–	1	1	–	–	–
ROMFORD ...	–	–	1	–	–	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	–	58	22	1	13	L. 1 M. 3
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	41	16	–	3	L. 1 M. 3
†CHELTENHAM ...	–	2	1	–	–	–
†GLOUCESTER C.B.	–	1	2	–	4	–
†KINGSWOOD ...	–	1	–	–	–	–
Rural Districts :—						
CHELTENHAM ...	–	1	–	–	–	–
CHIPPING SODBURY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—*cont.*						
CIRENCESTER ...	–	–	1	–	–	–
DURSLEY ...	–	1	1	–	5	–
EAST DEAN AND UNITED PARISHES	–	5	–	–	–	–
NORTHLEACH ...	–	1	–	–	–	–
STOW-ON-THE-WOLD (part)	–	–	–	1	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	1	–
WEST DEAN ...	–	1	1	–	–	–
HEREFORD ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
LEDBURY ...	–	–	1	–	–	–
ROSS	–	–	–	–	1	–
WEOBLEY ...	–	2	–	–	–	–
HERTFORD ...	–	14	1	–	2	–
Boroughs and Urban Districts:—						
BUSHEY... ...	–	2	–	–	–	–
HARPENDEN ...	–	7	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HITCHIN ...	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	–	1	–	1	–
HERTFORD—*cont.*						
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
HATFIELD ...	*	*	*	*	*	*
ST. ALBANS ...	–	1	–	–	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
RAMSEY ...	–	–	1	–	–	–
Rural Districts:—						
ST. IVES ...	–	1	–	–	–	–
ST. NEOTS, No. 2	*	*	*	*	*	*
,, No 4	–	–	2	–	–	–
KENT	–	62	17	–	9	C. 1 M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY... ...	–	14	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	–	1	–	–	–
†CANTERBURY C.B.	–	–	1	–	–	–
†CHATHAM ...	–	1	1	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†DOVER	–	5	1	–	1	–
†ERITH	–	1	1	–	1	–
†FOLKESTONE ...	–	4	–	–	–	M. 1
†GILLINGHAM ...	–	4	2	–	–	–
†GRAVESEND ...	–	1	1	–	–	–
†MAIDSTONE ...	–	–	–	–	–	M. 1
†MARGATE ...	–	4	3	–	–	–
†NORTHFLEET ...	–	4	–	–	–	–
†PENGE	–	1	–	–	1	–
†RAMSGATE ...	–	1	1	–	–	C. 1
†ROCHESTER ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL TUNBRIDGE WELLS	–	3	–	–	2	–
SANDWICH ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
†TONBRIDGE ...	–	1	1	–	–	–
WALMER ...	–	2	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
DARTFORD ...	–	1	–	–	–	–
EAST ASHFORD	–	1	1	–	–	–
ELHAM	–	2	–	–	–	–
FAVERSHAM ...	–	2	–	–	–	–
MILTON	–	1	–	–	–	–
SHEPPEY ...	*	*	*	*	*	*
STROOD	–	2	–	–	–	–
WEST ASHFORD	–	–	–	–	1	–
LANCASTER ...	–	364	106	9	157	C. 2 G. 1 L. 2 M. 25
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	5	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	–	1	–	2	–
†ASHTON-UNDER-LYNE	–	1	–	–	1	–
†ATHERTON ...	–	1	–	–	1	–
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	1	–	–	–	–
†BARROW-IN-FURNESS C.B.	–	12	–	–	–	–
†BLACKBURN C.B.	–	6	1	–	10	–
†BLACKPOOL C.B.	–	3	–	–	–	–
BLACKROD ...	–	–	1	–	–	–
†BOLTON C.B. ...	–	6	2	1	6	M. 1
†BOOTLE C.B. ...	–	10	2	–	2	M. 1
†BURNLEY C.B.	–	16	3	–	4	–
†BURY C.B. ...	–	1	2	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
CARNFORTH ...	–	–	–	1	–	–
†CHADDERTON ...	–	1	1	–	–	–
†CHORLEY ...	–	–	2	–	3	–
†COLNE	–	2	2	–	–	–
CROSTON ...	–	1	–	–	–	–
†DARWEN ...	–	4	–	–	1	–
†DENTON ...	–	1	–	–	2	–
†DROYLSDEN ...	–	2	–	–	–	G. 1
†ECCLES ...	–	1	–	–	–	–
†FAILSWORTH ...	–	5	1	–	4	–
†FARNWORTH ...	–	3	–	–	–	–
†FLEETWOOD ...	–	–	–	–	4	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT HARWOOD	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	11	–	–	–	–
†HINDLEY ...	–	–	1	–	–	–
†HORWICH ...	–	3	–	–	1	–
†INCE-IN-MAKERFIELD	–	6	–	–	–	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	2	1	1	1	–
†LEIGH	–	1	3	–	2	M. 1
LEYLAND ...	–	1	–	–	1	–
†LITHERLAND ...	–	4	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE LEVER...	–	1	–	–	–	–
†LIVERPOOL C.B.	–	52	22	1	20	C. 1 M. 11
LONGRIDGE ...	–	–	2	–	–	–
†MANCHESTER C.B.	–	62	11	2	32	C. 1 M. 6
†MIDDLETON ...	–	2	–	–	–	M. 1
†MORECAMBE ...	–	–	1	–	–	–
†NELSON... ...	–	–	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	1	1	–	–	–
†OLDHAM C.B. ...	–	12	5	–	3	M. 2
ORMSKIRK ...	–	1	–	–	–	–
ORRELL... ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	–	–	1	–
PRESCOT ...	–	9	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†PRESTON C.B. ...	–	2	8	1	–	–
†PRESTWICH ...	–	–	2	–	–	–
†RADCLIFFE ...	–	–	3	–	2	M. 1
†RAWTENSTALL ...	–	3	1	–	–	–
RISHTON ...	–	3	–	–	–	–
†ROCHDALE C.B.	–	12	6	–	–	–
†ROYTON... ...	–	1	–	–	2	–
†ST. ANNE'S ON THE SEA	–	4	–	–	–	–
†ST. HELENS C.B.	–	6	1	–	11	–
†SALFORD C.B. ...	–	20	6	–	9	M 1
†SOUTHPORT C.B.	–	6	1	–	2	–
†STRETFORD ...	–	6	–	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–	4	–
TOTTINGTON ...	–	–	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	–	1	–	–	–
UPHOLLAND ...	–	4	–	–	–	–
URMSTON ...	–	–	–	–	1	–
†WARRINGTON C.B.	–	6	–	–	7	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	1	1	–	1	–
WHITWORTH ...	–	–	–	1	–	–
†WIDNES ...	–	4	4	–	–	–
†WIGAN C.B. ...	–	2	–	–	7	–
†WORSLEY ...	–	2	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	5	–	–	–	–
BURNLEY ...	–	1	–	–	–	–
BURY	–	–	2	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 2
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	–	–	1	–	–
LEIGH	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:— *cont.*						
LUNESDALE ...	–	1	–	–	–	–
PRESTON ...	–	2	–	–	1	–
ULVERSTON ...	–	4	–	–	–	–
WARRINGTON ...	–	2	–	–	–	–
WHISTON ...	–	6	1	–	–	–
WIGAN	–	2	–	–	–	–
LEICESTER ...	–	26	8	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	1	–	–	–
†LEICESTER C.B.	–	22	1	–	4	M. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	1	1	–	–	C. 1
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	–	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	3	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	1	–	–	–	–
LONG SUTTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON ...	–	2	–	–	–	–
CROWLAND ...	–	–	2	–	–	–
LINCOLN (parts of Kesteven).	–	2	4	–	–	–
Boroughs and Urban District:—						
†GRANTHAM ...	–	1	–	–	–	–
RUSKINGTON ...	*	*	*	*	*	*
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
BOURNE ...	–	1	–	–	–	–
CLAYPOLE ...	–	–	3	–	–	–
LINCOLN (parts of Lindsey).	–	20	8	–	2	M. 2
Boroughs and Urban Districts:—						
BARTON-UPON-HUMBER	–	–	1	–	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES	–	9	–	–	1	M. 1
†GAINSBOROUGH	–	–	1	–	–	–
†GRIMSBY, C.B....	–	2	–	–	–	M. 1
†LINCOLN C.B. ...	–	1	–	–	–	–
LOUTH	–	–	–	–	1	–
MARKET RASEN	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	6	1	–	–	–
WINTERTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural District:—						
CAISTOR... ...	–	–	1	–	–	–
GAINSBOROUGH	–	1	–	–	–	–
SPILSBY... ...	–	–	3	–	–	–
MIDDLESEX ...	–	99	59	2	20	L. 2 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	7	–	–	–
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	1	2	–	–	–
†EALING ...	–	6	5	–	1	–
†EDMONTON ...	–	4	1	–	2	–
†ENFIELD ...	–	2	1	–	–	–
FELTHAM ...	–	7	2	–	–	–
†FRIERN BARNET	–	1	1	–	–	L. 1
GREENFORD ...	–	–	1	–	–	–
†HAMPTON ...	–	–	–	–	1	–
†HANWELL ...	–	2	–	–	–	–
†HARROW ON THE HILL	–	–	5	–	–	–
HAYES	–	2	–	–	–	–
†HENDON ...	–	1	10	2	–	–
†HESTON AND ISLEWORTH	–	7	2	–	1	–
†HORNSEY ...	–	3	1	–	3	–
†SOUTHALL NORWOOD	–	1	1	–	–	L. 1
†SOUTHGATE ...	–	4	–	–	–	–
STAINES ...	–	2	–	–	–	–
SUNBURY-ON-THAMES	–	–	1	–	–	–
†TOTTENHAM ...	–	32	6	–	9	–
†TWICKENHAM ...	–	2	2	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEMBLEY ...	–	1	–	–	1	–
†WILLESDEN ...	–	8	9	–	1	M. 2
†WOOD GREEN ...	–	5	–	–	–	–
Rural Districts:—						
HENDON ...	–	3	–	–	–	–
STAINES ...	–	1	2	–	–	–
UXBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ...	–	63	7	1	1	E. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	6	–	–	–	–
†KING'S LYNN ...	–	2	–	–	–	–
†NORWICH C.B....	–	42	5	–	1	–
WALSOKEN ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
DEPWADE ...	–	–	1	–	–	E. 1
DOCKING ...	–	1	–	–	–	–
ERPINGHAM ...	–	–	–	1	–	–
FOREHOE ...	–	1	1	–	–	–
FREEBRIDGE LYNN	–	1	–	–	–	–
HENSTEAD ...	–	3	–	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	3	–	–	–	–
NORTHAMPTON	–	23	8	–	9	M. 2
Boroughs and Urban Districts:—						
FINEDON ...	–	4	–	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	12	7	–	6	M. 2
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	1	–
HARDINGSTONE	–	1	–	–	1	–
NORTHAMPTON	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	36	8	2	22	C. 1 M. 3
Boroughs and Urban Districts:—						
AMBLE	–	4	–	–	1	–
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	1	1	–
†BERWICK-UPON-TWEED	–	2	–	–	–	–
†BLYTH	–	5	–	–	1	C. 1
HEXHAM ...	–	–	–	–	1	–
†LONGBENTON ...	*	*	*	*	*	*
MORPETH ...	–	1	–	–	–	–
†NEWBURN ...	–	2	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	8	4	1	14	M. 1
†TYNEMOUTH C.B.	–	3	–	–	2	M. 2
†WALLSEND ...	–	2	–	–	–	–
WEETSLADE ...	–	–	2	–	1	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
HALTWHISTLE ...	–	2	2	–	–	–
MORPETH ...	–	1	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	1	27	8	4	5	C. M. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	2	–	1	–
EASTWOOD ...	1	–	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	1	1	–
†MANSFIELD ...	–	1	1	–	–	C. 2
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK ...	–	1	1	–	–	–
†NOTTINGHAM C.B.	–	16	1	3	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Warsop ...	–	1	–	–	–	–
†West Bridgford	–	–	1	–	–	–
†Worksop ...	–	1	–	–	–	–
Rural Districts:—						
Basford ...	–	2	–	–	–	–
Bingham ...	–	–	1	–	–	–
Blyth and Cuckney	–	–	–	–	1	–
Newark ...	–	2	–	–	–	–
Skegby ...	–	–	1	–	–	–
Stapleford ...	–	1	–	–	–	–
OXFORD	–	11	–	–	3	–
Boroughs and Urban Districts:—						
†Banbury ...	–	–	–	–	1	–
Henley on Thames	–	1	–	–	–	–
†Oxford C.B. ...	–	1	–	–	–	–
Rural Districts:—						
Culham... ...	–	4	–	–	–	–
Headington ...	–	5	–	–	2	–
PETERBOROUGH (Soke of).	–	1	2	–	2	–
Borough:—						
†Peterborough ...	–	1	2	–	2	–
RUTLAND ...	–	1	–	–	–	–
Rural District:—						
Uppingham ...	–	1	–	–	–	–
SALOP	–	11	10	–	3	M. 2
Boroughs and Urban Districts:—						
Dawley ...	–	1	2	–	–	–
Ludlow ...	–	–	1	–	–	–
Newport ...	–	–	–	–	1	–
†Oakengates ...	–	1	1	–	–	–
Oswestry ...	–	5	1	–	–	M. 1
†Shrewsbury ...	–	–	2	–	1	–
†Wenlock ...	–	–	–	–	–	M. 1
Whitchurch ...	–	1	–	–	–	–
Rural Districts:—						
Atcham ...	–	–	3	–	–	–
Bridgnorth ...	–	–	–	–	1	–
Drayton ...	–	1	–	–	–	–
Oswestry ...	–	2	–	–	–	–
SOMERSET ...	–	16	11	1	12	–
Boroughs and Urban Districts:—						
†Bath, C.B. ...	–	1	2	1	2	–
†Bridgwater ...	–	2	–	–	1	–
†Frome	–	3	–	–	–	–
Glastonbury ...	–	–	–	–	1	–
Midsomer Norton	–	3	–	–	–	–
Minehead ...	–	–	1	–	–	–
Portishead ...	–	–	3	–	–	–
†Taunton ...	–	3	–	–	–	–
Watchet ...	*	*	*	*	*	*
Wells	–	–	–	–	1	–
Rural Districts:—						
Axbridge ...	–	–	–	–	1	–
Bath	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
FROME	–	1	1	–	1	–
KEYNSHAM ...	–	1	–	–	1	–
LONG ASHTON ...	–	–	2	–	2	–
SHEPTON MALLET	–	–	–	–	1	–
WELLS	–	–	–	–	1	–
WILLITON ...	–	–	2	–	–	–
SOUTHAMPTON ...	–	43	18	2	2	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
ANDOVER ...	–	–	–	–	–	E. 1
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	2	2	–	–	C. 1
CHRISTCHURCH	–	1	–	–	1	–
†FAREHAM ...	–	–	1	–	–	–
†FARNBOROUGH...	–	2	–	–	–	–
†GOSPORT AND ALVERSTOKE	–	3	3	–	1	–
HAVANT ...	*	*	*	*	*	*
PETERSFIELD ...	–	–	1	–	–	–
†PORTSMOUTH C.B.	–	17	7	–	–	M. 1
†SOUTHAMPTON C.B.	–	7	1	2	–	–
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
STOCKBRIDGE ...	–	–	2	–	–	–
WHITCHURCH ...	–	5	–	–	–	–
STAFFORD ...	–	131	28	3	41	M. 13
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	3	–	–	–
†BILSTON ...	–	13	–	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL	–	–	–	–	1	–
†BROWNHILLS ...	–	7	–	–	2	–
†BURTON-UPON-TRENT C.B.	–	2	2	–	2	–
†CANNOCK ...	–	4	1	–	–	–
†COSELEY ...	–	3	–	–	2	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	1	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	–	2	–	1	–
RUGELEY ...	–	3	–	–	–	–
†SEDGLEY ...	–	3	4	–	–	–
SHORT HEATH ...	–	1	–	–	–	–
†SMETHWICK C.B.	–	7	1	–	1	M. 3
†STAFFORD ...	–	1	–	–	–	–
†STOKE-ON-TRENT C.B.	–	30	5	1	18	M. 8
TAMWORTH ...	–	7	–	–	–	–
†TIPTON	–	7	–	–	–	–
UTTOXETER ...	–	1	1	–	–	–
†WALSALL C.B....	–	1	–	–	5	M. 1
†WEDNESBURY ...	–	2	–	–	–	–
WEDNESFIELD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	8	2	–	1	–
†WILLENHALL ...	–	7	–	–	2	–
†WOLSTANTON UNITED	–	–	1	–	1	–
†WOLVERHAMPTON C.B.	–	5	1	–	2	M. 1
Rural Districts:—						
CANNOCK ...	–	3	2	–	–	–
CHEADLE ...	–	–	–	1	–	–
KINGSWINFORD	–	–	–	1	–	–
LEEK	*	*	*	*	*	*
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
STAFFORD ...	–	–	1	–	–	–
STONE	–	4	–	–	–	–
TAMWORTH (part)	–	5	–	–	–	–
TUTBURY ...	–	1	–	–	–	–
SUFFOLK, EAST	–	9	3	1	2	–
Boroughs and Urban Districts :—						
BECCLES ...	–	1	–	–	–	–
†FELIXSTOWE ...	–	1	–	–	–	–
†IPSWICH C.B. ...	–	6	2	–	1	–
†LOWESTOFT ...	–	–	–	1	1	–
Rural Districts :—						
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
SAMFORD ...	–	1	–	–	–	–
SUFFOLK, WEST	–	6	1	–	–	–
Boroughs and Urban Districts :—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
NEWMARKET ...	–	2	–	–	–	–
Rural Districts :—						
BRANDON ...	–	2	–	–	–	–
THINGOE ...	–	2	–	–	–	–
SURREY	–	59	11	–	12	L. 1 M. 1
Boroughs and Urban Districts :—						
†BARNES ...	–	–	1	–	1	–
†CHERTSEY ...	–	2	–	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COULSDON AND PURLEY	–	3	–	–	–	–
†CROYDON C.B....	–	13	7	–	4	M. 1
DORKING ...	–	1	–	–	–	–
†EGHAM	–	1	–	–	1	–
†EPSOM	–	2	–	–	–	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	–	–	–	1	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON-ON-THAMES	–	10	–	–	–	–
†MERTON AND MORDEN	–	3	1	–	1	–
†MITCHAM ...	–	6	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	1	–	–	–	–
†WALTON-UPON THAMES	–	3	–	–	–	–
WEYBRIDGE ...	–	3	–	–	–	–
†WIMBLEDON ...	–	3	1	–	–	L. 1
†WOKING ...	–	1	–	–	–	–
Rural Districts :—						
DORKING ...	–	1	–	–	–	–
EPSOM	–	1	–	–	2	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	9	3	1	4	–
Boroughs and Urban Districts :—						
†BEXHILL ...	–	–	–	1	–	–
†BRIGHTON C.B....	–	5	3	–	3	–
†EASTBOURNE C.B.	–	1	–	–	–	–
†HOVE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
STEYNING EAST	–	1	–	–	–	–
SUSSEX, WEST ...	–	10	4	–	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	4	–	–	–	–
SHOREHAM-BY-SEA	–	–	2	–	–	–
†WORTHING ...	–	2	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	3	1	–	–	–
PETWORTH ...	–	1	1	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	134	27	–	47	C. 4 E. 2 G. 1 L. 1 M. 4
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	88	24	–	33	C. 3 E. 2 G. 1 L 1 M. 4
†COVENTRY C.B.	–	6	–	–	1	–
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	9	–	–	2	–
†ROYAL LEAMINGTON SPA	–	2	3	–	–	–
†RUGBY	–	–	–	–	1	C. 1
STRATFORD-ON-AVON	–	–	–	–	2	–
Rural Districts:—						
ATHERSTONE ...	–	3	–	–	1	–
FOLESHILL ...	–	8	–	–	1	–
WARWICK—*cont.*						
Rural Districts—*cont.*						
MERIDEN ...	–	2	–	–	1	–
RUGBY	–	4	–	–	1	–
SOLIHULL ...	–	1	–	–	1	–
SOUTHAM ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
WARWICK ...	–	10	–	–	–	–
WESTMORLAND	–	6	–	–	3	E. 1
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	3	–
SOUTH WESTMORLAND	–	–	–	–	–	E. 1
WEST WARD ...	–	5	–	–	–	–
ISLE OF WIGHT	–	–	1	–	1	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	1	–
SHANKLIN ...	–	–	1	–	–	–
WILTS	–	24	3	–	3	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
†SWINDON ...	–	4	–	–	2	–
Rural Districts:—						
CALNE	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS,

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
MALMESBURY ...	–	8	–	–	–	–
MARLBOROUGH	–	5	–	–	–	–
PEWSEY ...	–	1	–	–	1	–
RAMSBURY ...	–	3	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	26	2	–	6	M. 2
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†DUDLEY C.B. ...	–	1	–	–	–	–
†KIDDERMINSTER	–	2	–	–	2	M. 1
†LYE AND WOLLESCOTE	–	–	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	2	1	–	2	–
†REDDITCH ...	–	14	–	–	–	–
†WORCESTER C.B.	–	1	1	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	–	–	–	–	M. 1
TENBURY ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	23	20	–	1	M. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
HEDON	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	13	18	–	–	M 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†YORK C.B. ...	–	5	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	1	–	–	–
HOWDEN ...	–	1	–	–	–	–
NORTON... ...	*	*	*	*	*	*
SCULCOATES ...	–	1	–	–	1	–
YORKS ... ... (North Riding).	2	35	1	–	5	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	12	–	–	–	–
MALTON ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	2	19	–	–	5	–
PICKERING ...	–	–	1	–	–	–
†REDCAR ...	–	2	–	–	–	–
†SKELTON AND BROTTON	–	–	–	–	–	M. 1
Rural Districts:—						
AYSGARTH ...	*	*	*	*	*	*
BEDALE ...	–	1	–	–	–	–
MALTON... ...	*	*	*	*	*	*
SCARBOROUGH ...	*	*	*	*	*	*
STARTFORTH ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	–	231	65	9	83	C. 2 E. 1 G. 2 M. 17
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	1	–
ALTOFTS ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	–	1	1	–	–	–
BAILDON ...	–	1	1	–	–	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	2	–	–	–	G. 1
†BATLEY... ...	–	1	–	1	–	–
†BENTLEY WITH ARKSEY	–	1	–	–	1	–
†BINGLEY ...	–	2	–	–	–	–
BIRSTAL ...	–	4	–	–	–	–
†BOLTON UPON DEARNE	–	4	–	2	1	–
†BRADFORD C.B.	–	12	9	–	4	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON WEST	–	–	1	–	–	–
†CONISBROUGH ...	–	–	–	1	–	–
CUDWORTH ...	–	2	1	–	–	–
DARFIELD ...	–	1	–	–	1	–
†DARTON ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	6	5	–	–	M. 1
†DONCASTER ...	–	4	2	–	1	–
EARBY	–	–	1	–	–	–
†FEATHERSTONE	–	4	–	–	1	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	2	2	–	2	–
†HALIFAX C.B. ...	–	3	1	–	–	–
†HARROGATE ...	–	–	1	–	1	M. 2
HEBDEN BRIDGE	–	7	–	–	–	–
HECKMONDWIKE	–	1	–	–	1	–
†HEMSWORTH ...	–	1	–	–	2	–
HIPPERHOLME ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	–	–	2	–
†HUDDERSFIELD C.B.	–	–	1	–	1	–
HUNSWORTH ...	–	1	–	–	–	–
†KEIGHLEY ...	–	–	–	–	1	–
KIRKBURTON ...	–	–	–	–	–	C. 1
†LEEDS C.B. ...	–	74	6	1	8	G. 1 M. 2
†MEXBOROUGH ...	–	–	–	–	2	C. 1
†MORLEY... ...	–	3	–	1	3	–
NEW MILL ...	–	–	1	–	–	–
†NORMANTON ...	–	–	–	–	1	–
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	1	–	–	–	E. 1
†RAWMARSH ...	–	2	1	–	–	–
RIPON	–	–	–	1	–	–
†ROTHERHAM C.B.	–	12	5	–	4	M. 1
ROYSTON ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	37	14	–	36	M. 8
†SHIPLEY ...	–	1	1	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SOWERY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
†STANLEY ...	–	6	–	–	–	–
STOCKBRIDGE ...	–	–	–	–	1	–
†SWINTON ...	–	–	1	–	–	–
THURNSCOE ...	–	1	–	–	–	–
†WAKEFIELD C.B.	–	5	1	1	–	M. 1
†WATH-UPON-DEARNE	–	2	1	–	–	–
†WOMBWELL ...	–	–	–	1	–	M. 1
†WORSBOROUGH	–	–	–	–	2	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	1	–
GREAT OUSEBURN	–	–	–	–	3	–
HALIFAX ...	–	2	–	–	–	–
HEMSWORTH ...	–	5	1	–	–	M. 1
ROTHERHAM ...	–	8	2	–	1	–
SKIPTON ...	–	1	–	–	–	–
TADCASTER ...	–	2	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (South)	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†Holyhead ...	*	*	*	*	*	*
Rural Districts:—						
Aethwy ...	–	–	1	–	–	–
Twrcelyn ...	–	1	–	–	–	–
Valley... ...	–	–	1	–	–	–
BRECKNOCK ...	–	5	5	–	–	–
Rural Districts:—						
Brecknock (Devynock)	–	–	1	–	–	–
Crickhowell ...	–	5	–	–	–	–
Ystradgynlais	–	–	4	–	–	–
CARDIGAN ...	–	2	1	–	1	–
Boroughs and Urban District:—						
†Aberystwyth...	–	2	–	–	–	–
Rural Districts:—						
Lampeter ...	–	–	1	–	1	–
CARMARTHEN ...	–	12	3	–	3	–
Boroughs and Urban Districts:—						
Cwmamman ...	–	2	–	–	–	–
Kidwelly ...	–	–	–	–	1	–
†Llanelly ...	–	6	–	–	1	–
CARMARTHEN —*cont.*						
Rural Districts:—						
Carmarthen ...	–	–	1	–	1	–
Llanelly ...	–	3	2	–	–	–
Llanybyther ...	–	1	–	–	–	–
CARNARVON ...	–	5	2	–	–	–
Boroughs and Urban Districts—						
Carnarvon ...	–	–	2	–	–	–
Conway ...	–	3	–	–	–	–
Rural Districts:—						
Conway ...	–	2	–	–	–	–
DENBIGH ...	–	5	5	–	4	M. 1
Boroughs and Urban Districts:—						
Denbigh ...	–	1	–	–	4	–
Rural Districts:—						
Ruthin... ...	–	1	–	–	–	–
Wrexham ...	–	3	5	–	–	M. 1
FLINT	–	3	3	–	2	–
Boroughs and Urban Districts:—						
Buckley ...	–	1	–	–	–	–
Connah's Quay	–	–	1	–	–	–
†Rhyl	–	1	1	–	–	–
Rural Districts:—						
Hawarden ...	–	–	1	–	2	–
Holywell (Mold Div.)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	110	26	2	30	C. 1 M. 3
Boroughs and Urban Districts:—						
†Aberdare ...	–	13	–	–	1	–
†Barry	–	–	2	–	2	–
Briton Ferry	–	–	–	–	1	–
†Caerphilly ...	–	1	–	–	–	–
†Cardiff C.B. ...	–	3	3	–	6	–
†Gelligaer ...	–	3	2	–	–	–
†Maesteg ...	–	–	1	–	1	M. 2
†Merthyr Tydfil C.B.	–	3	2	–	–	–
†Mountain Ash	–	18	–	1	1	–
†Neath	–	2	–	–	1	–
†Ogmore and Garw	–	7	1	–	4	–
†Penarth ...	–	1	–	–	–	–
†Pontypridd ...	–	3	–	–	3	–
†Porthcawl ...	–	1	–	–	–	–
†Rhondda ...	–	27	4	–	7	C. 1
†Swansea C.B. ...	–	12	8	–	2	M. 1
Rural Districts:—						
Llandaff and Dinas Powis	–	6	3	1	–	–
Llantrisant and Llantwit-fadre	–	2	–	–	–	–
Neath	–	6	–	–	1	–
Penybont ...	–	2	–	–	–	–
MERIONETH ...	–	–	–	–	1	–
Urban Districts:—						
Bala	*	*	*	*	*	*
Barmouth ...	*	*	*	*	*	*
Towyn	–	–	–	–	1	–
Rural District:—						
Penllyn ...	*	*	*	*	*	*
MONMOUTH ...	–	22	3	–	14	–
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	–	–	–	–
†Abertillery ...	–	2	–	–	5	–
Bedwas and Machen	–	–	1	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Bedwellty ...	–	2	1	–	–	–
†Ebbw Vale ...	–	3	–	–	–	–
Monmouth ...	–	1	–	–	–	–
†Nantyglo and Blaina	–	–	–	–	5	–
†Newport C.B....	–	3	1	–	4	–
†Rhymney ...	–	4	–	–	–	–
†Tredegar ...	–	5	–	–	–	–
Rural District:—						
Saint Mellons	–	1	–	–	–	–
MONTGOMERY ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
Welshpool ...	–	2	–	–	–	–
Rural Districts—						
Llanfyllin ...	–	1	–	–	1	–
Newtown and Llanidloes	–	–	–	–	2	–
PEMBROKE ...	–	–	–	3	–	–
Boroughs and Urban Districts:—						
Haverfordwest	*	*	*	*	*	*
Rural District:—						
Narberth ...	–	–	–	3	–	–
Total of Part II.	17	2084	630	48	645	C. 21 E. 6 G. 5 L. 11 M. 104

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Liverpool ...	–	–	3	–	1	–	Plymouth ...	–	–	–	–	–	L. 1
Milford ...	–	–	1	–	–	–	Sandwich ...	–	1	–	–	–	–
							Total of Part III.	–	1	4	–	1	L. 1

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	35	272	295	8	115	C. 6 D. 2 E. 5 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	17	2084	630	48	645	C. 21 E. 6 G. 5 L. 11 M. 104
Total of Part III.—Port Sanitary Districts ...	–	1	4	–	1	L. 1
Total (*i.e.*, of returns received), England and Wales	52	2357	929	56	761	C. 27 D. 2 E. 11 G. 5 L. 12 M. 117

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Fifty-two cases of Small-pox were notified, which appear on pages 1288, 1290, 1297, and 1302.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.
LONDON:—													
DEATHS—all ages	744	704	730	721	731	744	818	810	800	842	863	946	1,025
" 0 to 1 year	73	88	66	71	71	98	98	83	92	90	88	114	117
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,703	8,607	7,625	7,511	7,926	7,488	7,646	7,545	7,315	7,433	7,096	7,390	6,784
DEATHS—all ages	3,379	3,323	3,290	3,253	3,246	3,287	3,566	3,412	3,488	3,604	3,748	3,961	4,205
" 0 to 1 year	402	418	403	401	421	410	478	433	457	436	504	490	456
ENTERIC FEVER—Cases	15	15	17	23	23	29	24	32	24	17	14	29	27
" Deaths	2	2	3	4	4	3	5	7	3	1	3	3	2
SMALL POX—Cases	17	15	5	7	5	13	10	8	9	7	2	4	37
" Deaths	—	—	—	—	—	—	1	—	—	1	—	—	1
SCARLET FEVER—Cases	818	911	915	855	1,052	1,086	1,147	1,139	1246	1,228	1,420	1,374	1,317
" Deaths	11	11	14	6	11	11	3	9	8	9	13	15	15
DIPHTHERIA—Cases	458	502	460	523	537	588	610	677	691	685	720	764	632
" Deaths	40	40	41	27	32	29	32	45	29	44	51	49	61
MEASLES—Deaths	45	63	45	52	44	18	39	35	34	27	49	62	62
INFLUENZA—Deaths	15	11	16	10	12	18	21	28	32	31	43	41	48

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th November 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	53	32	46·1	36·0	17
BRIGHTON	53	32	47·1	36·4	23
PORTSMOUTH	54	33	47·4	36·9	22
NORWICH (SOUTHWELL LODGE).	49	31	45·2	33·8	15
PLYMOUTH	55	33	48·0	36·4	28
BRISTOL (CLIFTON).	54	31	46·0	34·9	35
BIRMINGHAM	51	31	44·7	33·9	11
NOTTINGHAM	52	33	46·3	35·4	5
BIRKENHEAD (BIDSTON).	50	33	46·0	36·0	15
MANCHESTER	50	32	46·3	35·4	11
BURNLEY	48	27	44·0	31·6	30
HUDDERSFIELD	50	27	45·3	34·0	18

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	48	26	—	31·3	17
SHEFFIELD	51	32	45·6	35·3	16
YORK (MUSEUM).	50	29	45·7	33·9	9
HULL (PEARSON PARK).	50	30	46·9	33·4	13
TYNEMOUTH	46	30	44·0	36·4	7
CARDIFF	54	30	46·7	34·6	34
EDINBURGH	47·0	30·0	42·7	32·3	25
GLASGOW	46·0	27·9	43·3	30·8	25
DUBLIN (PHŒNIX PARK). FITZWILLIAM SQUARE.†	Not received.				
BELFAST	55·0	31·0	52·5	35·1	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 4th November 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	29	..	29·559	42·1	32·1	10·0	38·9	− 8·4	30·1	8·8	11·7	4·1	71	69·2	24·3	50·3	E: ESE & SE.	ESE	7·5	0·0	0·7	526	+230	0·14
MONDAY	30	..	29·360	44·8	39·0	5·8	41·7	− 5·5	35·4	6·3	8·5	1·6	78	54·0	32·7	50·0	ESE & ENE.	ENE & NE.	4·4	0·0	0·4	453	+159	0·01
TUESDAY	31	..	29·843	47·7	38·0	9·7	42·3	− 4·8	34·1	8·2	13·4	3·2	73	76·2	28·1	49·7	NE & NNE.	N: W & WSW.	1·2	0·0	0·1	234	− 57	0·00
NOVEMBER. WEDNESDAY	1	Apogee In Equator.	29·280	52·9	38·6	14·3	46·1	− 0·9	43·5	2·6	8·0	1·6	91	54·0	30·5	49·8	SW	WSW: N & NW.	8·2	0·0	0·7	522	+235	0·35
THURSDAY	2	..	29·658	45·9	33·6	12·3	39·6	− 7·2	31·1	8·5	13·5	5·2	72	84·7	25·4	49·2	NW & WNW.	WNW & W.	2·1	0·0	0·2	346	+ 62	0·00
FRIDAY	3	..	29·276	42·5	34·3	8·2	39·0	− 7·6	36·9	2·1	6·2	0·0	92	53·0	27·6	49·1	SW: Calm & SSE.	Calm & E	0·6	0·0	0·0	138	−143	0·14
SATURDAY	4	Full	29·666	44·6	33·6	11·0	39·1	− 7·3	30·1	9·0	15·9	1·2	71	73·6	25·1	48·9	NE & NNE.	NNW: NW & WNW.	3·2	0·0	0·3	365	+ 86	0·00
MEANS		..	29·520	45·8	35·6	10·2	41·0	− 6·0	34·5	6·5	11·0	2·4	78	66·4	27·7	49·6	Variable		...	...	...	Sum 2,584	Sum +572	Sum 0·64
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	29	No effective register	0·3	9·8	Overcast till 1h., few clouds till 7h., cloudy to overcast by 10h. Brisk wind generally from 8h. Solar halo 8h. 30m. Slight rain from 17h.
MONDAY -	30	No effective register	0·0	9·8	Overcast with few exceptions. Brisk wind generally till 16h., frequent damping or slight rain till 11h. Cloud thin in evening.
TUESDAY -	31	No effective register	5·9	9·7	Nearly overcast till 7h., becoming cloudless but misty by 8h. Variably cloudy from 10h. with mist and haze. Lunar halo at night.
NOVEMBER. WEDNESDAY	1	No effective register	0·0	9·6	Cloudy till 3h., then overcast till 19h., becoming cloudless by 20h. 30m. Brisk wind generally from 6h. to 21h. Rain generally between 7h. and 16h. 30m.
THURSDAY -	2	w.P. generally, v.P. in afternoon.	6·5	9·6	Cloudless with slight exceptions till 19h., cloudy to overcast generally by 16h. with few breaks. Hoar frost in morning.
FRIDAY -	3	No effective register	0·0	9·5	Overcast with slight exceptions. Lunar halo before 1h., frequent damping or light rain from 6h. 30m. Misty during the day.
SATURDAY -	4	w.P. generally, v.P. in afternoon.	6·1	9·5	Overcast generally till 7h. 30m., nearly cloudless from 8h. except for partially cloudy period from 13h. 30m. to 16h. Hazy generally. Slight mist and hoar frost at night.
			Sum 18·8	Sum 67·5	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 in. at the beginning of the week to 29·28 in. by 7h. on October 30; increased to 29·93 in. by 19h. on October 31; decreased to 29·10 in. by 16h. on November 1; increased to 29·68 in. by 11h. on November 2; decreased to 29·19 in. by 22h. on November 3, and increased to 29·87 in. by midnight on November 4.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 45.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 11TH NOVEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH NOVEMBER, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-fifth week of the year numbered 7,139, and corresponded to an annual rate of 19·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,605 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 10·3, 10·9 and 11·5. Infant mortality was 76 per 1,000 births against 71, 66 and 67, in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,690 births, corresponding to a rate of 19·5 per 1,000, and 1,083 deaths of civilians, corresponding to a rate of 12·5, as against 10·0, 10·9, and 11·8 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·3 per 1,000. The infant mortality was 61 as against 53, 63, and 74 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 400 in the total deaths last week. In London the number of deaths from all causes rose from 1025 to 1083; while the deaths from diphtheria, which had been 24, 22, and 27 in the preceding three weeks, fell to 17 last week. Twelve deaths from small-pox were registered during the week; 11 belonged to the Metropolitan Borough of Poplar, and 1 to Lambeth.

---

m (45)18949—2 Wt 30—P 19 2250 11/22 E & S

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 11th November 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	7,139	4,605	541	3	69	12	18	45	71	71
London	4,514,405*	1,690	1,083	103	1	–	4	4	17	15	14
Towns in Outer Ring.											
Croydon C.B.	191,500	69	47	4	–	–	–	–	1	1	–
Wimbledon	61,700	19	9	–	–	–	–	–	–	–	–
Ealing	67,800	25	18	–	–	–	–	–	1	–	–
Acton	62,000	34	12	2	–	–	–	–	–	–	–
Willesden	167,200	52	28	1	–	–	–	–	3	–	1
Hendon	55,500	18	6	–	–	–	–	–	–	–	1
Hornsey	87,600	21	19	1	–	–	–	–	–	–	–
Wood Green	51,100	15	15	–	–	–	–	–	–	–	–
Tottenham	149,200	47	27	3	–	–	–	–	1	–	2
Edmonton	67,800	44	10	2	–	–	–	–	–	–	1
Enfield	61,400	22	10	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	160	61	6	–	–	1	1	–	1	1
East Ham C.B.	145,500	45	27	4	–	–	–	–	–	–	1
Leyton	130,100	33	30	3	–	–	1	–	1	–	–
Walthamstow	129,800	49	19	2	–	–	–	–	1	–	–
Ilford	85,500	21	19	3	–	–	–	–	–	–	1
Gillingham	48,149*	13	9	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	7	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	13	11	1	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	16	10	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	27	44	3	–	–	–	–	1	–	2
Portsmouth C.B.	233,929*	112	62	5	–	–	–	–	–	–	2
Bournemouth C.B.	81,200	25	22	2	–	–	–	–	–	1	–
Southampton C.B.	162,200	58	36	5	–	–	–	–	–	2	–
Reading C.B.	92,600	20	22	1	–	–	1	–	1	–	–
Oxford C.B.	56,400	10	10	2	–	–	–	–	–	1	1
Northampton C.B.	92,300	33	16	1	–	–	–	–	1	–	–
Luton	57,800	21	7	1	–	–	–	–	–	–	–
Cambridge	58,900	22	13	2	1	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	37	16	2	–	–	–	–	–	–	–
Ipswich C.B.	80,100	32	17	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	25	16	2	–	–	–	–	–	1	–
Norwich C.B.	122,400	40	28	1	–	–	–	–	–	–	–
Swindon	55,500	14	8	1	–	–	–	–	–	–	2
Exeter C.B.	59,500	21	18	3	–	–	–	–	1	1	–
Plymouth C.B.	199,869*	70	57	5	–	–	–	–	1	1	2
Bath C.B.	68,300	16	21	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	133	83	2	–	–	–	–	2	–	1
Gloucester C.B.	51,800	22	15	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	127	90	15	–	5	–	–	–	1	1
Burton-upon-Trent C.B.	49,410	25	12	2	–	–	–	1	–	–	1
Wolverhampton C.B.	104,000	37	33	5	–	–	–	–	–	–	–
Walsall C.B.	98,800	48	26	8	–	1	–	1	–	–	–
West Bromwich C.B.	75,300	39	10	1	–	–	–	–	–	1	–
Worcester C.B.	49,160	14	12	1	–	–	–	–	–	–	–
Dudley C.B.	57,100	29	11	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	336	197	29	–	2	–	1	3	4	3
Smethwick C.B.	77,400	31	11	1	–	–	–	–	–	–	1
Coventry C.B.	130,300	36	26	5	–	3	–	–	–	–	–
Leicester C.B.	237,900	62	56	8	–	1	1	1	–	1	1
Lincoln C.B.	66,600	23	17	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	29	13	1	–	2	–	–	–	–	–
Nottingham C.B.	266,400	104	80	5	–	8	–	1	–	1	–
Derby C.B.	131,800	45	38	3	1	1	–	–	–	–	–
Chesterfield	62,400	26	14	–	–	–	–	–	–	–	–
Stockport C.B.	125,500	36	24	1	–	–	–	–	1	–	–
Chester C.B.	41,030	13	4	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	69	37	8	–	–	–	–	–	–	–
Wallasey C.B.	89,600	27	29	1	–	–	–	–	–	–	–
Liverpool C.B.	817,000	383	201	23	–	–	–	–	1	6	4
Bootle C.B.	77,800	36	22	4	–	–	1	–	–	–	–
St Helens C.B.	104,900	40	34	10	–	–	–	–	–	3	4

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	24	12	1	–	–	–	–	–	–	–
Wigan C.B.	91,200	33	23	2	–	–	–	–	–	–	–
Warrington C.B.	78,600	38	18	1	–	–	–	–	–	–	1
Bolton C.B.	182,200	41	53	4	–	4	–	–	–	1	1
Bury C.B.	57,600	15	16	1	–	–	–	–	–	–	1
Manchester C.B.	744,000	268	213	32	–	3	–	1	1	7	7
Salford C.B.	239,100	96	71	10	–	1	–	1	1	4	1
Oldham C.B.	148,300	58	49	4	–	1	–	–	–	1	1
Rochdale C.B.	92,700	22	19	4	–	–	1	–	–	–	–
Burnley C.B.	105,300	20	41	6	–	4	–	–	–	–	–
Blackburn C.B.	129,682	39	39	5	–	1	–	–	–	2	1
Preston C.B.	119,900	44	39	9	–	2	–	–	–	–	–
Blackpool C.B.	73,800	19	13	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	39	22	4	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	38	27	7	–	–	–	–	–	–	–
Halifax C.B.	100,700	34	28	1	–	–	–	–	–	–	–
Bradford C.B.	291,100	93	84	10	–	1	–	–	1	–	3
Leeds C.B.	465,500	149	120	19	–	17	1	1	–	3	–
Dewsbury C.B.	55,100	23	12	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	22	18	7	–	–	–	–	–	–	1
Barnsley C.B.	68,991	27	14	2	–	2	–	1	–	–	1
Sheffield C.B.	519,239	186	104	14	–	–	–	1	1	4	2
Rotherham C.B.	69,100	31	9	–	–	–	–	–	–	–	–
Doncaster	54,700	30	20	2	–	–	–	–	–	–	–
York C.B.	84,500	29	25	4	–	–	–	–	–	–	1
Hull C.B.	291,800	123	80	7	–	8	–	–	–	–	1
Middlesbrough C.B.	133,400	47	43	5	–	–	–	–	1	1	–
Darlington C.B.	66,400	27	14	1	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	33	20	3	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	38	14	4	–	–	–	–	–	–	–
Sunderland C.B.	161,100	77	38	9	–	–	–	1	–	1	–
South Shields C.B.	120,376	62	32	7	–	–	–	–	1	–	–
Gateshead C.B.	126,700	64	18	4	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	134	68	10	–	2	–	2	–	1	–
Tynemouth C.B.	63,900	36	14	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	18	9	3	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	39	20	1	–	–	–	–	–	–	–
Cardiff C.B.‡	222,089	82	52	9	–	–	–	–	–	1	–
Rhondda	166,600	63	33	3	–	–	1	–	–	–	1
Merthyr Tydfil C.B.	81,800	26	21	4	–	–	–	–	–	1	–
Aberdare	56,100	22	16	5	–	–	–	–	–	3	–
Swansea C.B.	159,600	64	40	3	–	–	–	–	2	–	1
Greater London	7,523,963*	2,720	1,659	152	1	–	6	5	28	18	26
Outer Ring	3,009,558*	1,030	576	49	–	–	2	1	11	3	12
16 Great Towns in Outer Ring	1,820,700	674	357	31	–	–	2	1	8	2	8
Remainder of Outer Ring	1,188,858*	356	219	18	–	–	–	–	3	1	4
Edinburgh†	420,500	149	107	7	–	3	–	1	1	1	1
Glasgow†	1,037,800	430	309	47	–	3	–	5	3	4	3
Dublin (Registration Area)†	427,000	156	128	32	–	–	1	1	–	5	1
Belfast†	425,000	188	131	30	–	–	–	–	1	4	3

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ The population relates to the County Borough as extended on 9th November 1922, and the numbers of births and deaths include those in the enlarged area from that date.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } { BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,514,405	1922. Nov. 11	1690	1083	12·5	1	12	–	4	4	17	15	14
CALCUTTA	896,067	Sept. 30	?	466§	26·7	?	–	?	?	?	?	?	8
BOMBAY	1,200,473	,, 30	442‖	662§	28·7	1	–	1	?	1	–	47	1
MADRAS	526,911	,, 30	470	376	37·4	1	9	2	?	1	–	32	1
SYDNEY AND SUBURBS	926,400	,, (30 days)	1862	764	9·9	3	–	–	–	5	6	9	5
BRISBANE (Met. Area).	217,714	Aug. (31 days)	564	206	11·4	–	–	–	–	–	1	6	1
PERTH (Metropolitan Area).	155,939	Sept. 16	83	31	10·3	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	164,450												
WELLINGTON (Urban Area).	110,680												
CHRISTCHURCH (Urban Area).	110,200												
CAPE TOWN	101,000	Sept. 23	58	14	7·2	–	–	–	–	–	–	–	–
JOHANNESBURG	149,500	,, 30	87	29	10·1	–	–	–	–	–	–	1	–
DURBAN	48,000	,, 30	24	18	19·0	–	–	–	–	–	–	1	1
PARIS	2,906,472	Oct. 20 (10 days)	1078	939	11·8	9	–	7	1	–	–	21	1
ANTWERP	302,935	Sept. 9	84	46	7·8	1	–	1	–	–	–	2	–
AMSTERDAM	692,673	Oct. 21	236	120	9·0	–	–	1	–	–	1	–	–
COPENHAGEN	562,600	,, 28	204	120	11·1	–	–	–	–	–	–	–	1
STOCKHOLM	422,042	,, 28	108	79	9·7	–	–	–	–	1	1	1	–
GOTHENBURG	228,052	Sept. 30	?	39	8·9	–	–	–	–	–	–	1	–
CHRISTIANIA	258,933	Oct. 28	68	63	12·7	–	–	–	–	–	1	–	–
BERLIN	1,974,000	Sept. 30	366	425	11·2	1	?	2	–	1	5	7	–
BRESLAU	557,000	,, 30	204	153	14·3	–	?	1	–	–	2	7	1
COLOGNE	688,000	,, 30	267	158	11·9	1	?	4	–	2	–	4	–
DRESDEN	607,000	,, 30	177	122	10·4	–	?	1	–	2	1	1	–
FRANKFORT-ON-MAIN	476,000	,, 30	137	97	10·6	–	?	1	–	1	1	6	1
HAMBURG	1,060,000	,, 30	257	209	10·3	1	?	–	–	1	2	8	–
LEIPZIG	675,000	,, 30	246	153	11·8	2	?	–	–	–	–	4	1
MUNICH	680,000	,, 30	184	153	11·7	–	?	–	–	1	1	8	–
VIENNA	1,842,005	,, 30	598	476	13·4	1	–	–	1	2	2	12	–
PRAGUE AND SUBURBS	689,262	,, 23	236	158	11·6	1	?	–	–	–	–	4	2
BUDAPEST	940,000	Aug. 26	387	362	20·0	6	?	6	2	4	1	47	–
WARSAW	956,087	Sept. 16	456	263	14·3	3	–	1	2	2	3	50	–
CAIRO	777,500	Aug. 12	817	714	47·8	11	–	12	–	?	3	182	?
ALEXANDRIA	456,300	,, 12	458	287§	32·7	1	–	1	–	?	–	50	?
NEW YORK	5,839,738	Oct. 14	2414	1085	9·7	10	–	–	3	3	5	34	3
CHICAGO	2,833,288	,, 14	?	505	9·3	2	–	–	–	–	15	22	1
RIO DE JANEIRO	1,230,137												
MONTEVIDEO	346,419	July 8	197	158	19·5	4	–	–	–	–	–	–	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 6 deaths from *Plague* in Bombay, and 1 in Alexandria, and from *Cholera* 3 in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th November, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	1083	103	28	21	37	46	53	58	133	174	226	204
Enteric fever	1	–	–	–	–	–	–	–	–	1	–	–
Small-pox	12	–	–	–	1	1	–	1	3	–	6	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	4	–	–	1	1	–	1	–	–	–	1	–
Whooping cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	17	–	5	3	8	–	–	–	–	–	1	–
Influenza	14	–	–	1	1	–	1	3	2	2	1	3
Erysipelas	3	–	–	–	–	–	–	1	1	–	1	–
Acute Poliomyelitis, Polioencephalitis.	1	–	1	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	74	–	–	–	2	16	14	7	15	16	4	–
Tuberculous meningitis	4	–	2	–	1	–	–	1	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other tubercle	12	1	2	2	1	1	1	3	–	–	–	1
Venereal diseases	5	4	–	–	–	–	–	–	–	1	–	–
Cancer	134	1	–	–	–	3	1	9	24	34	39	23
Rheumatic fever	7	–	–	–	4	2	–	–	–	–	–	1
Diabetes	10	–	–	–	1	1	–	1	4	–	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	55	–	–	–	–	–	1	–	6	10	24	14
Epilepsy	4	–	–	–	–	–	–	–	3	1	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	39	–	1	2	3	5	–	3	7	11	4	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	12	–	–	–	–	1	4	1	4	2	–	–
Other diseases of heart	145	–	–	–	–	3	4	7	19	29	41	42
Other dis. of circulatory system	41	–	–	–	–	–	–	–	4	6	15	16
Bronchitis	78	5	–	–	–	–	–	2	7	8	28	28
Broncho-pneumonia	71	31	7	4	4	–	4	3	3	6	5	4
Lobar pneumonia	27	1	1	–	–	1	4	3	4	8	4	1
Pneumonia (type not distinguished)	21	1	2	–	–	–	2	1	2	5	5	3
Other diseases of respiratory system	11	–	–	1	–	–	1	–	–	3	5	1
Diarrhœa and enteritis	20	12	3	–	–	–	–	–	–	–	3	2
Appendicitis and typhlitis	7	–	–	2	2	2	–	–	–	1	–	–
Hernia, Intestinal obstruction	9	–	–	–	1	–	1	1	–	3	3	–
Cirrhosis of liver	5	–	–	–	–	–	–	–	2	1	2	–
Other diseases of digestive system	19	1	–	–	2	1	2	2	3	3	2	3
Acute nephritis	1	–	–	–	1	–	–	–	–	–	–	–
Chronic Bright's disease	31	–	–	–	–	–	1	–	5	11	9	5
Other diseases of genito-urinary system.	17	–	–	–	–	–	1	–	2	4	3	7
Puerperal fever, &c.	2	–	–	–	–	1	1	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	2	–	1	–	–	–
Congenital malformations	3	3	–	–	–	–	–	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	37	–	–	–	–	–	–	–	–	–	7	30
Suicide	12	–	–	–	–	–	4	1	2	3	1	1
Burns and scalds	7	1	1	2	1	1	–	1	–	–	–	–
Drowning	2	–	–	–	–	–	1	1	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	1	1	–	–	2	2	1	–	2
Other deaths by violence	17	–	–	–	1	2	–	1	3	–	3	7
Other specified causes	41	8	1	1	1	4	2	3	5	4	6	6
Ill-defined causes	2	–	–	1	–	–	–	–	–	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th November 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	20	–	9	C. 1 E. 1
†BERMONDSEY ...	–	15	22	–	5	M. 1
†BETHNAL GREEN	–	8	8	1	2	M. 1
†CAMBERWELL ...	–	19	19	–	6	E. 1
†CHELSEA ...	–	4	1	–	1	–
†DEPTFORD ...	–	7	12	–	5	–
†FINSBURY ...	–	9	5	–	–	–
†FULHAM ...	–	12	12	–	5	C. 1 M. 1
†GREENWICH ...	–	9	10	1	2	–
†HACKNEY ...	–	15	26	–	–	C. 1
†HAMMERSMITH	–	7	3	1	4	M. 2
†HAMPSTEAD ...	–	9	2	–	1	–
†HOLBORN ...	–	7	3	–	–	–
†ISLINGTON ...	–	32	11	–	9	C. 1 M. 1
†KENSINGTON ...	–	4	5	1	9	C. 1
†LAMBETH ...	–	23	10	–	6	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	5	10	–	3	E. 1 M. 1
†PADDINGTON ...	–	15	5	1	3	–
†POPLAR... ...	10	9	11	–	10	C. 1 M. 2
†ST. MARYLEBONE	–	6	5	–	4	–
†ST. PANCRAS ...	–	23	11	–	8	–
†SHOREDITCH ...	–	10	7	–	13	M. 1
†SOUTHWARK ...	–	20	23	–	10	C. 1
†STEPNEY ...	–	13	15	2	7	–
†STOKE NEWINGTON	–	2	–	–	1	C. 1
†WANDSWORTH	–	15	12	2	9	M. 1
†WESTMINSTER, CITY OF	–	5	3	–	–	–
†WOOLWICH ...	–	12	10	–	4	C. 1
TOTAL OF PART I.	10	327	281	9	137	C. 9 E. 3 M. 11

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	3	–	3	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	–	–	1	–
†BEDFORD ...	–	3	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
†LUTON	–	1	1	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	2	–	–	1	–
BERKS	–	53	7	–	2	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	11	–	–	–	–
†MAIDENHEAD ...	–	2	–	–	–	–
†NEW WINDSOR	–	–	1	–	–	–
†READING C.B....	–	26	2	–	2	–
WANTAGE ...	–	2	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	1	1	–	–	–
FARINGDON (part)	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE ...	–	–	1	–	–	–
WINDSOR ...	–	3	1	–	–	–
WOKINGHAM ...	–	3	1	–	–	–
BUCKINGHAM	–	7	7	1	5	–
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
CHESHAM ...	–	–	–	1	1	–
†SLOUGH... ...	–	–	2	–	–	–
†WOLVERTON ...	–	1	–	–	2	–
Rural Districts :—						
AMERSHAM ...	–	1	2	–	–	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	1	–	–	–
WYCOMBE ...	–	3	2	–	1	–
CAMBRIDGE ...	–	2	1	1	1	–
Borough :—						
†CAMBRIDGE ...	–	–	–	1	–	–
Rural Districts :—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
MELBOURN ...	–	1	–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	89	24	4	29	C. 1 D. 1 G. 1 L. 1 M. 5
Boroughs and Urban Districts :—						
ALDERLEY EDGE	*	*	*	*	*	*
ALSAGER ...	*	*	*	*	*	*
†ALTRINCHAM ...	–	2	2	–	1	–
†BEBINGTON AND BROMBOROUGH	–	4	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BIRKENHEAD C.B.	–	5	3	2	9	M. 2
BOLLINGTON ...	–	1	1	–	–	–
BREDBURY AND ROMILEY	–	5	–	–	–	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CHESTER C.B. ...	–	1	1	–	–	–
†CONGLETON ...	–	2	–	–	3	M. 1
†CREWE	–	5	2	–	–	–
†DUKINFIELD ...	–	1	–	–	1	–
HALE	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	M. 1
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	G. 1
†HYDE	–	4	–	–	–	–
KNUTSFORD ...	–	6	–	–	–	–
LYMM	–	–	1	–	–	–
†MACCLESFIELD...	–	7	–	–	–	L. 1
NANTWICH ...	–	1	–	–	–	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	22	3	–	2	–
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	1	6	–	–	C. 1 D. 1 M. 1
†WALLASEY C.B.	–	1	1	–	3	–
†WINSFORD ...	–	2	–	–	4	–
Rural Districts:—						
BUCKLOW ...	–	2	1	–	1	–
CHESTER ...	–	4	–	–	1	–
MACCLESFIELD ...	–	–	–	2	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	1	–	1	–
RUNCORN ...	–	3	–	–	–	–
WIRRAL... ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	6	2	1	6	M. 1
Boroughs and Urban Districts:—						
NEWQUAY ...	–	–	1	–	–	–
PHILLACK ...	–	–	–	–	1	–
REDRUTH ...	–	1	–	–	2	–
ST. IVES ...	–	2	–	–	–	–
SALTASH ...	–	–	–	–	1	–
WADEBRIDGE ...	–	–	–	1	–	–
Rural Districts:—						
BODMIN... ...	–	–	–	–	–	M. 1
LISKEARD ...	–	2	–	–	–	–
REDRUTH ...	–	1	–	–	1	–
SAINT AUSTELL	–	–	1	–	–	–
SAINT GERMANS	–	–	–	–	1	–
CUMBERLAND ...	–	8	5	3	3	G. 1
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	2	3	–	–	–
KESWICK ...	–	–	–	–	1	–
MILLOM... ...	–	3	–	–	2	–
†WORKINGTON ...	–	2	1	–	–	–
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
LONGTOWN ...	–	–	–	–	–	G. 1
PENRITH ...	–	1	1	–	–	–
WIGTON... ...	–	–	–	3	–	–
DERBY	–	53	10	–	17	E. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	4	1	–	1	–
ASHBOURNE ...	–	1	–	–	–	E. 1
†BELPER... ...	–	3	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRAMPTON AND WALTON	*	*	*	*	*	*
†CHESTERFIELD ...	–	2	1	–	–	M. 1
†DERBY C.B. ...	–	10	3	–	10	–
†GLOSSOP ...	–	3	–	–	–	–
†HEANOR ...	–	–	1	–	1	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	2	–	–	2	–
MATLOCK ...	–	1	–	–	–	–
†RIPLEY ...	–	–	–	–	1	–
SWADLINCOTE DISTRICT	–	6	–	–	1	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	5	–	–	–	–
BLACKWELL ...	–	6	1	–	1	–
CHESTERFIELD ...	–	2	1	–	–	–
HARTSHORN AND SEALS	–	2	–	–	–	–
SHARDLOW ...	–	2	2	–	–	–
DEVON	–	24	13	–	5	C. 2 L. 1 M. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ...	–	1	–	–	–	–
†EXETER C.B. ...	–	–	1	–	–	M. 2
KINGSBRIDGE ...	–	–	1	–	–	–
LYNTON... ...	–	–	–	–	–	L. 1
†NEWTON ABBOT ...	–	–	2	–	1	–
†PAIGNTON ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	15	7	–	2	C. 1
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
HONITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	2	–	–	1	–
ST. THOMAS ...	–	–	–	–	–	C. 1
DORSET	–	5	1	–	3	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	3	–	–	–	–
†POOLE	–	–	–	–	2	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
SHERBORNE ...	–	–	–	–	1	–
STURMINSTER ...	–	1	–	–	–	–
WIMBORNE AND CRAMBORNE	–	–	1	–	–	–
DURHAM... ...	–	78	25	1	35	C. 1 D. 1 M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON ...	–	3	–	–	–	–
†CHESTER-LE-STREET	–	1	–	–	–	–
†DARLINGTON C.B.	–	8	–	–	2	–
†FELLING ...	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†GATESHEAD C.B.	–	4	2	–	3	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	–	–	–	M. 2
†HETTON... ...	–	3	–	–	–	–
†HOUGHTON-LE-SPRING	–	–	1	–	1	–
†JARROW ...	–	5	–	–	3	M. 1
LEADGATE ...	–	–	2	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	M. 1
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	4	9	–	6	–
†SOUTHWICK-ON-WEAR	–	2	–	–	2	C. 1
†STANLEY ...	–	5	3	–	–	–
†STOCKTON-ON-TEES	–	–	–	–	1	M. 1
†SUNDERLAND C.B.	–	11	2	–	5	–
†TANFIELD ...	–	–	1	–	–	–
TOW LAW ...	–	1	–	1	–	–
†WASHINGTON ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B	–	3	–	–	3	M. 1
Rural Districts :—						
AUCKLAND ...	–	3	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	2	1	–	–	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	5	–	–	1	–
HOUGHTON-LE-SPRING	–	1	–	–	2	M. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	2	–	–	–	–
SOUTH SHIELDS	–	3	–	–	–	–
STOCKTON ...	–	–	1	–	–	D. 1
SUNDERLAND ...	–	3	–	–	1	M. 1
WEARDALE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	2	–
Boroughs and Urban Districts :—						
ELY	–	–	–	–	2	–
†WISBECH ...	–	1	–	–	–	–
ESSEX	–	81	37	1	18	C. 1 G. 1 M. 4
Boroughs and Urban Districts :—						
†BARKING TOWN	–	1	–	–	1	M. 1
BRIGHTLINGSEA	–	1	–	–	–	–
†CHELMSFORD ...	–	2	–	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON ...	–	–	–	–	–	M. 1
†COLCHESTER ...	–	2	–	–	–	–
†EAST HAM C.B.	–	18	4	–	1	–
†GRAYS THURROCK	–	2	–	–	–	–
HALSTEAD ...	–	1	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	3	3	–	–	–
†LEYTON... ...	–	9	3	–	3	C. 1
MALDON ...	–	–	1	–	–	–
SAFFRON WALDEN	–	–	1	–	–	–
SHOEBURYNESS	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	1	–	1	–
TILBURY ...	–	2	–	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	8	7	–	–	M. 1
†WEST HAM C.B.	–	16	7	1	9	M. 1
†WOODFORD ...	–	–	–	–	1	–
Rural Districts :—						
BELCHAMP ...	*	*	*	*	*	*
BILLERICAY ...	–	2	1	–	–	–
DUNMOW ...	–	2	–	–	–	–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	–	–	–	1	–
MALDON ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural District :—*cont.*						
ONGAR	*	*	*	*	*	*
ORSETT	–	–	1	–	–	–
ROMFORD ...	–	2	6	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
STANSTED ...	–	–	–	–	–	G 1
GLOUCESTER ...	–	78	25	–	16	E. 1 M. 2
Boroughs and Urban Districts :—						
†BRISTOL C.B. ...	–	50	16	–	10	E. 1 M. 2
†CHELTENHAM ...	–	8	–	–	2	–
CIRENCESTER ...	–	–	1	–	–	–
†GLOUCESTER C.B.	–	2	1	–	2	–
†KINGSWOOD ...	–	8	–	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts :—						
CAMPDEN ...	–	1	–	–	–	–
CHIPPING SODBURY	–	1	1	–	1	–
GLOUCESTER ...	–	1	3	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	4	2	–	–	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	4	3	–	3	–
Boroughs and Urban Districts :—						
†HEREFORD ...	–	1	1	–	1	–
KINGTON ...	–	–	–	–	1	–
HEREFORD—*cont.*						
Rural Districts :—						
DORE	–	1	2	–	–	–
HEREFORD ...	–	1	–	–	–	–
KINGTON ...	–	1	–	–	–	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	16	1	–	1	G. 1
Boroughs and Urban Districts :—						
BUSHEY... ...	–	2	–	–	–	–
†CHESHUNT ...	–	4	–	–	–	–
†EAST BARNET VALLEY	–	–	–	–	–	G. 1
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†LETCHWORTH ...	–	2	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
Rural Districts :—						
HADHAM ...	–	1	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
WARE	–	3	–	–	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	2	3	–	2	–
Boroughs and Urban Districts :—						
RAMSEY ...	–	1	1	–	–	–
ST. NEOTS ...	–	–	1	–	–	–
Rural Districts:—						
NORMAN CROSS	–	–	–	–	2	–
ST. IVES ...	–	1	1	–	–	–
ST. NEOTS, No. 4	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	53	33	1	6	M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	1	–	–	–
†BEXLEY... ...	–	6	2	–	–	–
†BROMLEY ...	–	–	1	–	1	–
†CANTERBURY C.B.	–	–	1	–	–	–
†CHATHAM ...	–	–	1	–	–	–
CHISLEHURST ...	–	2	–	–	–	–
†DOVER	–	1	–	–	1	–
†ERITH	–	–	2	–	–	–
†FOLKESTONE ...	–	2	–	–	1	–
†GILLINGHAM ...	–	2	4	–	–	–
†GRAVESEND ...	–	4	2	–	–	–
†HERNE BAY ...	–	–	2	–	–	–
†MAIDSTONE ...	–	1	–	–	1	M. 1
†MARGATE ...	–	1	4	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	2	4	–	–	–
QUEENBOROUGH	–	–	1	–	–	–
†RAMSGATE ...	–	1	–	–	1	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	1	–
SANDGATE ...	–	–	1	–	–	–
†SHEERNESS ...	–	4	–	–	–	–
SITTINGBOURNE	–	3	–	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	2	1	1	–	–
EAST ASHFORD	–	2	–	–	–	–
EASTRY	–	–	1	–	–	–
ELHAM	–	2	–	–	–	–
FAVERSHAM ...	–	3	–	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MILTON	–	–	1	–	–	–
STROOD	–	6	–	–	–	–
WEST ASHFORD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	457	104	5	182	C. 10 D. 1 F. 1 G. 1 L. 2 M. 35
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	3	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	1	2	–	1	–
†ASHTON-UNDER-LYNE	–	6	1	–	3	–
†ATHERTON ...	–	–	1	–	2	–
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	–	–	–	–	M. 1
†BARROW-IN-FURNESS C.B.	–	5	1	–	–	M. 1
†BLACKBURN C.B.	–	8	3	–	4	–
†BLACKPOOL C.B.	–	5	–	–	–	–
BLACKROD ...	–	–	1	–	–	–
†BOLTON C.B. ...	–	7	5	–	4	–
†BOOTLE C.B. ...	–	9	–	–	–	M. 1
BRIERFIELD ...	–	–	–	–	1	–
†BURNLEY C.B.	–	23	1	–	5	M. 1
†BURY C.B. ...	–	1	1	–	8	–
†CHADDERTON ...	–	2	1	–	–	C. 1
CHURCH ...	–	2	–	–	–	–
†COLNE	–	–	3	–	–	M. 1
†DALTON-IN-FURNESS	–	4	–	–	1	–
†DARWEN ...	–	16	–	–	–	–
†DENTON ...	–	2	–	–	–	–
†DROYLSDEN ...	–	1	1	–	–	–
†ECCLES ...	–	1	–	–	2	–
†FAILSWORTH ...	–	5	2	–	1	–
†FARNWORTH ...	–	1	1	–	–	–
†FLEETWOOD ...	–	1	–	–	–	–
†HASLINGDEN ...	–	–	–	–	–	M. 1
†HAYDOCK ...	–	1	–	1	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	16	–	–	1	–
†HINDLEY ...	–	–	2	–	4	–
†HORWICH ...	–	3	–	–	1	–
HUYTON WITH ROBY	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	2	–	–	1	–
IRLAM	–	–	–	–	3	–
KEARSLEY ...	–	–	1	1	–	–
KIRKHAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LANCASTER ...	–	1	–	1	2	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	8	1	1	1	M. 1
†LITHERLAND ...	–	10	–	–	–	–
LITTLE HULTON	*	*	*	*	*	*
†LIVERPOOL C.B.	–	55	22	–	39	D. 1 M. 10
†LYTHAM ...	–	1	–	–	–	–
†MANCHESTER C.B.	–	67	16	–	51	C. 8 F. 1 M. 11
†MIDDLETON ...	–	2	–	–	1	–
†MORECAMBE ...	–	1	1	–	–	–
†NEWTON-IN-MAKERFIELD	–	2	–	–	–	–
†OLDHAM C.B. ...	–	14	3	–	–	C. 1 G. 1
ORMSKIRK ...	–	2	1	–	–	–
†OSWALDTWISTLE	–	1	1	–	1	–
POULTON LE FYLDE	–	1	–	–	–	–
PREESALL ...	*	*	*	*	*	*
PRESCOT ...	–	13	–	–	–	–
†PRESTON C.B. ...	–	8	2	1	–	M. 1
†RADCLIFFE ...	–	–	2	–	2	–
†RAMSBOTTOM ...	–	–	1	–	3	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON ...	–	–	–	–	2	–
†ROCHDALE C.B.	–	29	2	–	1	–
†ROYTON... ...	–	1	1	–	–	–
†ST. ANNE'S ON THE SEA	*	*	*	*	*	*
†ST. HELENS C.B.	–	9	1	–	6	–
†SALFORD C.B. ...	–	41	10	–	4	M 5
SKELMERSDALE	–	1	–	–	1	–
†SOUTHPORT C.B.	–	4	3	–	1	–
†STRETFORD ...	–	2	–	–	2	M. 1
†SWINTON AND PENDLEBURY	–	2	1	–	2	–
TOTTINGTON ...	–	–	–	–	1	–
TRAWDEN ...	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TURTON... ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	1	1	–	2	–
†ULVERSTON ...	–	2	–	–	–	–
†WALTON-LE-DALE	–	1	–	–	–	–
†WARRINGTON C.B.	–	8	1	–	8	–
†WATERLOO WITH SEAFORTH	–	2	2	–	–	–
†WIDNES ...	–	8	2	–	3	–
†WIGAN C.B. ...	–	3	1	–	2	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	2	–	–	–	–
BURY	–	1	1	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	1	–	–	2	L. 2
FYLDE	–	2	–	–	–	–
GARSTANG ...	–	1	–	–	–	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON ...	–	2	–	–	–	–
WARRINGTON ...	–	5	–	–	–	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON ...	–	7	–	–	1	–
LEICESTER ...	–	21	4	1	6	C. 1 M. 2
Boroughs and Urban Districts:—						
†LEICESTER C.B.	–	19	2	–	2	C. 1 M. 1
†LOUGHBOROUGH	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	–	–	1	2	–
BELVOIR ...	–	1	–	–	–	–
HINCKLEY ...	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	–	1	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	3	–	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
BOSTON ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	1	2	–
Boroughs and Urban District:—						
SLEAFORD ...	–	–	–	–	2	–
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
BRANSTON ...	–	–	–	1	–	–
CLAYPOLE ...	–	1	–	–	–	–
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	1	11	8	1	3	–
Boroughs and Urban Districts:—						
†GAINSBOROUGH	–	–	1	–	–	–
†GRIMSBY, C.B....	–	6	1	1	–	–
†LINCOLN C.B. ...	1	–	–	–	2	–
LOUTH	–	–	1	–	1	–
MARKET RASEN	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	–	–
Rural District:—						
GAINSBOROUGH	–	–	1	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
SPILSBY... ...	–	1	3	–	–	–
MIDDLESEX ...	1	89	48	3	23	C. 3 D. 1 E. 1 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	2	2	–	–	–
†BRENTFORD ...	–	2	1	1	–	C 1
†CHISWICK ...	–	2	2	–	–	–
†EALING ...	–	7	2	1	–	M. 1
†EDMONTON ...	–	4	–	–	4	–
†ENFIELD ...	–	–	–	–	1	C. 1
FELTHAM ...	–	8	–	–	–	E. 1
†FINCHLEY ...	–	5	2	–	–	–
†HANWELL ...	–	4	–	–	–	–
†HENDON ...	–	2	5	–	2	–
†HESTON AND ISLEWORTH	–	5	2	–	2	C. 1 D. 1
†HORNSEY ...	–	3	2	–	1	M. 2
†SOUTHALL NORWOOD	1	2	–	–	1	–
†SOUTHGATE ...	–	3	2	–	–	–
SUNBURY-ON-THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	26	6	1	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	–	–	–	2	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	2	–	–	–
†WILLESDEN ...	–	7	14	–	5	–
†WOOD GREEN ...	–	1	1	–	1	–
Rural Districts:—						
HENDON ...	–	2	–	–	–	–
STAINES ...	–	1	3	–	1	–
UXBRIDGE ...	–	1	–	–	1	–
NORFOLK ...	–	55	10	1	4	–
Boroughs and Urban Districts:—						
DISS	–	–	1	–	–	–
†GREAT YARMOUTH C.B.	–	13	–	–	–	–
†KING'S LYNN ...	–	–	2	1	–	–
†NORWICH C.B....	–	32	3	–	1	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
BLOFIELD ...	–	–	1	–	–	–
DOOKING ...	–	2	–	–	–	–
DOWNHAM ...	–	–	1	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE ...	–	3	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	2	–
HENSTEAD ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
SMALLBURGH ...	–	–	2	–	–	–
WALSINGHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	22	5	–	6	E. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	*	*	*	*	*	*
FINEDON ...	–	3	–	–	–	–
†KETTERING ...	–	–	–	–	1	–
†NORTHAMPTON C.B.	–	12	5	–	5	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
OUNDLE (part)...	–	4	–	–	–	–
POTTERSPURY ...	–	–	–	–	–	E. 1
THRAPSTON (part)	*	*	*	*	*	*
NORTHUMBERLAND.	–	51	6	1	30	M. 4
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	4	–	–	1	–
†BEDLINGTONSHIRE	–	4	–	–	–	–
†BERWICK-UPON-TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	–	3	M. 1
†NEWBURN ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	12	4	1	15	M. 1
SEATON DELAVAL	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	9	–	–	–	M. 2
†WALLSEND ...	–	2	2	–	5	–
WEETSLADE ...	–	6	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	3	–	–	1	–
GLENDALE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—*cont.*						
HEXHAM ...	–	1	–	–	1	–
MORPETH ...	–	6	–	–	1	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	5	30	2	–	13	E. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	2	–
EAST RETFORD	–	1	–	–	3	–
EASTWOOD ...	2	–	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	2	–	–	–	M. 1
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK ...	–	–	1	–	–	–
†NOTTINGHAM C.B.	–	20	–	–	3	–
†SUTTON-IN-ASHFIELD	–	1	–	–	–	M. 1
†WEST BRIDGFORD	–	1	–	–	–	E. 1
†WORKSOP ...	–	2	–	–	2	–
Rural Districts:—						
BASFORD ...	3	–	–	–	–	–
EAST RETFORD	–	–	–	–	–	L. 1
NEWARK ...	–	1	–	–	–	–
SOUTHWELL ...	–	–	1	–	1	–
STAPLEFORD ...	–	–	–	–	–	M. 1
OXFORD	–	21	2	–	4	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	1	–
HENLEY ON THAMES	–	2	–	–	–	–
†OXFORD C.B. ...	–	6	–	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	1	–	–	1	–
CROWMARSH ...	–	6	–	–	–	–
CULHAM... ...	–	3	1	–	–	–
HEADINGTON ...	–	2	–	–	2	–
THAME	–	1	–	–	–	–
WITNEY ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH ...	–	2	–	–	–	–
RUTLAND ...	–	–	5	–	–	–
Rural District:—						
UPPINGHAM ...	–	–	5	–	–	–
SALOP	–	19	7	–	2	C. 1 E. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	2	4	–	–	–
LUDLOW ...	–	1	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	C. 1
WEM	–	1	–	–	–	–
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	–	–	–	E. 1
DRAYTON ...	–	1	–	–	–	–
NEWPORT ...	–	2	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	–	1	–	–	–
WEM	–	8	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	30	6	1	4	E. 1 L. 1
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	1	–	–	–	E. 1
†BRIDGWATER ...	–	3	–	–	–	–
†FROME	–	4	–	–	–	–
RADSTOCK ...	–	2	–	–	–	–
†TAUNTON ...	–	3	2	1	–	–
WELLINGTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	4	–	–	–	–
Rural Districts:—						
BRIDGWATER ...	–	4	–	–	–	–
CHARD	–	–	–	–	1	–
FROME	–	3	3	–	–	–
KEYNSHAM ...	–	–	–	–	1	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	1	–
SHEPTON MALLET	–	3	1	–	–	–
TAUNTON ...	–	–	–	–	–	L. 1
WELLS	–	1	–	–	–	–
SOUTHAMPTON ...	–	53	14	2	6	C. 1 M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	–	M. 1
†BASINGSTOKE ...	–	7	–	–	–	–
†BOURNEMOUTH C.B.	–	–	1	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT AND ALVERSTOKE	–	3	1	–	–	–
PETERSFIELD ...	–	3	1	–	–	–
†PORTSMOUTH C.B.	–	15	8	–	2	–
†SOUTHAMPTON C.B.	–	10	1	2	3	M. 1
†WINCHESTER ...	–	2	1	–	–	–
Rural Districts:—						
ALRESFORD ...	*	*	*	*	*	*
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH	–	2	–	–	–	–
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
DROXFORD ...	–	1	–	–	–	–
HAVANT ...	–	1	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
RINGWOOD ...	–	1	–	–	–	–
WHITCHURCH ...	–	6	–	–	–	–
WINCHESTER ...	–	–	–	–	–	C. 1
STAFFORD ...	–	134	23	4	43	C. 1 M. 11
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	–	–	–	–
†BILSTON ...	–	7	–	–	1	M. 1
†BROWNHILLS ...	–	9	–	–	1	–
†BURTON-UPON-TRENT C.B.	–	2	1	–	1	M. 1
†CANNOCK ...	–	6	–	–	2	–
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	1	–	–	–	–
†LEEK	–	2	1	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	2	–
†ROWLEY REGIS	–	1	–	–	1	–
†SEDGLEY ...	–	1	–	–	–	–
SHORT HEATH ...	–	1	–	–	–	–
†SMETHWICK C.B.	–	11	3	–	1	–
†STAFFORD ...	–	3	2	–	–	–
†STOKE-ON-TRENT C.B.	–	33	3	–	29	C. 1 M. 6
TAMWORTH ...	–	2	–	–	–	–
†TIPTON	–	6	–	2	–	–
†WALSALL C.B....	–	–	1	–	–	M. 3
†WEDNESBURY ...	–	4	1	–	–	–
†WEST BROMWICH C.B.	–	11	5	–	–	–
†WILLENHALL ...	–	5	–	–	3	–
†WOLSTANTON UNITED	–	1	3	–	1	–
†WOLVERHAMPTON C.B.	–	7	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK ...	–	4	–	–	–	–
CHEADLE ...	–	8	–	–	1	–
KINGSWINFORD	–	–	–	2	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
NEWCASTLE UNDER LYME	–	1	–	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
TUTBURY ...	–	1	–	–	–	–
UTTOXETER ...	–	–	1	–	–	–
WALSALL ...	–	–	1	–	–	–
SUFFOLK, EAST	–	12	9	–	3	C. 4 M. 2
Boroughs and Urban Districts:—						
BECCLES ...	–	2	–	–	–	–
†IPSWICH C.B. ...	–	4	5	–	2	C. 1 M. 1
†LOWESTOFT ...	–	2	3	–	1	C. 1
Rural Districts:—						
BLYTHING ...	–	–	–	–	–	M. 1
BOSMERE AND CLAYDON	–	–	–	–	–	C. 1
HOXNE	–	3	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
WOODBRIDGE ...	–	1	–	–	–	C. 1
SUFFOLK, WEST	–	7	–	–	–	M. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	5	–	–	–	–
SUDBURY ...	–	–	–	–	–	M. 1
Rural Districts:—						
CLARE	–	1	–	–	–	–
THINGOE ...	–	1	–	–	–	–
SURREY	–	55	15	2	10	E. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	1	1	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†CROYDON C.B....	–	18	3	–	1	–
†EGHAM	–	–	3	–	1	–
†EPSOM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	–	–	–	–	E. 1
†FARNHAM ...	–	2	–	–	–	–
†GUILDFORD ...	–	–	–	–	2	–
HASLEMERE ...	–	–	–	1	–	–
†KINGSTON-ON-THAMES	–	5	1	–	–	–
†MERTON AND MORDEN	–	5	1	–	–	–
†MITCHAM ...	–	5	–	1	1	–
†RICHMOND ...	–	2	–	–	–	–
†SURBITON ...	–	1	2	–	–	–
†SUTTON	–	–	1	–	2	–
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WALTON-UPON THAMES	–	3	–	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
†WOKING ...	–	3	–	–	–	–
Rural Districts:—						
EPSOM	–	3	–	–	1	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	–	–	–	1	E. 1
SUSSEX, EAST ...	–	12	7	–	2	C. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	–	2	–	–	–
†BRIGHTON C.B....	–	6	2	–	–	–
BURGESS HILL...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Eastbourne C.B.	–	–	–	–	1	–
East Grinstead	–	1	–	–	–	–
Hayward's Heath	–	1	2	–	–	–
†Hove	–	1	–	–	–	–
Portslade-by-Sea	–	1	–	–	–	C. 1
Seaford ...	–	–	1	–	–	–
Rural Districts:—						
Cuckfield ...	–	1	–	–	–	–
Steyning East	–	1	–	–	–	–
SUSSEX, WEST ...	–	7	1	1	1	–
Boroughs and Urban Districts:—						
Arundel ...	–	–	–	–	1	–
†Bognor ...	–	1	–	–	–	–
†Chichester ...	–	2	–	–	–	–
†Horsham ...	–	1	–	–	–	–
†Littlehampton	–	1	–	–	–	–
†Worthing ...	–	–	1	1	–	–
Rural Districts:—						
Petworth ...	–	1	–	–	–	–
Westbourne ...	–	1	–	–	–	–
WARWICK ...	–	119	42	–	50	C. 3 D. 2 M. 8
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	64	40	–	37	C. 2 D. 2 M. 6
Bulkington ...	–	–	–	–	2	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Coventry C.B.	–	12	–	–	1	M. 1
Kenilworth ...	–	–	–	–	2	–
†Nuneaton ...	–	1	–	–	1	–
†Royal Leamington Spa	–	1	–	–	–	–
†Rugby	–	6	–	–	–	–
†Sutton Coldfield	–	1	–	–	–	–
†Warwick ...	–	–	1	–	1	–
Rural Districts:—						
Atherstone ...	–	2	–	–	1	–
Coventry ...	–	1	–	–	–	–
Foleshill ...	–	14	–	–	1	–
Meriden ...	–	1	–	–	2	–
Rugby	–	5	–	–	2	C. 1
Solihull ...	–	1	–	–	–	–
Southam ...	–	–	–	–	–	M. 1
Stratford-on-Avon	–	–	1	–	–	–
Tamworth (part)	–	3	–	–	–	–
Warwick ...	–	7	–	–	–	–
WESTMORLAND	–	1	–	–	1	–
Boroughs and Urban District:—						
Ambleside ...	–	–	–	–	1	–
Rural Districts:—						
West Ward ...	–	1	–	–	–	–
ISLE OF WIGHT	–	–	–	–	–	–
Boroughs and Urban Districts:—						
Ryde	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	20	3	–	1	–
Boroughs and Urban Districts:—						
CALNE	–	–	1	–	–	–
MARLBOROUGH...	–	1	–	–	–	–
MELKSHAM ...	–	1	–	–	–	–
†SWINDON ...	–	4	–	–	–	–
WARMINSTER ...	–	–	1	–	–	–
Rural Districts:—						
CALNE	–	–	–	–	1	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–
DEVIZES ...	–	–	1	–	–	–
MALMESBURY ...	–	3	–	–	–	–
PEWSEY ...	–	5	–	–	–	–
RAMSBURY ...	–	3	–	–	–	–
WORCESTER ...	–	28	4	–	17	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†DUDLEY C.B. ...	–	2	–	–	–	–
†KIDDERMINSTER	–	4	–	–	4	–
†LYE AND WOLLESCOTE	–	–	–	–	4	–
MALVERN ...	*	*	*	*	*	*
†OLDBURY ...	–	1	1	–	1	–
†REDDITCH ...	–	10	–	–	1	–
†STOURBRIDGE ...	–	3	–	–	2	–
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	3	2	–	3	–
Rural Districts:—						
DROITWICH ...	–	–	–	–	1	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts—*cont.*						
SHIPSTON-ON-STOUR	–	1	–	–	–	–
TENBURY ...	–	1	–	–	–	–
UPTON-ON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	19	16	–	2	C. 1 M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
HESSLE	–	3	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	7	14	–	1	C. 1 M. 3
†YORK C.B. ...	–	6	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
DRIFFIELD ...	–	–	2	–	–	–
SCULCOATES ...	–	2	–	–	–	–
YORKS ... ... (North Riding).	–	38	2	–	6	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
†MIDDLESBROUGH C.B.	–	30	1	–	4	M. 1
SALTBURN-BY-THE-SEA	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
KIRBY MOORSIDE	–	–	–	–	1	–
PICKERING ...	*	*	*	*	*	*
RICHMOND ...	–	1	–	–	–	–
THIRSK	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	–	246	74	5	111	C. 2 D. 1 E. 1 G. 1 M. 10
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	2	1	2	–
ALTOFTS ...	–	–	–	–	1	–
BAILDON ...	–	1	2	–	–	–
†BARNOLDSWICK	–	–	–	–	2	–
†BARNSLEY C.B.	–	7	1	–	2	–
†BATLEY... ...	–	7	–	–	1	–
†BINGLEY ...	–	–	2	–	1	–
BIRSTAL ...	–	2	–	–	–	–
†BOLTON UPON DEARNE	–	1	1	1	–	–
†BRADFORD C.B.	–	14	6	1	2	–
†BRIGHOUSE ...	–	1	2	–	1	–
CALVERLEY ...	–	2	–	–	–	–
†CASTLEFORD ...	–	3	–	–	1	–
†CONISBROUGH ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	3	1	–	–	–
DODWORTH ...	–	–	–	–	2	–
†DONCASTER ...	–	3	–	–	–	–
EARBY	–	–	1	–	–	–
†FEATHERSTONE	–	2	–	–	–	–
†GOOLE	–	2	–	–	1	–
GREETLAND ...	–	–	1	–	–	–
†HALIFAX C.B. ...	–	9	1	–	–	M. 1
†HARROGATE ...	–	–	–	–	–	G. 1
HEBDEN BRIDGE	–	4	–	–	–	–
HECKMONDWIKE	–	–	1	–	–	–
†HEMSWORTH ...	–	1	2	–	–	–
HIPPERHOLME ...	–	1	1	–	–	–
†HOLMFIRTH ...	–	–	1	–	–	–
HONLEY ...	–	–	–	–	2	–
HORBURY ...	–	–	1	–	–	–
†HUDDERSFIELD C.B.	–	7	1	–	3	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	1	–	–	–	–
KIRKHEATON ...	–	–	–	–	1	–
†LEEDS C.B. ...	–	78	7	–	7	M. 1
LEPTON... ...	–	–	–	–	1	–
MELTHAM ...	*	*	*	*	*	*
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	–	–	–	2	–
†MORLEY... ...	–	1	2	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	–	–	2	–
OAKWORTH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OSSETT	–	–	1	1	–	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY... ...	–	1	–	–	–	M. 1
QUEENSBURY ...	–	1	1	–	–	–
RAWDON ...	–	–	–	–	1	–
†RAWMARSH ...	–	3	–	1	3	–
†ROTHERHAM C.B.	–	13	8	–	12	–
†ROTHWELL ...	–	5	1	–	–	–
ROYSTON ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	36	8	–	46	C. 1 E. 1 M. 5
†SHIPLEY ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
†SKIPTON ...	–	1	–	–	1	–
SOUTH CROSLAND	–	–	1	–	–	–
†SOWERBY BRIDGE	–	1	1	–	–	–
†SPENBOROUGH ...	–	4	4	–	1	–
STOCKBRIDGE ...	–	–	–	–	2	–
†SWINTON ...	–	–	1	–	–	–
THURLSTONE ...	–	–	1	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	4	–	–	–	–
†WAKEFIELD C.B.	–	9	1	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	1	–	2	–
†WORSBOROUGH	–	–	3	–	1	–
YEADON ...	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	3	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	3	1	–	–	–
HUNSLET ...	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	1	C. 1
ROTHERHAM ...	–	1	–	–	–	M. 1
SKIPTON ...	–	–	2	–	–	–
TADCASTER ...	–	2	–	–	–	–
WAKEFIELD ...	–	–	–	–	–	D. 1
WETHERBY ...	–	–	1	–	–	–
WORTLEY ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	8	3	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
MENAI BRIDGE	–	3	–	–	–	–
Rural Districts:—						
AETHWY ...	–	1	3	–	–	–
VALLEY... ...	–	3	–	–	–	–
BRECKNOCK ...	–	–	–	–	2	–
Urban District:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural District:—						
BRECKNOCK (Merthyr Cynog)	*	*	*	*	*	*
CARDIGAN ...	–	3	–	–	1	–
Boroughs and Urban District:—						
†ABERYSTWYTH...	–	1	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
ABERYSTWYTH (North)	–	–	–	–	1	–
ABERYSTWYTH (South)	–	1	–	–	–	–
CARMARTHEN ...	–	11	4	–	2	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	6	–	–	–	–
†LLANELLY ...	–	3	–	–	2	–
CARMARTHEN —*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	2	2	–	–	–
CARNARVON ...	–	3	2	–	–	G. 1
Boroughs and Urban Districts—						
†BANGOR... ...	–	–	–	–	–	G. 1
CARNARVON ...	–	–	1	–	–	–
CONWAY ...	–	1	–	–	–	–
†LLANDUDNO ...	–	–	1	–	–	–
PWLLHELI ...	–	1	–	–	–	–
Rural District:—						
LLEYN	–	1	–	–	–	–
DENBIGH ...	–	6	1	–	1	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANGOLLEN ...	–	3	–	–	–	–
ST. ASAPH (Denbigh)	–	–	–	–	1	–
WREXHAM ...	–	2	1	–	–	–
FLINT	–	2	3	–	–	–
Boroughs and Urban Districts:—						
BUCKLEY ...	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	2	–	–	–
HOLYWELL (Holywell Div.)	–	1	–	–	–	–
ST. ASAPH (Flint)	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN ...	–	103	32	1	24	C. 1 E. 1 F. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†Aberdare ...	–	10	–	1	1	F. 1
†Barry	–	–	1	–	2	–
Bridgend ...	–	1	–	–	–	–
†Caerphilly ...	–	3	–	–	–	–
†Cardiff C.B. ...	–	4	4	–	6	M. 1
†Gelligaer ...	–	2	1	–	–	–
†Glyncorwg ...	–	2	–	–	–	–
†Maesteg ...	–	–	–	–	–	M. 1
†Merthyr Tydfil C.B.	–	3	4	–	3	–
†Mountain Ash	–	16	1	–	1	–
†Neath	–	–	1	–	–	–
†Ogmore and Garw	–	5	1	–	2	–
†Pontypridd ...	–	3	–	–	–	L. 1
†Porthcawl ...	–	1	2	–	–	–
†Port Talbot ...	–	3	2	–	–	–
†Rhondda ...	–	21	1	–	5	C. 1 E. 1
†Swansea C.B. ...	–	8	3	–	2	M. 1
Rural Districts:—						
Cowbridge ...	–	2	–	–	–	–
Gower	*	*	*	*	*	*
Llantrisant and Llantwitfardre	–	1	–	–	–	–
Neath	–	10	–	–	–	–
Penybont ...	–	4	11	–	–	–
Pontardawe ...	–	3	–	–	–	–
Swansea ...	–	1	–	–	2	–
MERIONETH ...	–	1	1	–	–	–
Urban District:—						
Festiniog ...	–	1	1	–	–	–
MONMOUTH ...	–	19	8	1	17	G. 1 M. 1
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	–	–	–	–
†Abersychan ...	–	–	1	–	–	–
†Abertillery ...	–	–	–	–	6	–
Bedwas and Machen	–	3	1	–	–	–
†Bedwellty ...	*	*	*	*	*	*
†Blaenavon ...	–	–	–	–	–	M. 1
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Ebbw Vale ...	–	–	–	–	1	–
†Mynyddislwyn	–	4	–	–	–	–
†Nantyglo and Blaina	–	–	–	–	2	–
†Newport C.B....	–	2	4	–	6	–
†Rhymney ...	–	7	–	–	–	–
†Risca	–	–	–	–	–	G. 1
†Tredegar ...	–	2	1	–	1	–
Rural District:—						
Chepstow ...	–	–	1	–	–	–
Saint Mellons	–	–	–	1	1	–
MONTGOMERY ...	–	4	–	–	5	–
Boroughs and Urban Districts:—						
Welshpool ...	–	–	–	–	3	–
Rural Districts—						
Forden ...	–	4	–	–	–	–
Llanfyllin ...	–	–	–	–	2	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Milford Haven	–	–	1	–	–	–
†Pembroke ...	–	1	–	–	–	–
RADNOR	–	1	–	–	–	–
Urban District:—						
Llandrindod Wells	*	*	*	*	*	*
Rural District:—						
Knighton ...	–	1	–	–	–	–
Total of Part II.	7	2295	675	43	741	C. 34 D. 7 E. 11 F. 2 G. 8 L. 7 M. 114

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple ...	*	*	*	*	*	*
Plymouth ...	–	–	–	–	1	–
Port of London	–	–	1	–	–	–
Total of Part III.	–	–	1	–	1	–

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	10	327	281	9	137	C. 9 E. 3 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	7	2295	675	43	741	C. 34 D. 7 E. 11 F. 2 G. 8 L. 7 M. 114
Total of Part III.—Port Sanitary Districts ...	–	–	–	–	1	–
Total (*i.e.*, of returns received), England and Wales	17	2622	957	52	879	C. 43 D. 7 E. 14 F. 2 G. 8 L. 7 M. 125

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Seventeen cases of Small-pox were notified, which appear on pages 1,318, 1,326, and 1,328.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.
LONDON:—													
DEATHS—all ages	704	730	721	731	744	818	810	800	842	863	946	1,025	1,083
" 0 to 1 year	88	66	71	71	98	98	83	92	90	88	114	117	103
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,607	7,625	7,511	7,926	7,488	7,646	7,545	7,315	7,433	7,096	7,390	6,784	7,139
DEATHS—all ages	3,323	3,290	3,253	3,246	3,287	3,566	3,412	3,488	3,604	3,749	3,961	4,205	4,605
" *0 to 1 year*	418	403	401	421	410	478	433	457	436	504	490	456	541
ENTERIC FEVER—Cases	15	17	23	23	29	24	32	24	17	14	29	27	22
" Deaths	2	3	4	4	3	5	7	3	1	3	3	2	3
SMALL POX—Cases	15	5	7	5	13	10	8	9	7	2	4	37	11
" Deaths	—	—	—	—	—	1	—	—	1	—	—	1	12
SCARLET FEVER—Cases	911	915	855	1,052	1,086	1,147	1,139	1246	1,228	1,420	1,374	1,317	1,486
" Deaths	11	14	6	11	11	3	9	8	9	13	15	15	12
DIPHTHERIA—Cases	502	460	523	537	588	610	677	691	685	720	764	632	631
" Deaths	40	41	27	32	29	32	45	29	44	51	49	61	45
MEASLES—Deaths	63	45	52	44	18	39	35	34	27	49	62	62	69
INFLUENZA—Deaths	11	16	10	12	18	21	28	32	31	43	41	48	71

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th November 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	56	29	51·4	37·9	19
BRIGHTON	56	30	53·2	41·5	18
PORTSMOUTH	57	29	53·4	41·3	32
NORWICH (EATON).	53	30	48·9	37·1	15
PLYMOUTH	57	31	54·1	42·9	48
BRISTOL (CLIFTON).	54	31	51·1	39·4	30
BIRMINGHAM	52	31	49·6	37·9	18
NOTTINGHAM	54	29	50·3	37·9	15
BIRKENHEAD (BIDSTON).	53	37	49·4	41·3	25
MANCHESTER	54	31	50·3	39·6	37
BURNLEY	52	30	49·6	37·4	42
HUDDERSFIELD	53	32	50·6	37·1	22
BRADFORD	53	31	49·3	39·3	28
SHEFFIELD	52	35	49·3	39·3	19
YORK (MUSEUM).	52	31	49·6	38·1	27
HULL (PEARSON PARK).	52	30	49·4	38·7	26
TYNEMOUTH	51	33	48·0	40·3	8
CARDIFF	54	31	51·7	40·0	43
EDINBURGH	52·0	34·0	46·9	38·1	19
GLASGOW	51·8	34·0	48·0	37·4	31
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	55·0	33·2	50·9	40·7	6
BELFAST	54·0	30·2	51·4	34·5	22

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 11th November 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	5	..	29·811	46·5	29·5	17·0	39·4	− 6·7	33·6	5·8	11·1	0·0	80	72·3	21·5	48·6	WNW & W.	WSW & SW.	2·4	0·0	0·1	244	− 35	0·24
MONDAY	6	..	29·052	55·6	43·4	12·2	49·8	+ 4·0	45·1	4·7	7·7	2·2	84	79·7	36·7	48·8	SW & W.	W.	6·0	0·0	0·6	504	+225	0·30
TUESDAY	7	..	29·411	53·8	40·4	13·4	47·9	+ 2·5	41·6	6·3	10·1	3·6	79	73·0	32·3	48·4	W & WNW.	NW & WNW.	3·6	0·0	0·4	428	+146	0·07
WEDNESDAY	8	Greatest Declination N.	29·616	49·9	41·2	8·7	45·3	+ 0·3	42·7	2·6	4·5	1·8	90	59·6	31·5	48·2	W & Calm.	Calm & WNW.	0·6	0·0	0·0	126	−160	0·00
THURSDAY	9	..	30·026	47·9	35·5	12·4	41·7	− 2·9	39·2	2·	6·3	1·2	89	55·0	26·5	48·1	W & WNW.	Calm & SSW.	0·3	0·0	0·0	169	−122	0·00
FRIDAY	10	..	29·762	51·3	37·0	14·3	46·4	+ 2·1	44·9	1·5	4·8	0·0	94	54·8	28·8	48·2	SSW & SW.	SW & WSW.	4·2	0·0	0·3	344	+ 49	0·14
SATURDAY	11	..	30·053	51·0	40·2	10·8	45·6	+ 1·6	41·3	4·3	6·2	0·6	85	59·0	33·7	48·2	Calm: NNW & NNE.	NNE & NE.	1·0	0·0	0·0	182	−116	0·00
MEANS		..	29·676	50·9	38·2	12·7	45·2	+ 0·1	41·2	4·0	7·2	1·3	86	64·8	30·1	48·4	W		...	...	...	Sum 1,997	Sum − 13	Sum 0·75
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. November 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	5	No effective register	1·3	9·4	Cloudless generally with hoar frost and slight mist till 8h. Sky then veiled with haze and slight mist. Solar halo before noon, overcast from noon with rain from 18h. to 22h. Brisk wind from 23h.
MONDAY -	6	No effective register	2·9	9·4	Overcast till 8h. and generally with cloudy intervals till 21h. 30m., then cloudless. Brisk wind till 3h. from 10h. to 11h. and 19h. to 23h. Rain 5h. to 8h. and occasional showers till shortly after 21h.
TUESDAY -	7	No effective register	2·4	9·3	Cloudless till 4h. Overcast with rain till 8h., then variably cloudy with overcast intervals and occasional misty rain. Brisk wind 6h. to 15h.
WEDNESDAY	8	No effective register	0·0	9·2	Overcast except for nearly cloudless interval 18h. 30m. to 21h. Occasional damping. Foggy after 18h.
THURSDAY -	9	No effective register	0·1	9·2	Overcast till 3h. 30m., becoming nearly cloudless by 6h. with dew and hoar frost. Haze and slight fog prevalent by 7h. 30m. Overcast generally by 11h. Variably cloudy from 17h. 30m.
FRIDAY -	10	No effective register	0·0	9·1	Cloudy to overcast by 2h. Frequent rain between 7h. 30m. and 16h. and damping afterwards. Brisk wind about noon.
SATURDAY -	11	No effective register	0·0	9·1	Overcast till 2h. 30m., variably cloudy till 8h., overcast till 20h. 30m., becoming nearly cloudless before 21h., few clouds afterwards.
			Sum 6·7	Sum 64·7	
No. of Col	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·87 in. at the beginning of the week to 29·93 in. by 8h. on 5th; decreased to 29·00 in. by 15h. on 6th; increased to 29·67 in. by midnight on 7th; decreased to 29·57 in. by 15h. on 8th; increased to 30·08 in. by 19h. on 9th; decreased to 29·70 in. by 17h. on 10th, and increased to 30·18 in. by midnight on 11th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 46.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 18TH NOVEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON S.W.;
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH NOVEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-sixth week of the year numbered 7,076, and corresponded to an annual rate of 19·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,709 and corresponded to an annual rate of 12·9 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 10·9, 11·5 and 12·6. Infant mortality was 83 per 1,000 births against 66, 67 and 76, in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,712 births, corresponding to a rate of 19·7 per 1,000, and 1,155 deaths of civilians, corresponding to a rate of 13·3, as against 10 9, 11·8 and 12·5, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·1 per 1,000. The infant mortality was 72 as against 63, 74, and 61 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 104 in the total deaths last week. In London the number of deaths from all causes rose from 1083 to 1155; while the deaths from diphtheria, which had been 22, 27, and 17 in the preceding three weeks, were 18 last week. Three deaths from small-pox were registered during the week and belonged to the Metropolitan Borough of Poplar.

---

m (45)18949—3 Wt 30—P 19 2250 11/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 18th November 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	7,076	4,709	585	1	94	13	13	40	78	64
London	4,514,405*	1,712	1,155	123	–	–	2	3	18	16	16
Towns in Outer Ring.											
Croydon C.B.	191,500	70	53	7	–	–	–	–	–	1	2
Wimbledon	61,700	10	13	1	–	–	–	–	–	–	–
Ealing	67,800	14	17	1	–	–	–	–	–	–	1
Acton	62,000	15	12	3	–	–	–	–	1	–	–
Willesden	167,200	48	30	2	–	–	1	–	–	1	–
Hendon	55,500	14	11	–	–	–	–	–	1	–	–
Hornsey	87,600	17	11	4	–	–	–	–	–	–	1
Wood Green	51,100	19	6	–	–	–	–	–	–	–	–
Tottenham	149,200	42	32	4	–	–	–	–	–	–	–
Edmonton	67,800	28	7	1	–	–	–	–	–	–	–
Enfield	61,400	22	13	1	–	–	–	–	–	–	1
West Ham C.B.	307,000	144	67	10	–	–	–	1	–	–	–
East Ham C.B.	145,500	40	33	8	–	–	–	–	–	–	–
Leyton	130,100	31	21	1	–	–	–	–	–	–	2
Walthamstow	129,800	43	22	3	–	–	–	–	–	–	1
Ilford	85,500	27	12	1	–	–	–	–	–	–	–
Gillingham	48,149*	21	15	3	–	–	–	–	–	–	–
Canterbury C.B.	23,680	10	8	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	13	–	–	–	–	–	–	–	2
Eastbourne C.B.	53,600	12	7	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	39	23	–	–	–	–	–	–	–	–
Portsmouth C.B.	233,929*	92	62	9	1	–	–	–	1	–	2
Bournemouth C.B.	81,200	17	17	3	–	–	–	–	–	–	–
Southampton C.B.	162,200	62	32	4	–	1	–	–	–	–	1
Reading C.B.	92,600	27	19	1	–	–	1	–	1	–	1
Oxford C.B.	56,400	28	10	2	–	–	–	–	–	1	–
Northampton C.B.	92,300	22	28	4	–	2	–	–	1	1	–
Luton	57,800	17	12	3	–	1	–	–	–	–	–
Cambridge	58,900	15	11	2	–	–	–	–	–	–	1
Southend-on-Sea C.B.	90,500	33	16	2	–	–	–	–	–	–	–
Ipswich C.B.	80,100	24	14	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	19	12	1	–	–	–	–	–	–	–
Norwich C.B.	122,400	41	25	1	–	–	1	–	–	–	–
Swindon	55,500	20	13	3	–	–	–	–	–	2	1
Exeter C.B.	59,500	23	9	1	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	67	57	7	–	–	–	–	1	–	4
Bath C.B.	68,300	24	20	3	–	–	–	–	–	–	–
Bristol C.B.	381,700	107	103	9	–	1	–	1	2	–	1
Gloucester C.B.	51,800	22	8	–	–	–	–	–	–	–	1
Stoke-on-Trent, C.B.	273,238	111	79	13	–	3	–	–	1	3	2
Burton-upon-Trent C.B.	49,410	18	14	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	34	23	3	–	1	–	–	–	–	1
Walsall C.B.	98,800	40	23	3	–	2	–	–	–	–	–
West Bromwich C.B.	75,300	43	16	3	–	–	–	–	–	–	–
Worcester C.B.	49,160	12	13	2	–	–	–	–	–	–	–
Dudley C.B.	57,100	31	13	1	–	–	–	–	–	1	1
Birmingham C.B.	936,000	351	232	27	–	1	–	1	2	3	4
Smethwick C.B.	77,400	28	6	2	–	–	–	–	–	–	–
Coventry C.B.	130,300	32	27	2	–	1	1	–	–	–	–
Leicester C.B.	237,900	89	66	7	–	5	1	1	–	2	–
Lincoln C.B.	66,600	31	21	4	–	–	–	–	–	–	–
Grimsby C.B.	83,600	46	26	7	–	4	–	–	–	1	1
Nottingham C.B.	266,400	105	73	12	–	4	–	–	–	2	1
Derby C.B.	131,800	46	40	4	–	–	–	–	–	–	–
Chesterfield	62,400	21	8	1	–	–	–	–	–	–	–
Stockport C.B.	125,500	44	26	–	–	–	–	–	–	–	–
Chester C.B.	41,030	12	6	–	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	56	42	3	–	–	–	–	–	1	–
Wallasey C.B.	89,600	34	22	2	–	–	–	–	–	–	–
Liverpool C.B.	817,000	386	243	40	–	–	–	–	3	11	–
Bootle C.B.	77,800	31	19	3	–	–	–	–	–	–	–
St Helens C.B.	104,900	50	22	7	–	–	–	1	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	12	16	1	–	–	–	–	–	–	–
Wigan C.B.	91,200	36	20	2	–	–	–	–	–	2	2
Warrington C.B.	78,600	32	17	4	–	–	–	–	–	–	1
Bolton C.B.	182,200	57	43	3	–	4		–	1	1	–
Bury C.B.	57,600	18	17	1	–	1	–	–	–	–	1
Manchester C.B.	744,000	309	193	30	–	3	–	2	1	4	–
Salford C.B.	239,100	93	54	8	–	–	2	–	2	3	–
Oldham C.B.	148,300	52	42	4	–	1	–	–	–	–	1
Rochdale C.B.	92,700	28	30	2	–	–	–	–	–	–	2
Burnley C.B.	105,300	44	34	4	–	4	1	–	–	–	2
Blackburn C.B.	129,682	48	36	4	–	5	–	–	–	–	1
Preston C.B.	119,900	42	41	6	–	15	–	1	1	–	–
Blackpool C.B.	73,800	19	14	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	19	20	3	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	33	33	5	–	–	–	–	–	–	–
Halifax C.B.	100,700	9	31	1	–	1	–	–	–	–	–
Bradford C.B.	291,100	89	83	5	–	1	1	1	1	1	–
Leeds C.B.	465,500	177	132	16	–	15	1	–	–	2	–
Dewsbury C.B.	55,100	12	15	1	–	–	–	–	–	–	1
Wakefield C.B.	53,763	24	16	3	–	2	–	–	–	–	–
Barnsley C.B.	68,991	37	16	6	–	3	–	–	–	1	–
Sheffield C.B.	519,239	206	104	13	–	–	–	–	1	3	2
Rotherham C.B.	69,100	30	16	4	–	–	–	–	–	–	–
Doncaster	54,700	18	10	–	–	–	–	–	–	–	–
York C.B.	84,500	31	15	1	–	–	–	–	–	–	–
Hull C.B.	291,800	110	73	14	–	7	–	1	–	6	–
Middlesbrough C.B.	133,400	81	37	8	–	–	–	–	–	3	–
Darlington C.B.	66,400	31	15	4	–	–	1	–	–	–	–
Stockton-on-Tees	65,000	21	16	–	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	28	16	1	–	–	–	–	–	–	–
Sunderland C.B.	161,100	68	54	12	–	4	–	–	–	1	–
South Shields C.B.	120,376	43	34	3	–	–	–	–	–	–	2
Gateshead C.B.	126,700	48	30	4	–	1	–	–	1	1	–
Newcastle-on-Tyne C.B.	278,400	126	72	9	–	–	–	–	–	1	–
Tynemouth C.B.	63,900	31	16	3	–	–	–	–	–	–	–
Carlisle C.B.	53,200	25	13	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	34	15	3	–	–	–	–	–	–	1
Cardiff C.B.‡	222,089	74	60	8	–	–	–	–	–	–	–
Rhondda	166,600	68	34	3	–	1	–	–	–	2	–
Merthyr Tydfil C.B.	81,800	26	14	2	–	–	–	–	–	–	–
Aberdare	56,100	19	8	–	–	–	–	–	–	–	–
Swansea C.B.	159,600	65	45	6	–	–	–	–	–	–	–
Greater London	7,523,963*	2,632	1,759	193	–	–	3	6	21	23	27
Outer Ring	3,009,558*	920	604	70	–	–	1	3	3	7	11
16 Great Towns in Outer Ring	1,820,700	584	360	47	–	–	1	1	2	2	8
Remainder of Outer Ring	1,188,858*	336	244	23	–	–	–	2	1	5	3
Edinburgh†	420,500	160	137	21	1	1	6	3	–	2	2
Glasgow†	1,037,800	504	298	56	1	–	2	9	2	4	2
Dublin (Registration Area)†	427,000	221	123	13	–	–	–	1	–	5	2
Belfast†	425,000	182	103	17	1	–	–	1	–	3	4

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ As extended on 9th November 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Nov. 18	1712	1155	13·3	–	3	–	2	3	18	16	16
Calcutta	896,067	Oct. 7	?	451§	25·8	?	2	?	?	?	?	?	10
Bombay	1,200,473	„ 7	469‖	759§	32·8	6	2	–	?	–	–	38	9
Madras	526,911	„ 7	495	416	41·1	1	10	2	?	1	–	46	1
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	155,939	Sept. 23	100	41	13·7	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Sept. 30	52	17	8·5	2	–	–	–	–	–	2	–
Johannesburg	153,825	Oct. 7	77	34	11·5	–	–	1	–	–	–	–	–
Durban	49,043	„ 7	10	18	19·0	–	–	–	–	–	–	–	1
Paris	2,906,472	„ 31 (11 days)	1306	1200	15·0	3	–	4	1	11	2	27	1
Antwerp	303,065	Sept. 16	105	58	9·9	–	–	–	–	1	–	2	–
Amsterdam	692,673	Oct. 28	205	112	8·7	–	–	1	–	–	–	–	–
Copenhagen	562,600	Nov. 4	170	89	8·2	–	–	–	–	3	–	–	–
Stockholm	422,042	„ 4	100	75	9·2	–	–	–	–	–	–	1	–
Gothenburg	228,052	Oct. 7	?	35	8·0	–	–	–	–	2	–	–	–
Christiania	258,933	Nov. 4	82	46	9·2	–	–	–	–	–	–	–	–
Berlin	1,974,000	Oct. 7	353	463	12·2	1	?	3	–	4	3	12	–
Breslau	557,000	„ 7	179	146	13·6	–	?	1	–	1	1	6	1
Cologne	692,000	„ 7	258	133	10·0	–	?	–	–	2	–	10	–
Dresden	608,000	„ 7	197	103	8·8	–	?	2	1	2	–	–	1
Frankfort-on-Main	476,000	„ 7	119	74	8·1	–	?	2	–	–	–	1	1
Hamburg	1,071,000	„ 7	290	220	10·7	–	?	–	–	3	–	3	–
Leipzig	676,000	„ 7	198	142	10·9	–	?	–	–	2	–	7	1
Munich	682,000	„ 7	211	150	11·4	–	?	–	–	3	1	3	–
Vienna	1,842,005	„ 7	382	525	14·8	–	–	–	1	2	–	18	–
Prague and Suburbs	689,262	Sept. 30	279	154	11·3	–	?	–	3	–	1	6	–
Budapest	940,000	„ 2	322	297	16·4	6	?	2	3	–	1	34	–
Warsaw	956,087	„ 30	439	241	13·0	5	–	1	7	–	2	17	–
Cairo	777,500	Aug. 19	764	744	49·8	15	1	11	–	?	4	161	?
Alexandria	456,300	„ 19	430	350§	39·9	4	–	2	–	?	–	68	?
New York	5,839,738	Oct. 21	2520	1139	10·2	7	–	2	5	5	5	36	2
Chicago	2,833,288	„ 21	?	528	9·7	3	–	1	3	2	13	29	4
Rio de Janeiro	1,230,137	Sept. 30	628	461	19·5	1	6	28	1	8	2	?	9
Montevideo	346 419	July 15	244	142	19·6	1	–	–	–	–	–	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 3 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 10 in Bombay, and 3 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th November, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1155	123	24	26	39	48	53	80	121	165	228	248
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	3	–	–	1	–	–	–	–	–	–	1	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	1	–	1	–	–	–	–	–	–
Whooping cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria	18	–	1	8	9	–	–	–	–	–	–	–
Influenza	16	1	1	–	2	–	1	3	–	1	5	2
Erysipelas	3	–	–	–	–	–	–	–	1	1	–	1
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	123	–	1	–	2	25	24	29	23	12	7	–
Tuberculous meningitis	5	1	–	3	1	–	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	11	4	–	3	1	1	–	1	1	–	–	–
Venereal diseases	4	3	–	–	–	–	–	–	1	–	–	–
Cancer	110	–	–	–	–	–	2	5	15	36	33	19
Rheumatic fever	6	–	–	–	3	1	–	–	1	–	1	–
Diabetes	9	–	–	–	1	1	1	1	–	1	3	1
Alcoholism	1	–	–	–	–	–	–	–	–	–	1	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	48	–	–	–	–	–	1	2	4	6	16	19
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1
"Convulsions" (not puerperal)	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	29	–	–	–	3	1	1	8	6	4	6	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	2	–	–	–	1	–	–
Other diseases of heart	172	–	–	–	3	3	4	4	21	32	49	56
Other dis. of circulatory system	44	–	–	–	–	–	–	1	1	11	14	17
Bronchitis	118	6	1	–	1	1	1	2	9	26	27	44
Broncho-pneumonia	64	24	6	5	–	2	2	3	4	2	1	15
Lobar pneumonia	33	2	3	–	–	2	1	3	11	4	6	1
Pneumonia (type not distinguished)	21	1	1	–	1	–	2	3	1	2	9	1
Other diseases of respiratory system	21	1	–	–	1	–	2	2	3	3	5	4
Diarrhœa and enteritis	17	13	3	–	–	–	–	–	–	–	1	–
Appendicitis and typhlitis	10	–	–	–	2	1	3	2	–	2	–	–
Hernia, Intestinal obstruction	5	–	–	–	1	–	–	–	–	2	1	1
Cirrhosis of liver	11	–	–	–	–	–	–	–	3	3	5	–
Other diseases of digestive system	17	–	–	1	1	–	–	2	4	3	4	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	29	–	–	–	–	2	–	1	3	8	6	9
Other diseases of genito-urinary system.	13	–	–	–	–	–	1	1	1	–	8	2
Puerperal fever, &c.	2	–	–	–	–	–	2	–	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	1	–	–	–	–	–	–
Congenital malformations	13	11	1	1	–	–	–	–	–	–	–	–
Premature birth	30	30	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	13	13	–	–	–	–	–	–	–	–	–	–
Old age	47	–	–	–	–	–	–	–	–	–	6	41
Suicide	8	–	–	–	–	–	2	1	3	2	–	–
Burns and scalds	7	–	–	3	1	–	–	–	1	–	–	2
Drowning	2	–	–	–	–	–	–	–	1	–	1	–
Suffocation in bed	3	2	1	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	–	–	1	2	2	–	–	–	2	1
Other deaths by violence	13	1	1	–	–	–	1	2	–	1	5	2
Other specified causes	31	4	–	–	5	2	–	4	3	2	5	6
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th November 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	11	17	–	14	–
†BERMONDSEY ...	1	12	32	–	11	F. 1
†BETHNAL GREEN	–	9	5	–	8	C. 1
†CAMBERWELL ...	–	25	15	–	4	C. 1
†CHELSEA ...	–	4	2	–	2	–
†DEPTFORD ...	–	18	11	–	8	–
†FINSBURY ...	–	5	5	–	5	–
†FULHAM ...	–	9	6	–	3	C. 1
†GREENWICH ...	–	7	13	–	2	–
†HACKNEY ...	–	10	23	–	1	G. 1 M. 3
†HAMMERSMITH	–	8	3	–	1	–
†HAMPSTEAD ...	–	1	3	–	2	–
†HOLBORN ...	–	3	2	1	2	–
†ISLINGTON ...	–	28	14	–	7	M. 3
†KENSINGTON ...	–	10	3	–	–	–
†LAMBETH ...	–	23	13	–	4	C. 1 M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	9	12	–	2	–
†PADDINGTON ...	–	7	12	–	4	–
†POPLAR... ...	3	7	11	–	9	–
†ST. MARYLEBONE	–	1	2	–	1	–
†ST. PANCRAS ...	–	23	7	–	7	C. 1
†SHOREDITCH ...	–	6	4	–	7	M. 1
†SOUTHWARK ...	–	14	29	–	11	M. 1
†STEPNEY ...	–	16	13	–	10	M. 1
†STOKE NEWINGTON	–	3	1	–	–	–
†WANDSWORTH	–	16	12	–	6	–
†WESTMINSTER, CITY OF	–	3	4	–	–	M. 1
†WOOLWICH ...	–	7	4	–	3	J. 1 M. 1
TOTAL OF PART I.	4	295	278	1	134	C. 5 F. 1 G. 1 J. 1 M. 13

† Population over 10,000
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	2	1	3	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	1	–	1	–
†LUTON	–	–	–	–	2	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	3	–	–	–	–
LUTON	–	–	–	1	–	–
BERKS	–	42	7	–	–	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	17	1	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
†READING C.B....	–	13	2	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	2	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	–	1	–	–	–
FARINGDON (part)	–	1	–	–	–	–
HUNGERFORD ...	–	2	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR ...	–	2	1	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM	–	8	2	–	5	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	2	–	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	–	M. 1
BUCKINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†SLOUGH... ...	–	–	1	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts :—						
AYLESBURY ...	–	1	–	–	–	–
ETON	–	2	1	–	2	–
WYCOMBE ...	–	2	–	–	3	–
CAMBRIDGE ...	–	4	1	1	–	–
Borough :—						
†CAMBRIDGE ...	–	–	1	–	–	–
Rural Districts :—						
CHESTERTON ...	–	–	–	1	–	–
MELBOURN ...	–	4	–	–	–	–
CHESTER	–	67	15	–	21	F. 1 M. 1
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	2	1	–	2	–
†BEBINGTON AND BROMBOROUGH	–	5	–	–	–	–
†BIRKENHEAD C.B.	–	11	4	–	2	F. 1 M. 1
BREDBURY AND ROMILEY	–	1	–	–	2	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
†CHESTER C.B. ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONGLETON ...	–	3	–	–	–	–
†CREWE	–	3	–	–	1	–
†DUKINFIELD ...	–	–	–	–	3	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	4	1	–	–	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD...	–	2	1	–	–	–
MIDDLEWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	11	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	3	3	–	1	–
†WALLASEY C.B.	–	4	–	–	3	–
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	2	–
CHESTER ...	–	2	1	–	–	–
MACCLESFIELD...	–	1	1	–	–	–
MALPAS ...	–	–	1	–	–	–
NORTHWICH ...	–	–	1	–	1	–
RUNCORN ...	–	1	–	–	1	–
TARVIN	–	1	–	–	1	–
WIRRAL... ...	–	–	–	–	1	–
CORNWALL ...	–	4	2	–	4	C. 1
Boroughs and Urban Districts:—						
BODMIN... ...	–	1	–	–	–	–
FOWEY	*	*	*	*	*	*
LISKEARD ...	–	–	1	–	–	–
REDRUTH ...	–	2	–	–	–	–
TORPOINT ...	–	–	–	–	2	–
WADEBRIDGE ...	–	1	–	–	–	–
CORNWALL—*cont.*						
Rural Districts:—						
HELSTON ...	–	–	–	–	–	C. 1
SAINT AUSTELL	–	–	1	–	1	–
SAINT GERMANS	–	–	–	–	1	–
CUMBERLAND ...	–	15	3	–	3	M. 1
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	5	1	–	2	M. 1
EGREMONT ...	–	–	1	–	–	–
†MARYPORT ...	–	4	–	–	–	–
MILLOM... ...	–	1	–	–	–	–
PENRITH ...	–	–	–	–	1	–
†WORKINGTON ...	–	4	1	–	–	–
Rural District:—						
CARLISLE ...	–	1	–	–	–	–
DERBY	5	45	8	3	26	E. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	1	4	–
ALVASTON AND BOULTON	–	1	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	2	–	1	–
†DERBY C.B. ...	–	19	3	1	10	E. 1
†HEANOR ...	2	–	–	–	–	–
†LONG EATON ...	–	3	–	–	1	–
NEW MILLS ...	–	2	1	–	–	–
†RIPLEY ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWADLINCOTE DISTRICT	–	3	–	–	–	–
WIRKSWORTH ...	–	–	–	–	2	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	1	–
BELPER	1	3	–	–	–	–
BLACKWELL ...	–	4	–	–	1	–
CHAPEL-EN-LE-FRITH	–	2	–	–	–	–
CHESTERFIELD ...	–	3	–	1	4	M. 1
CLOWNE ...	2	–	–	–	–	–
NORTON... ...	–	–	2	–	–	–
SHARDLOW ...	–	2	–	–	–	–
DEVON	–	15	14	1	9	M. 2
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	2	–	–	M. 1
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	–	–	–	1	–
HONITON ...	–	–	1	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
†NEWTON ABBOT ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	4	6	–	4	–
†TORQUAY ...	–	–	1	–	–	–
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	–	–	1	–	–
HONITON ...	–	1	–	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
DEVON—*cont.*						
Rural Districts:—*cont.*						
PLYMPTON ST. MARY	–	4	1	–	1	–
ST. THOMAS ...	–	2	–	–	3	M. 1
DORSET	–	6	1	1	5	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	2	–
†POOLE	–	–	–	–	1	–
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	–	3	–	–	–	–
SWANAGE ...	–	2	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BLANDFORD ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	1	–	–
WEYMOUTH ...	–	–	–	–	1	–
DURHAM... ...	–	83	21	1	42	C. 2 M. 4
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	4	2	–	–	M. 1
BENFIELDSIDE ...	–	1	–	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†CROOK	–	1	–	–	–	M. 1
†DARLINGTON C.B.	–	5	1	–	1	C. 1
†FELLING ...	–	1	–	–	2	–
†GATESHEAD C.B.	–	2	2	–	6	–
†HEBBURN ...	–	1	2	–	2	–
†HETTON... ...	–	1	–	–	1	–
†JARROW ...	–	1	1	–	2	–
LEADGATE ...	–	3	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTH SHIELDS C.B.	–	2	2	–	8	–
†SOUTHWICK-ON-WEAR	–	–	–	–	1	–
†STANLEY ...	–	–	–	–	3	M. 1
†STOCKTON-ON-TEES	–	–	2	–	2	–
†SUNDERLAND C.B.	–	7	1	–	3	M. 1
†WASHINGTON ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B	–	2	1	–	2	C. 1
†WHICKHAM ...	–	1	–	–	3	–
Rural Districts:—						
AUCKLAND ...	–	13	–	–	–	–
CHESTER-LE-STREET	–	3	1	1	–	–
DARLINGTON ...	–	–	1	–	–	–
DURHAM ...	–	5	–	–	–	–
EASINGTON ...	–	6	–	–	3	–
HOUGHTON-LE-SPRING	–	4	1	–	–	–
LANCHESTER ...	–	11	1	–	–	–
SEDGEFIELD ...	–	1	3	–	–	–
SOUTH SHIELDS	–	2	–	–	–	–
SUNDERLAND ...	–	4	–	–	1	–
ISLE OF ELY ...	–	–	1	–	–	–
Rural District:—						
ELY	–	–	1	–	–	–
ESSEX	–	74	50	1	17	D. 1 G. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	3	1	–	–	–
BRENTWOOD ...	–	1	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELMSFORD ...	–	2	–	–	–	–
†CLACTON ...	–	–	–	1	–	–
†COLCHESTER ...	–	–	–	–	–	D. 1
†EAST HAM C.B.	–	11	4	–	3	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	4	6	–	1	L. 2
†LEYTON... ...	–	13	5	–	–	–
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	–	2	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	2	3	–	1	–
TILBURY ...	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	10	3	–	1	M. 1
†WANSTEAD ...	–	3	–	–	–	–
†WEST HAM C.B.	–	9	17	–	9	G. 1
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	4	–	–	–
BRAINTREE ...	–	–	1	–	–	–
DUNMOW ...	–	2	–	–	–	–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	–	1	–	–	–
ROCHFORD ...	–	1	–	–	1	–
ROMFORD ...	–	2	2	–	1	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	70	19	1	19	E. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
†BRISTOL C.B. ...	–	39	10	–	9	E. 1 M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELTENHAM ...	–	12	1	–	–	–
†GLOUCESTER C.B.	–	2	3	1	3	M. 1
NEWNHAM ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	–	–	1	–
Rural Districts:—						
CAMPDEN ...	–	1	–	–	–	–
CHIPPING SODBURY	–	1	2	–	–	–
CIRENCESTER ...	–	–	–	–	–	L. 1
DURSLEY ...	–	3	–	–	6	–
EAST DEAN AND UNITED PARISHES	–	6	–	–	–	–
GLOUCESTER ...	–	1	1	–	–	–
STROUD... ...	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	*	*	*	*	*	*
WINCHCOMB (part)	–	–	2	–	–	–
HEREFORD ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	1	–	–	–	–
†HEREFORD ...	–	–	3	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
ROSS	–	1	–	–	–	–
HERTFORD ...	–	19	2	3	3	L. 3
Boroughs and Urban Districts:—						
BUSHEY... ...	–	3	–	–	–	–
†CHESHUNT ...	–	–	–	2	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HARPENDEN ...	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	4	–	–	–	–
†LETCHWORTH ...	–	2	–	–	–	–
WARE	–	1	–	–	1	–
†WATFORD ...	–	3	1	–	2	–
Rural Districts:—						
BARNET ...	–	2	–	–	–	–
BUNTINGFORD ...	–	1	–	–	–	–
HERTFORD ...	–	–	1	–	–	–
WARE	–	–	–	1	–	–
WATFORD ...	–	1	–	–	–	L. 3
HUNTINGDON ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
RAMSEY ...	–	1	1	–	1	–
Rural Districts:—						
ST. IVES ...	–	1	–	–	–	–
KENT	–	44	20	–	8	C. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	–	1	–	–	–
†BEXLEY... ...	–	6	–	–	–	–
†BROMLEY ...	–	1	1	–	1	–
†CHATHAM ...	–	2	2	–	–	–
†DARTFORD ...	–	3	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ERITH	–	4	2	–	–	–
†FOLKESTONE ...	–	9	1	–	1	–
†GILLINGHAM ...	–	2	5	–	–	–
†MARGATE ...	–	–	2	–	–	–
†NORTHFLEET ...	–	–	–	–	–	C. 1
†PENGE	–	1	–	–	1	–
†RAMSGATE ...	–	–	–	–	2	M. 1
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
†SHEERNESS ...	–	1	–	–	2	–
SITTINGBOURNE	–	1	–	–	–	–
TENTERDEN ...	–	–	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	1	1	–	–	–
DOVER	–	1	–	–	–	–
ELHAM	–	–	–	–	–	M. 1
MAIDSTONE ...	–	–	1	–	–	–
STROOD	–	3	–	–	–	–
TONBRIDGE ...	–	2	–	–	–	–
LANCASTER ...	–	405	111	5	188	C. 11 E. 4 J. 1 L. 1 M. 28
Boroughs and Urban Districts:—						
ABRAM	–	1	2	–	–	–
†ACCRINGTON ...	–	4	–	–	3	–
†ASHTON-IN-MAKERFIELD	–	1	1	1	–	–
†ASHTON-UNDER-LYNE	–	4	–	–	–	M. 1
ASPULL	–	–	–	–	2	–
†ATHERTON ...	–	1	–	–	2	–
AUDENSHAW ...	–	1	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	9	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BLACKBURN C.B.	–	4	2	–	6	C. 1 M. 1
†BLACKPOOL C.B.	–	1	–	–	1	–
BLACKROD ...	–	–	–	–	1	–
†BOLTON C.B. ...	–	11	4	–	4	–
†BOOTLE C.B. ...	–	6	2	–	2	–
BRIERFIELD ...	–	1	–	–	–	–
†BURNLEY C.B.	–	20	4	–	1	–
†BURY C.B. ...	–	1	4	–	4	–
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY ...	–	–	–	–	1	–
CHURCH ...	–	3	–	–	–	–
†COLNE	–	–	1	–	–	–
†DALTON-IN-FURNESS	–	–	–	–	1	–
†DARWEN ...	–	8	–	–	–	–
†DENTON ...	–	2	–	–	2	–
†DROYLSDEN ...	–	1	1	–	–	E. 1
†ECCLES ...	–	–	2	–	1	–
†FAILSWORTH ...	–	1	–	–	2	–
†FLEETWOOD ...	–	–	2	–	1	–
†GREAT CROSBY	–	2	–	–	–	–
†GREAT HARWOOD	–	1	1	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
HEYSHAM ...	*	*	*	*	*	*
†HEYWOOD ...	–	11	–	–	2	–
†HINDLEY ...	–	1	–	–	1	–
†HORWICH ...	–	3	–	–	2	–
†INCE-IN-MAKERFIELD	–	2	–	–	–	–
IRLAM	–	–	–	–	–	J. 1
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	1	–	–	–
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	3	3	–	2	–
†LITHERLAND ...	–	4	1	–	–	–
LITTLE HULTON	–	2	1	–	–	–
LITTLE LEVER...	–	–	–	–	1	–
†LIVERPOOL C.B.	–	54	22	–	32	C. 3 E. 1 M. 15
LONGRIDGE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Lytham Saint Anne's	–	4	–	–	–	C. 1
†Manchester C.B.	–	72	24	1	64	C. 2 E. 1 M. 6
†Middleton ...	–	4	–	–	3	–
Milnrow ...	–	3	–	–	–	–
†Nelson ...	–	–	–	–	1	–
†Newton-in-Makerfield	–	4	–	–	–	–
Norden ...	–	2	1	–	–	C. 1
†Oldham C.B. ...	–	12	3	–	6	C. 2 M. 3
Ormskirk ...	–	2	–	–	–	–
†Padiham ...	–	–	–	–	1	–
Poulton le Fylde	–	1	–	–	–	–
Prescot ...	–	10	–	–	–	–
†Preston C.B. ...	–	3	7	–	–	–
†Prestwich ...	–	1	–	–	–	–
†Radcliffe ...	–	–	–	–	4	–
†Ramsbottom ...	–	1	2	–	–	–
Rishton ...	–	1	1	–	4	M. 1
†Rochdale C.B.	–	25	–	–	–	–
†Royton... ...	–	1	1	–	1	–
†St. Helens C.B.	–	5	2	1	2	–
†Salford C.B. ...	–	22	8	1	5	M 1
†Southport C.B.	–	7	–	–	–	E. 1
Standish with Langtree	–	–	–	–	2	–
†Stretford ...	–	–	–	1	–	–
†Swinton and Pendlebury	–	7	2	–	1	–
†Tyldesley-with-Shakerley	–	1	–	–	1	–
Upholland ...	–	1	–	–	–	–
†Warrington C.B.	–	10	1	–	9	–
†Westhoughton	–	1	–	–	2	C. 1
LANCASTER-*cont.*						
Boroughs and Urban Districts—*cont.*						
Whitefield ...	–	1	–	–	1	–
Whitworth ...	–	2	–	–	–	–
†Widnes ...	–	3	2	–	3	–
†Wigan C.B. ...	–	6	1	–	–	–
†Worsley ...	–	1	1	–	–	–
Rural Districts:—						
Blackburn ...	–	3	–	–	–	–
Bury	–	–	1	–	–	–
Clitheroe ...	–	–	–	–	1	L. 1
Fylde	–	9	–	–	–	–
Leigh	–	1	–	–	–	–
Limehurst ...	–	2	–	–	–	–
Lunesdale ...	–	1	–	–	–	–
Preston ...	–	2	–	–	–	–
West Lancashire	–	1	–	–	–	–
Whiston ...	–	3	–	–	–	–
Wigan	–	1	–	–	–	–
LEICESTER ...	–	34	6	–	9	M. 1
Boroughs and Urban Districts:—						
†Coalville ...	–	2	–	–	–	–
†Leicester C.B.	–	25	1	–	2	–
†Loughborough	–	1	–	–	–	M. 1
Melton Mowbray	–	1	1	–	3	–
Shepshed ...	–	1	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	3	–	–	–
Barrow upon Soar	–	–	–	–	2	–
Blaby	–	–	1	–	1	–
Castle Donnington	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural District :—*cont.*						
Hinckley ...	–	1	–	–	1	–
Market Harborough	*	*	*	*	*	*
LINCOLN (parts of Holland).	–	1	1	–	1	–
Boroughs and Urban Districts :—						
Long Sutton ...	–	–	1	–	–	–
Rural Districts :—						
Boston ...	–	1	–	–	–	–
East Elloe ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	2	1	–	–	M. 2
Boroughs and Urban District :—						
†Grantham ...	–	1	–	–	–	M. 1
Rural Districts :—						
Claypole ...	–	1	1	–	–	–
Grantham ...	–	–	–	–	–	M. 1
LINCOLN (parts of Lindsey).	–	4	7	–	2	M. 1
Boroughs and Urban Districts :—						
Brigg	*	*	*	*	*	*
Broughton ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Cleethorpes ...	–	1	–	–	1	M. 1
Crowle ...	–	–	1	–	–	–
†Grimsby, C B....	–	2	2	–	–	–
†Lincoln C.B. ...	–	–	–	–	1	–
Market Rasen	–	1	–	–	–	–
Rural District :—						
Gainsborough	–	–	1	–	–	–
Glanford Brigg	*	*	*	*	*	*
Spilsby... ...	–	–	3	–	–	–
MIDDLESEX ...	1	100	53	1	23	G. 2
Boroughs and Urban Districts :—						
†Acton	–	6	3	–	–	–
†Brentford ...	–	1	1	–	1	–
†Ealing ...	–	7	2	–	1	G. 1
†Edmonton ...	–	2	–	–	1	–
†Enfield ...	–	1	–	–	1	–
Feltham ...	–	4	2	–	–	–
†Finchley ...	–	–	4	1	–	–
†Friern Barnet	–	1	–	–	–	–
†Hampton ...	–	1	–	–	1	–
†Hanwell ...	–	8	–	–	–	–
†Harrow-on-the-Hill	–	1	2	–	–	–
†Hendon ...	–	2	9	–	–	–
†Heston and Isleworth	–	7	4	–	3	–
†Hornsey ...	–	4	1	–	3	–
†Southall Norwood	1	–	–	–	–	–
†Southgate ...	–	2	–	–	–	–
Staines ...	–	2	1	–	–	–
Sunbury-on-Thames	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TEDDINGTON ...	–	1	–	–	–	G. 1
†TOTTENHAM ...	–	33	6	–	9	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	6	13	–	1	–
†WOOD GREEN ...	–	3	–	–	–	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
STAINES ...	–	5	2	–	–	–
UXBRIDGE ...	–	1	1	–	2	–
NORFOLK ...	–	70	19	1	1	E. 1
Boroughs and Urban Districts:—						
CROMER ...	–	1	–	–	–	–
DOWNHAM MARKET	–	–	1	–	–	–
†GREAT YARMOUTH C.B.	–	13	5	–	–	–
†KING'S LYNN ...	–	–	1	–	–	–
NORTH WALSHAM	–	–	1	–	–	–
†NORWICH C.B....	–	43	6	1	1	–
SWAFFHAM ...	–	2	–	–	–	–
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
DEPWADE ...	–	–	2	–	–	–
DOCKING ...	–	5	–	–	–	–
DOWNHAM ...	–	–	1	–	–	–
FOREHOE ...	–	–	1	–	–	–
HENSTEAD ...	–	1	–	–	–	–
MARSHLAND ...	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	3	–	–	–	–
THETFORD ...	–	1	–	–	–	–
WAYLAND ...	–	–	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	16	6	–	11	E. 1 M. 1
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	1	E. 1
FINEDON ...	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	2	M. 1
†NORTHAMPTON C.B.	–	7	5	–	6	–
OUNDLE ...	*	*	*	*	*	*
RAUNDS ...	–	–	–	–	1	–
ROTHWELL ...	–	2	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
POTTERSPURY ...	–	–	–	–	1	–
TOWCESTER ...	–	2	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	70	13	–	16	M. 5
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	1	–	–	–
AMBLE	*	*	*	*	*	*
†BEDLINGTONSHIRE	–	1	–	–	–	–
†BERWICK-UPON-TWEED	–	1	–	–	–	–
†BLYTH	–	1	1	–	1	M. 1
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NEWBIGGIN-BY-THE-SEA	–	–	1	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	13	5	–	10	M. 3
SEGHILL ...	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	18	2	–	2	M. 1
†WALLSEND ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban District—*cont.*						
WEETSLADE ...	–	13	1	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
ALNWICK ...	–	2	–	–	–	–
BELLINGHAM ...	–	3	–	–	–	–
CASTLE WARD ...	–	3	–	–	–	–
HALTWHISTLE ...	–	5	–	–	–	–
MORPETH ...	–	2	–	–	1	–
NOTTINGHAM ...	1	27	4	3	7	C. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†CARLTON ...	–	1	–	–	3	–
†KIRKBY IN ASHFIELD	–	–	1	–	1	–
†MANSFIELD ...	–	1	1	–	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	–	C. 1
†NEWARK ...	–	3	–	–	–	–
†NOTTINGHAM C.B.	–	16	–	2	1	–
†SUTTON-IN-ASHFIELD	–	1	–	–	1	–
Rural Districts:—						
BASFORD ...	1	2	1	–	–	–
BINGHAM ...	–	1	–	1	–	–
NEWARK ...	–	–	1	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	15	2	–	1	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	1	–
HENLEY ON THAMES	–	1	–	–	–	–
†OXFORD C.B. ...	–	8	–	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
CULHAM... ...	–	1	–	–	–	–
HEADINGTON ...	–	2	–	–	–	–
HENLEY ...	–	1	1	–	–	–
WITNEY ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	2	1	–	1	–
Borough:—						
†PETERBOROUGH	–	2	–	–	–	–
Rural District:—						
PETERBOROUGH	–	–	1	–	1	–
SALOP	–	10	9	–	5	–
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	8	–	–	–
NEWPORT ...	–	–	–	–	2	–
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	1	–	–	1	–
Rural Districts:—						
ATCHAM ...	–	3	1	–	–	–
NEWPORT ...	–	–	–	–	2	–
WEM	–	1	–	–	–	–
SOMERSET ...	–	29	3	–	5	–
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	1	–	–	1	–
†FROME	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:— *cont.*						
MIDSOMER NORTON	–	1	2	–	–	–
†TAUNTON ...	–	5	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BATH	–	1	–	–	–	–
CLUTTON ...	–	1	–	–	–	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	2	–	–	2	–
LONG ASHTON ...	–	5	–	–	1	–
SHEPTON MALLET	–	4	–	–	1	–
TAUNTON ...	–	2	–	–	–	–
SOUTHAMPTON ...	–	57	18	2	5	C. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
ALTON	*	*	*	*	*	*
†BASINGSTOKE ...	–	1	–	–	–	–
†BOURNEMOUTH C.B.	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	–	C. 1
†FAREHAM ...	–	–	1	1	–	–
†FARNBOROUGH	–	1	–	–	–	–
†GOSPORT ...	–	1	3	–	1	–
PETERSFIELD ...	*	*	*	*	*	*
†PORTSMOUTH C.B.	–	31	9	–	1	–
†SOUTHAMPTON C.B.	–	8	4	1	3	M. 1
WARBLINGTON	–	1	–	–	–	–
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
ALRESFORD ...	–	–	–	–	–	M. 1
ANDOVER ...	–	–	–	–	–	L. 2
SOUTHAMPTON STONEHAM	–	–	1	–	–	–
WHITCHURCH ...	–	9	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	2	126	18	3	39	C. 4 E. 2 L. 1 M. 7
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	–	–	–	–
†BILSTON ...	1	12	1	–	1	–
†BRIERLEY HILL	–	–	1	–	–	–
†BROWNHILLS ...	–	3	–	–	1	–
†BURTON-UPON-TRENT C.B.	–	2	–	–	4	–
†CANNOCK ...	–	5	–	–	–	–
†COSELEY ...	–	2	–	–	–	–
†DARLASTON ...	1	–	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	1	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	4	–	–	–	–
†ROWLEY REGIS	–	3	–	–	–	–
†SEDGLEY ...	–	2	–	–	–	–
SHORT HEATH ...	–	1	–	–	–	–
†SMETHWICK C.B.	–	8	–	–	3	C. 1
†STAFFORD ...	–	2	–	–	–	–
†STOKE-ON-TRENT C.B.	–	33	8	–	19	C. 3 E 1 M. 4
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	3	–	–	–	L. 1
UTTOXETER ...	–	–	–	–	–	E. 1
†WALSALL C.B....	–	1	–	–	1	M. 2
†WEDNESBURY ...	–	2	1	–	4	–
WEDNESFIELD ...	–	–	1	–	1	–
†WEST BROMWICH C.B.	–	13	3	–	1	–
†WOLSTANTON UNITED	–	3	–	–	–	–
†WOLVERHAMPTON C.B.	–	4	1	–	1	.
Rural Districts:—						
CANNOCK ...	–	4	–	–	–	–
CHEADLE ...	–	10	–	–	1	–
GNOSALL ...	*	*	*	*	*	*
KINGSWINFORD	–	–	1	3	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	1	–	1	M. 1
TAMWORTH (part)	–	3	–	–	–	–
SUFFOLK, EAST	–	17	9	–	–	–
Boroughs and Urban Districts:—						
BUNGAY ...	–	–	1	–	–	–
†IPSWICH C.B. ...	–	10	2	–	–	–
†LOWESTOFT ...	–	1	2	–	–	–
SAXMUNDHAM ...	–	–	1	–	–	–
STOWMARKET ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	1	–	–	–
EAST STOW ...	–	3	–	–	–	–
HOXNE	–	1	–	–	–	–
SAMFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	2	–
SURREY	–	53	26	–	10	C. 1 D. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES ...	–	1	–	–	1	–
†CARSHALTON ...	–	1	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†CATERHAM ...	–	1	–	–	2	–
†CHERTSEY ...	–	1	1	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†CROYDON C.B....	–	28	6	–	2	C. 1 M. 1
†FARNHAM ...	–	–	1	–	2	M. 1
†FRIMLEY ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	1	–
†KINGSTON-ON-THAMES	–	6	4	–	–	–
LEATHERHEAD ...	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	5	–	–	–
†MITCHAM ...	–	2	–	–	1	–
†RICHMOND ...	–	1	–	–	–	–
†WALTON-UPON THAMES	–	3	–	–	–	–
†WIMBLEDON ...	–	–	5	–	–	D. 1
†WOKING ...	–	2	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING ...	–	–	1	–	–	–
EPSOM	–	1	–	–	–	L. 1
FARNHAM ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	1	–
SUSSEX, EAST ...	–	19	3	–	4	L. 1
Boroughs and Urban Districts:—						
†BEXHILL ...	–	–	–	–	1	–
†BRIGHTON C.B....	–	6	1	–	2	–
BURGESS HILL...	–	–	1	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
†HASTINGS C.B.	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOVE	–	7	–	–	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–	–	1	–	–	L. 1
RYE	–	1	–	–	–	–
SUSSEX, WEST ...	–	2	2	–	–	M. 1
Boroughs and Urban Districts:—						
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST	–	–	1	–	–	–
THAKEHAM ...	–	–	–	–	–	M. 1
WARWICK ...	–	110	36	–	43	C. 1 L. 1 M. 10
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	68	34	–	40	C. 1 M. 10
†COVENTRY C.B.	–	6	2	–	–	L. 1
†NUNEATON ...	–	1	–	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	6	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
FOLESHILL ...	–	4	–	–	–	–
MERIDEN ...	–	2	–	–	–	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	7	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
TAMWORTH (part)	–	6	–	–	–	–
WARWICK ...	–	5	–	–	–	–
WESTMORLAND	–	4	–	–	4	E. 4
Boroughs and Urban District:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL ...	–	–	–	–	1	E. 1
KIRKBY LONSDALE	–	1	–	–	–	–
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	–	E. 1
SOUTH WESTMORLAND	–	–	–	–	2	E. 2
WEST WARD ...	–	2	–	–	–	–
ISLE OF WIGHT	–	1	3	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	–	1	–	–	–
SHANKLIN ...	–	1	1	–	–	–
VENTNOR ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	22	2	–	6	M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	1	–	–	–
MARLBOROUGH...	–	3	–	–	–	–
†SWINDON ...	–	8	–	–	5	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MARLBOROUGH...	–	3	–	–	–	–
MERE	–	1	–	–	1	–
PEWSEY ...	–	2	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
TISBURY ...	–	–	–	–	–	M. 1
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON... ...	–	–	1	–	–	–
WORCESTER ...	–	45	3	–	4	C. 1 G. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	5	–	–	–	–
†DUDLEY C.B. ...	–	6	1	–	–	–
EVESHAM ...	–	–	–	–	–	C. 1
†KIDDERMINSTER	–	1	–	–	1	–
†MALVERN ...	–	2	–	–	–	–
†OLDBURY ...	–	1	–	–	–	–
†REDDITCH ...	–	13	–	–	–	–
STOURPORT ...	–	3	–	–	–	–
†WORCESTER C.B.	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	2	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
HALESOWEN ...	–	1	–	–	2	G. 1
KIDDERMINSTER	–	3	–	–	–	–
MARTLEY ...	–	1	–	–	–	–
SHIPSTON-ON-STOUR	–	–	1	–	–	–
WORCESTER—cont.						
Rural Districts—cont.						
TENBURY ...	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	1	–
UPTON-ON-SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	1	19	15	–	5	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	3	–
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	1	–	–	–	–
HORNSEA ...	–	1	–	–	–	–
†KINGSTON-UPON-HULL C.B.	1	4	10	–	2	M. 1
†YORK C.B. ...	–	11	1	–	–	M. 1
Rural Districts:—						
DRIFFIELD ...	–	–	2	–	–	–
YORKS ... ... (North Riding).	2	34	2	–	7	E. 1
Boroughs and Urban Districts:—						
†ESTON	–	10	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†MIDDLESBROUGH C.B.	2	22	1	–	4	–
†SKELTON AND BROTTON	–	1	–	–	1	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	–	E. 1
GUISBOROUGH ...	–	1	–	–	–	–
PICKERING ...	–	–	–	–	1	–
SCARBOROUGH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	2	244	71	8	105	C. 2 E. 1 G. 3 J. 1 L. 1 M. 7
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	–	–	–	G. 1
ALTOFTS ...	–	–	1	–	–	–
†BARNSLEY C.B.	–	5	5	–	–	–
†BATLEY... ...	–	2	–	–	–	–
†BENTLEY WITH ARKSEY	1	–	–	–	1	–
†BINGLEY ...	–	1	–	–	–	–
BIRSTAL ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	–	–	4	1	–
†BRADFORD C.B.	–	17	11	–	7	G. 1 J. 1 M. 1
†BRIGHOUSE ...	–	–	–	–	1	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CASTLEFORD ...	–	4	–	–	–	–
†CONISBROUGH ...	–	1	–	–	1	–
CUDWORTH ...	–	–	1	–	–	–
†DARTON ...	–	–	1	–	–	–
DENHOLME ...	–	–	–	–	2	–
†DEWSBURY C.B.	–	3	–	–	–	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	1	11	–	–	1	C. 1
†FEATHERSTONE	–	3	–	–	–	–
GARFORTH ...	–	1	–	–	–	–
†GOOLE	–	1	1	–	2	–
GREETLAND ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	2	1	–	4	–
†HARROGATE ...	–	1	–	–	1	–
HAWORTH ...	–	2	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
HIPPERHOLME ...	–	6	1	–	–	–
†HOLMFIRTH ...	–	–	–	–	3	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	2	–	1	–
†HUDDERSFIELD C.B.	–	3	1	–	–	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	1	–	–	–	M. 2
†LEEDS C.B. ...	–	76	4	2	5	C. 1 M. 1
MELTHAM ...	*	*	*	*	*	*
METHLEY ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	–	–	–	–	2	–
†MORLEY... ...	–	–	–	–	3	–
†OSSETT	–	1	1	–	–	–
OTLEY	–	–	–	–	2	–
QUEENSBURY ...	–	–	1	–	–	–
RAWDON ...	–	–	–	–	1	–
†RAWMARSH ...	–	3	–	–	1	–
RIPON	–	–	1	–	–	–
†ROTHERHAM C.B.	–	10	5	–	5	–
†ROTHWELL ...	–	2	–	–	–	–
ROYSTON ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	41	12	1	47	G. 1 M. 1
†SHIPLEY ...	–	2	–	–	–	–
SKELMANTHORPE	–	–	5	–	–	–
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...	–	3	–	–	1	–
SPRINGHEAD ...	–	1	–	–	1	–
†STANLEY ...	–	1	–	–	–	–
†SWINTON ...	–	–	1	–	–	M. 1
TICKHILL ...	–	–	–	–	–	M. 1
†TODMORDEN ...	–	8	–	–	–	–
†WAKEFIELD C.B.	–	6	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	–	1	–	–	–
†WORSBOROUGH	–	–	5	–	–	–
Rural Districts:—						
DONCASTER ...	–	3	1	–	1	–
GOOLE	–	1	–	–	–	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	4	4	–	4	–
KNARESBOROUGH	–	–	1	–	–	–
PONTEFRACT ...	–	1	–	1	–	–
ROTHERHAM ...	–	1	–	–	–	E. 1
SKIPTON ...	–	–	2	–	–	–
TADCASTER ...	–	2	–	–	1	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (North)	–	–	–	–	1	–
WHARFEDALE (South)	–	2	–	–	–	L. 1
WORTLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	3	–	–	–	–
Rural Districts :—						
DWYRAN ...	*	*	*	*	*	*
VALLEY... ...	–	3	–	–	–	–
BRECKNOCK ...	–	–	1	–	–	–
Urban District :—						
HAY	–	–	1	–	–	–
Rural Districts:—						
LLANWRTHWL (parish)	*	*	*	*	*	*
CARDIGAN ...	–	6	1	–	2	–
Boroughs and Urban District :—						
NEW QUAY ...	–	–	1	–	–	–
Rural Districts :—						
ABERAYRON ...	–	–	–	–	2	–
LAMPETER ...	–	5	–	–	–	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	20	7	–	3	E. 2
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	6	–	–	–	E. 2
†LLANELLY ...	–	11	–	–	–	–
Rural Districts :—						
CARMARTHEN ...	–	1	–	–	–	–
LLANELLY ...	–	2	7	–	3	–
CARNARVON ...	–	9	–	–	–	–
Boroughs and Urban Districts—						
†BANGOR... ...	–	1	–	–	–	–
CONWAY ...	–	3	–	–	–	–
PORTMADOC ...	–	1	–	–	–	–
CARNARVON— *cont.*						
Rural Districts :—						
CONWAY ...	–	3	–	–	–	–
OGWEN	–	1	–	–	–	–
DENBIGH ...	–	5	2	–	4	M. 1
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
DENBIGH ...	–	–	1	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts :—						
LLANSILIN ...	–	1	–	–	1	–
ST. ASAPH (Denbigh)	–	–	–	–	1	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	3	1	–	–	M. 1
FLINT	–	3	1	–	–	–
Boroughs and Urban Districts :—						
HOLYWELL ...	*	*	*	*	*	*
PRESTATYN ...	*	*	*	*	*	*
Rural Districts :—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (Holywell Div.)	–	2	1	–	–	–
GLAMORGAN ...	–	105	36	–	33	C. 2 M. 4
Boroughs and Urban Districts :—						
†ABERDARE ...	–	7	2	–	–	–
†BARRY	–	1	1	–	2	–
†CAERPHILLY ...	–	3	–	–	–	–
†CARDIFF C.B. ...	–	2	2	–	10	C. 1 M. 2
†GELLIGAER ...	–	4	2	–	–	–
†GLYNCORWG ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†MAESTEG ...	–	–	–	–	1	–
†MERTHYR TYDFIL C.B.	–	2	3	–	3	–
†MOUNTAIN ASH	–	19	1	–	–	–
†NEATH	–	–	4	–	–	–
†OGMORE AND GARW	–	2	2	–	2	–
PENARTH ...	–	1	1	–	–	–
†PONTYPRIDD ...	–	5	–	–	2	–
†PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	3	2	–	–	–
†RHONDDA ...	–	21	3	–	7	C. 1 M. 1
†SWANSEA C.B. ...	–	3	4	–	4	M. 1
Rural Districts:—						
COWBRIDGE ...	–	2	–	–	–	–
GOWER	–	–	4	–	–	–
LLANDAFF AND DINAS POWIS	–	–	1	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	5	–	–	–	–
NEATH	–	13	–	–	–	–
PENYBONT ...	–	3	1	–	–	–
PONTARDAWE ...	–	6	3	–	–	–
SWANSEA ...	–	1	–	–	–	–
MERIONETH ...	–	1	–	–	2	–
Urban District:—						
FESTINIOG ...	–	1	–	–	–	–
Rural District:—						
DEUDRAETH ...	*	*	*	*	*	*
PENLLYN ...	–	–	–	–	2	–
MONMOUTH ...	–	16	4	–	8	C. 2 M. 4
Boroughs and Urban Districts:—						
ABERGAVENNY...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	–	–	–	M. 2
BEDWAS AND MACHEN	–	–	1	–	1	–
†BEDWELLTY ...	–	3	1	–	–	M. 2
†BLAENAVON ...	–	2	–	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
MONMOUTH ...	–	–	–	–	–	C. 1
†NANTYGLO AND BLAINA	–	–	–	–	6	–
†NEWPORT C.B....	–	–	2	–	1	
†TREDEGAR ...	–	5	–	–	–	–
Rural District:—						
SAINT MELLONS	–	–	–	–	–	C. 1
MONTGOMERY ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	1	–	–	–	–
Rural Districts—						
FORDEN ...	–	1	1	–	–	–
LLANFYLLIN ...	–	1	–	–	2	–
NEWTOWN AND LLANIDLOES	–	1	–	–	1	
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	1	–	–	–	–
Rural Districts:—						
PEMBROKE ...	–	1	–	–	–	–
RADNOR	–	1	3	–	–	–
Rural District:—						
KNIGHTON ...	–	1	–	–	–	–
NEW RADNOR ...	–	–	3	–	–	–
RHAYADER ...	*	*	*	*	*	*
Total of Part II.	14	2219	673	36	725	C. 30 D. 2 E. 18 F. 1 G. 7 J. 2 L. 14 M. 96

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barry	–	–	–	1	–	L. 1
Plymouth ...	–	–	–	–	2	–
Southampton ...	–	–	–	–	2	–
Port of London	–	–	–	1	1	–
Total of Part III.	–	–	–	2	5	L. 1

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	4	295	278	1	134	C. 5 F. 1 G. 1 J. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	14	2219	673	36	725	C. 30 D. 2 E. 18 F. 1 G. 7 J. 2 L. 14 M. 96
Total of Part III.—Port Sanitary Districts ...	–	–	–	2	5	L. 1
Total (*i.e.*, of returns received), England and Wales	18	2514	951	39	864	C. 35 D. 2 E. 18 F. 2 G. 8 J. 3 L. 15 M. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Eighteen cases of Small-pox were notified, which appear on pages 1,348, 1,350, 1,351, 1,356, 1,358, 1,359, 1,362 and 1,363.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.
LONDON:—													
DEATHS—all ages	730	721	731	744	818	810	800	842	863	946	1,025	1,083	1,155
" 0 to 1 year	66	71	71	98	98	83	92	90	88	114	117	103	123
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,625	7,511	7,926	7,488	7,646	7,545	7,315	7,433	7,096	7,390	6,784	7,139	7,076
DEATHS—all ages	3,290	3,253	3,246	3,287	3,566	3,412	3,488	3,604	3,749	3,961	4,205	4,605	4,709
" *0 to 1 year*	403	401	421	410	478	433	457	436	504	490	456	541	585
ENTERIC FEVER—Cases	17	23	23	29	24	32	24	17	14	29	27	22	13
" Deaths	3	4	4	3	5	7	3	1	3	3	2	3	1
SMALL POX—Cases	5	7	5	13	10	8	9	7	2	4	37	11	6
" Deaths	—	—	—	—	1	—	—	1	—	—	1	12	3
SCARLET FEVER—Cases	915	855	1,052	1,086	1,147	1,139	1246	1,228	1,420	1,374	1,317	1,486	1,426
" Deaths	14	6	11	11	3	9	8	9	13	15	15	12	13
DIPHTHERIA—Cases	460	523	537	588	610	677	691	685	720	764	632	631	653
" Deaths	41	27	32	29	32	45	29	44	51	49	61	45	40
MEASLES—Deaths	45	52	44	18	39	35	34	27	49	62	62	69	94
INFLUENZA—Deaths	16	10	12	18	21	28	32	31	43	41	48	71	64

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th November 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	51	29	46·4	35·3	0
BRIGHTON	53	35	50·4	38·7	0
PORTSMOUTH	54	31	50·7	37·1	0
NORWICH (EATON).	50	27	47·4	34·7	2
PLYMOUTH	55	30	51·7	36·6	0·3
BRISTOL (CLIFTON).	55	30	46·1	35·0	0·1
BIRMINGHAM	50	33	48·0	37·7	1
NOTTINGHAM	52	25	48·3	32·9	0·1
BIRKENHEAD (BIDSTON).	53	38	49·9	41·7	0
MANCHESTER	53	31	49·7	40·6	0·4
BURNLEY	51	27	49·0	38·1	1
HUDDERSFIELD	53	27	50·3	38·0	0

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	52	29	48·6	38·9	0·2
SHEFFIELD	55	32	50·7	37·9	0·2
YORK (MUSEUM).	52	31	48·1	35·7	0·3
HULL (PEARSON PARK).	53	32	49·7	36·1	2
TYNEMOUTH	56	33	50·0	41·7	0
CARDIFF	52	30	48·0	36·0	0
EDINBURGH	54·0	40·0	50·9	44·3	0·5
GLASGOW	53·0	37·8	50·9	44·3	1
DUBLIN (PHŒNIX PARK).		Not received.			
FITZWILLIAM SQUARE.†	57·1	38·9	53·0	46·0	0·1
BELFAST		Not received.			

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 18th November 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	12	Last Quarter	30·281	44·3	33·2	11·1	39·2	− 4·5	38·0	1·2	4·0	0·0	96	48·9	27·4	48·0	Calm	Calm	0·6	0·0	0·0	70	−229	0·00
MONDAY	13	..	30·336	45·6	28·5	17·1	37·6	− 5·9	35·0	2·6	6·3	0·0	91	51·0	25·8	48·0	NE & Calm.	Calm	0·2	0·0	0·0	81	−218	0·00
TUESDAY	14	..	30·394	37·7	29·3	8·4	34·9	− 8·4	34·9	0·0	1·8	0·0	100	38·2	28·1	47·9	Calm	Calm	0·2	0·0	0·0	78	−249	0·00
WEDNESDAY	15	In Equator.	30·558	47·8	32·2	15·6	41·4	− 1·7	40·7	0·7	4·0	0·0	97	48·6	27·0	47·8	Calm & E.	E & ENE.	0·9	0·0	0·0	135	−169	0·00
THURSDAY	16	..	30·579	42·4	32·3	10·1	37·1	− 5·7	37·1	0·0	2·7	0·0	100	41·8	27·1	47·4	Calm & WNW.	WNW & NNE.	0·4	0·0	0·0	150	−145	0·00
FRIDAY	17	Perigee	30·337	49·5	42·2	7·3	46·2	+ 3·6	41·3	4·9	7·7	2·7	83	50·0	38·9	47·3	NE: N & NW.	N & NNE.	1·1	0·0	0·1	233	− 61	0·00
SATURDAY	18	..	30·100	51·2	42·0	9·2	47·7	+ 5·3	42·0	5·7	8·0	3·4	81	54·0	34·3	47·3	NNW: N & NNE.	NNE & NE.	1·9	0·0	0·2	280	− 13	0·00
MEANS		..	30·369	45·5	34·2	11·3	40·6	− 2·5	38·4	2·2	4·9	0·9	93	47·5	29·8	47·7	NNE		...	...	...	Sum 1,027	Sum −1,045	Sum 0·00
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. November 1922.		Electricity. (For explanation o symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	12	No effective register.	0·0	9·0	Nearly cloudless till 6h., then foggy till 19h. 30m., and misty afterwards with dew.
Monday -	13	No effective register.	0·6	9·0	Overcast till 7h., becoming apparently cloudless by 7h. 30m., but hazy and with variable fog throughout. Hoar frost at night.
Tuesday -	14	No effective register.	0·0	8·9	Foggy throughout, probably overcast. Hoar frost remaining in early morning.
Wednesday	15	No effective register.	0·0	8·8	Overcast till 14h. 30m., becoming cloudless generally by 15h. 30m. Fog till 10h. 30m., then misty with slight damping 11h. 30m. to 14h. Hoar frost and fog at night.
Thursday -	16	No effective register.	0·0	8·8	Foggy till 18h., probably overcast throughout.
Friday -	17	No effective register.	0·0	8·8	Overcast with slight exceptions. Slight fog or mist from 8h. till noon.
Saturday -	18	Register imperfect.	0·0	8·7	Overcast with few exceptions till after 21h., becoming cloudless by 22h. Slight rain or damping in afternoon.
			Sum 0·6	Sum 62·1	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·18 in. at the beginning of the week to 30·63 in. by 9h. on 16th; decreased to 30·07 in. by 15h. on 18th, and increased to 30·13 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 47.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 25TH NOVEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH NOVEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-seventh week of the year numbered 7,268, and corresponded to an annual rate of 19·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,598 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 11·5, 12·6 and 12·9. Infant mortality was 83 per 1,000 births against 67, 76, and 83 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,718 births, corresponding to a rate of 19·8 per 1,000, and 1,240 deaths of civilians, corresponding to a rate of 14·3, as against 11·8, 12·5 and 13·3, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·0 per 1,000. The infant mortality was 76 as against 74, 61, and 72 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 111 in the total deaths last week. In London the number of deaths from all causes rose from 1155 to 1240; while the deaths from diphtheria, which had been 27, 17, and 18 in the preceding three weeks, fell to 13 last week. One death from small-pox was registered during the week and belonged to the Metropolitan Borough of Poplar.

---

m (45)18949—4 Wt 30—P 19 2250 11/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 25th November 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	7,268	4,598	602	1	88	18	20	35	72	71
London	4,514,405*	1,718	1,240	131	–	1	6	5	13	16	12
Towns in Outer Ring.											
Croydon C.B.	191,500	67	43	3	–	–	–	–	–	–	2
Wimbledon	61,700	13	12	–	–	–	–	–	–	–	–
Ealing	67,800	19	12	2	–	–	–	–	–	–	–
Acton	62,000	24	8	1	–	–	–	–	–	–	–
Willesden	167,200	42	32	4	–	–	–	–	1	1	–
Hendon	55,500	19	9	1	–	–	–	–	–	–	–
Hornsey	87,600	23	25	2	–	–	–	–	–	–	1
Wood Green	51,100	15	13	1	–	–	–	1	–	–	1
Tottenham	149,200	50	32	3	–	–	–	–	–	–	–
Edmonton	67,800	37	17	5	–	–	–	–	–	–	–
Enfield	61,400	15	13	1	–	–	–	–	–	–	–
West Ham C.B.	307,000	167	83	11	–	–	–	1	1	–	3
East Ham C.B.	145,500	39	21	7	–	–	–	1	–	2	–
Leyton	130,100	36	22	2	–	–	–	–	–	–	–
Walthamstow	129,800	40	21	2	–	–	–	–	1	–	–
Ilford	85,500	35	15	3	–	–	–	1	–	–	–
Gillingham	48,149*	23	5	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	8	5	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	22	19	–	–	–	–	–	–	–	2
Eastbourne C.B.	53,600	13	7	2	–	–	–	–	–	–	–
Brighton C.B.	134,800	49	29	3	–	–	–	–	–	–	1
Portsmouth C.B.	233,929*	96	49	5	–	–	1	–	–	2	4
Bournemouth C.B.	81,200	17	27	–	–	–	–	–	–	–	–
Southampton C.B.	162,200	59	35	4	–	1	–	–	–	1	2
Reading C.B.	92,600	25	19	2	–	–	–	–	–	–	–
Oxford C.B.	56,400	24	13	2	–	–	–	–	–	–	–
Northampton C.B.	92,300	25	18	2	–	2	–	–	–	–	1
Luton	57,800	15	12	–	–	–	–	–	–	–	–
Cambridge	58,900	15	14	3	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	23	17	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	27	17	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	22	12	2	–	–	–	–	–	1	–
Norwich C.B.	122,400	53	31	8	–	–	–	–	–	–	–
Swindon	55,500	17	3	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	16	15	3	–	–	–	1	–	–	1
Plymouth C.B.	199,869*	72	60	3	–	1	1	–	–	–	3
Bath C.B.	68,300	18	25	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	119	82	12	–	–	–	–	1	–	1
Gloucester C.B.	51,800	21	9	2	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	129	88	20	–	7	1	–	–	1	2
Burton-upon-Trent C.B.	49,410	20	14	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	47	15	1	–	–	–	–	1	–	–
Walsall C.B.	98,800	43	23	4	–	4	–	3	–	–	–
West Bromwich C.B.	75,300	44	13	1	–	–	1	–	1	1	–
Worcester C.B.	49,160	18	12	1	–	–	–	–	–	–	–
Dudley C.B.	57,100	32	12	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	390	195	28	–	2	–	–	5	8	4
Smethwick C.B.	77,400	20	16	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	39	31	1	–	1	–	–	–	2	–
Leicester C.B.	237,900	91	57	7	–	3	1	1	1	1	3
Lincoln C.B.	66,600	19	11	2	–	–	–	–	–	1	–
Grimsby C.B.	83,600	34	16	1	–	–	–	–	–	–	–
Nottingham C.B.	266,400	94	72	9	1	3	–	–	–	1	–
Derby C.B.	131,800	35	21	4	–	–	–	–	–	1	–
Chesterfield	62,400	30	9	3	–	–	–	–	–	–	–
Stockport C.B.	125,500	33	31	3	–	1	–	–	1	–	1
Chester C.B.	41,030	17	13	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	49	32	8	–	1	–	–	–	1	–
Wallasey C.B.	89,600	20	21	1	–	–	–	–	–	–	1
Liverpool C.B.	817,000	417	200	39	–	–	–	1	3	4	–
Bootle C.B.	77,800	38	17	5	–	–	1	–	1	–	–
St Helens C.B.	104,900	46	25	7	–	–	–	–	–	2	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	25	17	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	39	25	2	–	–	–	–	–	–	–
Warrington C.B.	78,600	30	23	–	–	–	–	–	–	–	–
Bolton C.B.	182,200	63	52	9	–	2	–	–	–	1	1
Bury C.B.	57,600	23	20	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	275	198	36	–	5	1	–	1	6	6
Salford C.B.	239,100	80	59	11	–	–	–	–	1	1	1
Oldham C.B.	148,300	53	43	7	–	–	1	–	–	–	3
Rochdale C.B.	92,700	21	23	4	–	–	–	–	1	–	–
Burnley C.B.	105,300	42	32	2	–	3	–	–	–	–	–
Blackburn C.B.‡	129,682	46	44	6	–	8	–	–	–	–	1
Preston C.B.	119,900	43	30	8	–	7	–	–	–	1	–
Blackpool C.B.	73,800	23	25	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	22	12	2	–	–	–	–	–	1	–
Huddersfield C.B.	111,900	30	19	1	–	–	1	–	–	–	–
Halifax C.B.	100,700	22	21	1	–	–	–	–	–	–	1
Bradford C.B.	291,100	91	58	5	–	1	–	–	1	1	1
Leeds C.B.	465,500	193	134	15	–	12	–	2	–	2	1
Dewsbury C.B.	55,100	18	20	2	–	–	–	–	–	–	1
Wakefield C.B.	53,763	21	7	–	–	–	–	–	–	–	–
Barnsley C.B.	68,991	36	17	2	–	3	–	–	–	–	–
Sheffield C.B.	519,239	180	102	17	–	–	1	–	–	1	5
Rotherham C.B.	69,100	46	14	4	–	–	–	1	–	1	–
Doncaster	54,700	18	11	5	–	–	–	–	–	1	–
York C.B.	84,500	38	19	1	–	–	–	–	–	–	–
Hull C.B.	291,800	130	66	10	–	6	–	–	–	–	–
Middlesbrough C.B.	133,400	69	34	5	–	1	1	–	–	2	–
Darlington C.B.	66,400	27	11	–	–	1	1	–	–	–	1
Stockton-on-Tees	65,000	23	12	2	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	25	12	5	–	1	–	–	–	–	1
Sunderland C.B.	161,100	77	42	8	–	5	–	–	–	–	1
South Shields C.B.	120,376	53	26	7	–	–	–	–	–	2	–
Gateshead C.B.	126,700	58	25	2	–	–	–	–	–	1	–
Newcastle-on-Tyne C.B.	278,400	124	63	6	–	1	–	–	–	–	–
Tynemouth C.B.	63,900	28	13	3	–	–	–	–	–	–	–
Carlisle C.B.	53,200	16	10	–	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	39	24	6	–	1	–	1	–	–	1
Cardiff C.B.§	222,089	79	48	5	–	1	–	–	1	1	–
Rhondda	166,600	73	35	5	–	2	–	1	–	1	–
Merthyr Tydfil C.B.	81,800	39	26	4	–	–	–	–	–	2	–
Aberdare	56,100	26	11	–	–	–	–	–	–	–	–
Swansea C.B.	159,600	61	30	5	–	1	–	–	–	1	1
Greater London	7,523,963*	2,765	1,870	199	1	1	7	10	22	21	22
Outer Ring	3,009,558*	1,047	630	68	1	–	1	5	9	5	10
16 Great Towns in Outer Ring	1,820,700	641	378	48	–	–	–	4	3	3	7
Remainder of Outer Ring	1,188,858*	406	252	20	1	–	1	1	6	2	3
Edinburgh†	420,500	141	113	11	1	–	2	3	–	–	5
Glasgow†	1,037,800	509	316	61	1	–	3	9	4	3	4
Dublin (Registration Area)†	427,000	192	123	24	–	–	–	–	1	5	2
Belfast†	425,000	234	112	18	–	–	–	–	2	4	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended on 1st October 1922.

§ As extended on 9th November 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Nov. 25	1718	1240	14·3	–	1	1	6	5	13	16	12
Calcutta	896,067	Oct. 14	?	429§	24·6	?	–	?	?	?	?	?	22
Bombay	1,200,473	„ 14	482‖	713§	30·9	–	2	–	?	–	1	42	3
Madras	526,911	„ 14	518	442	43·6	3	7	1	?	1	–	46	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	155,939	Sept. 30	89	30	10·0	–	–	–	–	–	1	3	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Oct. 7	60	15	7·5	–	–	–	–	–	–	–	–
Johannesburg	153,825	„ 14	90	29	9·8	–	–	1	–	–	–	3	–
Durban	49,043	„ 14	19	10	10·6	3	–	–	–	–	–	–	–
Paris	2,906,472												
Antwerp	303,065	Sept. 23	97	56	9·6	–	–	–	–	–	–	3	–
Amsterdam	692,673	Nov. 4	225	152	11·8	–	–	1	–	–	–	–	–
Copenhagen	562,600	„ 11	189	140	13·0	–	–	–	–	2	–	2	1
Stockholm	422,042	„ 11	109	84	10·4	–	–	–	1	–	–	–	–
Gothenburg	228,052	Oct. 14	?	42	9·6	–	–	–	–	1	–	–	–
		„ 21	?	29	6·6	–	–	–	–	–	1	–	1
Christiania	258,933	Nov. 11	68	75	15·1	–	–	–	–	–	–	–	–
Berlin	1,974,000	Oct. 14	346	441	11·6	–	?	6	1	4	1	14	2
Breslau	557,000	„ 14	196	139	13·0	–	?	–	–	–	1	2	1
Cologne	692,000	„ 14	242	148	11·1	–	?	2	–	1	–	8	3
Dresden	608,000	„ 14	163	147	12·6	–	?	–	–	2	2	2	–
Frankfort-on-Main	476,000	„ 14	113	86	9·4	–	?	1	1	–	–	–	–
Hamburg	1,071,000	„ 14	266	284	13·8	1	?	–	1	1	1	1	1
Leipzig	676,000	„ 14	199	133	10·2	–	?	–	1	–	2	3	–
Munich	682,000	„ 14	198	157	12·0	–	?	–	–	2	2	5	–
Vienna	1,842,005	„ 14	655	456	12·9	6	–	–	2	1	4	14	–
Prague and Suburbs	689,262	„ 7	201	178	13·1	1	?	–	2	–	–	4	–
Budapest	940,000	Sept. 9	299	319	17·7	10	?	–	6	1	1	24	–
Warsaw	956,087	Oct. 7	355	235	12·1	3	–	4	6	–	2	16	3
Cairo	777,500	Aug. 26	712	678	45·3	12	–	2	–	?	2	161	[illegible]
Alexandria	456,300	„ 26	423	294§	33·5	3	–	–	–	?	1	50	[illegible]
New York	5,839,738	Oct. 28	2112	1208	10·8	3	–	–	1	3	11	23	[illegible]
Chicago	2,833,288	„ 28	?	553	10·2	1	–	–	1	1	12	21	[illegible]
Rio de Janeiro	1,244,240	„ 7	699	509	21·3	–	3	33	1	7	2	?	12
Montevideo	346 419	July 22	223	145	19·7	1	–	–	–	–	–	1	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 4 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th November, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1240	131	31	30	32	42	53	89	153	180	233	266
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	1	–	–	1	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	6	–	–	2	3	–	–	1	–	–	–	–
Whooping cough	5	1	1	3	–	–	–	–	–	–	–	–
Diphtheria	13	–	–	8	3	2	–	–	–	–	–	–
Influenza	12	1	–	–	–	2	2	1	–	3	1	2
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	96	–	–	–	2	16	17	26	26	5	4	–
Tuberculous meningitis	8	2	–	2	3	–	–	–	–	–	–	1
Abdominal tuberculosis	1	–	–	–	–	–	1	–	–	–	–	–
Other tubercle	6	–	–	–	–	–	2	–	1	–	2	1
Venereal diseases	1	–	–	–	–	–	1	–	–	–	–	–
Cancer	124	–	1	1	–	2	–	10	22	38	33	17
Rheumatic fever	6	–	–	–	3	3	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	1	–	1	3	1
Alcoholism	2	–	–	–	–	–	–	–	1	1	–	–
Simple meningitis	3	–	–	–	2	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	52	–	–	–	–	–	–	1	2	9	17	23
Epilepsy	2	–	–	–	1	–	–	1	–	–	–	–
"Convulsions" (not puerperal)	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	31	–	1	1	3	3	3	3	5	5	3	4
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	1	1	–	–	–	1	–
Other diseases of heart	178	–	–	–	2	1	8	14	21	35	41	56
Other dis. of circulatory system	44	–	–	–	–	–	–	1	3	11	14	15
Bronchitis	150	5	2	1	1	–	2	5	11	22	43	58
Broncho-pneumonia	88	35	14	3	1	2	1	2	6	7	11	6
Lobar pneumonia	37	7	4	–	–	–	1	1	9	8	6	1
Pneumonia (type not distinguished)	29	2	2	1	–	–	3	3	4	4	5	5
Other diseases of respiratory system	22	1	–	–	2	–	–	–	8	4	3	4
Diarrhœa and enteritis	22	14	2	1	–	–	1	–	1	1	1	1
Appendicitis and typhlitis	6	–	–	1	3	–	–	1	–	1	–	–
Hernia, Intestinal obstruction	20	2	–	–	–	–	–	1	3	4	6	4
Cirrhosis of liver	5	–	–	–	–	–	–	–	3	1	1	–
Other diseases of digestive system	19	2	–	–	–	2	–	1	4	4	4	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	46	–	–	–	–	2	1	4	8	6	18	7
Other diseases of genito-urinary system.	20	1	–	1	–	–	1	2	3	2	1	9
Puerperal fever, &c.	4	–	–	–	–	1	3	–	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	2	2	–	–	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	45	–	–	–	–	–	–	–	–	–	4	41
Suicide	6	–	–	–	–	–	1	1	–	2	2	–
Burns and scalds	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	1	–	–	–	–	1	–	1	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	–	1	1	1	3	–	–	–
Other deaths by violence	11	–	–	–	–	2	1	–	2	1	2	3
Other specified causes	48	11	2	2	3	2	1	6	6	4	6	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 25th November 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	16	15	–	20	–
†BERMONDSEY ...	–	11	15	–	12	M. 1
†BETHNAL GREEN	–	4	17	–	6	M. 2
†CAMBERWELL ...	–	11	15	2	1	C. 1 E. 1
†CHELSEA ...	–	5	1	–	–	–
†DEPTFORD ...	–	15	9	–	2	–
†FINSBURY ...	–	4	4	–	4	C. 1
†FULHAM ...	–	11	4	–	3	G. 1
†GREENWICH ...	–	8	17	–	1	–
†HACKNEY ...	–	12	25	–	–	M. 1
†HAMMERSMITH	–	11	5	–	4	–
†HAMPSTEAD ...	–	5	8	1	4	–
†HOLBORN ...	–	–	–	1	2	–
†ISLINGTON ...	–	25	19	–	2	M. 2
†KENSINGTON ...	–	1	4	–	6	–
†LAMBETH ...	–	28	7	2	7	C. 1 D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	6	5	–	4	C. 1
†PADDINGTON ...	–	17	6	1	8	M. 1
†POPLAR... ...	2	5	21	–	15	C. 1 M. 1
†ST. MARYLEBONE	–	5	6	–	2	–
†ST. PANCRAS ...	–	19	16	–	10	C. 1 M. 1
†SHOREDITCH ...	–	4	7	–	7	M. 3
†SOUTHWARK ...	–	20	23	–	9	M. 1
†STEPNEY ...	–	8	10	1	16	M. 2
†WANDSWORTH	–	13	10	–	14	M. 2
†WESTMINSTER, CITY OF	–	5	1	–	1	D. 1
†WOOLWICH ...	–	8	4	–	8	C. 1 M. 3
TOTAL OF PART I.	2	278	274	8	168	C. 7 D. 2 E. 1 G. 1 M. 20

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	2	1	4	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	2	–	–	3	–
KEMPSTON ...	–	2	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	1	–
BEDFORD ...	–	1	–	–	–	–
LUTON	–	–	–	1	–	–
BERKS	–	35	6	–	2	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	8	–	–	–	–
†READING C.B....	–	18	3	–	2	–
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	1	–	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	–	1	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	1	1	–	–	–
BUCKINGHAM	–	5	2	1	6	E. 1
Boroughs and Urban Districts :—						
CHESHAM ...	–	1	–	–	–	–
†SLOUGH... ...	–	–	1	–	–	E. 1
†WOLVERTON ...	–	1	–	–	2	–
BUCKINGHAM—*cont.*						
Rural Districts :—						
AMERSHAM ...	–	–	–	–	1	–
AYLESBURY ...	–	–	–	–	1	–
ETON	–	2	–	–	–	–
WING	–	–	–	1	–	–
WINSLOW ...	–	1	–	–	–	–
WYCOMBE ...	–	–	1	–	2	–
CAMBRIDGE ...	–	–	2	–	–	G. 1
Borough :—						
†CAMBRIDGE ...	–	–	1	–	–	–
Rural Districts :—						
CHESTERTON ...	–	–	1	–	–	G. 1
CHESTER	–	76	25	2	17	C. 2 E. 1 L. 2
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	2	–	–	–	–
†ALTRINCHAM ...	–	2	–	–	1	–
ASHTON-UPON-MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	1	–
†BIRKENHEAD C.B.	–	3	6	–	4	E. 1
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	4	–	–	–	–
†CHESTER C.B. ...	–	6	1	–	1	–
†CONGLETON ...	–	2	–	–	1	–
†CREWE	–	6	–	–	–	–
†DUKINFIELD ...	–	–	1	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HOOLE	–	1	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	–	–	1	C. 1
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD...	–	2	–	–	1	L. 2
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	16	–	–	–	–
†SALE	–	1	1	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	1	–	1	–	–
†STOCKPORT C.B.	–	4	7	1	1	–
†WALLASEY C.B.	–	6	2	–	1	–
WILMSLOW ...	–	–	4	–	–	–
YEARDSLEY CUM WHALEY	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER ...	–	1	–	–	–	C. 1
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	–	1	–	1	–
RUNCORN ...	–	3	–	–	–	–
TARVIN	–	2	–	–	–	–
WIRRAL... ...	–	–	1	–	–	–
CORNWALL ...	–	10	3	2	3	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	–	–	1	–	–
NEWQUAY ...	–	–	2	–	–	–
PHILLACK ...	–	–	–	–	1	–
REDRUTH ...	–	2	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
SALTASH ...	*	*	*	*	*	*
TORPOINT ...	–	1	–	–	–	–
WADEBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
BODMIN ...	–	2	–	–	–	–
CAMELFORD ...	–	1	1	–	–	–
REDRUTH ...	–	1	–	–	1	–
SAINT GERMANS	*	*	*	*	*	*
TRURO	*	*	*	*	*	*
WEST PENWITH	–	–	–	1	–	–
CUMBERLAND ...	–	18	3	–	2	M. 1
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	6	–	–	–	–
EGREMONT ...	–	–	–	–	–	M. 1
HARRINGTON ...	–	–	2	–	–	–
†MARYPORT ...	–	2	1	–	–	–
MILLOM... ...	–	5	–	–	1	–
†WORKINGTON ...	–	4	–	–	–	–
Rural District:—						
PENRITH ...	–	–	–	–	1	–
WIGTON ...	–	1	–	–	–	–
DERBY	4	32	18	–	20	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	1	–	–	–
†BELPER	–	3	–	–	–	–
†BOLSOVER ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRAMPTON AND WALTON	–	–	1	–	–	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	–	–	1	–
†DERBY C.B. ...	–	7	3	–	11	M. 2
†HEANOR ...	2	1	–	–	2	–
†ILKESTON ...	–	–	–	–	2	–
†LONG EATON ...	–	–	1	–	–	–
NEW MILLS ...	–	1	–	–	1	–
†RIPLEY ...	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
WIRKSWORTH ...	–	–	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	–	1	–	1	–
BELPER	1	6	1	–	–	–
BLACKWELL ...	–	1	2	–	–	–
CHAPEL-EN-LE-FRITH	–	–	2	–	–	–
CHESTERFIELD ...	–	4	1	–	–	–
CLOWNE ...	1	–	1	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
SHARDLOW ...	–	2	2	–	–	–
DEVON	–	13	10	–	16	C. 2 M. 2
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
BIDEFORD ...	*	*	*	*	*	*
†EXETER C.B. ...	–	1	–	–	–	C. 1 M. 2
†EXMOUTH ...	–	–	2	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
OTTERY ST. MARY	*	*	*	*	*	*
†PLYMOUTH C.B.	–	8	7	–	8	C. 1
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	1	–
ST. THOMAS ...	–	–	–	–	2	–
DORSET	–	7	2	–	3	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	–
SHAFTESBURY ...	–	–	1	–	–	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	1	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
POOLE	–	–	1	–	–	–
SHAFTESBURY ...	–	–	–	–	2	–
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM... ...	–	68	20	3	37	F. 1 M. 7
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	M. 1
BENFIELDSIDE ...	–	–	1	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†CROOK	–	–	1	–	–	M. 1
†DARLINGTON C.B.	–	5	1	–	2	–
†FELLING ...	–	–	–	–	1	–
†GATESHEAD C.B.	–	4	–	–	5	M. 1
†HEBBURN ...	–	–	–	–	4	–
†HETTON... ...	–	9	1	–	–	–
†HOUGHTON LE SPRING	–	1	–	–	3	–
†JARROW ...	–	3	–	–	3	–
LEADGATE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RYTON	–	–	–	–	–	M. 1
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	1	3	–	2	F. 1 M. 1
†SOUTHWICK-ON-WEAR	–	1	–	–	–	–
†STANLEY ...	–	2	2	–	–	–
†STOCKTON-ON-TEES	–	–	1	–	2	–
†SUNDERLAND C.B.	–	9	4	–	4	M. 2
†WASHINGTON ...	–	2	–	–	–	–
†WEST HARTLEPOOL C.B	–	1	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	6	–	1	1	–
CHESTER-LE-STREET	–	1	2	–	–	–
DURHAM ...	–	5	–	–	1	–
EASINGTON ...	–	6	–	–	5	–
HARTLEPOOL ...	–	–	–	2	–	–
HOUGHTON-LE-SPRING	–	4	–	–	3	–
LANCHESTER ...	–	2	1	–	–	–
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	2	1	–	–	–
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
ESSEX	–	60	55	1	17	C. 3 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	–	–	C. 1
BRENTWOOD ...	–	1	–	–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
BURNHAM-ON-CROUCH	–	–	–	–	2	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	–	1	–	–	–
†EAST HAM C.B.	–	10	3	–	1	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	4	2	–	–	–
HALSTEAD ...	–	1	1	–	–	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	2	3	–	–	C. 1
†LEYTON... ...	–	7	5	–	2	C. 1
†ROMFORD ...	–	–	1	–	–	–
SHOEBURYNESS	–	–	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	1	2	–	–	–
†WALTHAMSTOW	–	8	6	–	3	M. 1
†WANSTEAD ...	–	2	–	–	–	–
†WEST HAM C.B.	–	12	24	1	5	–
WIVENHOE ...	–	–	1	–	–	–
Rural Districts:—						
DUNMOW ...	–	–	–	–	2	–
HALSTEAD ...	–	1	–	–	–	–
ONGAR	–	3	–	–	–	–
ORSETT	–	2	3	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD ...	–	–	2	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	78	17	2	9	M. 4
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	54	9	–	5	M. 4
†CHELTENHAM ...	–	9	–	–	–	–
†GLOUCESTER C.B.	–	3	3	1	1	–
†KINGSWOOD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CAMPDEN ...	–	1	–	–	–	–
CHIPPING SODBURY	–	2	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	3	–	–	–
NEWENT ...	–	3	–	–	–	–
NORTHLEAGH ...	–	–	1	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	–	1	–	–
WHEATENHURST	–	–	–	–	1	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	1	6	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	4	–	1	–
LEOMINSTER ...	*	*	*	*	*	*
ROSS	–	1	–	–	–	–
Rural District:—						
BROMYARD ...	–	–	2	–	1	–
HERTFORD ...	–	14	3	–	3	C. 1 D. 1
Boroughs and Urban Districts:—						
†BARNET ...	–	–	–	–	–	D. 1
BISHOP'S STORTFORD	–	1	–	–	1	–
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUSHEY... ...	–	6	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
†ST. ALBANS ...	–	2	–	–	–	–
Rural Districts:—						
BARNET ...	–	1	1	–	–	–
HADHAM ...	–	1	–	–	–	–
HITCHIN ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WARE	–	–	1	–	–	–
WATFORD ...	–	–	–	–	1	–
WELWYN ...	–	–	–	–	–	C. 1
HUNTINGDON ...	–	–	1	–	–	–
Rural Districts:—						
ST. IVES ...	–	–	1	–	–	–
ST. NEOTS (No. 2)	*	*	*	*	*	*
KENT	–	37	29	4	17	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	1	–	–	–	–
†BECKENHAM ...	–	1	–	1	1	–
†BEXLEY... ...	–	6	2	–	–	–
†BROMLEY ...	–	–	–	–	1	–
†CHATHAM ...	–	2	3	1	–	–
CHERITON ...	–	1	–	–	–	–
†CRAYFORD ...	–	–	–	–	2	–
†DARTFORD ...	–	1	–	–	–	–
†DOVER	–	–	–	2	2	D. 1

* Returns not received. † Population over 10,000.

C. Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ERITH	–	2	1	–	2	–
†FAVERSHAM ...	–	2	–	–	–	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	3	2	–	–	–
†GRAVESEND ...	–	3	2	–	–	G. 1
HYTHE	–	2	–	–	–	–
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	–	7	–	–	–
†NORTHFLEET ...	–	–	2	–	–	–
†PENGE	–	–	1	–	–	–
QUEENBOROUGH	–	–	–	–	1	–
†RAMSGATE ...	–	–	–	–	2	C. 1
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	3	–
†SHEERNESS ...	–	1	–	–	–	–
SITTINGBOURNE	–	–	2	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	–	2	–	–	–
DARTFORD ...	–	–	1	–	–	–
EAST ASHFORD...	–	1	–	–	–	–
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	1	–	–	1	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING ...	–	1	–	–	1	–
STROOD	–	2	–	–	–	–
TONBRIDGE ...	–	–	1	–	–	–
WEST ASHFORD	–	–	1	–	–	–
LANCASTER ...	–	377	102	5	213	C. 17 L. 2 M. 29
Boroughs and Urban Districts:—						
ABRAM	–	1	1	–	–	–
†ACCRINGTON ...	–	2	2	–	–	M. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†ASHTON-IN-MAKERFIELD	–	1	2	–	4	–
†ASHTON-UNDER-LYNE	–	3	–	–	2	–
†ATHERTON ...	–	2	–	–	1	–
†BACUP	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	8	1	–	8	–
†BLACKPOOL C.B.	–	5	–	–	5	M. 2
†BOLTON C.B. ...	–	13	4	–	5	–
†BOOTLE C.B. ...	–	5	3	–	1	–
BRIERFIELD ...	–	–	1	–	–	–
†BURNLEY C.B.	–	27	1	–	–	M. 1
†BURY C.B. ...	–	2	–	–	5	–
†CHADDERTON ...	–	1	1	–	–	–
†CHORLEY ...	–	1	–	–	1	–
†COLNE	–	–	1	–	1	–
†CROMPTON ...	–	1	–	–	2	–
†DALTON-IN-FURNESS	–	1	1	–	–	–
†DARWEN ...	–	6	–	–	–	–
†DENTON ...	–	2	–	1	–	–
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES ...	–	2	1	–	–	–
†FAILSWORTH ...	–	2	–	–	1	–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	–	–	–	2	–
†GREAT CROSBY	–	1	–	–	–	–
†HAYDOCK ...	–	–	1	–	–	–
†HEYWOOD ...	–	7	–	–	2	–
†HINDLEY ...	–	1	2	–	2	–
†HORWICH ...	–	1	1	–	5	–
HURST	–	2	–	–	–	–
HUYTON-WITH-ROBY	–	3	–	–	–	–
†INCE-IN-MAKERFIELD	–	2	–	–	–	–
IRLAM	–	–	1	–	2	–
KEARSLEY ...	–	1	–	–	–	C. 1
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEES	–	–	–	–	1	–
†LEIGH	–	4	–	1	1	M. 1
†LITHERLAND ...	–	7	–	–	–	–
LITTLE HULTON	–	1	–	–	–	–
LITTLE LEVER...	–	–	–	–	1	–
†LIVERPOOL C.B.	–	60	18	–	34	C. 3 M. 10
LONGRIDGE ...	–	1	2	–	–	–
†LYTHAM SAINT ANNE'S	–	1	–	1	1	–
†MANCHESTER C.B.	–	51	18	–	71	C. 9 M. 8
†MIDDLETON ...	–	2	–	–	1	–
†NELSON ...	–	1	–	–	1	–
†NEWTON-IN-MAKERFIELD	–	1	–	–	2	–
†OLDHAM C.B. ...	–	11	3	–	6	M. 2
†OSWALDTWISTLE	–	–	–	–	1	–
PRESCOT ...	–	3	–	–	–	–
†PRESTON C.B. ...	–	8	6	1	1	–
†PRESTWICH ...	–	1	1	–	–	–
†RAMSBOTTOM ...	–	1	–	–	1	–
RISHTON ...	–	2	–	–	3	–
†ROCHDALE C.B.	–	18	2	–	–	–
†ROYTON... ...	–	–	–	–	1	–
†ST. HELENS C.B.	–	2	2	–	2	M. 1
†SALFORD C.B. ...	–	29	7	1	5	C. 2 M 1
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B.	–	3	2	–	2	–
†STRETFORD ...	–	3	–	–	–	–
†SWINTON AND PENDLEBURY	–	3	2	–	1	–
TOTTINGTON ...	–	–	–	–	3	C. 1
†TURTON... ...	–	2	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	3	1	–	–	–
†ULVERSTON ...	–	1	8	–	–	–
UPHOLLAND ...	–	3	–	–	–	C. 1
†WALTON LE DALE	–	4	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WARRINGTON C.B.	–	7	–	–	5	M. 1
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–
WHITWORTH ...	–	2	–	–	–	–
†WIDNES ...	–	2	1	–	4	M. 1
†WIGAN C.B. ...	–	6	3	–	8	–
†WORSLEY ...	–	1	–	–	1	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	2	–
BURNLEY ...	–	–	1	–	–	–
BURY	–	2	–	–	–	–
CHORLEY ...	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 2
FYLDE	–	4	–	–	–	–
GARSTANG ...	–	1	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON ...	–	2	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	3	–	–	–	–
WARRINGTON	–	1	–	–	1	–
WHISTON ...	–	3	–	–	–	–
LEICESTER ...	–	30	11	1	7	C. 2 G. 1 M. 2
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
ASHBY WOULDS	*	*	*	*	*	*
†COALVILLE ...	–	–	1	–	–	–
†LEICESTER C.B.	–	22	3	1	5	C. 1 G. 1 M. 1
†LOUGHBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	4	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	C. 1 M. 1
BELVOIR ...	–	3	–	–	–	–
BLABY	–	–	1	–	–	–
CASTLE DONNINGTON	–	–	–	–	1	–
MARKET HARBOROUGH	–	3	–	–	–	–
LINCOLN (parts of Holland).	–	1	5	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	2	–	–	–
EAST ELLOE ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	2	–
Boroughs and Urban District:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	–	–	–	1	–
CLAYPOLE ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	7	1	3	C. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	3	–	–	1	C. 1
GAINSBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRIMSBY, C.B....	–	2	1	–	1	–
†LINCOLN C.B. ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	3	–	–	–
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH	–	–	1	–	–	–
GLANFORD BRIGG	–	1	–	–	1	–
ISLE OF AXHOLME	–	–	–	1	–	–
SPILSBY,... ...	–	1	2	–	–	–
MIDDLESEX ...	–	97	77	1	35	C. 2 G. 2 L. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	9	3	–	1	G. 1
†BRENTFORD ...	–	1	3	–	1	–
†CHISWICK ...	–	2	1	–	1	–
†EALING ...	–	6	–	–	1	–
†EDMONTON ...	–	3	4	–	1	–
†ENFIELD ...	–	2	1	–	–	–
FELTHAM ...	–	7	2	–	–	G. 1
†FINCHLEY ...	–	1	3	–	–	–
†HAMPTON ...	–	4	–	–	1	–
†HANWELL ...	–	5	–	–	–	–
†HARROW-ON-THE-HILL	–	–	1	–	–	–
†HENDON ...	–	–	11	–	1	–
†HESTON AND ISLEWORTH	–	3	6	1	4	–
†HORNSEY ...	–	4	3	–	3	–
†SOUTHALL NORWOOD	–	5	–	–	–	C. 1 L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX— *cont.*						
Boroughs and Urban Districts— *cont.*						
†SOUTHGATE ...	–	3	–	–	1	–
STAINES ...	–	–	3	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	26	4	–	10	C. 1
†TWICKENHAM ...	–	3	–	–	1	–
†UXBRIDGE ...	–	–	1	–	–	–
†WEALDSTONE ...	–	–	1	–	1	–
†WEMBLEY ...	–	–	1	–	3	–
†WILLESDEN ...	–	5	21	–	1	M. 3
†WOOD GREEN ...	–	5	2	–	3	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON ...	–	–	2	–	1	–
STAINES ...	–	2	3	–	–	–
NORFOLK ...	–	34	6	–	3	M. 2
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	6	3	–	–	–
†NORWICH C.B....	–	22	2	–	–	–
SWAFFHAM ...	–	1	–	–	–	–
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DEPWADE ...	–	–	–	–	1	–
DOCKING ...	–	1	–	–	1	–
DOWNHAM ...	–	–	–	–	–	M. 2
FREEBRIDGE LYNN	–	–	–	–	1	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	1	1	–	–	–
NORTHAMPTON	–	36	6	–	9	–
Boroughs and Urban Districts:—						
FINEDON ...	–	14	–	–	–	–
IRTHLINGBOROUGH	–	2	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
†NORTHAMPTON C.B.	–	12	4	–	7	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	3	2	–	–	–
NORTHUMBERLAND.	–	44	9	1	31	M. 4
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	–	2	–	–	1	–
†BEDLINGTONSHIRE	–	1	–	1	2	–
†BLYTH	–	2	–	–	2	M. 1
†EARSDON ...	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
NEWBIGGIN-BY-THE-SEA	*	*	*	*	*	*
†NEWCASTLE-UPON-TYNE C.B.	–	11	4	–	17	M. 2
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL ...	–	2	–	–	–	–
†TYNEMOUTH C.B.	–	4	–	–	6	M. 1
†WALLSEND ...	–	–	2	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
WEETSLADE ...	–	7	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	1	–
MORPETH ...	–	6	3	–	–	–
NOTTINGHAM ...	3	39	8	3	17	C. 1
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†BEESTON ...	–	1	–	–	–	–
†CARLTON ...	–	–	1	–	6	–
†EAST RETFORD ...	–	1	–	–	4	–
EASTWOOD ...	1	–	–	–	–	–
†HUCKNALL ...	–	–	1	–	2	–
†KIRKBY IN ASHFIELD	–	3	–	–	–	–
†MANSFIELD ...	–	5	–	–	1	–
†NEWARK ...	–	1	–	–	–	–
†NOTTINGHAM C.B.	1	26	5	3	2	C. 1
Rural Districts:—						
BASFORD ...	1	–	–	–	–	–
BINGHAM ...	–	–	–	–	1	–
NEWARK ...	–	2	1	–	–	–
OXFORD	–	10	1	–	2	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	3	–	–	2	–
†OXFORD C.B. ...	–	3	–	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
GORING	–	2	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	4	C. 1
Borough:—						
†PETERBOROUGH	–	1	–	–	4	C. 1
SALOP	–	9	11	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	6	–	–	–
ELLESMERE ...	*	*	*	*	*	*
LUDLOW ...	–	1	2	–	–	–
NEWPORT ...	–	–	–	–	3	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	4	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WEM	–	–	–	–	–	C. 1
Rural Districts:—						
ATCHAM ...	–	–	1	–	–	–
BRIDGNORTH ...	–	–	–	–	1	–
CHURCH STRETTON	–	–	–	–	–	M. 1
DRAYTON ...	–	–	1	–	–	–
ELLESMERE ...	*	*	*	*	*	*
WELLINGTON ...	–	–	–	–	1	–
WEM	–	3	1	–	–	–
SOMERSET ...	–	26	5	–	8	–
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	–	2	–	2	–
†FROME	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephaitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—*cont.*						
GLASTONBURY ...	–	1	–	–	–	–
MIDSOMER NORTON	–	2	3	–	–	–
†TAUNTON ...	–	5	–	–	–	–
†WESTON-SUPER-MARE	–	2	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	5	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON ...	–	–	–	–	1	–
LONG ASHTON ...	–	2	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
WILLITON ...	–	3	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	62	14	2	6	M. 2
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	3	–	–	–	–
†BOURNEMOUTH C.B.	–	2	–	–	1	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	1	–	1	–
†GOSPORT ...	–	1	1	–	2	–
PETERSFIELD ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	24	7	1	1	M. 1
†SOUTHAMPTON C.B.	–	11	1	1	1	–
†WINCHESTER ...	–	3	–	–	–	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
SOUTHAMPTON—*cont.*						
Rural Districts:—*cont.*						
WHITCHURCH ...	–	11	3	–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD ...	–	150	31	4	41	C. 4 M. 17
Boroughs and Urban Districts:—						
BIDDULPH ...	–	5	2	–	–	–
†BILSTON ...	–	9	–	–	–	–
†BRIERLEY HILL	–	–	1	–	–	–
†BROWNHILLS ...	–	2	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	3	–	–	–	–
†CANNOCK ...	–	4	–	–	–	M. 1
†COSELEY ...	–	3	–	–	–	–
†DARLASTON ...	–	2	–	–	1	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	–	–
†LEEK	–	6	–	–	–	–
†NEWCASTLE UNDER LYME	–	3	–	–	–	–
QUARRY BANK	–	2	–	–	1	–
†ROWLEY REGIS	–	3	–	–	1	–
RUGELEY ...	–	–	1	–	–	–
†SEDGLEY ...	–	–	1	–	–	–
†SMETHWICK C.B.	–	4	2	–	1	C. 1
†STAFFORD ...	–	10	–	–	–	–
†STOKE-ON-TRENT C.B.	–	42	6	1	20	C. 2 M. 14
STONE	–	–	1	–	–	–
TAMWORTH ...	–	1	1	–	–	–
†TIPTON	–	2	1	–	–	–
†WALSALL C.B....	–	4	–	–	2	M. 1
†WEDNESBURY ...	–	3	–	–	1	M. 1
WEDNESFIELD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	11	4	–	1	C. 1
†WILLENHALL ...	–	4	–	–	3	–
†WOLSTANTON UNITED	–	3	5	–	–	–
†WOLVERHAMPTON C.B.	–	4	–	1	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK ...	–	2	1	–	–	–
CHEADLE ...	–	6	–	–	1	–
KINGSWINFORD	–	–	1	2	–	–
LEEK	–	1	–	–	1	–
NEWCASTLE-UNDER-LYME	–	1	–	–	–	–
SEISDON ...	–	–	2	–	–	–
STAFFORD ...	–	1	–	–	–	–
STONE	–	–	–	–	2	–
TAMWORTH (part)	–	8	1	–	–	–
WALSALL ...	–	1	–	–	2	–
SUFFOLK, EAST	–	18	5	–	3	M. 2
Boroughs and Urban Districts:—						
EYE	–	–	1	–	1	–
†IPSWICH C.B. ...	–	6	3	–	2	M. 1
†LOWESTOFT ...	–	1	1	–	–	–
Rural Districts:—						
EAST STOW ...	–	1	–	–	–	–
HOXNE	–	2	–	–	–	M. 1
MUTFORD AND LOTHINGLAND	*	*	*	*	*	*
SAMFORD ...	–	4	–	–	–	–
WOODBRIDGE ...	–	4	–	–	–	–
SUFFOLK, WEST	–	3	–	–	1	–
Rural Districts:—						
BRANDON ...	–	2	–	–	–	–
COSFORD ...	–	–	–	–	1	–
MILDENHALL ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	74	24	1	13	L. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	–	2	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	3	4	–	–	–
†CROYDON C.B....	–	15	7	–	3	–
†EGHAM	–	–	4	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†GUILDFORD ...	–	2	–	–	1	–
†KINGSTON-ON-THAMES	–	7	1	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM ...	–	6	–	–	1	–
†RICHMOND ...	–	2	–	1	–	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	1	–	–	1	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
†WALTON-UPON THAMES	–	4	–	–	–	–
WEYBRIDGE ...	–	22	–	–	–	–
†WIMBLEDON ...	–	1	4	–	–	M. 1
†WOKING ...	–	–	–	–	5	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING ...	–	1	–	–	–	–
EPSOM	–	–	–	–	1	L. 1
FARNHAM ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	14	7	–	4	–
Boroughs and Urban Districts:—						
†BEXHILL ...	–	–	1	–	–	–
†BRIGHTON C.B....	–	2	6	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EASTBOURNE C.B.	–	1	–	–	–	–
†HOVE	–	10	–	–	–	–
Rural Districts:—						
STEYNING EAST	–	1	–	–	–	
SUSSEX, WEST ...	–	8	2	–	2	–
Boroughs and Urban Districts:—						
†BOGNOR ...	–	1	–	–	–	
†HORSHAM ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	2	2	–	–	–
Rural Districts:—						
HORSHAM ...	–	3	–	–	–	–
PETWORTH ...	–	–	–	–	2	–
WARWICK ...	–	91	38	–	41	C. 4 E. 1 M. 10
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	47	35	–	26	C. 4 E. 1 M. 10
†COVENTRY C.B.	–	7	1	–	–	–
†NUNEATON ...	–	4	–	–	2	–
†ROYAL LEAMINGTON SPA	–	2	–	–	–	–
†RUGBY	–	1	–	–	2	–
†SUTTON COLDFIELD	–	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
ATHERSTONE ...	–	2	–	–	–	–
BRAILES ...	–	–	–	–	1	–
FOLESHILL ...	–	7	–	–	1	–
MERIDEN ...	–	–	–	–	3	–
RUGBY	–	6	–	–	2	–
SOLIHULL ...	–	2	–	–	–	–
SOUTHAM ...	–	1	–	–	2	–
TAMWORTH (part)	–	5	1	–	–	–
WARWICK ...	–	4	–	–	–	–
WESTMORLAND	–	3	–	–	–	–
Rural Districts:—						
WEST WARD ...	–	3	–	–	–	–
ISLE OF WIGHT	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
VENTNOR ...	*	*	*	*	*	*
WILTS	–	19	4	–	1	–
Boroughs and Urban Districts:—						
CALNE	–	2	–	–	–	–
DEVIZES ...	*	*	*	*	*	*
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	6	–	–	–	–
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–
DEVIZES ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—*cont.*						
HIGHWORTH ...	–	1	–	–	–	–
MARLBOROUGH...	–	1	–	–	–	–
MERE	–	–	1	–	–	–
PEWSEY ...	–	4	–	–	–	–
RAMSBURY ...	–	–	–	–	1	–
SALISBURY ...	–	3	–	–	–	–
WILTON... ...	–	–	2	–	–	–
WORCESTER ...	–	30	1	–	4	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
†KIDDERMINSTER	–	4	1	–	2	–
†LYE AND WOLLESCOTE	–	2	–	–	–	–
†MALVERN ...	*	*	*	*	*	*
†OLDBURY ...	–	1	–	–	–	–
†REDDITCH ...	–	8	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	1	–	–	–	–
†WORCESTER C.B.	–	2	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	3	–	–	–	–
PERSHORE ...	–	2	–	–	–	–
SHIPSTON-ON-STOUR	–	3	–	–	–	–
YORKS ... ... (East Riding).	–	15	25	–	8	C. 1 M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
HESSLE	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	5	19	–	3	C. 1 M. 3
†YORK C.B. ...	–	8	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
PATRINGTON ...	–	–	1	–	–	–
POCKLINGTON ...	–	–	–	–	1	–
RICCALL ...	–	1	–	–	–	–
SOULCOATES ...	–	–	4	–	2	–
YORKS ... ... (North Riding).	3	52	5	–	9	E. 1 M. 2
Boroughs and Urban Districts:—						
†ESTON	1	15	–	–	–	–
GUISBOROUGH ...	–	2	–	–	3	–
HINDERWELL ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	2	26	1	–	2	M. 1
†REDCAR ...	–	1	–	–	3	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON	–	3	–	–	–	–
†THORNABY-ON-TEES	–	–	1	–	–	–
†WHITBY ...	–	–	2	–	–	–
Rural Districts:—						
AYSGARTH ...	*	*	*	*	*	*
KIRKBY MOORSIDE	–	–	–	–	–	E. 1 M. 1
LEYBURN ...	–	–	–	–	–	–
NORTHALLERTON	–	2	–	–	–	–
STARTFORTH ...	–	1	–	–	–	–
THIRSK	–	–	1	–	–	–
WATH	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; J, Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	9	256	69	7	110	C. 5 M. 8
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	–	–	3	–
ARDSLEY, EAST AND WEST	–	2	–	–	–	–
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	6	4	–	4	C. 1 M. 1
†BATLEY... ...	–	4	–	–	1	–
†BENTLEY WITH ARKSEY	–	–	–	–	–	M. 1
†BINGLEY ...	–	3	–	–	3	–
BIRSTAL ...	–	2	–	–	–	–
†BOLTON UPON DEARNE	–	2	–	2	–	–
†BRADFORD C.B.	–	16	7	1	5	C. 2 M. 2
†BRIGHOUSE ...	–	1	1	–	–	–
†CONISBROUGH ...	–	3	1	–	–	–
†DARTON ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	3	–	–	–	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	9	6	–	–	–	–
DRIGLINGTON ...	–	–	–	–	1	–
EARBY	–	–	1	–	–	–
†FEATHERSTONE	–	2	–	–	–	–
GARFORTH ...	–	1	–	–	–	–
†GOOLE	–	–	2	–	1	–
GUISELEY ...	–	1	–	–	–	–
†HALIFAX C.B. ...	–	3	2	1	1	–
†HARROGATE ...	–	–	–	–	1	–
HEBDEN BRIDGE	–	2	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	–
HIPPERHOLME ...	–	2	–	–	–	–
HONLEY ...	–	–	–	–	1	–
HORBURY ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	2	–	2	–
†HUDDERSFIELD C.B.	–	3	1	–	5	M. 1
†KEIGHLEY ...	–	2	–	–	–	–
†LEEDS C.B. ...	–	85	9	1	7	M. 1
MARSDEN ...	–	–	1	–	–	–
†MEXBOROUGH ...	–	–	–	–	1	–
†MORLEY... ...	–	1	–	–	3	–
†NORMANTON* ...	–	–	–	–	3	–
OAKWORTH ...	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
OTLEY	–	–	1	–	–	–
OXENHOPE ...	–	–	1	–	–	–
†PUDSEY... ...	–	1	1	1	–	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	6	–	–	–	–
†ROTHWELL ...	–	1	1	–	–	–
†SADDLEWORTH...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	48	14	–	53	C. 2 M. 2
SHELLEY ...	–	–	1	–	–	–
†SHIPLEY ...	–	3	2	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
SOWERBY BRIDGE	–	1	–	–	–	–
SPRINGHEAD ...	–	1	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	–	–	1	–	–
†STANLEY ...	–	2	1	–	1	–
STOCKSBRIDGE...	–	1	–	–	–	–
†SWINTON ...	–	1	–	–	–	–
THURLSTONE ...	–	2	–	–	–	–
THURNSCOE ...	–	1	–	–	–	–
TICKHILL ...	–	–	1	–	–	–
†TODMORDEN ...	–	3	–	–	2	–
†WAKEFIELD C.B.	–	5	3	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	1	–	1	–
†WORSBOROUGH	–	1	1	–	–	–
YEADON ...	–	–	–	–	1	–
Rural Districts:—						
BISHOPTHORPE...	–	–	2	–	–	–
DONCASTER ...	–	–	–	–	3	–
HALIFAX ...	–	3	–	–	–	–
HEMSWORTH ...	–	4	2	–	2	–
KNARESBOROUGH	–	–	2	–	–	–
PONTEFRACT ...	–	–	1	–	–	–
ROTHERHAM ...	–	5	–	–	2	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	4	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	4	–	–	–	–
WHARFEDALE (North)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	9	4	–	–	–
Boroughs and Urban District:—						
MENAI BRIDGE	–	1	–	–	–	–
Rural Districts:—						
AETHWY ...	–	1	4	–	–	–
VALLEY... ...	–	7	–	–	–	–
BRECKNOCK ...	–	2	1	–	3	C. 1
Urban District:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	2	–	–	2	–
HAY	–	–	–	–	1	–
Rural District:—						
BUILTH ...	–	–	–	–	–	C. 1
CARDIGAN ...	–	6	–	–	–	–
Boroughs and Urban District:—						
LAMPETER ...	*	*	*	*	*	*
Rural Districts:—						
ABERAYRON ...	–	3	–	–	–	–
ABERYSTWYTH (South)	–	1	–	–	–	–
LAMPETER ...	–	1	–	–	–	–
LLANDYSSIL ...	*	*	*	*	*	*
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	11	15	–	2	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	3	–	–	–	–
†LLANELLY ...	–	5	5	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN —*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	3	–	–	–
LLANDILO FAWR	–	2	–	–	–	–
LLANELLY ...	–	1	6	–	1	–
LLANYBYTHER...	–	–	1	–	–	–
CARNARVON ...	–	2	3	–	–	G. 1
Boroughs and Urban District—						
CARNARVON ...	–	–	2	–	–	–
Rural Districts:—						
CONWAY ...	–	1	–	–	–	–
GWYRFAI ...	–	–	1	–	–	–
LLEYN	–	1	–	–	–	–
OGWEN	–	–	–	–	–	G. 1
DENBIGH ...	–	8	2	–	–	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	1	–	–	–
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
WREXHAM ...	–	6	1	–	–	–
FLINT	–	1	4	–	1	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
Rural Districts:—						
HOLYWELL (Holywell Div.)	–	–	3	–	1	–
HOLYWELL (Mold Div.)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	107	37	–	33	C. 1 M. 5
Boroughs and Urban Districts:—						
†ABERDARE ...	–	9	1	–	3	–
†BARRY	–	–	3	–	2	–
†CAERPHILLY ...	–	4	1	–	–	–
†CARDIFF C.B. ...	–	7	4	–	1	C. 1 M. 2
†GELLIGAER ...	–	5	5	–	–	–
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	–	–	–	1	M. 2
†MERTHYR TYDFIL C.B.	–	4	–	–	3	–
†MOUNTAIN ASH	–	26	1	–	1	–
†NEATH	–	1	3	–	–	–
†OGMORE AND GARW	–	5	2	–	2	M. 1
†PONTYPRIDD ...	–	3	–	–	1	–
†PORT TALBOT ...	–	3	2	–	–	–
†RHONDDA ...	–	20	3	–	9	–
†SWANSEA C.B. ...	–	10	5	–	3	–
Rural Districts:—						
LLANDAFF AND DINAS POWIS	–	1	2	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	3	3	–	–	–
NEATH	–	2	2	–	5	–
PENYBONT ...	–	3	–	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
MONMOUTH ...	–	23	8	–	4	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	3	–	–	–	–
†BEDWELLTY ...	–	1	4	–	–	–
†EBBW VALE ...	–	3	1	–	–	–
MONMOUTH ...	–	2	–	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
MONMOUTH— *cont.*						
Boroughs and Urban Districts:— *cont.*						
†NEWPORT C.B....	–	1	–	–	1	–
PONTYPOOL ...	–	–	1	–	–	–
†RHYMNEY ...	–	2	–	–	–	–
†TREDEGAR ...	–	7	2	–	2	–
Rural District:—						
PONTYPOOL ...	–	2	–	–	–	–
MONTGOMERY ...	–	1	1	–	3	–
Rural Districts—						
FORDEN ...	–	1	1	–	–	–
LLANFYLLIN ...	–	–	–	–	3	–
PEMBROKE ...	–	5	–	–	3	–
Boroughs and Urban District:—						
†PEMBROKE ...	–	5	–	–	2	–
Rural Districts:—						
ST. DOGMELLS ...	–	–	–	–	1	–
RADNOR	–	2	2	–	–	–
Urban District:—						
PRESTEIGNE ...	–	–	2	–	–	–
Rural District:—						
KNIGHTON ...	–	1	–	–	–	–
NEW RADNOR ...	–	1	–	–	–	–
Total of Part II.	19	2152	754	42	790	C. 50 D. 2 E. 4 F. 1 G. 6 L. 6 M. 108

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Colchester ...	*	*	*	*	*	*
Liverpool ...	–	–	3	1	–	–
Plymouth ...	–	–	–	–	2	–
Southampton ...	–	–	1	–	1	–
Port of London	–	–	1	–	–	–
Total of Part III.	–	–	5	1	3	–

Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	2	278	274	8	168	C. 7 D. 2 E. 1 G. 1 M. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	19	2152	754	42	790	C. 50 D. 2 E. 4 F. 1 G. 6 L. 6 M. 108
Total of Part III.—Port Sanitary Districts ...	–	–	5	1	3	–
Total (*i.e.*, of returns received), England and Wales	21	2430	1033	51	961	C. 57 D. 4 E. 5 F. 1 G. 7 L. 6 M. 128

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Twenty-one cases of Small-pox were notified, which appear on pages 1,378, 1,381, 1,388, 1,392 and 1,393.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.
LONDON:—													
DEATHS—all ages	721	731	744	818	810	800	842	863	946	1,025	1,083	1,155	1,240
" 0 to 1 year	71	71	98	98	83	92	90	88	114	117	103	123	131
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,511	7,926	7,488	7,646	7,545	7,315	7,433	7,096	7,390	6,784	7,139	7,076	7,268
DEATHS—all ages	3,253	3,246	3,287	3,566	3,412	3,488	3,604	3,749	3,961	4,205	4,605	4,709	4,598
" *0 to 1* year	401	421	410	478	433	457	436	504	490	456	541	585	602
ENTERIC FEVER—Cases	23	23	29	24	32	24	17	14	29	27	22	13	24
" Deaths	4	4	3	5	7	3	1	3	3	2	3	1	1
SMALL POX—Cases	7	5	13	10	8	9	7	2	4	37	11	6	13
" Deaths	—	—	—	1	—	—	1	—	—	1	12	3	1
SCARLET FEVER—Cases	855	1,052	1,086	1,147	1,139	1246	1,228	1,420	1,374	1,317	1,486	1,426	1358
" Deaths	6	11	11	3	9	8	9	13	15	15	12	13	18
DIPHTHERIA—Cases	523	537	588	610	677	691	685	720	764	632	631	653	662
" Deaths	27	32	29	32	45	29	44	51	49	61	45	40	35
MEASLES—Deaths	52	44	18	39	35	34	27	49	62	62	69	94	88
INFLUENZA—Deaths	10	12	18	21	28	32	31	43	41	48	71	64	71

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th November 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	49	29	46·3	38·9	0
BRIGHTON	51	28	47·9	39·8	0
PORTSMOUTH	51	33	48·0	40·1	0
NORWICH (EATON).	48	34	46·4	40·9	1
PLYMOUTH	52	34	49·9	40·7	0
BRISTOL (CLIFTON).	49	28	46·4	39·7	1
BIRMINGHAM	50	28	45·9	38·3	0
NOTTINGHAM	51	27	46·6	38·0	0
BIRKENHEAD (BIDSTON).	51	34	47·7	42·7	0·3
MANCHESTER	50	26	47·0	38·7	1
BURNLEY	48	22	46·0	36·9	1
HUDDERSFIELD	51	25	46·9	37·1	0·3
BRADFORD	49	26	46·1	39·3	0
SHEFFIELD	51	31	47·6	40·3	0
YORK (MUSEUM).	51	29	47·9	38·1	0·3
HULL (PEARSON PARK).	50	31	47·7	39·4	1
TYNEMOUTH	52	31	48·1	40·7	0
CARDIFF	51	28	48·3	39·1	1
EDINBURGH	51·0	28·0	47·6	38·6	5
GLASGOW	50·4	31·0	47·4	36·5	5
DUBLIN (PHŒNIX PARK).	53·0	23·6	50·0	38·9	0·5
FITZWILLIAM SQUARE.†	51·2	32·2	49·5	42·8	0·7
BELFAST	54·5	37·5	50·9	42·3	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 25th November 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	19	New	30·126	47·0	37·9	9·1	43·9	+ 1·6	39·1	4·8	6·8	2·4	83	57·8	27·7	47·2	NNE.	N	0·4	0·0	0·0	173	−122	0·00
MONDAY	20	..	30·157	47·9	39·5	8·4	44·7	+ 2·5	39·7	5·0	6·8	3·0	82	53·0	27·6	47·1	NNE: N & WNW.	NNE & NE.	0·6	0·0	0·0	157	−139	0·00
TUESDAY	21	Greatest Declination S.	30·302	48·3	43·0	5·3	45·2	+ 3·1	42·4	2·8	6·1	1·5	90	52·9	41·3	47·2	Calm	Calm	0·2	0·0	0·0	50	−246	0·00
WEDNESDAY	22	..	30·311	45·9	42·0	3·9	44·1	+ 2·0	39·7	4·4	6·0	1·3	84	47·7	38·4	47·2	Calm	Calm	0·2	0·0	0·0	81	−219	0·00
THURSDAY	23	..	30·322	48·0	40·3	7·7	44·4	+ 2·4	37·7	6·7	10·4	1·4	77	56·1	29·9	47·1	Calm & W.	W	0·4	0·0	0·0	164	−140	0·00
FRIDAY	24	..	30·424	48·9	34·6	14·3	42·5	+ 0·5	37·2	5·3	7·6	2·0	82	57·2	25·5	47·2	WNW: NW. & N	NE	1·0	0·0	0·1	262	− 46	0·00
SATURDAY	25	..	30·484	35·9	28·5	7·4	32·6	− 9·3	26·7	5·9	7·5	3·4	78	38·0	18·4	46·9	NE & Calm.	W	0·7	0·0	0·0	180	−133	0·00
MEANS		..	30·304	46·0	38·0	8·0	42·5	+ 0·4	37·5	5·0	7·3	2·1	82	51·8	29·8	47·1	N		...	...	...	Sum 1,067	Sum −1,045	Sum 0·00
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	19	w.P. throughout	0·1	8·7	Cloudless till 1h., becoming overcast by 3h., clearing from 4h. to cloudless by 4h. 30m., clouding up from 7h. Overcast with few exceptions by 8h. 30m.
MONDAY -	20	w.P. throughout	0·0	8·6	Overcast with very slight exceptions, slight mist generally. Damping about 17h.
TUESDAY -	21	No effective register	0·0	8·6	Overcast throughout, misty generally. Gloom from 14h. till sunset.
WEDNESDAY	22	No effective register	0·0	8·5	Overcast throughout, misty in morning.
THURSDAY -	23	w.P. generally	0·0	8·5	Overcast till 18h., then becoming cloudless till 23h., then overcast again. Misty generally. Slight fog about 3h.
FRIDAY -	24	m.P. generally	0·3	8·4	Thin cloud prevalent with haze and slight mist till 9h., overcast generally till 17h., becoming cloudless by 17h. 30m. Hoar frost at night.
SATURDAY -	25	m.P. and s.P. throughout.	1·0	8·4	Cloudless generally till 19h. with mist or slight fog from 9h. Nearly overcast by 20h., becoming cloudless generally by 22h. Hoar frost throughout.
			Sum 1·4	Sum 59·7	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30·13 in. at the beginning of the week to 30·57 in. by 11h. on 25th; and decreased to 30·31 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922. No. 48.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 2ND DECEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND DECEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-eighth week of the year numbered 7,058, and corresponded to an annual rate of 19·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,596 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·6, 12·9 and 12·6. Infant mortality was 86 per 1,000 births against 76, 83, and 83 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,655 births, corresponding to a rate of 19·1 per 1,000, and 1,129 deaths of civilians, corresponding to a rate of 13·0, as against 12·5, 13·3, and 14·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·3 per 1,000. The infant mortality was 90 as against 61, 72, and 76 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of three in the total deaths last week. In London the number of deaths from all causes fell from 1240 to 1129; while the deaths from diphtheria, which had been 17, 18, and 13 in the preceding three weeks, rose to 21 last week.

---

m (45)19144—1 Wt 30—P 19 2250 12/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } Births and Deaths registered in the week ended 2nd December 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	7,058	4,596	604	4	85	8	27	35	64	60
London	4,514,405*	1,655	1,129	149	–	–	2	5	21	14	19
Towns in Outer Ring:											
Croydon C.B.	191,500	66	57	4	–	–	–	–	1	–	–
Wimbledon	61,700	11	17	2	–	–	–	1	–	–	–
Ealing	67,800	17	14	–	–	–	–	–	–	–	–
Acton	62,000	26	10	2	–	–	–	–	–	–	–
Willesden	167,200	65	29	3	–	–	–	–	–	–	1
Hendon	55,500	18	12	1	–	–	–	–	–	–	–
Hornsey	87,600	28	22	3	–	–	–	–	–	–	–
Wood Green	51,100	15	6	–	–	–	–	–	–	–	–
Tottenham	149,200	64	29	5	–	–	–	–	1	–	–
Edmonton	67,800	33	14	3	–	–	–	–	–	–	–
Enfield	61,400	12	9	1	–	–	–	–	1	–	–
West Ham C.B.	307,000	156	69	14	–	–	–	1	1	–	–
East Ham C.B.	145,500	57	31	5	–	–	–	–	–	–	–
Leyton	130,100	34	23	2	–	–	–	–	–	–	1
Walthamstow	129,800	32	33	4	–	–	–	1	1	–	–
Ilford	85,500	30	11	2	–	–	–	–	–	–	–
Gillingham	48,149*	20	10	2	–	–	–	–	–	–	–
Canterbury C.B.	23,680	8	1	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	16	16	–	–	–	–	–	–	–	1
Eastbourne C.B.	53,600	10	10	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	39	27	2	–	–	–	1	1	–	1
Portsmouth C.B.	233,929*	111	42	7	–	–	–	–	–	2	–
Bournemouth C.B.	81,200	18	20	5	–	–	–	1	–	–	–
Southampton C.B.	162,200	68	50	10	–	1	–	–	–	–	–
Reading C.B.	92,600	34	11	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	19	18	–	–	–	–	–	–	–	1
Northampton C.B.	92,300	22	19	1	–	–	–	–	–	–	–
Luton	57,800	16	5	–	–	–	–	–	–	–	–
Cambridge	58,900	29	16	3	–	–	–	–	–	1	–
Southend-on-Sea C.B.	90,500	15	13	–	–	–	–	1	–	–	–
Ipswich C.B.	80,100	34	11	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	15	12	1	–	–	–	1	–	–	–
Norwich C.B.	122,400	53	34	5	–	–	–	–	–	–	–
Swindon	55,500	20	12	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	19	19	2	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	60	53	2	–	1	–	–	–	1	1
Bath C.B.	68,300	27	6	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	134	91	9	–	–	–	–	–	–	1
Gloucester C.B.	51,800	21	13	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	139	81	10	1	4	1	–	1	2	1
Burton-upon-Trent C.B.	49,410	19	8	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	37	26	3	–	–	–	–	–	–	–
Walsall C.B.	98,800	43	24	4	–	2	–	–	–	1	–
West Bromwich C.B.	75,300	34	12	2	–	–	–	–	–	–	1
Worcester C.B.	49,160	12	12	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	17	6	–	–	–	–	–	–	–	–
Birmingham C.B.	936,000	342	194	30	–	2	–	–	1	5	4
Smethwick C.B.	77,400	32	21	3	–	–	–	–	–	–	–
Coventry C.B.	130,300	35	25	3	–	1	–	–	–	–	–
Leicester C.B.	237,900	75	60	8	–	5	–	–	–	2	–
Lincoln C.B.	66,600	17	16	1	–	–	–	–	–	–	–
Grimsby C.B.	83,600	35	20	1	–	3	–	–	–	–	–
Nottingham C.B.	266,400	120	92	16	2	6	–	2	–	1	1
Derby C.B.	131,800	54	33	3	–	–	–	–	–	–	–
Chesterfield	62,400	30	14	5	–	–	–	–	–	–	–
Stockport C.B.	125,500	28	28	–	–	1	–	–	–	–	–
Chester C.B.	41,030	22	5	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	61	42	4	–	–	–	–	–	–	2
Wallasey C.B.	89,600	26	17	–	–	–	–	–	–	–	–
Liverpool C.B.	817,000	351	221	51	–	–	–	1	1	10	1
Bootle C.B.	77,800	33	15	–	–	–	–	–	–	–	1
St Helens C.B.	104,900	47	22	4	–	–	–	–	–	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	15	17	1	–	–	–	–	–	–	1
Wigan C.B.	91,200	22	19	2	–	–	–	–	–	–	–
Warrington C.B.	78,600	31	17	3	–	1	–	–	–	–	–
Bolton C.B.	182,200	62	58	9	–	4	–	–	–	1	2
Bury C.B.	57,600	22	15	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	254	201	24	–	5	1	1	1	3	3
Salford C.B.	239,100	79	55	8	1	–	–	–	–	–	2
Oldham C.B.	148,300	63	53	9	–	1	1	–	–	–	–
Rochdale C.B.	92,700	19	29	–	–	–	–	–	–	–	1
Burnley C.B.	105,300	30	34	7	–	7	1	–	–	–	–
Blackburn C.B.‡	129,682	28	40	6	–	1	–	–	–	–	–
Preston C.B.	119,900	34	40	5	–	6	–	1	1	–	–
Blackpool C.B.	73,800	16	19	–	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	19	15	3	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	28	19	3	–	–	–	–	–	1	–
Halifax C.B.	100,700	39	24	3	–	1	–	–	–	1	1
Bradford C.B.	291,100	90	87	4	–	–	–	2	–	–	2
Leeds C.B.	465,500	176	100	9	–	14	1	–	–	1	–
Dewsbury C.B.	55,100	16	11	1	–	–	–	–	–	–	–
Wakefield C.B.	53,763	26	5	–	–	–	–	–	–	–	1
Barnsley C.B.	68,991	38	19	2	–	3	–	–	1	–	1
Sheffield C.B.	519,239	208	110	17	–	–	–	–	–	4	–
Rotherham C.B.	69,100	32	23	2	–	–	–	1	–	–	–
Doncaster	54,700	15	12	–	–	–	–	–	–	–	1
York C.B.	84,500	28	16	3	–	–	–	–	–	–	–
Hull C.B.	291,800	110	78	15	–	5	–	–	–	3	–
Middlesbrough C.B.	133,400	61	40	8	–	2	–	–	–	1	2
Darlington C.B.	66,400	18	13	1	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	27	17	3	–	–	–	–	–	1	1
West Hartlepool C.B.	69,300	32	14	2	–	–	–	–	–	1	
Sunderland C.B.	161,100	101	43	6	–	4	–	–	–	2	1
South Shields C.B.	120,376	59	25	5	–	–	–	1	–	–	–
Gateshead C.B.	126,700	59	30	3	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	123	62	8	–	1	–	2	–	2	1
Tynemouth C.B.	63,900	23	12	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	22	16	2	–	–	–	–	–	1	–
Newport (Mon.) C.B.	93,700	48	25	2	–	–	–	1	–	–	–
Cardiff C.B.§	222,089	84	68	8	–	3	–	1	–	–	1
Rhondda	166,600	64	30	2	–	1	1	1	1	–	1
Merthyr Tydfil C.B.	81,800	30	13	–	–	–	–	–	–	–	–
Aberdare	56,100	15	15	6	–	–	–	1	–	1	–
Swansea C.B.	159,600	56	39	7	–	–	–	–	1	1	–
Greater London	7,523,963*	2,667	1,741	223	–	–	4	9	29	14	24
Outer Ring	3,009,558*	1,012	612	74	–	–	2	4	8	–	5
16 Great Towns in Outer Ring	1,820,700	664	386	51	–	–	–	3	5	–	2
Remainder of Outer Ring	1,188,858*	348	226	23	–	–	2	1	3	–	3
Edinburgh†	420,500	142	93	12	–	–	–	–	3	1	2
Glasgow†	1,037,800	525	323	81	1	–	2	10	7	5	4
Dublin (Registration Area)†	427,000	206	126	26	–	–	–	–	1	4	1
Belfast†	425,000	186	100	16	–	–	–	–	3	3	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ As extended on 1st October 1922.

§ As extended on 9th November 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Dec. 2	1655	1129	13·0	–	–	–	2	5	21	14	19
Calcutta	896,067	Oct. 21	?	470§	26·9	?	1	?	?	?	?	?	21
Bombay	1,200,473	„ 21	474‖	730§	31·6	2	2	–	?	–	–	41	–
Madras	526,911	„ 21	423	406	40·1	3	9	2	?	–	–	28	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	155,939	Oct. 7	75	52	17·3	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450	Sept. (30 days)	277	140	10·2	–	–	–	–	–	1	1	–
Wellington (Urban Area).	110,680	„ „	184	90	9·7	2	–	1	–	–	–	–	1
Christchurch (Urban Area).	110,200	„ „	179	113	12·4	1	–	–	1	–	2	–	1
Cape Town	104,400	Oct. 14	41	24	11·9	–	–	–	–	–	1	2	–
Johannesburg	153,825	„ 21	104	34	11·5	–	–	–	–	–	–	1	3
Durban	49,043	„ 21	18	8	8·5	–	–	–	–	–	–	–	–
Paris	2,906,472	Nov. 10 (10 days)	1166	1069	13·4	1	–	2	–	2	2	28	2
Antwerp	303,065	Sept. 30	87	51	8·7	–	–	–	–	2	1	1	–
Amsterdam	693,684	Nov. 11	271	138	10·4	–	–	2	–	2	–	–	–
Copenhagen	562,600	„ 18	195	125	11·6	–	–	1	1	4	1	1	–
Stockholm	422,042	„ 18	130	92	11·3	–	–	–	–	–	–	–	–
Gothenburg	228,052	Oct. 28	?	33	7·5	–	–	–	–	–	1	–	–
Christiania	258,933	Nov. 18	87	50	10·0	–	–	–	–	–	–	2	1
Berlin	1,974,000	Oct. 21	370	490	12·9	1	?	8	–	3	1	3	8
Breslau	557,000	„ 21	183	135	12·6	–	?	1	–	1	–	3	3
Cologne	692,000	„ 21	224	148	11·1	–	?	3	–	3	–	3	1
Dresden	608,000	„ 21	156	143	12·2	–	?	3	–	–	–	4	2
Frankfort-on-Main	476,000	„ 21	112	79	8·6	1	?	–	–	1	–	1	–
Hamburg	1,071,000	„ 21	227	207	10·0	1	?	–	–	4	–	4	3
Leipzig	676,000	„ 21	211	161	12·4	–	?	–	1	–	–	3	2
Munich	682,000	„ 21	153	154	11·7	–	?	–	–	1	–	5	1
Vienna	1,842,005	„ 21	439	473	13·4	1	–	–	–	1	3	10	–
Prague and Suburbs	689,262	„ 14	239	161	11·9	–	?	–	–	–	1	5	–
Budapest	940,000	Sept. 16	365	296	16·4	4	?	3	3	–	–	26	1
Warsaw	956,087	Oct. 14	390	272	14·8	6	–	4	14	2	2	17	–
Cairo	777,500	Sept. 2	720	509	34·0	3	–	6	–	?	6	93	?
		„ 9	668	542	36·2	11	–	2	–	?	4	94	?
Alexandria	456,300	„ 2	424	271§	30·9	2	–	–	–	?	1	30	?
		„ 9	387	281	32·0	2	–	–	–	?	–	49	?
New York	5,839,738	Nov. 4	2187	1161	10·4	3	–	2	2	5	15	20	5
Chicago	2,833,288	„ 4	?	551	10·1	–	–	1	–	6	12	20	2
Rio de Janeiro	1,244,240	Oct. 14	740	494	20·7	–	4	23	–	3	3	?	16
Montevideo	346,419	July 29	216	151	19·8	1	–	1	–	–	–	1	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from *Asiatic Cholera* in Calcutta, and 1 in Bombay, and from *Plague*, 5 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 2nd December, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1129	149	29	31	30	45	42	79	137	152	227	208
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	5	2	2	–	1	–	–	–	–	–	–	–
Diphtheria	21	2	2	12	4	1	–	–	–	–	–	–
Influenza	19	2	–	–	–	–	2	1	6	3	3	2
Erysipelas	2	1	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	3	1	1	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	95	2	–	–	2	20	17	22	18	6	7	1
Tuberculous meningitis	7	1	1	3	2	–	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	1	–	–	1	–	–	–	–	–	–	–	–
Venereal diseases	5	3	1	–	–	–	–	1	–	–	–	–
Cancer	121	–	–	–	–	2	3	5	24	31	32	24
Rheumatic fever	6	–	–	–	2	–	–	4	–	–	–	–
Diabetes	10	–	–	–	–	–	–	–	3	2	3	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	1	–	–	1	–	1	–	–	1	–	–
Cerebral hæmorrhage, &c., Apoplexy	56	–	–	–	–	–	1	2	7	4	27	15
Epilepsy	3	–	–	–	1	–	–	–	1	1	–	–
"Convulsions" (not puerperal)	3	1	2	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	38	2	1	–	4	2	–	5	6	8	7	3
Pericarditis	2	–	–	–	–	–	–	–	–	1	1	–
Acute endocarditis	6	–	–	–	–	–	3	1	2	–	–	–
Other diseases of heart	139	–	–	–	–	3	4	11	14	22	47	38
Other dis. of circulatory system	34	1	–	–	–	–	–	–	3	5	7	18
Bronchitis	140	12	2	2	1	–	1	2	9	21	41	49
Broncho-pneumonia	70	25	12	6	1	–	–	3	7	6	6	4
Lobar pneumonia	23	2	2	–	1	–	1	4	3	5	4	1
Pneumonia (type not distinguished)	13	1	–	1	–	2	–	2	–	2	3	2
Other diseases of respiratory system	22	2	–	–	–	–	–	4	3	6	3	4
Diarrhœa and enteritis	16	14	–	–	–	–	1	–	–	–	1	–
Appendicitis and typhlitis	5	–	–	–	–	3	–	–	1	–	1	–
Hernia, Intestinal obstruction	13	3	–	–	–	–	1	–	1	2	3	3
Cirrhosis of liver	4	–	–	–	–	–	–	–	1	1	2	–
Other diseases of digestive system	18	1	–	1	–	2	1	4	3	2	4	–
Acute nephritis	1	–	–	–	–	–	–	–	–	1	–	–
Chronic Bright's disease	37	–	–	–	1	–	4	1	7	8	13	3
Other diseases of genito-urinary system.	11	1	–	–	–	1	–	–	2	1	3	3
Puerperal fever, &c.	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	8	7	–	–	–	–	–	–	1	–	–	–
Premature birth	36	36	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	16	16	–	–	–	–	–	–	–	–	–	–
Old age	32	–	–	–	–	–	–	–	–	–	4	28
Suicide	10	–	–	–	–	1	1	2	3	2	1	–
Burns and scalds	7	1	1	1	1	1	–	–	1	–	1	–
Drowning	3	–	–	–	1	–	–	–	–	2	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	–	–	4	2	–	–	4	2	–	–
Other deaths by violence	13	2	–	1	–	1	–	1	3	–	–	5
Other specified causes	35	7	1	1	2	4	1	3	4	7	2	3
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd December 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	16	30	–	12	M. 3
†BERMONDSEY ...	–	16	29	–	5	–
†BETHNAL GREEN	–	4	12	–	1	M. 2
†CAMBERWELL ...	–	11	12	–	11	E. 1
†CHELSEA ...	–	1	1	–	1	M. 1
†DEPTFORD ...	–	9	14	–	6	–
†FINSBURY ...	–	7	3	–	3	C. 1
†FULHAM ...	–	9	3	2	1	–
†GREENWICH ...	–	11	35	–	4	C. 1 M. 1
†HACKNEY ...	–	17	28	–	1	D. 1 M. 2
†HAMMERSMITH	–	8	2	–	–	D. 1
†HAMPSTEAD ...	–	9	4	–	3	M. 1
†HOLBORN ...	–	7	3	–	1	M. 1
†ISLINGTON ...	–	22	31	–	4	C. 2 M. 3
†KENSINGTON ...	–	6	7	–	4	M. 2
†LAMBETH ...	–	26	10	–	6	D. 1 M. 1
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	13	6	–	3	E. 1
†PADDINGTON ...	–	9	6	–	12	–
†POPLAR... ...	1	4	10	–	7	–
†ST. MARYLEBONE	–	4	4	2	4	C. 1 H. 1
†ST. PANCRAS ...	–	19	11	–	6	–
†SHOREDITCH ...	–	2	12	–	12	M. 1
†SOUTHWARK ...	–	17	24	–	6	C. 2 M. 1
†STEPNEY ...	–	14	16	1	2	E. 1
†STOKE NEWINGTON	–	–	–	1	–	–
†WANDSWORTH	–	13	5	–	14	E. 1 M. 1
†WESTMINSTER, CITY OF	–	5	2	–	2	–
†WOOLWICH ...	–	5	9	–	8	M. 2
TOTAL OF PART I.	1	284	329	6	139	C. 7 D. 3 E. 4 H. 1 M. 22

† Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	5	3	1	2	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	1	–
†BEDFORD ...	–	2	–	–	–	–
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	–	–	1	–	–
Rural Districts :—						
AMPTHILL ...	–	–	1	–	1	–
BIGGLESWADE ...	–	1	–	–	–	–
BERKS	–	37	10	–	3	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	7	1	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†READING C.B....	–	14	2	–	1	–
Rural Districts :—						
ABINGDON ...	–	7	2	–	–	–
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	3	1	–	–	–
EASTHAMPSTEAD	–	1	3	–	–	–
FARINGDON (part)	–	1	–	–	–	–
WALLINGFORD ...	–	1	1	–	–	–
WANTAGE ...	–	–	–	–	1	–
WINDSOR ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	8	2	2	3	–
Boroughs and Urban Districts :—						
CHESHAM ...	–	–	–	–	1	–
†SLOUGH... ...	–	–	2	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
AYLESBURY ...	–	–	–	2	2	–
ETON	–	3	–	–	–	–
WYCOMBE ...	–	4	–	–	–	–
CAMBRIDGE ...	–	2	3	–	–	–
Borough :—						
†CAMBRIDGE ...	–	–	2	–	–	–
Rural Districts :—						
LINTON	–	–	1	–	–	–
MELBOURN ...	–	2	–	–	–	–
CHESTER	–	69	25	2	23	C. 3 D. 1 L. 1 M 4
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	3	–	–	–	–
ALSAGER ...	*	*	*	*	*	*
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
†BIRKENHEAD C.B.	–	4	5	–	5	D. 1 M. 2
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	1	–	–	–	–
†CHESTER C.B. ...	–	1	3	–	2	–
†CONGLETON ...	–	6	–	–	–	–
†CREWE	–	9	2	–	–	–
†DUKINFIELD ...	–	1	1	–	–	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	4	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	1	–	–	2	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD...	–	5	–	–	–	L. 1
MIDDLEWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	–	–	–	1	C. 1
†RUNCORN ...	–	9	–	–	1	–
†SALE	–	1	–	1	–	–
†STALYBRIDGE ...	–	–	1	–	–	–
†STOCKPORT C.B.	–	5	4	–	–	C. 2
†WALLASEY C.B.	–	4	1	–	4	–
WILMSLOW ...	–	–	5	–	–	–
†WINSFORD ...	–	–	1	1	2	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
CONGLETON ...	–	4	–	–	–	–
MALPAS	–	–	–	–	–	M. 1
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ...	–	1	–	–	–	–
TARVIN	–	2	–	–	–	–
WIRRAL... ...	–	3	–	–	–	–
CORNWALL ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
LOOE	*	*	*	*	*	*
PHILLACK ...	–	–	–	–	1	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN ...	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	1	–
REDRUTH ...	–	1	–	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	24	7	–	2	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
†CARLISLE C.B. ...	–	2	3	–	–	–
COCKERMOUTH...	–	1	–	–	–	–
EGREMONT ...	–	–	1	–	–	–
HARRINGTON ...	–	–	1	–	–	–
MILLOM... ...	–	11	–	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	M. 1
†WORKINGTON ...	–	6	1	–	–	–
Rural District:—						
COCKERMOUTH ...	–	–	–	–	1	–
PENRITH ...	–	2	–	–	–	–
WIGTON ...	–	2	–	–	–	–
DERBY	9	31	19	–	19	C. 1 E. 1 M. 4
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	4	7	–	–	–
†DERBY C.B. ...	–	2	2	–	8	M. 2
†GLOSSOP ...	–	3	–	–	–	–
HEAGE	–	–	–	–	1	–
†HEANOR ...	7	–	–	–	–	–
†LONG EATON ...	–	3	–	–	1	–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY ...	–	–	–	–	3	–
†SWADLINCOTE DISTRICT	–	2	1	–	2	–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	–	–
BELPER	–	4	–	–	–	C. 1
BLACKWELL ...	–	4	–	–	1	–
CHAPEL-EN-LE-FRITH	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	1	3	–	3	–
CLOWNE ...	2	1	–	–	–	E. 1
SHARDLOW ...	–	3	2	–	–	M. 2
DEVON	–	25	15	2	3	E. 1 M. 3
Boroughs and Urban Districts:—						
BUDLEIGH SALTERTON	–	–	1	–	–	–
†EXETER C.B. ...	–	1	1	1	2	M. 1
†EXMOUTH ...	–	–	1	–	–	–
†PAIGNTON ...	–	–	3	–	–	–
†PLYMOUTH C.B.	–	11	4	–	1	E. 1 M. 2
†TEIGNMOUTH ...	–	2	–	–	–	–
TIVERTON ...	–	–	1	–	–	–
†TORQUAY ...	–	5	1	–	–	–
Rural Districts:—						
AXMINSTER ...	–	3	–	–	–	–
HOLSWORTHY (part)	–	–	–	1	–	–
HONITON ...	–	–	1	–	–	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	1	–	–	–
TOTNES ...	–	–	1	–	–	–
DORSET	–	4	5	–	2	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	–	–	–	1	–
†PORTLAND ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHERBORNE ...	–	1	–	–	–	–
WIMBORNE MINSTER	–	–	–	–	1	–
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
POOLE	–	–	1	–	–	–
SHERBORNE ...	*	*	*	*	*	*
WAREHAM AND PURBECK	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	1	–	–	–
DURHAM... ...	2	83	25	2	46	C. 1 E. 2 L. 2 M. 10
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
†BLAYDON ...	–	–	–	–	1	–
†CHESTER-LE-STREET	–	1	1	–	–	–
†CONSETT ...	–	–	1	–	–	–
†CROOK	–	1	–	–	–	
†DARLINGTON C.B.	–	7	1	–	1	M. 1
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	1	–	–	1	–
†GATESHEAD C.B.	–	6	1	–	1	M. 2
†HARTLEPOOL ...	–	1	–	–	–	E. 1
†HEBBURN ...	–	2	–	–	3	–
†HETTON... ...	–	3	–	–	5	–
†HOUGHTON-LE-SPRING	–	–	1	–	–	–
†JARROW ...	–	3	–	–	3	C. 1
†RYTON	–	1	–	–	–	–
†SHILDON ...	–	3	–	–	–	–
†SOUTH SHIELDS C.B.	–	4	7	–	6	–
†SOUTHWICK-ON-WEAR	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY ...	–	6	1	1	–	E. 1
†STOCKTON-ON-TEES	2	–	–	–	4	–
†SUNDERLAND C.B.	–	8	3	–	5	L. 2 M. 3
†WEST HARTLEPOOL C.B	–	4	–	–	3	–
†WHICKHAM ...	*	*	*	*	*	*
†WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	1	–	–	–
BARNARD CASTLE	–	–	–	–	2	–
CHESTER-LE-STREET	–	4	3	1	1	M. 1
DURHAM ...	–	1	1	–	–	–
EASINGTON ...	–	–	2	–	3	–
HOUGHTON-LE-SPRING	–	2	–	–	2	M. 1
LANCHESTER ...	–	11	–	–	1	–
SEDGEFIELD ...	–	1	1	–	1	–
STOCKTON ...	–	3	–	–	1	–
SUNDERLAND ...	–	4	–	–	2	M. 2
ISLE OF ELY ...	–	–	1	–	–	–
Rural District:—						
THORNEY ...	–	–	1	–	–	–
ESSEX	–	52	42	2	16	C. 1 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	3	–	–	–
†EAST HAM C.B.	–	11	5	1	4	M. 2
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAYS THURROCK	–	1	–	–	1	–
HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	4	2	–	3	–
†LEYTON... ...	–	10	3	–	2	–
†ROMFORD ...	–	1	–	–	1	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS	–	–	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	–	1	1	–
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW	–	6	1	–	1	–
†WANSTEAD ...	–	1	–	–	–	–
†WEST HAM C.B.	–	9	21	–	3	C. 1
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
ORSETT	–	–	1	–	–	–
ROMFORD ...	–	–	4	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	78	12	–	16	M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	50	7	–	11	M. 1
†CHELTENHAM ...	–	8	–	–	–	–
†GLOUCESTER C.B.	–	–	3	–	1	–
NEWNHAM ...	–	1	–	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
TEWKESBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CHIPPING SODBURY	–	–	1	–	–	–
DURSLEY ...	–	5	–	–	4	–
EAST DEAN AND UNITED PARISHES	–	4	–	–	–	–
THORNBURY ...	–	–	1	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	4	–	–	–	–
WINCHCOMB (part)	–	2	–	–	–	–
HEREFORD ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	1	–	–	–	–
†HEREFORD ...	–	–	2	–	–	–
Rural District:—						
ROSS	–	1	–	–	–	–
HERTFORD ...	–	31	5	1	3	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	2	–	–	–	–
BUSHEY... ...	–	10	–	–	–	–
†EAST BARNET VALLEY	–	1	2	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HAMPSTEAD	–	2	–	–	–	–
†LETCHWORTH ...	–	3	–	–	–	–
†ST. ALBANS ...	–	1	–	–	1	–
†WATFORD ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
BARNET ...	–	1	1	–	–	–
HADHAM ...	–	1	–	–	–	–
HATFIELD ...	–	–	1	–	–	–
HITCHIN ...	–	2	–	–	–	–
WATFORD ...	–	6	–	1	1	–
HUNTINGDON ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
RAMSEY ...	–	2	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	50	35	1	7	M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY... ...	–	2	–	–	–	–
†BROMLEY ...	–	1	2	–	–	–
†CANTERBURY C.B.	–	–	1	–	–	–
†CHATHAM ...	–	–	5	–	–	–
CHISLEHURST ...	–	2	–	–	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	–	–	–	–	M. 1
†DOVER	–	3	2	–	–	–
†ERITH	–	3	1	–	1	–
†FAVERSHAM ...	–	4	–	–	–	–
†FOLKESTONE ...	–	2	–	–	–	M. 1
†GILLINGHAM ...	–	3	5	–	–	–
†GRAVESEND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	7	2	–	1	–
MILTON REGIS ...	–	2	–	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	–	2	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	3	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
†SHEERNESS ...	–	2	–	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
SOUTHBOROUGH	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WALMER ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	–	2	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	–	7	–	–	–
EAST ASHFORD...	–	2	1	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOO	–	1	–	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	–	–	1	1	–
STROOD	–	1	1	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD	–	–	–	–	1	–
LANCASTER ...	–	396	127	12	219	C. 11 G. 2 L. 2 M. 28
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	6	2	1	1	–
†ASHTON-IN-MAKERFIELD	–	1	–	–	4	–
†ASHTON-UNDER-LYNE	–	1	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	2	–	–	4	–
†BARROW-IN-FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	4	3	–	5	–
†BLACKPOOL C.B.	–	1	2	1	5	M. 2
BLACKROD ...	–	–	–	–	–	C. 1
†BOLTON C.B. ...	–	15	1	–	7	–
†BOOTLE C.B. ...	–	11	1	–	5	M. 1
†BURNLEY C.B.	–	29	4	1	2	–
†BURY C.B. ...	–	2	1	–	3	C. 1
†CHADDERTON ...	–	1	–	–	–	–
CLAYTON-LE-MOORS	–	–	1	–	–	–
†COLNE	–	1	1	–	–	–
†CROMPTON ...	–	1	1	–	–	–
†DALTON-IN-FURNESS	–	1	–	–	1	–
†DARWEN ...	–	16	1	–	–	M. 1
†DENTON ...	–	1	2	–	3	–
†DROYLSDEN ...	–	1	–	–	2	C. 2
†ECCLES ...	–	3	–	–	–	–
†FAILSWORTH ...	–	6	–	–	–	–
†FARNWORTH ...	–	3	–	–	–	–
†FLEETWOOD ...	–	1	–	–	1	–
GOLBORNE ...	–	1	1	–	–	–
†GREAT CROSBY	–	2	–	–	–	–
†HASLINGDEN ...	–	–	–	1	–	–
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	4	–	–	3	–
†HINDLEY ...	–	2	1	–	1	–
†HORWICH ...	–	1	–	1	2	–
HURST	–	1	–	–	–	–
†INCE-IN-MAKERFIELD	–	–	–	1	1	–
IRLAM	–	2	–	–	1	–
†LANCASTER ...	–	3	–	–	2	–
†LEIGH	–	6	2	1	–	C. 1 M. 1
LEYLAND ...	–	–	2	–	–	–
†LITHERLAND ...	–	3	1	–	–	–
LITTLE HULTON	–	–	2	–	–	–
†LIVERPOOL C.B.	–	59	22	–	39	C. 3 G. 1 M. 16

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LONGRIDGE ...	–	2	–	–	–	–
†LYTHAM SAINT ANNE'S	–	1	–	–	–	L. 1
†MANCHESTER C.B.	–	62	18	2	68	C. 3 G. 1 M. 3
†MIDDLETON ...	–	4	1	–	2	–
†MOSSLEY ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	–	–	–	1	–
NORDEN ...	–	2	1	–	–	–
†OLDHAM C.B. ...	–	12	3	–	1	–
ORMSKIRK ...	–	1	1	–	–	–
ORRELL	–	–	1	–	–	M. 1
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM ...	–	–	–	–	1	–
PREESALL ...	–	–	–	–	2	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	6	7	–	–	L. 1 M. 1
†PRESTWICH ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	1	–	–	3	–
RISHTON ...	–	1	–	–	3	–
†ROCHDALE C.B.	–	11	–	–	–	–
†ROYTON... ...	–	–	–	–	1	–
†ST. HELENS C.B.	–	6	2	–	8	–
†SALFORD C.B. ...	–	32	19	1	9	M. 1
†SOUTHPORT C.B.	–	4	1	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	5	2	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–	3	–
TOTTINGTON ...	*	*	*	*	*	*
†TURTON... ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	2	1	1	3	–
†ULVERSTON ...	–	–	1	–	–	–
URMSTON ...	–	1	1	–	–	–
†WALTON LE DALE	–	1	1	–	–	–
LANCASTER–*cont.*						
Boroughs and Urban Districts—*cont.*						
†WARRINGTON C.B.	–	9	–	–	5	–
†WATERLOO-WITH-SEAFORTH	–	1	2	–	1	–
†WESTHOUGHTON	–	–	–	–	1	–
WHITWORTH ...	–	2	–	–	1	–
†WIDNES ...	–	3	4	–	3	–
†WIGAN C.B. ...	–	5	3	–	3	–
†WORSLEY ...	–	2	1	–	–	–
Rural Districts:—						
BLACKBURN ...	–	2	–	–	–	–
BURY	–	2	–	1	–	–
CLITHEROE ...	–	2	–	–	1	–
FYLDE	–	1	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	–	2	–	–	–
LIMEHURST ...	–	2	–	–	1	–
ULVERSTON ...	–	2	1	–	–	–
WARRINGTON	–	2	1	–	–	–
WEST LANCASHIRE	*	*	*	*	*	*
WHISTON ...	–	2	–	–	–	–
WIGAN	–	1	–	–	1	–
LEICESTER ...	–	21	10	1	7	M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	–	–
†LEICESTER C.B.	–	17	2	1	4	M. 1
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	4	–	–	–
BARROW-UPON-SOAR	–	–	1	–	1	–
BILLESDON ...	–	–	1	–	–	–
BLABY	–	1	–	–	–	–
CASTLE DONNINGTON	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	1	–	M. 1
Boroughs and Urban Districts:—						
BOURNE ...	–	1	–	–	–	–
†GRANTHAM ...	–	1	–	–	–	–
STAMFORD ...	–	–	–	–	–	M. 1
Rural District:—						
CLAYPOLE ...	–	–	1	1	–	–
LINCOLN (parts of Lindsey).	–	8	8	–	2	G. 1
Boroughs and Urban Districts:—						
BROUGHTON ...	–	–	1	–	–	–
†CLEETHORPES ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRIMSBY, C.B....	–	2	3	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
MABLETHORPE ...	–	4	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	–	–
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	–	G. 1
SPILSBY... ...	–	–	3	–	–	–
MIDDLESEX ...	–	73	95	2	37	C. 2 D. 1 E. 1 G. 2
Boroughs and Urban Districts:—						
†ACTON	–	10	4	–	–	–
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	2	1	–	2	–
†EALING ...	–	3	5	–	2	–
†EDMONTON ...	–	2	10	1	4	–
†ENFIELD ...	–	5	2	–	2	–
FELTHAM ...	–	5	7	–	–	–
†FINCHLEY ...	–	1	2	–	–	–
†FRIERN BARNET	–	–	1	–	2	–
†HAMPTON ...	–	2	–	–	2	–
HAMPTON WICK	–	–	1	–	–	–
†HANWELL ...	–	3	7	–	–	–
†HENDON ...	–	2	7	1	–	G. 1
†HESTON AND ISLEWORTH	–	–	7	–	2	G. 1
†HORNSEY ...	–	5	8	–	1	–
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	–	–	–	–	D. 1
†SOUTHGATE ...	–	3	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
STAINES ...	–	1	–	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TOTTENHAM ...	–	15	4	–	11	C. 1
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	1	1	–	–	–
†WEMBLEY ...	–	1	1	–	1	E. 1
†WILLESDEN ...	–	2	20	–	6	C. 1
†WOOD GREEN ...	–	4	1	–	–	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
STAINES ...	–	3	3	–	1	–
NORFOLK ...	–	47	9	–	4	M. 2
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	10	–	–	1	M 1
†NORWICH C.B....	–	31	8	–	1	–
THETFORD ...	–	–	–	–	–	M. 1
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DOCKING ...	–	1	–	–	1	–
DOWNHAM ...	–	–	–	–	1	–
EAST AND WEST FLEGG	–	–	1	–	–	–
HENSTEAD ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	37	2	1	7	E. 1 M. 1
Boroughs and Urban Districts:—						
FINEDON ...	–	10	–	–	–	–
IRTHLINGBOROUGH	–	5	–	–	–	–
†KETTERING ...	–	3	–	–	–	–
†NORTHAMPTON C.B.	–	8	2	–	6	E. 1
RAUNDS ...	–	–	–	1	–	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
KETTERING ...	–	1	–	–	–	–
TOWCESTER ...	–	–	–	–	–	M. 1
WELLINGBOROUGH	–	4	–	–	–	–
NORTHUMBERLAND.	–	48	9	–	17	C. 1 M. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	3	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	5	1	–	1	–
CRAMLINGTON ...	–	5	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	2	–	–	1	–
MORPETH ...	–	–	1	–	–	–
NEWBIGGIN-BY-THE-SEA	–	2	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
†NEWCASTLE-UPON-TYNE C.B.	–	8	3	–	10	M. 1
SEGHILL ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYNEMOUTH C.B.	–	–	–	–	2	M. 1
†WALLSEND ...	–	–	–	–	1	C. 1
WEETSLADE ...	–	9	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	3	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	4	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	1	–	–	–
NOTTINGHAM ...	1	33	6	1	12	M. 5
Boroughs and Urban Districts:—						
†CARLTON ...	–	–	1	–	1	–
†HUCKNALL ...	–	1	–	–	–	–
HUTHWAITE ...	–	–	–	–	1	–
†MANSFIELD ...	–	7	1	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	2	–
†NEWARK ...	–	1	1	–	–	–
†NOTTINGHAM C.B.	–	20	2	1	4	M. 5
WARSOP ...	*	*	*	*	*	*
Rural Districts:—						
BASFORD ...	1	3	1	–	2	–
EAST RETFORD	–	–	–	–	1	–
OXFORD	–	13	3	–	4	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	3	–
†OXFORD C.B. ...	–	5	–	–	–	–

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
CHIPPING NORTON	–	1	–	–	–	–
HEADINGTON ...	–	4	–	–	1	M. 1
HENLEY ...	–	1	–	–	–	–
WITNEY ...	–	–	2	–	–	–
WOODSTOCK ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	3	1	–	1	–
Borough:—						
†PETERBOROUGH	–	3	1	–	1	–
RUTLAND ...	–	1	1	–	–	–
Rural Districts:—						
OAKHAM ...	–	1	1	–	–	–
SALOP	–	9	16	–	4	
Boroughs and Urban Districts:—						
DAWLEY ...	–	–	5	–	–	–
LUDLOW ...	–	–	4	–	–	–
MARKET DRAYTON	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	4	–	–	–	–
†SHREWSBURY ...	–	–	1	–	1	–
WELLINGTON ...	–	–	1	–	–	–
†WENLOCK ...	–	–	4	–	–	–
Rural Districts:—						
ATCHAM ...	–	1	–	–	1	–
DRAYTON ...	–	1	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
WEM	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephaitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	29	3	1	6	M. 2
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	3	2	–	–	M. 1
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	–	1	–	–
†FROME	–	4	–	–	–	–
MIDSOMER NORTON	–	1	1	–	–	–
†TAUNTON ...	–	5	–	–	–	–
†WESTON-SUPER-MARE	–	2	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	4	–	–	–	–
BRIDGWATER ...	–	4	–	–	–	–
CLUTTON ...	–	–	–	–	4	–
FROME... ...	–	1	–	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	1	–	–	–	M. 1
SOUTHAMPTON ...	–	38	37	–	–	C. 1 M. 2
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	–	2	–	–	–
†BOURNEMOUTH C.B.	–	2	2	–	–	–
CHRISTCHURCH...	*	*	*	*	*	*
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT ...	–	1	5	–	–	–
HAVANT ...	–	1	–	–	–	–
PETERSFIELD ...	–	1	1	–	–	–
†PORTSMOUTH C.B.	–	16	15	–	–	C. 1
†SOUTHAMPTON C.B.	–	6	3	–	–	M. 1
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
SOUTHAMPTON —*cont.*						
Rural Districts:— *cont.*						
CHRISTCHURCH...	*	*	*	*	*	*
HAVANT ...	–	2	–	–	–	–
RINGWOOD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	2	–	–	–
STOCKBRIDGE ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	4	7	–	–	–
STAFFORD ...	1	169	23	1	32	C. 5 M. 8
Boroughs and Urban Districts:—						
†AUDLEY ...	–	–	–	–	2	–
BIDDULPH ...	–	1	–	–	–	–
†BILSTON ...	–	22	–	–	1	–
†BROWNHILLS ...	–	8	2	–	3	–
†BURTON-UPON-TRENT C.B.	–	–	–	–	3	–
†CANNOCK ...	–	9	–	–	–	–
†COSELEY ...	–	1	1	–	–	–
†DARLASTON ...	1	–	–	–	1	–
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	4	–	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	4	1	–	1	–
†SMETHWICK C.B.	–	8	1	1	4	–
†STAFFORD ...	–	2	1	–	–	–
†STOKE-ON-TRENT C.B.	–	44	7	–	12	C. 1 M. 5
TAMWORTH ...	–	2	–	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	4	1	–	1	–
†WALSALL C.B....	–	2	2	–	–	C. 2
†WEDNESBURY ...	–	8	–	–	–	C. 1
WEDNESFIELD ...	–	–	–	–	1	M. 1
†WEST BROMWICH C.B.	–	19	3	–	–	–
†WILLENHALL ...	–	3	–	–	–	M. 1
†WOLSTANTON UNITED	–	5	1	–	–	–
†WOLVERHAMPTON C.B.	–	12	2	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK ...	–	–	–	–	–	M. 1
CHEADLE ...	–	4	–	–	–	–
KINGSWINFORD	–	–	1	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON ...	–	–	–	–	–	C. 1
TAMWORTH (part)	–	2	–	–	–	–
SUFFOLK, EAST	–	6	5	1	2	–
Boroughs and Urban Districts:—						
BECCLES ...	–	1	–	–	–	–
†IPSWICH C.B. ...	–	2	3	–	1	–
†LOWESTOFT ...	–	2	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BLYTHING ...	–	1	1	–	–	–
HARTISMERE ...	–	–	–	–	1	–
HOXNE	–	–	–	1	–	–
SUFFOLK, WEST	–	1	1	–	–	–
Borough and Urban District:—						
†BURY ST. EDMUNDS	–	1	1	–	–	–
SURREY	–	49	26	2	13	C. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	2	–	–	3	–
†CROYDON C.B....	–	24	7	–	2	–
†EGHAM	–	–	1	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY ...	–	1	–	–	–	–
†KINGSTON-ON-THAMES	–	3	4	–	–	C. 1
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	2	1	–	–	–
†MITCHAM ...	–	3	2	–	1	–
†RICHMOND ...	–	2	–	–	–	–
†SURBITON ...	–	–	1	–	1	–
†SUTTON	–	–	–	–	2	–
†THE MALDENS AND COOMBE	–	1	–	–	1	–
†WALTON-UPON THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	–	4	–	–	–
†WOKING ...	–	2	–	–	1	–
Rural Districts:—						
EPSOM	–	2	2	–	–	–
FARNHAM ...	–	–	–	1	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	2	–
REIGATE ...	–	–	–	1	–	–
SUSSEX, EAST ...	–	11	5	1	6	L. 1
Boroughs and Urban Districts:—						
†BRIGHTON C.B....	–	5	3	–	1	–
BURGESS HILL ...	–	–	1	–	–	–
†EASTBOURNE C.B.	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HASTINGS C.B.	–	–	–	–	2	–
†HOVE	–	5	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	1	L. 1
UCKFIELD ...	–	–	–	1	–	–
SUSSEX, WEST ...	–	3	3	–	–	M. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	–	–	–	–
†WORTHING ...	–	–	2	–	–	–
Rural Districts:—						
MIDHURST ...	–	–	–	–	–	M. 1
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	1	–	–	–
WARWICK ...	–	116	40	1	24	C. 3 L. 4 M. 12
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	63	37	1	17	C. 3 M. 10
†COVENTRY C.B.	–	18	–	–	–	L. 4 M. 1
KENILWORTH ...	–	2	–	–	1	–
†NUNEATON ...	–	2	–	–	3	–
†ROYAL LEAMINGTON SPA	–	2	–	–	1	–
†RUGBY	–	6	–	–	1	–
†SUTTON COLDFIELD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	2	–	–	–	–
FOLESHILL ...	–	8	1	–	–	M. 1
MERIDEN ...	–	–	–	–	1	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
TAMWORTH (part)	–	5	2	–	–	–
WARWICK ...	–	4	–	–	–	–
WESTMORLAND	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	1	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	1	–	–	–	–
ISLE OF WIGHT	–	–	1	–	–	–
Boroughs and Urban Districts:—						
SHANKLIN ...	–	–	1	–	–	–
WILTS	–	25	7	–	8	E. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	–	E. 1
†SALISBURY ...	–	–	1	–	1	–
†SWINDON ...	–	8	1	–	5	–
†TROWBRIDGE ...	–	2	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	–	4	–	–	1	–
CRICKLADE AND WOOTTON BASSETT	–	3	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MALMESBURY ...	–	1	–	–	–	–
MARLBOROUGH...	–	3	–	–	–	–
PEWSEY ...	–	2	–	–	–	–
SALISBURY ...	–	–	5	–	1	–
WARMINSTER	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	31	1	–	3	M. 2
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	6	–	–	–	–
†DUDLEY, C.B....	–	2	1	–	–	–
†KIDDERMINSTER	–	2	–	–	1	M. 1
†OLDBURY ...	–	2	–	–	–	–
†REDDITCH ...	–	5	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	2	M. 1
STOURPORT ...	–	4	–	–	–	–
†WORCESTER C.B.	–	4	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
EVESHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	15	17	–	2	M. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	2	–	–	–	–
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†KINGSTON-UPON-HULL C.B.	–	4	14	–	2	M. 1
†YORK C.B. ...	–	8	3	–	–	–
YORKS ... ... (North Riding).	5	48	7	–	10	–
Boroughs and Urban Districts:—						
†ESTON	–	17	–	–	–	–
GUISBOROUGH ...	–	2	–	–	2	–
†MIDDLESBROUGH C.B.	5	19	4	–	5	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	2	1	–	2	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†WHITBY ...	–	–	1	–	1	–
Rural Districts:—						
FLAXTON ...	–	3	–	–	–	–
LEYBURN ...	–	3	–	–	–	–
STARTFORTH ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	7	235	51	6	103	C. 4 D. 2 E. 1 G. 1 M. 12
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	–	1	–	–	–
ALTOFTS ...	–	1	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	–	M. 1
†BARNOLDSWICK	–	–	–	–	1	–
†BARNSLEY C.B.	–	6	2	1	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY... ...	–	7	–	–	–	–
†BENTLEY WITH ARKSEY	2	–	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	1	–	–
†BRADFORD C.B.	–	18	5	–	7	C. 1 D. 1 M. 1
†BRIGHOUSE ...	–	–	2	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	4	–	–	–	–
CUDWORTH ...	–	1	–	–	–	D 1
DARFIELD ...	–	2	–	–	–	–
†DARTON ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	10	2	–	–	–
†DONCASTER ...	5	4	1	–	–	–
DRIGLINGTON ...	–	–	–	–	1	–
EARBY	–	–	1	–	–	–
†FEATHERSTONE	–	–	–	–	1	–
†GOLCAR... ...	–	1	1	–	–	–
†GOOLE	–	1	1	–	1	–
GREASBROUGH ...	–	1	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	3	–	–	–	–
†HARROGATE ...	–	–	1	–	1	M. 1
HAWORTH ...	–	2	–	–	–	–
HEBDEN BRIDGE	–	3	–	–	–	–
HIPPERHOLME ...	–	2	–	–	–	–
†HOLMFIRTH ...	–	–	1	–	–	–
HONLEY ...	–	2	–	–	–	–
HORBURY ...	*	*	*	*	*	*
†HOYLAND NETHER	–	2	–	–	1	–
HOYLAND SWAINE	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	2	–	–	3	–
†KEIGHLEY ...	–	4	–	–	–	M. 1
KNARESBOROUGH	*	*	*	*	*	*
†LEEDS C.B. ...	–	71	5	–	11	C. 1 G. 1 M. 4
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEPTON... ...	–	–	–	–	1	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	2	–
†MORLEY... ...	–	1	1	–	1	M. 2
†NORMANTON ...	–	–	1	–	2	–
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	1	–	–	–	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	–	–	–	1	–
†RAWMARSH ...	–	3	–	–	–	–
†ROTHERHAM C.B.	–	5	2	–	3	–
†ROTHWELL ...	–	4	–	–	1	–
ROYSTON ...	–	1	–	–	–	–
SELBY	–	–	–	–	1	–
†SHEFFIELD C.B.	–	35	14	2	49	C. 1 E. 1 M. 2
†SHIPLEY ...	–	3	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON ...	–	1	–	–	–	–
SOWERBYBRIDGE	–	1	1	–	–	–
†SPENBOROUGH ...	–	2	–	–	–	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY ...	–	1	2	–	1	–
THURNSCOE ...	*	*	*	*	*	*
†TODMORDEN ...	–	–	1	–	–	–
†WAKEFIELD C.B.	–	6	–	–	–	–
†WOMBWELL ...	–	1	1	–	1	–
†WORSBOROUGH	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	2	1	–	2	–
GREATOUSEBURN	–	1	–	–	–	–
HALIFAX ...	–	–	–	–	1	–
HEMSWORTH ...	–	2	2	–	2	–
KNARESBOROUGH	–	–	–	–	1	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	1	1	1	2	–
SKIPTON ...	–	1	–	–	2	–
TADCASTER ...	–	1	–	1	–	–
WAKEFIELD ...	–	5	–	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Rural District :—						
Twrcelyn ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	–	3	–
Urban District :—						
Brynmawr ...	–	–	–	–	3	–
Rural District:—						
Llanwrthwl (parish)	*	*	*	*	*	*
CARDIGAN ...	–	5	4	–	–	–
Boroughs and Urban Districts :—						
Aberayron ...	–	–	3	–	–	–
†Aberystwyth	–	–	1	–	–	–
Lampeter ...	*	*	*	*	*	*
Rural Districts :—						
Aberystwyth (South)	–	1	–	–	–	–
Lampeter ...	–	4	–	–	–	–
CARMARTHEN ...	–	4	8	–	1	C 1.
Borough and Urban District:—						
†Llanelly ...	–	1	2	–	–	–
Rural Districts :—						
Carmarthen ...	–	–	1	–	–	–
Llandilo Fawr	–	1	–	–	–	–
Llanelly ...	–	1	5	–	–	C. 1
Llanybyther...	–	1	–	–	1	–
CARNARVON ...	–	–	4	–	–	–
Rural Districts :—						
Conway ...	–	–	1	–	–	–
Gwyrfai ...	–	–	2	–	–	–
Lleyn	–	–	1	–	–	–
DENBIGH ...	–	10	1	–	3	–
Boroughs and Urban Districts :—						
Llangollen ...	–	1	–	–	–	–
†Wrexham ...	–	–	–	–	1	–
Rural Districts :—						
Chirk	–	2	–	–	–	–
Ruthin ...	–	–	–	–	2	–
St. Asaph (Denbigh)	–	1	–	–	–	–
Wrexham ...	–	6	1	–	–	–
FLINT	–	4	2	–	1	C. 1
Boroughs and Urban Districts :—						
†Rhyl	–	1	–	–	–	–
Rural Districts :—						
Hawarden ...	–	–	2	–	–	–
Holywell (Holywell Div.)	–	2	–	–	1	C. 1
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	–	129	34	3	42	C. 2 M. 5
Boroughs and Urban Districts :—						
†Aberdare ...	–	11	1	–	5	–
†Barry	–	1	1	1	–	–
†Caerphilly ...	–	2	3	–	–	–
†Cardiff C.B. ...	–	10	6	1	8	C. 1 M. 2
†Gelligaer ...	–	5	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Glyncorwg ...	–	–	–	–	2	–
†Maesteg ...	–	–	1	–	3	–
†Merthyr Tydfil C.B.	–	5	2	–	4	–
†Mountain Ash	–	27	–	1	2	–
†Neath	–	–	3	–	–	–
†Ogmore and Garw	–	7	–	–	1	–
†Penarth ...	–	2	–	–	–	–
†Pontypridd ...	–	3	–	–	3	–
†Port Talbot ...	–	2	2	–	–	–
†Rhondda ...	–	28	3	–	9	C. 1 M. 2
†Swansea C.B. ...	–	5	7	–	4	M. 1
Rural Districts:—						
Cardiff ...	–	–	–	–	1	–
Cowbridge ...	–	–	1	–	–	–
Llantrisant and Llantwit-Fardre	–	7	–	–	–	–
Neath	–	6	–	–	–	–
Penybont ...	–	4	–	–	–	–
Pontardawe ...	–	–	1	–	–	–
Swansea ...	–	4	–	–	–	–
MERIONETH ...	–	–	1	–	–	–
Rural District:—						
Dolgelly ...	–	–	1	–	–	–
MONMOUTH ...	–	30	5	–	14	C. 1 M. 3
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	–	–	–	–
†Abersychan ...	–	1	1	–	–	–
†Abertillery ...	–	6	–	–	–	M. 2
†Bedwellty ...	–	2	–	–	–	–
†Blaenavon ...	–	1	–	–	–	–
†Ebbw Vale ...	–	4	–	–	3	M. 1
†Nantyglo and Blaina	–	–	–	–	2	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Newport C.B....	–	6	3	–	5	C. 1
†Rhymney ...	–	3	–	–	–	–
†Tredegar ...	–	5	1	–	2	–
Rural Districts:—						
Chepstow ...	–	–	–	–	1	–
Pontypool ...	–	1	–	–	–	–
Saint Mellons	–	–	–	–	1	–
MONTGOMERY ...	–	6	1	–	1	–
Boroughs and Urban District:—						
Welshpool ...	–	2	–	–	–	–
Rural Districts—						
Forden ...	–	2	1	–	–	–
Llanfyllin ...	–	1	–	–	1	–
Newton and Llanidloes	–	1	–	–	–	–
PEMBROKE ...	–	–	1	–	–	–
Rural District:—						
St. Dogmells ...	–	–	1	–	–	–
RADNOR	–	2	1	–	–	–
Urban District:—						
Presteigne ...	–	–	1	–	–	–
Rural Districts:—						
Knighton ...	–	2	–	–	–	–
Rhayader ...	*	*	*	*	*	*
Total of Part II.	25	2166	792	47	737	C. 39 D. 4 E. 8 G. 6 L. 10 M. 116

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COLCHESTER ...	*	*	*	*	*	*
LITTLEHAMPTON	*	*	*	*	*	*

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL ...	–	–	4	–	–	–
PORT OF LONDON	–	1	–	1	–	–
Total of Part III.	–	1	4	1	–	–

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	284	329	6	139	C. 7 D. 3 E. 4 H. 1 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	25	2166	792	47	737	C. 39 D. 4 E. 8 G. 6 L. 10 M. 110
Total of Part III.—Port Sanitary Districts ...	–	1	4	1	–	–
Total (*i.e.*, of returns received), England and Wales	26	2451	1125	54	876	C. 46 D. 7 E. 12 G. 6 H. 1 L. 10 M. 138

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. One case of Typhus Fever was notified which appears on page 1,408. Twenty-six cases of Small-pox were notified, which appear on pages 1,408, 1,410, 1,411, 1,412, 1,418, 1,419, 1,422 and 1,423.

Table 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.
LONDON:—													
DEATHS—all ages	731	744	818	810	800	842	863	946	1,025	1,083	1,155	1,240	1,129
" 0 to 1 year	71	98	98	83	92	90	88	114	117	103	123	131	149
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,926	7,488	7,646	7,545	7,315	7,433	7,096	7,390	6,784	7,139	7,076	7,268	7,058
DEATHS—all ages	3,246	3,287	3,566	3,412	3,488	3,604	3,749	3,961	4,205	4,605	4,709	4,599	4,596
" 0 to 1 year	421	410	478	433	457	436	504	490	456	541	585	602	604
ENTERIC FEVER—Cases	23	29	24	32	24	17	14	29	27	22	13	24	25
" Deaths	4	3	5	7	3	1	3	3	2	3	1	1	4
SMALL POX—Cases	5	13	10	8	9	7	2	4	37	11	6	14	13
" Deaths	—	—	1	—	—	1	—	—	1	12	3	1	—
SCARLET FEVER—Cases	1,052	1,086	1,147	1,139	1246	1,228	1,420	1,374	1,317	1,486	1,426	1358	1,374
" Deaths	11	11	3	9	8	9	13	15	15	12	13	18	8
DIPHTHERIA—Cases	537	588	610	677	691	685	720	764	632	631	653	662	759
" Deaths	32	29	32	45	29	44	51	49	61	45	40	35	35
MEASLES—Deaths	44	18	39	35	34	27	49	62	62	69	94	88	85
INFLUENZA—Deaths	12	18	21	28	32	31	43	41	48	71	64	71	60

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 2nd December 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	54	31	49·3	38·3	7
BRIGHTON	53	30	49·1	38·6	5
PORTSMOUTH	53	31	50·3	38·1	1
NORWICH (EATON).	53	33	47·9	39·0	21
PLYMOUTH	53	30	51·9	39·3	4
BRISTOL (CLIFTON).	52	30	49·1	38·0	4
BIRMINGHAM	51	31	46·9	37·9	8
NOTTINGHAM	54	33	48·9	38·7	3
BIRKENHEAD (BIDSTON).	50	34	49·0	40·4	4
MANCHESTER	52	34	48·9	40·3	11
BURNLEY	49	27	47·7	36·6	13
HUDDERSFIELD	52	27	48·4	37·4	6
BRADFORD	52	28	49·3	37·4	6
SHEFFIELD	52	33	48·0	40·0	6
YORK (MUSEUM).	55	32	49·0	38·7	4
HULL (PEARSON PARK).	55	32	48·9	38·0	5
TYNEMOUTH	54	34	47·7	41·3	7
CARDIFF	53	28	49·6	39·1	2
EDINBURGH	52·0	33·0	48·9	40·4	3
GLASGOW	53·2	35·0	49·5	41·0	8
DUBLIN (PHŒNIX PARK).	52·6	38·4	50·7	40·7	2
FITZWILLIAM SQUARE.†	51·7	42·7	50·3	43·8	0·6
BELFAST	54·5	27·5	52·3	38·2	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.– METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 2nd December 1922.

[Under the Superintendence of the Astronomer Royal.]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	26	First Quarter	30·031	48·0	31·1	16·9	40·0	− 1·8	35·9	4·1	7·1	3·2	85	50·7	23·5	46·9	W & WNW.	NW & & NNE.	4·5	0·0	0·3	400	+ 83	0·04
MONDAY	27	..	30·216	38·6	30·6	8·0	35·2	− 6·5	26·2	9·0	11·0	6·2	69	50·0	25·2	46·8	NNE	NNE & W.	1·4	0·0	0·1	275	− 43	0·00
TUESDAY	28	In Equator Apogee	30·000	53·7	32·5	21·2	46·1	+ 4·6	41·4	4·7	8·3	3·7	84	51·7	27·1	46·4	W & WNW.	N: NNW & NW.	2·8	0·0	0·3	401	+ 85	0·02
WEDNESDAY	29	..	30·009	52·0	43·3	8·7	48·5	+ 7·3	41·2	7·3	9·2	4·6	76	60·8	30·4	46·2	WNW: NW & NNW.	N & NW.	2·8	0·0	0·2	344	+ 32	0·00
THURSDAY	30	..	30·107	48·0	43·0	5·0	45·6	+ 4·6	39·1	6·5	8·4	2·9	78	55·0	32·7	46·1	Calm & W.	W	1·4	0·0	0·0	189	−121	0·00
DECEMBER. FRIDAY	1	..	29·859	49·1	43·9	5·2	45·8	+ 4·9	41·5	4·3	8·3	2·4	85	62·2	38·1	46·0	W	NW & NNE.	1·9	0·0	0·2	313	+ 3	0·20
SATURDAY	2	..	30·060	48·0	44·2	3·8	46·1	+ 5·2	42·5	3·6	6·7	1·9	87	57·5	39·3	46·1	NNE & NE.	W: N & NW.	0·7	0·0	0·0	179	−134	0·00
MEANS		..	30·040	48·2	38·4	9·8	43·9	+ 2·6	38·3	5·6	8·4	3·6	81	55·4	30·9	46·4	NW		...	...	...	Sum 2,101	Sum − 95	Sum 0·26
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. November 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	26	v.P. generally, a little w.N. in afternoon.	0·0	8·3	Cloudless till 3h. 30m., then cloudy to overcast by about 9h., clearing from 20h. 30m. to cloudless by 22h. Hoar frost in morning. Brisk wind 11h. to 16h. Slight rain between 14h. and 16h.
Monday -	27	s.P. generally, v.P. at times.	4·4	8·3	Nearly cloudless till 7h., becoming overcast 8h. to 11h. Nearly cloudless again till 19h., then sky becoming veiled, overcast from 20h. Hoar frost morning and evening. Hazy generally misty at night.
Tuesday -	28	m.P. generally, a little s.P.	0·0	8·2	Overcast till 15h. and generally till 22h., then clearing to nearly cloudless by midnight, and misty from 6h. to 15h. Slight rain between 10h. and 12h. 30m.
Wednesday	29	m.P. generally	0·3	8·2	Variably cloudy till 5h., overcast generally till noon. Very cloudy till 14h. 30m., nearly cloudless with haze and slight mist till 18h. 30m., becoming overcast by 19h. 30m.
Thursday -	30	m.P. generally	0·0	8·2	Overcast generally till 18h., cloudy intervals afterwards. Misty generally. Lunar halo 22h.
December. Friday -	1	v.P. generally, a little w.N. in afternoon.	3·2	8·2	Overcast till 7h. 30m., becoming cloudless by 8h. 30m. Variably cloudy from 10h. to overcast generally by afternoon. Frequent rain from 14h. 30m. to 20h.
Saturday -	2	w.P. till 9h., v.P. afterwards.	0·0	8·1	Overcast with slight exceptions. Misty generally.
			Sum 7·9	Sum 57·5	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·31 in. at the beginning of the week to 29·94 in. by 15h. on November 26; increased to 30·26 in. by 20h. on November 27; decreased generally to 29·94 in. by 4h. on November 29; increased to 30·16 in. by 10h. on November 30; decreased to 29·82 in. by 14h. on December 1, and increased to 30·10 in. by midnight on December 2.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty.

FOR OFFICIAL USE.

1922. No. 49.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 9TH DECEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922.

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified nfectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in he headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH DECEMBER, 1922.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-ninth week of the year numbered 7,097, and corresponded to an annual rate of 19·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,464 and corresponded to an annual rate of 12·2 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·9, 12·6 and 12·6. Infant mortality was 83 per 1,000 births against 83, 83, and 86 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,747 births, corresponding to a rate of 20·1 per 1,000, and 1,130 deaths of civilians, corresponding to a rate of 13·1, as against 13·3, 14·3, and 13·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·4 per 1,000. The infant mortality was 80 as against 72, 76, and 90 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 132 in the total deaths last week. In London the number of deaths from all causes rose from 1129 to 1130; while the deaths from diphtheria, which had been 18, 13, and 21 in the preceding three weeks, fell to 9 last week.

It is particularly requested that Medical Officers of Health will post their Returns of Notified Cases of Infectious Diseases for the week ended 23rd December on that date, in order that delay of publication of the Weekly Return due to the Christmas Holidays may be reduced to a minimum.

---

m (45)19144—2 Wt 30—P 19 2250 12/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 9th December 1922.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	7,097	4,464	592	1	75	18	19	42	69	52
London	4,514,405*	1,747	1,130	139	–	1	4	4	9	17	10
Towns in Outer Ring.											
Croydon C.B.	191,500	60	47	11	–	–	–	–	1	1	1
Wimbledon	61,700	11	11	1	–	–	–	–	–	–	–
Ealing	67,800	22	17	–	–	–	–	–	1	–	–
Acton	62,000	12	10	–	–	–	–	–	–	–	–
Willesden	167,200	50	40	2	–	–	–	–	2	–	1
Hendon	55,500	14	6	1	–	–	–	–	–	–	–
Hornsey	87,600	20	19	2	–	–	–	–	1	–	1
Wood Green	51,100	13	8	–	–	–	–	–	–	–	–
Tottenham	149,200	49	26	4	–	–	–	1	–	–	–
Edmonton	67,800	34	16	3	–	–	–	–	1	–	–
Enfield	61,400	18	16	1	–	–	–	–	–	–	1
West Ham C.B.	307,000	168	62	9	–	–	–	–	–	–	–
East Ham C.B.	145,500	47	30	4	–	–	1	–	1	–	1
Leyton	130,100	36	30	1	–	–	–	–	1	–	–
Walthamstow	129,800	38	27	2	–	–	–	–	1	–	1
Ilford	85,500	32	18	3	–	–	–	–	–	–	–
Gillingham	48,149*	17	9	1	–	–	–	–	–	–	–
Canterbury C.B.	23,680	11	8	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	13	15	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	10	12	1	–	–	–	–	–	–	–
Brighton C.B.	134,800	46	34	2	–	–	–	–	2	–	–
Portsmouth C.B.	233,929*	83	60	8	–	–	–	–	1	–	3
Bournemouth C.B.	81,200	22	21	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	50	38	4	–	–	–	–	–	–	–
Reading C.B.	92,600	31	20	2	–	–	–	–	–	–	1
Oxford C.B.	56,400	11	10	–	–	–	1	–	–	–	–
Northampton C.B.	92,300	32	17	–	–	–	1	–	–	–	–
Luton	57,800	23	11	4	–	–	–	–	–	1	–
Cambridge	58,900	15	7	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	20	22	–	–	–	–	–	–	–	–
Ipswich C.B.	80,100	30	18	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	18	8	–	–	1	–	–	–	–	–
Norwich C.B.	122,400	57	29	4	–	–	–	–	1	–	1
Swindon	55,500	10	14	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	15	10	2	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	79	50	4	–	–	1	–	–	–	1
Bath C.B.	68,300	17	14	1	–	–	–	–	–	–	1
Bristol C.B.	381,700	140	78	10	–	–	1	1	–	1	–
Gloucester C.B.	51,800	18	16	3	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	123	72	12	–	11	–	–	–	4	–
Burton-upon-Trent C.B.	49,410	22	9	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	37	18	–	–	1	1	–	–	–	–
Walsall C.B.	98,800	41	22	–	–	1	–	–	–	–	–
West Bromwich C.B.	75,300	25	13	2	–	–	–	–	3	–	–
Worcester C.B.	49,160	11	14	3	–	–	–	–	–	–	–
Dudley C.B.	57,100	35	10	3	–	–	–	–	–	–	–
Birmingham C.B.	936,000	339	202	31	–	–	–	1	4	4	5
Smethwick C.B.	77,400	29	13	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	52	22	3	–	1	–	–	–	–	1
Leicester C.B.	237,900	82	55	9	–	2	1	1	–	–	–
Lincoln C.B.	66,600	24	18	1	–	–	–	–	–	–	1
Grimsby C.B.	83,600	39	16	2	–	–	–	–	1	–	–
Nottingham C.B.	266,400	103	75	12	–	12	–	–	–	4	–
Derby C.B.	131,800	50	29	–	–	–	–	–	–	–	1
Chesterfield	62,400	29	6	–	–	–	–	–	–	–	–
Stockport C.B.	125,500	46	37	2	–	–	–	–	–	–	–
Chester C.B.	41,030	21	7	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	72	29	3	–	–	–	–	–	–	1
Wallasey C.B.	89,600	19	12	1	–	–	–	1	–	–	–
Liverpool C.B.	817,000	392	182	40	–	–	1	–	1	8	–
Bootle C.B.	77,800	28	18	5	–	–	–	–	–	1	–
St Helens C.B.	104,900	51	18	4	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	14	18	–	–	–	1	–	–	–	–
Wigan C.B.	91,200	28	28	2	–	–	–	–	–	1	–
Warrington C.B.	78,600	25	12	1	–	5	–	1	–	–	–
Bolton C.B.	182,200	57	53	11	–	2	–	–	–	1	–
Bury C.B.	57,600	15	25	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	259	194	27	–	1	–	–	2	3	3
Salford C.B.	239,100	86	57	7	–	–	–	–	1	2	–
Oldham C.B.	148,300	46	34	6	–	–	–	–	–	1	1
Rochdale C.B.	92,700	26	24	3	–	–	–	–	–	–	1
Burnley C.B.	105,300	37	33	8	–	4	–	–	–	–	–
Blackburn C.B.‡	129,682	40	34	4	–	4	–	–	–	1	–
Preston C.B.	119,900	33	33	5	–	5	–	–	–	–	–
Blackpool C.B.	73,800	17	24	1	1	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	27	18	1	–	–	–	–	–	–	1
Huddersfield C.B.	111,900	32	24	2	–	–	–	–	1	1	–
Halifax C.B.	100,700	26	37	8	–	3	–	–	–	1	–
Bradford C.B.	291,100	101	74	13	–	–	–	1	–	–	3
Leeds C.B.	465,500	178	113	11	–	9	2	–	1	5	4
Dewsbury C.B.	55,100	8	7	2	–	–	–	–	–	1	–
Wakefield C.B.	53,763	25	9	2	–	–	–	–	–	1	–
Barnsley C.B.	68,991	44	15	4	–	1	–	1	–	2	–
Sheffield C.B.	519,239	183	110	13	–	–	–	–	1	4	–
Rotherham C.B.	69,100	41	10	1	–	–	–	–	–	–	–
Doncaster	54,700	25	5	–	–	–	–	–	–	–	–
York C.B.	84,500	33	13	1	–	–	–	–	–	–	–
Hull C.B.	291,800	118	65	10	–	3	–	–	2	–	–
Middlesbrough C.B.	133,400	57	32	5	–	1	–	–	–	–	–
Darlington C.B.	66,400	27	15	2	–	1	–	–	–	–	1
Stockton-on-Tees	65,000	30	13	2	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	32	16	4	–	–	–	–	–	–	–
Sunderland C.B.	161,100	91	38	10	–	3	–	–	–	–	–
South Shields C.B.	120,376	62	40	13	–	–	–	6	1	–	–
Gateshead C.B.	126,700	46	42	5	–	–	1	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	105	52	5	–	–	–	1	–	–	1
Tynemouth C.B.	63,900	34	13	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	15	15	2	–	–	1	–	–	–	1
Newport (Mon.) C.B.	93,700	26	26	2	–	–	–	–	–	–	1
Cardiff C.B.§	222,089	73	65	13	–	2	–	–	1	–	–
Rhondda	166,600	71	32	3	–	–	1	–	–	–	2
Merthyr Tydfil C.B.	81,800	25	21	4	–	1	–	–	–	1	–
Aberdare	56,100	22	13	2	–	–	–	–	–	1	–
Swansea C.B.	159,600	48	31	7	–	–	–	–	1	2	–
Greater London	7,523,963*	2,743	1,804	216	–	1	5	7	25	23	17
Outer Ring	3,009,558*	996	674	77	–	–	1	3	16	3	7
16 Great Towns in Outer Ring	1,820,700	624	383	44	–	–	1	1	9	1	6
Remainder of Outer Ring	1,188,858*	372	291	33	–	–	–	2	7	5	1
Edinburgh†	420,500	146	105	10	–	–	1	2	2	1	–
Glasgow†	1,037,800	491	278	57	1	–	1	2	3	3	3
Dublin (Registration Area)†	427,000	176	114	25	–	–	1	–	2	2	3
Belfast†	425,000	178	86	15	–	–	–	–	1	4	1

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended on 1st October 1922. § As extended on 9th November 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1922.											
London‡	4,514,405	Dec. 9	1747	1130	13·1	–	–	1	4	4	9	17	10
Calcutta	896,067	Oct. 28	?	518§	29·7	?	–	?	?	?	?	?	19
Bombay	1,200,473	„ 28	433‖	738§	32·0	5	–	1	?	–	–	42	4
Madras	526,911	„ 28	440	368	36·3	2	6	1	?	–	–	18	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714	Sept. (30 days)	424	178	9·8	–	–	–	–	–	1	1	4
Perth (Metropolitan Area).	155,939	Oct. 14	68	36	12·0	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Oct. 21	50	35	17·4	–	–	–	–	–	–	–	–
Johannesburg	153,825	„ 28	80	28	9·5	–	–	–	–	–	–	1	–
Durban	49,043	„ 28	25	10	10·6	–	–	2	–	–	–	–	–
Paris	2,906,472	Nov. 20 (10 days)	1242	1080	13·5	5	–	5	1	4	2	16	9
Antwerp	303,065	Oct. 7	99	48	8·2	2	–	–	–	–	1	3	–
Amsterdam	693,684	Nov. 18	234	121	9·1	–	–	–	–	1	–	–	1
Copenhagen	562,600	„ 25	193	132	12·2	–	–	–	–	2	2	1	–
Stockholm	422,042	„ 25	112	79	9·7	–	–	–	–	–	1	–	–
Gothenburg	228,052	„ 4	?	32	7·3	–	–	–	–	1	–	–	1
Christiania	258,933	„ 25	99	46	9·2	–	–	–	–	–	–	–	–
Berlin	1,974,000	Oct. 28	326	526	13·9	1	?	4	2	3	4	10	1
Breslau	557,000	„ 28	172	150	14·0	–	?	–	1	1	–	2	2
Cologne	692,000	„ 28	225	171	12·9	–	?	9	–	3	3	8	4
Dresden	608,000	„ 28	148	158	13·5	–	?	2	1	3	2	1	3
Frankfort-on-Main	476,000	„ 28	110	52	5·7	–	?	1	1	–	–	2	1
Hamburg	1,071,000	„ 28	265	287	13·9	–	?	–	1	1	3	5	–
Leipzig	676,000	„ 28	198	180	13·9	–	?	–	–	1	1	3	1
Munich	682,000	„ 28	153	144	11·0	–	?	–	–	2	1	2	1
Vienna	1,842,005	„ 28	368	508	14·3	1	–	–	–	4	1	9	–
Prague and Suburbs	689,262	„ 21	221	167	12·3	1	?	–	–	1	–	11	2
Budapest	940,000												
Warsaw	956,087	Oct. 21	422	232	12·1	4	–	8	–	2	–	12	1
Cairo	777,500	Sept. 16	678	513	34·3	8	–	2	–	?	4	93	?
Alexandria	456,300	„ 16	374	314§	35·8	1	–	–	–	?	1	61	?
New York	5,839,738	Nov. 11	2471	1326	11·8	3	–	3	–	3	15	20	3
Chicago	2,833,288	„ 11	?	577	10·6	1	–	–	1	–	12	16	2
Rio de Janeiro	1,244,240												
Montevideo	347,240	Aug. 5	210	125	14·6	1	–	1	–	–	3	–	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 2 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 3 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th December, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1130	139	28	36	29	35	51	84	130	155	228	215
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	4	–	–	2	1	1	–	–	–	–	–	–
Whooping cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	9	1	1	6	1	–	–	–	–	–	–	–
Influenza	10	1	–	–	–	–	–	2	5	1	–	1
Erysipelas	3	–	–	–	–	–	–	–	1	1	1	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	1	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	83	–	–	1	3	17	14	23	16	6	3	–
Tuberculous meningitis	7	1	1	2	3	–	–	–	–	–	–	–
Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
Other tubercle	4	–	–	1	1	1	–	1	–	–	–	–
Venereal diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	108	–	–	1	–	–	1	9	20	28	36	13
Rheumatic fever	6	–	–	–	3	1	1	–	–	1	–	–
Diabetes	5	–	–	–	1	–	–	1	–	1	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	–	–	1	3	–	–	1	–	–	1	–
Cerebral hæmorrhage, &c., Apoplexy	58	–	–	–	–	–	–	1	7	8	29	13
Epilepsy	4	–	–	1	–	–	–	–	2	–	1	–
"Convulsions" (not puerperal)	5	4	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system	35	2	–	–	2	1	2	7	8	5	5	3
Pericarditis	1	–	–	–	–	–	1	–	–	–	–	–
Acute endocarditis	6	–	–	–	–	–	2	2	2	–	–	–
Other diseases of heart	151	–	–	–	3	4	7	8	11	28	46	44
Other dis. of circulatory system	50	–	–	–	–	–	2	1	5	10	11	21
Bronchitis	118	10	2	2	1	–	–	1	7	15	32	48
Broncho-pneumonia	90	36	9	8	1	–	1	2	5	10	9	9
Lobar pneumonia	45	3	4	2	–	3	4	3	9	6	8	3
Pneumonia (type not distinguished)	30	2	4	1	1	–	2	2	4	3	5	6
Other diseases of respiratory system	14	–	2	1	–	–	1	2	1	2	2	3
Diarrhœa and enteritis	21	17	–	1	–	–	1	1	–	1	–	–
Appendicitis and typhlitis	4	–	–	1	–	2	–	–	1	–	–	–
Hernia, Intestinal obstruction	11	1	–	1	–	–	1	–	2	2	–	4
Cirrhosis of liver	10	–	–	–	–	–	–	1	1	3	5	–
Other diseases of digestive system	30	3	–	1	1	2	3	2	5	6	4	3
Acute nephritis	2	–	–	1	–	–	–	–	–	–	1	–
Chronic Bright's disease	37	–	–	–	–	2	2	4	9	8	8	4
Other diseases of genito-urinary system.	8	1	–	–	–	–	–	2	–	–	3	2
Puerperal fever, &c.	3	–	–	–	–	–	2	1	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	1	1	–	–	–	–
Congenital malformations	9	8	–	1	–	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	11	11	–	–	–	–	–	–	–	–	–	–
Old age	36	–	–	–	–	–	–	–	–	–	8	28
Suicide	4	–	–	–	–	–	1	–	–	3	–	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	1	1	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	1	–	–	3	1	1	4	1	1	–	1
Other deaths by violence	9	–	1	–	–	–	–	1	1	–	3	3
Other specified causes	34	9	2	–	–	–	1	1	5	5	6	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th December 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs:—						
†BATTERSEA ...	–	15	18	–	16	M. 4
†BERMONDSEY ...	–	8	28	–	6	C. 1
†BETHNAL GREEN	–	3	17	–	4	–
†CAMBERWELL ...	–	17	25	–	4	–
†CHELSEA ...	–	2	3	1	1	–
†DEPTFORD ...	–	18	11	–	1	–
†FINSBURY ...	–	3	9	1	2	M. 1
†FULHAM ...	–	8	4	–	6	–
†GREENWICH ...	–	19	23	–	3	M. 1
†HACKNEY ...	–	1	25	–	1	–
†HAMMERSMITH	–	7	11	–	3	–
†HAMPSTEAD ...	–	5	7	–	–	–
†HOLBORN ...	–	6	3	–	1	D. 1
†ISLINGTON ...	–	25	20	–	3	M. 1
†KENSINGTON ...	–	16	7	1	3	–
†LAMBETH ...	–	21	12	1	8	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	11	6	–	1	–
†PADDINGTON ...	–	12	6	–	13	–
†POPLAR... ...	–	3	7	1	14	C. 1
†ST. MARYLEBONE	–	7	6	–	2	–
†ST. PANCRAS ...	–	21	19	1	16	M. 1
†SHOREDITCH ...	–	2	19	–	6	M. 4
†SOUTHWARK ...	–	13	23	–	12	M. 1
†STEPNEY ...	–	8	21	2	16	–
†STOKE NEWINGTON	–	–	1	–	1	–
†WANDSWORTH	–	14	5	–	20	L. 1
†WESTMINSTER, CITY OF	–	3	2	–	3	–
†WOOLWICH ...	–	5	3	–	10	E. 1
TOTAL OF PART I.	–	273	341	8	176	C. 2 D. 1 E. 1 L 1 M. 13

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	5	1	1	–
Boroughs and Urban Districts :—						
†BEDFORD ...	–	1	–	–	1	–
KEMPSTON ...	–	1	–	–	–	–
†LUTON	–	–	2	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	3	–	–	–
LUTON	–	–	–	1	–	–
BERKS	–	53	9	–	–	E. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	13	–	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	E. 1
†NEWBURY ...	–	1	–	–	–	–
†READING C.B....	–	25	1	–	–	–
Rural Districts :—						
ABINGDON ...	–	4	–	–	–	–
COOKHAM ...	–	1	4	–	–	–
EASTHAMPSTEAD	–	2	3	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WINDSOR ...	–	3	1	–	–	–
BUCKINGHAM	–	10	2	–	–	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	2	–	–	–	–
ETON	*	*	*	*	*	*
LINSLADE ...	–	1	–	–	–	–
†SLOUGH... ...	–	–	–	–	–	M. 1
Rural Districts :—						
AYLESBURY ...	–	2	–	–	–	–
ETON	*	*	*	*	*	*
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	4	2	–	–	–
CAMBRIDGE ...	–	3	8	–	–	–
Borough :—						
†CAMBRIDGE ...	–	–	8	–	–	–
Rural Districts :—						
LINTON	–	1	–	–	–	–
MELBOURN ...	–	2	–	–	–	–
CHESTER	–	66	25	–	20	G. 1 M 2
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	1	–
†BIRKENHEAD C.B.	–	10	3	–	8	M. 2
BREDBURY AND ROMILEY	–	2	–	–	1	–
BUGLAWTON ...	–	1	–	–	–	–
†CHESTER C.B. ...	–	2	–	–	2	–
†CONGLETON ...	–	6	–	–	1	–
†CREWE	–	3	1	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	3	–	–	–
HOLLINGWORTH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	–	2	–	–	–
†HYDE	–	2	1	–	–	–
KNUTSFORD ...	–	4	–	–	–	–
†MACCLESFIELD...	–	3	1	–	–	–
MIDDLEWICH ...	–	–	1	–	–	–
NANTWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	2	–	–	–	G. 1
†RUNCORN ...	–	6	1	–	–	–
†STOCKPORT C.B.	–	8	4	–	1	–
†WALLASEY C.B.	–	2	1	–	5	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
DISLEY	–	1	–	–	–	–
NORTHWICH ...	–	1	3	–	–	–
RUNCORN ...	–	3	–	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL... ...	–	3	–	–	–	–
CORNWALL ...	–	4	5	–	3	G. 1
Boroughs and Urban Districts:—						
NEWQUAY ...	–	–	2	–	–	–
REDRUTH ...	–	1	–	–	1	–
ST. AUSTELL ...	–	–	1	–	–	–
TORPOINT ...	–	1	1	–	1	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
EAST KERRIER...	–	–	–	–	–	G. 1
REDRUTH ...	–	–	1	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	19	8	–	3	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	1	–	–	–
†CARLISLE C.B. ...	–	4	2	–	2	–
CLEATOR MOOR	–	1	1	–	–	–
COCKERMOUTH...	–	1	–	–	–	–
†MARYPORT ...	–	9	–	–	–	–
PENRITH ...	–	–	1	–	1	–
†WORKINGTON ...	–	2	2	–	–	–
Rural District:—						
ALSTON WITH GARRIGILL	–	–	1	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	8	35	9	–	23	M 4
Boroughs and Urban Districts:—						
BRAMPTON AND WALTON	–	–	2	–	–	–
†CHESTERFIELD ...	–	2	–	–	–	M. 1
†DERBY C.B. ...	–	9	2	–	10	–
†GLOSSOP ...	–	1	–	–	–	–
†HEANOR ...	4	1	1	–	1	–
†ILKESTON ...	2	–	–	–	–	–
†LONG EATON ...	–	2	1	–	4	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY ...	–	1	1	–	2	–
†SWADLINCOTE DISTRICT	–	5	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	6	–	–	–	M. 1
BLACKWELL ...	–	4	1	–	–	–
CHESTERFIELD ...	–	1	–	–	3	M. 1
CLOWNE ...	2	–	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
REPTON... ...	–	–	–	–	–	M. 1
SHARDLOW ...	–	1	–	–	3	–
DEVON	–	19	19	2	11	–
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	3	–	–	–
BRIXHAM ...	–	–	1	–	–	–
†EXETER C.B. ...	–	5	–	–	4	–
†NEWTON ABBOT	–	1	–	–	1	–
OTTERY ST. MARY	–	–	1	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	6	11	2	4	–
†TEIGNMOUTH ...	–	2	–	–	–	–
TIVERTON ...	–	1	–	–	1	–
Rural Districts:—						
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	–	1	–	–	–
TIVERTON ...	–	1	1	–	–	–
DORSET	–	3	3	–	–	C. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	–	C. 1
DORCHESTER ...	–	2	–	–	–	–
†POOLE	–	–	1	–	–	–
†PORTLAND ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHAFTESBURY ...	*	*	*	*	*	*
SWANAGE ...	–	–	1	–	–	–
Rural Districts:—						
SHAFTESBURY ...	*	*	*	*	*	*
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM... ...	–	73	21	1	61	E. 1 M. 12
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON ...	–	1	–	–	–	–
†CHESTER-LE-STREET	–	2	–	–	4	–
†CONSETT ...	–	–	1	–	–	–
†DARLINGTON C.B.	–	4	2	–	4	–
†DURHAM ...	–	–	–	–	1	–
†FELLING ...	–	–	1	–	2	–
†GATESHEAD C.B.	–	8	1	–	5	M. 1
†HETTON... ...	–	5	–	–	–	–
†HOUGHTON-LE-SPRING	–	–	–	–	1	–
†JARROW ...	–	6	–	–	1	–
†SHILDON ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	3	3	–	13	M. 2
†SOUTHWICK-ON-WEAR	–	–	1	–	1	–
†SPENNYMOOR ...	–	1	1	–	–	–
†STANLEY ...	–	9	–	–	–	M. 1
†STOCKTON-ON-TEES	–	–	2	–	3	–
†SUNDERLAND C.B.	–	12	4	–	6	E. 1 M. 4

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
TOW LAW ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B	–	3	–	–	1	M. 2
†WHICKHAM ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	8	–	–	4	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	2	1	–	10	M. 1
HARTLEPOOL ...	–	–	1	–	–	–
HOUGHTON-LE-SPRING	–	1	–	–	–	M. 1
LANCHESTER ...	–	3	–	–	–	–
SEDGEFIELD ...	–	–	1	–	–	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	2	–	–	1	–
WEARDALE ...	–	–	–	1	–	–
ISLE OF ELY ...	–	4	–	–	–	–
Boroughs and Urban District:—						
†WISBECH ...	–	3	–	–	–	–
Rural District:—						
WISBECH ...	–	1	–	–	–	–
ESSEX	–	55	63	1	22	C. 2 L. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	–	2	–
BRENTWOOD ...	–	1	–	–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COLCHESTER ...	–	–	2	–	–	–
†EAST HAM C.B.	–	10	3	–	1	–
†GRAYS THURROCK	–	3	–	–	–	C. 1
†HARWICH ...	–	–	3	–	–	–
†ILFORD	–	1	4	1	–	C. 1
†LEYTON... ...	–	6	5	–	–	–
LOUGHTON ...	*	*	*	*	*	*
MALDON ...	–	1	–	–	–	–
†ROMFORD ...	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	1	–	4	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	15	7	–	2	–
†WEST HAM C.B.	–	6	27	–	9	M. 1
†WOODFORD ...	–	1	1	–	2	–
Rural Districts:—						
BILLERICAY ...	–	–	–	–	–	L. 1
BRAINTREE ...	–	–	–	–	1	–
DUNMOW ...	–	–	1	–	–	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
ONGAR ...	–	–	1	–	–	–
ORSETT	–	3	–	–	–	–
ROMFORD ...	–	–	7	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
GLOUCESTER ...	–	75	19	2	7	M. 1
Boroughs and Urban Districts:—						
†BRISTOL C.B. ...	–	41	12	–	3	M. 1
†CHELTENHAM ...	–	18	1	–	–	–
†GLOUCESTER C.B	–	2	4	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	1	–
DURSLEY ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	9	–	–	–	–
GLOUCESTER ...	–	–	1	1	–	–
NEWENT ...	–	–	1	1	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	–	2	–	2	–
Boroughs and Urban District:—						
†HEREFORD ...	–	–	1	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
WEOBLEY ...	–	–	1	–	–	–
HERTFORD ...	–	22	2	1	4	M. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY... ...	–	4	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
CHORLEYWOOD	–	2	–	–	–	–
†EAST BARNET VALLEY	–	3	1	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HITCHIN ...	–	2	–	–	–	–
†ST. ALBANS ...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
SAWBRIDGEWORTH	–	1	–	–	–	–
WARE	–	–	–	–	1	–
Rural Districts:—						
HADHAM ...	–	–	–	–	–	M. 1
HITCHIN ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	2	–	1	2	–
HUNTINGDON ...	–	–	–	–	–	–
KENT	–	42	27	–	18	M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	–	–	1	–
†BECKENHAM ...	–	2	1	–	–	–
†BEXLEY... ...	–	–	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	–	2	–	1	–
†CANTERBURY C.B.	–	–	1	–	–	–
†CHATHAM ...	–	1	2	–	1	–
CHISLEHURST ...	–	9	–	–	–	–
†CRAYFORD ...	–	2	–	–	–	–
†DOVER	–	2	2	–	–	–
†ERITH	–	1	–	–	1	M. 1
†FOLKESTONE ...	–	1	1	–	6	–
†GILLINGHAM ...	–	1	5	–	–	–
†GRAVESEND ...	–	3	1	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	–	1	–	2	–
†MARGATE ...	–	2	3	–	–	–
†NORTHFLEET ...	–	2	2	–	–	–
†PENGE	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Rochester ...	–	–	–	–	1	–
†Royal Tunbridge Wells	–	1	–	–	–	–
Sevenoaks ...	–	–	1	–	–	–
†Sheerness ...	–	4	1	–	–	M. 1
Sittingbourne	–	1	1	–	–	–
Rural Districts:—						
Elham	–	1	–	–	–	–
Faversham ...	*	*	*	*	*	*
Hollingbourne	–	–	–	–	3	–
Maidstone ...	–	4	–	–	–	–
Malling ...	–	2	–	–	–	–
Milton	–	–	1	–	–	–
LANCASTER ...	–	404	108	4	262	C. 5 G. 1 L. 17 M. 20
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
†Accrington ...	–	5	–	–	2	–
†Ashton-in-Makerfield	–	1	1	–	2	–
†Ashton-under-Lyne	–	4	1	–	5	–
Aspull	–	–	–	–	2	–
Audenshaw ...	–	1	–	–	–	–
†Barrow-in-Furness C.B.	–	3	–	–	–	–
†Blackburn C.B.	–	7	–	–	4	C. 1 M. 1
†Blackpool C.B.	–	3	–	–	2	M. 1
†Bolton C.B. ...	–	18	4	–	6	–
†Bootle C.B. ...	–	5	–	–	4	–
†Burnley C.B.	–	24	5	–	–	–
†Bury C.B. ...	–	7	1	–	3	–
†Chadderton ...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Chorley ...	–	–	–	–	1	–
†Colne	–	1	–	–	2	–
†Crompton ...	–	–	–	–	3	–
†Dalton-in-Furness	–	3	–	–	–	–
†Darwen ...	–	4	–	–	–	–
†Denton ...	–	2	1	–	–	–
†Droylsden ...	–	2	–	–	1	–
†Eccles ...	–	1	–	–	2	–
†Failsworth ...	–	3	2	–	4	–
†Farnworth ...	–	4	–	–	–	–
†Fleetwood ...	–	–	1	–	2	–
Fulwood ...	–	1	1	–	–	–
†Great Crosby	–	1	1	–	–	–
†Great Harwood	–	1	–	–	–	–
†Haslingden ...	–	–	1	–	–	M. 1
†Heywood ...	–	4	1	–	–	–
†Hindley ...	–	2	–	–	1	–
†Horwich ...	–	1	–	–	2	–
Hurst	–	–	–	–	1	–
†Ince-in-Makerfield	–	2	–	–	–	C. 1
Irlam	–	–	–	–	1	–
†Lancaster ...	–	–	3	–	–	–
Lathom and Burscough	–	2	–	–	–	–
Lees	–	2	–	–	–	–
†Leigh	–	5	3	–	1	–
†Litherland ...	–	7	5	–	–	–
†Littleborough	–	1	–	–	–	–
†Liverpool C.B.	–	47	20	1	58	C. 1 M. 9
Longridge ...	–	1	2	–	–	–
†Lytham Saint Anne's	–	1	–	–	–	–
†Manchester C.B.	–	73	18	1	94	C. 1 G. 1 M. 5
†Middleton ...	–	4	1	–	2	–
†Nelson... ...	–	–	1	1	–	–
†Newton-in-Makerfield	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORDEN ...	–	3	–	–	–	–
†OLDHAM C.B. ...	–	15	1	–	5	–
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	–	–	–	M. 1
†PADIHAM ...	–	1	–	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	5	6	1	1	–
†RADCLIFFE ...	–	–	1	–	3	–
RAINFORD ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	–	1	–	2	–
†RAWTENSTALL ...	–	4	–	–	–	–
RISHTON ...	–	2	1	–	2	–
†ROCHDALE C.B.	–	15	1	–	–	–
†ROYTON... ...	–	–	–	–	2	–
†ST. HELENS C.B.	–	7	–	–	2	M 1
†SALFORD C.B. ...	–	28	9	–	7	–
SKELMERSDALE	*	*	*	*	*	*
†SOUTHPORT C.B.	–	6	1	–	–	–
STANDISH WITH LANGTREE	–	2	1	–	–	–
†STRETFORD ...	–	2	2	–	4	–
†SWINTON AND PENDLEBURY	–	2	–	–	6	–
†TURTON... ...	–	4	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	12	1	–	–	–
†ULVERSTON ...	–	1	1	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
†WARRINGTON C.B.	–	7	–	–	7	–
†WATERLOO-WITH-SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	–	–	–	3	–
WHITEFIELD ...	–	2	–	–	–	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES ...	–	5	–	–	–	–
†WIGAN C.B. ...	–	1	–	–	3	–
†WORSLEY ...	–	1	–	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	1	–	–	–	–
BLACKBURN ...	–	2	–	–	–	–
LANCASTER—*cont.*						
Rural Districts:—*cont.*						
BURNLEY ...	–	2	–	–	–	–
BURY	–	–	–	–	1	–
CHORLEY ...	–	–	4	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 1
GARSTANG ...	–	–	–	–	1	–
LANCASTER ...	–	–	–	–	1	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	4	–	–	1	M. 1
LUNESDALE ...	–	1	–	–	–	–
PRESTON ...	–	1	3	–	–	–
WARRINGTON	–	–	–	–	–	C. 1
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON ...	–	–	–	–	–	L. 16
WIGAN	–	3	–	–	–	–
LEICESTER ...	–	32	11	–	11	C. 1 M. 2
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	–	–	–	–	2	–
ASHBY WOULDS	–	–	–	–	1	–
†COALVILLE ...	–	2	1	–	–	–
†LEICESTER C.B.	–	24	3	–	7	–
†LOUGHBOROUGH	–	3	–	–	–	–
MARKET HARBOROUGH	*	*	*	*	*	*
MELTON MOWBRAY	–	1	–	–	–	C. 1 M. 1
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	4	–	–	–
BARROW-UPON-SOAR	–	–	–	–	–	M. 1
BILLESDON ...	–	–	1	–	–	–
CASTLE DONNINGTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
HINCKLEY ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	3	1	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	1	–	–
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
BOSTON ...	*	*	*	*	*	*
SPALDING (part)	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	*	*	*	*	*	*
STAMFORD ...	*	*	*	*	*	*
Rural District:—						
CLAYPOLE ...	–	1	–	–	–	–
SLEAFORD ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	18	12	–	4	C. 2
Boroughs and Urban Districts:—						
ALFORD ...	–	–	–	–	1	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	1	1	–	–	–
†GAINSBOROUGH	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRIMSBY, C.B....	–	7	5	–	1	C. 1
†LINCOLN C.B. ...	–	1	–	–	–	–
MABLETHORPE ...	–	4	–	–	–	–
MARKET RASEN	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	1	–
Rural Districts:—						
GAINSBOROUGH	–	–	1	–	–	–
GLANFORD BRIGG	–	–	–	–	1	C. 1
SPILSBY... ...	–	1	3	–	–	–
WELTON ...	–	1	–	–	–	–
MIDDLESEX ...	–	93	65	2	36	C. 1 L. 1 M. 5
Boroughs and Urban Districts:—						
†ACTON	–	4	2	–	2	L. 1
†BRENTFORD ...	–	1	4	–	–	–
†CHISWICK ...	–	–	–	–	–	M. 1
†EALING ...	–	3	1	–	1	M. 2
†EDMONTON ...	–	4	1	–	1	–
†ENFIELD ...	–	1	–	–	–	–
FELTHAM ...	–	7	9	–	–	–
†FINCHLEY ...	–	1	4	–	1	–
†FRIERN BARNET	–	–	–	1	–	–
†HAMPTON ...	–	–	–	–	–	M. 1
HAMPTON WICK	–	4	–	–	1	–
†HANWELL ...	–	11	4	–	–	–
†HARROW-ON-THE-HILL ...	–	1	2	–	1	–
†HENDON ...	–	2	7	–	1	–
†HESTON AND ISLEWORTH	–	3	4	–	1	–
†HORNSEY ...	–	3	2	–	4	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX— *cont.*						
Boroughs and Urban Districts— *cont.*						
STAINES ...	–	2	–	–	–	–
†TEDDINGTON ...	–	4	–	–	–	–
†TOTTENHAM ...	–	18	6	1	13	C. 1
†TWICKENHAM ...	–	–	–	–	1	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	10	17	–	6	M. 1
†WOOD GREEN ...	–	2	–	–	–	–
Rural Districts:—						
HENDON ...	–	–	1	–	–	–
STAINES ...	–	6	–	–	1	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK ...	–	46	13	–	6	C. 1
Boroughs and Urban Districts:—						
DOWNHAM MARKET	*	*	*	*	*	*
EAST DEREHAM	–	3	–	–	–	–
†GREAT YARMOUTH C.B.	–	6	–	–	–	–
NORTH WALSHAM	–	–	1	–	–	–
†NORWICH C.B....	–	23	4	–	6	C. 1
Rural Districts:—						
AYLSHAM ...	–	2	1	–	–	–
DOCKING ...	–	1	–	–	–	–
DOWNHAM ...	*	*	*	*	*	*
FOREHOE ...	–	–	4	–	–	–
HENSTEAD ...	–	3	–	–	–	–
KING'S LYNN ...	*	*	*	*	*	*
MARSHLAND ...	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	5	1	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
WALSINGHAM ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	23	3	–	9	G. 1
Boroughs and Urban Districts:—						
FINEDON ...	*	*	*	*	*	*
HIGHAM FERRERS	–	1	–	–	–	–
IRTHLINGBOROUGH	–	5	–	–	–	–
†KETTERING ...	–	1	–	–	–	G. 1
†NORTHAMPTON C.B.	–	11	3	–	9	–
OUNDLE... ...	*	*	*	*	*	*
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE	–	1	–	–	–	–
POTTERSPURY ...	*	*	*	*	*	*
NORTHUMBERLAND.	–	54	17	3	25	C. 4 D. 1 M. 1
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	1	–	–	–
†ASHINGTON ...	–	2	–	–	3	–
†BEDLINGTONSHIRE	–	6	1	–	–	–
†BERWICK UPON TWEED	–	–	–	–	–	D. 1
†BLYTH	–	11	–	3	–	–
CRAMLINGTON ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH ...	–	1	–	–	–	–
†NEWBURN ...	–	–	1	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	10	10	–	15	C. 4 M. 1
PRUDHOE ...	–	–	–	–	1	–
†TYNEMOUTH C.B.	–	7	1	–	5	–
†WALLSEND ...	–	5	1	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
WEETSLADE ...	–	8	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	2	–	1	–
Rural Districts:—						
ALNWICK ...	*	*	*	*	*	*
CASTLE WARD ...	–	2	–	–	–	–
NOTTINGHAM ...	2	32	9	1	18	C. 1 M. 2
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	2	–
†BEESTON ...	–	2	–	–	–	–
†CARLTON ...	–	2	1	–	3	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	2	1	–	1	C. 1
†MANSFIELD WOODHOUSE	–	1	–	–	3	–
†NEWARK ...	–	–	1	–	–	–
†NOTTINGHAM C.B.	1	20	4	1	7	M. 1
†SUTTON-IN-ASHFIELD	–	1	–	–	–	–
WARSOP ...	–	–	1	–	–	–
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP ...	–	2	–	–	–	–
Rural Districts:—						
BASFORD ...	1	–	–	–	1	–
BINGHAM ...	*	*	*	*	*	*
SOUTHWELL ...	–	–	1	–	–	–
STAPLEFORD ...	–	–	–	–	–	M. 1
OXFORD	–	7	2	1	–	–
Boroughs and Urban Districts:—						
HENLEY-ON-THAMES	–	–	1	–	–	–
†OXFORD C.B. ...	–	4	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
CULHAM ...	–	1	–	–	–	–
WITNEY ...	–	1	1	1	–	–
PETERBOROUGH (Soke of)	–	2	–	–	1	–
Borough:—						
†PETERBOROUGH	–	2	–	–	1	–
RUTLAND ...	–	–	2	–	–	–
Rural Districts:—						
UPPINGHAM ...	–	–	2	–	–	–
SALOP	–	11	4	–	5	M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	2	1	–	–	–
†OAKENGATES ...	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	4	–
WEM	–	1	–	–	–	–
†WENLOCK ...	–	3	1	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM ...	–	–	1	–	–	–
BRIDGNORTH ...	–	–	–	–	–	M. 1
DRAYTON ...	–	–	–	–	1	–
ELLESMERE ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephaitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	27	4	1	7	–
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	2	–	1	1	–
†BRIDGWATER ...	–	1	–	–	–	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	3	–	–	–	–
RADSTOCK ...	–	2	–	–	–	–
†TAUNTON ...	–	6	–	–	–	–
WIVELISCOMBE...	–	2	–	–	–	–
†YEOVIL ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
BATH	–	5	–	–	–	–
CHARD	–	–	–	–	2	–
FROME... ...	–	1	–	–	–	–
KEYNSHAM ...	–	–	–	–	1	–
SHEPTON MALLET	–	1	3	–	–	–
TAUNTON ...	–	1	–	–	1	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL ...	–	2	–	–	–	–
SOUTHAMPTON ...	–	62	23	–	5	C. 4
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	2	1	–	–	–
†BOURNEMOUTH C.B.	–	1	–	–	1	–
†FAREHAM ...	–	–	1	–	2	–
†GOSPORT ...	–	1	4	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	26	11	–	1	–
†SOUTHAMPTON C.B.	–	13	5	–	1	–
†WINCHESTER ...	–	5	–	–	–	C. 2
Rural Districts:—						
DROXFORD ...	–	1	–	–	–	–
HAVANT ...	–	2	–	–	–	–
SOUTHAMPTON —*cont.*						
Rural Districts:— *cont.*						
NEW FOREST ...	–	1	–	–	–	–
RINGWOOD ...	–	–	–	–	–	C. 2
WHITCHURCH ...	–	8	1	–	–	–
STAFFORD ...	1	183	31	2	40	C. 2 M. 9
Boroughs and Urban Districts:—						
BIDDULPH ...	–	2	1	–	–	–
†BILSTON ...	1	16	–	–	–	–
†BROWNHILLS ...	–	3	–	–	1	–
†BURTON-UPON-TRENT C.B.	–	3	–	–	1	–
†CANNOCK ...	–	9	1	–	1	C. 1
†COSELEY ...	–	1	–	–	–	–
†DARLASTON ...	–	1	2	–	–	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	4	–	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS	–	5	1	–	2	–
RUGELEY ...	–	2	–	–	–	–
†SEDGLEY ...	–	–	1	–	–	–
†SMETHWICK C.B.	–	9	–	1	2	–
†STAFFORD ...	–	5	2	–	–	–
†STOKE-ON-TRENT C.B.	–	63	6	–	19	M. 7
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	3	–	–	1	–
†WALSALL C.B....	–	5	1	–	3	M. 2
†WEDNESBURY ...	–	3	–	–	1	–
WEDNESFIELD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	16	13	–	–	–
†WILLENHALL ...	–	2	–	–	2	–
†WOLSTANTON UNITED	–	4	1	–	1	–
†WOLVERHAMPTON C.B.	–	16	1	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CHEADLE ...	–	1	–	–	2	–
GNOSALL ...	*	*	*	*	*	*
KINGSWINFORD	–	–	–	1	–	–
LEEK	–	3	–	–	–	–
LICHFIELD ...	–	2	–	–	1	–
TAMWORTH (part)	–	3	–	–	–	–
SUFFOLK, EAST	–	13	7	–	6	M. 1
Boroughs and Urban Districts:—						
HALESWORTH ...	*	*	*	*	*	*
†IPSWICH C.B. ...	–	6	5	–	2	M 1
†LOWESTOFT ...	–	–	1	–	2	–
SAXMUNDHAM ...	*	*	*	*	*	*
SOUTHWOLD ...	*	*	*	*	*	*
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
EAST STOW ...	–	–	–	–	1	–
HOXNE	–	1	–	–	1	–
MUTFORD AND LOTHINGLAND	–	2	–	–	–	–
SAMFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	2	1	–	–	–
SUFFOLK, WEST	–	–	2	1	–	C. 1
Borough and Urban District:—						
†BURY ST. EDMUNDS	–	–	2	–	–	C. 1
Rural District:—						
COSFORD ...	–	–	–	1	–	–
SURREY	–	48	35	–	23	M. 1
Boroughs and Urban Districts:—						
†BARNES ...	–	–	2	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	2	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	1	–	–	1	–
†CROYDON C.B....	–	21	12	–	4	–
DORKING ...	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	–	4	–	–	–
†EPSOM	–	–	–	–	2	–
†ESHER AND THE DITTONS	–	1	1	–	–	–
†FARNHAM ...	–	2	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON-ON-THAMES	–	5	2	–	–	–
†MERTON AND MORDEN	–	5	–	–	–	–
†MITCHAM ...	–	1	4	–	1	–
†REIGATE ...	–	1	–	–	2	–
†RICHMOND ...	–	1	1	–	3	–
†SURBITON ...	–	2	–	–	–	–
†SUTTON	–	–	2	–	2	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON-UPON THAMES	–	–	3	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
†WOKING ...	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
EPSOM	–	–	–	–	3	–
HAMBLEDON ...	–	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	12	10	–	8	–
Boroughs and Urban Districts:—						
†BRIGHTON C.B....	–	6	7	–	4	–
CUCKFIELD ...	–	–	1	–	–	–
†EASTBOURNE C.B.	–	–	–	–	2	–
EAST GRINSTEAD	–	2	–	–	–	–
†HASTINGS C.B.	–	1	1	–	–	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	2	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	3	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
SHOREHAM-BY-SEA	–	–	1	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
Rural Districts:—						
PETWORTH ...	–	–	–	–	1	–
WARWICK ...	–	127	50	1	44	C. 5 D. 1 M. 4
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	82	48	1	32	C. 5 D. 1 M. 4
†COVENTRY C.B.	–	11	–	–	4	–
KENILWORTH ...	–	2	–	–	–	–
†NUNEATON ...	–	4	–	–	4	–
†ROYAL LEAMINGTON SPA	–	1	–	–	2	–
†RUGBY	–	3	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	3	–	–	–	–
FOLESHILL ...	–	8	1	–	–	–
MERIDEN ...	–	1	–	–	–	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	4	–	–	1	–
SOLIHULL ...	–	2	–	–	–	–
STRATFORD-ON-AVON	–	1	–	–	–	–
TAMWORTH (part)	–	3	–	–	–	–
WESTMORLAND	–	3	–	–	1	E. 1
Boroughs and Urban Districts:—						
†KENDAL ...	–	–	–	–	1	E. 1
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
ISLE OF WIGHT	–	5	–	–	–	–
Boroughs and Urban Districts:—						
RYDE	–	3	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	18	4	–	10	–
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	2	–	–	–
†SWINDON ...	–	2	–	–	5	–
†TROWBRIDGE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	1	–
CRICKLADE AND WOOTTON BASSETT	–	4	–	–	–	–
DEVIZES ...	–	1	–	–	–	–
HIGHWORTH ...	–	2	–	–	3	–
MALMESBURY ...	–	–	–	–	1	–
PEWSEY ...	–	4	–	–	–	–
RAMSBURY ...	–	2	1	–	–	–
TISBURY ...	–	–	1	–	–	–
WORCESTER ...	–	33	4	1	10	C. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	8	–	–	–	–
†KIDDERMINSTER	–	5	–	–	3	–
†LYE AND WOLLESCOTE	–	–	–	1	–	–
†OLDBURY ...	–	5	2	–	4	C. 1
†REDDITCH ...	–	4	–	–	–	–
†WORCESTER C.B.	–	6	1	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
HALESOWEN ...	–	1	1	–	1	–
PERSHORE ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	24	21	1	5	D. 1 M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	2	–	–	–	–
COTTINGHAM ...	–	4	–	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
†KINGSTON-UPON-HULL C.B.	–	10	14	–	1	M. 3
†YORK C.B. ...	–	8	1	–	2	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural District:—						
HOWDEN ...	–	–	1	–	1	–
NORTON... ...	*	*	*	*	*	*
SCULCOATES ...	–	–	5	–	–	–
SKIRLAUGH ...	–	–	–	1	–	–
YORKS ... ... (North Riding).	–	52	6	–	13	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	20	–	–	–	–
GUISBOROUGH ...	–	2	–	–	2	–
HINDERWELL ...	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	–	18	2	–	8	–
†REDCAR ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	2	–	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
THORNABY-ON-TEES	–	–	1	–	–	M. 1
†WHITBY ...	–	–	1	–	2	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
FLAXTON ...	–	8	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
STARTFORTH ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	12	240	66	7	131	C. 9 D. 2 M. 15
Boroughs and Urban Districts:—						
†ADWICK-LE-STREET	–	2	2	–	–	D. 1 M. 1
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
BAILDON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BARNSLEY C.B.	–	–	5	–	1	C. 2
†BATLEY... ...	–	7	2	–	2	–
†BENTLEY WITH ARKSEY	*	*	*	*	*	*
BIRSTAL... ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	–	–	2	–	M. 1
†BRADFORD C.B.	–	9	12	1	16	C. 1 M. 2
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	4	–	–	–	–
†CONISBROUGH ...	–	1	1	–	–	–
†DARTON ...	–	–	1	–	1	–
†DEWSBURY C.B.	–	11	–	–	–	–
†DONCASTER ...	12	1	1	1	–	–
EARBY	–	1	1	–	1	–
†ELLAND... ...	–	1	–	–	–	–
†FEATHERSTONE	–	1	–	–	–	–
†GOLCAR... ...	–	1	–	–	–	–
†GOOLE	–	–	1	–	1	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HALIFAX C.B. ...	–	7	–	–	1	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	3	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	1	–	–	–
HIPPERHOLME ...	–	5	1	–	3	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORSFORTH ...	–	–	–	–	3	–
†HOYLAND NETHER	–	1	1	–	–	–
†HUDDERSFIELD C.B.	–	6	2	–	3	M. 1
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	–	4	–	–	1	–
†LEEDS C.B. ...	–	85	8	–	5	C. 2 M. 2
LEPTON... ...	–	–	–	–	1	–
LUDDENDEN FOOT	–	–	–	–	1	–
METHLEY ...	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	–	–	–	–	1	–
†MORLEY... ...	–	1	2	–	2	–
MYTHOLMROYD	–	–	–	–	1	–
†NORMANTON ...	–	–	2	–	2	–
OTLEY	*	*	*	*	*	*
PENISTONE ...	–	–	–	1	–	–
QUEENSBURY ...	*	*	*	*	*	*
†RAWMARSH ...	–	1	–	–	–	–
†ROTHERHAM C.B.	–	4	2	–	7	–
†ROTHWELL ...	–	–	1	–	–	–
ROYSTON ...	–	1	–	–	–	–
†SHEFFIELD C.B.	–	41	10	2	62	C. 2 D. 1 M. 7
SHEPLEY ...	–	–	1	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
†SKIPTON ...	–	1	–	–	1	–
†SPENBOROUGH ...	–	3	–	–	–	C. 1
SPRINGHEAD ...	–	1	–	–	1	–
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
†STANLEY ...	–	1	2	–	1	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†TODMORDEN ...	–	4	–	–	–	–
†WAKEFIELD C.B.	–	5	–	–	2	C. 1
WHITWOOD ...	–	–	–	–	1	–
†WOMBWELL ...	–	–	1	–	–	–
†WORSBOROUGH	–	1	–	–	–	–
Rural Districts:—						
GOOLE	–	–	1	–	–	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	1	3	–	5	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	3	–	–	3	–
SETTLE ...	–	–	–	–	–	M. 1
TADCASTER ...	–	3	–	–	–	–
TODMORDEN ...	–	2	–	–	–	–
WORTLEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	4	3	–	–	–
Boroughs and Urban Districts :—						
MENAI BRIDGE...	–	1	–	–	–	–
Rural Districts :—						
AETHWY ...	–	–	3	–	–	–
VALLEY... ...	–	3	–	–	–	–
BRECKNOCK ...	–	1	1	–	1	–
Urban Districts :—						
BRYNMAWR ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHER CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	1	–	–	–
CARDIGAN ...	–	–	4	–	2	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH	–	–	3	–	2	–
LAMPETER ...	–	–	1	–	–	–
CARMARTHEN ...	–	11	17	–	4	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	1	–
CWMAMMAN ...	–	2	1	–	–	–
†LLANELLY ...	–	2	3	–	1	–
Rural Districts :—						
CARMARTHEN ...	–	–	3	–	–	–
LLANDILO FAWR	–	3	–	–	–	–
LLANELLY ...	–	1	10	–	1	–
LLANYBYTHER...	–	1	–	–	1	–
NEWCASTLE-IN-EMLYN	–	1	–	–	–	–
CARNARVON ...	–	3	3	–	–	–
Boroughs and Urban District—						
CONWAY ...	–	1	–	–	–	–
Rural Districts :—						
CONWAY ...	–	1	–	–	–	–
GEIRIONYDD ...	–	1	–	–	–	–
GWYRFAI ...	–	–	2	–	–	–
OGWEN	–	–	1	–	–	–
DENBIGH ...	–	9	4	–	4	–
Boroughs and Urban Districts :—						
DENBIGH ...	–	–	–	–	3	–
Rural Districts :—						
CHIRK	–	1	–	–	–	–
LLANRWST ...	–	–	–	–	1	–
RUTHIN ...	–	1	–	–	–	–
WREXHAM ...	–	7	4	–	–	–
FLINT	–	9	5	–	4	–
Boroughs and Urban Districts :—						
†RHYL	–	3	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	2	–	1	–
HOLYWELL (Holywell Div.)	–	2	3	–	3	–
HOLYWELL (Mold Div.)	–	2	–	–	–	–
ST. ASAPH (Flint)	–	2	–	–	–	–
GLAMORGAN ...	2	102	41	1	31	C. 1 M. 6
Boroughs and Urban Districts :—						
†ABERDARE ...	–	4	4	1	6	C. 1
†BARRY	–	–	1	–	–	–
†CAERPHILLY ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Cardiff C.B. ...	–	10	9	–	9	–
†Gelligaer ...	2	–	4	–	–	–
†Maesteg ...	–	–	–	–	2	M. 1
†Merthyr Tydfil C.B.	–	5	4	–	–	–
†Mountain Ash	–	25	1	–	3	–
†Neath	–	–	2	–	1	–
†Ogmore and Garw	–	13	–	–	1	M. 1
†Pontypridd ...	–	1	1	–	–	–
†Port Talbot ...	–	4	–	–	–	–
†Rhondda ...	–	25	2	–	6	M. 2
†Swansea C.B. ...	–	4	5	–	2	M. 2
Rural Districts:—						
Cardiff ...	–	1	–	–	–	–
Cowbridge ...	–	–	1	–	–	–
Gower	–	–	1	–	1	–
Neath	–	7	1	–	–	–
Penybont ...	–	1	1	–	–	–
Pontardawe ...	–	–	2	–	–	–
Swansea ...	–	2	–	–	–	–
MERIONETH ...	–	–	1	–	–	–
Rural Districts:—						
Dolgelly ...	–	–	1	–	–	–
Edeirnion ...	*	*	*	*	*	*
MONMOUTH ...	–	34	9	–	10	M. 1
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	–	–	–	–
†Abertillery ...	–	8	1	–	4	–
Bedwas and Machen	–	2	–	–	–	–
†Bedwellty ...	–	5	4	–	–	–
†Ebbw Vale ...	–	1	–	–	–	–
Llantarnam ...	–	–	–	–	–	M. 1
Monmouth ...	–	1	–	–	–	–
†Mynyddislwyn	–	1	3	–	–	–
†Nantyglo and Blaina	–	–	–	–	1	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Newport C.B....	–	6	1	–	2	–
†Panteg... ...	–	2	–	–	–	–
Pontypool ...	–	1	–	–	–	–
†Rhymney ...	–	1	–	–	–	–
†Risca	–	–	–	–	1	–
†Tredegar ...	–	4	–	–	2	–
Rural District:—						
Magor	–	1	–	–	–	–
MONTGOMERY ...	–	8	–	–	2	–
Boroughs and Urban Districts:—						
Llanfyllin ...	–	–	–	–	1	–
Welshpool ...	–	–	–	–	1	–
Rural Districts—						
Forden ...	–	6	–	–	–	–
Llanfyllin ...	–	2	–	–	–	–
PEMBROKE ...	–	3	3	–	–	–
Boroughs and Urban District:—						
†Pembroke ...	–	3	–	–	–	–
Rural District:—						
Haverfordwest	–	–	3	–	–	–
RADNOR	–	–	2	–	–	–
Urban District:—						
Presteigne ...	–	–	2	–	–	–
Total of Part II.	25	2245	833	35	914	C. 41 D. 5 E. 3 G. 4 L. 19 M. 96

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL ...	–	–	–	–	–	L. 1
PLYMOUTH ...	–	–	1	1	–	–
PORT OF LONDON	–	1	–	–	–	–
Total of Part III.	–	1	1	1	–	L. 1

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	273	341	8	176	C. 2 D. 1 E. 1 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	25	2245	833	35	914	C. 41 D. 5 E. 3 G. 4 L. 19 M. 96
Total of Part III.—Port Sanitary Districts ...	–	1	1	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales	25	2519	1175	44	1090	C. 43 D. 6 E. 4 G. 4 L. 21 M. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera. Typhus Fever or Plague notified during the week. Twenty-five cases of Small-pox were notified, which appear on pages 1,440, 1,448, 1,449, 1,453 and 1,455.

Table 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.
LONDON:—													
Deaths—all ages	744	818	810	800	842	863	946	1,025	1,083	1,155	1,240	1,129	1,130
" 0 to 1 year	98	98	83	92	90	88	114	117	103	123	131	149	139
GREAT TOWNS, aggregate (including London):—													
Births	7,488	7,646	7,545	7,315	7,433	7,096	7,390	6,784	7,141	7,086	7,281	7,058	7,097
Deaths—all ages	3,287	3,566	3,412	3,488	3,604	3,749	3,961	4,205	4,605	4,710	4,599	4,596	4,464
" 0 to 1 year	410	478	433	457	436	504	490	456	541	585	602	604	592
Enteric Fever—Cases	29	24	32	24	17	14	29	27	22	13	24	25	24
" Deaths	3	5	7	3	1	3	3	2	3	1	1	4	1
Small Pox—Cases	13	10	8	9	7	2	4	37	11	6	14	13	13
" Deaths	—	1	—	—	1	—	—	1	12	3	1	—	—
Scarlet Fever—Cases	1,086	1,147	1,139	1246	1,228	1,420	1,374	1,317	1,486	1,426	1358	1,374	1,444
" Deaths	11	3	9	8	9	13	15	15	12	13	18	8	18
Diphtheria—Cases	588	610	677	691	685	720	764	632	631	653	662	759	783
" Deaths	29	32	45	29	44	51	49	61	45	40	35	35	42
Measles—Deaths	18	39	35	34	27	49	62	62	69	94	88	85	75
Influenza—Deaths	18	21	28	32	31	43	41	48	71	64	71	60	52

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 9th December 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	50	24	46·4	38·6	2
Brighton	49	31	46·6	41·2	0
Portsmouth	50	35	47·9	40·9	1
Norwich (Eaton).	50	28	46·4	38·1	3
Plymouth	53	37	50·3	43·3	1
Bristol (Clifton).	50	36	47·7	41·1	1
Birmingham	51	35	46·9	40·7	1
Nottingham	52	26	47·6	38·7	0·3
Birkenhead (Bidston).	51	40	47·6	43·9	1
Manchester	50	34	48·4	41·4	4
Burnley	48	34	45·9	39·9	8
Huddersfield	50	33	47·1	39·4	3
Bradford	51	33	46·9	39·7	3
Sheffield	50	31	47·6	40·0	2
York (Museum).	51	30	47·7	38·0	2
Hull (Pearson Park).	51	28	48·3	37·1	2
Tynemouth	51	35	47·3	40·0	2
Cardiff	50	36	48·7	41·1	3
Edinburgh	51·0	36·0	47·6	40·0	4
Glasgow	51·0	37·1	48·4	41·2	4
Dublin (Phœnix Park).	50·0	33·9	48·3	38·7	5
Fitzwilliam Square.†	52·1	37·2	49·2	42·3	4
Belfast	51·5	37·5	50·2	42·6	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 9th December 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	3	..	30·207	48·0	44·2	3·8	46·4	+ 5·8	39·4	7·0	9·7	3·5	76	50·0	41·1	46·1	NE: NNE & NE.	NE & Calm.	0·8	0·0	0·0	134	−188	0·00
MONDAY	4	Full	30·282	48·3	42·7	5·6	46·3	+ 5·0	39·5	6·8	9·3	3·3	77	48·0	38·4	46·1	Calm & WNW.	NNE & N.	0·9	0·0	0·1	177	−154	0·00
TUESDAY	5	Greatest Declination N.	30·141	50·0	45·0	5·0	47·9	+ 6·4	41·6	6·3	9·6	4·8	79	58·1	37·6	46·1	NW & WNW.	WNW & NW.	3·8	0·0	0·2	386	+ 50	0·00
WEDNESDAY	6	..	30·096	48·4	41·1	7·3	44·4	+ 2·9	36·2	8·2	11·4	6·4	73	54·8	33·4	46·4	NNW & N.	N & NNE.	5·0	0·0	0·7	556	+216	0·00
THURSDAY	7	..	30·067	47·2	35·2	12·0	41·4	+ 0·1	37·4	4·0	8·2	1·5	86	48·3	28·1	46·2	N: NW & W.	NW & N.	2·7	0·0	0·2	363	+ 25	0·00
FRIDAY	8	..	29·976	47·1	32·2	14·9	40·0	− 1·0	36·8	3·2	6·6	0·7	88	51·5	28·7	46·4	NNE & NE.	ENE & Calm	2·0	0·0	0·1	174	−159	0·03
SATURDAY	9	..	30·071	40·2	24·4	15·8	31·2	− 9·4	31·2	0·0	3·4	0·0	100	36·2	25·2	46·0	Calm.	Calm & NNE.	0·6	0·0	0·0	115	−211	0·00
MEANS		..	30·120	47·0	37·8	9·2	42·5	+ 1·3	37·4	5·1	8·3	2·9	83	49·6	33·2	46·2	N.		...	...	...	Sum 1,905	Sum − 421	Sum 0·03
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. December 1922.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	3	v.P. throughout	0·0	8·1	Overcast throughout, misty in morning and evening. Gloom after 15h.
Monday -	4	v.P. throughout	0·0	8·1	Overcast throughout, misty in morning.
Tuesday -	5	v.P. throughout	0·0	8·0	Overcast generally with few cloudy intervals till 22h., then clearing. Brisk wind from 17h.
Wednesday	6	m.P. generally	1·7	8·0	Variably cloudy with cloudless intervals till 17h., then cloudless but hazy. Brisk wind till 15h.
Thursday -	7	v.P. throughout	0·0	8·0	Few thin clouds till 5h. with hoar frost, becoming overcast generally by 9h. Hazy in morning, slight damping about 19h.
Friday -	8	v.P. throughout	0·0	7·9	Cloudy to overcast by 3h., few cloudy intervals till 21h., becoming nearly cloudless by 22h. Slight rain between 5h. and 9h. 30m. Misty generally. Hoar frost at night.
Saturday -	9	No potential registered.	0·0	7·9	Cloudless till 5h., then foggy generally till 16h., then overcast and misty. Hoar frost till evening.
			Sum 1·7	Sum 56·0	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·10 in. at the beginning of the week to 30·30 in. by 21h. on 4th; decreased to 29·99 in. by 22h. on 5th; increased to 30·20 in. by 6h. on 7th; decreased to 29·91 in. by 2h. on 8th, and increased generally 30·11 in. by midnight on 9th.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922 No. 50.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 16TH DECEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH DECEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fiftieth week of the year numbered 7,339, and corresponded to an annual rate of 20·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,727 and corresponded to an annual rate of 12·9 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·6, 12·6 and 12·2. Infant mortality was 93 per 1,000 births against 83, 86, and 83 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,774 births, corresponding to a rate of 20·4 per 1,000, and 1,148 deaths of civilians, corresponding to a rate of 13·3, as against 14·3, 13·0, and 13·1 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·4 per 1,000. The infant mortality was 86 as against 76, 90, and 80 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 63 in the total deaths last week. In London the number of deaths from all causes rose from 1130 to 1148; while the deaths from diphtheria, which had been 13, 21, and 9 in the preceding three weeks, rose to 21 last week.

---

m (45)19144—3 Wt 30—P 19 2250 12/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 16th December 1922.**

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	7,339	4,727	681	6	76	20	31	59	73	68
London	4,514,405*	1,774	1,148	153	1	2	2	10	21	16	13
Towns in Outer Ring.											
Croydon C.B.	191,500	77	47	8	–	–	–	–	–	–	1
Wimbledon	61,700	11	17	2	–	–	–	–	–	–	–
Ealing	67,800	28	10	–	–	–	–	–	–	–	–
Acton	62,000	26	11	3	–	–	–	–	1	–	–
Willesden	167,200	58	53	6	–	–	–	–	1	1	3
Hendon	55,500	11	7	1	–	–	–	–	–	–	–
Hornsey	87,600	23	24	3	–	–	–	–	1	–	1
Wood Green	51,100	12	11	1	–	–	–	–	–	–	1
Tottenham	149,200	44	27	5	–	–	–	–	–	–	–
Edmonton	67,800	43	18	1	–	–	–	–	–	–	–
Enfield	61,400	11	18	3	–	–	–	–	–	–	1
West Ham C.B.	307,000	131	67	15	–	–	–	–	2	–	1
East Ham C.B.	145,500	37	32	1	–	–	1	–	1	–	2
Leyton	130,100	41	27	2	–	–	1	1	–	–	–
Walthamstow	129,800	39	23	1	–	–	–	1	1	–	1
Ilford	85,500	23	18	2	–	–	–	–	–	–	1
Gillingham	48,149*	22	12	1	–	–	–	–	–	–	1
Canterbury C.B.	23,680	8	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	17	3	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	20	12	–	–	–	–	–	–	–	–
Brighton C.B.	134,800	28	52	6	–	1	–	–	–	1	1
Portsmouth C.B.	233,929*	93	54	7	–	1	–	1	1	–	4
Bournemouth C.B.	81,200	18	13	1	–	–	–	–	–	–	–
Southampton C.B.	162,200	68	45	4	–	1	–	–	1	–	1
Reading C.B.	92,600	23	18	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	15	7	2	–	–	–	–	–	–	–
Northampton C.B.	92,300	25	18	4	–	–	–	–	–	–	–
Luton	57,800	14	16	1	1	–	–	–	–	–	–
Cambridge	58,900	20	16	3	–	1	–	–	–	–	–
Southend-on-Sea C.B.	90,500	33	27	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	24	22	2	–	–	–	–	1	1	–
Great Yarmouth C.B.	56,300	24	13	2	–	–	–	–	–	–	–
Norwich C.B.	122,400	34	18	2	1	–	–	–	–	–	–
Swindon	55,500	29	11	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	23	7	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	80	54	4	–	–	–	–	1	–	1
Bath C.B.	68,300	13	16	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	128	102	9	–	–	1	2	1	–	1
Gloucester C.B.	51,800	32	9	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	154	83	23	–	9	2	–	–	2	–
Burton-upon-Trent C.B.	49,410	18	11	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	36	20	1	–	–	–	–	–	1	–
Walsall C.B.	98,800	52	32	6	–	2	–	2	–	–	–
West Bromwich C.B.	75,300	32	14	4	–	2	–	–	2	–	1
Worcester C.B.	49,160	22	12	1	–	–	–	–	–	–	–
Dudley C.B.	57,100	27	7	–	–	–	–	–	–	–	–
Birmingham C.B.	936,000	438	187	23	1	1	3	–	6	4	3
Smethwick C.B.	77,400	25	12	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	42	23	3	–	–	1	–	–	–	–
Leicester C.B.	237,900	96	61	10	–	4	–	–	–	1	1
Lincoln C.B.	66,600	20	21	2	–	–	–	–	–	1	1
Grimsby C.B.	83,600	43	18	7	–	–	–	1	–	–	–
Nottingham C.B.	266,400	105	85	14	–	12	–	1	2	2	1
Derby C.B.	131,800	59	33	7	–	–	–	–	1	1	–
Chesterfield	62,400	31	10	–	–	–	–	–	–	–	–
Stockport C.B.	125,500	30	29	6	–	–	–	–	–	–	–
Chester C.B.	41,030	19	6	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	59	29	10	–	–	–	–	–	1	–
Wallasey C.B.	89,600	24	24	3	–	–	–	–	1	–	–
Liverpool C.B.	817,000	386	233	49	–	–	1	4	3	8	2
Bootle C.B.	77,800	39	22	7	–	–	1	–	–	–	1
St Helens C.B.	104,900	43	27	7	–	–	–	–	–	1	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	16	15	1	–	–	–	–	–	–	1
Wigan C.B.	91,200	33	26	5	–	–	–	–	–	–	–
Warrington C.B.	78,600	38	11	–	–	–	–	–	–	–	–
Bolton C.B.	182,200	67	52	5	–	3	–	–	–	–	1
Bury C.B.	57,600	15	10	1	–	–	–	–	–	–	–
Manchester C.B.	744,000	293	199	31	–	–	–	1	1	1	4
Salford C.B.	239,100	87	72	18	–	1	–	–	2	4	2
Oldham C.B.	148,300	51	46	8	–	–	–	1	1	–	2
Rochdale C.B.	92,700	21	15	2	–	–	–	–	–	–	–
Burnley C.B.	105,300	30	37	3	–	3	–	1	1	2	–
Blackburn C.B.‡	129,682	40	40	5	–	1	–	–	–	1	–
Preston C.B.	119,900	48	25	5	–	5	–	–	–	–	–
Blackpool C.B.	73,800	22	16	1	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	24	15	1	–	–	–	–	–	–	–
Huddersfield C.B.	111,900	24	28	3	–	1	–	–	–	–	–
Halifax C.B.	100,700	28	33	5	–	–	–	–	1	–	1
Bradford C.B.	291,100	101	73	5	–	1	–	–	–	–	2
Leeds C.B.	465,500	151	131	22	2	6	4	–	1	5	4
Dewsbury C.B.	55,100	24	13	2	–	–	–	–	–	–	–
Wakefield C.B.	53,763	23	14	1	–	–	–	–	–	–	–
Barnsley C.B.	68,991	29	16	2	–	–	–	–	–	–	3
Sheffield C.B.	519,239	175	114	18	–	–	–	–	–	3	–
Rotherham C.B.	69,100	42	11	1	–	–	1	–	–	–	–
Doncaster	54,700	28	14	1	–	1	–	–	–	–	1
York C.B.	84,500	32	29	5	–	–	–	–	–	–	–
Hull C.B.	291,800	114	75	17	–	7	–	–	–	5	–
Middlesbrough C.B.	133,400	66	31	4	–	1	–	–	–	–	–
Darlington C.B.	66,400	21	18	2	–	–	–	–	–	–	–
Stockton-on-Tees	65,000	37	5	–	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	32	16	4	–	–	1	–	–	–	–
Sunderland C.B.	161,100	83	53	9	–	7	–	1	–	4	–
South Shields C.B.	120,376	60	37	6	–	–	–	3	–	–	–
Gateshead C.B.	126,700	62	31	8	–	–	–	–	–	–	–
Newcastle-on-Tyne C.B.	278,400	128	70	7	–	–	1	–	2	3	–
Tynemouth C.B.	63,900	30	15	1	–	–	–	–	–	–	–
Carlisle C.B.	53,200	17	11	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	32	24	3	–	1	–	–	–	–	–
Cardiff C.B.§	222,089	91	44	6	–	–	–	–	–	1	1
Rhondda	166,600	53	31	4	–	–	–	–	–	1	–
Merthyr Tydfil C.B.	81,800	21	32	5	–	2	–	1	–	–	–
Aberdare	56,100	14	11	–	–	–	–	–	–	–	–
Swansea C.B.	159,600	59	47	5	–	–	–	–	2	2	–
Greater London	7,523,963*	2,747	1,810	231	1	2	4	14	29	20	25
Outer Ring	3,009,558*	973	662	78	–	–	2	4	8	4	12
16 Great Towns in Outer Ring	1,820,700	615	410	54	–	–	2	2	7	1	12
Remainder of Outer Ring	1,188,858*	358	252	24	–	–	–	2	1	3	–
Edinburgh†	420,500	155	90	14	–	2	1	1	3	–	1
Glasgow†	1,037,800	536	329	79	–	–	2	7	4	4	2
Dublin (Registration Area)†	427,000	185	136	26	1	–	–	1	–	3	–
Belfast†	425,000	168	96	19	–	1	2	1	–	4	–

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ As extended on 1st October 1922. § As extended on 9th November 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Dec. 16	1774	1148	13·3	1	–	2	2	10	21	16	13
Calcutta	896,067	Nov. 4	?	502§	28·8	?	–	?	?	?	?	?	20
Bombay	1,200,473	„ 4	417‖	811	35·1	5	–	–	?	–	–	41	10
Madras	526,911	„ 4	448	466§	46·0	1	7	1	?	1	–	42	–
Sydney and Suburbs	926,400												
Brisbane (Met. Area).	217,714												
Perth (Metropolitan Area).	155,939	Oct. 21	92	41	13·7	–	–	–	–	–	1	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Oct. 28	50	21	10·5	–	–	–	–	–	–	1	–
Johannesburg	153,825	Nov. 4	70	33	11·5	–	–	2	1	–	–	9	1
Durban	49,043	„ 4	32	13	13·8	2	–	1	–	–	–	1	–
Paris	2,906,472	„ 30 (10 days)	1176	1039	13·1	3	–	5	–	4	3	17	6
Antwerp	302,150	Oct. 14	95	57	9·7	–	–	–	–	–	–	4	–
Amsterdam	693,684	Nov. 25	250	124	9·3	1	–	2	–	1	1	1	–
Copenhagen	562,600	Dec. 2	232	125	11·6	–	–	–	–	6	–	1	–
Stockholm	422,042	„ 2	95	85	10·5	–	–	–	–	–	–	1	–
Gothenburg	228,052	Nov. 11	?	58	13·2	–	–	–	–	3	1	–	–
Christiania	258,933	Dec. 2	64	69	13·8	1	–	–	–	–	–	2	–
Berlin	1,974,000	Nov. 4	377	563	14·8	–	?	4	1	1	1	10	4
Breslau	557,000	„ 4	185	161	15·0	–	?	–	–	–	4	4	–
Cologne	692,000	„ 4	239	177	13·3	–	?	4	–	8	–	3	2
Dresden	608,000	„	166	144	12·3	1	?	3	–	2	–	–	1
Frankfort-on-Main	476,000	„ 4	122	84	9·2	–	?	–	1	–	–	2	2
Hamburg	1,071,000	„ 4	232	278	13·5	–	?	–	–	–	2	4	6
Leipzig	676,000	„ 4	187	136	10·5	–	?	–	–	2	–	3	1
Munich	682,000	„ 4	190	159	12·1	–	?	–	–	–	1	4	1
Vienna	1,842,005	„ 4	504	533	15·0	2	–	–	–	–	2	9	1
Prague and Suburbs	689,262	Oct. 28	201	142	10·6	3	?	–	1	–	–	6	–
Budapest	940,000	Sept. 23	337	282	15·6	5	?	2	2	1	–	40	1
Warsaw	956,087	Oct. 28	386	284	15·5	8	1	–	15	1	2	13	2
Cairo	777,500	Sept. 23	675	431	28·8	8	–	2	–	?	2	81	?
Alexandria	456,300	„ 23	383	267	30·4	–	–	–	–	?	–	52	?
New York	5,839,738	Nov. 18	2221	1206	10·8	4	–	–	2	2	6	26	9
Chicago	2,833,288	„ 18	?	544	10·0	–	–	3	1	1	10	14	5
Rio de Janeiro	1,244,240	Oct. 21	678	487	20·4	1	2	22	–	7	2	?	20
Montevideo	347,240	Aug. 12	205	133	15·0	–	–	1	–	–	–	4	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 4 deaths from *Asiatic Cholera* in Calcutta, and 1 in Madras.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th December, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1148	153	35	32	35	39	50	83	124	170	192	235
Enteric fever	1	–	–	–	–	–	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	10	2	2	4	2	–	–	–	–	–	–	–
Diphtheria	21	–	5	8	8	–	–	–	–	–	–	–
Influenza	13	1	–	–	–	–	–	1	3	5	–	3
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	3	2	–	–	1	–	–	–	–	–	–	–
Tuberculosis of respiratory system	81	–	1	–	–	17	10	20	14	14	5	–
Tuberculous meningitis	7	1	2	–	3	1	–	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	1	–	–	–	–	–	–
Other tubercle	13	1	–	–	1	–	4	3	2	1	1	–
Venereal diseases	2	1	–	–	–	–	–	–	1	–	–	–
Cancer	113	–	–	–	–	–	1	10	17	33	29	23
Rheumatic fever	5	–	–	–	1	1	1	1	1	–	–	–
Diabetes	9	–	–	–	–	–	–	2	2	2	3	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	45	–	–	–	–	–	–	–	2	9	20	14
Epilepsy	2	–	–	–	–	–	–	–	1	–	1	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	39	1	1	1	4	2	–	8	12	6	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	1	2	–	1	–	–	–
Other diseases of heart	145	–	–	–	8	3	3	12	13	26	37	43
Other dis. of circulatory system	45	–	–	–	–	–	–	1	6	7	9	22
Bronchitis	115	15	2	–	–	–	–	2	4	12	30	50
Broncho-pneumonia	81	33	12	6	2	1	2	2	5	2	7	9
Lobar pneumonia	44	5	3	3	1	2	5	2	10	7	5	1
Pneumonia (type not distinguished)	36	3	1	3	–	1	2	1	3	7	10	5
Other diseases of respiratory system	15	–	–	–	–	–	–	1	5	4	3	2
Diarrhœa and enteritis	19	12	4	–	–	–	–	–	1	2	–	–
Appendicitis and typhlitis	4	–	–	–	–	1	2	1	–	–	–	–
Hernia, Intestinal obstruction	12	1	–	–	1	–	1	1	–	5	2	1
Cirrhosis of liver	2	–	–	–	–	–	1	–	–	1	–	–
Other diseases of digestive system	22	3	–	–	–	1	–	4	3	3	4	4
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	29	–	–	–	–	3	3	2	5	6	5	5
Other diseases of genito-urinary system.	9	–	–	–	–	–	–	1	3	1	3	1
Puerperal fever, &c.	1	–	–	–	–	1	–	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	3	–	–	–	–	–
Congenital malformations	5	4	–	1	–	–	–	–	–	–	–	–
Premature birth	39	39	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	16	16	–	–	–	–	–	–	–	–	–	–
Old age	46	–	–	–	–	–	–	–	–	2	3	41
Suicide	9	–	–	–	–	1	1	2	3	1	1	–
Burns and scalds	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	2	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	–	1	2	–	2	1	1	1	3	–
Other deaths by violence	17	–	1	–	–	1	2	1	2	4	2	4
Other specified causes	42	8	–	2	–	1	5	2	4	8	6	6
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th December 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	15	–	10	M. 1
†BERMONDSEY ...	–	3	13	–	5	–
†BETHNAL GREEN	–	7	13	–	1	C. 1 M. 1
†CAMBERWELL ...	–	16	22	–	4	M. 1
†CHELSEA ...	–	2	–	–	2	–
†DEPTFORD ...	–	3	9	–	3	–
†FINSBURY ...	–	6	6	–	2	–
†FULHAM ...	–	6	8	–	–	E. 1
†GREENWICH ...	–	11	8	–	3	–
†HACKNEY ...	–	4	23	–	1	–
†HAMMERSMITH	–	2	8	–	4	C. 2
†HAMPSTEAD ...	–	5	4	–	2	–
†HOLBORN ...	–	5	1	1	1	M. 1
†ISLINGTON ...	–	28	9	–	9	M. 3
†KENSINGTON ...	–	9	9	–	3	–
†LAMBETH ...	–	40	10	–	5	–
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	12	5	–	5	–
†PADDINGTON ...	–	8	4	1	6	–
†POPLAR... ...	–	7	10	–	18	D. 1 M. 1
†ST. MARYLEBONE	–	8	4	–	4	–
†ST. PANCRAS ...	–	22	12	–	12	G. 1 M. 2
†SHOREDITCH ...	–	3	15	–	3	C. 2 M. 2
†SOUTHWARK ...	–	15	17	–	5	M. 2
†STEPNEY ...	–	8	12	–	6	–
†STOKE NEWINGTON	–	6	1	–	–	–
†WANDSWORTH	–	13	17	–	15	C. 1 G. 1 M. 1
†WESTMINSTER, CITY OF	–	4	2	–	2	M. 1
†WOOLWICH ...	–	7	3	–	12	D. 1 M. 1
TOTAL OF PART I.	–	269	260	2	143	C. 6 D. 2 E. 1 G. 2 M. 17

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	–	–	3	E. 1
Boroughs and Urban Districts :—						
†BEDFORD ...	–	3	–	–	2	–
†LUTON	–	–	–	–	–	E. 1
Rural Districts :—						
AMPTHILL ...	–	–	–	–	1	–
BIGGLESWADE ...	–	1	–	–	–	–
BERKS	–	37	8	–	2	C. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	12	4	–	–	–
†READING C.B....	–	19	1	–	2	C. 1
Rural Districts :—						
ABINGDON ...	–	2	–	–	–	–
COOKHAM ...	–	1	2	–	–	–
EASTHAMPSTEAD	–	1	1	–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR ...	–	1	–	–	–	–
BUCKINGHAM	–	14	2	–	5	M. 1
Boroughs and Urban Districts :—						
†AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	1	–
CHESHAM ...	–	3	–	–	–	–
†SLOUGH... ...	–	–	–	–	1	–
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	–	1	–	–	–
AYLESBURY ...	–	3	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
ETON	–	–	–	–	–	M. 1
WYCOMBE ...	–	3	1	–	3	–
CAMBRIDGE ...	–	1	2	–	–	–
Borough :—						
†CAMBRIDGE ...	–	–	2	–	–	–
Rural Districts :—						
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	65	30	1	23	C. 2 L. 1 M 2
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	2	–	–	–	–
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	–	M. 1
†BIRKENHEAD C.B.	–	4	4	–	3	M. 1
BOWDON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
BUGLAWTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	5	–
†CHESTER C.B. ...	–	4	1	–	2	–
COMPSTALL ...	–	1	–	–	–	–
†CONGLETON ...	–	2	–	1	–	–
†CREWE	–	4	–	–	2	C. 1
†DUKINFIELD ...	–	–	–	–	2	C. 1
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	3	–	–	–	–
KNUTSFORD ...	–	3	1	–	–	–
LYMM	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD...	–	7	–	–	–	L. 1
MIDDLEWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	–	1	1	–	–	–
†RUNCORN ...	–	7	–	–	2	–
†SALE	–	1	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	2	–
†STOCKPORT C.B.	–	2	5	–	–	–
†WALLASEY C.B.	–	1	7	–	2	–
†WINSFORD ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	2	–	–	–
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	5	1	–	–	–
RUNCORN ...	–	3	2	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL... ...	–	4	1	–	–	–
CORNWALL ...	–	7	2	1	1	–
Boroughs and Urban Districts:—						
BODMIN... ...	–	1	–	–	–	–
REDRUTH ...	–	–	1	–	–	–
TORPOINT ...	–	1	–	–	–	–
†TRURO	–	–	–	1	–	–
WADEBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. GERMANS ...	–	2	–	–	–	–
TRURO	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	10	7	–	5	M. 2
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	1	–	–	4	M. 2
CLEATOR MOOR	–	–	3	–	–	–
†MARYPORT ...	–	1	–	–	–	–
MILLOM ...	–	1	1	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	–
WIGTON ...	*	*	*	*	*	*
†WORKINGTON ...	–	2	2	–	–	–
Rural District:—						
ALSTON WITH GARRIGILL	–	–	–	–	1	–
COCKERMOUTH ...	–	4	–	–	–	–
WIGTON... ...	–	–	1	–	–	–
DERBY	4	31	25	–	25	C. 1 L. 1 M. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
BAKEWELL ...	–	–	–	–	1	–
†BELPER... ...	–	–	2	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
BRAMPTON AND WALTON	–	–	2	–	–	–
†CHESTERFIELD ...	–	1	3	–	1	–
†DERBY C.B. ...	–	7	4	–	11	C. 1 M. 1
†GLOSSOP ...	–	2	3	–	1	–
†HEANOR ...	2	1	3	–	–	–
†ILKESTON ...	–	–	1	–	1	–
†LONG EATON ...	–	3	–	–	2	–
NEW MILLS ...	–	1	1	–	–	–
SOUTH DARLEY	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	3	1	–	–	M. 1
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	–
BELPER	–	2	–	–	1	L. 1
BLACKWELL ...	–	2	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	3	3	–	3	–
CLOWNE ...	2	–	–	–	–	–
GLOSSOP DALE	–	–	–	–	2	–
HAYFIELD ...	–	–	–	–	1	–
SHARDLOW ...	–	2	2	–	1	–
DEVON	–	19	14	–	12	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	2	–	–	–
BIDEFORD ...	–	1	–	–	2	–
BRIXHAM ...	–	–	2	–	–	–
†EXMOUTH ...	–	–	4	–	–	–
KINGSBRIDGE ...	*	*	*	*	*	*
†PAIGNTON ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	11	3	–	5	–
SIDMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	–	–	–	2	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
CREDITON ...	–	2	–	–	–	–
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	*	*	*	*	*	*
NEWTON ABBOT	–	–	1	–	1	–
PLYMPTON ST. MARY	–	1	–	–	1	–
ST. THOMAS ...	–	–	1	–	–	–
DORSET	–	7	3	–	2	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	3	–	–	–	–
†POOLE	–	–	–	–	2	–
†PORTLAND ...	–	–	1	–	–	–
DORSET—*cont.*						
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	1	2	–	–	–
WIMBORNE AND CRANBORNE	–	2	–	–	–	–
DURHAM... ...	–	80	17	1	53	C. 1 M. 9
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON ...	–	3	–	–	–	–
†CHESTER-LE-STREET	–	1	1	–	1	–
†CROOK	–	–	–	–	2	–
†DARLINGTON C.B.	–	4	–	–	2	C. 1
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	–	–	–	2	M. 1
†GATESHEAD C.B.	–	1	1	–	3	–
†HEBBURN ...	–	3	1	–	1	–
†HETTON... ...	–	5	–	–	3	–
†JARROW ...	–	5	–	–	5	–
LEADGATE ...	–	1	–	–	1	–
†SHILDON ...	–	3	1	–	–	–
†SOUTH SHIELDS C.B.	–	3	1	–	9	–
†STANLEY ...	–	2	2	–	–	–
†STOCKTON-ON-TEES	–	2	–	–	2	M. 1
†SUNDERLAND C.B.	–	26	3	–	3	M. 4
†TANFIELD ...	–	–	–	–	1	–
TOW LAW ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B	–	1	–	–	7	M. 2
Rural Districts:—						
AUCKLAND ...	–	5	1	–	–	–
BARNARD CASTLE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
CHESTER-LE-STREET	–	1	–	1	3	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM ...	–	2	1	–	–	–
EASINGTON ...	–	1	1	–	6	–
HOUGHTON-LE-SPRING	–	–	1	–	1	–
LANCHESTER ...	–	2	–	–	–	–
SOUTH SHIELDS	–	1	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	M. 1
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban District:—						
†WISBECH ...	–	1	–	–	–	–
ESSEX	–	66	41	–	22	C. 1 G. 2 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	3	1	–	3	–
BRENTWOOD ...	–	1	–	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
†EAST HAM C.B.	–	7	5	–	2	C. 1
HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	4	3	–	1	–
†LEYTON... ...	–	8	4	–	1	–
MALDON ...	–	1	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	6	–	–	4	G. 1
TILBURY ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	9	5	–	2	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WANSTEAD ...	–	1	–	–	–	–
†WEST HAM C.B.	–	14	13	–	7	–
†WOODFORD ...	–	1	2	–	–	–
Rural Districts:—						
BILLERICAY ...	–	4	–	–	–	–
CHELMSFORD ...	–	–	–	–	–	M. 1
DUNMOW ...	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	–	–	–	–	G. 1
LEXDEN AND WINSTREE	–	–	2	–	–	–
ONGAR ...	–	–	1	–	–	–
ORSETT	–	–	1	–	–	–
ROMFORD ...	–	1	1	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
STANSTED ...	–	1	1	–	–	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	–	68	27	1	11	G. 2 M. 2
Boroughs and Urban Districts:—						
AWRE	–	2	–	–	–	–
†BRISTOL C.B. ...	–	40	20	–	9	G. 2 M. 2
†CHELTENHAM ...	–	18	–	1	–	–
COLEFORD ...	*	*	*	*	*	*
†GLOUCESTER C.B.	–	–	3	–	–	–
†KINGSWOOD ...	–	3	–	–	–	–
Rural Districts:—						
CAMPDEN ...	–	4	–	–	–	–
CHIPPING SODBURY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
Dursley ...	–	1	–	–	–	–
East Dean and United Parishes	–	–	–	–	1	–
Gloucester ...	–	–	1	–	–	–
Lydney ...	–	–	2	–	–	–
Pebworth ...	*	*	*	*	*	*
Wheatenhurst	–	–	1	–	–	–
HEREFORD ...	–	2	2	–	1	–
Boroughs and Urban District:—						
†Hereford ...	–	1	–	–	–	–
Rural Districts:—						
Bromyard ...	–	–	1	–	–	–
Hereford ...	–	–	1	–	–	–
Ledbury ...	–	1	–	–	–	–
Weobley ...	–	–	–	–	1	–
HERTFORD ...	–	23	7	5	3	C. 1 D. 1
Boroughs and Urban Districts:—						
Bishop's Stortford	–	1	–	–	1	–
Bushey... ...	–	3	–	–	–	–
†East Barnet Valley	–	1	1	1	–	–
Harpenden ...	–	–	3	–	–	–
†Hemel Hempstead	–	2	–	–	–	C. 1
†Hitchin ...	–	–	1	–	–	–
†St. Albans ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
Stevenage ...	–	–	1	–	–	–
†Watford ...	–	1	1	1	2	D. 1
Rural Districts:—						
Barnet... ...	–	2	–	–	–	–
Buntingford ...	–	1	–	–	–	–
Hatfield ...	–	1	–	–	–	–
Hemel Hempstead	–	–	–	1	–	–
Ware	–	4	–	1	–	–
Watford ...	–	6	–	1	–	–
Welwyn ...	*	*	*	*	*	*
HUNTINGDON ...	–	–	–	–	–	–
KENT	–	45	22	1	11	G. 2 M. 1
Boroughs and Urban Districts:—						
†Ashford ...	–	1	–	–	–	–
†Beckenham ...	–	1	1	–	–	–
†Bexley... ...	–	2	–	–	–	–
†Bromley ...	–	2	1	1	1	–
†Chatham ...	–	2	1	–	2	–
Chislehurst ...	–	1	–	–	–	–
†Dartford ...	–	1	1	–	–	–
†Deal	–	–	1	–	–	–
†Dover	–	2	5	–	3	–
†Erith	–	–	1	–	–	–
†Faversham ...	–	–	–	–	1	–
†Folkestone ...	–	–	–	–	–	G. 1
†Gillingham ...	–	–	4	–	–	–
†Gravesend ...	–	9	–	–	–	–
†Maidstone ...	–	1	–	–	1	–
†Margate ...	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	1	–	1	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	2	–
†SHEERNESS ...	–	1	–	–	–	–
TENTERDEN ...	–	–	1	–	–	–
WHITSTABLE ...	–	2	–	–	–	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	6	–	–	–	–
DARTFORD ...	–	1	1	–	–	–
EAST ASHFORD	–	1	–	–	–	–
ELHAM	–	–	–	–	–	G. 1 M. 1
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	3	–	–	–	–
STROOD ...	–	2	–	–	–	–
LANCASTER ...	–	403	94	5	238	C. 5 D. 2 L. 45 M. 42
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	3	–	–	1	–
†ASHTON-IN-MAKERFIELD	–	4	3	–	3	–
†ASHTON-UNDER-LYNE	–	4	3	–	6	–
†ATHERTON ...	–	1	–	–	–	–
AUDENSHAW ...	–	1	–	–	–	–
†BARROW-IN-FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	11	3	1	9	–
†BLACKPOOL C.B.	–	4	–	1	–	M. 2
†BOLTON C.B. ...	–	15	3	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BOOTLE C.B. ...	–	10	1	–	2	–
†BURNLEY C.B.	–	24	4	–	1	–
†BURY C.B. ...	–	6	1	–	5	–
CHURCH... ...	–	2	–	–	–	–
CLAYTON-LE MOORS	–	1	–	–	–	–
†COLNE	–	1	2	–	1	–
†CROMPTON ...	–	–	–	–	2	–
†DALTON-IN-FURNESS	–	2	–	–	–	–
†DARWEN ...	–	10	–	–	–	–
†DENTON ...	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES ...	–	1	–	–	1	–
†FAILSWORTH ...	–	3	2	–	2	–
†FARNWORTH ...	–	–	2	–	1	C. 1
†FLEETWOOD ...	–	2	–	–	–	–
GOLBORNE ...	–	–	–	–	2	–
†GREAT CROSBY	–	–	–	–	2	–
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	5	–	–	1	–
†HINDLEY ...	–	–	1	–	–	–
†HORWICH ...	–	1	–	–	1	–
HURST	–	1	1	–	–	–
†INCE-IN-MAKERFIELD	–	–	1	–	1	–
IRLAM	–	–	–	–	3	–
KEARSLEY ...	–	1	–	–	1	–
†LANCASTER ...	–	1	1	–	2	–
†LEIGH	–	1	5	–	1	C. 1 M. 1
†LITHERLAND ...	–	10	2	–	–	–
†LIVERPOOL C.B.	–	51	16	1	45	M. 20
†LYTHAM SAINT ANNE'S	–	1	–	–	–	–
†MANCHESTER C.B.	–	60	12	–	92	C. 2 M. 11
†MIDDLETON ...	–	2	–	–	2	–
MILNROW ...	–	1	–	–	–	–
†NELSON... ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NEWTON-IN-MAKERFIELD	–	1	–	–	1	–
NORDEN ...	–	2	–	–	1	–
†OLDHAM C.B. ...	–	17	5	–	1	M. 1
†OSWALDTWISTLE	–	2	–	–	1	–
†PADIHAM ...	–	3	–	–	–	–
PRESCOT ...	–	1	–	–	–	–
†PRESTON C.B. ...	–	3	4	–	–	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	3	–	–	–	–
RISHTON ...	–	–	1	–	2	–
†ROCHDALE C.B.	–	14	1	–	1	–
†ROYTON... ...	–	–	–	–	2	–
†ST. HELENS C.B.	–	7	1	–	–	C. 1 L. 14 M. 1
†SALFORD C.B. ...	–	22	2	2	5	M. 3
†SOUTHPORT C.B.	–	4	3	–	1	–
†STRETFORD ...	–	6	3	–	–	–
†SWINTON AND PENDLEBURY	–	6	–	–	7	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON... ...	–	3	1	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	8	2	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	1	1	–	–	–
†WARRINGTON C.B.	–	7	1	–	9	M. 2
†WATERLOO-WITH-SEAFORTH	–	–	1	–	–	–
†WESTHOUGHTON	–	–	–	–	2	–
WHITEFIELD ...	–	17	–	–	1	–
WHITWORTH ...	–	–	–	–	–	M. 1
†WIDNES ...	–	5	–	–	3	–
†WIGAN C.B. ...	–	4	2	–	4	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	1	–
CLITHEROE ...	–	1	–	–	–	L. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER– *cont.*						
Rural Districts:— *cont.*						
LEIGH	*	*	*	*	*	*
LIMEHURST ...	–	8	–	–	1	–
PRESTON ...	–	1	1	–	–	–
WARRINGTON	–	2	–	–	–	–
WHISTON ...	–	–	1	–	–	D. 2 L. 30
WIGAN	–	1	–	–	–	–
LEICESTER ...	–	22	7	–	8	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	–	–
†LEICESTER C.B.	–	19	6	–	3	C. 1 M. 1
QUORNDON ...	–	1	–	–	–	G. 1
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	1	–	–	–
BARROW-UPON-SOAR	–	1	–	–	3	–
CASTLE DONNINGTON	–	–	–	–	2	–
LINCOLN (parts of Holland).	–	6	2	–	1	–
Rural Districts:—						
CROWLAND ...	–	–	2	–	–	–
EAST ELLOE ...	–	6	–	–	–	–
SPALDING (part)	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	–	1	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	G. 1 M. 1
STAMFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	16	6	–	3	M. 1
Boroughs and Urban Districts:—						
ALFORD ...	*	*	*	*	*	*
†CLEETHORPES ...	–	–	1	–	1	–
†GRIMSBY, C.B....	–	8	–	–	–	M. 1
†LINCOLN C.B. ...	–	1	–	–	–	–
MARKET RASEN	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–
SKEGNESS ...	–	–	1	–	–	–
Rural Districts:—						
GAINSBOROUGH	*	*	*	*	*	*
GLANFORD BRIGG	–	3	–	–	1	–
GRIMSBY ...	–	1	1	–	1	–
SPILSBY... ...	–	1	3	–	–	–
MIDDLESEX ...	–	80	56	1	33	C. 3 G. 2 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	3	–	–	1	–
†BRENTFORD ...	–	1	1	–	–	–
†CHISWICK ...	–	–	1	–	–	C. 1
†EALING ...	–	7	1	–	–	–
†EDMONTON ...	–	3	–	–	3	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ENFIELD ...	–	2	–	–	2	C. 1 G. 1
FELTHAM ...	–	–	5	–	–	–
†FINCHLEY ...	–	5	1	–	–	–
†FRIERN BARNET	–	1	2	–	–	–
GREENFORD ...	–	–	1	–	–	–
†HAMPTON ...	–	3	–	–	1	–
HAMPTON WICK	–	3	–	–	–	–
†HANWELL ...	–	1	1	–	–	–
†HARROW-ON-THE-HILL ...	–	–	1	–	–	–
†HENDON ...	–	–	3	–	–	–
†HESTON AND ISLEWORTH	–	3	2	–	4	G. 1
†HORNSEY ...	–	1	3	–	3	–
†SOUTHALL NORWOOD	–	1	–	–	–	M. 1
†SOUTHGATE ...	–	3	–	–	–	–
STAINES ...	–	–	1	–	–	–
†TEDDINGTON ...	–	2	–	–	–	–
†TOTTENHAM ...	–	20	1	–	9	–
†UXBRIDGE ...	–	–	1	–	1	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	1	–	–	2	–
†WILLESDEN ...	–	8	27	1	3	C. 1 M. 1
†WOOD GREEN ...	–	3	–	–	2	–
Rural Districts:—						
HENDON ...	–	1	–	–	–	–
STAINES ...	–	8	3	–	–	–
UXBRIDGE ...	–	–	–	–	2	–
NORFOLK ...	–	42	14	1	3	–
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	5	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts— *cont.*						
†NORWICH C.B....	–	24	10	1	2	–
THETFORD ...	–	1	–	–	–	–
Rural Districts :—						
DOCKING ...	–	1	–	–	1	–
DOWNHAM ...	–	2	–	–	–	–
ERPINGHAM ...	–	5	–	–	–	–
FOREHOE ...	–	–	2	–	–	–
MARSHLAND ...	–	1	1	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	*	*	*	*	*	*
SWAFFHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	19	–	–	16	–
Boroughs and Urban Districts :—						
FINEDON ...	–	4	–	–	1	–
IRTHLINGBOROUGH	–	3	–	–	–	–
†NORTHAMPTON C.B.	–	7	–	–	12	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts :—						
DAVENTRY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	47	8	–	22	E. 1 M. 4
Boroughs and Urban Districts :—						
AMBLE	–	3	–	–	–	–
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	8	–	–	–	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	5	–	–	–	–
CRAMLINGTON ...	–	2	–	–	–	–
†EARSDON ...	–	2	–	–	1	E. 1
†GOSFORTH ...	–	–	–	–	–	M. 1
MORPETH ...	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
†NEWCASTLE-UPON-TYNE C.B.	–	8	7	–	16	M. 3
PRUDHOE ...	*	*	*	*	*	*
SEGHILL ...	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	2	1	–	3	–
†WALLSEND ...	–	–	–	–	1	–
WEETSLADE ...	–	7	–	–	–	–
Rural Districts :—						
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	2	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM ...	–	–	–	–	1	–
NOTTINGHAM ...	4	26	12	–	20	M 2
Boroughs and Urban Districts :—						
†ARNOLD ...	–	1	–	–	1	–
†BEESTON ...	–	–	1	–	1	–
†CARLTON ...	–	–	2	–	–	–
†HUCKNALL ...	–	1	–	–	5	–
†KIRKBY IN ASHFIELD	–	1	2	–	3	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD ...	–	2	–	–	3	–
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†NEWARK ...	–	–	1	–	–	–
†NOTTINGHAM C.B.	–	14	4	–	2	M. 1
†SUTTON-IN-ASHFIELD	–	–	–	–	1	M. 1
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP ...	–	2	1	–	1	–
Rural Districts:—						
BASFORD ...	4	2	–	–	1	–
BLYTH AND CUCKNEY	–	–	–	–	1	–
SKEGBY... ...	–	–	1	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	16	4	1	2	G. 1 L. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	2	–
†OXFORD C.B. ...	–	6	–	1	–	–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
CROWMARSH ...	–	2	–	–	–	G. 1
CULHAM ...	–	1	–	–	–	–
HEADINGTON ...	–	–	1	–	–	–
WITNEY ...	–	5	2	–	–	L. 1
PETERBOROUGH (Soke of)	–	–	1	–	1	–
Borough:—						
†PETERBOROUGH	–	–	1	–	1	–

Boroughs. Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	10	2	–	4	E. 2 M. 1
Boroughs and Urban Districts:—						
LUDLOW ...	–	1	–	–	–	E. 1
OSWESTRY ...	–	4	–	–	–	–
WELLINGTON ...	–	–	2	–	1	–
†WENLOCK ...	–	–	–	–	2	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	2	–	–	–	–
DRAYTON ...	–	–	–	–	1	M. 1
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	E. 1
SOMERSET ...	–	36	8	–	8	M. 1
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	2	1	–	1	–
†BRIDGWATER ...	–	1	–	–	–	–
†FROME	–	2	–	–	–	–
MIDSOMER NORTON	–	–	3	–	–	–
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON ...	–	14	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
WELLS	–	–	–	–	–	M. 1
†WESTON SUPER MARE	–	–	3	–	–	–
WIVELISCOMBE...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	1	–	–	–	–
CLUTTON ...	–	1	–	–	–	–
DULVERTON ...	–	–	–	–	4	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	–	–	–	2	–
TAUNTON ...	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephaitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—*cont.*						
WELLS	–	1	–	–	–	–
WILLITON ...	–	4	–	–	–	–
WINCANTON ...	–	–	1	–	–	–
YEOVIL ...	–	3	–	–	–	–
SOUTHAMPTON ...	–	56	37	–	10	C. 2 M. 2
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	6	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FARNBOROUGH...	–	1	–	–	–	–
†GOSPORT ...	–	2	2	–	–	–
HAVANT ...	*	*	*	*	*	*
†PORTSMOUTH C.B.	–	26	22	–	2	M. 1
†SOUTHAMPTON C.B.	–	6	11	–	8	C. 2
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	–	–	–	–	M. 1
CATHERINGTON...	–	1	–	–	–	–
CHRISTCHURCH...	–	–	2	–	–	–
FORDINGBRIDGE	–	2	–	–	–	–
NEW FOREST ...	–	5	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD ...	1	186	45	2	56	C. 10 M. 9
Boroughs and Urban Districts:—						
BIDDULPH ...	–	3	2	–	–	–
†BILSTON ...	1	10	–	–	2	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	3	–	–	1	C. 1
†BURTON-UPON-TRENT C.B.	–	3	1	–	–	–
†CANNOCK ...	–	4	1	–	–	–
†COSELEY ...	–	1	–	–	1	–
†DARLASTON ...	–	–	1	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	2	–	–	–	–
KIDSGROVE ...	–	–	–	–	–	C. 1
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	–	C. 1
†NEWCASTLE UNDER LYME	–	6	–	–	1	–
QUARRY BANK	–	2	–	–	1	–
†ROWLEY REGIS	–	7	–	–	1	–
SHORT HEATH...	–	1	–	–	–	–
†SMETHWICK C.B.	–	2	1	–	2	C. 2 M. 2
†STAFFORD ...	–	2	2	–	–	–
†STOKE-ON-TRENT C.B.	–	46	10	1	37	C. 2 M. 4
TAMWORTH ...	–	3	2	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	4	2	–	1	C. 2
†WALSALL C.B....	–	5	2	–	3	–
†WEDNESBURY ...	–	4	–	–	–	M. 1
†WEST BROMWICH C.B.	–	29	12	–	1	–
†WILLENHALL ...	–	4	–	1	2	–
†WOLSTANTON UNITED	–	6	2	–	–	M. 1
†WOLVERHAMPTON C.B.	–	21	2	–	2	–
Rural Districts:—						
CANNOCK ...	–	5	1	–	–	–
CHEADLE ...	–	3	2	–	–	–
KINGSWINFORD	–	–	–	–	–	M. 1
LEEK	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts :—*cont.*						
LICHFIELD ...	–	–	–	–	–	C. 1
NEWCASTLE-UNDER-LYME	–	–	1	–	–	–
STONE	–	2	–	–	–	–
TAMWORTH (part)	–	2	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL ...	–	–	–	–	1	–
SUFFOLK, EAST	–	9	4	–	6	C. 1
Boroughs and Urban Districts :—						
†IPSWICH C.B. ...	–	3	2	–	2	–
†LOWESTOFT ...	–	–	1	–	2	–
STOWMARKET ...	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts :—						
EAST STOW ...	–	1	–	–	1	C. 1
MUTFORD AND LOTHINGLAND	–	2	1	–	–	–
SAMFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	2	1	–	–	–
Borough and Urban District :—						
†BURY ST. EDMUNDS	–	1	1	–	–	–
Rural District:—						
THINGOE ...	–	1	–	–	–	–
SURREY	–	45	19	–	15	G. 1 L. 2 M. 2
Boroughs and Urban Districts :—						
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	–	–	G. 1
†CROYDON C.B....	–	14	5	–	–	–
DORKING ...	–	–	1	–	–	–
†EGHAM	–	2	1	–	1	–
HASLEMERE ...	–	–	–	–	4	–
†KINGSTON-ON-THAMES	–	1	1	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM ...	–	3	4	–	2	–
†REIGATE ...	–	–	–	–	1	–
†RICHMOND ...	–	1	–	–	–	M. 2
†SURBITON ...	–	3	1	–	2	–
†SUTTON	–	–	5	–	2	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
†WALTON-UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	8	–	–	–	–
†WOKING ...	–	1	–	–	1	–
Rural Districts :—						
EPSOM	–	1	–	–	–	L. 2
GODSTONE ...	–	2	1	–	–	–
HAMBLEDON ...	–	1	–	–	2	–
REIGATE ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	19	4	1	1	D. 1
Boroughs and Urban Districts :—						
†BRIGHTON C.B....	–	6	3	–	–	D. 1
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B.	–	2	–	–	1	–
†HOVE	–	9	–	1	–	–
†LEWES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
NEWHAVEN ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	20	–	–	3	–
Boroughs and Urban Districts:—						
†BOGNOR... ...	–	2	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†HORSHAM ...	–	1	–	–	–	–
SOUTHWICK ...	–	5	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON...	–	1	–	–	–	–
HORSHAM ...	–	5	–	–	–	–
PETWORTH ...	–	–	–	–	2	–
STEYNING WEST	–	2	–	–	–	–
WESTBOURNE ...	–	3	–	–	–	–
WARWICK ...	–	123	51	–	55	C. 3 D. 1 L. 1 M. 14
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	70	45	–	39	C. 3 D. 1 M. 12
†COVENTRY C.B.	–	23	2	–	–	M. 1
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	–	–	5	–
†ROYAL LEAMINGTON SPA	–	–	1	–	2	–
†RUGBY	–	5	–	–	2	–
†SUTTON COLDFIELD	–	2	–	–	–	M. 1
†WARWICK ...	–	–	–	–	1	–
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	3	–	–	1	–
ATHERSTONE ...	–	3	–	–	1	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	2	1	–	–	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	1	–	–	1	L. 1
SOLIHULL ...	–	4	–	–	–	–
SOUTHAM ...	–	1	–	–	1	–
STRATFORD-ON-AVON	–	1	–	–	–	–
TAMWORTH (part)	–	6	2	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
ISLE OF WIGHT	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	1	–	–	–	–
†RYDE	–	2	–	–	–	–
SANDOWN ...	–	1	1	–	–	–
WILTS	–	19	6	–	6	–
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	2	–	–	–
†SWINDON ...	–	2	1	–	6	–
WARMINSTER ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—*cont.*						
DEVIZES ...	–	1	–	–	–	–
PEWSEY ...	–	10	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
SALISBURY ...	–	–	1	–	–	–
TISBURY ...	–	–	1	–	–	–
WORCESTER ...	–	21	2	–	1	C. 1 M. 2
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†DUDLEY, C.B. ...	–	–	–	–	–	M. 1
†KIDDERMINSTER	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY ...	*	*	*	*	*	*
†REDDITCH ...	–	2	–	–	–	C. 1
STOURPORT ...	–	1	–	–	–	–
†WORCESTER C.B.	–	5	1	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
FECKENHAM ...	–	4	–	–	–	–
HALESOWEN ...	–	–	–	–	1	–
MARTLEY ...	–	2	1	–	–	–
TENBURY ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	24	12	1	8	F. 1 M. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	4	–	–	–	–
COTTINGHAM ...	–	2	–	–	–	–
HESSLE	–	–	–	–	1	F. 1
†KINGSTON-UPON-HULL C.B.	–	6	10	1	4	M. 1
WITHERNSEA ...	–	–	–	–	1	–
†YORK C.B. ...	–	9	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural District:—						
PATRINGTON ...	–	–	1	–	–	–
RICCALL ...	–	2	–	–	–	–
SCULCOATES ...	–	–	1	–	1	–
SHERBURN ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	–	37	4	–	15	C. 1 M. 5
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	–	–
GUISBOROUGH ...	–	–	–	–	4	–
†MIDDLESBROUGH C.B.	–	22	1	–	6	M. 1
NORTHALLERTON	*	*	*	*	*	*
†SCARBOROUGH ...	–	2	1	–	1	M. 4
†SKELTON AND BROTTON	–	2	–	–	–	–
†THORNABY-ON-TEES	–	–	1	–	–	–
†WHITBY ...	–	–	–	–	3	C. 1
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
HELMSLEY ...	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
STARTFORTH ...	–	–	1	–	–	–
YORKS ... ... (West Riding).	1	239	67	7	105	C. 4 D. 1 E. 1 G. 1 M. 10
Boroughs and Urban Districts:—						
ALTOFTS ...	–	1	1	–	–	–
ARDSLEY, EAST AND WEST	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BARNSLEY C.B.	–	6	4	–	2	–
†BATLEY... ...	–	3	2	–	–	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRADFORD C.B.	–	13	8	1	7	–
†BRIGHOUSE ...	–	–	1	–	1	–
†CASTLEFORD ...	–	1	–	1	–	–
†CONISBROUGH ...	–	1	1	–	–	–
DARFIELD ...	*	*	*	*	*	*
†DARTON ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	6	1	–	–	–
†DONCASTER ...	1	1	1	–	3	–
DRIGHLINGTON	–	–	–	–	1	–
†ELLAND... ...	–	1	–	–	–	–
FARSLEY ...	–	–	1	–	–	–
†FEATHERSTONE	–	3	–	–	–	–
†GOLCAR ...	–	–	–	–	1	–
†GOOLE	–	1	–	–	2	–
GREETLAND ...	–	–	–	–	1	–
†HALIFAX C.B. ...	–	7	2	1	1	M. 1
†HARROGATE ...	–	–	1	–	1	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	2	–	–	–	–
HECKMONDWIKE	–	2	–	–	–	–
†HEMSWORTH ...	–	1	3	–	–	–
HIPPERHOLME ...	–	2	–	–	1	–
HORSFORTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	–	–	–	1	–
†HUDDERSFIELD C.B.	–	4	1	1	3	G. 1
†LEEDS C.B. ...	–	79	8	1	12	C. 1 M. 1
LEPTON... ...	–	–	1	–	–	–
†MEXBOROUGH ...	–	1	2	–	1	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY... ...	–	1	1	1	–	–
NEW MILL ...	–	–	–	1	–	–
†NORMANTON ...	–	2	–	–	1	–
OXENHOPE ...	–	1	–	–	–	–
†OSSETT	–	3	–	–	–	–
OTLEY	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	3	–	–	–	–
†ROTHERHAM C.B.	–	7	3	–	3	–
†ROTHWELL ...	–	1	–	–	2	–
SELBY ...	–	1	1	–	–	–
†SHEFFIELD C.B.	–	34	11	–	45	C. 2 D. 1 E. 1 M.
†SHIPLEY ...	–	2	–	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	–	–
†STANLEY ...	–	1	1	–	–	–
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON ...	–	3	1	–	2	–
THURLSTONE ...	*	*	*	*	*	*
THURNSCOE ...	–	3	–	–	–	–
†TODMORDEN ...	–	3	–	–	–	–
†WAKEFIELD C.B.	–	2	1	–	2	C. 1
†WOMBWELL ...	–	–	–	–	1	–
†WORSBOROUGH	–	1	4	–	–	–
YEADON ...	*	*	*	*	*	*
Rural Districts:—						
DONCASTER ...	–	1	–	–	1	–
GREAT OUSEBURN	–	–	–	–	1	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	4	2	–	–	–
HUNSLET ...	–	2	–	–	–	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK	–	1	–	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
PONTEFRACT ...	–	1	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	2	1	–	1	–
SETTLE ...	–	1	–	–	–	–
TADCASTER ...	–	8	1	–	–	–
WAKEFIELD ...	–	3	–	–	–	–
WORTLEY ...	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	3	2	–	–	–
Boroughs and Urban Districts :—						
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts :—						
AETHWY ...	–	–	2	–	–	–
VALLEY... ...	–	2	–	–	–	–
BRECKNOCK ...	1	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHER CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	1	–	–	–	–	–
VAYNOR AND PENDERYN	–	1	–	–	–	–
CARDIGAN ...	–	2	3	1	1	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH	–	–	2	–	–	–
LAMPETER ...	–	–	1	–	–	–
Rural Districts :—						
LAMPETER ...	–	1	–	–	–	–
LLANDYSSIL ...	–	–	–	1	1	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	10	9	2	3	L. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	1	–	–	1	–
†LLANELLY ...	–	1	2	–	1	–
CARMARTHEN —*cont.*						
Rural Districts :—						
CARMARTHEN ...	–	1	1	–	–	–
LLANDILO FAWR	–	1	3	–	–	–
LLANDOVERY ...	–	4	–	1	–	–
LLANELLY ...	–	1	2	1	–	–
NEWCASTLE-IN-EMLYN	–	1	1	–	1	L. 1
CARNARVON ...	–	10	9	–	1	–
Boroughs and Urban District—						
BETHESDA ...	–	–	1	–	–	–
CARNARVON ...	–	–	1	–	–	–
CONWAY ...	–	4	–	–	–	–
†LLANDUDNO ...	–	–	1	–	–	–
LLANFAIR-FECHAN	–	1	–	–	–	–
Rural Districts :—						
CONWAY ...	–	3	1	–	–	–
GWYRFAI ...	–	–	2	–	1	–
LLEYN	–	2	3	–	–	–
DENBIGH ...	–	8	3	–	4	–
Boroughs and Urban Districts :—						
DENBIGH ...	–	–	1	–	3	–
†WREXHAM ...	–	2	–	–	–	–
Rural Districts :—						
CHIRK	–	2	–	–	–	–
RUTHIN ...	–	–	–	–	1	–
WREXHAM ...	–	4	2	–	–	–
FLINT	–	4	1	–	–	–
Boroughs and Urban Districts :—						
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	1	–	–	–
OVERTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	1	99	43	1	45	C. 1 D. 1 M. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	7	–
†BARRY	–	–	3	–	9	–
†CAERPHILLY ...	–	1	1	–	–	–
†CARDIFF C.B. ...	–	10	4	–	9	C. 1 M. 1
COWBRIDGE ...	*	*	*	*	*	*
†GELLIGAER ...	–	1	3	–	–	–
†MAESTEG ...	–	–	3	–	3	–
†MERTHYR TYDFIL C.B.	1	3	9	–	1	–
†MOUNTAIN ASH	–	16	1	–	1	–
†NEATH	–	–	6	–	–	–
†OGMORE AND GARW	–	13	1	–	–	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	5	–	1	1	D. 1
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	22	1	–	4	M. 2
†SWANSEA C.B. ...	–	6	9	–	1	–
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	1	–
NEATH	–	11	–	–	8	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	2	–	–	–	–
MERIONETH ...	–	–	2	–	1	–
Rural Districts:—						
DOLGELLY ...	–	–	2	–	–	–
PENLLYN ...	–	–	–	–	1	–
MONMOUTH ...	–	16	13	–	15	E. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	–	1	–	2	–
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	–	6	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BLAENAVON ...	–	–	–	–	1	–
CHEPSTOW ...	–	–	–	–	1	–
†EBBW VALE ...	–	1	1	–	2	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NEWPORT C.B....	–	5	2	–	6	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	6	1	–	1	E. 1
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
SAINT MELLONS	–	–	1	–	–	–
MONTGOMERY ...	–	2	2	–	1	–
Borough and Urban District:—						
LLANIDLOES ...	–	2	–	–	–	–
Rural Districts—						
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES ...	–	–	2	–	–	–
PEMBROKE ...	–	8	–	–	–	–
Borough and Urban District:—						
†PEMBROKE ...	–	7	–	–	–	–
Rural District:—						
NARBETH ...	–	1	–	–	–	–
Total of Part II.	12	2171	764	33	891	C. 39 D. 7 E. 6 F. 1 G. 12 L. 52 M. 124

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barry	–	–	–	–	1	–	Southampton ...	–	1	–	–	1	–
Cardiff ...	–	–	–	1	–	–	Port of London	–	1	–	1	–	–
Plymouth ...	–	–	–	1	1	–	Total of Part III.	–	2	–	3	3	–

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	269	260	2	143	C. 6 D. 2 E. 1 G. 2 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	12	2171	764	33	891	C. 39 D. 7 E. 6 F. 1 G. 12 L. 52 M. 124
Total of Part III.—Port Sanitary Districts ...	–	2	–	3	3	–
Total (*i.e.*, of returns received), England and Wales	12	2442	1024	38	1037	C. 45 D. 9 E. 7 F. 1 G. 14 L. 52 M. 141

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera. Typhus Fever or Plague notified during the week. Twelve cases of Small-pox were notified, which appear on pages 1470, 1471, 1478, 1479, 1483, 1484 and 1485.

le 5.—LONDON and GREAT TOWNS in ie AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.
IDON:—													
ATHS—all ages	818	810	800	842	863	946	1,025	1,083	1,155	1,240	1,129	1,130	1,148
,, 0 to 1 year	98	83	92	90	88	114	117	103	123	131	149	139	153
EAT TOWNS, aggregate (including London):—													
THS	7,646	7,545	7,315	7,433	7,096	7,390	6,784	7,141	7,086	7,281	7,058	7,097	7,339
ATHS—all ages	3,566	3,412	3,488	3,604	3,749	3,961	4,205	4,605	4,710	4,599	4,596	4,464	4,727
,, 0 to 1 year	478	433	457	436	504	490	456	541	585	602	604	592	681
ERIC FEVER—Cases	24	32	24	17	14	29	27	22	13	24	25	24	15
,, Deaths	5	7	3	1	3	3	2	3	1	1	4	1	6
LL POX—Cases	10	8	9	7	2	4	37	11	6	14	13	13	2
,, Deaths	1	—	—	1	—	—	1	12	3	1	—	—	—
RLET FEVER—Cases	1,147	1,139	1246	1,228	1,420	1,374	1,317	1,486	1,426	1358	1,374	1,444	1,377
,, Deaths	3	9	8	9	13	15	15	12	13	18	8	18	20
HTHERIA—Cases	610	677	691	685	720	764	632	631	653	662	759	783	671
,, Deaths	32	45	29	44	51	49	31	45	40	35	35	42	59
ASLES—Deaths	39	35	34	27	49	62	62	69	94	88	85	75	76
LUENZA—Deaths	21	28	32	31	43	41	48	71	64	71	60	52	68

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th December 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON	51	29	47·3	38·0	2
REENWICH).					
IGHTON	49	35	46·4	40·6	5
RTSMOUTH	51	38	48·4	42·1	9
DRWICH	53	33	47·3	38·6	5
(EATON).					
YMOUTH	53	30	51·0	44·0	7
ISTOL	54	31	48·4	41·0	5
(CLIFTON).					
RMINGHAM	52	34	46·7	40·1	13
OTTINGHAM	53	29	46·9	41·7	5
EKENHEAD	55	37	48·9	41·4	7
(BIDSTON).					
ANCHESTER	54	30	48·6	41·6	10
ERNLEY	53	27	46·6	36·6	11
DDERSFIELD	53	34	47·1	39·0	5

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	54	35	46·7	39·4	4
SHEFFIELD	54	33	48·0	40·7	4
YORK (MUSEUM).	56	35	48·3	40·4	4
HULL (PEARSON PARK).	55	33	49·7	39·6	4
TYNEMOUTH	54	33	46·9	41·1	17
CARDIFF	53	35	48·9	42·4	14
EDINBURGH	55·0	30·0	47·0	38·6	6
GLASGOW	54·3	32·0	47·2	39·8	13
DUBLIN (PHŒNIX PARK).	55·2	26·4	50·0	37·4	12
FITZWILLIAM SQUARE.†	56·0	34·1	51·2	42·6	12
BELFAST	55·0	30·0	49·2	41·9	9

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 16th December 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	10	..	30·228	42·9	38·2	4·7	40·9	+ 0·5	36·6	4·3	7·7	2·6	85	51·9	34·8	46·0	NNE	NNE	0·9	0·0	0·1	202	−120	0·02
MONDAY -	11	Last Quarter	30·242	41·0	35·3	5·7	38·5	− 1·7	31·0	7·5	9·3	4·8	75	41·0	29·5	45·9	Calm and variable.	W & WSW.	0·6	0·0	0·0	162	−156	0·00
TUESDAY -	12	In Equator	30·158	45·2	40·6	4·6	43·7	+ 3·4	38·9	4·8	6·2	2·2	83	52·7	38·5	45·6	WSW	WSW	2·3	0·0	0·3	370	+ 52	0·00
WEDNESDAY	13	..	30·037	50·8	45·1	5·7	48·6	+ 8·1	45·3	3·3	4·6	2·2	88	56·7	43·4	45·6	WSW & W.	WSW & W.	2·8	0·0	0·4	428	+110	0·00
THURSDAY -	14	Perigee	29·949	48·3	41·4	6·9	44·8	+ 4·1	42·6	2·2	4·6	0·0	92	54·5	33·6	45·4	W & WSW.	WSW & W.	1·9	0·0	0·3	337	+ 19	0·00
FRIDAY -	15	..	29·918	49·9	39·2	10·7	43·7	+ 2·9	40·9	2·8	8·7	0·0	90	55·0	31·2	45·8	WSW & Calm	WSW & Calm.	0·6	0·0	0·0	134	−182	0·00
SATURDAY -	16	..	29·688	48·2	42·4	5·8	45·4	+ 4·7	40·9	4·5	7·8	2·0	84	55·9	34·0	45·6	WSW & W.	W: WNW & WSW	4·5	0·0	0·3	367	+ 53	0·04
MEANS -		..	30·031	46·6	40·3	6·3	43·7	+ 3·1	39·5	4·2	7·0	2·0	85	52·5	35·0	45·7	W.S.W.		...	...	...	Sum 2,000	Sum − 224	Sum 0·06
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	10	v.P. generally	0·0	7·9	Overcast generally with cloudy intervals from 7h. to 9h., and few small breaks, Frequent rain before 6h. and damping afterwards.
MONDAY -	11	v.P. throughout	0·0	7·9	Overcast generally with few very cloudy intervals.
TUESDAY -	12	w.P. generally	0·0	7·8	Overcast with very slight exceptions.
WEDNESDAY	13	w.P. throughout	0·0	7·8	Overcast with very slight exceptions.
THURSDAY -	14	w.P. throughout	0·0	7·8	Overcast till 3h., fine with little cloud till 8h. 30m., becoming overcast generally by 9h. Damping at 16h. 30m.
FRIDAY -	15	w.P. generally	2·0	7·8	Overcast till 6h., thin cloud prevalent till 17h., becoming cloudless about 17h. 30m. and overcast generally by 19h. 30m. Misty in forenoon. Solar halo at times. Dew in evening. Slight rain about 23h.
SATURDAY -	16	w.P. generally	0·0	7·8	Nearly overcast generally, fine intervals 3h. to 6h and 18h. to 19h. Rain about 9h. and damping about noon and 20h. to 21h., rain from 23h. Brisk wind noon to 17h.
			Sum 2·0	Sum 54·8	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·11 in. at the beginning of the week to 30·29 in. by 23h. on 10th, and decreased generally to 29·60 in. by midnight on 16th.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922 No. 51.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 23RD DECEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one yea of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a†.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz :—A, Cholera: B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD DECEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifty-first week of the year numbered 6,910, and corresponded to an annual rate of 18·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,589 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·6, 12·2 and 12·9. Infant mortality was 99 per 1,000 births against 86, 83, and 93 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,674 births, corresponding to a rate of 19·3 per 1,000, and 1,068 deaths of civilians, corresponding to a rate of 12·3, as against 13·0, 13·1, and 13·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·9 per 1,000. The infant mortality was 76 as against 90, 80, and 86 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 137 in the total deaths last week. In London the number of deaths from all causes fell from 1148 to 1068; while the deaths from diphtheria, which had been 21, 9, and 21 in the preceding three weeks, were again 21 last week.

---

(45)19144—4 Wt 30—P 19 2250 12/22 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 23rd December 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	6,910	4,589	687	3	74	22	29	54	74	61
London	4,514,405*	1,674	1,068	127	1	3	5	6	21	15	13
Towns in Outer Ring:											
Croydon C.B.	191,500	68	49	7	1	–	–	–	–	1	2
Wimbledon	61,700	17	12	1	–	–	1	–	–	–	–
Ealing	67,800	24	13	1	–	–	–	–	–	–	–
Acton	62,000	19	12	3	–	–	–	–	–	1	–
Willesden	167,200	59	38	5	–	–	–	1	2	–	2
Hendon	55,500	20	6	1	–	–	–	–	–	–	1
Hornsey	87,600	24	17	1	–	–	–	–	–	–	–
Wood Green	51,100	13	10	–	–	–	–	–	–	–	–
Tottenham	149,200	44	25	3	–	–	–	–	–	–	–
Edmonton	67,800	38	13	3	–	–	–	–	–	–	–
Enfield	61,400	25	19	7	–	–	–	–	–	–	–
West Ham C.B.	307,000	125	67	16	–	–	–	1	5	4	–
East Ham C.B.	145,500	46	32	8	–	–	–	–	–	–	–
Leyton	130,100	49	33	8	–	–	–	–	2	1	–
Walthamstow	129,800	41	14	–	–	–	–	–	–	–	–
Ilford	85,500	31	13	1	–	–	–	–	–	–	1
Gillingham	48,149*	15	14	–	–	–	–	–	–	–	–
Canterbury C.B.	23,680	6	3	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	11	16	–	–	–	–	–	–	–	–
Eastbourne C.B.	53,600	16	18	1	–	–	–	–	–	–	1
Brighton C.B.	134,800	31	41	6	–	1	–	1	1	–	1
Portsmouth C.B.	233,929*	73	53	5	–	2	–	–	1	–	–
Bournemouth C.B.	81,200	20	24	3	–	–	–	–	–	–	–
Southampton C.B.	162,200	52	38	3	–	1	–	–	3	–	1
Reading C.B.	92,600	27	20	–	–	–	–	–	–	–	1
Oxford C.B.	56,400	12	12	2	–	–	1	–	–	1	–
Northampton C.B.	92,300	36	18	1	–	1	–	–	–	–	–
Luton	57,800	14	14	3	–	–	–	–	–	–	–
Cambridge	58,900	12	16	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	90,500	20	22	–	–	–	–	–	–	1	–
Ipswich C.B.	80,100	31	22	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	20	13	3	–	1	–	–	–	1	–
Norwich C.B.	122,400	31	19	1	–	–	–	–	–	–	–
Swindon	55,500	21	14	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	27	21	–	–	–	–	–	–	–	–
Plymouth C.B.	199,869*	52	54	5	–	–	1	–	–	–	1
Bath C.B.	68,300	13	19	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	114	84	10	–	–	2	2	1	–	3
Gloucester C.B.	51,800	16	18	–	–	–	–	–	–	–	–
Stoke-on-Trent, C.B.	273,238	120	84	26	–	7	1	–	–	3	1
Burton-upon-Trent C.B.	49,410	13	11	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	46	30	3	–	–	–	–	–	–	–
Walsall C.B.	98,800	34	31	8	–	–	–	2	–	–	1
West Bromwich C.B.	75,300	36	21	1	–	–	3	–	2	1	1
Worcester C.B.	49,160	24	7	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	20	14	2	–	–	–	–	–	–	–
Birmingham C.B.	936,000	307	179	27	–	–	1	–	3	6	2
Smethwick C.B.	77,400	28	11	1	–	–	–	–	–	–	–
Coventry C.B.	130,300	31	28	4	–	5	–	–	–	–	–
Leicester C.B.	237,900	70	50	9	–	3	–	2	–	2	–
Lincoln C.B.	66,600	21	11	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	29	22	2	–	1	–	–	–	–	–
Nottingham C.B.	266,400	101	79	16	–	11	–	–	–	–	–
Derby C.B.	131,800	39	26	4	–	–	–	–	–	–	–
Chesterfield	62,400	31	14	3	–	–	–	–	–	–	–
Stockport C.B.	125,500	33	33	1	–	1	–	–	1	–	–
Chester C.B.	41,030	17	7	1	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	46	23	5	–	–	–	2	1	–	–
Wallasey C.B.	89,600	12	12	1	–	–	–	1	–	–	–
Liverpool C.B.	817,000	389	262	65	–	–	–	2	4	9	1
Bootle C.B.	77,800	39	22	4	–	–	1	–	–	–	–
St Helens C.B.	104,900	44	31	8	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	13	14	2	-	-	-	-	-	1	-
Wigan C.B.	91,200	28	18	6	-	-	-	-	-	-	1
Warrington C.B.	78,600	31	24	3	-	2	-	1	-	2	-
Bolton C.B.	182,200	59	50	10	-	1	-	-	-	1	1
Bury C.B.	57,600	12	17	2	-	-	-	-	-	1	2
Manchester C.B.	744,000	304	192	32	-	2	1	1	-	3	5
Salford C.B.	239,100	84	66	14	-	-	-	-	-	3	2
Oldham C.B.	148,300	51	34	4	-	-	1	-	-	-	-
Rochdale C.B.	92,700	31	27	2	-	-	1	-	-	-	1
Burnley C.B.	105,300	33	27	3	-	1	1	-	1	-	-
Blackburn C.B.‡	129,682	39	41	6	-	3	-	-	-	-	1
Preston C.B.	119,900	44	31	4	-	1	-	-	-	-	-
Blackpool C.B.	73,800	18	21	1	1	-	-	-	-	-	-
Barrow-in-Furness C.B.	75,200	35	16	4	-	-	-	-	-	-	-
Huddersfield C.B.	111,900	30	28	1	-	-	-	-	-	-	-
Halifax C.B.	100,700	15	30	4	-	-	-	-	-	-	-
Bradford C.B.	291,100	117	78	9	-	2	-	-	-	1	1
Leeds C.B.	465,500	166	114	15	-	7	-	-	-	2	2
Dewsbury C.B.	55,100	19	17	2	-	-	1	-	-	-	1
Wakefield C.B.	53,763	19	10	-	-	-	-	-	-	-	-
Barnsley C.B.	68,991	23	14	4	-	-	-	-	1	1	2
Sheffield C.B.	519,239	197	97	11	-	-	-	2	2	-	3
Rotherham C.B.	69,100	32	12	-	-	-	-	-	-	-	-
Doncaster	54,700	23	18	5	-	-	-	-	-	1	-
York C.B.	84,500	21	22	4	-	-	-	-	-	-	-
Hull C.B.	291,800	130	68	15	-	2	-	-	1	2	2
Middlesbrough C.B.	133,400	80	44	16	-	2	-	-	-	3	1
Darlington C.B.	66,400	22	24	3	-	-	-	-	-	-	-
Stockton-on-Tees	65,000	22	22	7	-	-	-	-	-	-	1
West Hartlepool C.B.	69,300	46	16	2	-	-	-	-	-	-	-
Sunderland C.B.	161,100	67	49	11	-	9	-	2	-	1	-
South Shields C.B.	120,376	59	36	11	-	-	-	2	-	1	-
Gateshead C.B.	126,700	58	30	3	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	278,400	128	65	11	-	-	-	-	-	-	-
Tynemouth C.B.	63,900	31	15	1	-	1	-	-	-	-	-
Carlisle C.B.	53,200	21	12	2	-	-	-	-	-	-	-
Newport (Mon.) C.B.	93,700	34	27	6	-	3	-	-	-	-	-
Cardiff C.B.§	222,089	89	52	8	-	1	-	-	-	1	1
Rhondda	166,600	73	25	3	-	-	1	-	-	1	-
Merthyr Tydfil C.B.	81,800	28	17	4	-	-	-	-	1	-	-
Aberdare	56,100	21	11	-	-	-	-	-	-	-	1
Swansea C.B.	159,600	45	36	6	-	-	-	1	1	1	-
Greater London	7,523,963*	2,679	1,662	216	2	3	7	8	30	23	21
Outer Ring	3,009,558*	1,005	594	89	1	-	2	2	9	8	8
16 Great Towns in Outer Ring	1,820,700	643	373	65	1	-	1	2	9	7	6
Remainder of Outer Ring	1,188,858*	362	221	24	-	-	1	-	-	1	2
Edinburgh†	420,500	182	120	20	-	1	1	4	1	1	1
Glasgow†	1,037,800	564	295	70	-	-	1	8	-	4	-
Dublin (Registration Area)†	427,000	Not received.									
Belfast†	425,000										

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ As extended on 1st October 1922.

§ As extended on 9th November 1922.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Still	Deaths born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
		1922.												
London‡	4,514,405	Dec.	23	1674	1068	12·3	1	–	3	5	6	21	15	13
Calcutta	896,067	Nov.	11	?	498§	28·5	?	–	?	?	?	?	?	19
Bombay	1,200,473	„	11	456‖	703§	30·4	5	1	–	?	–	–	37	6
Madras	526,911	„	11	397	399	39·4	–	3	1	?	–	1	27	–
Sydney and Suburbs	926,400													
Brisbane (Met. Area).	217,714													
Perth (Metropolitan Area).	155,939	Oct.	28	68	23	7·7	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450													
Wellington (Urban Area).	110,680													
Christchurch (Urban Area).	110,200													
Cape Town	104,400	Nov.	4	40	17	8·5	–	–	–	–	–	–	–	–
Johannesburg	153,825	„	11	81	35	11·8	–	–	–	–	–	–	7	–
Durban	49,043	„	11	27	15	16·0	–	–	–	–	–	–	1	1
Paris	2,906,472													
Antwerp	302,150													
Amsterdam	693,678	Dec.	2	267	116	8·7	2	–	–	1	–	1	–	–
Copenhagen	562,600	„	9	188	136	12·6	–	–	1	1	5	2	1	–
Stockholm	422,042	„	9	113	90	11·1	–	–	–	–	–	–	1	–
Gothenburg	228,052	Nov.	18	?	46	10·5	–	–	–	–	–	1	–	1
Christiania	258,933	Dec.	9	92	48	9·6	–	–	–	–	–	–	–	–
Berlin	1,974,000	Nov.	11	388	540	14·2	–	?	–	1	3	3	9	15
Breslau	557,000	„	11	173	144	13·4	–	?	1	–	1	1	2	–
Cologne	692,000	„	11	264	179	13·5	–	?	11	–	3	–	5	4
Dresden	608,000	„	11	163	163	13·9	–	?	2	–	1	1	–	1
Frankfort-on-Main	476,000	„	11	105	71	7·8	–	?	–	–	–	1	1	1
Hamburg	1,071,000	„	11	257	254	12·3	–	?	–	–	4	–	2	10
Leipzig	676,000	„	11	167	155	11·9	1	?	–	–	4	–	2	2
Munich	682,000	„	11	191	162	12·4	–	?	–	–	1	–	4	–
Vienna	1,842,005	„	11	450	473	13·3	1	–	–	2	2	1	15	–
Prague and Suburbs	689,262	„	4	227	175	12·9	–	?	–	–	–	–	10	1
Budapest	940,000	Sept.	30	366	284	15·7	8	?	–	6	–	–	12	1
Warsaw	956,087	Nov.	4	373	292	15·8	5	–	4	10	4	1	8	2
Cairo	777,500	Sept.	30	626	402	26·9	8	–	1	–	?	3	69	?
Alexandria	456,300	„	30	380	229	26·1	2	–	–	–	?	–	41	?
New York	5,839,738	Nov.	25	2395	1233	11·0	2	–	1	8	3	13	16	11
Chicago	2,833,288	„	25	?	585	10·8	–	–	4	2	–	13	15	2
Rio de Janeiro	1,244,240	Oct.	28	587	445	18·6	2	1	24	–	8	2	?	18
Montevideo	347,240	Aug.	19	193	114	15·1	2	–	–	–	–	–	–	1
		„	26	188	130	15·2	1	–	1	1	3	1	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 7 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 7 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd December, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years	15–25 years.	25–35 years	35–45 years.	45 55 years	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1068	127	19	25	35	38	45	88	122	177	171	221
Enteric fever	1	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	1	–	1	–	–	–	–	–	–	–
Scarlet fever	5	1	1	1	–	–	2	–	–	–	–	–
Whooping cough	6	3	2	1	–	–	–	–	–	–	–	–
Diphtheria	21	3	1	11	5	1	–	–	–	–	–	–
Influenza	13	–	–	–	–	–	1	1	4	1	1	5
Erysipelas	2	1	–	–	–	–	1	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	–	1	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	91	1	–	1	2	16	14	27	12	13	4	1
Tuberculous meningitis	6	2	–	1	3	–	–	–	–	–	–	–
Abdominal tuberculosis	3	–	–	1	–	2	–	–	–	–	–	–
Other tubercle	11	3	–	1	1	1	2	–	1	1	1	–
Venereal diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	109	–	–	–	–	–	2	9	20	31	32	15
Rheumatic fever	3	–	–	–	2	1	–	–	–	–	–	–
Diabetes	15	–	–	–	–	–	–	2	3	3	4	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	1	–	1	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	57	–	–	–	–	1	–	2	7	10	14	23
Epilepsy	2	–	–	–	–	–	–	1	–	–	–	1
"Convulsions" (not puerperal)	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	34	–	1	1	3	3	2	6	8	5	4	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	1	1	–	–	1	–	–
Other diseases of heart	149	–	–	–	2	3	6	3	19	35	37	44
Other dis. of circulatory system	41	–	–	–	–	–	–	–	2	8	11	20
Bronchitis	107	7	–	1	–	1	1	3	10	17	22	45
Broncho-pneumonia	79	37	11	2	2	–	–	2	1	11	7	6
Lobar pneumonia	24	–	–	–	3	1	2	4	8	3	–	3
Pneumonia (type not distinguished)	22	3	–	–	–	–	1	1	4	6	5	2
Other diseases of respiratory system	9	–	–	–	–	–	–	2	2	1	2	2
Diarrhœa and enteritis	18	14	1	–	–	–	–	1	–	–	1	1
Appendicitis and typhlitis	4	–	–	1	1	–	–	–	–	2	–	–
Hernia, Intestinal obstruction	8	1	–	–	–	–	–	–	–	2	–	5
Cirrhosis of liver	5	–	–	–	–	–	–	1	–	4	–	–
Other diseases of digestive system	19	–	–	–	–	1	2	5	2	4	2	3
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	25	–	–	–	–	–	1	4	4	5	3	8
Other diseases of genito-urinary system.	7	–	–	–	–	–	1	2	1	–	–	3
Puerperal fever, &c.	4	–	–	–	–	–	2	2	–	–	–	–
Other causes incident to childbirth	5	–	–	–	–	2	–	3	–	–	–	–
Congenital malformations	9	8	–	–	1	–	–	–	–	–	–	–
Premature birth	25	25	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	28	–	–	–	–	–	–	–	–	1	9	18
Suicide	14	–	–	–	–	1	–	1	4	3	3	2
Burns and scalds	4	–	–	2	–	1	–	–	–	1	–	–
Drowning	2	–	–	–	–	–	–	1	1	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	–	1	6	–	–	1	–	2	2	–
Other deaths by violence	15	1	–	–	–	–	2	3	1	2	1	5
Other specified causes	34	6	–	–	2	2	1	1	7	5	5	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd December 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs :—						
†BATTERSEA ...	–	11	10	–	9	M. 1
†BERMONDSEY ...	–	10	15	–	3	–
†BETHNAL GREEN	–	2	12	–	2	M. 3
†CAMBERWELL ...	–	9	21	–	4	M. 2
†CHELSEA ...	–	1	4	–	–	–
†DEPTFORD ...	–	4	15	–	1	–
†FINSBURY ...	–	7	5	–	–	–
†FULHAM ...	–	7	5	–	8	–
†GREENWICH ...	–	5	7	–	1	–
†HACKNEY ...	–	17	29	–	–	–
†HAMMERSMITH	–	8	8	–	6	C. 2
†HAMPSTEAD ...	–	6	3	–	4	–
†HOLBORN ...	–	4	–	–	1	–
†ISLINGTON ...	–	19	20	–	1	M. 2
†KENSINGTON ...	–	7	5	–	5	–
†LAMBETH ...	–	27	14	–	3	M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	13	3	–	2	–
†PADDINGTON ...	–	17	6	–	11	–
†POPLAR... ...	–	3	11	1	11	J. 1 L. 1
†ST. MARYLEBONE	–	5	3	–	3	–
†ST. PANCRAS ...	–	12	14	–	12	M. 1
†SHOREDITCH ...	–	7	10	–	4	M. 2
†SOUTHWARK ...	2	11	19	–	4	M. 2
†STEPNEY ...	–	9	11	–	11	–
†STOKE NEWINGTON	–	2	1	–	–	–
†WANDSWORTH	–	17	7	–	17	C. 1
†WESTMINSTER, CITY OF	–	2	1	–	2	M. 1
†WOOLWICH ...	–	7	5	–	3	–
TOTAL OF PART I.	2	249	264	1	128	C. 3 J. 1 L. 1 M. 16

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	2	–	3	M. 1
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	–	–	–	2	–
†LUTON	–	1	–	–	–	–
Rural Districts :—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	–	–	–	M. 1
LUTON	*	*	*	*	*	*
BERKS	–	19	8	–	2	–
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	3	–	–	–
†READING C.B....	–	12	3	–	2	–
Rural Districts :—						
ABINGDON ...	–	2	2	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
BUCKINGHAM	–	13	4	1	3	–
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE	–	–	–	–	1	–
CHESHAM ...	–	1	–	–	–	–
MARLOW ...	*	*	*	*	*	*
†WOLVERTON ...	–	4	–	–	–	–
Rural Districts :—						
AMERSHAM ...	–	–	1	–	–	–
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts— *cont.*						
ETON	–	–	1	–	–	–
HAMBLEDEN ...	*	*	*	*	*	*
NEWPORT PAGNELL	–	3	–	–	–	–
WINSLOW ...	–	–	–	1	–	–
WYCOMBE ...	–	4	2	–	2	–
CAMBRIDGE ...	–	1	6	–	1	–
Borough :—						
†CAMBRIDGE ...	–	–	6	–	1	–
Rural Districts :—						
LINTON	*	*	*	*	*	*
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	63	13	1	29	M 8
Boroughs and Urban Districts :—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	5	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	1	–	–	–
†BIRKENHEAD C.B.	–	8	3	–	9	M. 2
BOLLINGTON ...	–	1	–	–	–	–
BUGLAWTON ...	–	–	–	–	–	M. 1
†CHEADLE AND GATLEY	–	1	1	–	1	–
†CHESTER C.B. ...	–	2	–	–	4	M. 1
†CONGLETON ...	–	2	–	–	2	–
†CREWE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
†HYDE	–	4	–	–	1	–
KNUTSFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD...	–	2	–	–	1	–
MIDDLEWICH ...	–	–	1	–	–	–
NANTWICH ...	–	–	–	–	–	M. 1
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	7	–	–	–	M. 1
†RUNCORN ...	–	4	–	–	1	M. 1
†SALE	*	*	*	*	*	*
†STALYBRIDGE ...	–	–	–	–	1	–
†STOCKPORT C.B.	–	1	2	–	1	M. 1
†WALLASEY C.B.	–	2	2	–	6	–
WILMSLOW ...	–	2	–	–	–	–
Rural Districts:—						
CHESTER ...	–	1	–	–	1	–
MACCLESFIELD ...	–	–	–	1	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	9	–	–	–	–
TARVIN	–	–	1	–	–	–
WIRRAL... ...	–	3	1	–	1	–
CORNWALL ...	–	4	–	–	3	M. 2
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	–	–	–	–	M. 1
NEWQUAY ...	*	*	*	*	*	*
PENRYN ...	–	–	–	–	1	–
PENZANCE ...	*	*	*	*	*	*
ST. IVES ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN... ...	–	1	–	–	–	–
EAST KERRIER	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	1	M. 1
ST. COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	3	–	–	–	–
TRURO	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	10	4	–	3	–
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	7	3	–	–	–
MILLOM ...	–	2	–	–	1	–
†WHITEHAVEN ...	–	–	1	–	–	–
†WORKINGTON ...	*	*	*	*	*	*
Rural Districts:—						
COCKERMOUTH ...	–	1	–	–	2	–
LONGTOWN ...	*	*	*	*	*	*
DERBY	5	34	12	–	25	E. 1 M. 1
Boroughs and Urban Districts:—						–
†ALFRETON ...	–	–	1	–	1	–
†BELPER... ...	–	–	1	–	–	–
BRAMPTON AND WALTON	–	–	1	–	–	–
†CHESTERFIELD ...	–	–	2	–	–	–
†DERBY C.B. ...	–	11	1	–	12	–
DRONFIELD ...	–	2	1	–	–	–
†GLOSSOP ...	–	1	–	–	1	–
†HEANOR ...	3	–	–	–	–	–
†ILKESTON ...	*	*	*	*	*	*
†LONG EATON ...	–	4	1	–	2	–
†RIPLEY	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	3	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	E. 1
BELPER	–	1	1	–	–	–
BLACKWELL ...	–	4	–	–	–	–
CHAPEL-EN-LE-FRITH	–	–	–	–	–	M. 1
CHESTERFIELD ...	–	4	1	–	3	–
CLOWNE ...	2	–	–	–	–	–
GLOSSOP DALE	–	1	–	–	1	–
HARTSHORN AND SEALS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
NORTON ...	–	–	–	–	1	–
SHARDLOW ...	–	1	1	–	2	–
DEVON	–	29	12	–	5	C. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	1	–	–	–
BIDEFORD ...	–	2	–	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXETER C.B. ...	–	5	1	–	1	–
†EXMOUTH ...	–	1	2	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
LYNTON ...	*	*	*	*	*	*
†NEWTON ABBOTT	–	3	–	–	–	–
OKEHAMPTON ...	–	–	–	–	–	C. 1
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	–	2	–	1	–
†PLYMOUTH C.B.	–	10	3	–	1	–
SEATON	–	1	–	–	–	–
SOUTH MOLTON	*	*	*	*	*	*
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	–	1	–	–	–
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
HONITON ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	2	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
DORSET	–	8	1	–	1	–
Boroughs and Urban Districts:—						
BRIDPORT ...	*	*	*	*	*	*
DORCHESTER ...	–	1	1	–	1	–
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†POOLE	–	3	–	–	–	–
SWANAGE ...	–	1	–	–	–	–
WAREHAM ...	*	*	*	*	*	*
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WAREHAM AND PURBECK	*	*	*	*	*	*
DURHAM... ...	–	57	20	1	57	C. 1 M. 8
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	3	–	–	–
BARNARD CASTLE	–	–	–	–	1	–
BENFIELDSIDE ...	–	1	1	–	–	M. 1
†BLAYDON ...	*	*	*	*	*	*
†BRANDON AND BYSHOTTLES	–	–	–	–	4	–
†CHESTER-LE-STREET	–	3	1	–	–	–
†CROOK	*	*	*	*	*	*
†DARLINGTON C.B.	–	2	–	–	6	M. 1
†DURHAM ...	–	1	–	–	–	–
†FELLING ...	–	1	–	–	2	–
†GATESHEAD C.B.	–	5	2	–	2	–
†HARTLEPOOL ...	–	–	1	–	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON... ...	–	3	–	–	2	–
†HOUGHTON-LE-SPRING	–	–	1	–	5	–
†JARROW ...	–	1	–	–	1	–
LEADGATE ...	–	–	1	–	–	–
†RYTON... ...	–	2	–	–	2	–
†SEAHAM HARBOUR	–	–	1	–	–	–
†SHILDON ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†SOUTH SHIELDS C.B.	–	3	3	–	14	–
†SOUTHWICK-ON WEAR	–	1	–	–	1	–
†SPENNYMOOR ...	–	–	–	–	–	M. 2
†STANLEY ...	–	5	2	–	–	M. 1
†STOCKTON-ON-TEES	–	–	1	–	3	–
†SUNDERLAND C.B.	–	12	1	–	1	C. 1
†TANFIELD ...	–	1	–	–	–	–
†WEST HARTLEPOOL C.B	–	2	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	–	2	1	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER-LE-STREET	–	–	–	–	1	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	–	1	–	–	4	–
HOUGHTON-LE-SPRING	–	1	–	–	1	M. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	–	–	–	–	M. 1
SOUTH SHIELDS	–	1	–	–	–	–
STOCKTON ...	–	1	–	–	4	–
SUNDERLAND ...	–	1	–	–	–	M. 1
ISLE OF ELY ...	–	–	–	–	–	–
Boroughs and Urban District:—						
MARCH	*	*	*	*	*	*
Urban District:—						
WISBECH ...	*	*	*	*	*	*
ESSEX	–	50	42	1	25	C. 2 D. 2 E. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	–	–	4	–
BRENTWOOD ...	–	1	–	–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELMSFORD ...	–	–	2	–	–	–
CHINGFORD ...	–	–	1	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
†EAST HAM C.B.	–	11	5	–	1	–
EPPING	–	–	–	–	2	–
†GRAYS THURROCK	–	2	2	–	–	–
†ILFORD	–	3	7	–	–	–
†LEYTON... ...	–	8	5	–	1	C. 1
MALDON ...	*	*	*	*	*	*
†ROMFORD ...	–	1	–	–	–	–
SHOEBURYNESS	–	2	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	2	–	–	3	D. 1 M. 1
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	2	4	–	1	D. 1
†WANSTEAD ...	–	2	–	–	1	–
†WEST HAM C.B.	–	7	13	–	6	C. 1 E. 1
WITHAM... ...	–	1	–	–	–	–
WIVENHOE ...	–	–	–	–	1	–
†WOODFORD ...	–	2	–	–	2	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	1	–
BRAINTREE ...	–	–	–	1	1	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT ...	–	1	–	–	–	–
ROCHFORD ...	–	2	2	–	–	–
ROMFORD ...	–	–	1	–	–	–
GLOUCESTER ...	–	51	19	2	8	–
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
†BRISTOL C.B. ...	–	33	10	2	6	–
†CHELTENHAM ...	–	7	2	–	–	–
CIRENCESTER ...	–	1	1	–	–	–
†GLOUCESTER C.B.	–	2	1	–	–	–
†KINGSWOOD ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
Chipping Sodbury	–	3	–	–	2	–
Cirencester ...	–	–	4	–	–	–
Pebworth ...	*	*	*	*	*	*
Winchcomb (part)	–	–	1	–	–	–
HEREFORD ...	–	–	4	–	2	–
Boroughs and Urban District:—						
†Hereford ...	–	–	1	–	–	–
Kington ...	*	*	*	*	*	*
Rural Districts:—						
Bromyard ...	–	–	–	–	1	–
Kington ...	*	*	*	*	*	*
Ledbury ...	–	–	1	–	–	–
Ross	–	–	–	–	1	–
Whitchurch ...	*	*	*	*	*	*
Wigmore ...	–	–	2	–	–	–
HERTFORD ...	–	10	5	–	1	M. 1
Boroughs and Urban Districts:—						
Bushey... ...	–	2	–	–	–	–
Harpenden ...	–	3	1	–	–	–
Royston ...	–	1	–	–	–	–
†Watford ...	–	1	1	–	–	–
Rural Districts:—						
Ashwell ...	–	–	–	–	1	–
Hatfield ...	–	1	1	–	–	–
HERTFORD—*cont.*						
Rural Districts—*cont.*						
Ware	–	1	–	–	–	–
Watford ...	–	1	–	–	–	M. 1
Welwyn ...	–	–	2	–	–	–
HUNTINGDON ...	–	–	2	–	3	–
Boroughs and Urban District:—						
Old Fletton ...	–	–	–	–	3	–
Rural Districts:—						
St. Neots, No. 4	*	*	*	*	*	*
Thrapston (part)	–	–	2	–	–	–
KENT	–	37	21	2	7	G. 1
Boroughs and Urban Districts:—						
†Ashford ...	–	–	–	–	–	G. 1
†Beckenham ...	–	2	1	–	–	–
†Bexley... ...	–	3	–	–	–	–
†Bromley ...	–	2	1	–	1	–
†Chatham ...	–	1	–	–	–	–
Chislehurst ...	–	2	–	–	–	–
†Dartford ...	–	–	1	–	–	–
†Deal	*	*	*	*	*	*
†Dover	–	–	3	–	–	–
†Erith	–	1	2	–	–	–
†Folkestone ...	–	1	–	–	1	–
†Gillingham ...	–	5	1	–	–	–
†Gravesend ...	–	1	–	–	–	–
†Maidstone ...	–	1	2	–	1	–
†Margate ...	–	2	1	–	–	–
†Northfleet ...	–	–	1	–	–	–
†Ramsgate ...	–	–	–	–	1	–
†Rochester ...	–	2	1	–	1	–
†Sheerness ...	–	–	2	1	–	–
Sidcup	–	1	–	–	–	–
Southborough	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
TENTERDEN ...	–	–	1	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	4	–	1	1	–
FAVERSHAM ...	–	1	1	–	–	–
HOO	*	*	*	*	*	*
MALLING ...	–	2	1	–	–	–
MILTON ...	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD ...	–	1	1	–	–	–
WEST ASHFORD	–	–	–	–	1	–
LANCASTER ...	–	368	97	9	241	C. 10 L. 39 M. 30
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON-IN-MAKERFIELD	–	3	2	–	5	–
†ASHTON-UNDER-LYNE	–	3	2	–	6	–
ASPULL	*	*	*	*	*	*
†ATHERTON ...	–	8	–	–	–	–
AUDENSHAW ...	–	2	–	–	–	–
†BACUP	–	–	–	–	1	–
†BARROW-IN-FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	4	–	–	9	M. 1
†BLACKPOOL C.B.	–	2	1	1	–	M. 1
†BOLTON C.B. ...	–	17	1	–	4	C. 1
†BOOTLE C.B. ...	–	4	–	–	3	C. 1
BRIERFIELD ...	*	*	*	*	*	*
†BURNLEY C.B.	–	26	2	–	2	C. 1
†BURY C.B. ...	–	3	–	–	8	–
†CHADDERTON ...	–	2	–	–	2	–
†CHORLEY ...	–	–	–	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
CHURCH... ...	–	1	–	–	–	–
†COLNE	–	2	–	–	1	–
†CROMPTON ...	–	1	–	–	3	–
†DARWEN ...	–	5	1	–	–	–
†DENTON ...	–	3	1	–	1	
†DROYLSDEN ...	–	2	–	–	1	–
†FAILSWORTH ...	–	3	–	–	1	–
†FARNWORTH ...	–	5	2	–	–	–
†FLEETWOOD ...	–	–	1	–	–	–
†GREAT HARWOOD	–	–	1	–	–	M. 1
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ...	–	–	1	–	–	–
†HEYWOOD ...	–	2	1	–	3	–
†HINDLEY ...	–	–	–	–	1	–
†HORWICH ...	–	2	–	–	–	–
HURST	–	–	2	–	–	–
†INCE-IN-MAKERFIELD	*	*	*	*	*	*
†LANCASTER ...	–	4	–	–	3	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	6	3	1	2	C. 1 M. 1
†LITHERLAND ...	–	9	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE HULTON	–	–	1	–	–	–
†LIVERPOOL C.B.	–	43	29	1	62	M. 15
†LYTHAM SAINT ANNE'S	–	1	1	–	–	–
†MANCHESTER C.B.	–	57	12	2	71	C. 5 M. 7
†MIDDLETON ...	–	–	1	–	1	–
MILNROW ...	–	1	–	–	–	–
†NEWTON-IN-MAKERFIELD	–	4	–	–	1	–
NORDEN ...	–	1	–	–	–	–
†OLDHAM C.B. ...	–	16	2	–	2	M. 1
ORMSKIRK ...	–	2	–	–	–	C. 1
†PADIHAM ...	–	1	–	–	–	–
PRESCOT ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	3	4	–	1	–
†PRESTWICH ...	–	1	–	–	–	–
RAINFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON ...	–	2	–	–	1	–
†ROCHDALE C.B.	–	14	3	–	–	–
†ROYTON... ...	–	–	–	–	2	–
†ST. HELENS C.B.	–	8	–	–	4	L. 8
†SALFORD C.B. ...	–	26	5	–	11	M. 2
SKELMERSDALE	–	1	–	–	–	–
†SOUTHPORT C.B.	–	2	2	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	2	2	–	–	–
†SWINTON AND PENDLEBURY	–	1	1	1	4	–
TOTTINGTON ...	–	3	–	–	–	–
†TURTON... ...	–	1	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	3	1	–	3	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON ...	–	1	–	–	–	–
†WALTON-LE-DALE	–	1	–	–	–	–
†WARRINGTON C.B.	–	6	1	–	5	–
†WATERLOO-WITH-SEAFORTH	–	2	–	–	2	–
†WESTHOUGHTON	–	1	–	3	–	–
WHITEFIELD ...	–	3	–	–	1	–
†WIDNES ...	–	6	4	–	2	–
†WIGAN C.B. ...	–	2	2	–	–	–
Rural Districts:—						
BARTON-UPON-IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	1	–	–	–	–
BURNLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	2	1	–	–	–
FYLDE	–	2	–	–	–	–
LEIGH	–	3	–	–	1	–
LIMEHURST ...	–	–	–	–	2	–
PRESTON ...	–	1	–	–	–	–
SEFTON	*	*	*	*	*	*
ULVERSTON ...	–	3	–	–	–	–
WARRINGTON ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—*cont.*						
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON ...	–	1	1	–	1	L. 31
WIGAN	–	3	–	–	–	–
LEICESTER ...	–	26	12	–	4	C. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
ASHBY WOULDS	–	1	–	–	–	–
†COALVILLE ...	–	–	2	–	–	–
†HINCKLEY ...	*	*	*	*	*	*
†LEICESTER C.B.	–	17	5	–	4	C. 1
†LOUGHBOROUGH	–	3	3	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	*	*	*	*	*	*
CASTLE DONNINGTON	–	–	1	–	–	–
MARKET BOSWORTH	–	4	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	2	7	1	1	–
Boroughs and Urban Districts:—						
†BOSTON... ...	–	–	–	1	1	–
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	–	–	3	–	–	–
Rural Districts:—						
BOSTON... ...	–	1	–	–	–	–
CROWLAND ...	–	–	4	–	–	–
EAST ELLOE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J. Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	6	–	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	1	–	–	2	–
Rural District:—						
BRANSTON ...	*	*	*	*	*	*
CLAYPOLE ...	–	3	–	–	–	–
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	4	1	3	M. 1
Boroughs and Urban Districts:—						
ALFORD ...	*	*	*	*	*	*
†CLEETHORPES ...	–	1	–	–	–	–
†GRIMSBY, C.B....	–	5	3	–	–	–
LOUTH	–	–	–	–	–	M. 1
MABLETHORPE ...	–	4	–	–	–	–
MARKET RASEN	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	3	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY ...	*	*	*	*	*	*
HORNCASTLE ...	–	–	–	1	–	–
SPILSBY... ...	–	–	1	–	–	–
WELTON ...	*	*	*	*	*	*
MIDDLESEX ...	–	58	48	–	53	G. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	3	–	2	–
†BRENTFORD ...	–	–	4	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	1	–	–	–	–
†EALING ...	–	3	5	–	1	–
†EDMONTON ...	–	6	1	–	6	–
†ENFIELD ...	–	–	–	–	7	–
FELTHAM ...	–	1	4	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	*	*	*	*	*	*
GREENFORD ...	–	1	–	–	–	–
†HAMPTON ...	–	–	–	–	1	–
HAMPTON WICK	–	2	–	–	–	–
†HANWELL ...	–	1	2	–	–	–
†HARROW-ON-THE-HILL ...	–	1	–	–	–	–
†HENDON ...	–	1	2	–	2	G. 1
†HESTON AND ISLEWORTH	–	7	2	–	3	–
†HORNSEY ...	–	2	2	–	3	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	3	–	–	3	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	12	5	–	13	–
†TWICKENHAM ...	–	–	2	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WILLESDEN ...	–	8	13	–	7	–
†WOOD GREEN ...	–	1	–	–	1	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
STAINES ...	–	2	2	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK ...	–	12	2	–	–	D. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	*	*	*	*	*	*
†KING'S LYNN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORWICH C.B....	*	*	*	*	*	*
Rural Districts:—						
DOCKING ...	–	–	1	–	–	–
ERPINGHAM ...	–	2	–	–	–	–
FOREHOE ...	*	*	*	*	*	*
HENSTEAD ...	–	2	–	–	–	–
MARSHLAND ...	–	–	–	–	–	D. 1
MITFORD AND LAUNDITCH	–	6	–	–	–	–
WALSINGHAM ...	–	1	1	–	–	–
NORTHAMPTON	–	17	6	–	9	M. 2
Boroughs and Urban Districts:—						
FINEDON ...	–	1	1	–	–	–
ITHLINGBOROUGH	–	2	–	–	–	–
†KETTERING ...	–	–	–	–	1	M. 1
†NORTHAMPTON C.B.	–	7	1	–	5	–
ROTHWELL ...	*	*	*	*	*	*
†WELLINGBOROUGH	–	5	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	–	–	1	–
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	–	1	–	1	M. 1
GRETTON ...	–	1	–	–	–	–
HARDINGSTONE	–	–	1	–	–	–
THRAPSTON (part)	–	–	2	–	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.	–	41	13	2	18	M. 4
Boroughs and Urban Districts:—						
ALNWICK ...	–	5	–	–	–	–
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	4	1	1	–	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	7	1	–	–	M. 2
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	*	*	*	*	*	*
NEWBIGGIN-BY-THE-SEA	*	*	*	*	*	*
†NEWCASTLE-UPON-TYNE C.B.	–	7	7	1	11	M. 2
SEATON DELAVAL	–	–	3	–	–	–
SEGHILL ...	–	1	–	–	–	–
†TYNEMOUTH C.B.	–	3	–	–	3	–
†WALLSEND ...	–	2	–	–	1	–
WEETSLADE ...	–	4	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	–	1	–	–	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	–	–	–	–	1	–
MORPETH ...	–	4	–	–	–	–
NOTTINGHAM ...	4	23	10	1	12	M. 3
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†CARLTON ...	–	2	3	–	3	–
†EAST RETFORD	–	1	–	–	–	–
EASTWOOD ...	2	–	–	–	–	–
†HUCKNALL ...	–	2	–	–	3	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	4	–	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK ...	–	1	1	–	–	M. 1
†NOTTINGHAM C.B.	–	8	1	1	2	M. 2
†SUTTON-IN-ASHFIELD	–	1	2	–	–	–
WARSOP ...	*	*	*	*	*	*
†WEST BRIDGFORD	-	1	1	–	–	–
Rural Districts:—						
BASFORD ...	2	1	1	–	2	–
BINGHAM ...	*	*	*	*	*	*
MISTERTON ...	*	*	*	*	*	*
STAPLEFORD ...	–	–	1	–	–	–
OXFORD	–	4	1	–	–	–
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	–	1	–	–	–
WITNEY ...	–	3	–	–	–	–
PETERBOROUGH (Soke of).	–	3	–	–	3	–
Borough:—						
†PETERBOROUGH	–	3	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	7	7	–	2	M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
LUDLOW ...	–	2	4	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	3	–	–	–	–
WELLINGTON ...	–	–	–	–	1	M. 1
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
SHIFNAL ...	–	–	1	–	–	–
SOMERSET ...	–	23	4	–	14	–
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	–	2	–	3	–
†FROME	–	2	–	–	–	–
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON ...	–	10	–	–	2	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	2	–
†WESTON SUPER MARE	–	1	2	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
CLUTTON ...	–	2	–	–	–	–
KEYNSHAM ...	–	1	–	–	2	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	–	–	–	2	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	2	–
YEOVIL ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephaitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	49	22	1	7	C. 1 M. 2
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	2	–	–	–	–
†BOURNEMOUTH C.B.	–	2	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	3	–	1	–
†GOSPORT ...	–	3	1	–	1	–
†PORTSMOUTH C.B.	–	23	11	–	1	C. 1 M. 1
†SOUTHAMPTON C.B.	–	6	6	–	3	–
†WINCHESTER ...	–	1	–	–	–	M. 1
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CATHERINGTON...	*	*	*	*	*	*
FORDINGBRIDGE	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
KINGSCLERE ...	–	–	–	–	1	–
LYMINGTON ...	*	*	*	*	*	*
NEW FOREST ...	–	2	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	3	–	–	–	–
WINCHESTER ...	–	–	–	1	–	–
STAFFORD ...	2	108	34	2	61	C. 2 G. 1 M. 8
Boroughs and Urban Districts:—						
†AUDLEY ...	–	–	–	–	–	C. 1
BIDDULPH ...	–	5	1	–	–	–
†BILSTON ...	1	5	–	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	2	1	–	1	–
†BURTON-UPON-TRENT C.B.	–	1	3	–	1	–
†CANNOCK ...	–	3	–	–	–	–
†COSELEY ...	–	4	–	–	–	–
†DARLASTON ...	–	–	2	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
QUARRY BANK	–	2	–	–	2	–
†ROWLEY REGIS	–	1	–	–	2	–
†SEDGLEY ...	–	1	1	–	2	–
SHORT HEATH...	–	1	–	–	–	–
†SMETHWICK C.B.	–	3	2	–	3	–
†STAFFORD ...	–	1	1	–	–	C. 1
†STOKE-ON-TRENT C.B.	–	35	7	–	36	M. 5
†TIPTON	1	4	–	–	–	–
†WALSALL C.B....	–	4	1	–	3	–
†WEDNESBURY ...	*	*	*	*	*	*
WEDNESFIELD ...	–	–	–	–	1	–
†WEST BROMWICH C.B.	–	19	7	–	–	G. 1
†WILLENHALL ...	–	1	1	–	1	–
†WOLSTANTON UNITED	–	1	2	–	2	–
†WOLVERHAMPTON C.B.	–	4	2	–	3	M. 2
Rural Districts:—						
CANNOCK ...	–	3	–	–	–	–
CHEADLE ...	–	–	–	–	2	–
KINGSWINFORD	–	1	–	2	–	–
LEEK	–	3	–	–	–	–
LICHFIELD ...	–	–	–	–	–	M. 1
STAFFORD ...	–	2	–	–	–	–
STONE	–	–	2	–	–	–
TAMWORTH (part)	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts :—*cont.*						
Tutbury ...	*	*	*	*	*	*
Walsall ...	–	–	–	–	1	–
SUFFOLK, EAST	–	8	4	1	7	M. 1
Boroughs and Urban Districts :—						
Beccles ...	–	1	–	–	–	–
Bungay ...	–	–	–	–	1	–
†Ipswich C.B. ...	–	1	1	–	2	–
Leiston cum Sizewell	–	–	–	–	–	M. 1
†Lowestoft ...	–	1	3	1	3	–
Rural Districts :—						
Blything ...	–	1	–	–	–	–
Hartismere ...	–	–	–	–	1	–
Mutford and Lothingland	–	1	–	–	–	–
Samford ...	–	2	–	–	–	–
Woodbridge ...	–	1	–	–	–	–
SURREY	–	50	26	2	11	D. 1 M. 1
Boroughs and Urban Districts :—						
†Barnes ...	–	1	2	–	–	–
†Carshalton ...	–	–	–	1	–	–
†Caterham ...	–	1	–	–	–	–
†Chertsey ...	–	1	1	–	–	–
†Coulsdon and Purley	–	–	2	–	–	–
†Croydon C.B....	–	18	9	1	1	M. 1
†Egham	–	–	1	–	1	–
Epsom	–	6	–	–	–	–
Godalming ...	–	3	–	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Kingston-on-Thames	–	3	2	–	–	–
Leatherhead	–	–	–	–	1	–
†Merton and Morden	–	1	–	–	–	–
†Mitcham ...	–	–	3	–	1	D. 1
†Surbiton ...	–	1	–	–	2	–
†Sutton	–	–	3	–	2	–
†The Maldens and Coombe	–	2	–	–	–	–
†Walton-upon Thames	–	1	–	–	–	–
†Wimbledon ...	–	10	2	–	–	–
†Woking ...	–	1	–	–	–	–
Rural Districts :—						
Chertsey ...	–	–	–	–	1	–
Epsom	–	1	–	–	–	–
Farnham ...	–	–	–	–	1	–
Guildford ...	–	–	–	–	1	–
Reigate ...	–	–	1	–	–	–
SUSSEX, EAST ...	–	8	6	–	11	C. 1 L. 1
Boroughs and Urban Districts :—						
†Brighton C.B....	–	1	5	–	1	–
†Eastbourne C.B.	–	3	–	–	7	C. 1
†Hastings C.B.	–	1	–	–	2	–
†Hove	–	3	–	–	–	–
Newhaven ...	–	–	–	–	1	–
Rye	*	*	*	*	*	*
Seaford ...	–	–	1	–	–	–
Rural Districts :—						
Chailey ...	–	–	–	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	4	–	–	2	G. 2 M. 1
Boroughs and Urban Districts:—						
†Chichester ...	–	–	–	–	2	–
Southwick ...	–	1	–	–	–	–
†Worthing ...	–	1	–	–	–	G 1
Rural Districts:—						
Midhurst ...	–	–	–	–	–	G. 1
Petworth ...	–	1	–	–	–	–
Steyning West	–	1	–	–	–	–
Thakeham ...	–	–	–	–	–	M. 1
WARWICK ...	–	79	66	–	50	C. 6 L. 1 M. 10
Boroughs and Urban Districts:—						
†Birmingham C.B.	–	42	56	–	36	C. 4 L. 1 M. 10
†Coventry C.B.	–	5	1	–	3	C. 1
†Nuneaton ...	–	3	–	–	–	–
†Royal Leamington Spa	–	2	4	–	1	–
†Rugby	–	4	–	–	3	–
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	1	–	–	–	–
Foleshill ...	–	1	–	–	3	–
Meriden ...	–	–	–	–	2	–
Nuneaton ...	–	1	–	–	–	–
Rugby	–	3	–	–	–	–
Solihull ...	–	1	–	–	1	–
Southam ...	–	–	–	–	–	C. 1
Stratford-on-Avon	–	2	–	–	–	–
Tamworth (part)	–	7	5	–	–	–
Warwick ...	–	6	–	–	1	–
WESTMORLAND	–	1	–	–	2	D. 1 M. 1
Boroughs and Urban District:—						
†Kendal ...	–	1	–	–	1	D. 1 M. 1
Rural District:—						
South Westmorland	–	–	–	–	1	–
ISLE OF WIGHT	–	4	2	–	1	–
Boroughs and Urban Districts:—						
Cowes	–	1	–	–	–	–
†Ryde	–	1	–	–	–	–
Sandown ...	–	2	–	–	–	–
Shanklin ...	–	–	2	–	–	–
Rural District:—						
Isle of Wight	–	–	–	–	1	–
WILTS	–	17	7	–	4	M. 2
Boroughs and Urban Districts:—						
Calne	–	1	–	–	–	–
Melksham ...	*	*	*	*	*	*
†Salisbury ...	–	–	1	–	–	–
†Swindon ...	–	6	–	–	4	–
†Trowbridge ...	–	–	1	–	–	–
Warminster ...	–	–	1	–	–	–
Rural Districts:—						
Cricklade and Wootton Bassett	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:— —*cont.*						
DEVIZES ...	–	1	–	–	–	
MELKSHAM ...	*	*	*	*	*	*
MERE	–	–	–	–	–	M. 2
PEWSEY ...	–	4	–	–	–	–
RAMSBURY ...	–	3	4	–	–	–
WORCESTER ...	–	13	2	2	4	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
†DUDLEY, C.B. ...	–	2	–	1	–	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	3	M. 1
†WORCESTER C.B.	–	4	1	1	–	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
PERSHORE ...	–	1	–	–	1	–
TENBURY ...	–	3	–	–	–	–
YORKS ... ... (East Riding).	–	30	10	–	4	C. 1 M. 4
Boroughs and Urban Districts:—						
†BEVERLEY ...	*	*	*	*	*	*
†BRIDLINGTON ...	–	6	–	–	–	–
COTTINGHAM ...	–	2	–	–	–	–
†KINGSTON-UPON-HULL C.B.	–	6	9		4	C. 1 M. 3
†YORK C.B. ...	–	15	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural District:—						
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN ...	*	*	*	*	*	*
PATRINGTON ...	–	–	–	–	–	M. 1
RICCALL ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	47	10	–	9	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	23	1	–	–	–
GUISBOROUGH ...	–	1	–	–	1	–
HINDERWELL ...	*	*	*	*	*	*
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
†MIDDLESBROUGH C.B.	–	16	4	–	5	C. 1
NORTHALLERTON	–	–	1	–	–	–
†REDCAR ...	–	2	–	–	1	–
†SCARBOROUGH ...	–	1	–	–	–	–
†WHITBY ...	–	–	1	–	1	–
Rural Districts:—						
EASINGWOLD ...	–	–	1	–	–	–
FLAXTON ...	–	4	–	–	–	–
KIRKBY MOORSIDE	–	–	1	–	–	–
MIDDLESBROUGH	–	–	1	–	–	–
STOKESLEY ...	–	–	–	–	1	–
WHITBY ...	*	*	*	*	*	*
YORKS ... ... (West Riding).	8	258	58	5	112	C. 4 G. 1 L. 1 M. 7
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	2	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BARNSLEY C.B.	–	2	2	–	2	–
†BATLEY... ...	–	5	–	–	–	–
†BENTLEY WITH ARKSEY	2	–	–	–	1	–
†BOLTON UPON DEARNE	–	6	–	–	1	–
†BRADFORD C.B.	–	7	7	2	7	C. 1
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON ...	–	–	1	–	–	–
†CONISBROUGH ...	–	1	1	–	–	–
CUDWORTH ...	–	1	–	–	–	–
†DEWSBURY C.B.	–	6	1	–	–	M. 1
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	6	6	–	–	1	–
†ELLAND... ...	–	1	–	–	–	–
†GOOLE	–	3	4	–	–	–
†HALIFAX C.B. ...	–	5	2	–	–	–
†HARROGATE ...	–	1	–	–	1	–
HAWORTH ...	–	2	–	–	–	–
HEBDEN BRIDGE	–	3	2	–	–	M. 1
HIPPERHOLME ...	–	1	–	–	–	–
HORBURY ...	–	2	–	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	7	1	–	2	–
†KEIGHLEY ...	–	1	–	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
†LEEDS C.B. ...	–	92	13	–	11	C. 1 M. 2
†MEXBOROUGH ...	–	1	1	–	1	–
†MORLEY... ...	–	3	1	–	1	–
MYTHOLMROYD...	–	1	–	–	–	–
†NORMANTON ...	*	*	*	*	*	*
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	–	–	1	–	–
†RAWMARSH ...	–	4	–	–	3	–
†ROTHERHAM C.B.	–	7	–	–	4	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROTHWELL ...	–	4	1	–	–	–
†SHEFFIELD C.B.	–	40	11	1	61	M. 3
†SHIPLEY ...	–	3	1	–	–	G. 1
SILSDEN ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON ...	–	1	–	–	2	–
SOWERBY ...	*	*	*	*	*	*
†SPENBOROUGH ...	–	1	–	–	1	–
†STANLEY ...	–	2	1	–	1	–
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	4	–	–	–	–
†WAKEFIELD C.B.	–	2	1	–	1	C. 1
WHITLEY UPPER	–	–	–	–	1	–
WHITWOOD ...	–	–	1	–	–	–
†WOMBWELL ...	–	–	1	–	1	–
†WORSBOROUGH	–	–	–	–	1	–
YEADON ...	–	3	–	–	–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	1	–	–	1	–
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX ...	–	2	–	–	–	–
HEMSWORTH ...	–	3	3	–	–	C. 1
HUNSLET ...	–	1	–	–	–	–
PONTEFRACT ...	–	–	–	1	–	–
ROTHERHAM ...	–	3	–	–	–	–
SELBY	–	3	–	–	–	–
SETTLE ...	–	2	–	–	–	–
TADCASTER ...	–	1	–	–	1	–
THORNE... ...	–	–	–	–	1	–
WAKEFIELD ...	–	3	–	–	1	–
WHARFEDALE (South)	–	3	–	–	–	L. 1
WORTLEY ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	4	1	–	–	–
Rural Districts:—						
DWYRAN ...	–	–	1	–	–	–
VALLEY... ...	–	4	–	–	–	–
BRECKNOCK ...	–	–	–	–	2	–
Urban District:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural District:—						
BRECKNOCK (MERTHER CYNOG)	*	*	*	*	*	*
CARDIGAN ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
LAMPETER ...	*	*	*	*	*	*
NEW QUAY ...	–	1	1	–	–	–
CARMARTHEN ...	–	9	6	–	3	C. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	3	–	–	1	–
†CARMARTHEN ...	–	1	–	–	–	–
CWMAMMAN ...	–	1	–	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	2	1	–	1	C. 1
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	1	3	–	–	–
CARMARTHEN —*cont.*						
Rural Districts:— *cont.*						
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	–	1	–	1	–
LLANYBYTHER ...	–	1	–	–	–	–
CARNARVON ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
CONWAY ...	–	–	1	–	–	–
PENMAENMAWR	–	–	1	–	–	–
Rural District:—						
CONWAY ...	–	1	–	–	–	–
DENBIGH ...	–	9	1	–	3	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	–	–	1	–
†WREXHAM ...	–	–	1	–	–	–
Rural Districts:—						
GLAN CONWAY &c. (parishes)	–	1	–	–	–	–
LLANSILIN ...	–	1	–	–	–	–
WREXHAM ...	–	7	–	–	2	–
FLINT	–	–	5	–	–	–
Boroughs and Urban District:—						
†RHYL	–	–	1	–	–	–
Rural District:—						
HAWARDEN ...	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	73	40	–	26	C. 2 L. 2 M. 2
Boroughs and Urban Districts:—						
†Aberdare ...	–	4	–	–	5	–
†Barry	–	–	3	–	4	–
†Caerphilly ...	–	2	1	–	–	–
†Cardiff C.B. ...	–	5	10	–	3	C. 1
†Gelligaer ...	–	3	–	–	–	–
†Glyncorwg ...	–	–	–	–	8	–
†Merthyr Tydfil C.B.	–	2	1	–	–	M. 1
†Mountain Ash	–	8	–	–	–	–
†Neath	–	–	3	–	1	–
†Ogmore and Garw	–	7	–	–	–	–
†Penarth ...	–	1	–	–	–	–
†Pontypridd ...	–	1	2	–	–	C. 1
†Port Talbot ...	–	1	–	–	–	–
†Rhondda ...	–	25	5	–	4	L. 2 M. 1
†Swansea C.B. ...	–	8	14	–	1	–
Rural Districts:—						
Cardiff ...	*	*	*	*	*	*
Gower	*	*	*	*	*	*
Llantrisant and Llantwitfardre	–	1	–	–	–	–
Neath	–	4	–	–	–	–
Penybont ...	–	1	1	–	–	–
Pontardawe ...	*	*	*	*	*	*
MERIONETH ...	–	–	–	–	–	L. 3
Rural District:—						
Pennal (parish)	–	–	–	–	–	L. 3
MONMOUTH ...	–	21	19	–	9	M. 1
Boroughs and Urban Districts:—						
†Abercarn ...	*	*	*	*	*	*
Abergavenny ...	–	2	–	–	–	–
†Abersychan ...	–	–	2	–	–	–
†Abertillery ...	–	5	–	–	1	M. 1
Bedwas and Machen	–	–	1	–	–	–
†Bedwellty ...	–	3	6	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Chepstow ...	–	–	1	–	–	–
†Ebbw Vale ...	–	1	1	–	–	–
Monmouth ...	*	*	*	*	*	*
†Mynyddislwyn	–	2	–	–	–	–
Nantyglo and Blaina ...	–	–	–	–	2	–
†Newport C.B....	–	3	5	–	6	–
†Rhymney ...	–	2	–	–	–	–
†Risca	–	–	1	–	–	–
†Tredegar ...	–	3	2	–	–	–
Rural District:—						
Monmouth ...	*	*	*	*	*	*
MONTGOMERY ...	–	9	–	–	1	–
Rural Districts—						
Forden ...	–	7	–	–	–	–
Llanfyllin ...	–	2	–	–	1	–
Newtown and Llanidloes ...	*	*	*	*	*	*
PEMBROKE ...	–	–	–	–	–	–
Borough and Urban District:—						
Fishguard ...	*	*	*	*	*	*
RADNOR	–	–	1	–	–	–
Urban Districts:—						
Llandrindod Wells ...	*	*	*	*	*	*
Presteigne ...	–	–	1	–	–	–
Total of Part II.	19	1794	709	35	869	C. 34 D. 5 E. 2 G. 6 L. 47 M. 105

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Dover (Dover Division)	*	*	*	*	*	*
Hartlepool ...	*	*	*	*	*	*
Liverpool ...	1	1	1	1	–	–
Maldon ...	*	*	*	*	*	*
Southampton ...	–	–	–	–	1	
Workington ...	*	*	*	*	*	*
Port of London	–	–	2	–	–	L 2
Total of Part III.	1	1	3	1	1	L 2

Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	2	249	264	1	128	C. 3 J. 1 L. 1 M. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	19	1794	709	35	869	C. 34 D. 5 E. 2 G. 6 L. 47 M. 105
Total of Part III.—Port Sanitary Districts ...	1	1	3	1	1	L 2
Total (*i.e.*, of returns received), England and Wales	22	2044	976	37	998	C. 37 D. 5 E. 2 G. 6 J. 1 L. 50 M. 121

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever or Plague notified during the week. Twenty-two cases of Small-pox were notified, which appear on pages 1498, 1500, 1507, 1508, 1509, 1513 and 1516.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended:—	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.
LONDON:—													
DEATHS—all ages	810	800	842	863	946	1,025	1,083	1,155	1,240	1,129	1,130	1,148	1,068
" 0 to 1 year	83	92	90	88	114	117	103	123	131	149	139	153	127
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,545	7,315	7,433	7,096	7,390	6,784	7,141	7,086	7,281	7,058	7,097	7,339	6,910
DEATHS—all ages	3,412	3,488	3,604	3,749	3,961	4,205	4,605	4,710	4,599	4,596	4,464	4,726	4,589
" 0 to 1 year	433	457	436	504	490	456	541	585	602	604	592	680	687
ENTERIC FEVER—Cases	32	24	17	14	29	27	22	13	24	25	24	15	15*
" Deaths	7	3	1	3	3	2	3	1	1	4	1	6	3
SMALL POX—Cases	8	9	7	2	4	37	11	6	14	13	13	2	8*
" Deaths	—	—	1	—	—	1	12	3	1	—	—	—	—
SCARLET FEVER—Cases	1,139	1246	1,228	1,420	1,374	1,317	1,486	1,426	1358	1,374	1,444	1,377	1,161*
" Deaths	9	8	9	13	15	15	12	13	18	8	18	20	22
DIPHTHERIA—Cases	677	691	685	720	764	632	631	653	662	759	783	671	655*
" Deaths	45	29	44	51	49	61	45	40	35	35	42	59	54
MEASLES—Deaths	35	34	27	49	62	62	69	94	88	85	75	76	74
INFLUENZA—Deaths	28	32	31	43	41	48	71	64	71	60	52	68	61

* Excluding cases in Reading C.B., Great Yarmouth C.B., and Norwich C.B. Returns not yet received.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd December 1922. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	49	36	48·1	38·7	31
BRIGHTON	49	39	47·2	40·3	44
PORTSMOUTH	51	40	49·6	42·0	54
NORWICH (EATON).	48	32	46·7	37·9	36
PLYMOUTH	53	36	50·9	40·0	96
BRISTOL (CLIFTON).	51	35	47·3	38·4	65
BIRMINGHAM	47	32	44·4	36·0	56
NOTTINGHAM	49	34	45·4	38·1	53
BIRKENHEAD (BIDSTON).	48	35	46·0	37·7	36
MANCHESTER	48	32	45·6	37·1	59
BURNLEY	46	33	44·0	35·3	83
HUDDERSFIELD	Not received.				

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	47	32	44·4	35·7	54
SHEFFIELD	47	33	44·6	36·0	64
YORK (MUSEUM).	47	33	44·7	36·6	43
HULL (PEARSON PARK).	47	35	45·3	37·6	33
TYNEMOUTH	46	33	44·3	38·0	30
CARDIFF	50	34	47·6	37·4	79
EDINBURGH	47·0	33·0	43·6	35·9	12
GLASGOW	47·3	33·4	44·0	36·3	22
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†					
BELFAST					

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.- METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 23rd D cember 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	17	..	29·485	44·2	38·2	6·0	40·3	− 0·1	36·7	3·6	6·2	0·0	87	50·4	33·3	45·5	WSW; W. & WNW.	W & SSE.	1·4	0·0	0·1	286	− 23	0·09
MONDAY	18	New; Greatest Declination S.	29·190	49·5	40·1	9·4	45·7	+ 5·7	42·7	3·0	4·8	0·0	89	56·5	34·2	45·6	S & W	W & WSW.	1·3	0·0	0·1	245	− 57	0·10
TUESDAY	19	..	29·158	48·4	38·8	9·6	43·5	+ 4·0	37·8	5·7	9·2	2·4	80	62·0	31·9	45·5	WSW & W.	W: WSW & SW.	3·3	0·0	0·4	366	+ 71	0·02
WEDNESDAY	20	..	28·840	49·3	38·6	10·7	42·3	+ 3·3	36·7	5·6	7·7	3·1	81	47·0	31·1	45·6	S; SW & W.	WNW & W.	15·0	0·0	1·0	595	+306	0·32
THURSDAY	21	..	29·380	48·0	35·7	12·3	42·0	+ 3·3	38·2	3·8	6·9	1·9	87	54·6	29·6	45·5	W & WSW.	S	11·6	0·0	0·7	529	+245	0·41
FRIDAY	22	..	29·151	49·1	43·6	5·5	46·0	+ 7·0	39·4	6·6	8·7	1·9	77	59·0	36·5	45·2	S	S	11·5	0·0	0·6	517	+237	0·32
SATURDAY	23	..	29·303	47·8	39·1	8·7	43·7	+ 5·5	37·1	6·6	9·5	4·9	78	54·4	30·6	45·2	S & SSW.	SSW & SW	5·8	0·0	0·4	460	+179	0·01
MEANS		..	29·215	48·0	39·2	8·9	43·4	+ 4·2	38·4	5·0	7·6	2·0	83	54·8	32·5	45·4	S.W.		...	...	...	Sum 2,998	Sum + 958	Sum 1·27
No. of COLUMN		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	17	w.P. generally	4·7	7·8	Overcast generally till 5h., nearly cloudless till 6h., vairably cloudy till 8h. 30m., becoming fine with little cloud by 9h. Clouding up 13h. 30m. to overcast generally from 14h. Rain about 2h. and from 19h. 30m.
MONDAY -	18	w.P. throughout	0·7	7·8	Overcast till about 8h., then variably cloudy with overcast intervals, but nearly cloudless at times. Frequent rain till 7h. 30m. and after 21h.
TUESDAY -	19	w.P. generally v.P. in afternoon with little w.N.	3·1	7·8	Nearly cloudless generally till 6h., very cloudy till 11h., little cloud generally till 20h., then very cloudy to overcast, occasional rain or damping 16h. to 21h.
WEDNESDAY	20	v.P. throughout	0·6	7·8	Overcast with few exceptions till 15h., becoming cloudless generally by 16h. Rain 2h. to 7h. 30m. Brisk wind 6h. to 19h., rising to gale 11h. to 14h. Dew at night.
THURSDAY -	21	v.P. throughout	1·7	7·8	Nearly cloudless with hoar frost till 10h., becoming overcast by 11h. 30m., slight rain generally from about 14h., rain from 17h. 30m. Brisk wind from 15h.
FRIDAY -	22	v.P. generally	4·0	7·8	Overcast till 4h. 30m. becoming cloudless by 5h., alternately overcast and fine till 16h. 30m., then nearly cloudless. Rain till 4h. 30m., shower at 7h. and squall at 15h. Brisk wind till 5h., and at times between 9h. and 21h.
SATURDAY -	23	v.P. generally	2·6	7·8	Nearly overcast till 8h., variably cloudy till 18h., becoming nearly cloudless by 19h. Rain 4h. 30m. Brisk wind till 7h. Dew and hoar frost at night.
			Sum 17·4	Sum 54·6	
No. of Col. -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·60 in. at the beginning of the week to 29·14 in. by 4h. on 18th.; increased to 29·22 in. by noon on the same day; decreased to 29·10 in. by 6h. on 19th.; increased to 29·21 in. by 18h. on the same day; decreased to 28·55 in. by 9h. on 20th; increased to 29·50 in. by 10h. on 21st; decreased to 29·08 in. by 5h. on 22nd; increased to 29·19 in. by 22h. on the same day; decreased to 29·08 in. by 5h. on 23rd, and increased to 29·49 in. by midnight on the same day.

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty

FOR OFFICIAL USE.

1922. No. 52.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 30TH DECEMBER 1922.

Issued by the Registrar General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.;
37, PETER STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
or 23, FORTH STREET, EDINBURGH.

1922

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-

Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis: G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH DECEMBER, 1922.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifty-second week of the year numbered 6,277, and corresponded to an annual rate of 17·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,558 and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·2, 12·9 and 12·6. Infant mortality was 101 per 1,000 births against 83, 93, and 99 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,516 births, corresponding to a rate of 17·5 per 1,000, and 1,035 deaths of civilians, corresponding to a rate of 12·0, as against 13·1, 13·3, and 12·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·7 per 1,000. The infant mortality was 81 as against 80, 86, and 76 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 32 in the total deaths last week. In London the number of deaths from all causes fell from 1068 to 1035; while the deaths from diphtheria, which had been 9, 21, and 21 in the preceding three weeks, fell to 16 last week.

---

m (45)19342—1 Wt 30—P 15 2250 1/2 E & S A 2

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 30th December 1922.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,052,710*	6,277	4,558	635	4	75	19	21	45	70	51
London	4,514,405*	1,516	1,035	123	2	1	7	4	16	13	10
Towns in Outer Ring:											
Croydon C.B.	191,500	52	31	5	-	-	-	-	-	-	-
Wimbledon	61,700	16	10	1	-	-	-	-	-	-	-
Ealing	67,800	23	17	-	-	-	-	-	-	-	-
Acton	62,000	20	11	1	-	-	-	-	-	-	-
Willesden	167,200	42	26	2	-	-	-	-	-	-	-
Hendon	55,500	10	10	-	-	-	-	-	-	-	-
Hornsey	87,600	20	18	-	-	-	-	1	-	-	-
Wood Green	51,100	13	5	-	-	-	-	-	-	-	-
Tottenham	149,200	37	25	4	-	-	1	-	-	-	1
Edmonton	67,800	41	20	3	-	-	-	-	1	-	-
Enfield	61,400	20	14	3	-	-	-	-	-	1	-
West Ham C.B.	307,000	128	55	11	-	-	-	-	-	1	1
East Ham C.B.	145,500	37	32	3	-	-	-	-	1	1	1
Leyton	130,100	35	23	4	-	-	-	1	-	-	-
Walthamstow	129,800	44	33	3	-	-	-	-	-	1	1
Ilford	85,500	26	23	1	-	-	-	-	3	-	-
Gillingham	48,149*	12	8	-	-	-	-	-	-	-	-
Canterbury C.B.	23,680	10	4	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	16	18	2	-	-	-	-	-	-	-
Eastbourne C.B.	53,600	6	13	-	-	-	-	-	-	-	-
Brighton C.B.	134,800	33	25	1	-	-	-	-	-	-	-
Portsmouth C.B.	233,929*	82	65	10	-	1	-	-	-	-	5
Bournemouth C.B.	81,200	13	25	3	-	-	-	-	-	-	-
Southampton C.B.	162,200	49	46	6	-	2	-	-	-	-	3
Reading C.B.	92,600	26	20	1	-	-	-	-	-	-	-
Oxford C.B.	56,400	18	10	1	-	-	-	-	-	-	-
Northampton C.B.	92,300	23	18	2	-	-	-	-	-	-	-
Luton	57,800	13	14	-	-	-	-	-	-	-	1
Cambridge	58,900	17	12	2	-	1	-	-	1	-	-
Southend-on-Sea C.B.	90,500	18	23	1	-	-	-	-	-	-	-
Ipswich C.B.	80,100	29	19	2	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,300	12	8	-	-	-	-	-	-	-	1
Norwich C.B.	122,400	43	22	3	-	-	-	-	-	-	-
Swindon	55,500	6	9	-	-	-	-	-	-	-	-
Exeter C.B.	59,500	13	12	4	-	-	-	-	-	1	-
Plymouth C.B.	199,869*	63	56	5	-	-	-	-	-	-	1
Bath C.B.	68,300	17	18	2	-	-	-	1	-	-	-
Bristol C.B.	381,700	85	79	7	-	-	1	-	1	1	1
Gloucester C.B.	51,800	11	13	-	-	-	-	-	-	-	-
Stoke-on-Trent, C.B.	273,238	115	89	23	-	8	-	-	-	-	2
Burton-upon-Trent C.B.	49,410	12	8	2	-	-	-	-	-	-	-
Wolverhampton C.B.	104,000	39	25	4	-	2	-	-	-	-	-
Walsall C.B.	98,800	43	24	6	-	2	-	1	1	1	-
West Bromwich C.B.	75,300	21	20	-	-	2	-	-	1	-	-
Worcester C.B.	49,160	8	12	1	-	-	-	-	-	1	-
Dudley C.B.	57,100	17	11	1	1	-	-	-	-	-	1
Birmingham C.B.	936,000	275	196	27	-	1	1	-	6	6	1
Smethwick C.B.	77,400	12	13	-	-	-	1	-	1	-	-
Coventry C.B.	130,300	41	24	4	-	1	-	-	-	-	-
Leicester C.B.	237,900	72	63	8	-	2	-	-	-	-	1
Lincoln C.B.	66,600	17	12	-	-	-	-	-	-	-	-
Grimsby C.B.	83,600	34	25	3	-	1	-	-	2	1	1
Nottingham C.B.	266,400	95	88	18	-	10	-	1	-	2	-
Derby C.B.	131,800	42	30	8	-	-	-	-	-	2	-
Chesterfield	62,400	29	9	1	-	-	-	-	-	-	-
Stockport C.B.	125,500	32	24	2	-	2	-	-	-	-	-
Chester C.B.	41,030	14	4	-	-	-	-	-	-	-	-
Birkenhead C.B.	147,800	72	49	12	-	-	-	-	1	-	2
Wallasey C.B.	89,600	29	27	3	-	-	-	-	1	-	-
Liverpool C.B.	817,000	371	234	59	-	2	-	1	2	12	1
Bootle C.B.	77,300	39	19	4	-	-	-	-	-	-	-
St Helens C.B.	104,900	55	27	8	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B.	71,900	21	12	2	–	–	–	–	–	–	–
Wigan C.B.	91,200	28	26	4	–	1	–	–	–	1	2
Warrington C.B.	78,600	35	19	1	–	2	–	–	–	1	–
Bolton C.B.	182,200	57	48	9	–	–	–	–	1	–	1
Bury C.B.	57,600	20	13	2	–	–	1	–	–	–	–
Manchester C.B.	744,000	255	175	22	–	1	2	–	1	2	3
Salford C.B.	239,100	81	56	16	–	–	–	–	–	5	–
Oldham C.B.	148,300	50	56	9	–	1	–	–	–	–	–
Rochdale C.B.	92,700	26	19	2	–	1	–	–	–	–	1
Burnley C.B.	105,300	30	26	1	–	4	1	–	–	–	1
Blackburn C.B.‡	129,682	40	42	4	–	2	–	–	–	–	–
Preston C.B.	119,900	27	28	1	–	1	–	–	1	–	–
Blackpool C.B.	73,800	19	21	–	–	–	–	–	–	–	–
Barrow-in-Furness C.B.	75,200	18	16	3	–	–	–	–	–	1	–
Huddersfield C.B.	111,900	28	24	2	1	–	–	–	–	–	–
Halifax C.B.	100,700	32	31	3	–	2	–	–	–	–	–
Bradford C.B.	291,100	85	79	5	–	1	–	2	–	1	–
Leeds C.B.	465,500	138	122	16	–	5	2	–	2	3	–
Dewsbury C.B.	55,100	18	18	2	–	2	–	–	–	–	–
Wakefield C.B.	53,763	16	9	1	–	–	–	–	–	–	–
Barnsley C.B.	68,991	33	20	2	–	–	–	–	–	–	–
Sheffield C.B.	519,239	169	104	19	–	–	1	–	1	4	2
Rotherham C.B.	69,100	22	25	2	–	–	–	–	–	–	–
Doncaster	54,700	22	9	1		–	–	–	1	–	–
York C.B.	84,500	29	14	3	–	1	–	–	–	–	–
Hull C.B.	291,800	109	85	16	–	3	–	–	–	2	–
Middlesbrough C.B.	133,400	54	45	11	–	1	1	–	–	1	1
Darlington C.B.	66,400	35	25	4	–	2	–	–	–	–	–
Stockton-on-Tees	65,000	20	22	2	–	–	–	–	–	–	–
West Hartlepool C.B.	69,300	25	22	6	–	–	–	–	–	–	–
Sunderland C.B.	161,100	67	47	10	–	5	–	–	–	1	–
South Shields C.B.	120,376	66	29	3	–	–	–	4	–	1	–
Gateshead C.B.	126,700	44	29	4	–	–	–	1	–	1	–
Newcastle-on-Tyne C.B.	278,400	126	72	12	–	–	–	1	–	–	1
Tynemouth C.B.	63,900	28	20	5	–	–	–	–	–	–	–
Carlisle C.B.	53,200	10	15	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	93,700	23	22	2	–	1	–	–	–	–	1
Cardiff C.B.§	222,089	54	48	5	–	–	–	–	–	–	1
Rhondda	166,600	43	37	2	–	1	–	–	–	1	1
Merthyr Tydfil C.B.	81,800	31	21	4	–	–	–	1	–	–	–
Aberdare	56,100	4	16	1	–	–	–	1	–	1	1
Swansea C.B.	159,600	55	33	5	–	–	–	1	–	–	–
Greater London	7,523,963*	2,373	1,643	199	2	1	9	6	22	18	14
Outer Ring	3,009,558*	857	608	76	–	–	2	2	6	5	4
16 Great Towns in Outer Ring	1,820,700	564	353	41	–	–	1	2	5	4	4
Remainder of Outer Ring	1,188,858*	293	255	35	–	–	1	–	1	1	–
Edinburgh†	420,500	183	119	11	–	3	3	5	1	1	1
Glasgow†	1,037,800	519	272	62	–	–	–	3	2	1	3
Dublin (Registration Area)†‖	427,000	142	119	22	–	–	–	2	–	3	–
Belfast†‖	425,000	159	108	23	–	–	1	1	1	2	–
Dublin		126	134	31	–	–	–	3	2	4	2
Belfast		161	109	14	–	–	–	–	1	3	2

* Population adjusted by the exclusion of non-civilians.

† The populations are total populations and relate to 1922. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public Institutions from without the respective areas.

‡ As extended on 1st October 1922. § As extended on 9th November 1922.

‖ Week ended 23rd December—

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } { Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922. Dec. 30	1516	1035	12·0	2	–	1	7	4	16	13	10
Calcutta	896,067	Nov. 18	?	479§	27·4	?	1	?	?	?	?	?	15
Bombay	1,200,473	„ 25	452‖	664§	28·8	4	1	2	?	–	–	33	5
Madras	526,911	Nov. 18	426	421	41·5	–	2	–	?	2	1	27	–
Sydney and Suburbs	926,400	Oct. (31 days)	1897	717	9·3	3	–	–	1	7	2	21	6
Brisbane (Met. Area).	217,714	Oct. (31 days)	490	178	9·8	4	–	–	–	–	1	8	–
Perth (Metropolitan Area).	155,939	Nov. 4	80	22	7·3	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Nov. 11	41	22	10·9	–	–	–	–	–	–	1	–
Johannesburg	153,825	„ 18	79	43	14·5	1	–	1	–	–	–	6	–
Durban	49,043	„ 18	27	13	13·8	1	–	–	–	–	–	1	1
Paris	2,906,472	Dec. 10 (10 days)	1389	1074	13·4	6	–	10	1	1	4	21	–
Antwerp	302,150												
Amsterdam	693,678	Dec. 9	242	117	8·8	1	–	1	–	3	2	–	1
Copenhagen	562,600	„ 16	218	134	12·4	–	–	–	–	4	–	–	1
Stockholm	422,042	„ 16	111	90	11·1	–	–	–	–	–	–	–	–
Gothenburg	228,052	Nov. 25	?	36	8·2	–	–	–	–	–	–	1	–
Christiania	258,933	Dec. 16	90	57	11·4	1	–	–	1	–	–	–	–
Berlin	1,974,000	Nov. 18	365	533	14·0	2	?	5	–	4	1	7	12
Breslau	557,000	„ 18	196	135	12·6	–	?	–	–	3	–	–	1
Cologne	692,000	„ 18	214	197	14·8	1	?	12	–	3	2	3	3
Dresden	608,000	„ 18	176	144	12·3	–	?	2	1	4	–	1	1
Frankfort-on-Main	476,000	„ 18	106	65	7·1	1	?	1	–	1	2	4	5
Hamburg	1,071,000	„ 18	281	332	16·1	–	?	–	–	–	1	8	18
Leipzig	676,000	„ 18	204	149	11·5	–	?	1	–	3	1	2	2
Munich	682,000	„ 18	183	151	11·5	–	?	1	–	1	–	–	–
Vienna	1,842,005	„ 18	506	538	15·2	1	–	–	–	3	3	6	–
Prague and Suburbs	689,262	„ 11	210	175	12·9	–	?	–	–	2	1	10	–
Budapest	940,000	Oct. 7	367	307	17·0	5	?	2	2	–	3	20	–
Warsaw	956,087	Nov. 11	351	289	15·7	5	–	5	10	3	4	28	4
Cairo	777,500	Oct. 7	761	370	24·7	3	–	2	–	?	8	51	?
Alexandria	456,300	„ 7	406	250	28·5	–	–	2	–	?	2	38	?
New York	5,889,738	Dec. 2	2184	1242	11·1	1	–	1	2	3	16	21	11
Chicago	2,833,288	„ 2	?	579	10·7	–	–	3	2	4	11	16	2
Rio de Janeiro	1,244,240	Nov. 4	594	496	20·8	1	1	14	–	–	3	?	17
Montevideo	349,293	Sept. 2	224	142	18·3	–	–	–	–	1	1	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from *Cholera* in Calcutta, and 5 from *plague* in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th December, 1922, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1035	123	28	23	34	38	50	85	94	148	209	203
Enteric fever	2	–	–	–	–	1	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	7	–	1	2	4	–	–	–	–	–	–	–
Whooping cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	16	1	2	6	7	–	–	–	–	–	–	–
Influenza	10	2	–	2	–	–	–	–	–	2	3	1
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	2
Acute Poliomyelitis, Polioencephalitis.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system	82	–	1	1	1	16	20	19	11	11	2	–
Tuberculous meningitis	8	2	–	1	5	–	–	–	–	–	–	–
Abdominal tuberculosis	3	–	1	2	–	–	–	–	–	–	–	–
Other tubercle	4	–	1	–	1	–	1	–	–	–	–	1
Venereal diseases	3	1	–	–	–	–	–	–	–	1	1	–
Cancer	104	–	–	–	–	–	3	11	20	26	30	14
Rheumatic fever	2	–	–	–	–	–	–	1	1	–	–	–
Diabetes	6	–	–	–	–	2	–	1	2	1	–	–
Alcoholism	1	–	–	–	–	–	1	–	–	–	–	–
Simple meningitis	5	2	1	–	1	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	58	–	–	–	–	–	–	3	3	12	22	18
Epilepsy	2	–	–	–	–	1	–	–	1	–	–	–
"Convulsions" (not puerperal)	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	22	–	1	–	3	–	3	3	4	3	3	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	8	–	–	–	2	1	–	4	1	–	–	–
Other diseases of heart	139	–	–	1	3	2	6	10	6	32	47	32
Other dis. of circulatory system	42	–	–	–	–	–	1	1	3	3	14	20
Bronchitis	109	19	3	–	1	–	2	3	4	13	28	36
Broncho-pneumonia	63	22	8	5	1	1	1	3	2	5	7	8
Lobar pneumonia	32	5	1	1	3	1	3	3	7	4	4	–
Pneumonia (type not distinguished)	20	3	1	–	–	–	2	1	5	2	4	2
Other diseases of respiratory system	17	–	1	–	1	1	–	2	3	4	3	2
Diarrhœa and enteritis	14	11	2	–	–	–	1	–	–	–	–	–
Appendicitis and typhlitis	7	–	–	–	–	1	1	3	–	1	–	1
Hernia, Intestinal obstruction	10	1	–	1	–	–	–	1	3	2	1	1
Cirrhosis of liver	3	–	–	–	–	–	–	1	–	1	1	–
Other diseases of digestive system	12	–	–	–	–	1	–	–	1	4	6	–
Acute nephritis	3	–	–	1	–	–	–	–	1	1	–	–
Chronic Bright's disease	30	–	–	–	1	2	2	2	1	8	11	3
Other diseases of genito-urinary system.	13	–	–	–	–	–	–	1	1	4	6	1
Puerperal fever, &c.	3	–	–	–	–	–	2	1	–	–	–	–
Other causes incident to childbirth	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	3	3	–	–	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age	54	–	–	–	–	–	–	–	–	–	8	46
Suicide	12	–	–	–	–	1	–	3	6	–	2	–
Burns and scalds	4	–	1	–	–	1	–	–	–	–	–	2
Drowning	2	–	–	–	–	1	–	1	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	–	–	1	–	–	2	1	–	1
Other deaths by violence	12	–	–	–	–	1	–	2	5	–	3	1
Other specified causes	37	10	–	–	–	3	1	4	1	6	3	9
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th December 1922.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	14	7	–	5	–
†BERMONDSEY ...	–	6	12	1	–	C. 1
†BETHNAL GREEN	–	3	12	–	3	–
†CAMBERWELL ...	–	6	18	–	2	C. 1
†CHELSEA ...	–	2	5	–	3	–
†DEPTFORD ...	–	11	9	–	–	C. 1 M. 1
†FINSBURY ...	–	3	7	–	4	–
†FULHAM ...	–	9	11	–	2	C. 1 M. 1
†GREENWICH ...	–	5	8	–	3	C. 1
†HACKNEY ...	–	10	17	–	–	–
†HAMMERSMITH	–	2	9	–	7	–
†HAMPSTEAD ...	–	6	4	–	1	M. 1
†HOLBORN ...	–	–	1	–	–	–
†ISLINGTON ...	–	14	13	–	2	M. 1
†KENSINGTON ...	–	5	2	–	–	E 1
†LAMBETH ...	–	25	12	–	3	C. 1 M. 2
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	14	3	1	3	–
†PADDINGTON ...	–	8	7	–	10	C. 1
†POPLAR... ...	–	5	9	1	2	L. 1 M. 1
†ST. MARYLEBONE	–	8	4	–	–	–
†ST. PANCRAS ...	–	13	9	–	9	G. 2 M. 2
†SHOREDITCH ...	–	2	6	–	5	M. 2
†SOUTHWARK ...	–	13	20	–	9	–
†STEPNEY ...	–	7	13	–	6	C. 1
†STOKE NEWINGTON	–	1	3	–	2	–
†WANDSWORTH	–	10	11	–	8	G. 1
†WESTMINSTER, CITY OF	–	–	6	–	1	–
†WOOLWICH ...	–	5	8	–	5	C. 1
TOTAL OF PART I.	–	208	246	3	95	C. 9 E. 1 G. 3 L. 1 M. 11

† Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	2	–	3	–
Boroughs and Urban Districts :—						
AMPTHILL ...	–	–	–	–	1	–
†BEDFORD ...	–	1	–	–	2	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural District :—						
BEDFORD ...	–	–	2	–	–	–
BERKS	–	33	6	–	1	C. 1
Boroughs and Urban Districts :—						
ABINGDON ...	–	4	2	–	–	–
†MAIDENHEAD ...	–	–	1	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
†READING C.B. ...	–	16	1	–	1	–
Rural Districts :—						
ABINGDON ...	–	3	1	–	–	–
COOKHAM ...	–	–	1	–	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	C. 1
WANTAGE ...	–	5	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM	–	8	6	–	2	–
Boroughs and Urban Districts :—						
MARLOW ...	–	–	1	–	–	–
†WOLVERTON ...	–	2	–	–	1	–
BUCKINGHAM— *cont.*						
Rural Districts :—						
AYLESBURY ...	–	1	1	–	–	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	4	4	–	1	–
CAMBRIDGE ...	–	3	4	–	1	M. 1
Borough :—						
†CAMBRIDGE ...	–	1	2	–	–	–
Rural Districts :—						
CHESTERTON ...	–	1	1	–	–	M. 1
MELBOURN ...	–	1	1	–	1	–
CHESTER	–	64	19	–	27	C. 1 M 4
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	2	–	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	5	1	–	–	–
†BIRKENHEAD C.B.	–	5	1	–	15	M. 2
BOLLINGTON ...	–	2	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	2	–
†CHESTER C.B. ...	–	5	–	–	1	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	5	–	–	–	–
†DUKINFIELD ...	–	–	–	–	1	M. 1
†HYDE	–	9	1	–	–	–
KNUTSFORD ...	–	1	–	–	1	–
†MACCLESFIELD...	–	4	–	–	–	–
MIDDLEWICH ...	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NESTON AND PARKGATE	–	1	–	–	–	–
†RUNCORN ...	–	5	–	–	2	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	1	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	5	2	–	–	–
†WALLASEY C.B.	–	–	5	–	1	–
WILMSLOW ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
CONGLETON ...	–	1	–	–	–	–
NANTWICH ...	–	1	1	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ...	–	1	–	–	1	C. 1
TARVIN	–	1	–	–	–	–
WIRRAL... ...	–	2	1	–	–	–
CORNWALL ...	–	5	2	–	3	M. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	M. 1
NEWQUAY ...	–	1	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. IVES ...	*	*	*	*	*	*
TORPOINT ...	–	1	–	–	–	–
†TRURO	–	–	1	–	–	–
Rural Districts:—						
CAMELFORD ...	–	–	–	–	1	–
EAST KERRIER	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	–	M. 1
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	*	*	*	*	*	*
CUMBERLAND ...	–	10	12	–	3	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
†CARLISLE C.B. ...	–	4	4	–	2	M. 1
EGREMONT ...	–	–	1	–	–	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM ...	–	–	1	–	–	–
†WHITEHAVEN ...	*	*	*	*	*	*
†WORKINGTON ...	–	3	4	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	3	–	–	1	–
LONGTOWN ...	*	*	*	*	*	*
PENRITH ...	–	–	1	–	–	–
WHITEHAVEN ...	*	*	*	*	*	*
WIGTON ...	*	*	*	*	*	*
DERBY	2	27	19	1	18	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	1	–
†BELPER... ...	*	*	*	*	*	*
†BOLSOVER ...	–	–	1	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†BUXTON... ...	–	–	2	–	–	–
†CHESTERFIELD ...	–	–	1	–	1	–
†DERBY C.B. ...	–	9	4	–	10	–
†GLOSSOP ...	–	–	5	–	2	–
HEAGE	*	*	*	*	*	*
†HEANOR ...	2	2	–	–	2	–
†LONG EATON ...	–	2	1	–	–	–
MATLOCK ...	–	–	1	–	–	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	–	–	–	1	–	–
SOUTH DARLEY	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BELPER	–	1	1	–	–	–
BLACKWELL ...	–	1	1	–	–	–
CHESTERFIELD ...	–	1	–	–	–	–
GLOSSOP DALE	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
SHARDLOW ...	–	3	2	–	2	–
DEVON	–	24	11	2	2	C. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	3	–	–	–	–
BRIXHAM ...	–	–	2	–	–	–
CREDITON ...	–	1	–	–	–	–
†EXETER C.B. ...	–	4	1	–	–	M. 1
†EXMOUTH ...	–	1	2	–	–	C. 1
HONITON ...	–	1	–	–	–	–
†NEWTON ABBOTT	–	1	–	–	–	–
OTTERY ST. MARY	*	*	*	*	*	*
†PAIGNTON ...	–	–	–	–	–	L. 1
†PLYMOUTH C.B.	–	8	5	–	2	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	1	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	1	–	–
TAVISTOCK ...	–	–	1	–	–	–
DORSET	–	9	2	1	–	*
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	2	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	1	–	–
STURMINSTER ...	–	4	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	1	–	–	–
DURHAM... ...	–	45	31	1	41	G. 2 M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	4	–	–	–
BENFIEDSIDE ...	–	1	1	–	–	–
†BLAYDON ...	–	3	1	–	–	–
†CHESTER-LE-STREET	–	1	2	–	1	–
†CROOK	–	–	1	–	1	–
†DARLINGTON C.B.	–	4	1	–	10	–
†DURHAM ...	–	–	1	–	–	–
†GATESHEAD C.B.	–	1	1	–	1	–
†HARTLEPOOL ...	–	–	1	–	–	–
†HEBBURN ...	–	4	–	–	2	–
†HOUGHTON-LE-SPRING	–	–	2	–	1	–
†JARROW ...	–	2	1	–	2	–
†RYTON... ...	–	1	–	–	–	–
†SOUTH SHIELDS C.B.	–	2	3	1	9	G. 1
†SOUTHWICK-ON WEAR	–	2	–	–	2	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†STOCKTON-ON-TEES	–	1	1	–	3	–
†SUNDERLAND C.B.	–	6	1	–	–	G. 1
TOW LAW ...	*	*	*	*	*	*
†WASHINGTON ...	–	–	7	–	–	–
†WEST HARTLEPOOL C.B	–	1	–	–	2	M. 1
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	–
BARNARD CASTLE	–	2	1	–	–	–
CHESTER-LE-STREET	–	–	1	–	1	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM ...	*	*	*	*	*	*
EASINGTON ...	*	*	*	*	*	*
LANCHESTER ...	–	1	–	–	1	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	3	–	–	2	–
ISLE OF ELY ...	–	–	–	–	1	–
Borough and Urban District:—						
ELY	–	–	–	–	1	–
ESSEX	–	40	49	–	15	C. 1 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	2	–	4	–
BRENTWOOD ...	–	3	2	–	–	–
BUCKHURST HILL	–	–	–	–	1	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	1	1	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
†EAST HAM C.B.	–	4	8	–	1	–
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	4	7	–	1	–
†LEYTON... ...	–	4	4	–	–	–
†ROMFORD ...	–	–	–	–	1	–
SHOEBURYNESS	–	–	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	2	2	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW	–	7	3	–	–	M. 2
WALTON-ON-THE-NAZE	–	1	–	–	–	–
†WEST HAM C.B.	–	4	13	–	3	M. 1
WITHAM... ...	–	–	–	–	1	–
†WOODFORD ...	–	4	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	1	–
CHELMSFORD ...	–	–	1	–	–	–
DUNMOW ...	–	–	1	–	–	–
EPPING... ...	–	–	1	–	–	–
ORSETT... ...	–	1	–	–	–	–
ROMFORD ...	–	1	1	–	–	C. 1
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	–	57	19	3	14	M. 2
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
†BRISTOL C.B. ...	–	40	15	3	6	M. 2
†CHELTENHAM ...	–	3	1	–	–	–
CIRENCESTER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
COLEFORD ...	–	–	1	–	–	–
†GLOUCESTER C.B	–	–	1	–	1	–
Rural Districts:—						
CIRENCESTER ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	10	–	–	4	–
FARINGDON (part)	–	2	–	–	–	–
LYDNEY ...	–	1	1	–	–	–
WARMLEY ...	–	–	–	–	1	–
HEREFORD ...	–	1	1	–	–	–
Rural Districts:—						
DORE	–	–	1	–	–	–
LEDBURY ...	–	1	–	–	–	–
HERTFORD ...	–	20	4	–	2	–
Boroughs and Urban Districts:—						
BUSHEY... ...	–	1	1	–	–	–
†CHESHUNT ...	–	1	1	–	2	–
†EAST BARNET VALLEY	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	2	–	–	–	–
†HITCHIN ...	–	2	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
BARNET ...	–	1	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
HERTFORD—*cont.*						
Rural Districts—*cont.*						
HITCHIN ...	–	1	–	–	–	–
WATFORD ...	–	9	1	–	–	–
WELWYN ...	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
ST. NEOTS ...	–	–	–	–	–	M. 1
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. NEOTS No. 4	*	*	*	*	*	*
KENT	–	28	19	1	9	C. 1 M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY... ...	–	2	–	–	1	–
†BROMLEY ...	–	–	2	–	–	–
†CHATHAM ...	–	3	1	–	1	–
†DARTFORD ...	–	–	–	1	1	C. 1
†DOVER	–	1	3	–	1	M. 1
†ERITH	–	–	1	–	1	–
†FOLKESTONE ...	–	–	–	–	3	–
†GILLINGHAM ...	–	1	1	–	–	–
†GRAVESEND ...	–	3	–	–	–	–
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	–	3	–	–	–
†PENGE	–	–	6	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†SHEERNESS ...	–	5	–	–	–	–
SITTINGBOURNE	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F. Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Tonbridge ...	–	1	–	–	–	–
Whitstable ...	–	–	–	–	1	–
Rural Districts:—						
Blean	–	–	1	–	–	–
Bromley ...	–	2	–	–	–	–
East Ashford	–	1	–	–	–	–
Isle of Thanet	–	1	–	–	–	–
Malling ...	–	1	–	–	–	–
Strood ...	–	–	1	–	–	–
LANCASTER ...	–	412	88	5	212	C. 3 D. 1 G. 1 L. 16 M. 17
Boroughs and Urban Districts:—						
†Accrington ...	–	6	–	–	–	–
Adlington ...	–	1	–	–	–	–
†Ashton-in-Makerfield	–	2	2	–	1	–
†Ashton-under-Lyne	–	2	2	–	2	–
†Atherton ...	–	–	1	–	3	–
Audenshaw ...	–	2	1	–	–	–
†Bacup	–	1	–	–	–	–
†Barrow-in-Furness C.B.	–	10	–	–	–	–
†Blackburn C.B.	–	7	–	–	3	–
†Blackpool C.B.	–	3	–	–	1	–
Blackrod ...	–	–	–	–	1	–
†Bolton C.B. ...	–	17	1	–	4	–
†Bootle C.B. ...	–	4	1	–	7	–
†Burnley C.B.	–	34	2	1	1	–
†Bury C.B. ...	–	7	1	–	2	–
†Chadderton ...	–	2	1	–	1	–
†Chorley ...	–	–	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Colne	–	2	–	–	4	–
†Crompton ...	–	1	–	–	–	–
†Darwen ...	–	7	–	–	–	–
†Denton ...	–	2	–	–	1	–
†Droylsden ...	–	1	–	–	–	–
†Eccles	–	3	1	–	–	M. 1
†Failsworth ...	–	2	–	–	1	–
†Fleetwood ...	–	1	–	–	–	–
Formby ...	–	1	–	–	–	–
Fulwood ...	–	1	–	–	–	–
Golborne ...	–	–	–	–	1	–
†Great Harwood	–	2	–	–	–	–
†Haslingden ...	–	–	1	–	–	–
†Haydock ...	–	1	–	–	–	–
†Heywood ...	–	1	–	–	1	–
†Hindley ...	–	2	–	–	–	–
†Horwich ...	–	1	–	–	5	–
Hurst	–	1	–	–	1	–
†Ince-in-Makerfield	–	1	–	–	–	–
Kearsley ...	–	–	1	–	–	–
†Lancaster ...	–	1	–	–	1	–
†Leigh	–	3	2	–	2	–
†Litherland ...	–	9	–	–	–	–
†Littleborough	–	–	–	–	1	–
Little Hulton	–	1	–	–	–	–
†Liverpool C.B.	–	53	32	–	42	C. 2 D. 1 M. 8
Longridge ...	–	1	–	–	–	–
†Manchester C.B.	–	62	8	–	62	M. 3
†Middleton ...	–	1	–	–	3	–
†Mossley ...	–	2	–	–	–	–
†Nelson ...	–	–	–	1	–	–
†Newton-in-Makerfield	–	1	–	–	1	–
Norden ...	–	1	–	–	1	–
†Oldham C.B. ...	–	15	3	–	2	–
Orrell ...	–	1	–	–	–	–
†Oswaldtwistle	–	–	–	–	2	–
†Padiham ...	–	–	–	–	1	–
†Preston C.B. ...	–	8	1	1	5	–
†Radcliffe ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
RAINFORD ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	4	1	–	1	–
RISHTON ...	–	–	1	1	1	–
†ROCHDALE C.B.	–	17	2	–	–	M. 1
†ROYTON... ...	–	–	–	–	2	–
†ST. HELENS C.B.	–	8	–	–	2	M. 1
†SALFORD C.B. ...	–	27	7	–	3	–
†SOUTHPORT C.B.	–	3	1	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD ...	–	1	1	–	1	–
†SWINTON AND PENDLEBURY	–	2	–	–	1	G. 1
TOTTINGTON ...	–	4	–	–	5	–
†TURTON... ...	–	2	–	–	–	–
†TYLDESLEY-WITH-SHAKERLEY	–	6	2	–	–	–
†ULVERSTON ...	–	3	–	–	–	–
†WALTON-LE-DALE	–	–	–	–	1	–
†WARRINGTON C.B.	–	4	2	–	4	C. 1 M. 1
†WATERLOO-WITH-SEAFORTH	–	3	–	–	1	–
†WESTHOUGHTON	–	–	–	–	2	–
WHITEFIELD ...	–	3	–	–	–	–
†WIDNES ...	–	12	3	–	5	–
†WIGAN C.B. ...	–	4	1	1	8	M. 1
WITHNELL ...	*	*	*	*	*	*
Rural Districts:—						
BLACKBURN ...	–	2	–	–	–	M. 1
BURNLEY ...	–	1	1	–	–	–
CHORLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	2	–	–	1	L. 4
LEIGH	–	5	1	–	–	–
LIMEHURST ...	–	4	2	–	3	–
LUNESDALE ...	*	*	*	*	*	*
PRESTON ...	–	1	–	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	–
LANCASTER—*cont.*						
Rural Districts:— *cont.*						
WHISTON ...	–	1	–	–	–	L. 12
WIGAN	–	2	–	–	–	–
LEICESTER ...	–	13	13	–	9	M. 1
Boroughs and Urban Districts:—						
ASHBY-DE-LA-ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	–	1	–	–	–
†LEICESTER C.B.	–	13	6	–	5	–
MARKET HARBOROUGH	–	–	–	–	–	M. 1
MELTON MOWBRAY	–	–	–	–	3	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY-DE-LA ZOUCH	–	–	3	–	–	–
HINCKLEY ...	–	–	–	–	1	–
MARKET BOSWORTH	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	4	3	–	–	–
Boroughs and Urban Districts:—						
†BOSTON ...	–	4	–	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	1	–	–	–
EAST ELLOE ...	*	*	*	*	*	*
SPALDING (part)	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	3	–	1	2	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	2	–
STAMFORD ...	–	2	–	–	–	–
Rural Districts:—						
BOURNE ...	–	1	–	–	–	–
CLAYPOLE ...	–	–	–	1	–	–
LINCOLN (parts of Lindsey).	–	10	5	1	3	C. 1 G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH	–	1	–	–	–	–
†GRIMSBY, C.B....	–	8	4	–	–	–
†LINCOLN, C.B ...	–	–	–	–	–	C. 1
LOUTH	–	–	–	–	1	–
MABLETHORPE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	–
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	–	G. 1
LOUTH	–	–	–	1	–	–
MIDDLESEX ...	–	71	34	2	19	C. 2 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	10	–	–	2	–
†BRENTFORD ...	–	–	1	–	2	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHISWICK ...	–	2	–	–	–	–
†EALING ...	–	6	5	1	2	–
†EDMONTON ...	–	4	3	–	4	–
†ENFIELD ...	–	2	1	–	–	–
FELTHAM ...	–	4	1	–	–	–
†FINCHLEY ...	–	3	1	–	–	–
†FRIERN BARNET	–	–	1	–	–	C. 1
†HAMPTON ...	–	1	–	–	–	–
HAMPTON WICK	–	1	–	–	–	–
†HANWELL ...	–	–	–	–	–	M. 1
†HARROW-ON-THE-HILL ...	–	1	–	–	–	–
†HENDON ...	–	6	4	–	–	–
†HESTON AND ISLEWORTH	–	2	3	–	3	–
†HORNSEY ...	–	5	2	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
SUNBURY-ON-THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	15	3	–	2	C. 1 M. 1
†TWICKENHAM ...	–	1	–	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WILLESDEN ...	–	3	5	–	3	–
†WOOD GREEN ...	–	2	1	1	–	–
Rural District:—						
STAINES ...	–	–	3	–	–	–
NORFOLK ...	–	24	6	–	2	G. 1
Boroughs and Urban Districts:—						
†GREAT YARMOUTH C.B.	–	2	1	–	–	–
†NORWICH C.B. ...	–	17	1	–	–	C. 1
THETFORD ...	*	*	*	*	*	*
WELLS... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	1	2	–	–	–
EAST AND WEST FLEGG	–	1	–	–	–	–
ERPINGHAM ...	–	2	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	*	*	*	*	*	*
WALSINGHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	15	3	–	2	M. 1
Boroughs and Urban Districts:—						
FINEDON ...	*	*	*	*	*	*
IRTHLINGBOROUGH	–	2	–	–	–	–
†NORTHAMPTON C.B.	–	7	2	–	1	–
†WELLINGBOROUGH	–	4	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	M. 1
NORTHUMBERLAND.	1	40	8	–	19	C. 1 L. 3 M. 4
Boroughs and Urban Districts:—						
AMBLE	–	4	–	–	–	–
†ASHINGTON ...	–	1	–	–	1	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	5	–	–	2	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	1	3	–	–	1	–
CRAMLINGTON ...	–	1	–	–	–	–
†LONGBENTON ...	–	–	–	–	2	–
MORPETH ...	–	1	–	–	–	–
NEWBIGGIN-BY-THE-SEA	*	*	*	*	*	*
†NEWCASTLE-UPON-TYNE C.B.	–	7	4	–	8	C. 1 L. 3 M. 3
SEATON DELAVAL	–	1	1	–	–	–
SEGHILL ...	–	3	–	–	–	–
†TYNEMOUTH C.B.	–	2	1	–	3	M. 1
†WALLSEND ...	–	–	1	–	1	–
WEETSLADE ...	–	4	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	–	–	1	–
Rural Districts:—						
ALNWICK ...	*	*	*	*	*	*
MORPETH ...	–	4	1	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	4	21	15	–	10	C. 2 M. 3
Boroughs and Urban Districts:—						
†ARNOLD ...	–	–	–	–	1	–
†CARLTON ...	–	–	5	–	5	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EAST RETFORD	–	–	1	–	–	–
EASTWOOD ...	4	–	–	–	–	–
†HUCKNALL ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	3	–	–	–	–
†MANSFIELD ...	–	1	–	–	3	–
†MANSFIELD WOODHOUSE	–	4	–	–	–	–
†NEWARK ...	–	1	2	–	–	M. 1
†NOTTINGHAM C.B.	–	9	6	–	1	M. 1
†WEST BRIDGFORD	–	–	–	–	–	C. 1
Rural Districts:—						
BASFORD ...	–	1	1	–	–	–
BINGHAM ...	–	1	–	–	–	M. 1
OXFORD	–	12	–	–	3	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	1	–
†OXFORD, C.B. ...	–	6	–	–	2	–
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
CROWMARSH ...	–	2	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	1	M. 1
Borough:—						
†PETERBOROUGH	–	1	–	–	1	M. 1
SALOP	–	9	3	–	2	M. 2
Boroughs and Urban Districts:—						
BISHOP'S CASTLE	–	–	1	–	–	–
BRIDGNORTH ...	–	1	–	–	–	–
LUDLOW ...	–	1	–	–	–	–
MARKET DRAYTON	–	–	–	–	1	–
OSWESTRY ...	–	–	–	–	–	M. 1
†SHREWSBURY ...	–	–	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	2	–	–	–	–
Rural Districts:—						
CHURCH STRETTON	–	–	–	–	–	M. 1
CLUN	–	–	–	–	1	–
LUDLOW ...	–	4	–	–	–	–
WEM	–	–	1	–	–	–
SOMERSET ...	–	16	5	–	8	G. 1
Boroughs and Urban Districts:—						
†BATH, C.B. ...	–	1	1	–	1	–
MIDSOMER NORTON	–	2	–	–	–	–
RADSTOCK ...	–	3	–	–	–	–
†TAUNTON ...	–	1	–	–	–	–
WATCHET ...	*	*	*	*	*	*
WELLS	–	–	–	–	2	G. 1
†WESTON SUPER MARE	–	2	1	–	–	–
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
BRIDGWATER ...	–	–	1	–	–	–
CLUTTON ...	–	–	–	–	1	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephaitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	1	–	–	2	–
WELLS	–	2	–	–	–	–
WILLITON ...	–	–	1	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	51	25	1	8	E 2 M. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
ANDOVER ...	–	–	–	–	–	E. 1
†BASINGSTOKE ...	–	2	2	–	–	M. 1
†BOURNEMOUTH C.B.	–	1	–	–	3	–
†EASTLEIGH AND BISHOPSTOKE	–	1	1	–	–	–
†FAREHAM ...	–	4	–	–	–	–
†GOSPORT ...	–	1	2	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	26	10	–	1	–
†SOUTHAMPTON C.B.	–	6	4	–	1	E. 1 M. 2
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ANDOVER ...	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	1	–
FORDINGBRIDGE	–	1	–	–	–	–
HAVANT ...	*	*	*	*	*	*
RINGWOOD ...	–	–	3	–	–	–
WHITCHURCH ...	–	2	3	–	–	–
WINCHESTER ...	–	–	–	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	1	92	28	2	38	C. 2 G. 1 M. 3
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	1	–	–	–
†BILSTON ...	1	6	–	–	1	–
†BRIERLEY HILL	–	2	–	–	–	–
†BROWNHILLS ...	–	1	–	–	–	–
†BURTON-UPON-TRENT C.B.	–	1	–	–	1	–
†CANNOCK ...	–	–	–	–	1	M. 1
†COSELEY ...	–	3	–	–	1	–
†DARLASTON ...	–	1	1	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	–	–	1	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	2	–	–	–	–
†ROWLEY REGIS	–	2	–	–	–	–
†SMETHWICK C.B.	–	3	5	–	1	–
†STAFFORD ...	–	3	2	–	–	C. 1
†STOKE-ON-TRENT C.B.	–	25	6	–	22	M. 1
TAMWORTH ...	–	1	–	–	–	–
†WALSALL C.B....	–	2	–	–	1	C. 1
†WEDNESBURY ...	–	1	1	–	–	–
†WEST BROMWICH C.B.	–	17	7	–	2	G 1
†WILLENHALL ...	–	1	1	–	3	–
†WOLSTANTON UNITED	–	4	–	–	1	–
†WOLVERHAMPTON C.B.	–	4	1	–	1	M. 1
Rural Districts:—						
CANNOCK ...	–	2	–	–	–	–
CHEADLE ...	–	–	–	–	1	–
KINGSWINFORD	–	–	–	2	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	3	–	–	–	–
NEWCASTLE UNDER LYME	–	–	2	–	–	–
SEISDON ...	–	2	–	–	–	–
STAFFORD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L. Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—*cont.*						
Uttoxeter ...	–	1	–	–	–	–
Walsall ...	–	–	1	–	1	–
SUFFOLK, EAST	–	9	5	1	3	M. 2
Boroughs and Urban Districts:—						
Beccles ...	*	*	*	*	*	*
†Ipswich C.B. ...	–	5	5	1	1	M. 1
Leiston cum Sizewell	–	–	–	–	–	M. 1
†Lowestoft ...	–	1	–	–	–	–
Stowmarket ...	–	1	–	–	–	–
Rural Districts:—						
Mutford and Lothingland	–	1	–	–	–	–
Plomesgate ...	–	–	–	–	2	–
Woodbridge ...	–	1	–	–	–	–
SUFFOLK, WEST	–	3	–	–	–	–
Rural Districts:—						
Moulton ...	–	1	–	–	–	–
Thingoe ...	–	2	–	–	–	–
SURREY	–	46	14	1	10	G. 1 L. 2 M. 2
Boroughs and Urban Districts:—						
†Beddington and Wallington	–	2	1	–	–	–
†Carshalton ...	–	–	–	–	1	–
†Chertsey ...	–	1	–	–	–	–
†Coulsdon and Purley	–	–	–	1	–	L. 1
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Croydon C.B....	–	15	5	–	1	–
Dorking ...	–	–	–	–	1	–
East and West Molesey	–	–	–	–	–	M. 1
Epsom	–	3	–	–	–	–
†Farnham ...	–	2	–	–	–	–
†Guildford ...	–	1	–	–	–	–
†Kingston-on-Thames	–	4	–	–	–	–
†Merton and Morden	–	1	2	–	–	–
†Mitcham ...	–	6	–	–	1	M. 1
†Reigate ...	–	1	–	–	–	–
†Surbiton ...	–	–	2	–	1	–
†Sutton	–	–	1	–	–	–
†The Maldens and Coombe	–	–	–	–	2	–
†Wimbledon ...	–	5	2	–	–	G. 1
†Woking ...	–	–	–	–	3	–
Rural Districts:—						
Chertsey ...	–	1	–	–	–	–
Farnham ...	–	2	–	–	–	–
Godstone ...	–	–	1	–	–	–
Hambledon ...	–	2	–	–	–	–
Reigate ...	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	14	6	–	5	C. 1
Boroughs and Urban Districts:—						
†Brighton C.B....	–	2	5	–	3	C. 1
Burgess Hill	–	2	–	–	2	–
†Hove	–	8	–	–	–	–
Portslade-by-Sea	–	1	–	–	–	–
Rye	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY ...	–	1	–	–	–	–
CUCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	6	–	–	4	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	3	–
†HORSHAM ...	–	1	–	–	–	–
SOUTHWICK ...	–	2	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
STEYNING WEST	–	2	–	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	90	40	–	29	C. 1 M. 8
Boroughs and Urban Districts:—						
†BIRMINGHAM C.B.	–	56	30	–	20	C. 1 M. 5
†COVENTRY C.B.	–	5	2	–	2	M. 1
†NUNEATON ...	–	3	–	–	3	–
†ROYAL LEAMINGTON SPA	–	–	1	–	–	–
†RUGBY	–	4	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	–	M. 1
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	7	1	–	2	–
FOLESHILL ...	–	4	–	–	–	–
MERIDEN ...	–	–	1	–	–	–
RUGBY	–	4	–	–	–	M. 1
WARWICK—*cont.*						
Rural District—*cont.*						
SOLIHULL ...	–	1	–	–	2	–
TAMWORTH (part)	–	5	4	–	–	–
WESTMORLAND	–	3	–	–	1	–
Boroughs and Urban District:—						
WINDERMERE ...	–	2	–	–	–	–
Rural District:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
ISLE OF WIGHT	–	2	1	1	1	–
Boroughs and Urban Districts:—						
ST. HELENS ...	–	–	–	1	–	–
SANDOWN ...	–	1	1	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	–	–	–	1	–
WILTS	–	10	5	–	6	M. 1
Boroughs and Urban Districts:—						
†SWINDON ...	–	5	–	–	3	M. 1
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS,

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—*cont.*						
HIGHWORTH ...	–	–	–	–	2	–
MALMESBURY ...	–	1	–	–	–	–
MELKSHAM ...	–	–	–	–	1	–
PEWSEY ...	–	1	–	–	–	–
RAMSBURY ...	–	1	5	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	17	3	–	5	C. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	2	–	–	–	C. 1
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†OLDBURY ...	–	1	2	–	2	–
†REDDITCH ...	–	8	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	1	–
STOURPORT ...	*	*	*	*	*	*
†WORCESTER C.B.	–	3	–	–	2	–
Rural District:—						
FECKENHAM ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	32	10	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	2	–	–	–	–
COTTINGHAM ...	*	*	*	*	*	*
†KINGSTON-UPON-HULL C.B.	–	11	6	–	2	M. 1
†YORK C.B. ...	–	15	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
HOWDEN ...	–	–	1	–	–	C. 1
RICCALL ...	–	2	–	–	–	–
SCULCOATES ...	–	1	2	–	–	–
YORKS ... ... (North Riding).	–	42	2	–	8	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	17	–	–	–	–
LOFTUS	–	1	–	–	1	–
†MIDDLESBROUGH C.B.	–	17	1	–	6	M. 1
†SCARBOROUGH ...	–	1	1	–	–	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY-ON-TEES	*	*	*	*	*	*
Rural Districts:—						
FLAXTON ...	–	4	–	–	–	–
HELMSLEY ...	–	1	–	–	–	–
LEYBURN ...	–	1	–	–	–	–
WHITBY ...	*	*	*	*	*	*
YORKS ... ... (West Riding).	11	224	65	5	76	C. 5 E. 1 M. 11
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
†BARNSLEY C.B.	–	2	–	–	3	–
†BATLEY... ...	–	6	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	–	–	1	–	–	–
BIRSTAL ...	–	5	–	–	–	–
†BRADFORD C.B.	–	12	8	–	3	C. 1
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	2	1	–	–	M. 1
CUDWORTH ...	–	1	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DARTON... ...	–	2	–	–	–	–
†DEWSBURY C.B.	–	5	1	–	–	–
DODWORTH ...	*	*	*	*	*	*
†DONCASTER ...	11	1	1	–	3	C 1
EMLEY	–	1	–	–	–	–
FARSLEY ...	–	1	–	–	–	–
†GOOLE	–	4	1	–	1	–
GUISELEY ...	–	–	–	1	–	–
†HALIFAX C.B. ...	–	6	2	–	1	–
†HARROGATE ...	–	–	–	–	2	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	5	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	3	–	–	–	–
HORBURY ...	–	–	1	–	–	–
†HOYLAND NETHER	*	*	*	*	*	*
†HUDDERSFIELD C.B.	–	6	6	1	3	–
†KEIGHLEY ...	–	1	1	–	–	–
†LEEDS C.B. ...	–	60	11	–	4	–
†MEXBOROUGH ...	–	2	–	–	1	M. 1
†MIRFIELD ...	–	2	–	–	–	–
†MORLEY... ...	–	2	1	–	–	–
†NORMANTON ...	–	–	2	–	–	–
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	1	1	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	1	–	–	–	–
†RAWMARSH ...	–	–	–	–	1	–
RIPON	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROTHERHAM C.B.	–	4	4	–	5	M. 1
†ROTHWELL ...	–	–	–	1	–	–
ROYSTON ...	–	–	1	–	1	C. 1
†SADDLEWORTH...	–	–	–	1	–	–
SELBY	–	2	–	–	–	–
†SHEFFIELD C.B.	–	29	6	–	37	C. 2 E. 1 M. 7
†SHIPLEY ...	–	2	1	–	–	–
SILSDEN ...	–	1	–	–	–	–
SKELMANTHORPE	–	–	2	–	–	–
†SOWERBY BRIDGE	–	4	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
†STANLEY ...	–	7	–	–	–	–
STOCKSBRIDGE...	–	3	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	2	1	–	–	M. 1
†WAKEFIELD C.B.	–	5	2	–	–	–
†WATH-UPON-DEARNE	–	–	1	–	–	–
†WOMBWELL ...	–	1	1	1	–	–
†WORSBOROUGH	–	2	–	–	2	–
YEADON ...	–	1	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	–	–	–	1	–
DONCASTER ...	–	1	1	–	–	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	6	1	–	–	–
HUNSLET ...	–	1	1	–	–	–
ROTHERHAM ...	–	4	–	–	1	–
TADCASTER ...	–	3	1	–	–	–
THORNE... ...	–	–	1	–	1	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (South)	–	2	1	–	–	–
WORTLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	2	–	–	–
MENAI BRIDGE	–	1	–	–	–	–
Rural District:—						
VALLEY... ...	–	3	–	–	–	–
BRECKNOCK ...	–	–	–	–	3	–
Urban District:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural District:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH...	–	–	–	–	2	–
LAMPETER ...	*	*	*	*	*	*
Rural Districts:—						
YSGUBOR-Y-COED (parish)	–	2	–	–	–	–
CARMARTHEN ...	–	5	10	–	1	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	1	–	–	–
CWMAMMAN ...	–	1	1	–	–	–
†LLANELLY ...	–	1	–	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN —*cont.*						
Rural Districts:— *cont.*						
LLANDOVERY ...	–	–	4	–	–	–
LLANELLY ...	–	3	3	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
CARNARVON ...	–	2	2	–	–	–
Borough and Urban District:—						
LLANFAIRFECHAN	–	1	–	–	–	–
Rural Districts:—						
CONWAY ...	–	1	–	–	–	–
GEIRIONYDD ...	–	–	1	–	–	–
GWYRFAI ...	–	–	1	–	–	–
DENBIGH ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	–	–	1	–
RUTHIN ...	*	*	*	*	*	*
Rural Districts:—						
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	5	5	–	1	–
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
PRESTATYN ...	–	–	1	–	–	–
†RHYL	–	3	–	–	–	–
Rural District:—						
HAWARDEN ...	–	1	1	–	1	–
HOLYWELL (Holywell Div.)	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	88	29	–	28	C. 2 D. 1 M. 7
Boroughs and Urban Districts:—						
†Aberdare ...	–	3	1	–	3	–
†Barry	–	–	–	–	2	–
†Caerphilly ...	–	1	–	–	–	–
†Cardiff C.B. ...	–	4	9	–	5	C. 1 D. 1 M. 3
Cowbridge ...	–	–	–	–	1	–
†Gelligaer ...	–	–	2	–	–	–
†Glyncorwg ...	–	–	–	–	5	–
†Maesteg ...	–	–	–	–	1	M. 1
†Merthyr Tydfil C.B.	–	3	–	–	1	M. 1
†Mountain Ash	–	15	1	–	–	–
†Neath	–	–	3	–	–	–
†Ogmore and Garw	–	9	–	–	–	C. 1
†Pontypridd ...	–	2	–	–	–	–
Porthcawl ...	–	–	2	–	–	–
†Port Talbot ...	–	1	2	–	–	–
†Rhondda ...	–	33	2	–	9	M. 1
†Swansea C.B. ...	–	5	3	–	–	–
Rural Districts:—						
Cardiff ...	–	1	–	–	–	–
Cowbridge ...	–	1	–	–	–	–
Gower	–	–	1	–	–	–
Llantrisant and Llantwitfardre	–	4	–	–	–	–
Neath	–	3	–	–	1	–
Penybont ...	–	1	–	–	–	–
Pontardawe ...	–	–	3	–	–	–
Swansea ...	–	2	–	–	–	M. 1
MERIONETH ...	–	4	–	–	–	–
Urban District:—						
Festiniog ...	–	2	–	–	–	–
Rural District:—						
Edeirnion ...	–	2	–	–	–	–
MONMOUTH ...	–	20	6	–	7	M. 1
Boroughs and Urban Districts:—						
†Abersychan ...	–	1	–	–	–	–
†Abertillery ...	–	2	1	–	–	–
†Bedwellty ...	–	2	1	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Chepstow ...	*	*	*	*	*	*
†Ebbw Vale ...	–	3	–	–	–	–
Llanfrechfa Upper	–	1	–	–	–	–
†Nantyglo and Blaina ...	–	1	–	–	2	M. 1
†Newport C.B....	–	5	1	–	4	–
†Rhymney ...	–	2	–	–	–	–
†Tredegar ...	–	2	2	–	1	–
Rural Districts:—						
Chepstow ...	*	*	*	*	*	*
Pontypool ...	–	1	–	–	–	–
Saint Mellons	–	–	1	–	–	–
MONTGOMERY ...	–	6	1	–	–	–
Rural Districts—						
Forden ...	–	1	–	–	–	–
Llanfyllin ...	–	5	1	–	–	–
PEMBROKE ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†Pembroke ...	–	–	1	–	–	–
Rural District:—						
St. Dogmells ...	*	*	*	*	*	*
						–
RADNOR	–	1	6	–	–	
Urban District:—						
Presteigne ...	–	–	6	–	–	–
Rural District—						
New Radnor ...	–	1	–	–	–	–
Total of Part II.	19	1807	655	29	674	C. 27 D. 2 E. 3 G. 8 L. 22 M. 88

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Carnarvon ...	*	*	*	*	*	*
Chepstow ...	*	*	*	*	*	*
Colchester ...	*	*	*	*	*	*
Hartlepool ...	*	*	*	*	*	*
Milford ...	*	*	*	*	*	*
Plymouth ...	–	–	–	–	–	L 1
Southampton ...	–	–	–	1	–	–
Swansea ...	–	–	1	–	–	–
Port of London	–	–	–	–	1	–
Total of Part III.	–	–	1	1	1	L 1

Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	208	246	3	95	C. 9 E. 1 G. 3 L. 1 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	19	1807	655	29	674	C. 27 D. 2 E. 3 G. 8 L. 22 M. 88
Total of Part III.—Port Sanitary Districts ...	–	–	1	1	1	L 1
Total (*i.e.*, of returns received), England and Wales	19	2015	902	33	770	C. 36 D. 2 E. 4 G. 11 L. 24 M. 99

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera. Typhus Fever or Plague notified during the week. Nineteen cases of Small-pox were notified, which appear on pages 1530, 1537, 1538, 1539, and 1543.

Table 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.
LONDON:—													
DEATHS—all ages	800	842	863	946	1,025	1,083	1,155	1,240	1,129	1,130	1,148	1,068	1,035
" 0 to 1 year	92	90	88	114	117	103	123	131	149	139	153	127	123
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,315	7,433	7,096	7,390	6,784	7,141	7,086	7,281	7,058	7,097	7,339	6,910	6,277
DEATHS—all ages	3,488	3,604	3,749	3,961	4,205	4,605	4,710	4,599	4,596	4,464	4,726	4,590	4,558
" 0 to 1 year	457	436	504	490	456	541	585	602	604	592	680	687	635
ENTERIC FEVER—Cases	24	17	14	29	27	22	13	24	25	24	15	15*	14
" Deaths	3	1	3	3	2	3	1	1	4	1	6	3	4
SMALL POX—Cases	9	7	2	4	37	11	6	14	13	13	2	8*	11
" Deaths	—	1	—	—	1	12	3	1	—	—	—	—	—
SCARLET FEVER—Cases	1246	1,228	1,420	1,374	1,317	1,486	1,426	1358	1,374	1,444	1,377	1,197*	1,161
" Deaths	8	9	13	15	15	12	13	18	8	18	20	22	19
DIPHTHERIA—Cases	691	685	720	764	632	631	653	662	759	783	671	661*	592
" Deaths	29	44	51	49	31	45	40	35	35	42	59	54	45
MEASLES—Deaths	34	27	49	62	62	69	95	88	85	75	76	74	75
INFLUENZA—Deaths	32	31	43	41	48	71	64	71	60	52	68	61	51

* Excluding cases in Great Yarmouth C.B. Return not yet received.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 30th December 1922. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	50	32	46·9	36·0	28
BRIGHTON	49	32	46·6	37·5	21
PORTSMOUTH	51	33	48·4	38·7	46
NORWICH (EATON).	48	32	44·9	35·3	21
PLYMOUTH	52	33	49·1	40·1	57
BRISTOL (CLIFTON).	48	31	46·1	36·3	62
BIRMINGHAM	46	32	44·0	34·7	31
NOTTINGHAM	47	35	44·4	37·0	17
BIRKENHEAD (BIDSTON).	50	35	45·9	38·4	27
MANCHESTER	49	34	44·6	36·6	23
BURNLEY	47	33	42·9	36·0	45
HUDDERSFIELD§	49	35	44·7	37·1	19

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	47	34	43·4	36·1	29
SHEFFIELD	Not received.				
YORK (MUSEUM).	48	33	44·1	36·3	15
HULL (PEARSON PARK).	46	34	43·9	35·6	18
TYNEMOUTH	49	34	43·3	36·0	34
CARDIFF	50	34	46·0	37·0	82
EDINBURGH	48·0	32·0	42·1	35·0	45
GLASGOW	48·0	33·0	44·3	35·7	48
DUBLIN (PHŒNIX PARK).§	49·3	31·7	43·7	34·3	23
FITZWILLIAM SQUARE.†§	51·0	34·4	44·9	36·8	18
BELFAST§	49·0	30·0	45·6	35·2	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Week ended 23rd December.

HUDDERSFIELD	48	31	43·7	35·7	71
DUBLIN	49·8	26·1	44·7	35·0	12
	50·0	33·2	45·6	37·7	11
BELFAST	49·0	26·5	45·8	33·1	32

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY GREENWICH, during the Week ended Saturday, 30th December 1922.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	24	..	29·741	41·8	32·7	9·1	36·8	− 1·4	33·1	3·7	6·7	1·2	86	50·0	26·8	45·0	SW	SW & SSW.	1·4	0·0	0·1	270	− 17	0·00
MONDAY	25	..	29·609	47·0	32·3	14·7	42·6	+ 4·2	38·2	4·4	7·9	2·6	85	52·7	26·1	45·0	S	S & SSW	7·2	0·0	0·5	490	+194	0·17
TUESDAY	26	In Equator. First Quarter: Apogee.	29·657	45·9	36·5	9·4	41·0	+ 2·4	35·3	5·7	9·6	3·7	80	56·7	29·9	44·7	SSW	SW & SSW.	1·8	0·0	0·2	371	+ 63	0·00
WEDNESDAY	27	..	29·392	46·0	36·0	10·0	41.7	+ 2·9	39·0	2·7	5·6	2·2	90	50·4	29·8	44·6	S	S & SW	3·9	0·0	0·3	445	+124	0·33
THURSDAY	28	..	29·390	42·9	35·8	7·1	39·6	+ 0·7	34·5	5·1	7·6	1·8	82	60·5	30·0	44·3	SW	SSW: SSE & SE.	1·4	0·0	0·2	349	+ 19	0·04
FRIDAY	29	..	28·899	49·8	42·2	7·6	46·6	+ 7·6	41·5	5·1	8·3	2·8	82	63·3	38·2	44·2	SSW	SSW & S.	4·3	0·0	0·3	444	+109	0·10
SATURDAY	30	..	28·699	48·1	39·5	8·6	43·0	+ 4·1	37·7	5·3	7·5	0·0	82	55·7	32·0	44·4	SSW	SSW & SSE.	12·5	0·0	0·5	479	+144	0·20
MEANS		..	29·341	45·9	36·4	9·5	41·6	+ 2·9	37·0	4·6	7·6	2·0	84	55·6	30·4	44·6	SSW		...	...	...	Sum 2,848	Sum +636	Sum 0·84
No. of Column		..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE December 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	24	w.P. generally	4·9	7·7	Cloudless generally but very cloudy to overcast between 13h. and 18h. Hoar frost and mist morning and evening.
MONDAY -	25	w.P. generally	0·0	7·8	Nearly cloudless till 4h., overcast generally from 5h. Brisk wind 9h. to 18h., occasional rain between 11h. 30m. and 17h. 30m.
TUESDAY -	26	w.P. generally	5·0	7·8	Becoming nearly cloudless with hoar frost by 1h. Little cloud generally afterwards. Dew and hoar frost at night.
WEDNESDAY	27	w.P. throughout	0·0	7·8	Cloudless generally till 7h., overcast generally till 18h. 30m., afterwards cloudless generally. Hoar frost in morning. Frequent rain 8h. to 17h. 30m. Brisk wind 9h. to 17h.
THURSDAY -	28	w.P. throughout	5·4	7·8	Nearly cloudless till 14h. 30m., becoming overcast generally by 15h. Hoar frost in morning. Rain or damping from about 20h.
FRIDAY -	29	w.P. generally	2·4	7·8	Overcast generally till 8h., alternately fine and very cloudy till 12h. 30m., then overcast generally with frequent rain, continuous from 22h. Brisk wind at times.
SATURDAY -	30	v.P. till 16h., then w.P.	1·4	7·8	Overcast till 3h., becoming fine and partially cloudy by 4h. Overcast generally 9h. to 10h. 30m., variably cloudy to overcast by 15h. 30m. with cloudy period 19h. to 20h. Brisk wind generally till 15h. Showers between 9h. and 13h. and frequent rain from 16h.
			Sum 19·1	Sum 54·5	
No. of Col -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·49 in. at the beginning of the week to 29·87 in. by 22h. on 24th.; decreased to 29·52 in. by 21h. on 25th.; increased to 29·70 in. by 22h. on 26th; decreased to 29·28 in. by 16h. on 27th; increased to 29·50 in. by 11h. on 28th; decreased generally to 28·50 in. by 1h. on 30th, and increased to 28·74 in. by midnight on the same day.

Printed under the authority of His Majesty's Stationery Office,
By Eyre and Spottiswoode, Ltd., East Harding Street, E.C. 4,
Printers to the King's most Excellent Majesty